

CANADA \$4.50 USA \$3.25 Vol 2 No 9. UK £1.00.

2 825

COMMODORE

COMPUTING INTERNATIONAL

The Independent Commodore Magazine

Numbers into pictures:
Our challenge for you

DBMS –
Managing information

Inside the VIC
64/PET/VIC connections

FRANCE FR18.5 GERMANY 6DM



0

09

56698 70151

NEW LOW PRICES ON VIC-20 HARDWARE ADD-ONS AND THE INTRODUCTION OF NEW SOFTWARE CARTRIDGES


If you have already bought a memory cartridge for your VIC-20 computer, we still have many exciting items to offer, under the heading 'FURTHER EXPANSION'. They are perfectly compatible with all Commodore and many other manufacturers products.

NEW LOW PRICE ON 16K MEMORY CARTRIDGE:

Any program sold for the VIC-20 with 8k or 16k extra memory will run with the SRC16. The NEW PRICE of the SRC16 is now only £27.00, including VAT and manual.

It is important to know what else you can do with the SRC16 other than running big programs.

- 1) The SRC16 can be upgraded to 32k bytes of RAM at a fraction of the cost of a 16k cartridge. This upgrade costs only £11.00
- 2) The SRC16 has an X-ROM SOCKET. Games or utilities ROMs such as SCREEN ROM or SOUND ROM can be bought separately and used in this socket. Each software ROM costs around £5-10.00.
- 3) The SRC16 can have an EXPANSION SLOT built in. This important fact should be noted, since many VIC users experience fitting problems and extra expense when adding a Programmer's AID toolkit cartridge or the Machine Code Monitor Cartridge to their system. With many other low cost 16k memory cartridges, the user will have to buy a multi slot motherboard just to accommodate any extra cartridges. This feature alone could save you as much as £20! The SLOT is the exact reproduction of the expansion port into which the SRC16 is inserted and will cost you only £3.00. Right now you can choose any of the extra features to be built into your SRC16 cartridge. Simply tick the option boxes shown.



FURTHER EXPANSION TO THE VIC-20 COMPUTER:

1) 3 SLOT MOTHERBOARD:

For those for whom it's too late to buy a SRC16 cartridge or who want more than just memory. The 3 Slot MOTHERBOARD is not without special interest:

- a) A Memory Select System allows the user to add the memory capacity of 2 RAM cartridges — for example, an SRC16 and a Commodore VIC-1111 can be used together to provide 32k bytes.
- b) An optional 8k Memory System, very flexible, that will give 11775 bytes free or 6655 bytes free in the Low Res area or occasionally 8k bytes at \$A000 to \$BFFF for developing your own Autostart program can be added. Furthermore, if you then add your SRC16, you will get 28159 bytes free for your VIC 20!
- c) 2 EPROM SOCKETS: this feature is very much appreciated by most users and has been added only very recently. You can use either 4k EPROMs (2732) or 8k EPROMs (2764) in these sockets. Each EPROM can be activated individually exactly as if you had 2 extra cartridges in your system!

2) THE VIC EPROM PROGRAMMER: (uses 2764 Eproms)

We would need a whole page to describe this exciting peripheral for your VIC-20. Briefly, the cartridge works a little like a Disk. You can insert the VIC EPROM PROGRAMMER (VEP for short) into the SLOT and activate it with: SYS 39000

On the VEP, you will find 4 EPROM sockets. Now type in 'C' to display the catalog. It will show what is in every EPROM. It could be like this:

- | | |
|-------------------|---|
| 1. BIGBASIC | Simply enter 'R.1' to read the first program. You will instantly see: |
| 2. UTILITY | *READING BIGBASIC |
| 3. AUTOSTART GAME | *READING OK |
| 4. BLANK EPROM | READY |

Now you can list it, print it, run it etc. . .

The VEP does the loading of a 16k program in about 3 seconds with no loading error unless you have a bad RAM; it will then list out all the dead or missing bytes!

To put a program into EPROM, load it from tape or disk, activate the VEP and enter 'W PROGRAM-NAME' — very simple to do. Other useful commands provided by the VEP include Hex Memory Display, Memory Change, Memory Fill, Memory Transfer, Save a Block of Memory, Load Tape, Cold Start, Centronics Printer Drivers etc. . .

You can put Basic, utility or autostart games onto Eprom in a similar way. The VEP will work out where your program is stored and will scan the EPROMs to find enough space to put it.

You can also use it as a self contained Eprom programmer to program, verify and copy Eproms.

Utility and Autostart EPROMs made with the VEP can be used on our Motherboard or on our BLANK SOFTWARE CARTRIDGES and used as any software cartridges.

We supply a small manual together with the VEP showing how you can write an Autostart program, in Basic and in machine code. We will also supply you with a free Blank EPROM and a free Blank Software Cartridge to get you started.

A word of warning: we have developed this equipment to help users in materialising sellable software (we are very keen to buy) and will disclaim any illegal use of it.

SOFTWARE CARTRIDGES





(insert directly into back of VIC, into Motherboard or SRC slot).

1) SCREEN CARTRIDGE: Sets the screen size within limits as small or large as you like. You can for example set the screen to 40 lines x 80 columns and a 'window' of 25 lines x 30 columns, write a letter or draw a colourful playing board and move your window with control keys or joystick. As you are typing in, the window will move along to accommodate. Basic programs can be typed in, listed and run even in 80 column format. Price £10.00.

2) SOUND CARTRIDGE: transforms your VIC into an electric organ. You can play music with the keyboard, add a second voice when it plays the 1st, a 3rd when it plays back the 1st and 2nd etc, define ENVELOPE to create effects like wailing police siren, play music within basic program without slowing the speed of Basic. In short, the sound Rom makes the VIC as tuneful as the BBC micro or the ATARI. Price: £10.00

These 2 cartridges are also available in chip form. You can use the chips in the Motherboard or in the X-ROM socket of your SRC16. Price: £8.00 for either of the 2.

3) MORE CARTRIDGES will be released. We would like to market your programs in cartridge form. Alternatively, we can supply blank cartridges at very competitive prices for commercial use. We are just a phone call away so if you have a good idea, why not give us a ring?



SUMMARY	PRICE/U INCL. VAT
SRC16	£27.00
OPTIONAL EXTRAS FOR THE SRC16:*	
UPGRADE TO 32K	£11.00
EXPANSION SLOT:	£3.00
FURTHER EXPANSION:	
3 SLOT MOTHERBOARD:	£19.95
OPTIONAL EXTRA 8K FOR MOTHERBD*	£16.00
VIC EPROM PROGRAMMER (+ free gift)	£39.00
EXTRA 2764 BLANK EPROM:	£6.00
BLANK SOFTWARE CARTRIDGE:	£3.00
SOFTWARE CARTRIDGES:	
SCREEN CARTRIDGE:	£10.00
SCREEN ROM ONLY:	£8.00
SOUND EFFECT CARTRIDGE:	£10.00
SOUND EFFECT ROM only:	£8.00
Post and packing:	£1.00
TOTAL:	

*I enclose a cheque/postal order payable to SOLIDISK LTD for £:
 *Please charge my Access/Barclay credit card account No:
 (*Please delete/complete as applicable)

Signature: _____
 Name: Mr/Mrs/Miss: _____
 Address: _____

Please note: optional extras cannot be purchased alone. Also, if you wish to purchase them at a later date, SRCs and Motherboards must be returned together with the appropriate payment + £1 P+P. We regret we cannot accept orders of less than £10.00. All prices include VAT at 15%. Europe: deduct VAT, add £3.

Official UK dealers:
 SUMLOCK, Manchester, Norman DAVIS, Mill Hill, GODFREY'S, Basildon, CURRY'S MICROSYSTEM chain store.

Official European distributors:
 Benelux: ECD, Delft Tel 015 134429.
 France: RUN informatique sarl, Paris Tel (01) 581 5144.
 Germany: VOBIS Data computer GMBH, Aachen Tel (0241) 50 00 81.
 SCHAEFER, Roetgen Tel (0240) 88 319.
 Italy: SOLIDISK Italia, Inglesias (CA), Tel 0781 22529.
 Portugal: LANDREY Engineering, Lisboa Tel 681243.
 Sweden and Norway: DIGILOG, Goteborg Tel 031 20 29 00.

Thank you for the interest shown. Marketing Manager: H. PERRY

**TO: SOLIDISK TECHNOLOGY LIMITED
 (T/A AUDIO COMPUTERS)
 87 BOURNEMOUTH PARK ROAD
 SOUTHEND ON SEA
 ESSEX SS2 5JJ UK**

**OUR TELEPHONE NUMBER:
 CREDIT CARD SALES/
 DEALER ENQUIRIES:
 0702 618144**

**ENQUIRIES:
 0702 613081**

COMMODORE

COVER STORY

COMPUTING INTERNATIONAL

FEBRUARY 1984



The biggest explosion in the computer world is in robotics. In this issue we take a look at a computer controlled robot.

Published by Nick Hampshire Publications, 167-169 Great Portland Street, London W1.

Managing Editor Nick Hampshire

Consultant Editor Peter Arnott-Job

Features Editor Martin Bush

Staff writer Sally Wood

Technical Editor Richard Franklin

Programmer Carl Graham

Advertisement Manager Peter Chandler

Sales Executive Susan Moisey

Telephone:

Editorial 01-636 6531

Advertising 01-636 6408

Subscriptions 01-636 6354

Distribution by Magnum Distribution Ltd, Chronicle House, 72-78 Fleet Street, London EC4Y 1HY.

Printed by Ambassador Press, Radlett Road, Colney Street, Radlett, St Albans, Herts AL2 2EG.

© Nick Hampshire Publications 1983.

ISSN 0265-475X

Commodore Computing International - an independent magazine for Commodore computer users - is not connected in any way with Commodore Business Machines U.K. Ltd. It is published 12 times per year by Nick Hampshire Publications Ltd. The Publishers do not accept liability for any incorrect statements or errors contained in material from independent sources or authors which may be reproduced from time to time.

NEWS 5

All the latest on what's happening in the computer world

PRODUCT NEWS 7

The latest products for Commodore users

INSIDE STORY 14

We take the lid off the VIC-20 to show you what's inside

PROJECT 16

This month we give you a chance to show off your talents

SOFTWARE REVIEW 18

The intriguingly named Rabbit Loader and a musical education game.

HARDWARE REVIEW 22

Two light pens and a joystick without a stick!

BOOK REVIEW 24

A look at the publishers' latest offerings

GAMES 27

Four pages of reviews of recently arcade and adventure games

INTERFACING 34

Owen Murcott gives another fascinating insight into connecting Commodore machines.

LETTERS 47

Your moans and groans and cries for help!

HINTS AND TIPS 48

Some interesting routines and advice to save you time and effort

INSIDE BASIC 53

How to put last month's Chargat routine to good use

BASIC PROGRAMMING 56

More about graphics and a new game

MACHINE CODE 64

Make those awkward CBM characters easily understandable

BUSINESS PRODUCTS 71

Especially for business users of Commodore machines

APPLICATIONS 75

How estate agents can put a 64 to good use

BUSINESS SOFTWARE 79

A look at Abracalc and Busicalc

BUSINESS HARDWARE 83

We review one of Mannesmann Tally's printers

PRODUCT SURVEY 87

Managing all the information about database management systems

64

software

The software lists show, in order: the product **name/producer/price prefix** (to indicate cartridge-<r> disk-<d> and no prefix for cassette. Producers are abbreviated (SSFT: Supersoft) for identification, and help to identify like-named products for price checking or ordering. The product types where differing slightly from others in the same grouping are: **ass(3)(u)**: three-pass assembler (+ utilities) **comp**: compiler **dbu**: database (code)writer **intf**: interface **madv**: mystery adventure **mon(a)(u)**: monitor (+ assembler) (+ utilities) **pred**: programming tutorial **prog**: programming utility **sadv**: space adventure **stat**: statistics **txed**: texteditor **wpt**: wordprocessing + terminal software **wpu**: wordprocessing utility or link program.

PLEASE SPECIFY CHOICE OF DISK <d>
CARTRIDGE <r> OR CASSETTE

Why put up with second best when we can offer you a real choice of software for your Commodore 64? Here are some of the 250+ GAMES:

- 3D Time Trek ANRG 5.75 ■ Arcadia 64 IMAG 5.50 ■ Attack of the Mutant Camels HES r25.00 LSFT 6.74 □ B1 Nuclear Bomber AHGC 11.50 □ Choplifter BBND r27.00 □ Combat Leader STSI warg d29.00 □ Early Games series for Children (5) CONT d21.00 21.00 ■ Falcon Patrol VIRG 6.95 ■ Final Flight MMG fsm d23.00 23.00 ■ Fort Apocalypse SYNPN d23.00 23.00 □ Glaxions OLA 7.75 ■ Grand Master ADGC chess 17.95 □ Gridrunner HES r29.00 LSFT 5.00 □ Hexpert ANRG 7.75 ■ Hover Bover LSFT 6.75 □ Hungry Horace MELH 5.75 □ Hustler BB 5.99 ■ Jump Man EPYX d27.50 27.50 □ Kaktus SSFT d10.00 8.00 □ Knights of the Desert STSI warg d29.00 29.00 □ Laser Zone LSFT 6.75 □ Mangrove SSFT d10.00 8.00 ■ Matrix 64 LSFT 6.75 □ Midway Campaign AHGC warg 11.50 □ Monopole RAB 5.75 □ Moon Buggy ANRG 7.75 □ Motor Mania ADGC 8.95 □ Munchmam SOLA 7.95 □ Nukewar AHGC 11.50 □ Purple Turtles QUIK 7.95 □ Quest of Merravid MART 7.75 □ Quintic Warrior QUIK 7.95 □ Renaissance ADGC 8.95 □ Scramble 64 INTM 6.75 □ Sealox BBND d29.00 ■ Shadowfax POST 6.75 □ Silicon Warrior EPYX r29.00 □ Siren City INTM 6.75 □ Snooker VISN 8.95 ■ Stix SSFT 8.50 □ Super Dogfight TERM 9.50 □ Tank Atak SSFT d10.50 8.50 □ The Fabulous Wanda... GAMA 7.95 □ Vortex Raider INTM 6.75 □ Yahtzee ANIK 7.95 ■ STAK lighten and rifle games: Plus all the latest games including for example The Blue Max SYNPN cd35.00 ■ Draughts, Go, Life, Lost in the Labyrinth, Othello, Seek & Destroy, Shuffle 5.75 (lightpen 28.00)

DATAFILES/DATABASES

- CodeWriter DYNA dbu d85.00 □ Combined Database ANIK 12.95 □ Data Manager TIME d18.00 18.00 ■ Diary 64 KOBR r40.00 □ EasyFile CBM d75.00 □ FCM CONT d35.00 □ Home Inventory CRTV 10.75 □ Infomast RAB dbu d90.00 □ Inquire-Pac IMPX d45.50 □ Maggie 64 ADGC dbu r95.00 □ MicroFiler 64 STAG d68.99 ■ Oracle 64 KOBR d100.00 □ Research Assistant TOTL d30.00 27.00 □ Simple File SISO d69.00 ■ Superbase 64 PREC dbu d97.00 ■ The Recipe Box ARM d15.00 □ TOTL. Time Manager TOLT d30.00 27.00

EDUCATIONAL

- Bailiff SULLI 9.95 □ Besieged SULLI 9.95 □ Biology CBM 9.99 □ Chemistry CBM 9.99 □ English Language CBM 9.99 □ Face Maker SPNK r24.00 d25.00 □ Geography CBM 9.99 □ Get it Right SULLI 9.95 □ Golden Apple SULLI 9.95 □ Grammar Tree I SULLI 10.95 □ Grammar Tree II SULLI 10.95 □ Grammar Tree III SULLI 10.95 □ Happy Tutor Typing Aid IMPX d14.00 14.00 □ Hey Diddle Diddle SPNK d21.50 □ History CBM 9.99 □ Just a Mo SULLI 9.95 □ Kindercomp SPNK r21.00 d21.50 □ Masterbard I SULLI 12.95 □ Mathematics I CBM 9.99 □ Mathematics II CBM 9.99 □ Memory Trainer EINS d42.00 □ Micro Addition HAYD d21.00 21.00 □ Micro Division HAYD d21.00 21.00 □ Micro Multiplication HAYD d21.00 21.00 □ Micro Subtraction HAYD d21.00 21.00 □ Patrick Moore: Astronomy CBM 9.99 □ Physics CBM 9.99 □ Quizagon CPNT d29.00 □ Rhymes & Riddles SPNK d21.00 □ Speed Reader II DUSN d47.50 □ Time Traveller SULLI 9.95 □ Towering Inferno SULLI 9.95 □ Turtle Trainer HES r28.00 □ Turtle Tutor HES r28.00 □ Typing Tutor + Word Invaders ACDM d18.00 15.50 □ Wordmaster SULLI 9.95 □ Wordpower SULLI 9.95

ADVENTURE GAMES

- Adventure Quest LEV9 9.50 □ Arrow of Death I C8 madv 9.75 □ Arrow of Death II C8 madv 9.75 □ Aztec Tomb AGTA 7.75 ■ Blade of Blackpool SRSS d27.50 □ Circus C8 madv 9.95 ■ Colossal Adventure LEV9 9.50 □ Conflict MART 14.75 □ Cosmic Capers SSFT d10.00 7.50 □ Curse of Ra EPYX 13.50 ■ Deadline INFO madv d34.50 ■ Dungeon Adventure LEV9 9.50 □ Escape from Pulsar 7 C8 madv 9.95 □ Feasibility Exit C8 madv 9.95 □ Fool's Gold ROMK 6.75 □ Galaxy Conflict MART 14.75 □ Gateway to Apshai EPYX r26.00 □ Goblin Towers SSFT d10.50 9.00 □ Golden Baton C8 madv 9.95 □ Gruds in Space SRSS d27.50 □ In Search of the Most Amazing Thing SPNK d21.50 □ Perseus & Andromeda C8 madv 9.95 □ Ring of Power QUIK 9.95 □ Snooper Troops: Case 1 SPNK madv d28.00 □ Snooper Troops: Case 2 SPNK madv d21.00 ■ Snowball LEV9 sadv 9.50 ■ Starcross INFO sadv d29.00 ■ Suspended INFO d36.00 □ Sword of Fargool EPYX d20.50 20.50 ■ Telengard AHGC 16.50 □ Temple of Apshai EPYX r20.00 d24.00 □ Ten Little Indians C8 madv 9.95 □ The Cracks of Fire SSFT d10.00 7.50 ■ The Hobbit MELH 14.50 □ The Island SPRB 9.75 □ The Streets of London SSFT d10.50 9.00 □ Time Machine C8 madv 9.95 □ Token of Ghall INTM 6.75 □ Tombs of Xeipos ROMK 6.75 □ Upper Reaches of Apshai EPYX d13.50 13.50 ■ Witness INFO madv d35.00 □ Wizard of Akryz C8 madv 9.95 ■ Zork I INFO d29.00 ■ Zork II INFO d29.00 ■ Zork III INFO d29.00

WORDPROCESSING

- Bank Street Writer BBND d50.00 □ Blitztext ECMP wpt d47.50 □ BusiWriter SSFT r53.00 d43.00 ■ EasyScript CBM d75.00 ■ EasySpell CBM wpu d50.00 □ Heswriter 64 HES r33.00 □ Instawriter INST r60.00 d27.50 27.50 ■ Mailpro 64 KOBR wpu d70.00 ■ PaperClip KOBR d90.00 □ Scrip164 RVTC d70.00 □ Simply Write SISO d46.00 38.00 ■ TOTL.Label TOTL wpu d19.00 16.00 □ TOTL.TEXT TOTL d34.00 31.00 ■ Vizawrite + VizaSpell VIZA d99.00 □ VizaSpell VIZA wpu d65.00 □ VizaWrite VIZA r75.00 d75.00 □ Wordcraft 40 ADGC r89.95 ■ Word Wizard BB txed 5.99 □ WordPro 3 Plus/64 WEGO d90.00

UTILITIES (see also PROGRAMMING AIDS)

- 1541 Backup SSFT dupe d12.50 10.50 □ 64 Sprite Editor STCK 5.00 □ Advertiser BB 5.99 ■ Arrow SSFT r43.00 ■ Backup + File Clone CLM copy 15.00 ■ Centronics Interface ADGC intf 7.95 □ Compactor SSFT d10.50 8.50 □ Delta Drawing SPNK r28.00 □ Forget-Me-Not TIME d18.00 18.00 □ Graphix 64 SSFT d12.50 10.50 □ Label Printer BB 5.99 ■ Poster Printer BB 5.99 □ Printlink 64 + cable SSFT intf d30.00 30.00 □ Rel 64 KOBR intf r35.00 □ Renumber SSFT d9.50 7.50 □ Sprite Maker 64 ENGS 6.75 □ Sprite/Graphics Editor CBM 5.99 □ Superfont 4.0 ENGS 6.75 □ Supersort 64 SSFT d25.00 23.50 □ Tagsort 64 SSFT d12.50 10.50 □ Tape Merge/Append SSFT d9.50 7.50 □ The Advertiser BB 5.99 ■ Vtree SSFT r53.00

PROGRAMMING AIDS (see also UTILITIES)

- 6502 Professional System HES prog 21.00 □ Assembler INTM ass 6.75 □ Assembler Development CBM prog d24.95 □ Assembler Tutor CBM pred d29.92 29.95 □ C64 BASIC Tutor IMPX pred d13.75 □ C64 Tour IMPX pred d8.00 □ DTL-BASIC Compiler DATA comp 35.00 □ Gortek CBM pred 12.99 □ Hesmon 64 HES mona r29.00 ■ Intro to Basic I, II CBM pred d14.95 14.95 □ Jigsaw NOVA ass d7.95 5.95 □ Macrofile ECMP ass d47.50 ■ Mikro Assembler SSFT ass3 r53.00 ■ Monitor ADGC monu r29.95 □ M/C Soft 64 CHIP ass 7.25 ■ Pal 64 KOBR assu d72.00 ■ PetSpeed 64 CBM comp d50.00 □ Power 64 KOBR d72.00 □ Programmer's Utilities CBM d14.99 □ Programmer's Guide KOAL d10.50 ■ Simons Basic CBM prog r50.00 □ Turtle Graphics II HES r43.00 □ UltraBASIC 64 ADAM d24.95 22.95 □ Zoom SSFT monu d12.50 10.50

PERSONAL FINANCE & SPREADSHEETS/STATISTICS

- AccountPAC IMPX d22.50 22.50 □ Bank Manager 64 CHIP d9.50 7.25 □ Check Ease T&F d25.00 21.50 □ Decision Maker CRTV 10.75 □ Electronic Checkbook TIME d18.00 18.00 □ Accountant CONT d52.50 □ Home Manager HES d35.00 □ Household Finance CRTV 21.00 □ Money Manager CBM 9.99 □ Money Manager TIME 18.00 □ Time Money Manager HES d49.00 □ Abrcalc ABCO d27.50 25.00 □ BusiCalc 2 SSFT d79.00 77.00 □ BusiCalc SSFT d45.00 43.00 ■ CalcResult KOBR d115.00 □ Easy CalcResult KOBR 72.00 □ EasyCalc CBM d75.00 □ Future Finance CBM d75.00 □ Omnicalc HES d70.00 ■ PractiCalc 64 CSA d44.50 39.95 □ Stat 64 KOBR stat r35.00

Latest listing available on request - this includes ACCOUNTING, BUSINESS, and other software not possible to include here. Let us provide that elusive software for you! Hardware and books also available at lowest prices. Send now for details! Or simply add your name on our mailing list. Please make cheques/PO's payable to The Six-Four Supplies Company; allow for clearing and post. Please add 50p (£1 Europe) P&P for orders less than £20. Telephone hot-line for credit card orders only: 0227 266289

The Six-Four Supplies Company

P.O. Box 19, Whitstable, Kent CT5 1TJ

Incorporated by The DGH SOFTWARE CENTRE
10 North Street, Ashford, Kent
(a division of T Denne & Son Ltd)

New chip off the old block

MKA Limited have produced a chip switch which enables the 8250 disk drive to be converted into the now unavailable 8050 disc drive.

According to MKA installing the chip is easy.

Once installed the chip responds to an eight character BASIC command because the entire conversion program is resident on the 8250 chip. Converting back to the 8250 is achieved by entering another BASIC command.

The cost of the conversion chip is £49.95 available from Commodore dealers or direct from MKA Training Limited, Shades House, Mealcheapen Street, Worcester WR1 2DQ. Telephone 0905 612261.

\$100,000 prize for best new games in the world

Fancy yourself as a games programmer? There could be a \$100,000 prize waiting for you and the chance of fame!

The awards ceremony of the first international competition to find the video game of the year is expected to receive worldwide media coverage later in 1984.

This is to be the first in a series of such competitions, the avowed aim being the creation of a register of independent programmers and programs which will be sold to distributors of microcomputer software throughout the world.

The competition has been divided into six categories covering sports, simulators, arcade games, strategy games, adventures and a special section to cater for the best programme which cannot be classified as a game but

provides educational or entertainment material. Prizes range from \$100,000 for the outright winner and \$15,000 prizes for section winners.

All winning games will carry the title 'An International Video Game of the Year - Merit Award' on retail packs and the programmers will receive 10% of the income gained from sales.

The winner of each category will all be selected in secret by a panel of experts and the awards ceremony, which will take place in London, will include a selection of international personalities. The judges will be looking for programs that represent a breakthrough in basic creative and commercial flair and games which seem to have potential but are poorly programmed may be re-programmed to a higher

standard.

It is hoped that the competition, which is being sponsored by Video Games International Limited, will boost the continued growth of the video/computer games industry throughout the world. It is being advertised in 20 countries and thousands of entries are expected.

The competition is being jointly promoted by The International Register of Independent Computer Programmers Limited and the International Management Group.


Mark Mackormack's organisation, better known for involvement with sporting stars, is also involved. There will be sufficient gap between the choosing of the winners and the public announcement to enable refinement to the software and the marketing.

RU R2D2?

You've seen the film, read the book, seen and read the sequels, heard the music on record and as the introduction to computer games - now you can own a real R2D2!

The RB Robot Corporation have introduced the RB5X Intelligent Robot which is capable of carrying out several tasks. It has an arm capable of lifting and carrying loads of up to 12 ounces.

One of the novel aspects of the robot is that it can be controlled by the human voice and respond with a voice of its



own. The voice synthesis is based on a standard synthesis chip and the vocabulary of the robot is limited only by the size of its memory. It is also capable of reproducing music, whistles and sirens.

The robot can even help with the spring cleaning - a vacuum attachment at the base of the machine enables it to clean floor surfaces.

The robot has been developed by the RB Robot Corporation, 14618 West 6th Avenue, Suite 201, Golden, Colorado 80401, USA.

Oric clear for takeover

Shareholders of Edenspring Investments have approved the acquisition of Oric Products International Limited, the private manufacturer of the Oric microcomputer.

This means that Edenspring will have net tangible assets of nearly £5m which will be used in the further development of Oric's products and markets.

Interpod price cut by 25pc

Oxford Computer Systems have announced that the price of their popular Interpod has been reduced from the original price of £125 to £99.95p. According to Alan Wyn Jones, managing director at Oxford Computer Systems the reduction is a direct result of the

commercial success of the product.

Interpod is a very versatile intelligent interface for the VIC and 64 which was originally launched in April last year.

Interpod can be obtained from Oxford Computer Systems or Commodore dealers.



Broderbunds New software

Broderbund Software have released three new products for the VIC and the 64.

Lode Runner and Sky Blazer are two cartridge based games that used to be for the Apple and Atari but will now run on the VIC.

In Lode Runner, the player can choose from 24 different game screens each of which contains several challenges as the player attempts to pick up treasure chests avoiding all the guards at the same time. As well as serving as an arcade game. Lode Runner is also a game generator which means the user can create his own screens and save them to disk or tape.

This is a feature which is not included in their second product, a game called Sky Blazer.

With this game, the player has to destroy enemy radar, tanks and missiles using a fighter bomber. Refuelling is quite easy if the player can catch a cargo parachute but bombing is rather dangerous because it necessitates flying at a low level.

Their third product is called Bank Street Writer which is for the 64. Using this program, it is possible to move text around using the block text option, centre and indent text and view a page of text before starting printing.

The program comes on disk along with a disk based tutorial, reference manual and a free back up disc.

All of the above products are available from Broderbund Software, 17 Paul Drive, San Rafael, California 94903 USA.

Drive puts the hardware in the cable

Owners of the VIC and 64 can now take advantage of a new disk drive system called the Byte Drive 500 which has been designed by ITL Kathmill and Tyrell Systems. For around £300 the user gets the 3' floppy disk drive, power supply unit, hybrid cable, user manual and disc.

The key to the whole system lies in the 34 way hybrid cable that contains all the control circuitry and hardware needed to control the Disc Operating System. The main components of this cable are 16K ROM containing all the recognition codes and the disc controller chip that can be used in conjunction with single and double density media.

The disc drive itself is a double density drive capable of producing 440 formatted Kbytes with an average file access time of three milliseconds. The floppy disc media is housed in a plastic case with an aluminium sliding door.

The power supply unit has been designed by Adam Electronics and is a 30VA model with output connections for two drives using 12V and 5V direct current. Interfacing is for the 5 and 1/4' drives as well as the 3' drives. The cost of all this hardware and software is £299 whereas the disc drive on its own will cost £192.37.

This disc drive is available from ITL Kathmill Limited, The Old Courthouse, New Road, Chatham, Kent ME4 4QJ. Telephone: 0634 815464.



Interface control

Wildern Electronic have developed an interface controller that permits control of any IEEE 488 system via an RS232C data link.

This means that any device that is equipped with a serial data output can be connected to a local or remote system which, the manufacturers claim, can be extended to any part of the world where there are serial ports available.

Inside the unit there are several switches which can reconfigure the unit to operate as a slave RS232 converter.


This product is available from Wildern Electronics, Albermarle House, Osborne Road, Southsea, Hampshire PO5 3LB, telephone 0705 831041.

METAGALACTIC LLAMAS BATTLE AT THE EDGE OF TIME

A fast and original game for the unexpanded VIC. Challenging and colourful, with good sonics and a unique game action and design, this promises to be the most exciting new 3.5K VIC game since the introduction of GRIDRUNNER nearly a year ago. £5.50

LASER ZONE

Experience Laser Zone – an utterly NEW totally ORIGINAL masterpiece of Video games design. Learn to control two spaceships at once. Feel the EXHILARATION as, after long hours of practice, you control the two ships so that they function as a smooth, co-operative team! Feel the raw POWER as you lunge for the electro-button and BLAST your enemies into expanding clouds of SPACE JUNK!! Feel the humiliation as a carelessly aimed BLAST slams into the side of your last remaining ship!! 8K expansion required. Available for Commodore 64 £7.50 and VIC-20 £6.




MATRIX

Jeff Minter has taken Gridrunner – the game that topped bestseller charts in USA and UK – and created an awesome sequel. Graphically superb, it features multiple screens, new aliens and attack waves, mystery bonuses, renegade humanoids, deflexor fields, diagonal tracking, countdown/panic phase and much, much more... Packed into 20 mind-zapping zones and accompanied by incredible sonics. 8K expansion required. Available for Commodore 64 £7.50 and VIC-20 £6.

HOVER BOVVER

A totally original arcade game for C64 featuring outstanding graphics and a sound track created by a professional Piano Wizard. Gordon Bennet has borrowed his neighbour's

Air-Mo lawnmower. Mow your way through as many of the 16 lawns as you can before the pursuing neighbour retrieves his mower. Set your dog onto the neighbour to help you out of tight spots and don't annoy the gardener. Try not to plough through the neat flower beds or overheat your mower! £7.50



ATTACK of the MUTANT CAMELS

Planet earth needs you! Hostile aliens have used genetic engineering to mutate camels from normally harmless beasts into 90 foot high, neutronium shielded, laser-spitting death camels!! Can you fly your tiny, manoeuvrable fighter over the mountainous landscape to weaken and destroy the camels before they invade the humans stronghold! You must withstand withering laser fire and alien UFOs. Game action stretches over 10 screen lengths and features superb scrolling, scanner 1/2 player actions and unbelievable animation! Play this game and you'll never be able to visit a zoo again without getting an itchy trigger finger! Awesome m/c action! Available for Commodore 64 £7.50.

REVENGE of the MUTANT CAMELS

At last the long awaited sequel to Attack of the Mutant Camels is available. You are controlling a ninety foot high, neutronium shielded, laser spitting death camel, leading a rebellion against your evil Zzyaxian overlords. The game features beautiful smooth scrolling graphics and no less than 42 different attack waves, more than any game in video history. The challenge of play will last for months as you battle to see what's on the next wave. £7.50



GRIDRUNNER

Finally true arcade quality on the unexpanded VIC! Shoot down the segmented DROIDS invading the grid. Beware of the pods and zappers! The awesome speed, sound, and graphics gives you the best blast available for unexpanded VIC. Available for VIC-20 £5.00 Commodore 64 £5.00 Atari 400/800 £7.50



Llamasoft
AWESOME GAMES SOFTWARE

49 MOUNT PLEASANT,
TADLEY, HANTS. RG26 6BN.
TELEPHONE: TADLEY (07356) 4478


All orders add
50p postage and packing



LLAMA SOFT GAMES NOW IN BOOTS,
LASKYS AND MANY OTHER RETAILERS.

*FROM BEYOND THE DARKEST
INFINITY OF HYPER-SPACE
COMES ONE NAME WE
CHALLENGE YOU TO BEAT...*

RODNIK



WAP!

Games we challenge you to beat...on the 64, Vic 20, Spectrum, ZX81, BBC, Electron, Dragon, Oric, Lynx and Atari. See your local dealer for details.

Ask your dealer about these exciting new Galactic Series 2000 2nd Generation games.

20 COMMODORE 64 HOME COMPUTERS TO BE WON

PLUS 100 RUNNER UP PRIZES VIC20/CBM64 OR DRAGON JOYSTICKS

Galactic Software are giving away all these prizes to the lucky number winners, anyone who buys a Galactic Series 2000 game before Christmas could win!

For YOUR chance to win a prize simply fill in the entry form with your guess at one of the lucky numbers and send to us with the bottom right corner of the cassette cover of any Galactic game OR send your entry together with your order for any game.

Our computer has chosen 120 random numbers between 1 and 10,000, one for each prize. The closest guess to each number wins the prize.

Closes Dec.24th 1983. A list of all the winners will be available.

In the future... in a galaxy far, far away a second generation of games was created. They were time warped back to our dimension for you to experience, NOW.


The Galactic Series 2000 is here at last. Games for the VIC 20, Commodore 64 and Dragon 32.

All series 2000 games are only £5.50 each. Money back guarantee.

Unexp. VIC20 games - Keyboard or Joystick.
Commodore 64 games - Joystick control.
Dragon 32 games - Keyboard control.

Dealership enquiries contact 04605 5161
Galactic Software, Unit 7, Larchfield Estate, Dowlish Ford, Ilminster, Somerset. TA19 0PF. Tel:(04605) 5161

ALTERNATIVE PRIZES OF DISK DRIVES OR PRINTERS FOR WINNERS WHO ALREADY OWN CBM64's



FROGGY - VIC 20, Commodore 64, or Dragon 32

Froggy: Incredible animation in this high performance graphics experience. Frogs, trucks, cars, boats, logs, turtles and lilyponds all combined to give your brain a real workout.




SPACE SHUTTLE - VIC 20

Space Shuttle: Test your reflexes to the max as you attempt to rescue psychopathic scientists from the moon. Beware of the hazardous space fragments in this hectic challenge.




ROBOT MOUSE - VIC 20

Robot Mouse: In this futuristic arcade game you collect atomic cheese from the floor of the space maze avoiding the mean malfunctioning robots who will on contact.



3D MAZE - VIC 20

3D Maze: The ultimate maze game features brain power not fire power. A visually breathtaking 3 dimensional display with a tormenting time factor as the 4th dimension.



BUG DIVER - VIC 20, Commodore 64, or Dragon 32

NEW RELEASES! THE PROGRAM THAT EVERYONE IS TALKING ABOUT

GAMES DESIGNERS

VIC 20	COMMODORE 64
£9.50	£11.50

THESE FANTASTIC PROGRAMS ALLOW USERS TO EASILY DESIGN & MAKE THEIR OWN MACHINE CODE GAMES - USING FULL COLOUR & SOUND EFFECTS



NEUTRON ZAPPER - VIC 20

Neutron Zapper: You pilot one of the best space ships ever built, but that's no protection in this galaxy. Your survival depends totally on the speed of your reflexes.

ALL GAMES ONLY £5.50 EACH

Galactic Software

Tick the appropriate box.

Enclosed is the bottom right corner of a Galactic cassette cover.

Please send me the following game(s)

Froggy Neutron Zapper
 Bug Diver 3D Maze
 Space Shuttle Robot Mouse

My computer is **GAMES DESIGNERS**

Commodore 64 VIC 20 Dragon 32 VIC 20 COMMODORE 64

£9.50 £11.50

Here is my guess _____
 at one of the numbers _____
 I enclose cheque for the sum of £ _____

or my Access no. is _____
 Name _____
 Address _____

Please send to Galactic Software, Unit 7, Larchfield Estate, Dowlish Ford, Ilminster, Somerset. TA19 0PF.



ALL GAMES ONLY £5.50 EACH

TERMINAL SOFTWARE

commodore 64 games cassettes

SUPER SKRAMBLE!

Personal Computer News (15-21 Sept '83) gave SUPER SKRAMBLE! an overall rating of NINETEEN OUT OF TWENTY and described it as: "Well implemented with beautifully smooth scrolling and very nice graphics."



SUPER GRIDDER

"... a compelling piece of frivolity that could give hours of fun." was the verdict of Personal Computer News (22-28 Sept '83).

SUPER SKRAMBLE!

"An excellent game" said Computer Video Games magazine (Sept '83).

STELLAR DODGER

A game of skill and anticipation in which you must dodge your way through asteroids to complete your mission.

NEW



TERMINAL

SUPER DOGFIGHT


The first 64 games cassette to have SIMULTANEOUS TWO-PLAYER ACTION - realistic sound effects too.



HUNTER

A fast action game in which your pursuers gain in speed and intelligence as you master each successive screen.

NEW



VIC-20 games cassettes

Pinball Wizard*
Skramble!
Gridder
Line Up 4/Reversi


Get Lost!
Meteor Blaster
Terminal Invaders
Log Run

The Curse of the Werewolf
Rescue from Castle Dread
Magic Mirror
Nosferatu



PINBALL WIZARD

Experience FAST action and REALISTIC gravity as never before. You can even use the flippers to trap and hold the ball. NUDGE the table too - but not too much or it tilts!



TERMINAL

SELECTED PROGRAMS AVAILABLE IN

Dixons
SOFTWARE
EXPRESS

Greenchip
at DEBENHAMS

LAZARUS

TERMINAL SOFTWARE
28 CHURCH LANE, PRESTWICH, MANCHESTER M25 5AJ
TEL 061 773 9313

PRINCIPAL WHOLESALE DISTRIBUTORS:
PCS BLACKBURN, CentreSoft WEST MIDLANDS
SoftShop LONDON

EUROPE:
WICOSOFT - DÜSSELDORF
TIAL - ALMHULT
AASHIMA - ROTTERDAM

Home micro monitors


Microvitec have made its Cub range of colour monitors available for use on the home micro.

These are 14 and 20 inch screens and are the only colour monitors to be approved under the government's "micro's in schools" programme.

These screens have four times as many dots as ordinary colour television tubes and is

thus capable of reproducing pictures in much finer detail.

Both of these monitors will accept signals straight from the micro without the signals having to be encoded by the computer and then decoded using the normal television circuitry. Microvitec Limited are at Futures Way, Bolling Road, Bradford, West Yorkshire BD4 7TU, telephone 0274 390011.



Dual program cassettes

An expansion board for the 64 that features four expansion slots has been developed by a company called Compuscope. This expansion board means that owners of the 64 can add a wide variety of software and expansion peripherals.

Three of the expansion slots are vertical providing easy access to standard size cartridges whilst the horizontal port permits the use of larger cards like an 80 column video converter as well as normal expansion cartridges.

One of the integrated circuits on the board gives the 64 Expander a pause feature

which enables the user to halt the operation of the computer at the push of a finger.

Another helpful feature of the board is the restart function which leaves memory location intact and allows machine code programmes to be reactivated directly which should be helpful when new software is being debugged.

This does not apply to BASIC programmes which can only be recovered with the help of additional software provided by Compuscope who can be contacted at 6400 Signal Street, Tillamook, Oregon 97141, USA.

New speech synthesiser from AndOr

The Commtalk speech unit is a versatile synthesizer in that it is compatible with the VIC, 64 and PET.

This is the first product of a recently formed company called AndOr Systems who are looking for dealers to support their products.

The basis for the speech synthesizer is the use of allophones which are sounds used to construct words. Using this principle, Commtalk has an unlimited vocabulary.

Speech can be accessed directly through BASIC commands and a library of words can be built up in strings. It is also possible for Commtalk to

talk whilst a programme is being executed.

Amongst the many applications of speech units is Computer Aided Learning, applications in industrial control and games. The speech comes from a television or monitor in the case of the VIC and 64. The PET can have either a separate speaker or the PET unit can double up as a sound box.

The cost of the unit for the PET is £45 whilst the unit for the VIC and 64 costs £39. Each unit carries a six month guarantee and can be obtained from AndOr Systems, 28 Hillside Drive, Rathfarnham, Dublin 14, Ireland.

Compuscope launch expansion board

Audiogenic are claiming to be the first software house in the UK to produce dual program cassettes.

Both sides of the cassette have the same program recorded on them although one side is for the VIC and the other side is for the 64. No doubt this claim will be hotly disputed!

The games concerned in this 'innovative' launch are Cataclysm and Bonzo. Cataclysm is an arcades game which can be used on unexpanded machines. The player takes the part of the commander of a laser whose mission is to destroy as many Jovian saucers as possible. The cost of destroying these aliens is £5.95.


Bonzo puts the user in the

role of a collector of boxes which the user has to get by climbing ladders all over the screen and avoiding all the monsters. This game costs £7.95.

One game which Audiogenic have not yet put on a dual machine cassette is a game called Shifty for the VIC with 8K expansion. Here, the player is trapped in a maze inhabited by ghosts and food pills. The player must avoid being caught by the ghosts. This particular game will cost the user £5.95.

All of these games can be obtained from Audiogenic Limited, PO Box 88, Reading, Berkshire RG1 2SN, telephone 0734 595647.

**NOW
HEAR
THIS!**



NEW

At last a superb, professional-standard music system that's designed by musicians for musicians. MICRO SOUND 64 is a full size, 4 octave music keyboard engineered to make the fullest use of the COMMODORE 64's legendary sound capabilities for amateur and professional alike. MICRO SOUND 64's amazing facilities add a new dimension to your music and include:

- * Two user definable slides for real-time control.
- * Full sound storage and recall for playback or overdubbing – A composer's dream.
- * Exciting add-on potential for a sensational range of complex musical effects and state-of-the-art techniques, including digital sampling.
- * On-screen displays and graphic presentations.
- * Price £145 (inc. VAT) plus £3 post and packing.

MICROSOUND 64

The Key to Sound Technology

Enquiries to: Autographics Ltd., 3a Reading Road,
Henley-on-Thames Oxon RG9 1AB
Telephone: 0491 575469.
DEALER ENQUIRIES WELCOME.

LEVEL 9 ADVENTURES


for

BBC 32K COMMODORE 64 SPECTRUM 48K
LYNX 48K NASCOM 32K ORIC 48K ATARI 32K

These games are very much bigger than normal adventures yet cost £9.90 each. The number after each name is an estimate of how many weeks an average player may take to solve the game – for your information.

- 1. COLOSSAL ADVENTURE (4 weeks)**
The classic mainframe game "Adventure", with all the original puzzles plus 70 extra rooms.
- 2. ADVENTURE QUEST (4 weeks)**
An epic puzzle journey through Middle Earth.
- 3. DUNGEON ADVENTURE (8 weeks)**
Over 100 puzzles to solve and 40 treasures to find.
- 4. SNOWBALL (2 weeks)**
Save the interstar freezer. Snowball 9, in a huge space adventure with over 7000 locations.

Note: a lot of players take much longer than the times above. Don't be discouraged if you are one of them!



Snowball was too new to have been reviewed when this ad. was placed, but here is a sample from the superb independent reviews of our first three adventures:

"The Level 9 Adventures are superbly designed and programmed, the contents first rate. The implementation of Colossal Cave is nothing short of brilliant; rush out and buy it. While you're at it, buy their others too. Simply smashing!"

–SOFT, September 83

"Of the programs reviewed here, the only one that is wholly admirable is Level 9's Colossal Adventure."

– Your Computer, September 83

"I found Dungeon exceedingly well planned and written, with a fast response. There are well over 200 locations and the description are both lengthy and interesting."

– Computer & Video Games, September 83

"This has to be the bargain of the year... If adventures are your game then this is your adventure."

Home Computing Weekly, 30th August 83

"There are three excellent adventures on offer from Level 9... the descriptions are so good that few players could fail to be ensnared by the realism of the mythical worlds where they are the hero or heroine... great fun to play."

– Which Micro?, August 83

Price: £9.90 each inclusive

Level 9 adventures are available from good computer shops, or mail-order from us at no extra charge. Please send order, or SAE for catalogue, describing your micro, to:

LEVEL 9 COMPUTING

Dept I, 229 Hughenden Road
High Wycombe, Bucks HP13 5PG

A speedier PET with a bigger memory

An add on board for the PET has been designed to increase the speed of the PET and the size of the memory.

For users of the 3000, 4000 and 8000 series machines, the PETX2 system comprises of one board which fits inside the computer providing 96K of memory and upgrading other systems.

The microprocessor chip behind all this is still the 6502A and the system provides the

opportunity to switch between different memory banks and VDU and input/output peaking routines.

The manufacturers of the board, J R and S Purdue, claim that the board gives twice the speed and three times the memory of the standard PET system for £350 excluding VAT.

J R and S Purdue are at 1 Port Hill, Hertford, Hertfordshire SG14 1PJ telephone 0992 57393.

Reducing printer noise

There is a new printer cover from Industrial and Marine Acoustics which should reduce printer noise to below 50 decibels.

The IAMA IH 101 Printer Cover is designed for 80 column printers and is made of white moulded plastic with a perspex window. The interior of the cover is lined with foam and there are two versions

available, one with a cooling fan.

The cost of the model without the fan is £158 and with the fan included the price is £184.

An optional extra is a metal stand which will cost a further £48. All of these products are available from Industrial and Marine Acoustics, PO Box 8, Cheadle, Stoke on Trent, ST10 4LH.

More Basic commands

Softchip is now available for the Commodore 64 and, if its popularity with the PET is anything to go by, it should be a serious rival to Commodore's own Simons BASIC.

Softchip is a programmers aid which comes as a plug in 8K cartridge that fits on to the back of the 64. The major selling point of this utility is the fact that the actual choice of commands that the cartridge contains is entirely user selectable.

Each cartridge is capable of holding about 7100 bytes worth of commands although the choice can be made from commands totalling over 20,000 bytes. The cost of this programmers aid is £34.95 and this includes a free demonstration cassette featuring all the Softchip commands.

The manufacturers of this product are Whitby Computers who can be contacted at 8 Chub Hill Road, Whitby, North Yorkshire YO21 1JU. Telephone: 0947 604966.

Commodore - new computers

Two new Commodore home computers, based around a new microprocessor chip - the 7501, were revealed for the first time at the Consumer Electronics Show held at Las Vegas in January. Software for the new machines will not be compatible with that for the Vic-20 or the Commodore 64, but Commodore says that the new models are intended to complement the existing range and not to replace the 64.

Called the Commodore 264 and the V364, these models look completely different to the Commodore machines currently on the market. They are slimmer in appearance and have a different keyboard. In fact their appearance is reticent of Japanese-made home computers.

Commodore has scheduled an April launch date for the American market.

As the name suggests, both models use 64K of RAM and their capabilities slot in either side of the Commodore 64, as does the price of each machine.

The Commodore 264 has 32K ROM and 64K RAM of which 60K is addressable in BASIC. It has a more restricted array of graphics than the 64.

Maximum screen resolution is 320 - 200 pixels. The 264 also has a more restricted version of SID with two instead of three voices. Its two sound generators each have eight volume levels, programmable as either two music channels on one music and one white noise channel. The full size, 67-key keyboard includes four pre-programmable function keys. When used together with the Shift key, this gives up to eight user-defined keys.

A full upper and lower-case character set is provided by the software in the 264 ROM which also offers a built-in machine code monitor and 'window' graphics capability. Other available software includes spreadsheet, word-processing, file-handling and graphics, either as a built-in option or as a range of plug-in cartridges.

The Commodore 364 is very similar to the 264. It includes a built-in speech synthesizer with a vocabulary of over 250 words, which accounts for its increased ROM size of 48K. Additional vocabulary can be soft-loaded from disk or cartridge.

The 86-key keyboard of the V364 includes a 19-key numeric pad.

Our future

Whenever possible we at Commodore Computing International try to make improvements to the magazine, often at the suggestion of readers and advertisers. You may have noticed some of the changes we have introduced recently - many of you will certainly have noticed that something odd has happened to our publishing schedule.

The reason why the December issue was followed after a long gap by this, the February issue, is that we are gradually bringing forward the publishing date of Commodore

Computing International to the middle of every month. To achieve this we could have published two issues in one month but this would have been inconvenient for our advertisers and many of our readers. Instead we have left a longer gap than usual between two issues and intend to change our publishing schedules gradually.

We must admit that pre-Christmas production problems influenced the timing of our plans but hope you will bear with us for the next couple of months while we adapt.

INSIDE STORY

Ever wondered what the inside of your computer really looks like but never had the courage to peak inside? The fact that taking the lid of the micro can invalidate the warranty puts many people off so we decided to put your minds at rest by showing the inside of the machine. This month we look at the VIC-20 and next month we will be taking a more detailed look at the 64.

It might not look like it but the inside of any computer is mainly wires and switches. There are almost too many wires and switches to count – and they are too small to do so with naked eye.

Elementary computer lessons begin with explanations about switches that are either on or off – saying yes or no, or, in binary code 0 or 1. These are contained within the chips.

The wires, of course, look nothing like wires. On the printed circuit board (PCB or motherboard) that forms the basis of the computer they are 'painted' onto the surface. Inside the chip the pathways that form the wires are etched into the silicon.

The numbers on the black and white photograph correspond to the numbers below. We give a brief explanation of the function of each item. It would be impossible, of course, to describe every part of the computer but this should give you a rough idea of how it's laid out and how it works.


6502A microprocessor

This eight bit chip, manufactured by MOS Technology, is the Central Processing Unit (CPU) at the heart of the VIC. It is this chip which performs all the instructions when a program is RUN. It is called an eight bit processor because during each instruction or operating cycle eight bits of data are operated on or transferred simultaneously.

The inside of a computer but it can easily be divided into two sections – the control section and the register section. The control section recognises the instruction and initiates the correct sequence of data transfers and the register section actually carries out the processing.

Voltage regulation circuitry

This controls the power supply for all the chips.



BASIC ROM

Even novices will know that ROM stands for Read Only Memory – memory which cannot be changed by the user. BASIC ROM reads all the commands in BASIC and enables the computer to act on them. The BASIC ROM chips actually use programs written in machine code! Without BASIC ROM the computer would be unable to act on the BASIC commands.

Kernal ROM

This chip contains the routines which control the input and output of the computer.

Buses

These are simply the pathways along which signals travel. Inside the micro there are usually three buses – control bus, address bus and data bus.

The control bus is the route along which timing and control signals travel. The address bus carries information about that part of the memory with which the 6502A microprocessor is dealing. The data bus carries data back and forth between the CPU and the memory.

6561 Video Interface Chip


The VIC chip (now you know where the name comes from!) controls not only the connection between the computer and the screen but also the sound functions of the VIC. It can also take the input from light pens and joy sticks. The only function of the VIC chip which is not under the direct control of the user is the oscillator clock.

RAM chips

Just as every novice knows what ROM means, so every novice learns quickly that RAM means Random Access Memory. This is, of course, the memory that's accessible to the user. There are ten RAM chips and there are four areas of RAM used by the 6561 chip. These are the character generator, which is self explanatory; the character pointer, which contains the data about positions on the screen; the colour pointer, which contains data about the foreground and background colours of the screen; and the 6561 control register, which, as the name suggests, controls how the 6561 connects with RAM.

VIA chips

These are the versatile interface adaptors and, as the name suggests they deal with input and output which is not dealt with by the kernal ROM.




How to build a digitiser

This month our project is something completely different – we are throwing out a challenge to all our readers. We enjoy thinking up ideas and turning them into reality but we felt it was time we let our readers have a go. Our postbag shows that there's a lot of creative talent out there. Here's your chance to prove it to the rest of the world. Who knows? You might even end up with a new career!

The principles behind a digitiser are simple – but could you design one, build it and write the programs that enable it to work? If you can, we would like to see the results and will publish the best. We will, of course, pay for publication. But please do not send us the completed digitiser. We will first of all be satisfied with the design.

As with most exercises of this kind simplicity is important. The digitiser should be as simple as possible to build, easy to operate and the less complex the programming the better. Accuracy is important, too, and the digitiser should be as accurate as the computer allows. We have not put a limit on the cost but out of two similar digitisers we would choose the cheapest. Neither have we put a limit on size and weight but we will apply the same criteria and choose the most compact digitiser. To help you in your task we discuss the principles behind a digitiser, its function and some ideas.

A digitiser is a gadget which, at its simplest, enables you to feed information into the computer. The computer then converts the information into coordinates



The best place to start is probably with a sheet of graph paper, numbered along the top and bottom from 1 to 255. This will at least give you an idea of the concept.

which work in a similar way to map coordinates. With plotters the computer tells the pen where it should be by giving the plotter coordinates – a plotter is rather like a digitiser in reverse.

The computer needs to convert any signals it receives into two numbers which will serve the same purpose as map coordinates. But the signals that the computer receives will depend on the method you choose for your digitiser. Whichever construction you choose for your digitiser it will need to give two signals to the computer.

Unfortunately you already come across a problem (we would rather call it a challenge). How accurate can you be? It is possible to design mechanical equipment which is more accurate than the computer – certainly as far as displaying the coordinates on the screen is concerned. We have given a lot of thought to this and have a few ideas of our own but we would rather see your ideas first.

The resolution of the Commodore 64 is 320 by 200 so if your digitiser is capable of a resolution of 255 by 255 – in other words capable of plotting 255 points vertically and 255 points horizontally – you will need to take steps to ensure that there is no confusion about exact position of the digitiser's pointer.

This is the next challenge: to find a way of feeding information about the position of the pointer into the computer. The first idea that springs to mind is to use a potentiometer. This produces an electrical signal which varies according to the position of the pointer.


You will now come across another problem – what sort of signal will the digitiser send to the computer? According to the method used the signal will either be analogue or digital. The computer can, of course, only understand digital signals so if your digitiser is sending out analogue

signals you will need to work out some way of converting them to digital signals. This is easy with analogue to digital (A-D) converters.

According to the circuit diagram for the Commodore 64 there are two A-D converters inside the computer. Can these be utilised in any way? Remember that there are two signals to be converted. If they are converted outside the computer this can create its own problems. The user port can only easily accommodate one A-D converter although we feel that with a bit of extra circuitry and ingenuity two, or even four, could be accommodated.

Remember to take care here, however, since you could find yourself overloading the computer and a separate power supply might be necessary.

The mechanical construction of the digitiser looks like a problem for someone with a bias towards engineering. One of the simplest approaches might be to



The arm approach to the construction of the digitiser – remember that the lengths of the two sections of the arm are very important.


-let's have your ideas

design a board with an arm in one corner. The arm would be jointed and the potentiometers would be located at the corner, where the arm joins the board, and at the joint in the arm. These potentiometers would send information to the computer about the angles at the corner and the joint in the arm.

Another solution is to design a digitiser with a slider that moves up and down the board and a pointer that moves from left to right along the slider. A potentiometer wheel attached to the slider would provide information about the coordinates of the pointer along a vertical axis while a wheel which was connected to the pointer itself would provide information about its position along the horizontal axis.

It might also be possible to use light to provide a signal for the computer. It should be possible, for example, to fix up some sort of arrangement using LED's (light emitting diodes) and photosensitive cells.

You would need a better system than that currently employed on some touch sensitive computer screens. If you wanted to be able to plot 255 positions along the vertical and 255 positions along the horizontal you would need 255 LED's and




The slider approach to the construction of the digitiser – the slider moves up and down and the pointer moves from left to right.

say too much more about LED's and the sort of signals they can give the computer we feel we may be making the task a little too easy!

One more point about LED's. Consider the advantages and disadvantages of using straightforward binary numbers and a grey scale.

A look at how some other computer peripherals work might spark off a few ideas. Light pens use principles which should, by now, be familiar. A picture is



The punch tape approach – there are 256 possible combinations of eight holes, corresponding, of course, to eight bits.

255 photo diodes. The touch sensitive screens work in just such a way – interrupting the light beams tells the computer exactly where you are pointing.

An arrangement of LED's and photosensitive cells for a digitiser could be much simpler. Eight LED's could correspond to eight bits of a byte and two sets of LED's could give the computer all the necessary information about horizontal and vertical coordinates. An LED arrangement would have considerable advantages. Relatively few moving parts, for example, and it is possible to find enough combinations of eight lights to give a unique combination for every number between 0 and 255. If we

produced on a screen by a beam that scans across the screen and which causes it to glow. Most micros are now built with internal resistors which will tell it exactly which part of the screen is being scanned. As the pulse enters the light pen the computer therefore knows exactly where the light pen is positioned.

There is one other idea which we feel may well prove to be impracticable but which someone may put to good use. We have been toying with the idea of using pressure sensitivity to indicate the position of a pointer. Two sheets coated with some sort of conducting material with uniform resistance would provide the

necessary information. It would also pose problems. How would you ensure that the pressure was applied to a small enough area? Using lines of conductive coating might be one way out but this would create even more problems. We'll leave you to figure out what they are and find a way around them if you think it is a viable proposition.

You will not need to be a professional programmer to write the programs which will enable the computer to receive and make sense of the information from the digitiser but we will be looking for the most efficient routines. That makes it sound as if we are looking for machine codes but we will be just as happy with BASIC. The ideas behind the programs are more important than the programs themselves. There is one proviso, however, the programs must work!

High resolution graphics will be essential. We would be grateful if you would use the hi-res routines published in the October issue of Commodore Computing International, BC Basic, Simons Basic, Screen Graphics or Ultrabasic.

One of the most important aspects of a digitiser that must be borne in mind all the time is how it will be used. After all, it might be fun to design a digitiser and to write the programs that enable it to work but all you have done so far is to design a machine that will produce a drawing on the screen. What do you do with it now?

It would be useful, for example, if areas could be calculated. This would be the sort of thing that an architect would be looking for when buying a digitiser.

We would like a print out of your results if you possess a printer but do not let the lack of a printer put you off. We would still be interested in looking at your ideas.

We will need all entries in our office by the last day of February 1984 – not a great deal of time but we will need time to assess the ideas. We expect to be publishing the first digitiser in our April issue. Remember, all we need are the design plans, a description of the principles behind the design, the programs required, which hi-res routine you have used, details of any interfacing or other circuitry you have used, details of any interfacing or other circuitry required and, probably most important of all, a brief summary of everything you have done.

Two final words: Good Luck!

Accelerate your micro

The VIC Rabbit loader is, as far as we know, only available in the US and Canada but even though its distribution is restricted we have had such good reports that we felt a review was worthwhile. Brian Hillis, of Toronto, tests the product for us.

Probably one of the most useful add-ons that you can buy for the VIC-20 or CBM-64 is a handy little board called a Rabbit, from Eastern House Software, in the US. This is assuming, of course, that you are among the vast majority that use cassettes rather than a disk drive for storing programs.

One of the greatest problems with storing data on tape is the amount of time that it takes to either SAVE, VERIFY or LOAD programs. This is in part due to the fact that the conventional SAVE command actually saves the program twice, comparing both saves to the original in memory. Similarly, the LOAD command causes the computer to load the first copy of the program and then compare it with the second copy to ensure that everything works fine. Otherwise, the dreaded "LOAD ERROR."

Now, if you are the sort that looks forward to these long LOAD or SAVE breaks from the video terminal, then definitely do not buy the Rabbit. However, if, as I suspect, you would like to get things done quickly and efficiently in order to get on to other more important things, then this is the add-on for you.

The Rabbit is a circuit board that plugs into the expansion port of the VIC or 64. It has two ROM sockets, one of which is empty and slated for future expansion. The other contains a ROM that will add about a dozen new commands to your computer. At the back of the circuit board is a 44 pin female socket. The idea is that the Rabbit connects between the VIC (or 64) and any other expansion board; and once you plug it in, you never have to take it out, for any reason.

In order to activate the Rabbit, you only have to type SYS 7*4096 (SYS 28672 works as well). Having done this, the screen displays a copyright message, and the signal that everything is READY to go. The new commands at your disposal are as follows:

- *S = SAVE with 6 second leader
- *SS = SAVE with 3 second leader

- *L = LOAD
- *V = VERIFY
- *T = TEST RAM
- *E = LOAD and RUN automatically
- *H = Converts HEX number to DEC
- *D = Converts DEC number to HEX
- *G = GOTOL ML program
- *Z = Toggles graphics to u/l case
- * = Convert from monitor to reg
- *K = KILL the Rabbit


If you use the Rabbit for no other reason than to LOAD and SAVE programs, then you have made an extremely wise


investment. Being able to use any of the other features is strictly a bonus.

Using the conventional method of saving a 16K program to tape, takes just over five minutes. Using the *S method takes less than a minute, and even three seconds less if you use the *SS command. The extra three seconds allows for the leader at the beginning of a new tape.

As with the normal SAVE command, you can use the Rabbit commands to SAVE with the RAM addresses needed for reloading machine language programs to the proper place.

LOADING and VERIFYING both work





Mr. Chip

SOFTWARE

COMMODORE 64 GAMES AND UTILITIES

JACKPOT 64:

At last its here, specially written for the 64, by the author of "JACKPOT" the ultimate Fruit Machine program for the VIC (available from 1st Nov) **£5.50**

WESTMINSTER:

A game for up to four players, can you lead the party of your choice and win the general election, you tour the 60 constituencies (seats) buying votes, when you can, (just like the real thing!), this must be one of the first board type games specifically written for the computer, why play on your own, have fun with your family and friends playing WESTMINSTER **£5.50**

RED ALERT:

A game for 1-4 players, with sound and graphics. Make money in casinos, commit robbery, hide from the police, hire secret agents, (some of whom can be treacherous), negotiate for weapons, find and attack the secret rocket base to launch the missile, and watch the havoc and destruction caused. There's no turning back from "RED ALERT" **£5.50** (available from 1st Nov)

WHÉLER DEALER:

A game for two to twenty players, become a tycoon of the motor trade, you must obtain gearboxes, tyres and engines to produce cars for sale. Form syndicates, buy and exchange parts, buy dealerships, but be careful, you may become bankrupt and have to liquidate, find out what you're made of, have you got what it takes to become a WHÉLER DEALER **£5.50**

LUNAR RESCUE:

Our new version, avoid the asteroid belt, to rescue the stranded scientists, then fight your way back to the mother ship, fast reactions are required to safely land and dock your lunar module **£5.50**

PONTOON - ROULETTE - ACE'S HIGH:

More powerful versions, that make three great games of chance for the 64 **£5.50**

CHIPMON:

Contains a 1/ or 2/ Pass Assembler Disassembler and Monitor, a programming aid for the development of machine code programs and routines on the CBM 64

Tape Version **£12.50**

Disk with extra features **£15.00**

BANK MANAGER 64:

As our Super Bank Manager, but for the 64 **£7.50**

Now available on disk with extra features **£10.00**

PURCHASE LEDGER:

Easy to use, single entry, handles 400 invoices per month, Gross/Nett purchases, V.A.T. **£14.50**

Disk Version **£17.00**

(available from 1st Nov)

SALES LEDGER As above

VIC 20 GAMES AND UTILITIES

JACKPOT:

This is it, the ultimate fruit machine for the VIC with nudge, hold and respin, 100% machine code. "Overall jackpot is a beautifully written simulation giving superb graphics, animation and use of colour. In fact, this programme makes Commodore's fruit machine cartridge look unbelievably cheap and nasty." Home Computing Weekly No. 20 19th July 1983 **£5.50**

KWAZY KWAKS:

Accuracy and speed are required for this shooting gallery, superb use of colour and graphics in this new and challenging game from the author of "JACKPOT", 100% machine code program, to the same high standard, joystick or keyboard control. For the unexpanded VIC, **£5.50**

PACMANIA: Choose your own game from the following options - difficulty 1-3, speed 1-3, size of maze 1-3, visible or invisible maze, still or moving power pills, define your own key controls, any combination, if this is your type of game, then this is the one for you, for the 3K expanded VIC only, **£5.50**

BUGSY (Joystick Only) This is a Minefield with a difference! As you step on the stones whilst collecting purple boxes which give you both time and points, they disappear from beneath your feet. DO NOT DESPAIR! "BUGSY" will randomly replace the stones but avoid bumping into him or its sudden death! An original, compulsive and challenging game **£5.50**

MINI-ROULETTE - PONTOON - HI-LOW Three great games of chance for the VIC, try to beat the computer, hours of fun, full colour, sound effects and tunes **£5.50**

DATABASE - create your own files and records on tape **£7.50**

SUPER BANK MANAGER - A full feature version any memory size, but needs 3K expansion **£7.50**

Full documentation with all utility programs.

Other software for the VIC 20 and Commodore 64, send large envelope SAE for free colour brochure, including **RABBIT SOFTWARE** at **£5.00**

Send Cheques/PO's to: MR. CHIP SOFTWARE
DEPT CC, 1 NEVILLE PLACE, LLANDUDNO,
GWYNEDD LL30 3BL. TEL: 0492 49747

All our programs are now available on disk. Please allow £2.50 extra.

DEALER ENQUIRIES WELCOME

WANTED - High quality software of all types for export and UK distribution.

**NOW
AVAILABLE
ON DISC**

**For VIC 20 and
CBM 64 Users**

SIP ACCOUNTING SYSTEM

Highly comprehensive program designed for 16K, 24K, VIC20 & Printer, 40 col VIC20, CBM 64. Makes an ideal introduction for you and your staff to the world of computer accounts.

TITLE ACCOUNTING SYSTEM RESULTS		DATE 20.02.85	
SALES LEDGER	INVOICES	STATEMENT	
TO	DATE	DEBIT	CREDIT
STIC	20.02.85		1000.00
SALES	12.00	1000.00	
SALES	12.00	1000.00	
SALES	12.00	1000.00	
SALES	12.00	1000.00	
TOTAL SALES		4000.00	1000.00

Features include:

- Menu driven - simplicity to use!
- Up to 250 accounts per tape
- Day book
- Sales and purchase ledger (or just 1 type)
- Invoice print module available as extra.
- Statements print (for all or just one company)
- Overdue account statements (as above)
- End period carry on to next data tape
- Cash summary - debtors and creditors
- VAT entry (net or gross)
- PLUS many, many more features - all in ONE program.

SIP/AC20 - VIC20 16/24K Tape Based
SIP/DC20 - VIC20 16/24K Disc Based
SIP/AC40 - VIC20 16/24K +40 column card
SIP/AC64 - CBM64 Tape Based
SIP/DC64 - CBM64 Disc Based

Tape Version £24.95 + VAT
Disc Version £29.95 + VAT

Price includes comprehensive manual (+ data tape for tape versions).

1515-1525/1526/GP 100 VC printer required for all programs.

Printer plinths

- designed to save space, improve paper flow, and tidy stray cables, has anti-vibration mounting, superb design in high impact smoked Perspex.
SIP/P1515 for VC 1515 and GP 80 £12.95 + VAT
SIP/P1525 for VC 1525 and GP 100 £14.95 + VAT



INVOICE PRINT MODULE

Allows your own formatting of invoices, remittance advices and credit notes can stand alone or work with SIP Accounting System, updating data files.

SIP/CPM20 - VIC20 Tape Based
SIP/CPM20 - VIC20 Disc Based
SIP/CPM64 - CBM64 Tape Based
SIP/CPM64 - CBM64 Disc Based


Tape Version £24.95 + VAT

Disc Version £29.95 + VAT

Please specify machine size when ordering.
Available direct or from leading Software dealers.
Send your orders or for further information please write or telephone:

Shore Industrial Plastics Ltd. Dept C
1-13 Corsham Street, London N1 6DP.
Telephone: 01-250 1978.
Telex: 943763 Ref. SHM

CCI SEPT



INSTANT ROM (Commodore Approved)

Greenwich Instruments' ROM/EPROM Emulators are non-volatile memory modules which plug into any ROM/EPROM socket. When the power is switched off, data is retained for up to 10 years. Emulators from 2 Kbytes to 32Kbytes are available.

In the PET, a 4Kbyte Emulator can be fitted in the 9000 or A000 socket, and used for fast program development. Basic or Machine-code programs can be stored permanently.

GR2532 4Kbyte Emulator.....£56.00
Adaptor GA1 (essential for PET users).....£ 6.00

PETCLOCK (Commodore Approved)

PETCLOCK plugs into any Commodore machine with User-Port, and gives time (hour / minute/second) and date (year/month/date/day of week). Battery backup - accuracy is maintained when the power is off.

GCC1 PETCLOCK.....£62.00

G-ROM E

A 4 Kbyte EPROM which runs, at switch-on, any Basic or Machine-code program stored in INSTANT ROM, eliminating the need for tape or disc. Basic programs can be stored with a few key-strokes.

Some powerful utilities are included for program revival. PET's power-up memory test is made non-destructive, and UN-NEW us provided. A program for reading Date and time from PETCLOCK is also included.

G-ROM E (specify type of PET).....£25.00

Postage (£1.00) and VAT are extra. Leaflets are available.

**GREENWICH INSTRUMENTS LIMITED, 22 BARDSLEY LANE,
GREENWICH, LONDON SE10 9RF.
Tel: 01-853 0868. Telex 896691 Attn. GIL.**

Superbase 64

TRANSFORMS THE COMMODORE 64 INTO A FULL-FEATURED AND PROFESSIONAL DATABASE SYSTEM! WITH UP TO 1000 CHARACTERS PER RECORD ON UP TO 4 SCREENS... AND UP TO 128 ITEMS PER RECORD, DEFINABLE AS KEY, TEXT, NUMERIC, CONSTANT, RESULT OR DATE... IN FILES OF UP TO 16M CHARACTERS! SUPERBASE EVEN HAS SPREADSHEET AND CALCULATOR CAPABILITY, CALENDAR FUNCTIONS, EASY INPUT FROM WORDPROCESSOR/DATA FILES, BOTH MENU-DRIVEN AND PROGRAM OPTIONS, SORTING/SEARCHING, FULLY DEFINABLE OUTPUTS... SUPERBASE 64 IS ESSENTIAL IF YOU WANT THE MOST FROM YOUR 64! SUPPLIED ON CBM 1541 DISK WITH EXCELLENT TUTORIAL/REFERENCE MANUAL. EX-STOCK NOW!

● OUR PRICE ONLY ~~199.95~~ £88!

VIZAWRITE 64

NOW AVAILABLE ON CARTRIDGE. VIZAWRITE 64 IS A HIGH-PERFORMANCE, LOW-COST WORD PROCESSOR, WITH ON-SCREEN FORMATTING, THAT TAKES FULL ADVANTAGE OF THE 64'S COLOUR, GRAPHICS AND MEMORY FEATURES... AND SUPPORTS VIRTUALLY ANY PRINTER! WITH A COMPREHENSIVE AND EASY-TO-FOLLOW USER MANUAL, VIZAWRITE OFFERS THE ULTIMATE IN PERSONAL COMPUTER WORD PROCESSING! ALSO AVAILABLE ON DISK (OUR PRICE £79.95 + £51), OR COMBINED WITH VIZASPELL (OUR PRICE £99.95 + £85!).

● OUR PRICE ONLY ~~179.95~~ £68!

Master 64

MASTER 64 IS A TOTALLY NEW CONCEPT... A COMPLETE PROGRAM DEVELOPMENT PACKAGE, THAT'S AVAILABLE NOW FOR THE CBM 64. MASTER HAS 85 NEW COMMANDS... AND BASIC IV TOOL PLUS PROGRAMMER'S TOOLKIT, MACHINE CODE MONITOR, BUSINESS BASIC, KEYED DISK ACCESS, SCREEN MANAGEMENT, USER-DEFINABLE INPUT ZONES, REPORT GENERATOR, 22-PLACE ARITHMETIC, DATE CONTROL, STRING FUNCTIONS, DISK DATA COMPRESSION, SCREEN PLOTTING, SCREEN DUMP, OPTIONAL SOFTWARE PROTECTION KEY, AND MORE... IN FACT EVERYTHING YOU NEED TO PROGRAM YOUR 64 TO TOP PROFESSIONAL STANDARDS! MASTER 64 COMES WITH A FULL USER REFERENCE MANUAL, QUICK REFERENCE GUIDE AND DEMO PROGRAMS. ALSO AVAILABLE FOR CBM 700 (£339.25) AND CBM 4032/8032/8096 (£399.25 - £225!).

● SPECIAL OFFER PRICE ~~147.75~~ £115!

THESE ARE JUST SOME OF OUR FINE SOFTWARE PRODUCTS FOR COMMODORE COMPUTERS... PLEASE TELEPHONE OR WRITE FOR FREE DATA SHEETS! PRICES SHOWN INCLUDE 15% VAT AND ARE CORRECT AT TIME OF GOING TO PRESS. ORDER BY POST/TELEPHONE/PRESTEL, USING CHEQUE, ACCESS, BARCLAY CARD OR OFFICIAL ORDER. TELEPHONE 01-546-7256 FOR SAME-DAY DESPATCH! POST FREE EXCEPT ON CREDIT/OVERSEAS ORDERS. (REF A23)

Calco Software

LAKESIDE HOUSE, KINGSTON HILL, SURREY KT2 7QT TEL 01-546-7256

INFODISK 64

the friendly data-base for home or office.

Features included:

- Records up to 2400 characters
 - Up to 180 fields per record
 - Up to 9 screen pages per record
 - Powerful calculator with 19 functions
 - Report generator
 - Almost instant retrieval of any record
 - Links to most word-processors
 - 90 page manual
 - PLUS FREE! 6 ready to run applications
- FREE! single disk utility program
& MUCH, MUCH MORE!

All for £75 (inc. VAT/p.p)

Dealer enquiries welcome UK & USA

To: BEAVER SOFTWARE SYSTEMS
UK: Stathern, Melton Mowbray, Leics. LE14 4HJ
USA: PO Box 88, Cabin John, Maryland 20818
Please send further details about INFODISK 64

Name.....Address.....
.....

SOFTWARE REVIEWS

the same way at the same speed. Unfortunately, however, the Rabbit will not load programs that have been saved in the conventional manner. This increase in speed almost makes you look forward to saving your programs more often as you are working on them.

The three main commands *S, *L and *V can all be used without program names and will perform the requested function on the next available program on the tape.

The manufacturer suggests the following procedure for locating the end of the last program on a tape:

1 With the program that you wish to SAVE stored in memory, load a tape in the datasette.

2 Type *V "Program Name" RETURN, where "Program Name" is the last program on the tape.

3 When the tape reaches the end of that program, the screen will display VERIFY ERROR. (Naturally, since the

program in memory is not the same as the program being verified.)

4 You are now at the end of the last program and can SAVE (*S) the program in memory.

Unfortunately, this does not always work properly. Several times this procedure damaged the program in memory. Fortunately, there was a good back-up copy (as, of course, there always should be) and the problem was not too serious. If you are very anxious to "crunch" your programs onto as little tape as possible, you can use the following procedure:

1 SAVE the program in memory to a temporary tape (use *SS, its quick).

2 Now use the recommended VERIFY procedure.

3 ReLOAD the program back into memory.

4 Now SAVE (*SS) it to your good tape. The Vic Rabbit uses memory from 28678 to 32767. If you are using an expansion board, be sure to put the Rabbit

board between the computer and the expansion board. This allows the Rabbit to isolate the memory that it uses in Block 3. The other alternative, of course, is to type *K (to kill the Rabbit). Typing SYS 7*4096 will reactivate it.

The instruction book that comes with the Rabbit is a bit sparse, but it does provide enough information to make the investment worthwhile. As mentioned earlier, the SAVE, LOAD and VERIFY options are very likely the main, if not the only, ones that you will use.

This reviewer used the Vic Rabbit for about six months, and after only a couple of days, could not imagine getting along without one. Unfortunately, when I got rid of my Vic for a C64, I was unable to get the 64 Rabbit. Not being content to go back to the old slow system, I invested in a 1541 disk drive. Granted, the drive is much more versatile than the datasette, but with a Rabbit loader, it's not really that much quicker. And the difference in price!

Music education

As even the most inexperienced student of music knows Every Good Boy Deserves Favour. And every good educational program that teaches music deserves the favour of a good review.

Unfortunately it is difficult to give any educational program an unqualified 10 out of 10. Some games masquerade as educational software to make you feel less guilty about playing them and have little educational value. Others appear to be written by people who have enjoyed the challenge of writing the program and the educational value has suffered as a result.

Chalksoft have published some excellent educational software and it's in comparison with the rest of their output that Note Invaders fails to satisfy.

The main criticism of Note Invaders (£9.25) is that it does not seem to be a program aimed at promoting a real understanding of music. Instead it teaches by rote. It can be used on the VIC-20 using 3K, 8K or 16K expansion.

The first side of this cassette is more of a game than an educational device although the idea of combining the two is a good one because it attempts to make learning fun rather than a ritualistic chore. It is not dissimilar to a game like Space Invaders because the idea is that on the

musical staff which appears on the screen several notes appear and it is the job of the pupil to guess what the note is.

If the answer is correct a laser zaps the note. If the answer is wrong then the player loses a life and is completely destroyed after four incorrect guesses. For each correct guess points are awarded and after a certain stage the stave actually starts getting shorter.

This is a rather mediocre example of a combination of learning by trial and error. In this case, the user has the satisfaction of knowing that the errors, when they occur, are not solely their own fault.

The second side is much more of an educational program although this does have its limits. The user can only learn the names and sound of the notes and not how to construct some sort of musical harmony and this serves to the disadvantage of the whole program. Another disadvantage comes from the fact that the program does not provide a running demonstration of a musical score that has been successfully put together.

The format of the screen is basically the same – the five lines that form the stave – and the notes. Thankfully this time the notes are not space invader clones. There are two separate sections to this

part of the program, the first of these being staff 1. This acts as a demonstration program using treble and bass clefs putting questions in the way of the user as the program proceeds.

After reading the introductory notes to this section of the program, loading the second part of this cassette, staff 2 is a bit of a nuisance because it necessitates switching the VIC off and then on again without touching the cassette. This part of the program will actually test the acquired knowledge of the user in a 20 Questions format. But the annoying bit about this is that once a wrong answer is returned, the program goes right back to the beginning of the test including the position of the notes and the name of the notes.


As a program that teaches the absolute beginner the names of the notes Note Invaders is a success. But our feeling is that Chalksoft could have gone a little further towards teaching an understanding of music. Although the beginner may well be able to name every note on the staff it is doubtful whether the way the program is designed would be able to put that knowledge to any good use.

Perhaps Chalksoft feel that such a task should be left to another piece of software. We look forward to seeing it.

A Stack of light pens

There are currently three methods of inputting information to play games. The most common methods used are keyboard or joystick. The third method, probably less widely used, is screen input via light pen. Two new light pens have recently been launched by the Liverpool-based software company, Stack.

One of these light pens is for the VIC 20 the other for the 64 and both of them are complemented by a range of Stack programs.



At one end of the light pen cable is the adaptor which plugs into the user port and at the other looks like a biro except in two very important respects – the 'nib' of the pen is actually the light sensor in the pen casing and there's a touch contact which controls the light sensor.

Any television picture is made up of a series of dots which scan across the television screen leaving the traces of light that forms the picture. The light sensor in the pen picks up the dot as it passes the tip of the pen and a message is flashed across to the VIC or 64 that the dot has been seen by the pen. The spot where the dot was picked up is recorded in the VIC

chip and these locations will change as the pen is moved across the screen. The data for each location is stored in two registers, X and Y, for the horizontal and vertical positions.

This does not mean to say that the whole area of the television screen can be used in the case of Stack's lightpen software. The working area is defined by a border and the letters and numbers displayed by the VIC on the screen are made up of 64 points of light called pixels.

However, in the case of light pens, the VIC is not completely accurate in recording the position of the light pen. In the case of the X register the difference is four pixels and in the case of the Y register the difference is two pixels. It is this that accounts for the fact that when the resulting flashing dot appears on the television set upon contact with the light pen it is often not at the exact point of contact between pen and screen. It is this that is a major disadvantage to this form of input. Once this has been mastered by sheer patience and a try again attitude, the pen performs satisfactorily.

Before the pens can become operative, some programming is essential. The first bit of programming concerns the touch contact and instructs the micro not to see the television picture until the user

touches the contact. Without any form of instruction the micro would see the picture without the pen coming into contact with the screen and the result would be uncontrollable flashing dots.

The instructions necessary for this control as well as a simple program to place a square on the screen at will are given by the manufacturers. Once this square has been placed on the screen, it can be moved around the working area at will using the pen. These requirements are the same for the VIC as the 64 except for the difference in programming instructions and addressable locations.

To test the light pens in this review, the game called Cross Word Twister was used. In this case, the screen display was a blank crossword grid in which the player had to make words made up of letters selected at random by the computer. Once the letter appears on the screen, the player must shoot the letter with the square and then trace a path down to the required position in the grid. Once the touch contact has been deactivated, the letter will appear at the required position. Other games that need light pen control are Othello, Seek & Destroy, VIC Simon, Life, Go, Draughts, Concentration and Lost in the Labyrinth. Each light pen comes with a free game on a cassette.

Stickless joystick

The SunCom Joy Sensor is compatible with the VIC 20 and the 64 and is the latest thing in game control technology. This is a product that has been developed in the US and it is being distributed in the UK by Consumer Electronics Limited.

This joystick is unusual in that there is no stick to move and, as a result, none of the wrist ache sometimes associated with normal joysticks.

The sensor is also completely different in shape and size to the conventional joystick. For a start it has no control lever protruding from the top. It is flat and oblong in shape with one switch and two touch sensitive panels. Hooking the Joy Sensor up to the micro is simply a matter of plugging into the user port. The connecting cable is much longer than usual.


HARDWARE REVIEWS

At the head of the instrument is a touch pad that controls the firing mechanism. This mechanism has two options, either single fire or rapid fire. Because both the movement control and fire mechanism are controlled by touch pads and not by a control lever this means that any resistance to movement and firing is cut down to an absolute minimum. Controlling the direction of the character or the space ship is performed by two sets of controls towards the bottom of the sensor.

The first of these is an oblong switch that controls the number of directions available. When the cross is visible, the minimum four directions are operational. When the star is visible, the choice of movement is increased to the maximum of eight directions. The other part of the direction control is provided by the circular panel on which the available directions are indicated. For both fire and movement, just the slightest touch is all that is required.

Anybody who is used to using the conventional joystick could, at first, find the touch pads rather disorientating. For the first few days the user is constantly having to look down at the controls to make sure that the right part is being pressed.

This apparent disadvantage is more



than compensated for by the durability of the sensor. There is only the one moving part (the switch controlling maximum and minimum movement) and because of the lack of the moving parts the working life of the unit should be a great deal longer than

that of other joysticks.

The Joy Sensor is very comfortable to hold, lightweight and easy to use. It is a very good piece of equipment that is worth the recommended retail price of £29.95.

Crossword puzzle solution

We have had a number of replies to our competition in the December issue which asked for replies to certain questions. We have so far been very impressed with the imaginative interpretations of the questions.

Here we give the solution to the crossword puzzle. We have actually had a number of readers who have sent in their solutions. The crossword was not, however, a competition! So there will be no prizes for correct solutions.

We hope you enjoyed doodling with the crossword while recovering from your Christmas lunch and that it gave you some non-computer enjoyment!


Those of you with a competitive bent should turn your attention to our Digitiser Project in this issue. This should provide much more of a challenge than our Christmas 'competition or the crossword.

¹ V	I	C	T	I	M		⁴ M	⁵ A	T	C	⁶ H
E			O	U			I	I		A	
S		⁷ P	O	I	S	O	N	P	E	N	S
⁸ P	E	E	K		I		C				T
E		D			C		¹⁰ E	A	G	L	E
¹¹ R	A	D	I	C	A	¹² L			O		
		L			¹³ L	I	B	E	R	T	¹⁴ Y
¹⁵ B	L	E	S	S		¹⁶ A			G		E
R				T			¹⁷ S	S	O	U	L
¹⁸ E	X	¹⁹ P	R	E	S	S	I	O	N		L
A		U		E			O		U		O
²⁰ D	I	N	E	R			²¹ N	E	P	H	E

BOOK REVIEW

A possible rival publication to The Elementary Commodore 64 is the Commodore 64 Exposed from Melbourne House.

Although the Commodore 64 Exposed purports to be for the first time computer user as well as for the serious programmer, it should not be classed as a book for the complete beginner. Books destined for that class of readership usually contain several pages defining hardware, software, input and output devices. The Commodore 64 Exposed doesn't.



It is pretty fast moving and takes the reader step by step from a set of control instruction descriptions right through to graphics using machine language. The pages in between these two points are filled with some highly useful information and some equally useful programs and tables.

For those readers who are not very experienced, an ideal starting point would be chapter 2. This is simply a list and description of the BASIC commands that can be enabled on the 64.

Probably the best starting point in the book for experienced BASIC program-

mers is chapter 4 which is all about sound using the 6581 Sound Interface Device. It is this little chip which enables programmers to compose their own tunes and add sound to their own games. This section covers using single as well as multiple voices, filters and resonance.

This section of the book explains in detail how to change the values inside the SID chips internal registers and thus produce the correct note.

The second major selling point of the Commodore 64 is its graphic capabilities which may be controlled directly from the keyboard or by using sections of the memory. Here, the book is excellent as it explores not only border, background and character colours but also goes into the use of multicolour sprites.

The Commodore 64 Exposed is definitely good value for money.

Contact Melbourne House (Publishers) Ltd. Melbourne House, Church Yard, Tring, Herts HP23 5LU Price £6.95.

Vic Basic: A User Friendly Guide, is an obviously American publication with a cute cartoon keyboard and numerous drawings taking the reader through the Vic 20's paces. Aimed at beginners the book would probably appeal more to children than adults – sometimes it gives the impression that it is explaining the VIC to a three year old.


The authors assume that the reader is a complete beginner sitting down to a newly purchased Vic 20 with no idea of how to use it. We are asked to imagine that the Vic 20 is in fact a Rainbow Machine and if the book is followed carefully everyone will be magical rainbow makers – wonderful! At the beginning of the book all the keys and key functions are introduced and as the book progresses new commands and Vic 20 capabilities are fully explained and illustrated.

One of the most attractive features of this book is the amount of care that has gone into the diagrams and drawings. These bring the computer alive to the reader and a non computer owner might be tempted to go out and buy a Vic, influenced by the enthusiasm oozing from this book.

After we have learnt what a cursor is,

the colour key functions are introduced. The idea of having a set of questions at the end of each chapter is a good one. The reader can test any knowledge gained in the preceding chapter – the answers are provided, which stops anyone wondering too long about the answer. Next, the reader is invited to go on a Piano Bar Safari and we learn how to make music.

The clear diagrams and simple, but informative text, makes it all seem very easy. Graphic characters are explained along the same lines and once these three functions are understood the reader can then start using them to write programs.



The authors encourage their readers to experiment with the functions they have already learned and continually emphasize the fun aspect of using the Vic 20. They have created a program called a Word's Worth using some of the BASIC language features. The game is essentially a play on words, but its purpose in the book is to introduce BASIC as painlessly as possible.

The next few chapters explain more of the BASIC language and some of the Vic features and functions, including the random number generators, integer func-

BOOK REVIEWS

tions, controlling integers, and numeric, simple array and string variables. Once those are understood the reader is taught how to create characters and animate them using colour and sound. Special sound effects and harmonious music are taught in the advanced sound chapter.

In the last few chapters the authors explore the use of RND and create simulation such as dice throws and they explain how to put graphics and colour on the screen using POKE statements. Appendices at the end of the book give lists of charts, codes, BASIC statements and other aids to help the reader move onto better things.

The book makes enjoyable reading and anyone who has just procured a Vic will find this an original and illuminating account of the first stages in learning how to use it. Price £12.70

Contact: Prentice/Hall International, 66 Wood Lane, Hemel Hempstead, Herts, HP24RG.

It is the intention of 'The Elementary Commodore 64' to teach people how to program the computer and is for those who are new to the Commodore 64.

You should not be put off by the rather cheap and gimmicky-looking cover even though the cost of £12.70 is rather high.

The first few pages of the book are absolutely essential to the complete beginner because it is here that the reader learns the meaning of certain important terms such as hardware, software and firmware.

Programming is not introduced until later, and so the reader who wants to start on his or her first program has to read

pages of text concerned solely with the keyboard. This is, however, useful because it is one of the few beginner books that shows how some of the commands like PRINT can be performed just as well by inputting a seemingly unconnected symbol making programming just that little bit easier.

Each chapter in the book deals with a certain aspect of computing and each is concluded by a summary.

The Elementary Commodore 64 contains a very good chapter on programs, hints and tips which everybody should find very useful. Equally useful are the lists of addresses of Commodore 64 User Groups and hardware and software firms. The only complaint here is that in an English edition the addresses of such organisations should be in England not Phoenix, Arizona. Price £12.70.

Contact Prentice-Hall Intl., 66 Wood Lane End, Hemel Hempstead, Herts HP24RG

Taking a break from machine specific books, there is a new edition of 'Computers for Everybody' by Jerry Willis and Merl Miller. This is aimed mainly at those people who have an Orwellian view of computers and think that big brother is an immense machine capable of doing the most terrible things and making horrible mistakes.

The book takes a down to earth look at computers in an attempt to allay fears about the computer. The authors start this task by setting out a simple program to show that the computer has nothing frightening or magical about it.

Any computer illiterate, first time buyer may probably be scared of buying a computer because they do not know how to communicate with the computer or how to program it. It is not the aim of this book to teach the reader how to do this, but the authors attempt to explain the general principles involved in computing and this can be split down into several categories.

The obvious point to start off with is an explanation of what a computer is and this includes a small history of the computer beginning with ENIAC, one of the first computers. This is followed by a clarification of terms. Many people lump all computers under one heading without realising the differences between a mainframe, mini and microcomputer.

No matter what machine the user already has or is intending to buy, there is a very useful chapter on over 100 programs that are currently available. Many of these are just games, but there are some interesting home and business programs as well as educational programs.

The unfortunate thing about this chapter is that none of the programs inform the reader about which machine they are compatible with and most of the software manufacturers are American companies.

Programs are not the only things that the potential buyer will need. Peripherals and hardware options may also be required and several popular pieces of equipment are laid before the reader and these range from the print wheel in the daisy wheel printer to memory boards and disc drives.

This is a very informative book and is the ideal book for the computer illiterate reader to read before he or she takes the plunge and buys their first computer.

Contact Hill and Knowlton (UK) Limited, Hesketh House, 43/45 Portman Square, London W1H 9FG. Tel: 01-486 9021.

Those that enjoy nit-picking will note that the number of programs in the title 34 VIC 20 Computer Programs for Home, School and Office does not and cannot equal the 'three dozen different sets of software' that is quoted on the back of the book. Apart from that, there are few other faults that can be found with this book, written by Howard Adler.

In each case, text is restricted to a simple one or two sentence description of what the program does. Take the example of one of the simpler programs in the book, Funny Similes. The sole object of this program is to spew out a series of dumb remarks and make silly sayings. Entertaining maybe, silly certainly.

Thankfully, not all the programs stoop to this level, one of the more interesting programs concerning itself with photography. This program allows the user to determine f stops in flash photography and close ups.


All of the programs in this book have been designed for easy and quick typing into the VIC 20 and, unlike other books full of programs, the program listings have been written and tested on the VIC and printed out via a 1525 printer. To make sure that no errors appear, the printed output has been reproduced directly from the original copy. Unfortunately, many of the programs do not contain any command telling the micro to terminate the program and thus the same program will be run over and over again. There are two ways to remedy this, the first by sticking in an end statement or leaving out the goto. The second way is to depress the run/stop key manually. Price £7.75.

Contact Elkan Electronics, 11 Bury New Road, Prestwich, Manchester M25 8J2.



GAMES

Horrific terror in the hands (or paws) of the Werewolf? Well not quite, but *The Curse of the Werewolf* is a good adventure for the Vic 20 (16K). The commands used are fairly simple and although 'I don't understand' seems to come up annoyingly often, it does have a reasonably wide vocabulary.



The player starts in the village of Kallowstein at the edge of a forest and without much ado reaches the side of a river separating the forest and the castle. Once in the castle courtyard – no mean feat with an aggressive Zombie to deal with – the player can wander in and out of the castle rooms picking up swords, crosses and glowing sticks in pursuit of the Werewolf.

Points are awarded for ridding yourself of evil green Goblins, dwarves and other unpleasant little people. It is important to act swiftly and do the right thing because it is very easy to find yourself with a lot of fatal injuries and escorted out of the game to the sound of the Funeral March.


The sound effects provide a professional touch to this game, as the cold wind blowing sounds just like those in the old *Werewolf* movies and finding a golden amulet brings on a happy tune – is it a clue?

If in a tight corner with any further progress seeming impossible, think again because most of the problems can be sorted out with trial and error and some vivid imagination. If Terminal Software sorted out the bugs in the game it would be a must for adventure game addicts.


Bonzo is a frustrating game in which the player assumes the role of a workman assigned to collect a lot of boxes from different levels on the screen. Each box has a value, and points are awarded for each one that he picks up as he climbs up and down the ladders connecting each level.

Unfortunately for the workman, the dreaded green Bonzos are patrolling and guarding the levels. If they catch him he disappears in a colourful explosion to the sound of a little tune.

The player gets a chance to play with four workmen, but between each one the screen has to build up the ladders and levels which is a slow process and if you are eager to get on with the next man it gets annoying. A rankings list is available for the entry of high scores. Once the player has worked out how to evade the Bonzos and managed to pick all the boxes up the game becomes more frenetic with three monsters. The boxes have higher values on them and in the unlikely event of all the boxes being collected again, four Bonzos will be on their guard. If these are evaded then the game goes back to having two Bonzos.



Bonzo is for the Vic 20 with a 8K or larger memory expansion and can be controlled by keyboard or joystick. With the latter it is important to make sure all the controls are up on the cassette deck as otherwise it will not work. The Bonzos are quick and malicious and the game is quite fun to play and probably worth the money.



Mirror Group Newspapers have recently formed a new division called Mirrorsoft. *Caesar the Cat* is for the 64 and is published by Mirrorsoft although written by Andromeda Software.

It is written with young owners of the 64 in mind and should not be touched by people who prefer the faster games.

Many people will disagree with the Publisher's description of this game being a 'fast, all-action, arcade-style game' on two counts. First of all it is certainly not fast and would be even slower if the game were controlled by keyboard and not joystick. Secondly, the game is not 'all action' although this probably does not count for much in the correct age group.



The aim of the game is to guide Caesar along the crowded shelves of a larder in the hunt for several mice who are devouring all the food. At the start of the game you are provided with 1,000 points which decrease as the time passes. The point score can be bumped up by catching the mice of which there are 30 altogether and bumped down by knocking crockery off the shelf.

Despite the rather slow movement of the game, it makes very good use of animation and graphics and is probably worth the £8.95 for these two features alone.

MAKE THE MOST OF YOUR COMMODORE

Vic Basic

A step-by-step introduction to the VIC 20 computer and its language, Vic Basic. Teach yourself how to use the Vic to create your own programmes, music and art. Also included are puzzles, exercises and games programmes. 355 pages.



Four excellent books for Commodore and Vic 20 owners which explain fully how to obtain the best results from your computer — and fun, too! Learn all about Basic, graphics, how to write your own games, find the useful memory location functions and learn how to programme.




Vic Games

A collection of 36 arcade-style, strategy and educational word games for you to write and play. Create your own sound, music, utilities and graphics programmes that are real fun. A must for every Vic 20 owner. 183 pages.



The Master Memory Map for the Commodore 64

Full of useful explanations and examples. This book is a guided tour of all the memory locations — places inside your computer that make it act in special ways. You learn lots of uses for the Commodore 64, including how to make music and how to create the special characters used in games. 185 pages.



The Elementary Commodore 64

A beginner's step-by-step introduction to the Commodore 64, basic and how to programme. Includes POKE and PEEK, secrets, formatting text, data manipulation, arrays, editor, graphics and helpful hints. 230 pages.

Please supply book (s) indicated.
I enclose cheque/money order for £

Name

Address

- Vic Basic A user friendly Guide £9.95
- Vic Games £6.95
- The Elementary Commodore £10.45
- The Master Memory Map £10.25

(Please add 80p for postage & packing)

ORDERS TO:

SOFTALK

16-18 Princess Victoria Street,

Clifton, Bristol BS8 4BP.

Telephone Bristol 0272 877245.

'SIMPLY WRITE': the kind of word processor you didn't think you could afford. Some £300 programs have fewer facilities. Tape or disk; any printer; any 40 or 80 column PET. Needs 16K. Tape £40, disk £45.

'SIMPLY FILE' Records System (DBMS). Selects by any key. Prints alphabetical lists, mailing labels, columnar reports of all or selected records. Calculates between fields. Totals, averages columns. Works with 'Simply Write'. Fast, easy, robust and very, very versatile. Disk £65.

GOTTA PET? ADDA VIC! High resolution graphics, programmable characters, colour and sound for your PET/CBM system? All this PLUS a complete extra computer using your PET's disk drives, printer etc? Under £200 including VIC computer and our 'SIMPLY LINK' PET-VIC link system.



A WINDOW ON YOUR DISK! Our 'Simply Recover' disk file repair kit (4040 only at present) will allow you to save crashed files, append BASIC or m/c subroutines, change disk names and IDs, devise protection systems, etc. Disk & detailed instructions £17.

ZYGIAN INVADERS. Super second generation machine code invaders game.

Tape £6, disk £7.50
ASTEROID PATROL. Classic game with sound effects, 9 levels of play, hyperspace jump etc. Tape £6, disk £7.50

ADD VAT TO PRICES PLEASE, BUT ALL INCLUDE P&P. SEND FOR MORE DETAILS, MORE ITEMS, AND GET OUR FREE 'MICROMAIL' PET/VIC NEWSLETTER.

Simple Software Ltd.
15 Havelock Rd., Brighton.
Sussex BN1 6GL
Tel: (0273) 504879

Superbase 64

TRANSFORMS THE COMMODORE 64 INTO A FULL-FEATURED AND PROFESSIONAL DATABASE SYSTEM! WITH UP TO 1000 CHARACTERS PER RECORD ON UP TO 4 SCREENS... AND UP TO 128 ITEMS PER RECORD, DEFINABLE AS KEY, TEXT, NUMERIC, CONSTANT, RESULT OR DATE... IN FILES OF UP TO 16M CHARACTERS! SUPERBASE EVEN HAS SPREADSHEET AND CALCULATOR CAPABILITY, CALENDAR FUNCTIONS, EASY INPUT FROM WORDPROCESSOR/DATA FILES, BOTH MENU-DRIVEN AND PROGRAM OPTIONS, SORTING/SEARCHING, FULLY DEFINABLE OUTPUTS... SUPERBASE 64 IS ESSENTIAL IF YOU WANT THE MOST FROM YOUR 64! SUPPLIED ON CBM 1541 DISK WITH EXCELLENT TUTORIAL/REFERENCE MANUAL. EX-STOCK NOW!

● OUR PRICE ONLY ~~199.95~~ £88!

VIZAWRITE 64

NOW AVAILABLE ON CARTRIDGE. VIZAWRITE 64 IS A HIGH-PERFORMANCE, LOW-COST WORD PROCESSOR, WITH ON-SCREEN FORMATTING, THAT TAKES FULL ADVANTAGE OF THE 64'S COLOUR, GRAPHICS AND MEMORY FEATURES... AND SUPPORTS VIRTUALLY ANY PRINTER! WITH A COMPREHENSIVE AND EASY-TO-FOLLOW USER MANUAL, VIZAWRITE OFFERS THE ULTIMATE IN PERSONAL COMPUTER WORD PROCESSING! ALSO AVAILABLE ON DISK (OUR PRICE ~~£79.95~~ £65!), OR COMBINED WITH VIZASPELL (OUR PRICE ~~£99.95~~ £85!).

● OUR PRICE ONLY ~~179.95~~ £68!

Master 64

MASTER 64 IS A TOTALLY NEW CONCEPT... A COMPLETE PROGRAM DEVELOPMENT PACKAGE, THAT'S AVAILABLE NOW FOR THE CBM 64. MASTER HAS 85 NEW COMMANDS... AND BASIC IV TOO! PLUS PROGRAMMER'S TOOLKIT, MACHINE CODE MONITOR, BUSINESS BASIC, KEYED DISK ACCESS, SCREEN MANAGEMENT, USER-DEFINABLE INPUT ZONES, REPORT GENERATOR, 22-PLACE ARITHMETIC, DATE CONTROL, STRING FUNCTIONS, DISK DATA COMPRESSION, SCREEN PLOTTING, SCREEN DUMP, OPTIONAL SOFTWARE PROTECTION KEY, AND MORE... IN FACT EVERYTHING YOU NEED TO PROGRAM YOUR 64 TO TOP PROFESSIONAL STANDARDS! MASTER 64 COMES WITH A FULL USER REFERENCE MANUAL, QUICK REFERENCE GUIDE AND DEMO PROGRAMS, ALSO AVAILABLE FOR CBM 700 (£339.25) AND CBM 4032/8032/8096 (£399.25 £225!).

● SPECIAL OFFER PRICE ~~143.75~~ £115!

THESE ARE JUST SOME OF OUR FINE SOFTWARE PRODUCTS FOR COMMODORE COMPUTERS... PLEASE TELEPHONE OR WRITE FOR FREE DATA SHEETS! PRICES SHOWN INCLUDE 15% VAT AND ARE CORRECT AT TIME OF GOING TO PRESS. ORDER BY POST/TELEPHONE/PRESTEL, USING CHEQUE, ACCESS, BARCLAY CARD OR OFFICIAL ORDER. TELEPHONE 01-546-7256 FOR SAME-DAY DESPATCH! POST FREE EXCEPT ON CREDIT/OVERSEAS ORDERS. (REF A23)

Calco Software

LAKESIDE HOUSE, KINGSTON HILL, SURREY KT2 7QT TEL 01-546-7256

INDEPENDENT COMMODORE PRODUCTS USER GROUP

An Independent User Group for all Commodore owners.

- * Public domain libraries and programs
- * Newsletter 6 times a year
- * Opposite is a short list of some of our Regional Groups. For information about your nearest Group please write to address below
- * Local and regional groups and meetings

CAN YOU AFFORD NOT TO JOIN???

Annual Subscription for membership in UK is only
-£10.00

Details from: ICPUG Membership Secretary -
Jack Cohen,
30 Brancaster Road, Newbury Park,
Ilford, ESSEX IG2 7EP. TEL: 01-597 1229

RG095 - South East, Wing CDR Mick Ryan, 164 Chesterfield Drive, Riverhead, Sevenoaks, Kent (0732) 453530. Meet 3rd & 4th Thursday each month.

RG102 - Scotland. J. Smith, 19 Brewlands Road, Symington, Kilmarnock, Ayrshire (0563) 830407. Meet 1st & 3rd Thursday each month.

RG085 - Wales. F. Townsend, The Hill, Rhydowen, Llandyssul, Dyfed (05455) 5291.

RG111 - Merseyside. G. Jones, 41 Virginia Avenue, Lydiate, Merseyside (051) 526-4813. Meet alternate Wednesdays.

RG112 - West London. M. Franks. 196 Castellain Mansions, Castellain Road, London W9. (01) 286-0650 or (01) 839-7811.

24 Ashton Road, Wokingham, Berkshire RG11 1HR.

GAMES

Mondatta are a fairly new company on the British software market specialising in games. Their assault on the games market has begun with the release of two games for the 64, Taxman and Super Coptor.

Taxman is, as the name suggests, yet another version of the Pac Man made famous by Atari. As with most other Pac Man type games, the principle behind it is very much the same – avoid being caught and gobble up as many blobs as possible.

This is a cassette based game that can be controlled either by the keyboard or by a joystick in port 1.

The aim is to eat as much money as you can without being caught by the dreaded tax men although it is possible to get your own back by eating the tax men as well.

There are six levels of play although the levels of difficulty do not change all that much. The screen display is simply a sort of maze segregated by walls through which the tax men can move but you can't. Point scoring is fairly easy, to eat a tax man gobble a star of which there are several dotted around the screen.


The player has three lives and once these are used up, 'bankruptcy' occurs. The use of sound is fairly limited, but Mondatta can be commended with their use of the micro's colour capabilities.

The cost of this 'nerve popping game' as Mondatta describe it is £5.65 and is simple but quite good.

Get Lost is a maze game for the unexpanded Vic 20 from Terminal Software. There are six different levels of difficulty to choose from and the first is definitely the easiest! The screen is halved and the lower part has the score and direction instructions whilst the upper half shows the scene of the game being played. On one side of the screen a plan of the maze is depicted and the aim is to get from the top left side over to the bottom right corner in the lowest number of moves possible. On the other side a 3-dimensional view of the maze is portrayed. Each maze appearing on the map is different presenting the player with a different challenge each time.

On the first level, the game is comparatively simple and it is possible to get to the home base by guiding the little arrow through the maze without much trouble. Level two is much the same. On level three the maze vanishes and as the player travels along, the path appears in the arrow's wake making any progress quite difficult.

On level four only the arrow's position is visible and the player requires an efficient and accurate memory to reach



the other maze end successfully. The last level really tests your memory as there is just a blank space where the plan view of the maze was and there are no clues at all except the 3-dimensional view.

It is not a game for people who like the thrills and excitement of the 'zap-pow' games but perhaps its merit lies in the fact that once playing, the player becomes determined to beat it. A game provoking concentration and not for those easily bored.

Galactic Abductor is fast exciting nerve-racking game. It takes a long time to load but is worth waiting for as the sound effects and graphics are excellent. The scene awaiting the player is desperate – the armoured space hawks are swooping around in the sky above the players satellites dropping deadly red eggs and carrying off humanoids and the only equipment for defence is a laser.

If a hawk is hit it turns bright purple, but it needs more than one shot to actually destroy them. They fly around erratically in the sky above the satellites and if the eggs dropped are not destroyed before they land on the planet, they will hatch into little white creatures. These then advance on the satellite and contact results in its instant annihilation.

Joystick controls are used and the laser can be fired upwards, to the right or to the left. All through the game sound effects accompany the game's firing activities and any deaths. Occasionally a hawk abducts a humanoid and they can be


rescued if the abductor is shot down. The offending hawk can be identified as it has a little man hanging from its beak and the occurrence is marked by 'GOT ME' appearing at the bottom of the screen. If the little person is not rescued a skull drops to the planet surface.

Points are awarded for killing the hawks, rescuing the humanoids and the player gets a chance to rest if an attack has been successfully thwarted as there is a lull of activity. There is a gallery of scores and the player's score is displayed on the screen with the highest score underneath it. For the Vic 20 (16k) by Anirog this game is great fun to play.

Mr Chip have launched a new game that incorporates three games of chance onto the same cassette, these being roulette, pontoon and hi-low. Also on the option selection menu is the chance to shuffle the 'cards'.

All of these games observe the rules applied to the normal card game except for pontoon where you can stick on any total you choose until you are bust and there is the chance to make a bit of money whilst enjoying yourself at the same time. The only disappointment is that even if you are £12.00 in credit, you cannot bet more than £9 on any one game. The basic screen display is the same for all the games, each display coming up with a random selection of cards.

This is quite an entertaining selection of games and if you enjoy playing cards and messing about with the VIC then you are bound to enjoy this piece of software.




Home
Computer
Centre



29 Millcroft, Crosby, Liverpool L23 9XJ
Tel. 051-727 8050

ASTERFRET TRADING LTD. INCORPORATES
HOME COMPUTER CENTRE

VIC 20 and CBM 64 are reg'd trade marks
Commodore Business Machines



MOTHERBOARDS

VIC 20 4 SLOT SWITCHABLE — £28.95
CBM 64 4 SLOT SWITCHABLE — £29.95

LIGHT PENS

CBM 64 + FREE GAME — £28.75
VIC 20 + FREE GAME — £28.75

16K STANDARD
£27.95

RAM PACKS

VIC 20 16K STANDARD — £27.95
VIC 20 16K SWITCHABLE — £35.95
VIC 20 32K SWITCHABLE — £49.95

ALL RAM PACKS CARRY 2 YEARS GUARANTEE

Please allow up to 21 days for delivery. All prices include V.A.T., postage and packing.

If you wish to be added to our mailing list,
please tick the appropriate box

PLEASE SEND ME

Qty

Name _____


Address _____

- VIC 20
 CBM 64
 16K Std. Ram Pack
 16K Switchable Ram Pack
 32K Switchable Ram Pack

- VIC 20 4 Slot Motherboard
 CBM 64 4 Slot Motherboard
 VIC 20 Light Pen
 CBM 64 Light Pen
 BBC Light Pen

I enclose Cheque/PO for £ _____


Home
Computer
Centre



bubble bus software

original, top quality games for the Commodore 64 — at only £6.99 each

EXTERMINATOR




Definitely one of the best arcade
action games around for the 64.
Shoot the worm and everything else
in the garden whilst avoiding the
deadly spider and swooping eagle.
Machine code using high resolution
and Sprite graphics with excellent
sound. Beware, it's very addictive.

OTHER CBM 64 TITLES:
QUIZZER
LABEL PRINTER
POSTER PRINTER
ADVERTISER

HUSTLER

Written in machine code and using
Sprite graphics HUSTLER takes the
64 to its limits. There are six 'pool'
type games for one or two players,
high scores kept and super music.
Machine code. See the great press
reviews.



VIC 20 TITLES:
EXTERMINATOR
ANTIMATTER SPLATTER
THE CATCH
QUIZ MASTER
POST
LABEL
FLOWCHARTER

KICK-OFF

A unique game based on the famous
Table Football game with the moving
rods through the players. Amazing
graphics and music. For one or two
players. Two players use two joysticks
simultaneously. Machine code.



WIDOWS REVENGE



Similar to our 'Best Seller'
Exterminator, but this game fires
back! Obliterate all of the Widows
Warriors but watch out for Photon
Webbs and devious Egg Layers.
Machine code.

bubble bus products are available from:

LIGHTNING DEALERS — SPECTRUM SHOPS — GREENS — SELECTED H.M.V. SHOPS —
GAMES WORKSHOPS — CENTRESOFT STOCKISTS — PCS STOCKISTS — LASKYS
If you have any trouble buying our products, you may buy direct.

bubble bus software, 87 High Street, Tonbridge, Kent TN9 1RX

Please send me _____

Name _____

Address _____

I enclose my cheque/Postal Order for £ _____ please add 50p for post and packing

GAMES

The Fabulous Wanda is a new game for the 64 from a company called Games Machine and they claim it to be a fantasy game with arcade action. It is controlled by a keyboard and lives up to the claims of Games Machine. There should not be any problems loading this game although there are a few worrying moments when the player is faced with a blank screen, notably after the first obstacle has been passed. Presumably this may be because certain parts of the program are loading.

The player takes the part of a space traveller looking for good times when you are 'spacenapped' and persuaded to search for Wanda who holds the secret of eternal life. The only other option to getting spacenapped is provided by a very bright yellow message on a white background. In fact the message is so bright it is unreadable! At this stage shift/run stop will take the player back to the beginning.

Avoid doing this and try collecting the dollar signs that build up your currency supply. Once about 3,000 of these 'klebs' have been collected you can go gambling on the planet Copus or get one of the local dolly birds to take you to Wanda.

Should you fail to find Wanda, do not hit the self-destruct. This will take you back to the beginning of the game – the very beginning including reloading.

Good use of colour, graphics and sound for £7.95.

There are two new games from Bubble Bus and both of them are for the 64. The first is Widows Revenge and is a little like Exterminator (which was produced by the same company). The screen is filled with dozens of black and white dots with various bugs crawling all over the place.

One or two players can take part and the aim of the game is to shoot everything on the screen even if it does not move. Everything is worth points and the major obstacles to avoid are the baby black spiders which eat some dots – called energy eggs – and fires back.

The game gets its name from the large black widow spider that occasionally crawls across the screen. Destroying this yields a mystery number of points. When ten thousand points are reached, a signature tune is played and the player gets an extra cannon. It is also at this point that the game gets vastly more interesting and deadly.


The flashing background is a bit of a nuisance and a distraction, but this can be turned off using F7. All in all, a good game.

Another game for the 64 is from a fairly new company called Beyond Software. The game itself is called 'Goodness Gracious' and control is simply a matter of

releasing the space bar at the appropriate time. That in itself should say a lot about the complexity of the game.

The whole object of the game is to prevent some creatures that look like a cross between a frog and a dinosaur from obtaining a red jewel, which is their source of power. This is done by hurling fire balls at them. The longer the space bar is held down the further the fire balls will go. If these creatures get their object then the game is over.

There are two options to play in this game, beginner and expert although there is very little difference between the two. The graphics are very good, but the entertainment value of this game is rather limited.



Although the game bears absolutely no resemblance to an Aztec Tomb, Amazon rain forest or anything so exotic it is a jolly good game. The game is supplied by Alligata for the CBM 64 and takes about fifteen minutes to load, which seems to be

a long time when waiting to play a game. It is only recorded on one side of the tape.

The colour and graphics are good and the top half of the screen is a graphical representation of every location the player has managed to reach. Below that is the text. Furniture and objects are listed at the side of the picture, but it is important to examine everything closely for further clues. In the dining room which is where the player starts his sojourn, a table-ladder is evident. A table-ladder? a table and a ladder! The aim of the game is to find the lost Aztec tomb hidden somewhere in the land and the most important qualities for a prospective adventure would be patience and persistence. All avenues of thought must be utilised and imagination applied to all the possible clues.

The commands are fairly simple with two words and quite often it will not understand a word in one context, but understand it perfectly in another. It has the usual one letter commands for directions: N,S,E,W. The player is given no other clue than the aim and so it is an enjoyable challenge. Anyone keen on the Adventure games could do worse than to acquire a copy.

Astral Zone is a superb game for the 64 from Channel 8 Software that requires a joystick in port 2.

The most impressive feature of this game is the three dimensional graphics which are little short of brilliant.

Astral Zone is all about battling against hordes of invaders, but this time they are not the usual space invader sprite. They are directed straight at you and are very fast which indicates that the game was written in machine code. It sounds pretty simple – shoot the aliens and score the points – but it's not. In fact it is addictively difficult. Just as you see the enemy in your viewfinder and fire, the enemy has moved position and you have missed. There is one other factor that makes the whole game very difficult.

Move the joystick up and you expect the viewfinder to move up. Not so. You go down instead! The rule for controlling the movement is this: whichever way you want to go, move the joystick in the opposite direction and it is possible to scroll up, down, right and left in this all-action game.

This game can be played by one or two players. Hits against you are recorded by a damage counter and at 100% damage the game is over. However, with the score at 5000 points the damage total is reduced by 20%. Congratulations to Channel 8 Software and the programmer Mark McKee for producing a game that is a winner.

**NEW
UNEXPANDED
VIC 20**

GAMES DESIGNER

MAKE GREAT GAMES....

Create your own amazing games with Galactics unique **GAMES DESIGNER** cassette for the unexpanded VIC 20, only **£9.50** including post and packing

**ONLY
£9.50
inc. p.p.**

★No Programming experience Needed ★

With the GAMES DESIGNER you make your own machine code games. You can design all the Graphics, Screen layouts, Theme tunes, Explosions, Sound effects, Player speed, Alien speed, Skill level, Personalised game credits, Scoring values, Keys used, Number of lives, Intelligence of aliens, — whats more no programming experience needed.

Also includes 3 sample games:-
KANGA, ZYON and KRAZY MAZE.

PLEASE SEND ME A GAMES DESIGNER CASSETTE FOR THE UNEXPANDED VIC 20 AT £9.50 inc. P.P.
MONEY BACK GUARANTEE

NAME _____

ADDRESS _____

My Access No. is:
[] []

I enclose a cheque/P.O. for £9.50

Send to GALACTIC SOFTWARE
Unit 7, Larchfield Estate,
Dowlish Ford, Ilminster
Somerset TA19 0PF

Galactic Software

UNIT 7, LARCHFIELD ESTATE,
DOWLISH FORD, ILMINSTER

SOMERSET TA19 0PF
TEL: (04605) 5161



**UNEXPANDED
VIC 20**

MAKES
GREAT GAMES
NO PROGRAMMING
EXPERIENCE NEEDED

**GAMES
DESIGNER**

INCLUDES 3 GAMES
KANGA, ZYON AND
KRAZY MAZE

**GALACTIC
SOFTWARE**

MAKE GREAT GAMES

- ★ No programming experience needed
- ★ Full colour Hi-Res Graphics
- ★ Make your own sound effects
- ★ Joystick or Keyboard control

ALL IN MACHINE CODE

- ★ Variable degree of difficulty
- ★ Make your own, Monsters, Moonscapes, Space Ships, Aliens, Kangaroos or Asteroids
- ★ Create your very own Games

GAMES

The adventure game Mission Om is part of a series of new games from Spectre-soft, the sequel of which is a game called Crisis Countdown. Mission Om comes on cassette and is controlled by the keyboard. It is quite a good game if you can get it to load. However, there appear to be some difficulties in doing this.

If you follow the rather sparse instructions on the leaflet you should load "" and must not do the usual shift/run stop for games on the 64. This latter loading operation will result only in a blank screen. Loading according to the instructions is a rather strange affair because practically nothing happens until the end of the tape.


'What happens then?' I hear you ask. Well, silly it might sound, but you rewind the tape, put the other side in and hit any key. It sounds if you are starting all over again, doesn't it?

Well that is not true, because the player is now confronted with a continually flashing screen which seems as if it is not going to stop. It eventually does and at long last the game appears.

Mission Om is an adventure game for the 64 and the object of the mission is to find the password which will allow you to recover the symbolic crown of Om.

There are, of course, several difficulties that must be overcome – the stone gorgon which has a nasty habit of killing the player, for instance.

The game is a little bit like Dungeons and Dragons except for the fact that it has



nowhere near the same number of levels. The similarity lies in the sort of information the player is given at the start – strength, spell points etc. – and that is where the similarity ends.

The screen is split in two and is divided into descriptions of places and prompts and every now and then some good graphic nasties appear. Not a bad game really at £7.95.

Another game for the 64, this one is called Vultures and is Published by J Morrison Micros. It cannot be operated from the keyboard but requires a joystick in the second user port.



Getting the hang of the game is quite easy – destroy the alien vultures before they destroy you. However, it is quite difficult at first to get past the first one or two waves of vulture attacks. There are two ways that they can destroy you. They can either pick you up and carry you off or they can drop eggs on you. Once you have fought off the first wave of vulture attacks, a second is waiting and so-on. Eventually the player does get the benefit of having extra lives added.

The graphics to this game are fairly simple – all you have on the screen are the vultures which move around fairly slowly and yourself, the movement of the latter leaving something to be desired. The action is hardly breathtaking as Morrison Micros would have us believe and in fact the only reason for carrying on playing this game is to get the high score and enter a name in the hall of fame.

The scene is set in prehistoric times with a mountainous landscape in the background. A caveman stands in the foreground facing an onslaught of extinct creatures and rolling rocks. The sprites are excellent and the various figures look very realistic. It is a very amusing game especially with the funny noises coming from it as the caveman jumps over the rocks or lands on them. If there is a disaster, a spectacular colour display appears in the sky and the caveman disappears.

The game needs a joystick and is for the CBM 64. The first problem facing the caveman is a series of rocks rolling from the left side of the screen, which he has to jump over. It is important to get the timing exactly right as mistakes are fatal. After the rocks, come the dinosaurs and a well aimed hit with the axe diminishes them in size. Once you get to the dodos, skill and good reflexes are essential for dodging them as they move in leaps and bounds. If you manage to get past these, the prehistoric birds carrying rocks have to be negotiated as they try to drop them on the caveman.

The player has three cavemen per game, but even with three chances it can be a very frustrating and annoying game to play because if there is the slightest mistake in the timing, the player has to start all over again.



The slave becomes

After last month's digression on the BBC Micro, Owen Murcott continues his articles about DIY connection of two Commodore computers through their user ports. This month, he shows you how careful timing will get two machines to acknowledge each other's presence in all circumstances. He has included two useful routines for PET, VIC and CBM64, which transfer blocks of memory and variables between them.

So far in this series I have given you passive programs. That is to say, in each of them one machine was always the master and the other was always the slave. You needed to run the program in the master machine first to set up the various registers in the interface chip. Otherwise, it would wait for ever to get the slave's first "ready" signal if the slave had been started first. Actually, the slave would already have sent this signal, but because the master program was not running, it would have been detected by the master's interface chip.

This really is quite a nuisance. The problem is much worse if data transmission routines are written in assembler, with no test for the STOP key incorporated in them. The master machine sticks in a never-ending loop. You have to switch off to recover if there is no other means of resetting. No doubt you will already have discovered this if you ran the slave first, or configured the system with two masters or two slaves by mistake.

For the moment, I will continue to write about master-slave configurations, but will show you how to avoid the need to run a specific machine first. Do it by:

Making the slave (if started first) continually send 'ready' handshake signals, until the master has acknowledged with a handshake that one of the 'ready' signals has been recognised;

Making the master (if started first) continually look for a 'ready' signal from the slave, and

when it gets one, transmit an 'acknowledged' signal before it goes on to transmit data.

Timing delays incorporated


But there is a timing problem. You must ensure that handshake signals between the machines happen in a specific sequence. Otherwise, I have found that they can be misinterpreted. So you have to build in some delays to give time for things to happen.

Look at Figure 1. It is a timing diagram based on assembler instruction times, measured in microseconds. This timing is critical in assembler programs. When you study the diagram, remember just what a "handshake" is. It is a change from 1-0. Receipt of the change automatically sets a flag (a specific bit) in the user port interface chip. The flag can be interrogated with a PEEK at any time later in your

program. This is how you detect that the change has occurred.

When the slave sends a 'ready' signal, the master's flag is set (provided that the machine is running). The slave must then wait long enough to allow the master to test for and recognise this signal and acknowledge it. The waiting time must exceed the total time for the master to do two tests to see if its flag is set, to branch and to send an acknowledgement. When the slave's flag has been set by an acknowledgement, the slave branches to look for transmitted data.

The timing must handle the worst case. This is when the master tests just too early for the 'ready' signal at test number 1, and the flag is not yet set. It will catch it at test number 2, and there must still be time to respond.



master of the slave

Confusion

Fig 2 shows what could happen if the delay is only enough for one test for 'ready', plus an acknowledgement. When the master is slightly out of step, it will respond some measurable time after the 'ready' signal is sent. The slave will not see the master's acknowledgement at the first test for it, and so sends the next 'ready' signal. Whilst it does this, the master goes on to send a data byte because it assumes that the slave is ready. This will be followed by a handshake to signify 'data sent'. If the slave has not yet tested for the master's original acknowledgement signal, that handshake will have no effect - the slave's handshake flag is already set.

The slave then detects the earlier acknowledgement, and clears the handshake flag. It awaits another handshake to say 'data sent'. In the meantime, the master has interpreted that extra 'ready' signal as 'data received' and sends the next byte with a handshake.

Confusion reigns. The first data byte has been ignored. The remaining transmissions will be corrupted if that first byte was part of a transmission protocol header. This may cause the machines to hang-up. (In article three, I defined "protocols" as the rules and etiquette for

communication. They include the control characters, addresses and handshake signals transmitted to enable communication to be complete and unambiguous.)

Do not make the delay too long, though. Otherwise the slave may not yet have tested for the acknowledgement signal when the subsequent 'data present' handshake is sent. Try drawing your own timing diagram on a piece of squared paper, and you will see what I mean!

INITIALISER

The program "INITIALISER" at the end of this article is no more than a skeleton in BASIC to show how to incorporate this timing principle. You can experiment with it. Reduce the length of the FOR-NEXT delay loop in line 410. You will find that this generally makes no difference, because BASIC instruction times occupy milliseconds and the timings are so coarse. Just occasionally, however, the machines may clash. If you run the program again, they will probably work correctly. But try removing the loop altogether (turn it into a REM statement) and see what happens! Run the master first. Then try running the slave first.

If you understand assembler, translate

the routine into assembler statements. You can do it more or less directly. Then the loop is vital! You will need to add up the instruction timings in microseconds for your master and slave handshaking routine, to establish the length of delay needed. Typically it will be 30-40 microseconds. Beware of interrupts - you must disable them with SEI before the routine starts. If you don't, an interrupt could occur at the wrong moment, and delay the master's response. The slave's test for the acknowledgement would then come too soon and the acknowledgement would not be detected (see Fig 2).

Transfer BASIC programs

Two months ago I gave you a machine code routine which transfers program text from one machine to another. I pointed out that if you use it to transfer machine code programs you will spoil them. This is because my program transfer routine is designed only to transfer programs written in BASIC. Such programs contain pointers which link one line of program text to the next. Their function is to speed up the interpreter's search for lines when it executes GOTO and GOSUB statements.

The PROGLINK machine code routine recalculates these pointers when the program has been transferred to the destination machine. If the transferred program was machine code, some of the bytes would be over-written by the attempt to insert pointers. Machine code programs do not contain link addresses. However, I included this re-linking feature in the routine so that it would work with all combinations of machine. The start-of-BASIC address is not the same in all Commodore computers, and the pointer values may change when BASIC programs are transferred. So they have to be recalculated.

Transfer memory

To transfer a machine code program is simply a matter of moving a block of bytes from one machine to another. You should realise, however, that if you wish to run that machine code in the other machine, it will normally need to be transferred to sit at the same locations. This will certainly




Fig 2 - Out of step

INTERFACING

be true if the program contains JMP instructions (equivalent to BASIC GOTO), JSR instructions (equivalent to BASIC GOSUB), or instructions to load or store bytes, with access locations within itself. Few machine code programs are written to be truly independent of their location.

The MEMORY LINK program given at the end of this article, like previous ones, has a master-slave arrangement, but it does incorporate the timing delay described earlier. So it does not matter which machine starts first. The program shows how to use a machine code routine named MEMLINK. This routine will transmit a block of bytes of any length from one machine to the other. The block of bytes does not have to be a machine code program. It could be a single byte value; it could equally well be the screen memory.

Transfer the screen

The block of memory transferred by the MEMORY LINK program is, indeed, the screen memory. The master specifies the destination address, so needs to identify the type of slave machine (lines 200-250) to get the correct destination and screen size. Commodore screen memories are all over the place! This is done by using the MEMLINK routine also to transfer single bytes. It gives the same effect as the PEEKER/POKER program, described in the third article in this series, but that one really was too cumbersome for general use! Use MEMLINK instead.

Transfer colour

If the slave is VIC or CBM64, the transfer might also need to be repeated in order to transfer the colour memory, so that the transferred screen memory becomes visible. You would need to add extra coding for this just after the point where each screen is sent. The addresses of colour memory are:

- * VIC 38400-38905
- * CBM 64 55296-56295

If you want to POKE directly to the screen on VIC and CBM64, without needing to POKE the colour memory, there is another trick which you can use. First set the background to the colour required for the printing. Clear the screen. This prints space characters and also stores that background colour code in the colour memory locations. Then change the background colour to give a contrast. When you POKE, characters will be visible, (but only in the original background colour). Do not let the screen roll or you will spoil the effect.

MEMLINK

I have provided the MEMLINK routine as a loader for hexadecimal machine code contained in DATA statements in the MEMORY LINK program. Type it in, RUN it, and it will POKE the machine code into the memory. The loader portion contains a sumcheck to catch any typing mistakes. If you are using a VIC, you will need to leave out the DATA statements for other machines, and also the remarks, to reduce its length. But do not remove lines 60170 and 60370, unless you also bypass lines 80 and 90. The asterisks are used as markers to identify the sets of machine code.

You will find that my loader is not fast. It takes time to decode hexadecimal. But it is easier to check (or even alter if you know how). It takes up to 10 seconds to skip the code for other machines (lines 70-90) and 30-35 seconds to POKE its own.

Unlike my PROGLINK routine given two months ago, MEMLINK is not relocatable. It is poked to specific locations in the memory. I have assembled versions for 32K PET BASIC2 and BASIC4, unexpanded VIC and with 3K expansion, and for Commodore 64. They reside at the end of BASIC memory (just below DOS Support on the PET). The addresses for the SYS entry to MEMLINK are:

	BASIC 2	BASIC 4	VIC	CBM64
* Slave	32000	32000	7168	40448
* Master	32007	32007	7175	40455
	32011	32011	7179	40459
		Send memory block		
		Get memory block		

After you have loaded and run MEMORY LINK to its end, you can use the MEMLINK machine code routine over and over. It will still be there at the end of the memory. Experiment with it in direct mode for transferring other blocks of bytes.

Syntax for MEMLINK

The syntax which I have chosen for the master's entry when it uses MEMLINK to send or get a block of memory is:

* SYS 99999, e1, e2, e3

The parameters: e1, e2 and e3 are BASIC numeric expressions (including numeric values, single variables, or expressions of any complexity desired) with a maximum value of 65535:

- * e1 – defines the address of the first byte to be transmitted;
- * e2 – defines the address of the last byte to be transmitted. If e2 is less than or equal to e1, only one byte (from e1) will be transmitted. No error message is given;

* e3 – defines the start address of where the block of bytes is to be replaced in the receiver machine.

The slave's entry is just SYS 99999.

Transfer variables

When you write programs to run on two machines there will be occasions when you will need to transfer variables from one machine to the other. The MEMLINK routine could easily be modified to transfer a block of numeric variables or arrays. After all, their start and end addresses are known. However, if string variables are inter-mingled with them, the problem becomes complex; the actual strings may be in the BASIC text, or may be at the other end of memory. So it is better to arrange to transfer variables one at a time.

VARLINK

I have given you a loader for a machine code routine, named VARLINK. As does MEMLINK, so this too runs in a master-slave configuration. Type it in, run it, and the machine code will be poked into the memory. You can then use it to transfer a numeric variable or string variable. The variable's value will be assigned to a variable of the same name in the other machine. The loader is of the

same style as the MEMLINK loader and for the same machines. However, VARLINK is loaded to different addresses and so can reside in memory adjacent to MEMLINK, and at the same time. The addresses for its SYS entry are:

			BASIC 2
* Slave			31488
* Master	Send variable		31495
	Get variable		31499
	BASIC 4	VIC	CBM64
	31488	6656	39936
	31495	6663	39943
	31499	6667	39947

The syntax which I have chosen for the master's entry to VARLINK is:

* SYS 99999, v

where v is the name of the variable to send or to get. The normal rule of BASIC applies in that variables which have not already had a value assigned will be zero or null string when transmitted.

The slave's entry is just SYS 99999.

PRODUCTS FOR COMMODORE

SPEED UP ANY BASIC PROGRAM WITH OUR COMPILERS

Up to 40 times speed increase, reduced program size.

BASIC COMPILERS

Petspeed Compiler for 4000/8000 series _____ £125.00

Integer Basic Compiler for 3000/4000/8000 series £75.00

CROSS-COMPILERS FOR BASIC

Portspeed: Compiles source on 8000 series to run on CBM 64 _____ £125.00

X-64: Integer compiler compiling on 8000 series giving machine code executable on CBM 64 _____ £125.00

B-Port: Compiles source on 8000 series to run on 700/B-128 series _____ £450.00

X-700: Integer compiler compiling on 8000 series giving machine code executable on 700/B-128 _____ £450.00

GIVE YOUR VIC OR 64 FULL IEEE AND RS232

Not a cartridge. Compatible with any software.

Interpod: Free-standing interface giving IEEE488 and RS232C capabilities to CBM64/VIC20 _____ £99.95

SPECIAL OFFER

Order 5 or more Interpod and get a free Portspeed!

All prices are exclusive of VAT. There is also a small charge for post and packing. Dealer discounts are available on all products except the 700 cross-compilers.

Compilers are supplied ex-stock; Interpod supplied 7-days ex-stock.

COMMODORE SOFTWARE

Native compilers for the CBM 64 and the 700/B-128 are available only from Commodore.

Oxford Computer Systems (Software) Ltd.
Hensington Road, Woodstock, Oxford OX7 1JR, England
Telephone (0993) 812700 Telex 83147 Ref. OCSL



VISA ACCEPTED

cable software


URGENTLY REQUIRE

ORIGINAL, MACHINE CODE GAMES PROGRAMS
FOR THE

Commodore 64 & VIC 20

We have an international dealer & marketing network which will ensure maximum sales potential for your program.

Write in confidence to: **Software Development Director**
Cable Software Limited
Cape House
52 Limbury Road
Luton, Beds. LU3 2PL
or telephone: **Luton 591493**



CABLE

INTERFACING

Transfer arrays

VARLINK is not constructed to transfer arrays directly. If arrays must be sent, you can use VARLINK to do it by:

- Taking the array elements one at a time;
- Assigning each in turn to the variable used for transmission;
- Transferring that variable repeatedly until all the elements have been dealt with;
- Re-assembling the array at the other end.

Keep in step

You will see that when you use MEMLINK and VARLINK you have to be careful to keep the machines in step with each other. For each point where your 'master' program wishes to transmit (or get), there must be a corresponding point in the 'slave' program at which it is ready to respond. Otherwise communication will not take place. Look at lines 510-520 of the MEMORY LINK program. The slave just waits for the master and cannot go on until the master has communicated.

Although either machine may adopt

the master role, they must not do it simultaneously otherwise the system will just hang up. If both machines are trying to talk, neither will listen.

Polling

Quite often, processing requirements are such that the machine must not wait for communication. To do this, one machine must periodically look to see if the other wishes to communicate, and if not, to go on with whatever it was doing. If it discovers that the other does wish to communicate, the program breaks off what it was doing, for a moment, handles the transmission, and then continues where it left off.

"Looking to see" is called "polling". Games often do this. When you use a statement like 'GET Z\$' to get a keypress, your program looks in to the keyboard buffer. If Z\$ is not blank, a key has been pressed, and the program may go down an alternative path. So the program is polling the keyboard.

In polling systems, one machine must be the master. It sends a polling signal to the slave to invite communication. If the master-slave situation is our two

machines linked through their user ports, the signal could be a simple handshake signal. If a 'no' response is received (or no acknowledgement within a fixed time) the poll will be repeated after a decent time interval. Notice that the slave does not impose itself on the master; the master invites communication when it is free. (Your programs which 'GET' from the keyboard work in this way.) From the slave's point of view, it has to wait until the master signals that it wants to talk, or that it is ready to listen.

Interrupting

Some systems require machines to be equal partners. In this case, either machine can impose itself on the other, interrupt it, and demand attention. Neither is master nor slave; they are equal partners. This kind of system can be best implemented using the interrupt mechanism built in to the hardware of the microprocessor. (An interrupt is a special kind of electrical signal which can be detected by the microprocessor.)

Communications routines which use interrupts must be written in assembler as BASIC is too slow

```
10 REM          INITIALISER                                W.OWEN MURCOTT NOV 1983
11 REM-----
20 REM          REGISTER ADDRESSES AND VALUES
21 :
30 DATA 59457,59459,59467,59468,59468,59468,59457,59469,254,224,224,223,2
40 DATA 37136,37138,37147,37148,37148,37148,37136,37149,239,224,224,223,16
50 DATA 56577,56579,00828,00828,56578,56576,56589,56589,0,4,4,251,16
52 REM-----
60 MT=PEEK(65534)+256*PEEK(65535): REM          DETECT MACHINE TYPE
61 IF MT=65394 THEN FOR I=1 TO 13: READ Z: NEXT: GOTO 70: REM          IT'S VIC
62 IF MT=65352 THEN FOR I=1 TO 26: READ Z: NEXT: REM          IT'S CBM64
63 REM          ALL OTHERS ARE PET
64 REM-----
70 READ DR,DD,AC,PC,HE,HS,HT,IC: REM          SET UP REGISTER ADDRESSES
80 READ K1,K2,K3,K4,K5: REM          SET UP REGISTER VALUES
81 REM-----
90 POKE AC,0: REM          DISABLE AUXILIARY CONTROL FUNCTIONS
91 POKE PC, PEEK(PC) AND K1: REM          SET HANDSHAKE = 1-0
92 POKE HE, PEEK(HE) OR K2: REM          ENABLE HANDSHAKE
93 Z=PEEK(HT): REM          ENSURE HANDSHAKE BIT IS CLEAR
94 POKE HS, PEEK(HS) OR K3: REM          SEND FIRST HANDSHAKE = 1
95 REM-----
100 PRINT "PRESS M=MASTER S=SLAVE"
101 GETZ$
102 IF Z$="S" THEN 400
103 IF Z$<>"M" THEN 101
105 REM-----
200 IF (PEEK(IC) AND K5)<>0 GOTO 220: REM          TEST 'READY'
210 IF (PEEK(IC) AND K5)=0 GOTO 200: REM          TEST #2
220 GOSUB 2000: REM          SEND 'ACKNOWLEDGED'
230 PRINT "RECEIVER IS AVAILABLE"
240 POKE DD,255: REM          DATA DIRECTION = OUTPUT
250 I=65: REM          CHARACTER VALUE
260 :
```

INTERFACING

```

300 POKE DR,I: REM          SEND CHARACTER
310 GOSUB 2000: REM        SEND 'DATA SENT'
320 I=I+1: IF I=91 THEN END
330 GOSUB 1000: REM        WAIT 'READY'
340 GOTO 300: REM          FOR NEXT
399 REM-----
400 GOSUB 2000: REM        SEND 'READY'
410 FOR D=1 TO 300: NEXT: REM  DELAY LOOP
420 IF (PEEK(IC) AND K5)=0 GOTO 400: REM  TEST FOR 'ACKNOWLEDGED'
430 PRINT "ACKNOWLEDGEMENT RECEIVED": REM  GO ON
440 POKE DD,0: REM        DATA DIRECTION = INPUT
460 :
500 GOSUB 1000: REM        WAIT 'DATA SENT'
510 Z=PEEK(DR):PRINTCHR$(Z);: REM  GET CHARACTER
520 IF Z=90 THEN END
530 GOSUB 2000: REM        SEND 'READY'
540 GOTO 500: REM          FOR NEXT
999 REM-----
1000 IF (PEEK(IC) AND K5)=0 GOTO 1000: REM  AWAIT HANDSHAKE
1001 RETURN
1002 REM-----
2000 POKE HS, PEEK(HS) AND K4: REM  SEND HANDSHAKE = 0
2001 POKE HS, PEEK(HS) OR K3: REM  SEND HANDSHAKE = 1
2002 RETURN
2003 REM-----

10 REM          MEMORY LINK          W.OWEN MURCOTT NOV 1983
11 REM-----
20 REM          MM=MACHINE TYPE ; SM=SLAVE MACHINE TYPE
21 REM          M=START OF MEMLINK ; MH=END MEMORY POINTER
22 REM          MS=MASTER SCREEN START ; SS=SLAVE SCREEN START
23 REM          L=SCREEN LENGTH (TO CATER FOR VIC)
24 REM          A,B,C=MEMLINK TRANSMISSION ADDRESSES
29 REM-----
30 PRINT "STARTING"
40 L=999
50 MM=PEEK(65534)+256*PEEK(65535): REM  DETECT MACHINE TYPE
60 IF MM=58907 THEN MS=32768: MH=53: GOTO 100: REM  ... BASIC2
61 IF MM=58434 THEN MS=32768: MH=53: GOTO 90: REM  ... BASIC4
62 IF MM=65394 THEN MS=7680: MH=56: L=505: GOTO 80: REM  ... VIC
63 IF MM=65352 THEN MS=1024: MH=56: GOTO 70: REM  ... CBM64
64 PRINT "MACHINE NOT KNOWN": END
65 :
69 REM-----
70 READ Z$: IF Z$<>"*" THEN 70: REM  SKIP CODE FOR OTHER MACHINES
80 READ Z$: IF Z$<>"*" THEN 80
90 READ Z$: IF Z$<>"*" THEN 90
99 :
100 Z$="": GOSUB 50000: REM  LOAD MEMLINK CODE
105 REM-----
120 PRINT "PRESS M=MASTER S=SLAVE"
121 GET Z$
122 IF Z$="M" GOTO 200
123 IF Z$="S" GOTO 500
124 GOTO 121
125 REM-----
200 REM          MASTER
210 A=65534: B=65535: REM  SET LOHI ADDRESSES OF IRQ
211 C=828: REM          TO PUT BYTES IN CASSETTE BUFF
220 GOSUB 1002: REM        GET SLAVE MACHINE TYPE = IRQ
230 SM=PEEK(828)+256*PEEK(829): REM  TO DEDUCE SLAVE SCREEN ADDR
231 IF SM=58907 THEN SS=32768: GOTO 250: REM  ... BASIC2
232 IF SM=58434 THEN SS=32768: GOTO 250: REM  ... BASIC4
233 IF SM=65394 THEN SS=7680: L=505: GOTO 250: REM  ... VIC

```

It's easy to complain about advertisements. But which ones?

Every week millions of advertisements appear in print, on posters or in the cinema.

Most of them comply with the rules contained in the British Code of Advertising Practice.

But some of them break the rules and warrant your complaints.

If you're not sure about which ones they are, however, drop us a line and we'll send you an abridged copy of the Advertising Code.

Then, if an advertisement bothers you, you'll be justified in bothering us. ✓

The Advertising Standards Authority.
If an advertisement is wrong, we're here to put it right.

ASA Ltd, Dept 2 Brook House, Torrington Place, London WC1E 7HN

Solar SOFTWARE

51 Meadowcroft, Radcliffe,
Manchester M26 0JP
Tel: 061 724 8622

Quality arcade action games for the **COMMODORE 64**

GALAXIONS The earth is being invaded by an alien force, the GALAXIONS have arrived from a dying planet, determined to destroy civilization as we know it. They came in formation, swooping and diving towards the planet earth. You and you alone can save mankind from the terrifying destruction the aliens threaten us with.

100% Machine Code

3 Lives

Bonus ship at 10000

Progressive levels of play



£7.95

munch man 64 A fantastic version of this popular arcade game.

100% Machine Code

3 Lives, Bonus fruit

Power pills

4 Very intelligent ghosts



£7.95


Robin to the Rescue In days of old when knights were bold and the sheriff was in power, to play this game guide Robin Hood, to Marian locked up in the tower.

100% Machine Code

Sprite Graphics

3 Lives

12 Screens of arcade action



£7.95

All our games are available mail order P&P included from the above address. Orders sent by return post. Also available from all good computer shops.

Distribution,
P.C.S. Darwen, CENTRE SOFT West Midlands
ALPHA TAPES, Merseyside, TIGER, Cheshire,
CALISTO, Birmingham, LIGHTNING, London,
LEISURESOF, Northampton.

MERLIN
SOFTWARE

£6.50

EACH
INCL.

DEALER ENQUIRIES
J. BLUNDEN - 0438 316561

See us on Stand 211 at the **YOUR COMPUTER Christmas Fair**

CRAZY CAVEMAN - Journey back to prehistoric times! A tribe of cave dwellers sends out a hunting party, but the men are scattered when they are ambushed by a huge sabre-toothed tiger! You are one of these hunters: separated from your companions and a long way from shelter, you begin the hazardous trek home. On the way there are many dangers, like ROLLING ROCKS, DINOSAURS, DODOS AND PREHISTORIC BIRDS.



BLUE MOON



For
the



BLUE MOON - You are the pilot of an intergalactic spacecraft. Your mission is to rescue a sister-ship and her crew who are trapped on a hostile planet and to return with them to the safety of the Blue Moon. However, journeying across the vastness of space there are many hazards to negotiate, such as the deadly BLUE BOUNCERS, COMETS, BELL BIRDS, DROIDS and TECOM ALIENS.

Please make cheques payable to: MERLIN SOFTWARE
Send to: Business & Technology Centre, Bessemer Drive, Stevenage, Herts SG1 2DX

I ENCLOSE CHEQUE/P.O. for £ _____

NAME _____

ADDRESS _____

TICK REQUIRED TITLE(S):

cc/1. 06

BLUE MOON **CRAZY CAVEMAN**

INTERFACING

... CBM64

```

234 IF SM=65352 THEN SS=1024: GOTO 250: REM
235 PRINT "SLAVE MACHINE NOT KNOWN": END
236 :
250 PRINT "[DJSLAVE MACHINE SCREEN STARTS AT";SS
251 :
300 PRINT "[DJMESSAGE FROM MASTER": REM          PUT SOMETHING ON SCREEN
310 A=MS: B=A+L: C=SS: REM                      SET ADDRESSES
320 GOSUB 1001: REM                              SEND MASTER SCREEN
330 A=SS: B=A+L: C=MS: REM                      SET ADDRESSES
340 GOSUB 1002: REM                              GET SLAVE SCREEN
350 END
399 REM-----
500 REM                                          SLAVE
510 GOSUB 1000: REM                              MASTER ASKS FOR MACHINE TYPE
520 GOSUB 1000: REM                              MASTER SENDS SCREEN
530 FOR I=1 TO 5000: NEXT: REM                  PAUSE FOR EFFECT
540 PRINT "[CLS]SLAVE'S REPLY"
550 GOSUB 1000: REM                              MASTER GETS SCREEN
560 END
999 REM-----
1000 SYS M: RETURN: REM                        MEMLINK - SLAVE
1001 SYS M+7,A,B,C: RETURN: REM                MEMLINK - SEND
1002 SYS M+11,A,B,C: RETURN: REM              MEMLINK - GET
-----
50000 REM-----
50010 REM                                          MACHINE CODE LOADER
50020 PRINT"LOADING"
50030 READ H1: READ H3 :REM                      H1=START : H3=SUMCHECK
50040 M=H1: REM                                  SET START OF MEMLINK
50050 IF M>=PEEK(MH-1) +256*PEEK(MH) THEN 50110: REM  MEMORY LIMIT ALREADY OK
50060 Z=INT(M/256)
50070 POKE MH,Z: POKE MH-1,0 :REM                RESET END OF MEMORY
50080 POKE MH-4,Z: POKE MH-5,0 :REM              RESET START OF STRINGS
50110 READ A$: IF A$="X" THEN 50180: REM          GET BYTE AND TEST END
50120 IF LEN(A$)<>2 THEN 50200: REM                CHECK LENGTH
50130 A=ASC(A$)-48: A=A+7*(A>9): REM              CONVERT UPPER
50140 IF A<0 OR A>15 THEN 50200: REM              BAD HEXADECIMAL
50150 B=ASC(RIGHT$(A$,1))-48: B=B+7*(B>9): REM   CONVERT LOWER
50160 IF B<0 OR B>15 THEN 50200: REM              BAD HEXADECIMAL
50170 Z=16*A+B: POKE H1,Z: H1=H1+1: H2=H2+Z: GOTO 50110
50180 IF H2<>H3 THEN 50250: REM                  AT END DO SUMCHECK
50190 RETURN
50200 DL=60
50210 IF MM=65394 OR MM=65352 THEN DL=63
50220 PRINT "DATA LINE";PEEK(DL)+256*PEEK(DL+1)
50230 PRINT "?BAD BYTE"
50240 PRINT ""A$: END
50250 PRINT "SUMCHECK ERROR": END
59998 REM MACHINE CODE
59999 REM-----
60000 DATA 32000, 42976: REM                                          BASIC2
60010 DATA A9,00,85,00,4C,38,7D,A9,4D,D0,02,A9,CD,85,00,20,35,7E,A5,12,48,A5,11
60020 DATA 48,20,35,7E,A5,12,48,A5,11,48,20,35,7E,A5,11,85,4F,A5,12,85,50,68,85
60030 DATA 4D,68,85,4E,68,85,4B,68,85,4C,A9,00,8D,4B,E8,AD,4C,E8,29,FE,8D,4C,E8
60040 DATA AD,4C,E8,09,E0,8D,4C,E8,AD,41,E8,AD,4C,E8,09,E0,8D,4C,E8,A5,00,D0,1D
60050 DATA 8D,43,E8,78,20,16,7E,A0,05,88,D0,FD,AD,4D,E8,29,02,F0,F1,AD,41,E8,58
60060 DATA A2,00,A0,06,D0,32,78,AD,4D,E8,29,02,F0,02,D0,09,AD,4D,E8,29,02,F0,F0
60070 DATA D0,00,AD,4C,E8,29,DF,8D,4C,E8,AE,41,E8,09,E0,8D,4C,E8,A9,FF,8D,43,E8
60080 DATA 58,A2,00,A0,06,D0,21,20,16,7E,20,24,7E,AD,41,E8,95,4B,E8,88,D0,F1,20
60090 DATA 16,7E,20,24,7E,AD,41,E8,C9,4D,D0,22,F0,38,20,24,7E,B5,4B,8D,41,E8,20
60100 DATA 16,7E,E8,88,D0,F1,20,24,7E,A5,00,48,8D,41,E8,20,16,7E,68,C9,4D,D0,18
60110 DATA A9,FF,8D,43,E8,A0,00,20,24,7E,B1,4B,8D,41,E8,20,16,7E,20,52,7E,90,F0
60120 DATA 60,A9,00,8D,43,E8,A0,00,20,16,7E,20,24,7E,AD,41,E8,91,4F,20,4C,7E,90
60130 DATA F0,60,AD,4C,E8,29,DF,8D,4C,E8,09,E0,8D,4C,E8,60,A5,97,C9,04,D0,03,4C

```

INTERFACING

```
60140 DATA 89,C3,AD,4D,E8,29,02,F0,F0,60,20,F8,CD,20,9F,CC,A5,07,D0,08,A5,08,D0
60150 DATA 03,20,D2,D6,60,A2,A3,4C,57,C3,E6,4F,D0,02,E6,50,A5,4C,C5,4E,90,08,D0
60160 DATA 0C,A5,4B,C5,4D,B0,06,E6,4B,D0,02,E6,4C,60
60170 DATA *
60200 DATA 32000, 42964: REM BASIC4
60210 DATA A9,00,85,00,4C,38,7D,A9,4D,D0,02,A9,CD,85,00,20,35,7E,A5,12,48,A5,11
60220 DATA 48,20,35,7E,A5,12,48,A5,11,48,20,35,7E,A5,11,85,4F,A5,12,85,50,68,85
60230 DATA 4D,68,85,4E,68,85,4B,68,85,4C,A9,00,8D,4B,E8,AD,4C,E8,29,FE,8D,4C,E8
60240 DATA AD,4C,E8,09,E0,8D,4C,E8,AD,41,E8,AD,4C,E8,09,E0,8D,4C,E8,A5,00,D0,1D
60250 DATA 8D,43,E8,78,20,16,7E,A0,05,88,D0,FD,AD,4D,E8,29,02,F0,F1,AD,41,E8,58
60260 DATA A2,00,A0,06,D0,32,78,AD,4D,E8,29,02,F0,02,D0,09,AD,4D,E8,29,02,F0,F0
60270 DATA D0,00,AD,4C,E8,29,DF,8D,4C,E8,AE,41,E8,09,E0,8D,4C,E8,A9,FF,8D,43,E8
60280 DATA 58,A2,00,A0,06,D0,21,20,16,7E,20,24,7E,AD,41,E8,95,4B,E8,88,D0,F1,20
60290 DATA 16,7E,20,24,7E,AD,41,E8,C9,4D,D0,22,F0,38,20,24,7E,B5,4B,8D,41,E8,20
60300 DATA 16,7E,E8,88,D0,F1,20,24,7E,A5,00,48,8D,41,E8,20,16,7E,68,C9,4D,D0,18
60310 DATA A9,FF,8D,43,E8,A0,00,20,24,7E,B1,4B,8D,41,E8,20,16,7E,20,52,7E,90,F0
60320 DATA 60,A9,00,8D,43,E8,A0,00,20,16,7E,20,24,7E,AD,41,E8,91,4F,20,4C,7E,90
60330 DATA F0,60,AD,4C,E8,29,DF,8D,4C,E8,09,E0,8D,4C,E8,60,A5,97,C9,04,D0,03,4C
60340 DATA FF,B3,AD,4D,E8,29,02,F0,F0,60,20,F5,BE,20,98,BD,A5,07,D0,08,A5,08,D0
60350 DATA 03,20,2D,C9,60,A2,A3,4C,CF,B3,E6,4F,D0,02,E6,50,A5,4C,C5,4E,90,08,D0
60360 DATA 0C,A5,4B,C5,4D,B0,06,E6,4B,D0,02,E6,4C,60
60370 DATA *
```

```
60400 DATA 7168, 37115: REM VIC
60410 DATA A9,00,85,00,4C,38,1C,A9,4D,D0,02,A9,CD,85,00,20,35,1D,A5,15,48,A5,14
60420 DATA 48,20,35,1D,A5,15,48,A5,14,48,20,35,1D,A5,14,85,52,A5,15,85,53,68,85
60430 DATA 50,68,85,51,68,85,4E,68,85,4F,A9,00,8D,1B,91,AD,1C,91,29,EF,8D,1C,91
60440 DATA AD,1C,91,09,E0,8D,1C,91,AD,10,91,AD,1C,91,09,E0,8D,1C,91,A5,00,D0,1D
60450 DATA 8D,12,91,78,20,16,1D,A0,05,88,D0,FD,AD,1D,91,29,10,F0,F1,AD,10,91,58
60460 DATA A2,00,A0,06,D0,32,78,AD,1D,91,29,10,F0,02,D0,09,AD,1D,91,29,10,F0,F0
60470 DATA D0,00,AD,1C,91,29,DF,8D,1C,91,AE,10,91,09,E0,8D,1C,91,A9,FF,8D,12,91
60480 DATA 58,A2,00,A0,06,D0,21,20,16,1D,20,24,1D,AD,10,91,95,4E,E8,88,D0,F1,20
60490 DATA 16,1D,20,24,1D,AD,10,91,C9,4D,D0,22,F0,38,20,24,1D,B5,4E,8D,10,91,20
60500 DATA 16,1D,E8,88,D0,F1,20,24,1D,A5,00,48,8D,10,91,20,16,1D,68,C9,4D,D0,18
60510 DATA A9,FF,8D,12,91,A0,00,20,24,1D,B1,4E,8D,10,91,20,16,1D,20,52,1D,90,F0
60520 DATA 60,A9,00,8D,12,91,A0,00,20,16,1D,20,24,1D,AD,10,91,91,52,20,4C,1D,90
60530 DATA F0,60,AD,1C,91,29,DF,8D,1C,91,09,E0,8D,1C,91,60,A5,C5,C9,18,D0,03,4C
60540 DATA 74,C4,AD,1D,91,29,10,F0,F0,60,20,FD,CE,20,9E,CD,A5,0D,D0,08,A5,0E,D0
60550 DATA 03,20,F7,D7,60,A2,15,4C,3A,C4,E6,52,D0,02,E6,53,A5,4F,C5,51,90,08,D0
60560 DATA 0C,A5,4E,C5,50,B0,06,E6,4E,D0,02,E6,4F,60
60570 DATA *
```

```
60600 DATA 40448, 40909: REM CBM64
60610 DATA A9,00,85,8D,4C,38,9E,A9,4D,D0,02,A9,CD,85,8D,20,35,9F,A5,15,48,A5,14
60620 DATA 48,20,35,9F,A5,15,48,A5,14,48,20,35,9F,A5,14,85,52,A5,15,85,53,68,85
60630 DATA 50,68,85,51,68,85,4E,68,85,4F,A9,00,8D,E8,07,AD,E8,07,29,00,8D,E8,07
60640 DATA AD,02,DD,09,04,8D,02,DD,AD,0D,DD,AD,00,DD,09,04,8D,00,DD,A5,8D,D0,1D
60650 DATA 8D,03,DD,78,20,16,9F,A0,05,88,D0,FD,AD,0D,DD,29,10,F0,F1,AD,0D,DD,58
60660 DATA A2,00,A0,06,D0,32,78,AD,0D,DD,29,10,F0,02,D0,09,AD,0D,DD,29,10,F0,F0
60670 DATA D0,00,AD,00,DD,29,FB,8D,00,DD,AE,0D,DD,09,04,8D,00,DD,A9,FF,8D,03,DD
60680 DATA 58,A2,00,A0,06,D0,21,20,16,9F,20,24,9F,AD,01,DD,95,4E,E8,88,D0,F1,20
60690 DATA 16,9F,20,24,9F,AD,01,DD,C9,4D,D0,22,F0,38,20,24,9F,B5,4E,8D,01,DD,20
60700 DATA 16,9F,E8,88,D0,F1,20,24,9F,A5,8D,48,8D,01,DD,20,16,9F,68,C9,4D,D0,18
60710 DATA A9,FF,8D,03,DD,A0,00,20,24,9F,B1,4E,8D,01,DD,20,16,9F,20,52,9F,90,F0
60720 DATA 60,A9,00,8D,03,DD,A0,00,20,16,9F,20,24,9F,AD,01,DD,91,52,20,4C,9F,90
60730 DATA F0,60,AD,00,DD,29,FB,8D,00,DD,09,04,8D,00,DD,60,A5,C5,C9,3F,D0,03,4C
60740 DATA 74,A4,AD,0D,DD,29,10,F0,F0,60,20,FD,AE,20,9E,AD,A5,0D,D0,08,A5,0E,D0
60750 DATA 03,20,F7,B7,60,A2,15,4C,3A,A4,E6,52,D0,02,E6,53,A5,4F,C5,51,90,08,D0
60760 DATA 0C,A5,4E,C5,50,B0,06,E6,4E,D0,02,E6,4F,60
60770 DATA *
```

INTERFACING

```

10 REM                                     VARLINK                                     W.OWEN MURCOTT NOV 1983
11 REM-----
20 REM                                     MM=MACHINE TYPE
21 REM                                     MH=END MEMORY POINTER
29 REM-----
50 MM=PEEK(65534)+256*PEEK(65535): REM                                     DETECT MACHINE TYPE
60 IF MM=58907 THEN MH=53: GOTO 100: REM                                     ... BASIC2
61 IF MM=58434 THEN MH=53: GOTO 90: REM                                     ... BASIC4
62 IF MM=65394 THEN MH=56: GOTO 80: REM                                     ... VIC
63 IF MM=65352 THEN MH=56: GOTO 70: REM                                     ... CBM64
64 PRINT "MACHINE NOT KNOWN": END
65 :
69 REM-----
70 READ Z$: IF Z$<>"*" THEN 70: REM                                     SKIP CODE FOR OTHER MACHINES
80 READ Z$: IF Z$<>"*" THEN 80
90 READ Z$: IF Z$<>"*" THEN 90
99 :
100 Z$="": GOSUB 50000: REM                                     LOAD VARLINK CODE
101 END
50000 REM-----
50010 REM                                     MACHINE CODE LOADER
50020 PRINT"LOADING"
50030 READ H1: READ H3 :REM                                     H1=START : H3=SUMCHECK
50040 M=H1: REM                                     SET START OF MEMLINK
50050 IF M>=PEEK(MH-1) +256*PEEK(MH) THEN 50110: REM                                     MEMORY LIMIT ALREADY OK
50060 Z=INT(M/256)
50070 POKE MH,Z: POKE MH-1,0 :REM                                     RESET END OF MEMORY
50080 POKE MH-4,Z: POKE MH-5,0 :REM                                     RESET START OF STRINGS
50110 READ A$: IF A$="*" THEN 50180: REM                                     GET BYTE AND TEST END
50120 IF LEN(A$)<>2 THEN 50200: REM                                     CHECK LENGTH
50130 A=ASC(A$)-48: A=A+7*(A>9): REM                                     CONVERT UPPER
50140 IF A<0 OR A>15 THEN 50200: REM                                     BAD HEXADECIMAL
50150 B=ASC(RIGHT$(A$,1))-48: B=B+7*(B>9): REM                                     CONVERT LOWER
50160 IF B<0 OR B>15 THEN 50200: REM                                     BAD HEXADECIMAL
50170 Z=16*A+B: POKE H1,Z: H1=H1+1: H2=H2+Z: GOTO 50110
50180 IF H2<>H3 THEN 50250: REM                                     AT END DO SUMCHECK
50190 RETURN
50200 DL=60
50210 IF MM=65394 OR MM=65352 THEN DL=63
50220 PRINT "DATA LINE";PEEK(DL)+256*PEEK(DL+1)
50230 PRINT "[DJ?BAD BYTE"
50240 PRINT "[DJ[RV$]"A$: END
50250 PRINT "[DJ]SUMCHECK ERROR": END

59998 REM                                     MACHINE CODE
59999 REM-----
60000 DATA 31488, 61161: REM                                     BASIC2
60010 DATA A9,00,85,00,4C,19,7B,A9,56,D0,02,A9,D6,85,00,20,F8,CD,20,6D,CF,85,46
60020 DATA 84,47,A9,00,8D,4B,E8,AD,4C,E8,29,FE,8D,4C,E8,AD,4C,E8,09,E0,8D,4C,E8
60030 DATA AD,41,E8,AD,4C,E8,09,E0,8D,4C,E8,78,A5,00,D0,19,8D,43,E8,20,BB,7C,A0
60040 DATA 05,88,D0,FD,AD,4D,E8,29,02,F0,F1,AD,41,E8,58,4C,82,7B,AD,4D,E8,29,02
60050 DATA F0,02,D0,09,AD,4D,E8,29,02,F0,F0,D0,00,AD,4C,E8,29,DF,8D,4C,E8,AE,41
60060 DATA E8,09,E0,8D,4C,E8,A9,FF,8D,43,E8,58,4C,BB,7B,20,CC,7C,AD,41,E8,48,20
60070 DATA C9,7C,AD,41,E8,85,07,20,C9,7C,AD,41,E8,85,08,20,C9,7C,AD,41,E8,85,42
60080 DATA 20,C9,7C,AD,41,E8,85,43,A9,00,85,06,20,C9,CF,85,46,84,47,68,C9,56,D0
60090 DATA 30,F0,6C,A5,00,8D,41,E8,20,C9,7C,A5,07,8D,41,E8,20,C9,7C,A5,08,8D,41
60100 DATA E8,20,C9,7C,A5,42,8D,41,E8,20,C9,7C,A5,43,8D,41,E8,20,BB,7C,A5,00,C9
60110 DATA 56,D0,3E,A9,FF,8D,43,E8,A5,07,D0,09,A2,05,20,EA,7C,A0,00,F0,0F,A0,02
60120 DATA B1,44,85,20,88,B1,44,85,1F,88,B1,44,AA,20,CC,7C,8E,41,E8,20,BB,7C,E0
60130 DATA 00,F0,0F,20,CC,7C,B1,1F,8D,41,E8,20,BB,7C,CB,CA,D0,F1,60,A9,00,8D,43
60140 DATA E8,20,C9,7C,AE,41,E8,A0,00,A5,07,D0,07,20,EA,7C,20,DD,7C,60,86,1F,38
60150 DATA A5,30,E5,1F,85,30,A5,31,E9,00,85,31,38,A5,30,E9,02,85,30,85,32,85,1F

```

INTERFACING

```
60160 DATA 85,40,A5,31,E9,00,85,31,85,33,85,20,85,41,C5,2F,90,0A,D0,0B,A5,30,C5
60170 DATA 2E,90,02,D0,03,4C,55,C3,E0,00,F0,03,20,DD,7C,98,18,65,1F,85,1F,90,02
60180 DATA E6,20,A0,00,A9,2C,91,1F,85,04,A9,3A,85,03,A9,98,85,0B,A5,77,A4,78,85
60190 DATA 48,84,49,A5,40,A4,41,85,77,84,78,20,67,D3,20,BD,D6,20,E2,C8,A5,48,A4
60200 DATA 49,85,77,84,78,60,AD,4C,E8,29,DF,8D,4C,E8,09,E0,8D,4C,E8,60,20,BB,7C
60210 DATA A5,97,C9,04,D0,03,4C,89,C3,AD,4D,E8,29,02,F0,F0,60,20,C9,7C,AD,41,E8
60220 DATA 91,1F,C8,CA,D0,F4,60,A5,44,85,1F,A5,45,85,20,60
60230 DATA *
60300 DATA 31488, 60936: REM BASIC4
60310 DATA A9,00,85,00,4C,19,7B,A9,56,D0,02,A9,D6,85,00,20,F5,BE,20,2B,C1,85,46
60320 DATA 84,47,A9,00,8D,4B,E8,AD,4C,E8,29,FE,8D,4C,E8,AD,4C,E8,09,E0,8D,4C,E8
60330 DATA AD,41,E8,AD,4C,E8,09,E0,8D,4C,E8,78,A5,00,D0,19,8D,43,E8,20,BB,7C,A0
60340 DATA 05,88,D0,FD,AD,4D,E8,29,02,F0,F1,AD,41,E8,58,4C,82,7B,AD,4D,E8,29,02
60350 DATA F0,02,D0,09,AD,4D,E8,29,02,F0,F0,D0,00,AD,4C,E8,29,DF,8D,4C,E8,AE,41
60360 DATA E8,09,E0,8D,4C,E8,A9,FF,8D,43,E8,58,4C,BE,7B,20,CC,7C,AD,41,E8,48,20
60370 DATA C9,7C,AD,41,E8,85,07,20,C9,7C,AD,41,E8,85,08,20,C9,7C,AD,41,E8,85,42
60380 DATA 20,C9,7C,AD,41,E8,85,43,A9,00,85,06,20,87,C1,85,46,84,47,68,C9,56,D0
60390 DATA 30,F0,6C,A5,00,8D,41,E8,20,C9,7C,A5,07,8D,41,E8,20,C9,7C,A5,08,8D,41
60400 DATA E8,20,C9,7C,A5,42,8D,41,E8,20,C9,7C,A5,43,8D,41,E8,20,BB,7C,A5,00,C9
60410 DATA 56,D0,3E,A9,FF,8D,43,E8,A5,07,D0,09,A2,05,20,EA,7C,A0,00,F0,0F,A0,02
60420 DATA B1,44,85,20,88,B1,44,85,1F,88,B1,44,AA,20,CC,7C,8E,41,E8,20,BB,7C,E0
60430 DATA 00,F0,0F,20,CC,7C,B1,1F,8D,41,E8,20,BB,7C,C8,CA,D0,F1,60,A9,00,8D,43
60440 DATA E8,20,C9,7C,AE,41,E8,A0,00,A5,07,D0,07,20,EA,7C,20,DD,7C,60,86,1F,38
60450 DATA A5,30,E5,1F,85,30,A5,31,E9,00,85,31,38,A5,30,E9,02,85,30,85,32,85,1F
60460 DATA 85,40,A5,31,E9,00,85,31,85,33,85,20,85,41,C5,2F,90,0A,D0,0B,A5,30,C5
60470 DATA 2E,90,02,D0,03,4C,CD,B3,E0,00,F0,03,20,DD,7C,98,18,65,1F,85,1F,90,02
60480 DATA E6,20,A0,00,A9,2C,91,1F,85,04,A9,3A,85,03,A9,98,85,0B,A5,77,A4,78,85
60490 DATA 48,84,49,A5,40,A4,41,85,77,84,78,20,B6,C5,20,18,C9,20,65,B9,A5,48,A4
60500 DATA 49,85,77,84,78,60,AD,4C,E8,29,DF,8D,4C,E8,09,E0,8D,4C,E8,60,20,BB,7C
60510 DATA A5,97,C9,04,D0,03,4C,FF,B3,AD,4D,E8,29,02,F0,F0,60,20,C9,7C,AD,41,E8
60520 DATA 91,1F,C8,CA,D0,F4,60,A5,44,85,1F,A5,45,85,20,60
60530 DATA *
60600 DATA 6656, 53997: REM VIC
60610 DATA A9,00,85,00,4C,19,1A,A9,56,D0,02,A9,D6,85,00,20,FD,CE,20,8B,D0,85,49
60620 DATA 84,4A,A9,00,8D,1B,91,AD,1C,91,29,EF,8D,1C,91,AD,1C,91,09,E0,8D,1C,91
60630 DATA AD,10,91,AD,1C,91,09,E0,8D,1C,91,78,A5,00,D0,19,8D,12,91,20,BB,1B,A0
60640 DATA 05,88,D0,FD,AD,1D,91,29,10,F0,F1,AD,10,91,58,4C,82,1A,AD,1D,91,29,10
60650 DATA F0,02,D0,09,AD,1D,91,29,10,F0,F0,D0,00,AD,1C,91,29,DF,8D,1C,91,AE,10
60660 DATA 91,09,E0,8D,1C,91,A9,FF,8D,12,91,58,4C,BB,1A,20,CC,1B,AD,10,91,48,20
60670 DATA C9,1B,AD,10,91,85,0D,20,C9,1B,AD,10,91,85,0E,20,C9,1B,AD,10,91,85,45
60680 DATA 20,C9,1B,AD,10,91,85,46,A9,00,85,0C,20,E7,D0,85,49,84,4A,68,C9,56,D0
60690 DATA 30,F0,6C,A5,00,8D,10,91,20,C9,1B,A5,0D,8D,10,91,20,C9,1B,A5,0E,8D,10
60700 DATA 91,20,C9,1B,A5,45,8D,10,91,20,C9,1B,A5,46,8D,10,91,20,BB,1B,A5,00,C9
60710 DATA 56,D0,3E,A9,FF,8D,12,91,A5,0D,D0,09,A2,05,20,EA,1B,A0,00,F0,0F,A0,02
60720 DATA B1,47,85,23,88,B1,47,85,22,88,B1,47,AA,20,CC,1B,8E,10,91,20,BB,1B,E0
60730 DATA 00,F0,0F,20,CC,1B,B1,22,8D,10,91,20,BB,1B,C8,CA,D0,F1,60,A9,00,8D,12
60740 DATA 91,20,C9,1B,AE,10,91,A0,00,A5,0D,D0,07,20,EA,1B,20,DD,1B,60,86,22,38
60750 DATA A5,33,E5,22,85,33,A5,34,E9,00,85,34,38,A5,33,E9,02,85,33,85,35,85,22
60760 DATA 85,43,A5,34,E9,00,85,34,85,36,85,23,85,44,C5,32,90,0A,D0,0B,A5,33,C5
60770 DATA 31,90,02,D0,03,4C,35,C4,E0,00,F0,03,20,DD,1B,98,18,65,22,85,22,90,02
60780 DATA E6,23,A0,00,A9,2C,91,22,85,08,A9,3A,85,07,A9,98,85,11,A5,7A,A4,7B,85
60790 DATA 4B,84,4C,A5,43,A4,44,85,7A,84,7B,20,8D,D4,20,E2,D7,20,DA,C9,A5,4B,A4
60800 DATA 4C,85,7A,84,7B,60,AD,1C,91,29,DF,8D,1C,91,09,E0,8D,1C,91,60,20,BB,1B
60810 DATA A5,C5,C9,18,D0,03,4C,74,C4,AD,1D,91,29,10,F0,F0,60,20,C9,1B,AD,10,91
60820 DATA 91,22,C8,CA,D0,F4,60,A5,47,85,22,A5,48,85,23,60
60830 DATA *
60900 DATA 39936, 59152: REM CBM64
60910 DATA A9,00,85,8D,4C,19,9C,A9,56,D0,02,A9,D6,85,8D,20,FD,AE,20,8B,B0,85,49
60920 DATA 84,4A,A9,00,8D,E8,07,AD,E8,07,29,00,8D,E8,07,AD,02,DD,09,04,8D,02,DD
60930 DATA AD,0D,DD,AD,0D,DD,09,04,8D,00,DD,78,A5,8D,D0,19,8D,03,DD,20,BB,9D,A0
60940 DATA 05,88,D0,FD,AD,0D,DD,29,10,F0,F1,AD,0D,DD,58,4C,82,9C,AD,0D,DD,29,10
60950 DATA F0,02,D0,09,AD,0D,DD,29,10,F0,F0,D0,00,AD,0D,DD,29,FE,8D,00,DD,AE,0D
60960 DATA DD,09,04,8D,00,DD,A9,FF,8D,03,DD,58,4C,BB,9C,20,CC,9D,AD,01,DD,48,20
```

INTERFACING

```

60970 DATA C9,9D,AD,01,DD,85,0D,20,C9,9D,AD,01,DD,85,0E,20,C9,9D,AD,01,DD,85,45
60980 DATA 20,C9,9D,AD,01,DD,85,46,A9,00,85,0C,20,E7,B0,85,49,84,4A,68,C9,56,D0
60990 DATA 30,F0,6C,A5,BD,8D,01,DD,20,C9,9D,A5,0D,8D,01,DD,20,C9,9D,A5,0E,8D,01
61000 DATA DD,20,C9,9D,A5,45,8D,01,DD,20,C9,9D,A5,46,8D,01,DD,20,E8,9D,A5,BD,C9
61010 DATA 56,D0,3E,A9,FF,8D,03,DD,A5,0D,D0,09,AA,20,05,20,EA,9D,A0,00,F0,0F,A0,02
61020 DATA B1,47,85,23,88,B1,47,85,22,88,B1,47,AA,20,CC,9D,8E,01,DD,20,BB,9D,E0
61030 DATA 00,F0,0F,20,CC,9D,B1,22,8D,01,DD,20,BB,9D,C8,CA,D0,F1,60,A9,00,8D,03
61040 DATA DD,20,C9,9D,AE,01,DD,A0,00,A5,0D,D0,07,20,EA,9D,20,DD,9D,60,86,22,38
61050 DATA A5,33,E5,22,85,33,A5,34,E9,00,85,34,38,A5,33,E9,02,85,33,85,35,85,22
61060 DATA 85,43,A5,34,E9,00,85,34,85,36,85,23,85,44,C5,32,90,0A,D0,0B,A5,33,C5
61070 DATA 31,90,02,D0,03,4C,35,A4,E0,00,F0,03,20,DD,9D,98,18,65,22,85,22,90,02
61080 DATA E6,23,A0,00,A9,2C,91,22,85,08,A9,3A,85,07,A9,98,85,11,A5,7A,A4,7B,85
61090 DATA 4B,84,4C,A5,43,A4,44,85,7A,84,7B,20,8D,B4,20,E2,E7,20,DA,A9,A5,4B,A4
61100 DATA 4C,85,7A,84,7B,60,AD,00,DD,29,FB,8D,00,DD,09,04,8D,00,DD,60,20,BB,9D
61110 DATA A5,C5,C9,3F,D0,03,4C,74,A4,AD,0D,DD,29,10,F0,F0,60,20,C9,9D,AD,01,DD
61120 DATA 91,22,C8,CA,D0,F4,60,A5,47,85,22,A5,48,85,23,60
61130 DATA *
    
```

Next month – how interrupts work, which registers in the chip to use to control the interrupts, and how to form an 'equal-partners' system using them.



COMMODORE 64 SOFTWARE

Flight Simulator

Pilot your own aircraft to a wide choice of airports in U.K. Magnificent graphics. Requires joystick.

Cassette game £9.95p.

CBM 64 Assembler

Write, read and copy your own machine code programs.

Cassette £6.95p.

Just released-GOLF

Play golf on this 18 hole par 72 course. Challenging game for all levels. Improve your handicap at home:

Cassette £7.50p.

Now also available on disk £2 extra
Lifetime replacement guarantee
Mail order only to:

Anger Productions 14 The Oval, Broxbourne, EN10 6DQ.

Flight £9.95 Assembler £6.95 Golf £7.50


NAME

ADDRESS

Cut out coupon, tick which program(s) required and send to us with remittance

Arcade software for COMMODORE 64 Action-packed 100% Machine Code


J. MORRISON FOR COMMODORE 64
MICROS Bonka



CYBERMEN £6.95

You, our hero, attempt to remove the platinum from the Cosmic space station inhabited by the Cybermen. Programmed to destroy all intruders, their duty is to protect the precious metal. For safe keeping this has been distributed throughout the random maze of corridors of which the space station consists. Not only do the Cybermen home in on you but you will be electrocuted if you touch the maze walls. Your phaser will kill the Cybermen, but the corridors are also patrolled by the indestructible overseer who possesses the unearthly power of moving through walls.

J. MORRISON 100% Machine Code
MICROS Vultures



BONKA £6.95

"Scale the ladders to get your Space Hammer but watch out for the homicidal Meanies", the slightest touch and you'll be electrocuted. Once the Hammer is in your hands you can start to rid the world of the meanies: chase them up and down the ladders, through the escape door, lure them into holes dug with your space hammer. When you trap one, rush over and BONK him on the head. But Hurry! If you loiter he will climb out, fill in the hole, and then home in on you, flashing in anger! To add to your problems your oxygen is running out and the meanies move fast the more you kill. A superb arcade-style game with Hall of Fame. Uses one joystick.

J. MORRISON FOR COMMODORE 64
MICROS Cybermen



VULTURES £6.95

"There in the sky I saw the screaming alien birds. They had come to invade our planet. People ran in wild panic and desparation in some vain hope of escape. But there was no escape. The aliens swooped out of the sky killing anyone in their path. I alone decided to stay and fight, but then the eggs hatched and the true horror began..." A fast-moving Galaxian type arcade game with Hall of Fame and bonus lives. Uses one joystick.

All orders despatched by return first class post.
Callers and Trade enquiries welcome.
Dept CI, 2 Glensdale Street, Leeds, LS9 9JJ.
Telephone (0532) 480987

J. MORRISON (MICROS) Ltd.
Suppliers of quality machine code software since 1978

vous possédez un CBM 64 ?
vous ne trouvez pas de logiciels?
vous ne trouvez pas de littérature?
vous cherchez un bon magazine?
vous cherchez des interfaces?
vous cherchez des jeux?
vous désirez travailler en haute résolution?
vous désirez imprimer vos graphiques?
vous voulez travailler en PASCAL, LOGO...
vous avez un problème spécifique?

une solution simple :

EASY COMPUTING

Nous distribuons en FRANCE, BELGIQUE et LUXEMBOURG :

SUPERSOFT	MELBOURNE
VIZA SOFTWARE	SUNSHINE
PRECISION SOFTWARE	HONEYFOLD
ROSCH	DUCKWORTH
DYNATECH	COMMODORE COMPUTING MAGAZINE
STACK	COMMODORE USERS MAGAZINE
ABACUS SOFTWARE	KOALA GRAPHIC TABLETS
AUSTROCOMP	

Notre assortiment comprend entre autres :
Vizawrite, Clavier Azerty (avec caractères accentués à l'écran et sur papier !), Interface IEEE, logiciel pour dessiner les circuits imprimés, Superbase, Pascal, Logo, Screen Graphics, Light pen, Multiuser, Busicalc, Compilateur basic, Interface parallèle, Fidelity Printer, Code Writer, Koala graphic tablets etc Une multitude de livres et magazines, le tout exclusivement destiné aux ordinateurs **COMMODORE** et plus spécialement au **CBM '64**.

Nous fournissons la plupart de nos produits avec manuel au choix en français ou en néerlandais (accessoirement en anglais).

Ecrivez-nous pour recevoir notre catalogue complet avec la liste de nos revendeurs. Nos produits sont disponibles aussi bien à Bruxelles, Paris, Lyon, Lille, Reims, Antwerpen, Kortrijk, Liege, Luxembourg...

EASY COMPUTING
PO BOX 9 WOLUWE 4
1150 Bruxelles
Tel 02/660.63.90

EASY COMPUTING[®]

REGISTERED TRADEMARK

PO BOX 9 WOLUWE 4
1150 BRUSSELS

500 problems

Dear Sir,

With reference to the letter about the CBM 500 in your November issue.

Like your correspondent, Mr Moseley, I was the owner of a CBM 500 (serial number 0020), but as I work in the computer industry, I have an advantage over Mr Moseley. From this inside knowledge I can add valuable information for your readers and any other CBM 500 owners.

I generally agree with Mr Moseley – it is a machine that works reasonably well. It is also cheap for what it can do. I am frankly surprised that Commodore have withdrawn it. My experiences are perhaps best documented in diary form as follows: November 1982; Ordered machine March 1983; CBM 500 shown at local dealer exhibitions.

Mid March; Dealer notifies me machine is available.

Purchase machine plus peripherals.

Mid April; Computer trade press announces withdrawal of 500. Purchasers offered refund or exchange. Contact Commodore for details.

May; No response. I contact company again.

June; Still no response. I write to general manager. Reply confirms offer.

July; Exchange of correspondence with general manager's secretary to obtain details. Continue to use machine and develop software.

August; Reports in press that project to develop replacement for 500 is scrapped. Cease use of machine. Write requesting refund. Commodore agree and gives instructions about returning hardware.

September; Hardware returned via dealer.

October; Dealer expected to refund whole purchase price but Commodore only willing to refund dealer his purchase price.

Dealer unwilling to cooperate. Write Commodore. No reply. Phone and telex.

No joy.

November; Seek legal advice. Write Commodore recorded delivery letter as last chance before legal action. See letter in Commodore Computing International.

That's the story so far and I will let you know the outcome of the final letter.

I have developed the following software for the 500 using CBM Basic 4.0: CBM Basic conversion to text, text editor, text to CBM Basic conversion, Basic text utilities (eg Renumber), Basic Library management and program build software. I was evaluating design options for the 6502 Assembler when I eventually gave up.

As no other suitable machine exists for replacement I am currently attempting to sell the diskettes and disk safe. The software is intact in CBM 8050 format. If Mr Moseley wants to keep his machine and wants the software free he can have it for the price of the diskettes (£20 for 10 Datalife disks) As I no longer have the 500 or disk drive I cannot copy the software for distribution.

I hope this helps Mr Moseley and other readers.

**Nigel Clark,
Chesham,
Bucks.**

This is the only letter we have received complaining about problems with refunds on the 500. We hope it is the only one. It does, however, illustrate problems that many people have when dealing with the computer industry in general.

We have also heard from a lady who bought two cartridges as a Christmas present only to find that recipient had already acquired the same two cartridges.

When she returned them she found that the price had been reduced and that she could only obtain a refund at the reduced price.

This may be legally correct, but seems blatantly unfair – as does the refusal of Mr Clark's dealer to refund the full price.

The computer business must wake up to the fact that people are no longer so overawed by computers that they will accept below standard service or products!

If any other readers have problems with the 500, we would be delighted to forward their name and address to Mr Clark.

We have received a request from the United Arab Emirates for a flexible payroll package for use on a CBM 8096 with 8050 disk drive and Centronics 151 printer (up to 132 characters per line).

David Stokes of Alico points out that his company has three departments with up to ten rates of pay for each employee. Deductions from pay are minimal – no health or medical insurance, no pension schemes and no tax! But he requests that there should be provision to deduct loans repayments, telephone/telex charges and fines imposed for absence without valid reason!

All payments are in cash so an automatic coin analysis is essential. Printed output should summarise the input, reflecting number of hours worked and rates of pay accordingly, deductions and nett pay.

Mr Stokes can be contacted at Alico, PO Box 6011, Sharjah, United Arab Emirates.

In our Vol 2 No 7 issue the telephone number for Understanding Ltd was wrong. The correct number is 01-450 1144.

Reader Service

We welcome letters and queries for publication on this page. We would ask readers, however, not to send stamped address envelopes for replies. Much as we would like to answer all letters personally we regret are unable to do so. We will do our best to answer all letters and queries on this page.

Please make letters short and to the point. The editor reserves the right to edit letters where necessary. The address to write to is:

**QUERIES, Commodore Computing International,
167-169 Great Portland Street, London W1.**


TELEPHONE ENQUIRIES

We have set aside Thursday afternoons between 2.00pm and 5.00pm for answering telephone enquiries. If you have a query, we would rather answer it in the magazine but if you really are desperate for an answer please restrict calls to the times mentioned above. Our resident experts will not be available at other times.

**THE TELEPHONE NUMBER TO CALL IS:
01-636 6531 (remember, Thursday afternoon, 2 till 5)**

HIGH STAKES

PROGRAMS WANTED




ROYALTY LUMP SUM
(For Copyright)

Original Programs	20%	up to £1500
Conversion to CBM 64 (From our top selling spectrum and BBC programs)	10%	£500

Our extensive marketing experience and nationwide advertising will ensure that your ingenuity is rewarded.

Write to: **C.C.S.** 14 LANGTON WAY, LONDON SE3 7TL



EXTENDED BASIC for the COMMODORE 64

At last you can make the most of your CBM 64 with Tunnel Software's new product, (version two), featuring

1 Extremely versatile sound commands, allowing full music control, using the computers onboard synthesizer chip: MASTER (10 different parameters), DEFVOC (9 different parameters) SOUND (3, 4 parameters) SID (music control).

2 Fast sprite commands, available in HI-RES or TEXT modes: SPRITE, DEFMOB, MOBCOL, MOBPOS, MOBFIELD.

3 Fast versatile graphic commands, MODE, (3 text, 2 hires) CLG, CLS, MOVE, PLOT TRIN (triangle drawing) RECT, DRAW, BORDER, PAPER, COLOUR, PAINT, SETMID, INK.

4 Other commands: DELETE, RENUMBER, (including GOTO'S and GOSUBS) COPY (copy screen to printer) AUTO, OLD, DEFKEY (define any function keys) DIR (printout directory without erasing program) REPORT (disc status).

5 Program control commands, IF... THEN... ELSE, LOOP, UNTIL, PROC, DEFPROC, ENDPROC.

6 An extremely fast ASSEMBLER using labels, etc. associated commands: OPT CALL, FREE CODE, CLR DATA, FREEDATA.

7 Other features include very useful control functions, eg copy output to printer, onto page mode. Available also, directly from keyboard, JOYSTICKS CAN BE READ USING GET command.

Using dedicated memory configurations, the extended Basic with built in assembler uses 14K RAM and 8K Video RAM, but it still leaves approx 37K (1K less than when switched on), available for the user, even in hi-res mode.
(Commodore's version only leaves 24K in hi-res mode). As standard, all keywords are correctly tokenised to save program space and speed of execution.

THE EXTENDED BASIC (WITH BUILT IN ASSEMBLER) IS AVAILABLE FROM TUNNEL SOFTWARE FOR £14.95.

PLEASE MAKE ALL CHEQUES, POSTAL ORDERS, payable to

TUNNEL SOFTWARE
338 TUNNEL AVE
GREENWICH
LONDON SE10 0PF
TEL: 01-858 0837

**INTRODUCTORY
PRICE: ONLY £14.95**

Basic aids for the 64

In past issues of Commodore Computing International, we have published Basic aids for both the VIC-20 and the PET series. In the next few months we will be producing similar routines for the 64. When enough routines have been produced, we will put them all together to make up a Basic Aid for the 64. We start with a delete routine.

```

10 I=49243:T=0
20 READA:IFA=-1THEN50
30 POKEI,A:I=I+1
40 T=T+A:GOTO20
50 IFT<>20549THENPRINT"CHECKSUM ERROR:20549",T:ER=1
60 IFI>49409THENPRINT"TOO MANY DATA VALUES":ER=1
70 IFI<49409THENPRINT"NOT ENOUGH DATA VALUES":ER=1
80 IFER=1THENEND
90 PRINT"TO DELETE LINES ENTER SYS49243,L1-L2":END
100 DATA32,191,192,165,95,166,96
110 DATA133,251,134,252,32,19,166
120 DATA165,95,166,96,144,10,160
130 DATA1,177,95,240,4,170,136
140 DATA177,95,133,122,134,123,165
150 DATA251,56,229,122,170,165,252
160 DATA229,123,168,176,30,138,24
170 DATA101,45,133,45,152,101,46
180 DATA133,46,160,0,177,122,145
190 DATA251,200,208,249,230,123,230
200 DATA252,165,46,197,252,176,239
210 DATA32,51,165,165,34,166,35
220 DATA24,105,2,133,45,144,1
230 DATA232,134,46,32,89,166,76
240 DATA116,164,32,253,174,32,121
250 DATA0,144,22,240,14,201,171
260 DATA208,10,169,1,133,95,169
270 DATA8,133,96,208,21,76,8
280 DATA175,234,234,234,32,107,169
290 DATA32,19,166,32,121,0,240
300 DATA12,201,171,208,235,32,115
310 DATA0,32,107,169,208,227,165
320 DATA20,5,21,208,6,169,255
330 DATA133,20,133,21,96,-1
READY.

```

Last month we produced a routine to append one program on to the end of another. This month we take a look at the delete command, a very useful routine which will delete a block of lines specified in the call, in the same format as the list command.

To call this routine, enter SYS49243, 11-12. This will delete the lines within the range of 11 and 12. Other combinations of this call can be used to delete up to a certain line, from a line to the end or just one line.

The routine is nearly relocatable with just two byte changes required. The second and third numbers on the first data line are the low and high bytes of a subroutine called within the routine. If you require the routine in a different area, just change these numbers relative to the present number.

HINTS AND TIPS

READY.

0	C05B	20BFC0	JSR	#C0BF	42	C0A8	2033A5	JSR	#A533
1	C05E	A55F	LDA	\$5F	43	C0AB	A522	LDA	\$22
2	C060	A660	LDX	\$60	44	C0AD	A623	LDX	\$23
3	C062	85FB	STA	\$FB	45	C0AF	18	CLC	
4	C064	86FC	STX	\$FC	46	C0B0	6902	ADC	##02
5	C066	2013A6	JSR	#A613	47	C0B2	852D	STA	\$2D
6	C069	A55F	LDA	\$5F	48	C0B4	9001	BCC	#C0B7
7	C06B	A660	LDX	\$60	49	C0B6	E8	INX	
8	C06D	900A	BCC	#C079	50	C0B7	862E	STX	\$2E
9	C06F	A001	LDY	##01	51	C0B9	2059A6	JSR	#A659
10	C071	B15F	LDA	(\$5F),Y	52	C0BC	4C74A4	JMP	#A474
11	C073	F004	BEG	#C079	53	C0BF	20FDAE	JSR	#AEFD
12	C075	AA	TAX		54	C0C2	207900	JSR	#0079
13	C076	88	DEY		55	C0C5	9016	BCC	#C0DD
14	C077	B15F	LDA	(\$5F),Y	56	C0C7	F00E	BEG	#C0D7
15	C079	857A	STA	\$7A	57	C0C9	C9AB	CMP	##AB
16	C07B	867B	STX	\$7B	58	C0CB	D00A	BNE	#C0D7
17	C07D	A5FB	LDA	\$FB	59	C0CD	A901	LDF	##01
18	C07F	38	SEC		60	C0CF	833F	STP	\$5F
19	C080	E57A	SBC	\$7A	61	C0D1	A908	LDF	##08
20	C082	AA	TAX		62	C0D3	3560	STP	\$60
21	C083	A5FC	LDA	\$FC	63	C0D5	D015	BNE	#C0EC
22	C085	E57B	SBC	\$7B	64	C0D7	4C08AF	JMP	#AF08
23	C087	A8	TAY		65	C0DA	EA	NOP	
24	C088	B01E	BCS	#C0A8	66	C0DB	EA	NOP	
25	C08A	8A	TXA		67	C0DC	EA	NOP	
26	C08B	18	CLC		68	C0DD	206BA9	JSR	#A96B
27	C08C	652D	ADC	\$2D	69	C0E0	2013A6	JSR	#A613
28	C08E	852D	STA	\$2D	70	C0E3	207900	JSR	#0079
29	C090	98	TYA		71	C0E6	F00C	BEG	#C0F4
30	C091	652E	ADC	\$2E	72	C0E8	C9AB	CMP	##AB
31	C093	852E	STA	\$2E	73	C0EA	D0EB	BNE	#C0D7
32	C095	A000	LDY	##00	74	C0EC	207300	JSR	#0073
33	C097	B17A	LDA	(\$7A),Y	75	C0EF	206BA9	JSR	#A96B
34	C099	91FB	STA	(\$FB),Y	76	C0F2	D0E3	BNE	#C0D7
35	C09B	C8	INY		77	C0F4	A514	LDA	\$14
36	C09C	D0F9	BNE	#C097	78	C0F6	8515	ORA	\$15
37	C09E	E67B	INC	\$7B	79	C0F8	D006	BNE	#C100
38	C0A0	E6FC	INC	\$FC	80	C0FA	A9FF	LDA	##FF
39	C0A2	A52E	LDA	\$2E	81	C0FC	8514	STA	\$14
40	C0A4	C5FC	CMP	\$FC	82	C0FE	8515	STA	\$15
41	C0A6	B0EF	BCS	#C097	83	C100	60	RTS	

READY.

HINTS AND TIPS

Disable Run/STOP-Restore.

In a past issue, we published in our hints and tips section a poke that would disable the above. This, we found later, did not work 100%. Following is a routine for the 64 that has two calls. The first is to disable the above and the second is to re-enable. This is a completely safe routine that will do just what is expected and no more.

To disable: SYS49409.
To re-enable: SYS49425.

```

10 I=49409:T=0
20 READA:IFA=-1THEN50
30 POKEI,A:I=I+1
40 T=T+A:GOTO20
50 IFT<>3118THENPRINT"CHECKSUM ERROR":END
60 PRINT"SYS 49409 DISABLES STOP/RESTORE"
70 PRINT"SYS 49425 RE-ENABES ABOVE"
80 END
100 DATA120,169,14,141,40,3,169
110 DATA193,141,41,3,88,96,165
120 DATA145,96,120,169,237,141,40
130 DATA3,169,246,141,41,3,88
140 DATA96,-1
READY.

```

```

0 C101 78 SEI
1 C102 A90E LDA #0E
2 C104 8D2803 STA $0328
3 C107 A9C1 LDA #C1
4 C109 8D2903 STA $0329
5 C10C 58 CLI
6 C10D 60 RTS
7 C10E A591 LDA $91
8 C110 60 RTS
9 C111 78 SEI
10 C112 A9ED LDA #ED
11 C114 8D2803 STA $0328
12 C117 A9F6 LDA #F6
13 C119 8D2903 STA $0329
14 C11C 58 CLI
15 C11D 60 RTS
READY.

```

Cold Starts

A very useful kernal routine to know is the cold start routine. This routine resets all vectors and news the program. The thing to note is that whereas when turning your machine off and on, all memory is cleared. With the cold start routine, any Basic program is newed but machine code routines will stay in memory.

The equivalent routines for the Commodore machines are as follows:

64 64738 (\$FCE2)
VIC 64802 (\$FD22)
PET (4) 64790 (\$FD16)

PET (2) 64721 (\$FCD1)

Another way to find the cold start on any 6502 computer is to do the following:

```
PRINT
PEEK(65532)+PEEK(65533)*25
```

For example; on the BBC, the equivalent code would give the cold start as 55757 (which is correct).

SID Frequency calculation

When sending a value to the SID chip for playing, the value can be anywhere


between 0 and 65535. This number must be split into two parts (low and high bytes) before being sent. The most used splitting routine is as follows:

```
F1=INT(FQ/256):REM HI BYTE
F2=FQ-F1*256:REM LO BYTE
```

The calculation of F2 can also be got by:

```
F2=FQAND255
```

This works fine until FQ is greater than the largest integer possible (32767). If FQ becomes greater than 32767, the second calculation of F2 will give an illegal quantity error but the first calculation (which is slower) will still work.



**DON'T BURN YOUR
MONEY
HIRE**


YOUR VIC-20 SOFTWARE
CASSETTE HIRE ONLY £1.40 (inc P&P)
per fortnight
CARTRIDGE HIRE ONLY £2.50 (inc P&P)
per fortnight
MEMBERSHIP FEE ONLY £10.00 FOR 2 YEARS

Send Membership Fee on FULL money back approval or
£1.00 for catalogue and further details, REFUNDABLE
against membership fee upon joining.

To: **VIC-20 USERS SOFTWARE LIBRARY**
(Dept. C.C.)
11 NEWARK ROAD,
BREADSALL ESTATE
DERBY DE2 4DJ.

NEW ORIGINAL GAMES FOR THE COMMODORE 64

- **NIGHTMARE PARK** is in fact a compendium of 14 games. The task of the user is to gain as many points as possible travelling through a maze beset by obstacles at every turn. These infuriating obstacles are overcome by a combination of skill, sharp reflexes or by sheer good luck making Nightmare Park a suitable game for all ages.
PRICE £7.99
- **DOTS & BOXES** is an intelligent game where the user and the computer take turns in completing boxes by drawing a line between two dots. The aim of the game is to win the most boxes whilst skilfully minimising the number of boxes given away to the computer.
PRICE £6.95
- **CHOPPER LAND** Your chopper is chartered to transfer goods from your base and land SAFELY. An exciting new game full of surprises.
£7.99



- **HEXAPAWN** For strategic and persistent play. The opponent (computer) has no initial strategy but is programmed to learn from the user's wins to improve its own strategy.
£5.95

Order any of these games and send 2 vouchers
to receive your free copy of Hexopawn.

SEND CHEQUES/PO: A.R. SOFTWARE
86, Avonbrae Crescent Hamilton Scotland
Tel: 0698 282036
DEALER ENQUIRIES WELCOME

COMMODORE 64

new fast and powerful

ASSEMBLER/DIS-ASSEMBLER

Lets you program using 6510/6502 mnemonics, as easily as if it were Basic. Just enter the line number followed by the statement.

LABELS allowed with all branch and jump instructions.
VARIABLES Let you refer to data or memory locations by a name.

COMMENTS are allowed anywhere.
All function keys defined to execute commands

**(LOAD, SAVE ASSEMBLE, DIS-ASSEMBLE,
ERASE AND STOP).**
**SIX POWERFUL ASSEMBLER DIRECTIVES
(PSEUDO OPS)**

ASCII - used to enter ascii into memory
BASE - destination of assembled code
BIT - used to enter bit patterns into memory
BYTE - puts bytes of data into memory
END - defines end of source code
WORD - similar to byte, but it enters two bytes for each value given

FIVE CONTROL COMMANDS

LOAD - load your own assembler program from tape or disk
SAVE - save your own assembler program to tape or disk
DISPLAY - displays your assembler program
STOP - stop current operation
ERASE - erase your assembler program (not the assembler)

DIS-ASSEMBLER

You enter start and finish address, and that section of memory will be dis-assembled in full 6510/6502 mnemonics. Use dis-assembler to examine any of the 450 routines that make up the Basic Interpreter and Operating system.

BOOKS

A manual containing details, descriptions and addresses of all the Basic Interpreters and Operating systems 450 routines (on 16K ROM) is available for £4.99.

SAE for details **ASSEMBLER/DIS-
MICRO POWER ASSEMBLER** tape,
BCM 8713 LONDON plus manual **£9.99**
WC1N 3XX overseas £15.99

VIC PRINTER

VIC-20 CBM-64

FOR ONLY **£68.95**

Probably the world's cheapest VIC/64 Printer! Put a Sinclair ZX Printer (order Printer and Power supply from Sinclair or many High Street stores - R.R.P. £48) on your VIC/64 using the

SOFTX PRINTERFACE

Costing only ... £19.95+£1 P&P

Complete system ... £68.95+£2.95 P&P.

- Very high resolution graphics (higher than VIC/64).
- Full VIC/64 character set+user-defined graphic characters.
- 43 Column Printer with superb formatting facilities.
- Operating commands same as Commodore VIC/64 printer.
- Simple to use! No extras required.

Send orders/enquiries (dealer enquiries welcome) to:

SOFTX COMPUTERS

Dept C2, 37 Wheaton Road,
Bournemouth BH7 6LH.
Tel: 0202 422028

More about Charget

Last month we took a look at the charget routine for the Commodore models. In this month's section we will take a look at how the charget routine can be used to modify some of the Basic routines.

Because the 64 is the only machine that really facilitates the modification of routines without the need for some sort of wedge into charget, the routines that follow are for this machine.

The method used is to copy the Basic ROM into the RAM behind and alter the vectors to the commands to go to routines that are in the \$C000 area of RAM.

In this way, we have made a few changes to the 64's Basic. RESTORE has had an optional line number added, PRINT and INPUT now allow the '@' symbol followed by a y and x position to allow PRINT at and INPUT at. LOAD, SAVE, and VERIFY have been modified so that disk users do not have to type ,8 at the end of the command i.e. the default device number has been set to 8. The last modification is to add a '!' character if needed to the poke command so that a two byte poke has been enabled. All of these modifications will now be explained in more detail.

\$C000-\$C02A Copies the Basic ROM into the RAM behind it, switches out the Basic ROM and copies the new command vectors into the locations in the Basic area.

\$C02D-\$C072 This is the new keyword vectors area. The routines that have been changed have had their corresponding vectors altered to point to the new routines following. The vectors are stored

in low-high order and point to the byte before the actual routine.

\$C073-\$C079 The start of the new SAVE routine.

\$C07C-\$C089 The start of the new VERIFY routine.

\$C07D Entry point for the new LOAD routine.

\$C08C-\$C098 Routine to set the default device number to 8.

\$C099-\$C0B4 Extension of the first routine. This routine displays a message and is also used as a command to give the amount of free RAM for programming. The command MEM has been given to replace the useless command of LET.

\$C0B7-\$C0F4 Message.

\$C0F5-\$C10E End of the power up message. This changes the screen colour, and changes the command LET to MEM.

None of the above routines actually use the charget routine but the rest do.

\$C111-\$C180 This is the new restore command. It is in fact the restore to line number routine published a couple of months back but now it is used in conjunction with the original restore. An optional line number can be added to the restore command and is checked for at location \$C114. The JSR \$0079 checks the character in the input buffer. If the carry is clear (BCC) then there is a number following and the number is read in and

restore is operated. Otherwise the operation goes back to the normal restore command.

Use as: RESTORE????? where ?????? is a line number. RESTORE on it's own will work to restore to the beginning of memory.

\$C183-\$C190 The new PRINT command. The next character after the print token is checked to see if it is a '@' character and if so, the cursor is positioned and it continues with the normal print command. Print will still work as normal.

Use as: PRINT@12,18,"hello" which will print "hello" in the middle of the screen. **\$C193-\$C1CD** Positions the cursor for print and input.

\$C1CE-\$C1DB Is the new INPUT routine. It works the same as the PRINT@ command eg. INPUT@ 12,18,-"command: ";AS

\$C1DE-\$C20D The last of the routines available here is a two byte POKE command which, like the print and input, check the next character after the token. If this character is a '!' character then the new routine is used otherwise the original POKE command is used as normal.

Use as: POKE!55,32768 will set the top of basic to 32768. The equivalent use (which can still be done) is POKE55,0;POKE56,128.

*↳ 156 * 120 = 32760*

READY.	Copy and change	6	C00C	91FB	STA	(#FB),Y	
		7	C00E	C8	INY		
CALL @ 814B		8	C00F	D0F9	BNE	\$C00A	
		9	C011	E6FC	INC	\$FC	
ADDR IRQ SR AC XR YR SP		10	C013	A5FC	LDA	\$FC	
.; 814B EA31 4D 00 3A 9D FA		11	C015	C9C0	CMF	##C0	
		12	C017	D0EF	BNE	\$C008	
		13	C019	A501	LDA	\$01	
0 C000 A9A0	LDA	##A0	14	C01B	29FE	AND	##FE
1 C002 85FC	STA	\$FC	15	C01D	8501	STA	\$01
2 C004 A900	LDA	##00	16	C01F	A246	LDX	##46
3 C006 85FB	STA	\$FB	17	C021	BD2CC0	LDA	\$C02C,X
4 C008 A000	LDY	##00	18	C024	9D0BA0	STA	\$A00B,X
5 C00A B1FB	LDA	(#FB),Y					

INSIDE BASIC

```

19  C027  CA      DEX
20  C028  D0F7    BNE  $C021
21  C02A  4C99C0  JMP  $C099

```

New Basic routine vectors

```

: C02D 30 A8 41 A7 1D AD F7 A8
: C035 A4 AB CD C1 80 B0 05 AC
: C03D 98 C0 9F A8 70 A8 27 A9
: C045 10 C1 82 A8 D1 A8 3A A9
: C04D 2E A8 4A A9 2C B8 7E C0
: C055 72 C0 7B C0 B2 B3 DD C1
: C05D 7F AA 82 C1 56 A8 9B A6
: C065 5D A6 85 AA 29 E1 BD E1
: C06D C6 E1 7A AB 41 A6 20 8C

```

SAVE

```

0  C073  208CC0  JSR  $C08C
1  C076  20E0E1  JSR  $E1E0
2  C079  4C59E1  JMP  $E159

```

VERIFY/LOAD

```

0  C07C  A901      LDA  #$01
1  C07E  2CA900    BIT  $00A9
2  C081  850A      STA  $0A
3  C083  208CC0    JSR  $C08C
4  C086  20E0E1    JSR  $E1E0
5  C089  4C6FE1    JMP  $E16F

```

Get parameters for above and set default

```

0  C08C  A900      LDA  #$00
1  C08E  20BDFF    JSR  $FFBD
2  C091  A208      LDX  #$08
3  C093  A000      LDY  #$00
4  C095  20BAFF    JSR  $FFBA
5  C098  60       RTS

```

New command MEM

```

0  C099  A9B7      LDA  #$B7
1  C09B  A0C0      LDY  #$C0
2  C09D  201EAB    JSR  $AB1E
3  C0A0  A537      LDA  $37
4  C0A2  38       SEC
5  C0A3  E52D      SBC  $2D
6  C0A5  AA       TAX
7  C0A6  A538      LDA  $38
8  C0A8  E52E      SBC  $2E
9  C0AA  20CDBD  JSR  $BDCD
10 C0AD  A960      LDA  #$60
11 C0AF  A0E4      LDY  #$E4
12 C0B1  201EAB    JSR  $AB1E
13 C0B4  4CF5C0  JMP  $C0F5

```

Message

```

: C0B7 93 11 20 20 20 05 2A 2A
: C0BF 2A 2A 20 52 2E 20 46 52
: C0C7 41 4E 4B 4C 49 4E 20 20
: C0CF 42 41 53 49 43 20 56 32
: C0D7 2E 31 20 2A 2A 2A 2A 20
: C0DF 20 20 20 20 11 36 34 4B
: C0E7 20 52 41 4D 20 53 59 53
: C0EF 54 45 4D 20 20 00 A9 02

```

Change colours

```

0  C0F5  A902      LDA  #$02
1  C0F7  8D21D0    STA  $D021
2  C0FA  A904      LDA  #$04
3  C0FC  8D20D0    STA  $D020
4  C0FF  A94D      LDA  #$4D
5  C101  8DBEA0    STA  $A0BE
6  C104  A945      LDA  #$45
7  C106  8DBFA0    STA  $A0BF
8  C109  A9CD      LDA  #$CD
9  C10B  8DC0A0    STA  $A0C0
10 C10E  4C74A4    JMP  $A474

```

RESTORE

```

0  C111  207900    JSR  $0079
1  C114  9003      BCC  $C119
2  C116  4C1DA8    JMP  $A81D
3  C119  D003      BNE  $C11E
4  C11B  4C1DA8    JMP  $A81D
5  C11E  208AAD    JSR  $AD8A
6  C121  20F7B7    JSR  $B7F7
7  C124  A514      LDA  $14
8  C126  853F      STA  $3F
9  C128  A515      LDA  $15
10 C12A  8540      STA  $40
11 C12C  A900      LDA  #$00
12 C12E  8557      STA  $57
13 C130  A908      LDA  #$08
14 C132  8558      STA  $58
15 C134  A003      LDY  #$03
16 C136  B157      LDA  ($57),Y
17 C138  C53F      CMP  $3F
18 C13A  D011      BNE  $C14D
19 C13C  A004      LDY  #$04
20 C13E  B157      LDA  ($57),Y
21 C140  C540      CMP  $40
22 C142  D009      BNE  $C14D
23 C144  A557      LDA  $57
24 C146  8541      STA  $41
25 C148  A558      LDA  $58
26 C14A  8542      STA  $42
27 C14C  60       RTS

```


INSIDE BASIC

```


28 C14D A004 LDY #$04 19 C1B2 F009 BEQ $C1BD
29 C14F B157 LDA ($57),Y 20 C1B4 A911 LDA #$11
30 C151 C540 CMP $40 21 C1B6 2016E7 JSR $E716
31 C153 900D BCC $C162 22 C1B9 C657 DEC $57
32 C155 D027 BNE $C17E 23 C1BB D0F7 BNE $C1B4
33 C157 A003 LDY #$03 24 C1BD A558 LDA $58
34 C159 B157 LDA ($57),Y 25 C1BF F009 BEQ $C1CA
35 C15B C53F CMP $3F 26 C1C1 A91D LDA #$1D
36 C15D 9003 BCC $C162 27 C1C3 2016E7 JSR $E716
37 C15F 4C7EC1 JMP $C17E 28 C1C6 C658 DEC $58
38 C162 A002 LDY #$02 29 C1C8 D0F7 BNE $C1C1
39 C164 B157 LDA ($57),Y 30 C1CA 20FDAE JSR $AEFD
40 C166 855A STA $5A 31 C1CD 60 RTS
41 C168 A001 LDY #$01 .? Input @
42 C16A B157 LDA ($57),Y .
43 C16C 8559 STA $59 0 C1CE 207900 JSR $0079
44 C16E 38 SEC 1 C1D1 C940 CMP #$40
45 C16F A559 LDA $59 2 C1D3 F003 BEQ $C1D8
46 C171 E901 SBC #$01 3 C1D5 4CBFAB JMP $ABBF
47 C173 8557 STA $57 4 C1D8 2093C1 JSR $C193
48 C175 A55A LDA $5A 5 C1DB 4CBFAB JMP $ABBF
49 C177 E900 SBC #$00 .? POKE!
50 C179 8558 STA $58 .
51 C17B 4C34C1 JMP $C134 0 C1DE 207900 JSR $0079
52 C17E A211 LDX #$11 1 C1E1 C921 CMP #$21
53 C180 4C37A4 JMP $A437 2 C1E3 F003 BEQ $C1E8
.? PRINT @ 3 C1E5 4C24B8 JMP $B824
. 4 C1E8 207300 JSR $0073
0 C183 207900 JSR $0079 5 C1EB 208AAD JSR $AD8A
1 C186 C940 CMP #$40 6 C1EE 20F7B7 JSR $B7F7
2 C188 F003 BEQ $C18D 7 C1F1 A514 LDA $14
3 C18A 4CA0AA JMP $AAAA 8 C1F3 8557 STA $57
4 C18D 2093C1 JSR $C193 9 C1F5 A515 LDA $15
5 C190 4CA0AA JMP $AAAA 10 C1F7 8558 STA $58
Position cursor for @ 11 C1F9 20FDAE JSR $AEFD
6 C193 207300 JSR $0073 12 C1FC 208AAD JSR $AD8A
7 C196 209EB7 JSR $B79E 13 C1FF 20F7B7 JSR $B7F7
8 C199 8657 STX $57 14 C202 A000 LDY #$00
9 C19B 20F1B7 JSR $B7F1 15 C204 A514 LDA $14
10 C19E 8658 STX $58 16 C206 9157 STA ($57)
11 C1A0 E028 CPX #$28 17 C208 08 INY
12 C1A2 B006 BCS $C1AA 18 C209 A515 LDA $15
13 C1A4 A557 LDA $57 19 C20B 9157 STA ($57)
14 C1A6 C91A CMP #$1A .?
15 C1A8 9003 BCC $C1AD .
16 C1AA 4C48B2 JMP $B248 . READY.
17 C1AD 2066E5 JSR $E566
18 C1B0 A557 LDA $57

```

BASIC PROGRAMMING



This month the emphasis in Basic Programming is on graphics. There's a routine for the 64 and another for the VIC. You can take a break in between with a new game called Eatman.




64

READY.

ARTIST





This program, written by David Le Quesne, allows you to plot a display using the cursor keys on the 64 and then dump the display to the printer (a seikosha printer is the required printer). The displays can be, if required, stored on disk as well. Instructions for the use of the program are included in it and some examples of the displays possible are also given.

```
1 PRINT"#####ARTIST###"
2 PRINT"THIS PROGRAM ALLOWS YOU TO CREATE"
3 PRINT"HI RES PICTURES,AND DUMP THEM TO DISC"
4 PRINT"OR PRINTER"
5 PRINT"HI-RES MODE CONTROLS :-USE CURSOR KEYS"
6 PRINT"#####+/-KEYS,CURSOR ON/OFF"
7 PRINT"#####KEY GIVES 8*/1* CURSOR SPEED"
8 PRINT"#####KEY RETURNS TO MENU MODE":PRINT"#####CLR CLEARS"
9 PRINT"THE SCREEN"
10 POKE56,32:POKE52,32:W=128*256:FORN=@T056
20 READX:POKEW+N,X:NEXTN
21 W=150*256:FORN=@T0172
22 READX:POKEW+N,X:NEXTN
23 W=207*256:FORN=@T065:READX:POKEW+N,X:NEXTN
24 REM//BLOCK LOAD/SAVE//
25 PRINT"#####PRESS A CHARACTER KEY TO CONTINUE###"
26 GETZ$:IFZ$=""GOTO26
30 POKE53272,21:POKE53265,PEEK(53265)AND223:PRINT"#####"
31 PRINT"          MENU"
32 PRINT"#####(1)  CREATE PICTURE"
33 PRINT"#####(2)  SAVE PICTURE"
34 PRINT"#####(3)  READ PICTURE"
35 PRINT"#####(4)  PRINT PICTURE"
36 PRINT"#####(5)  VIEW PICTURE"
37 PRINT"#####(6)  END"
38 INPUT"#####D>>>>>":K
39 ONK GOTO77,500,600,400,78
40 END
77 SYS(128*256)
78 POKE53272,29:POKE53265,PEEK(53265)OR32
79 SYS(128*256+24)
80 BASE = 8192
85 CO=5
86 CM=1
90 A=100:B=100
100 CH=INT(B/8)
```




BASIC PROGRAMMING

```
110 RO=INT(A/8)
120 LN=A AND 7
130 BY=BASE+RO*320+8*CH+LN
140 BI=7-(BAND7)
150 POKEBY,PEEK(BY)OR(2↑BI)
155 IFCO=0THENPOKEBY,(0)AND(2↑BI)
160 GETA$
170 A=A+CM*(A$="J")-CM*(A$="I")
180 B=B+CM*(A$="III")-CM*(A$="II")
184 IFA$="I" GOTO77
185 IFA$="+" THENCO=5
186 IFA$="-" THENCO=0
187 IFA$="E" GOTO30
188 IFA$="↑" THENCM=-7*(CM=1)+1
189 IFA$="I" THENGOTO30
190 GOTO100
400 POKE53272,29:POKE53265,PEEK(53265)OR32:OPEN4,4
405 P1=38491:W=65*256
410 PRINT"J":POKE166,0:POKE167,32:POKE249,0
420 FORN=1TO29
430 SYS(P1)
440 A$="":FORM=1TO250
450 A$=A$+CHR$(PEEK(W+M)):NEXTM
460 PRINT#4,CHR$(8)A$;
461 A$="":FORM=251TO319
462 A$=A$+CHR$(PEEK(W+M)):NEXTM
463 PRINT#4,CHR$(8)A$:NEXTN
470 PRINT#4,CHR$(15):CLOSE4
480 GOTO30
500 PRINT"J###SAVE PICTURE"
510 INPUT"FILE NAME,.";A$:L=LEN(A$):IFL>16THENPRINT"TOO LONG":GOTO510
520 W=207*256:POKEW+239,L:FORM=1TOL
530 POKEW+239+N,ASC(MID$(A$,N,1)):NEXTN
535 PRINT"SAVING PICTURE"
540 SYS(W)
550 GOTO30
600 PRINT"J###LOAD PICTURE":SYS(128*256)
610 INPUT"FILE NAME,.";A$:L=LEN(A$):IFL>16THENPRINT"TOO LONG":GOTO610
615 POKE53272,29:POKE53265,PEEK(53265)OR32
620 W=207*256:POKEW+239,L:FORM=1TOL
630 POKEW+239+N,ASC(MID$(A$,N,1)):NEXTN
640 SYS(W+37)
650 GOTO30
1000 DATA169,32,133,254,169,0,133,253,160,0,145,253
1010 DATA200,208,251,230,254,166,254,224,65,208,243,96
1020 DATA169,4,133,254,160,0,132,253,169,18,145,253
1030 DATA200,192,232,240,9,192,0,208,245,230,254
1040 DATA76,34,128,166,254,224,7,208,234,96
1100 DATA160,0,177,253,24,10,144,12,72,177,251
1110 DATA166,248,24,29,166,150,145,251,104
1120 DATA200,192,8,208,235,96
1140 DATA162,0,134,247,32,0
1150 DATA150,166,247,232,224,40,208,1,96,165
1160 DATA251,24,105,8,208,2,230,252,133,251
```




Now Available
Commodore
IEEE.

NO WAITING



Mon-Fri
9-am 5-30pm



32K = £158.00
16K = £125.56
EX. VAT

Keep your micro motoring with a printer buffer

When you've invested some serious money in a micro system, why keep your system waiting while you print out your hard copy?

If you think about it, you must spend 1-2 hours every working day just waiting around - unless you invest in a printer buffer from Interface Systems.

Whatever micro you're using, our compact buffers simply plug into your system. So you can dump pages of text straight into the buffer, leaving your system free to carry on working for you - within seconds.

Every Interface System printer buffer comes with a full 90 day warranty. Yet they're still better

value, bit for bit, than any other comparable buffer on the market.

We've made it simpler to get your hands on our buffer too - and our dealer network is still growing. Simply contact any of our dealers listed, or phone us direct for your nearest supplier, and start saving system time (and money) today.



Interface House, 17 Eversley Road, Bexhill-on-Sea, Sussex TN40 1HA. Tel: 0424 225 683

Suitable for: Commodore · IBM · Digital Equipment Corp · Apple · Epson · Ricoh
Diablo · Anadex · ACT Sirius · TeleVideo · Torch · Superbrain · N.E.C. · Sharp
Corona · Morrow Designs · Osborne · Sage · Olivetti · Triumph Adler · Tandy and many more.

BASIC PROGRAMMING

```
1170 DATA165,253,24,105,8,144,2,230,254,133
1180 DATA253,76,28,150,169,128,160,0,145,251
1190 DATA200,240,11,192,64,208,247,166,252,224
1200 DATA66,208,241,96,230,252,208,236,96,169
1210 DATA65,133,252,162,0,134,251,134,248,32,66,150
1220 DATA162,0,134,251,169,65,133,252,165,166
1225 DATA133,253,165,167,133,254,32,26
1230 DATA150,166,249,232,224,8,208,15,162,0,230
1240 DATA167,165,166,24,105,56,144,2,230,167
1250 DATA133,166,134,249,230,166,208,2,230,167
1270 DATA166,248,232,224,7,240,5,134,248,76,104,150,96
1310 DATA1,2,4,8,16,32,64
1400 REM***BLOCKSAVE**
1410 DATA169,2,162,8,160,2,32,186,255
1420 DATA173,239,207,162,240,160,207,32,189,255
1430 DATA169,32,133,252,169,0,133,251,162,255,160,63
1440 DATA169,251,32,216,255,96
1450 REM***BLOCKLOAD**
1460 DATA169,2,162,8,160,2,32,186,255
1470 DATA173,239,207,162,240,160,207,32,189,255
1480 DATA169,0,162,255,160,255,32,213,255,96
```

READY.

```
0 POKE36879,8:N$="NOBODY"
1 POKE36878,15
3 A=8000
5 T=400
6 PRINT"      HIGH SCORE"HS
7 PRINT"      BY ";N$
8 FORL=1TO3000:NEXT
20 PRINT"      E-A-T-M-A-N"
30 PRINT"      INSTRUCTIONS"
40 PRINT"      EAT THE CLUBS BEFORE THE TIME RUNS OUT"
50 PRINT"      CONTROLS"
60 PRINT"      A-UP"
70 PRINT"      Z-DOWN"
80 PRINT"      M-RIGHT"
90 PRINT"      N-LEFT"
110 PRINT"      PRESS ANY KEY TO START"
112 GETB$:IFB$=""THEN 112
120 PRINT"      "
130 FORP=7680TO7701
140 POKEP,90:POKEP+484,90
150 NEXT
160 FORH=7680TO8164STEP22
170 POKEH,90:POKEH+21,90
180 NEXT
199 J=0
200 POKEA,42
210 P=INT(RND(1)*320)+7680+66
220 J=J+1
230 IFPEEK(P)=90 THEN J=J-1:GOTO 210
231 IFPEEK(P)=88 THEN J=J-1
```




EATMAN

In this game written by Mark Johnson for the unexpanded VIC-20, you must move around the screen eating all the club characters to gain points. Beware, you die if you run into the sides of the screen or if the time limit is exceeded. Movement is achieved by using the keys:

A-up,
Z-down,
M-right,
and N-left.

When a screen has been cleared, 35 bonus points will be awarded and the next screen starts with more clubs.



The Electronic Cash Book


Micro-Simplex makes Retailers Accounts and Stock Control simple...

Unique features:

- Based on Britain's No. 1 cash book system
- Uses Britain's No. 1 business micro computer
- The only one recommended by Vyners, publishers of Simplex books
- The only one offering all retailers special V.A.T. schemes

Other features include . . .

- Stock control linked to cash registers
- Simple and familiar layouts
- Easy to use
- Automatically produces:
 - (a) Statements to customers
 - (b) Lists of unpaid bills
 - (c) Simple profit and loss accounts



MICRO-SIMPLEX



**COMMODORE
COMPUTER**

8. CHARLOTTE STREET WEST.
MACCLESFIELD.
CHESHIRE SK11 6EF.
TEL: 0625 615000.

BASIC PROGRAMMING

```
233 IFPEEK(P)=42 THEN J=J-1
235 POKEP,88
240 IFJ=17 THEN 260
250 GOTO 210
260 PRINT"SCORE"S
265 PRINT"TIME LEFT"
270 GETA$
280 IFA$="A"THEN POKEA,32:R=-22:H=1
290 IFA$="Z"THEN POKEA,32:R=22:H=2
300 IFA$="M"THEN POKEA,32:R=1:H=3
310 IFA$="N"THEN POKEA,32:R=-1:H=4
320 A=A+R
321 T=T-1
322 IFT=0THEN 5000
330 IFPEEK(A)=88 THEN POKE36876,250:S=S+10:POKE36876,0
333 IFPEEK(A)=90 THEN 2000
340 POKEA,42
350 IFH=1THEN POKEA+22,32
360 IFH=2THEN POKEA-22,32
370 IFH=3THEN POKEA-1,32
380 IFH=4THEN POKEA+1,32
460 IF S=I+170 THEN FORS=STOS+35:PRINT"SCORE"S:NEXT:I=S:GOTO 199
470 GOTO 260
2000 FORQ=10TO0STEP-1
2020 POKE36878,0
2030 FORM=1TO300:NEXT
2035 POKE36877,220
2040 NEXT
2050 POKE36877,0
2060 POKE36878,15
2080 PRINT"YOU HAVE CRASHED":FORQ=1TO3000:NEXT:GOTO 6010
5000 POKE36878,15
5010 FORL=1TO5
5020 FORM=180TO235STEP2
5030 POKE36876,M
5040 FORM=1TO10
5050 NEXT:NEXT
5060 POKE36876,0
5070 FORM=1TO100
5080 NEXT:NEXT
5090 POKE36876,0
5092 PRINT"YOUR TIME HAS RUN OUT"
5094 FORP=1TO4000:NEXT
6010 IFS>HSTHENHS=S:GOSUB 9000
6020 PRINT"DO YOU WANT ANOTHER GO"
6030 PRINT"
6040 GETS$
6050 IFS$="Y"THEN S=0:GOTO 1
6060 IFS$="N"THEN PRINT"THE END":FORK=1TO999999:NEXT
6070 GOTO 6040
9000 PRINT"YOU HAVE GOT THE HIGH SCORE"
9010 PRINT"INPUT YOUR NAME"
9020 INPUT"":N$:RETURN
READY.
```

BASIC PROGRAMMING

COPYING VIC20's HI-RES SCREEN

This program is a subroutine to produce a hardcopy of the hi-res screen on the VIC20. The program corrects for screen distortion. The copy is rather small because it is a direct translation of the hi-res area codes between RAM locations

4096-7295. The 8x8 VIC character matrix must be adapted to the smaller 7x7 printer matrix with some other code modifications. This forces a 90 degree shift in the orientation of the copy as compared to the screen. Dumping the whole screen takes a couple of minutes.

And double width copies can be obtained by writing CHR\$(X) into A\$ twice, but this requires splitting the output between A\$ and another variable B\$ each with 80 characters. See second listing.

Please note: This program reads the memory within the high resolution cartridge.

The program can be modified to dump a Hi-Res screen located elsewhere if it is made of 20x20 characters each 8x8 pixels otherwise the loops will have to be modified.

This routine would be called by GOSUB 200 and would dump the screen to a serial VIC printer.

```

10 REM HI-RES SCREEN DUMPER FOR VIC
20 REM BY M. ALNAQEEB
200 OPEN#4:REM OPEN PRINTER FILE
202 FOR I=7135 TO 4095 STEP 160
205 FOR H=1 TO 160:REM SET READ CODE LOOP
210 TP=TP+1:REM SET COUNTER
220 X=PEEK(I+H):REM PEEK CODE
221 IF X>=128 AND X<192 THEN X=X+64:REM CHECK CODE WITHIN LIMITS FOR
PRINTER
222 IF X<=127 THEN X=X+128:REM CHECK CODE WITHIN LIMITS FOR PRINTER
225 A$=A$+CHR$(X):REM CREATE THE HI-RES PRINTER STRING
242 IF TP=160 THEN PRINT#4,CHR$(8)A$:A$="":TP=0:REM PRINT & EMPTY
STRING & SET COUNTER
250 NEXT H:NEXT I:PRINT#4:CLOSE#4:RETURN:REM END LOOPS, CLOSE FILE &
RETURN

224 IF TP>80 THEN B$=B$+CHR$(X)
223 IF TP<81 THEN A$=A$+CHR$(X)
**** DELETE LINE NUMBER 242 ****
225 IF TP=160 THEN PRINT#4,CHR$(8)A$,B$:A$="":B$="":TP=0
    
```



BYTEWELL

64 SOFTWARE

Kong	7.95	The Hobbit	14.95
3D Time Trek	7.95	Hungry Horace	5.95
Bat Attack	7.95	3 Deep Space	7.95
Brands	7.95	Purple Turtles	7.95
Grandmaster chess	17.95	Quintic Warrior	7.95
Egbert	7.50	Falcon Patrol	6.95
The Fabulous Wanda	7.95	Robin to the Rescue	7.95
Star Trek	7.00	Radar Rat Race Cartridge	9.99
Panic	7.00	Everest Ascent	6.50
Siren City	7.00	Ship of the Line	6.50
Defenda	7.00	Vultures	7.00
Arcadia	5.50	Galaxions	9.00

AND LOTS MORE
SEND SAE FOR FULL LIST.

Please make cheques/P.O.'s payable to
BYTEWELL.

Overseas Orders please include 60p P&P.

Bytewell, 203 Court Road, Barry,
S. Glamorgan CF6 7EW. Telephone
(0446) 742491

Turn your Commodore into a full time Profit Centre

The New SCRIPTA II works all day long~

As a Data Terminal, producing perfect letters and reports from your favourite wordprocessor or impeccable invoices and statements from your trusty business system.

During non-computing periods, SCRIPTA II reverts to the finest electronic typewriter. Depending upon your mood, you can choose any one of 20 Whisper-disk daisy typewheels which are available in 10, 12, 15 and proportional pitch. Numerous fonts can be selected. Classic Gothic or Modern Pica for business, Fine Italic for those intimate little personal messages, Cubic for the chic replies, or Lecturer – the large character – for prompting you during speeches or sermons!

An optional tractor or sheet feeder can be easily fitted or removed at any time to handle all types of documents, forms or letter heads.

SCRIPTA II is a true dual purpose peripheral produced by Europe's largest office equipment supplier – it is not a typewriter modified by some electronic wizard! The product is eligible for an annually renewable on-site Service Contract carried out by the Manufacturer, including all parts and labour. A rare thing these days!

Just plug the SCRIPTA II into the mains and connect your data cable to its input port. Wordcraft, Word-Pro, Silicon Office, The Manager – in fact most software currently available for your Commodore machine, is readily configurable.

Should you require further convincing that SCRIPTA II is the ONLY terminal for your system, contact your Dealer, or write, ring or call Sole U.K. Distributor –

DATAPLUS

P.S.I., 39/49 Roman Road, Cheltenham, GL51 8QQ,
Tel: 0242-30030/37373, Telex: 43594



Reformed characters

This month we received a machine code routine which converts a Basic program in memory in such a way that all graphics characters in print statements are changed to a more readable form – mnemonics, in fact, which ought immediately bring to mind the English word.

This is a very useful program which makes reading the print-out much easier. All characters with ASCII values between 33 and 95 will not be changed – but since they are the normal characters there's no need for them to be changed.

The method for doing this is to scan through the program until a "" character is encountered and then to replace the graphics characters with the mnemonics. If there are multiple characters in the program, a number will be put before the code.

The codings are as follows (make a note of them as we will be using them ourselves for the more unreadable lines of program):

[BLK]	Black
[WHT]	White
[RED]	Red
[CYN]	Cyan
[BRN]	Brown
[LT RED]	Light Red
[GR1]	Grey 1
[LT GRN]	Light Green
[CR]	Cursor Right
[CL]	Cursor Left
[CU]	Cursor Up
[CD]	Cursor Down
[PUR]	Purple
[GRN]	Green
[BLU]	Blue
[YEL]	Yellow

[ORG]	Orange
[LT BLU]	Light Blue
[GR2]	Grey 2
[GR3]	Grey 3
[CLS]	Clear Screen
[HOM]	Cursor Home
[REV]	Reverse on
[OFF]	Reverse off
[DEL]	Delete
[F1]-[F8]	Function Keys
[CTRL?]	Control + letter
[G<?]	Commodore + letter
[G>?]	Shift + letter
[SPC]	Space
[G>SPC]	Shifted Space

Multiple Codings – eg [12SPC]

The coding for a space will only occur if more than one space character is found in a row. If only one space character is found, it will be printed as a space.

There are two error messages that could be printed when the coding program is run. The first is 'OUT OF MEMORY' which will occur if the codings force the program to exceed the memory limits of the computer. The second message reads 'TOO MANY CHARS IN ????' where '????' is the line number. This will occur if the codings force a certain line above the 255 byte limit of the computer.

The program is specifically for the 64, but with some modifications to the addresses used, will work on the other

machines. Only two ROM routines were used in this program, one being \$A3BF which opens up a space in a Basic program, and \$A437 which is the routine to print an error message.

Entering the program.

If you have a monitor, you might find it easier to type it in from the memory dumps which follow. But for the majority, a basic loader has been included.

The Monitor Dumps come in five parts for different parts of the routines. In the same way, the data has been split into five parts and each part has been check-summed for data errors.

The last and most important thing to know is how to use it:

Load the Lister program into memory and then load the Basic program to be listed. When the program has been loaded, type SYS49152 and the lister will get to work.

The longer the program, the more time it will take to convert. As long as the program has not given an error, the program may be listed to the printer or the screen.

NOTE: Once the Lister program has been run on a program in memory, the program in memory will not give the correct display. It is only meant for making programs easier to read and enter.

Main routine

:0000	A2 00 A5 2B 85 FB A5 2C	:0068	A2 01 DA B1 FB 05 66 D0
:0008	85 FC A0 00 B1 FB 85 FD	:0070	04 E8 4C 6A 00 86 66 E0
:0010	08 B1 FB 85 FE 09 00 D0	:0078	01 F0 02 B0 0A 0A A5 65
:0018	A1 60 08 08 08 B1 FB 09	:0080	09 20 D0 03 4C A7 C1 8A
:0020	00 D0 0D A5 FD 85 FB A5	:0088	85 5D A9 0A 85 5E A2 08
:0028	FF A5 FC A2 00 4C 0A 00	:0090	A9 00 06 5D 2A 05 5E 90
:0030	09 22 D0 0A E8 E0 02 D0	:0098	04 E5 5E E6 5D 0A D0 F2
:0038	0C A2 00 4C 1C 00 E0 01	:00A0	D8 18 69 30 85 5E 18 D8
:0040	F0 03 4C 1C 00 09 FF D0	:00A8	A5 5D 69 30 85 5D A5 65
:0048	03 4C 1C 00 85 66 18 09	:00B0	09 61 BA 03 4C 16 C1 09
:0050	D0 90 04 D8 38 E9 60 09	:00B8	7B 90 03 4C 16 C1 D8 38
:0058	60 BA 07 09 21 90 03 4C	:00C0	E9 20 85 65 A2 07 A5 5D
:0060	1C 00 86 64 85 65 84 5C	:00C8	09 30 D0 08 0A A5 5E 09

MACHINE CODE

```

:00D0 30 D0 01 CA E4 66 F0 0B
:00D8 B0 06 20 00 C2 4C E3 C0
:00E0 20 A8 C2 A4 5C A9 5B 91
:00E8 FB A5 5D C9 30 F0 03 C8
:00F0 91 FB A5 66 C9 01 F0 05
:00F8 A5 5E C8 91 FB A9 47 C8
:0100 91 FB A9 3E C8 91 FB A5
:0108 65 C8 91 FB A9 5D C8 91
:0110 FB A6 64 4C 1C C0 85 65
:0118 A9 50 85 62 A9 C3 85 63
:0120 A2 50 A0 00 B1 62 C5 65
:0128 F0 09 C8 C8 C8 CA 10 F4
:0130 4C FA C6 C8 B1 62 85 C1
:0138 C8 B1 62 85 63 A5 C1 85
:0140 62 A0 00 B1 62 85 C1 D8
:0148 18 69 04 AA A5 5D C9 30
:0150 D0 08 CA A5 5E C9 30 D0
:0158 01 CA E4 66 F0 0B B0 06
:0160 20 00 C2 4C 69 C1 20 A8
:0168 C2 A4 5C A9 5B 91 FB A5
:0170 5D C9 30 F0 03 C8 91 FB
:0178 A5 66 C9 01 F0 05 A5 5E
:0180 C8 91 FB 84 5C A0 00 EA
:0188 EA C8 B1 62 84 C2 A4 5C
:0190 C8 91 FB 84 5C A4 C2 C4
:0198 C1 D0 EE A4 5C A9 5D C8
:01A0 91 FB A6 64 4C 1C C0 A4
:01A8 5C A6 64 4C 1C C0 00 00

```

Memory move and reclaiming routine

```

:0200 86 C2 A5 66 38 E5 C2 85
:0208 BB 18 A5 FB 65 5C 85 5F
:0210 A5 FC 69 00 85 60 A5 5F
:0218 65 BB 85 5A A5 60 69 00
:0220 85 5B A5 2D 38 E5 5A 85
:0228 58 A8 A5 2E E5 5B AA E8
:0230 98 F0 1F A5 5A 18 65 58
:0238 85 5A 90 03 E6 5B 18 A5
:0240 5F 65 58 85 5F 90 02 E6
:0248 60 98 49 FF A8 C8 C6 5B
:0250 C6 60 B1 5A 91 5F C8 D0
:0258 F9 E6 5B E6 60 CA D0 F2
:0260 38 A5 2D E5 BB 85 2D B0
:0268 03 C6 2E 38 A0 00 A5 FD
:0270 E5 BB 85 FD 91 FB 85 57
:0278 A5 FE E9 00 C8 85 FE 85
:0280 50 91 FB 88 B1 57 85 B9
:0288 C8 B1 57 85 BA F0 18 88
:0290 38 A5 B9 E5 BB AA 91 57
:0298 A5 BA E9 00 C8 91 57 85
:02A0 58 AA 85 57 4C 83 C2 60

```

```

:02A8 8A 38 E5 66 85 BB 18 A5
:02B0 5C 65 BB B0 04 C9 FE 90
:02B8 03 4C 41 C7 A5 2D 65 BB
:02C0 AA A5 2E 69 00 C5 38 D0
:02C8 07 E4 37 90 03 4C 63 C7
:02D0 18 A5 2D 85 5A 65 BB 85
:02D8 58 A5 2E 85 5B 69 00 85
:02E0 59 A5 FB 65 5C 85 5F A5
:02E8 FC 69 00 85 60 20 BF A3
:02F0 18 A0 00 A5 2D 65 BB 85
:02F8 2D 90 03 E6 2E 18 A5 FD
:0300 65 BB 85 FD 85 57 91 FB
:0308 A5 FE 69 00 C8 85 FE 85
:0310 58 91 FB 88 B1 57 85 B9
:0318 C8 B1 57 85 BA F0 18 88
:0320 18 A5 B9 65 BB AA 91 57
:0328 A5 BA 69 00 C8 91 57 85
:0330 58 AA 85 57 4C 13 C3 60

```

Data address table

```

:0350 05 38 C5 11 3C C5 12 3F
:0358 C5 13 43 C5 1C 47 C5 1D
:0360 4B C5 1E 4E C5 1F 52 C5
:0368 20 56 C5 60 5A C5 7B 5E
:0370 C5 7C 62 C5 7D 66 C5 7E
:0378 6A C5 7F 6C C5 81 70 C5
:0380 85 74 C5 86 77 C5 87 7A
:0388 C5 88 7D C5 89 80 C5 8A
:0390 83 C5 8B 86 C5 8C 89 C5
:0398 90 8C C5 91 90 C5 92 93
:03A0 C5 93 97 C5 94 9B C5 95
:03A8 9F C5 96 A3 C5 97 A9 C5
:03B0 98 AD C5 99 B1 C5 9A B7
:03B8 C5 9B BD C5 9C C1 C5 9D
:03C0 C5 C5 9E C8 C5 9F CC C5
:03C8 A0 D0 C5 A1 D6 C5 A2 DA
:03D0 C5 A3 DE C5 A4 E2 C5 A5
:03D8 E6 C5 A6 EA C5 A7 EE C5
:03E0 A8 F2 C5 A9 F6 C5 AA FA
:03E8 C5 AB FE C5 AC 02 C6 AD
:03F0 06 C6 AE 0A C6 AF 0E C6
:03F8 B0 12 C6 B1 16 C6 B2 1A
:0400 C6 B3 1E C6 B4 22 C6 B5
:0408 26 C6 B6 2A C6 B7 2E C6
:0410 B8 32 C6 B9 36 C6 BA 3A
:0418 C6 BB 3E C6 BC 42 C6 BD
:0420 46 C6 BE 4A C6 BF 4E C6
:0428 01 52 C6 02 58 C6 08 5E
:0430 C6 09 64 C6 0E 6A C6 0E
:0438 70 C6 8D 76 C6 00 A6 00

```

MACHINE CODE

Data table

```

:C530 03 57 48 54 02 43 44 03
:C540 52 45 56 03 48 4F 4D 03
:C548 52 45 44 02 43 52 03 47
:C550 52 4E 03 42 4C 55 03 53
:C558 50 43 03 47 3E 2A 03 47
:C560 3E 2B 03 47 3C 2D 03 47
:C568 3E 2D 01 7E 03 47 3C 2A
:C570 03 4F 52 47 02 46 31 02
:C578 46 33 02 46 35 02 46 37
:C580 02 46 32 02 46 34 02 46
:C588 36 02 46 38 03 42 4C 4B
:C590 02 43 55 03 4F 46 46 03
:C598 43 4C 53 03 44 45 46 03
:C5A0 42 52 4E 05 4C 20 52 45
:C5A8 44 03 47 52 31 03 47 52
:C5B0 32 05 4C 20 47 52 4E 05
:C5B8 4C 20 42 4C 55 03 47 52
:C5C0 33 03 50 55 52 02 43 4C
:C5C8 03 59 45 4C 03 43 59 4E
:C5D0 05 47 3E 53 50 43 03 47
:C5D8 3C 4B 03 47 3C 49 03 47
:C5E0 3C 54 03 47 3C 40 03 47
:C5E8 3C 47 03 47 3C 2B 03 47
:C5F0 3C 4D 03 47 3C 5C 03 47
:C5F8 3E 5C 03 47 3C 4E 03 47
:C600 3C 51 03 47 3C 44 03 47
:C608 3C 5A 03 47 3C 53 03 47
:C610 3C 50 03 47 3C 41 03 47
:C618 3C 45 03 47 3C 52 03 47
:C620 3C 57 03 47 3C 48 03 47
:C628 3C 4A 03 47 3C 4C 03 47
:C630 3C 59 03 47 3C 55 03 47
:C638 3C 4F 03 47 3E 40 03 47
:C640 3C 46 03 47 3C 43 03 47
:C648 3C 58 03 47 3C 56 03 47
:C650 3C 42 05 43 54 52 4C 41
:C658 05 43 54 52 4C 42 05 43
:C660 54 52 4C 48 05 43 54 52
:C668 4C 49 05 43 54 52 4C 4E
:C670 05 43 52 47 3E 4E 05 43
:C678 52 47 3E 4D 00 1B E4 00

```

Error messages routines and data

```

:C6FA A5 5F C9 1B 90 03 4C 69
:C702 C7 69 40 8D 18 C7 A9 13
:C70A 85 62 A9 C7 85 63 4C 41
:C712 C1 05 43 54 52 4C 4A 20
:C71A 4E 49 20 53 52 41 48 43
:C722 20 59 4E 41 4D 20 4F 4F
:C72A 54 20 0D 20 4E 49 20 4E

```

```

:C732 57 4F 4E 4B 20 54 4F 4E
:C73A 20 52 41 48 43 20 0D A2
:C742 14 BD 18 C7 20 D2 FF CA
:C74A D0 F7 A0 02 B1 FB 85 39
:C752 C8 B1 FB 85 3A 20 C9 BD
:C75A 68 68 4C 19 C0 EA EA EA
:C762 EA 20 35 A4 00 40 00 00

```

Basic loader program

```

1 RESTORE
5 GOTO3000
10 DATA162,0,165,43,133,251,165
20 DATA44,133,252,160,0,177,251
30 DATA133,253,200,177,251,133,254
40 DATA201,0,208,1,96,200,200
50 DATA200,177,251,201,0,208,13
60 DATA165,253,133,251,165,254,133
70 DATA252,162,0,76,10,192,201
80 DATA34,208,10,232,224,2,208
90 DATA12,162,0,76,28,192,224
100 DATA1,240,3,76,28,192,201
110 DATA255,208,3,76,28,192,133
120 DATA102,24,201,192,144,4,216
130 DATA56,233,96,201,96,176,7
140 DATA201,33,144,3,76,28,192
150 DATA134,100,133,101,132,92,162
160 DATA1,200,177,251,197,102,208
170 DATA4,232,76,106,192,134,102
180 DATA224,1,240,2,176,10,202
190 DATA165,101,201,32,208,3,76
200 DATA167,193,138,133,93,169,10
210 DATA133,94,162,8,169,0,6
220 DATA93,42,197,94,144,4,229
230 DATA94,230,93,202,208,242,216
240 DATA24,105,48,133,94,24,216
250 DATA165,93,105,48,133,93,165
260 DATA101,201,97,176,3,76,22
270 DATA193,201,123,144,3,76,22
280 DATA193,216,56,233,32,133,101
290 DATA162,7,165,93,201,48,208
300 DATA8,202,165,94,201,48,208
310 DATA1,202,228,102,240,11,176
320 DATA6,32,0,194,76,227,192
330 DATA32,168,194,164,92,169,91
340 DATA145,251,165,93,201,48,240
350 DATA3,200,145,251,165,102,201
360 DATA1,240,5,165,94,200,145
370 DATA251,169,71,200,145,251,169
380 DATA62,200,145,251,165,101,200
390 DATA145,251,169,93,200,145,251
400 DATA166,100,76,28,192,133,101
410 DATA169,80,133,98,169,195,133

```

MACHINE CODE

420 DATA99,162,80,160,0,177,98
 430 DATA197,101,240,9,200,200,200
 440 DATA202,16,244,76,250,198,200
 450 DATA177,98,133,193,200,177,98
 460 DATA133,99,165,193,133,98,160
 470 DATA0,177,98,133,193,216,24
 480 DATA105,4,170,165,93,201,48
 490 DATA208,8,202,165,94,201,48
 500 DATA208,1,202,228,102,240,11
 510 DATA176,6,32,0,194,76,105
 520 DATA193,32,168,194,164,92,169
 530 DATA91,145,251,165,93,201,48
 540 DATA240,3,200,145,251,165,102
 550 DATA201,1,240,5,165,94,200
 560 DATA145,251,132,92,160,0,234
 570 DATA234,200,177,98,132,194,164
 580 DATA92,200,145,251,132,92,164
 590 DATA194,196,193,208,238,164,92
 600 DATA169,93,200,145,251,166,100
 610 DATA76,28,192,164,92,166,100
 620 DATA76,28,192,-1
 630 DATA134,194,165,102,56,229,194
 640 DATA133,187,24,165,251,101,92
 650 DATA133,95,165,252,105,0,133
 660 DATA96,165,95,101,187,133,90
 670 DATA165,96,105,0,133,91,165
 680 DATA45,56,229,90,133,88,168
 690 DATA165,46,229,91,170,232,152
 700 DATA240,31,165,90,24,101,88
 710 DATA133,90,144,3,230,91,24
 720 DATA165,95,101,88,133,95,144
 730 DATA2,230,96,152,73,255,168
 740 DATA200,198,91,198,96,177,90
 750 DATA145,95,200,208,249,230,91
 760 DATA230,96,202,208,242,56,165
 770 DATA45,229,187,133,45,176,3
 780 DATA198,46,56,160,0,165,253
 790 DATA229,187,133,253,145,251,133
 800 DATA87,165,254,233,0,200,133
 810 DATA254,133,88,145,251,136,177
 820 DATA87,133,185,200,177,87,133
 830 DATA186,240,24,136,56,165,185
 840 DATA229,187,170,145,87,165,186
 850 DATA233,0,200,145,87,133,88
 860 DATA138,133,87,76,131,194,96
 870 DATA138,56,229,102,133,187,24
 880 DATA165,92,101,187,176,4,201
 890 DATA254,144,3,76,65,199,165
 900 DATA45,101,187,170,165,46,105
 910 DATA0,197,56,208,7,228,55
 920 DATA144,3,76,99,199,24,165
 930 DATA45,133,90,101,187,133,88
 940 DATA165,46,133,91,105,0,133
 950 DATA89,165,251,101,92,133,95
 960 DATA165,252,105,0,133,96,32
 970 DATA191,163,24,160,0,165,45
 980 DATA101,187,133,45,144,3,230
 990 DATA46,24,165,253,101,187,133
 1000 DATA253,133,87,145,251,165,254
 1010 DATA105,0,200,133,254,133,88
 1020 DATA145,251,136,177,87,133,185
 1030 DATA200,177,87,133,186,240,24
 1040 DATA136,24,165,185,101,187,170
 1050 DATA145,87,165,186,105,0,200
 1060 DATA145,87,133,88,138,133,87
 1070 DATA76,19,195,96,-1
 1080 DATA5,56,197,17,60,197,18
 1090 DATA63,197,19,67,197,28,71
 1100 DATA197,29,75,197,30,78,197
 1110 DATA31,82,197,32,86,197,96
 1120 DATA90,197,123,94,197,124,98
 1130 DATA197,125,102,197,126,106,197
 1140 DATA127,108,197,129,112,197,133
 1150 DATA116,197,134,119,197,135,122
 1160 DATA197,136,125,197,137,128,197
 1170 DATA138,131,197,139,134,197,140
 1180 DATA137,197,144,140,197,145,144
 1190 DATA197,146,147,197,147,151,197
 1200 DATA148,155,197,149,159,197,150
 1210 DATA163,197,151,169,197,152,173
 1220 DATA197,153,177,197,154,183,197
 1230 DATA155,189,197,156,193,197,157
 1240 DATA197,197,158,200,197,159,204
 1250 DATA197,160,208,197,161,214,197
 1260 DATA162,218,197,163,222,197,164
 1270 DATA226,197,165,230,197,166,234
 1280 DATA197,167,238,197,168,242,197
 1290 DATA169,246,197,170,250,197,171
 1300 DATA254,197,172,2,198,173,6
 1310 DATA198,174,10,198,175,14,198
 1320 DATA176,18,198,177,22,198,178
 1330 DATA26,198,179,30,198,180,34
 1340 DATA198,181,38,198,182,42,198
 1350 DATA183,46,198,184,50,198,185
 1360 DATA54,198,186,58,198,187,62
 1370 DATA198,188,66,198,189,70,198
 1380 DATA190,74,198,191,78,198,1
 1390 DATA82,198,2,88,198,8,94
 1400 DATA198,9,100,198,14,106,198
 1410 DATA142,112,198,141,118,198,-1
 1420 DATA3,87,72,84,2,67,68
 1430 DATA3,82,69,86,3,72,79
 1440 DATA77,3,82,69,68,2,67
 1450 DATA82,3,71,82,78,3,66
 1460 DATA76,85,3,83,80,67,3
 1470 DATA71,62,42,3,71,62,43
 1480 DATA3,71,60,45,3,71,62
 1490 DATA45,1,126,3,71,60,42

MACHINE CODE

```
1500 DATA3,79,82,71,2,70,49
1510 DATA2,70,51,2,70,53,2
1520 DATA70,55,2,70,50,2,70
1530 DATA52,2,70,54,2,70,56
1540 DATA3,66,76,75,2,67,85
1550 DATA3,79,70,70,3,67,76
1560 DATA83,3,68,69,70,3,66
1570 DATA82,78,5,76,32,82,69
1580 DATA68,3,71,82,49,3,71
1590 DATA82,50,5,76,32,71,82
1600 DATA78,5,76,32,66,76,85
1610 DATA3,71,82,51,3,80,85
1620 DATA82,2,67,76,3,89,69
1630 DATA76,3,67,89,78,5,71
1640 DATA62,83,80,67,3,71,60
1650 DATA75,3,71,60,73,3,71
1660 DATA60,84,3,71,60,64,3
1670 DATA71,60,71,3,71,60,43
1680 DATA3,71,60,77,3,71,60
1690 DATA92,3,71,62,92,3,71
1700 DATA60,78,3,71,60,81,3
1710 DATA71,60,68,3,71,60,90
1720 DATA3,71,60,83,3,71,60
1730 DATA80,3,71,60,65,3,71
1740 DATA60,69,3,71,60,82,3
1750 DATA71,60,87,3,71,60,72
1760 DATA3,71,60,74,3,71,60
1770 DATA76,3,71,60,89,3,71
1780 DATA60,85,3,71,60,79,3
1790 DATA71,62,64,3,71,60,70
1800 DATA3,71,60,67,3,71,60
1810 DATA88,3,71,60,86,3,71
1820 DATA60,66,5,67,84,82,76
1830 DATA65,5,67,84,82,76,66
1840 DATA5,67,84,82,76,72,5
1850 DATA67,84,82,76,73,5,67
1860 DATA84,82,76,78,5,67,82
1870 DATA71,62,78,5,67,82,71
1880 DATA62,77,-1
1890 DATA165,95,201,27,144,3,76
1900 DATA105,199,105,64,141,24,199
1910 DATA169,19,133,98,169,199,133
1920 DATA99,76,65,193,5,67,84
1930 DATA82,76,74,32,78,73,32
1940 DATA83,82,65,72,67,32,89
1950 DATA78,65,77,32,79,79,84
1960 DATA32,13,32,78,73,32,78
1970 DATA87,79,78,75,32,84,79
1980 DATA78,32,82,65,72,67,32
1990 DATA13,162,20,189,24,199,32
2000 DATA210,255,202,208,247,160,2
2010 DATA177,251,133,57,200,177,251
2020 DATA133,58,32,201,189,104,104
2030 DATA76,25,192,234,234,234,234
2040 DATA32,53,164,-1
```


```
3000 A=49152:B=49581:C=49664:D=49975:E=50000:F=50236:G=50488:H=50811
3010 I=50938:J=51045:K=0
3015 PRINT"[CLS][2CD][12CR][REV] LISTER PROGRAM "
3020 PRINT"[2CD][2CR][REV] PROCESSING DATA - PLEASE WAIT "
3030 FORZ=ATOB:READY:IFY=-1THEN3060
3035 K=K+Y:POKEZ,Y:NEXT
3040 READY:IFY=-1THEN4000
3050 IFK=58105THEN4000
3060 PRINT"[2CD][REV] DATA ERROR IN LINES 10 - 620 ":END
```

MACHINE CODE

```
4000 K=0:FORZ=CTOD:READY:IFY=-1THEN4030
4005 K=K+Y:POKEZ,Y:NEXT
4010 READY:IFY=-1THEN5000
4020 IFK=41386THEN5000
4030 PRINT"[2CD][REV] DATA ERROR IN LINES 630 - 1070 ":END
5000 K=0:FORZ=ETOF:READY:IFY=-1THEN5030
5005 K=K+Y:POKEZ,Y:NEXT
5010 READY:IFY=-1THEN6000
5020 IFK=35484THEN6000
5030 PRINT"[2CD][REV] DATA ERROR IN LINES 1080 - 1410 ":END
6000 K=0:FORZ=GT0H:READY:IFY=-1THEN6030
6005 K=K+Y:POKEZ,Y:NEXT
6010 READY:IFY=-1THEN7000
6020 IFK=17491THEN7000
6030 PRINT"[2CD][REV] DATA ERROR IN LINES 1420 - 1880 ":END
7000 K=0:FORZ=IT0J:READY:IFY=-1THEN7030
7005 K=K+Y:POKEZ,Y:NEXT
7010 READY:IFY=-1THEN8000
7020 IFK=11236THEN8000
7030 PRINT"[2CD][REV] DATA ERROR IN LINES 1890 - 2040 ":END
8000 PRINT"[3CD][2CR][REV] DATA INPUTTED "
8010 PRINT"[2CD][2CR][REV] SYS 49152 TO USE "
8030 END
```

READY.


QUALITY MATCHED WITH THE BEST PRICE/PERFORMANCE AVAILABLE **ESW 3000 DAISYWHEEL PRINTER**



- *INTERFACES RS232, CENTRONICS, IEEE
- *PITCH 10, 12, 15 PS
- *BUFFER 4K
- *SPEED 50 CPS
- *PRINT DAISYWHEEL, 100 CHAR.
BI-DIRECTIONAL-LOGIC SEEKING
- *QUME/DIABLO COMP. OPTION.


PRICE £1136
SHEET FEED £398!
TRACTOR FEED £150
ON-SITE MAINTENANCE
INCLUDED IN PRICE

LONDON AREA
ACADEMY MICRO SERVICES
11 PRIORY GROVE
LONDON SW8
01-720 4025



OFFICIAL UK DISTRIBUTOR
Intelligent Interfaces Ltd
43B Wood Street
Stratford upon Avon
Warwickshire
0789 296879


Learn to use your micro before it comes to this



HONEY FOLD

Don't suffer the indignity of learning from others when Dr Watson can help you teach yourself. His courses are a breakthrough in computer programming for the beginner and the not-so-beginner. Learning to write programs is now entertaining. Gone are the turgid manuals written for engineers. In their place are lively texts written by qualified computer teachers, with games programs as examples.

Each course contains a step-by-step,



easy-to-follow text in paperback book form, supported by software on cassette. The cassette is loaded into your computer at the start of the course and provides all the major programs described in the text.

Dr Watson assembly language courses are the first real ones for beginners. They allow you to write programs in a manner that is logical and easy to read and understand.

They have a computer aided learning (CAL) tutor which explains binary BCD and hexadecimal. The mnemonics used are totally uniform throughout and the course is interspersed with numerous exercises

and their solutions. A bonus is that a full assembler is included, and remains useful long after you have completed the course.

Dr Watson BASIC Courses teach you how to write programs in a form as near to plain English as possible. Courses are based on projects; each one gradually introducing new commands, so that by the end of the course you will have utilised the full vocabulary of the machine's BASIC.

All the courses come in a library-style folder for safe and easy storage. And are available from WH Smiths, Boots, Menzies and leading microcomputer multiples for just £14.95. (£11.95 for the CBM 64 Children's BASIC Adventure - Part 1.)

Dr Watson Computer Learning Series for Commodore micros
VIC 20 Beginners Assembly Language
PET 2/3/4/8000 Beginners Assembly Language
CBM64 Beginners Assembly Language

*New releases

*CBM64 Childrens BASIC Adventure - Part 1. (For children aged 7-97!)
*CBM64 Beginners BASIC (complete with 'Honey.Aid').
'Honey.Aid' is a toolkit/graphics/sound utility that adds 28 new commands to your CBM64 BASIC.

Honeyfold Software Limited
Standfast House
Bath Place, Barnet, Herts.
Tel: 01-441 4130

Before you buy a micro - make sure Dr Watson has the course

In our review of the Cash Traders' Bookkeeping System in the December issue we omitted to mention that it provides Trial Balance, Trading Account, Profit and Loss Account and Balance Sheet; VAT accounting and the detail necessary for the statistics section of the C & E form.

The VAT on an abbreviated VAT inclusive purchase invoice is calculated and displayed instantly by pressing the S key. For a non-VAT registered business the VAT calculation is omitted by pressing the E key.


The UPARROW key breaks the sequence either to allow the user to correct an entry or – at the beginning of a procedure – to exit from it. You can not step successively backwards out of the program by repeatedly pressing the UPARROW key, as we said in our review. You finally reach a screen which prompts 'Return to menu?'. This screen will not respond to the UPARROW key and you can only get out of the system by pressing N.

Inmac launch new microbuffers

Inmac have produced a micro-buffer that is capable of storing 64K in its memory and then dumping it all down to the printer leaving the micro free to perform other operations.

It is fully compatible with many printers including Centronics. There are two versions of the microcomputer, one parallel and the other serial. Hooking up to the micro and the printer is done using the standard cables.

On the front of the unit are three touch sensitive controls. The clear button erases any text stored in the buffer's memory and pause allows the printer to be temporarily halted in the case of a ribbon change. The third control enables the release of all stored data which can be copied 255 times if need be.



Data is transferred at a rate of 4000 characters per second and the cost of £225 each includes an AC adaptor. The parallel version also comes with a two metre printer to buffer cable, whilst the serial model is equipped with RS232 interfaces, two handshake

modes, nine baud rates and a bypass feature for instant printer access.

This product carries a one year guarantee and a 30 day trial period. It can be obtained from Inmac UK Limited, Davy Road, Astmoor, Runcorn, Cheshire WA7 1QF

Software for laboratories

Following on from their range of Rexagan interfaces which were first exhibited at last years Commodore show, ICI have produced three packages aimed at scientists in industry, research and education. These packages are Rexagan Tomult, RSP and Droptest.

Tomult is a multitasking system for writing complex real time control applications in BASIC. Tomult works by interrupting the BASIC interpreter at the end of each line and then assessing which task is the most important.

RSP is the Rexagan Statistical Package designed to provide procedures for processing and evaluating experimental results. However this can only be done to data that is presented in a tabular format.

This data can then be edited, mathematically transformed and then evaluated. For instance, this package can print out any two columns of data on an ordinary printer.

The third package, Droptest, is more specialised. This will produce numeric and graphic results from processed readiness obtained from high speed recorders during the impact testing of plastics.

Tomult cost £450, RSP £145 and the cost of Droptest is dependent on the application.

Further information is available from Physics and Radiosotope Services, Imperial Chemical Industries plc, PO Box 1, Billingham, Cleveland TS23 1LB telephone 0642 553661.

Compsoft halve price of DMS

The price of the Data Management Systems from Compsoft has been slashed from £400 to £195.

The cause of this substantial drop in price is the competition provided by other database systems, notably Compsoft's other database system, the Delta which was released last year but is not yet available for the Commodore machines.

This drop in price does not mean that the DMS has lost any of its capabilities, but is vastly more competitive.

Both of these data base systems are designed with several record applications in mind. The major difference

between the two packages concerns the record size. Whereas the Delta can hold 2000 characters and 90 fields per record the DMS can cope with only 100 and 60 respectively.

The DMS system was the winner of the 1983 Recognition for Information and Technological Achievements awards 'Software Product of the Year'. The DMS is available from Compsoft, Hallams Court, Shamley Green, Guildford, Surrey GU4 8QZ telephone 0483 898545.

The address of Construction-O Computers Services is 27 Bell Street, Reigate, Surrey RH2 7AD, Bell Street as printed in our November issue.

COMMODORE

COMPUTING INTERNATIONAL

SUBSCRIPTION ORDER FORM

Please send me 12 issues of *Commodore Computing*

CHEQUE ENCLOSED

PLEASE DEBIT MY ACCESS

AMERICAN EXPRESS

BARCLAYCARD

CHARGE NO.

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Expiry date:

Cheques should be made payable to:
Commodore Computing

TO AVOID FUTURE LAPSE IN MY SUBSCRIPTION
PLEASE DEBIT MY RENEWAL FEE TO MY CREDIT
CARD ANNUALLY UNTIL I CANCEL IN WRITING.

Name.....

Address.....

County..... Post Code.....

Telephone (home).....

(Business).....

Signed.....

Date (Sub to commence).....

- Subscription rate U.K. £15.00
- Europe £20.00
- Outside Europe £28.50

Return form to:
Subscriptions Manager,
Commodore Computing International
167-169 Great Portland Street,
London, W1

DEALERS DEALERS DEALERS FRAME YOUR WAY INTO BIG BUSINESS

COMMODORE
Computing
International
**DEALER
BOXES**

58mm

Dealer boxes at only £20, means *you* advertise to the *right* people though the *right* magazine. *Only* Commodore computing can help you advertise to a local and international Commodore audience.

To make your booking telephone Sue Moisey on 01-636 6615 **NOW**

Future editorial will be directed towards new and potential Commodore owners as well as more experienced and business users. Therefore by advertising yourself as a dealer our readers will know where to buy their hardware and software.

40 mm

Simplicity Consulting a computer to choose a computer itself

Fellowes Manufacturing have introduced a group of diskette file units called the Simplicity Range.

The diskette album will hold up to thirty 8", 5.25" or twenty 3.5" diskettes. A desk top easel binder will hold 20 diskettes and costs £12.

For the larger computer systems there is the diskette desk stand which will protect 200 diskettes per unit. These stands are made of metal and cost £187. Other models are designed as hanging wallets to fit existing filing cabinets.

Details on all these products are available from Fellowes Manufacturing (UK) Limited, Doncaster Road, Kirk Sandall, Doncaster, South Yorkshire DN3 1HT.

The founder of Atlas Computer Consultants, Maurice Hamlin, has found a novel and interesting way of selecting a computer that is ideal to the requirements of the user. His consultancy uses a computer to select the number.

Using Atlas's system, an analysis of the customers business is fed into a databank which holds information on each system from 1,200 suppliers. The computer will also identify 25,000 programs in 320 areas of industrial, business and professional life.

There are many problems associated with buying a computer. Potential users are often confused by the ever increasing number of computers

"designed with the businessman in mind", by what the manufacturers claim their machines are capable of and by the jargon that surrounds computers.

Some of these problems are caused by computer consultants themselves who do not have a clear grasp of all the different makes of computers on the market. This is one of the disadvantageous results of the computer boom - assimilating information on hundreds of new companies and thousands of new units is a real burden to most computer consultancies.

Atlas's computerised answer to this has already brought results. Take the case

of London Weekend Television who needed word processing and small scale departmental computing from one supplier. The initial choice of 69 possible suppliers was quickly short-listed to four and finally down to one.

Maurice Hamlin advocates this approach because he says "we are facing the most rapid technological growth ever. You need a computer to pick your way through the jungle."

The drawback is that at the moment, Atlas can only cover their own area of the country although they do plan to expand their services. They are at Atlas Computer Consultants Limited, Manchester Road, Bolton, Lancashire BL2 1EX

Colour projectors for business micros

Two new colour projectors that interface directly with the Commodore PET have been introduced by Powerhouse Enterprises. The first projection system is called the Barco Data projector which, the manufacturers say "produces crystal clear, multi-standard video pictures and high definition computer text or graphics.

The second projection system is the PCP 1000. This is a colour data and graphics video projector capable of reproducing a four foot by six foot picture on a screen.

These projection systems provide many types of on-line presentations for large audiences and make use of the Powerhouse universal Processor Switch. It is this switch that

enables many video sources to be integrated into a single system and thus provide a comprehensive audio/visual tool for many applications within the computer industry.

Control of the system is by remote control and the system can accommodate Pretel adaptors, mono and colour visual display terminals as well as being able to accept images from conventional video storage sources.

Powerhouse Enterprises will provide total system design, and engineering support including the development of all necessary interfaces. They can be contacted at The Old Power House, Chapel Rise, Avon Castle, Ringwood, Hants. BH2 2BL telephone

Training consultancy

Data-Train is a new company set up to help users of Commodore hardware and software.

The aim of the company is to give a complete service to the user and this means that the company will be acting as a consultancy as well as being able to configure and install systems and train staff using the system. At the moment, such systems include Tomorrow's Office and Silicon Office. Dealers who are unable to train users, sell the complete system to the customer and then get Data-Train to install the package and train the user.

The company, who also help to run two courses for the Training Division of the Manpower Services Commission, will also provide a telephone back-up service at a small additional cost.

For further information contact Data-Train, Unit A17, Cowdray Centre, Cowdray Avenue, Colchester, Essex CO1 1BH telephone 0206 44002.

New monitor

The new Vision-Ex Colour Video monitor is capable of input from both video signal and RGB separate input signal and costs £265 (exc. VAT). This light-weight, compact 12 inch monitor is equipped with a smoked filter to reduce eye strain and a 0.7W audio speaker. Manufactured by Data Efficiency it is compatible with Apple, BBC or Commodore, as it is so simply switchable.

PRODUCT NEWS

Get it taped

Currently available from Wabash DataTech (International) Ltd., is an informative leaflet describing its MIRA-1000. A new generation of high performance tape engineered specifically for the 6250 drive.

The leaflet highlights the MIRA-1000 as a minor miracle in magnetic media, with tests at a major university confirming that it is superior to any other computer tape for 6250 drives.

Brief details of the MIRA-1000 are given. It is an ultra-smooth, ultra-high performance tape engineered for maximum integrity and recording reliability and has a 25-year warranty. Product specifications listed include physical characteristics, performance

characteristics and environmental characteristics. Further information available from Stephen Fisher, Wabash DataTech, Tel: (0245) 322380.

Monitor market

Under a new dealership agreement, the complete range of monochrome, colour and sound monitors marketed by Sanyo Marubeni (UK) Limited is to be distributed in the UK by STC Electronic Services.

STC Electronic Services already handles a number of computer peripheral products which are marketed to computer dealers and systems builders. The Sanyo monitors will form a new product line for the company and will complement its existing product range which includes VDU's and printers.

Sanyo monitors to be handled by STC include its models DM2112, a high performance data display monitor, Model DM8112CX, a 12inch CRT display monitor, models CD3125N, CD3117M and CD3115H which are colour monitors offering normal, medium and high resolution. The company will be also distributing the Sanyo CD3195, a 14inch PAL colour monitor with sound. A further product being handled by STC is the widely acclaimed Sanyo DR101 cassette recorder designed for use with personal computer systems.

Write your own games

Anybody wishing to write their own games for the VIC 20 or the Commodore 64 can now

do so with the help of two programs from Galactic Software.

These Games Designer programs allow the programmer to design practically anything normally found in other games. Monsters, spaceships, meteors, moonscapes et al can all move about the screen and the game can be as difficult as the programmer decides to make it. These Games Designer programs allow the programmer to use full colour high resolution graphics, sound effects and theme tunes.

The manufacturers claim that no programming experience is needed to make use of the programs. The cost of these programs is £9.50 for the VIC 20 and £11.50 for the Commodore 64. They should be available from local computer dealers. Failing this, they can be obtained from Galactic Software, Unit 7, Larchfield Estate, Dowlsh Ford, Ilminster, Somerset TA19 0PF, telephone 04605 5161.

PET CONVERSIONS & UPGRADES

It's here at a **NEW** low low price!! Don't throw out your old 9" PET. The **MICROPORT 80** column conversion board for the 9" PET/CBM BASIC 4.0, or upgraded 2001/3000 series machines, will upgrade it to a true 8000 series. Simply plugs into the main logic board and with a small keyboard modification turns your PET into an 8032. Compatible with 8032 software and add-on ROM utilities. Supplied complete with full fitting instructions, or fitted free of charge if brought to our workshops.

Full money back guarantee within 14 days if not delighted.	£125.00
Externally mounted switching unit for above (40/80 column switchable)	£15.00
12" VDU (FAT40) 80 column conversion	£82.00
40 to 80 column switchable (two machines in one!)	£98.00
Full keyboard functions:- i.e. TAB, ESC, REPEAT, SCROLL up/down, define WINDOW, lower case, graphics mode & DELETE from/to cursor. All available in direct or program mode. Any MICROPORT converted machine is also upgradable to 8096 specification with our 64K add-on board.	£250.00

CBM 64 QUALITY SOFTWARE

If you own a PET system with disks or printer and have added a COMMODORE 64 then why not use your PET as an interface for the 64?

SIPOD is a serial IEEE to parallel IEEE software interface allowing you to use all the PETs disk drives, printers, plotters, modems etc. directly from the 64. No memory space is consumed within the 64 as **SIPOD** loads and executes within the PET. **SIPOD** is supplied complete with interface lead and instructions. £29.00

PRINTLINK 64. Interfaces a 64 directly to any printer with a Centronics input. The printer will respond to all the normal Basic commands for device #4. Supplied complete with instructions and interface cable. £26.00

We only sell one word processor for the 64. We think it is the best!

VIZAWRITE 64. Text formatting word processor. Disk or cartridge	£69.00
VIZASPELL 64. Spelling checker with 30,000 word dictionary	£59.00
VIZAWRITE + VIZASPELL. Combined package. (Disk only)	£99.00

MIKRO ASSEMBLER. Write machine code with the ease of BASIC	£50.00
ARROW. Save & load to tape up to 7 times faster than normal	£39.00
VICTREE. All Toolkit & BASIC 4.0 commands plus a lot more	£49.00
ZOOM. An excellent machine code monitor for the 64	£10.00
GRAPHIX 64. Easy to use Hi-Resolution graphics from BASIC	£10.00
STIX. A most addictive and compelling game (joystick required)	£17.35

Official orders from schools, universities, major companies etc. are welcome. U.K. customers please add 15% VAT. Prepaid orders are POST FREE.

Telephone Mick Bignell for details of any of the above at:-

MICROPORT 7 Clydesdale Close, Borehamwood, Herts. WD6 2SD. Tel: 01-953 8385

Superbase

TRANSFORMS THE COMMODORE 700 OR CBM 8008 INTO A FULL-FEATURED PROFESSIONAL DATABASE SYSTEM! WITH UP TO 1000 CHARACTERS PER RECORD ON UP TO FOUR SCREENS... AND UP TO 128 ITEMS PER RECORD. DEFINABLE AS KEY, TEXT, NUMERIC, CONSTANT, RESULT, OR DATE... IN FILES OF UP TO 128 CHARACTERS! SUPERBASE EVEN HAS A SPREADSHEET AND CALCULATOR CAPABILITY, AND CALENDAR FUNCTIONS, EASY INPUT FROM WORD-PROCESSOR AND DATA FILES, BOTH MENU-DRIVEN AND PROGRAM OPTIONS, SORTING/SEARCHING WITH MULTIPLE CRITERIA, FULLY DEFINABLE REPORT AND SCREEN FORMATS, TRANSACTION HANDLING... SUPERBASE IS ESSENTIAL IF YOU WANT THE MOST FROM YOUR COMMODORE COMPUTER!

● SPECIAL OFFER PRICE ~~£517.50~~ £425!

Superscript II

SUPERSCRIPT II IS THE COMPLETE DOCUMENT PREPARATION & STORAGE SYSTEM, MAKING OPTIMUM USE OF MEMORY & DISK SPACE... AND IT'S AVAILABLE NOW FOR THE COMMODORE 700 COMPUTER, WITH A HOST OF NEW FUNCTIONS, INCLUDING CALCULATOR, ARITHMETIC, BUILT-IN SPELLING CHECKER, AS WELL AS ALL THE OUTSTANDING FEATURES OF THE ORIGINAL SUPERSCRIPT... IN SHORT, IT OFFERS ALL THE ADVANTAGES OF A PROFESSIONAL WORD-PROCESSING SYSTEM, AT A PRICE THAT CANNOT BE IGNORED!

● SPECIAL OFFER PRICE ~~£517.50~~ £425!

Master

MASTER 700 IS A TOTALLY NEW CONCEPT... A COMPLETE PROGRAMMING AND SYSTEM DEVELOPMENT PACKAGE, AND IT'S AVAILABLE NOW FOR THE NEW COMMODORE 700 COMPUTER. MASTER ADDS 85 NEW COMMANDS TO CBM BASIC, INCLUDING PROGRAMMER'S TOOLKIT, BUSINESS BASIC, KEYED DISK ACCESS, MULTI-SCREEN MANAGEMENT, USER-DEFINABLE INPUT ZONES, REPORT GENERATOR, 22-PLACE ARITHMETIC, DATE CONTROL, STRING FUNCTIONS, DISK DATA COMPRESSION, SCREEN PLOTTING, SCREEN DUMP, AND MORE... IN FACT EVERYTHING YOU NEED TO PROGRAM THE CBM 700 TO TOP PROFESSIONAL STANDARDS! SUPPLIED AT £339.25, WITH USER REFERENCE MANUAL, QUICK REFERENCE GUIDE AND DEMO PROGRAMS, ALSO AVAILABLE FOR THE CBM 64 (E443-75- £115!) AND CBM 4032/8032/8096 (E339-25 £225!)


THESE ARE JUST SOME OF OUR FINE SOFTWARE PRODUCTS FOR COMMODORE COMPUTERS... PLEASE TELEPHONE OR WRITE FOR FREE DATA SHEETS! PRICES SHOWN INCLUDE 15% VAT AND ARE CORRECT AT TIME OF GOING TO PRESS. ORDER BY POST/TELEPHONE/PRESTEL, USING CHECK/CHEQUE, ACCESS, BARCLAY CARD OR OFFICIAL ORDER. TELEPHONE 01-546-7256 FOR SAME-DAY DESPATCH! POST FREE EXCEPT ON CREDIT/OVERSEAS ORDERS. (REF A24)

Calco Software

LAKESIDE HOUSE, KINGSTON HILL, SURREY KT2 7QT TEL 01-546-7256

The 64 sells houses

Estate agents are unlikely matchmakers but their main function is remarkably similar to the function of a dating agency. Instead of matching personal likes and dislikes they match the property likes and dislikes of potential purchasers with the specifications of properties on their books. Computer dating has been around for some time but computers are only just beginning to have an impact in estate agents' offices. We went to see one estate agent who has developed his own software package for use on Commodore machines.



Two years ago Michael Landau, an estate agent working in Kenton, Harrow, started to develop a program with Colin Jardine, an experienced computer programmer, to help improve the efficiency of his business. In most suburban areas, there are two types of estate agents; the established well-known agents which depend on their name for business and those smaller agents who survive by co-operating with each other.

Charles & Co fit into the latter category and are currently working with about 40 other agents. When each of these agents has a new property to sell they send the details round to all the other co-operating agents for inclusion on their property lists. In this way their properties will be seen by a greater number of people and if a sale is made, the commission is split. Rival agents are usually extremely competitive, but they work on the principle that even half commission is better than none at all!

The Residential Estate Agents Computer System has been especially developed for coping with a higher volume of applicants and properties including those from direct instructions and those from

other agents.

The package consists of two floppy disks, one for properties and one for applicants. On these the estate agent can enter details of his own properties and those from other agents distinguishing them by code numbers. Details of applicants can also be entered and a matching function enables the agent to send personalised property lists out. For Charles & Co an average week brings 1 to 12 properties from direct instructions and other agents usually send in 50 or more properties for inclusion, but the system can deal with 650 properties and 800 applicants.

The main advantage of this system is that it can process applicant and property details quickly and efficiently.

Before the package was introduced the properties came in and were left in trays until there were enough to compile a detailed list of properties in each of the three categories; houses under £50,000, houses over £50,000 and flats and maisonettes. (There used to be a category for houses under £35,000, but it is no longer applicable!). In this way, a property

might lie in a tray for a month before being dealt with and a seemingly unsellable property may be left out of the list for months. Each applicant would get a list crammed with properties and would have to sift through looking for something suitable.

One month later this list would be revised and four new ones made. As well as these, any properties coming in would be matched with applicants and sent off. The whole laborious process is time consuming and allows a lot of errors to occur.

The package changes all that. Before operating the system some planning is needed. Each of the co-operating agents needs an identifying code and there is a maximum of 50 codes. The territory in which the user is working has to be divided into a maximum of 10 areas. Some applicants may specify which area they want to move to. The agent and area codes should be kept close to the computer for easy reference. Also categories and sizes are used frequently in describing properties and so there should be some common standard familiar to

APPLICATIONS

everybody working with the system. For instance bedrooms, kitchens, gardens have to be listed as large, medium or small and the condition of a property has to be categorised as bad, average, good, excellent. A very useful feature is the system of pricing properties. If the price an applicant is prepared to pay is between £35 - 40,000 there is space for the inclusion for properties a few thousand above the maximum - just in case the buyer decides he is prepared to stretch his price further to procure a better house. In this case the applicant would get a list of properties ranging in price from £35 - 42,000. Similarly if an applicant wants a semi-detached house with a small garden in average condition he would get a list of properties including semi-detached and also detached, in average to excellent condition and with small to large-sized gardens. Within the price range they will always be given more than they asked for.

Once the Commodore hardware system has been installed, the agent can start immediately as the program is very user-friendly. The Applicant disk goes into drive 0 and the Properties disk goes into drive 1. The first thing that is asked for is the date and then the main menu appears:

1. Property Matching
2. Property Listing
3. Property Create/Modify
4. Matched Applicant Lists
5. Applicant File Functions
6. Applicant Listing
7. System Shut-down

The user can then select whichever function is required. When new properties come in they can be entered into the system using the Property Create/Modify key. This program includes four screens and 240 characters for free description. On the first screen the street name is typed into the line for address and the system will list any other properties on that street thus avoiding duplication. If it is a new property, the rest of the address can be put in. The vendor's name must be entered along with the code number.

The next screen shows the property address and the first detail to be entered is the Structure Type. Listed on the print out of Property File Functions are all the options available. It is important to fill every category as no answer or O is the equivalent of answering Yes/No/Not known/Doesn't Matter. The functions on the property file are fairly extensive and most properties would be comprehensively covered.

There are some useful functions for an estate agent incorporated into this screen ensuring the adequate covering of property details. For instance, if there is a third

**** CHARLES & CO. ESTATES ****
(Prop. M.D. LANDAU M.N.A.E.A.)

734 KENTON ROAD KENTON HARROW MIDDLESEX HA3 9QY

Telephone 01-204 9488/9 or 01-204 0066/7

The following properties for :

MR N BHOGAITA

have been specially selected by our computer in accordance with the specific requirements stated. Should these alter in any way, it is MOST IMPORTANT that you notify us so that we may provide you with THE BEST POSSIBLE SERVICE.

An example of a Personalised Property List showing layout of the Company Heading, the layout of property description and the disclaimer.

bedroom it has to be classed as a double or single so that a family of six would know if the third bedroom was big enough to sleep two.

The third screen is for entering the dimensions of the main bedrooms. Any extra rooms and features can be included underneath where there is space for 240 characters. The print-out demonstrates how the information is laid out on a personalised property list.

On the fourth screen a Menu is displayed with the following program options on it: 1. Modify Property Details, 2. Delete Property, 3. Change Property Status, 4. Property Identification and with these options it is possible to alter and delete data.

Once recorded on the system, the Property Matching Function is able to match the properties to the Applicants on file. A Property Screen will appear when this program is loaded in and once the Property Number has been entered the appropriate property will be located and displayed on the screen.

The Matched Applicants List is needed after the properties have been matched. Once the program is loaded, "Load Labels and Press Return" is displayed on the screen. The labels must be loaded onto the printer and lined up. The printer will automatically print all matched applicants with their names, addresses and applicant numbers appearing on the labels. The user is then given a choice to "Reprint or Continue". If "Continue" is chosen, plain paper replaces the labels and a report is automatically produced with the properties coded in an alpha lettering system matched to the appropriate applicants.

Up to 21 can be matched and at the bottom of the list a key relates the alpha coding to the property numbers. After this if 'C' is pressed again matching records are deleted from various files on the disk.

Otherwise the list can be printed out. The agent then has to stick the labels onto envelopes and using the list which matches applicants to properties, can put information on the relevant properties into the customer envelopes. The system of coded numbers makes the whole process extremely simple.

Similar to the Property Create/Modify program the Applicants File Functions enable the agent to list all the applicants and list their details and property requirements. The user calls up this program and enters the surname. All previous applicants with the same surname are displayed.

A new applicant is automatically allocated a number. Three lines of address are available plus space for telephone numbers. On this list, 21 main criteria with an average of four options per heading have to be filled in. The print out of the Applicant File function lists all the options available. If for an example an applicant doesn't want a house but stresses he wants nothing on the ground floor, a list of flats or maisonettes on first and all floors up will result.

After all the details have been keyed an Applicant Menu will appear: 1. Modify Applicant Detail, 2. Delete Applicant, 3. Applicant Matching, 4. Return to Applicant Identification. The first two functions are self-explanatory. The third function - Applicant Matching causes the system to select from the properties already stored on file those appropriate to the Applicants requirements. These properties can be displayed on the screen or printed out. A full list with all the property details of a condensed version without house number and ownership details can be chosen.

Finally it is possible to print all the information including room sizes and free description or a shortened version with just the address and price listed. It is also

APPLICATIONS

possible to select and print out the details of an individual property. The first of any of these property lists will automatically be preceded by the Company Heading similar to the one on the print out of the Personalised Property List.

To produce a list of all the properties entered before a certain date the Property Listing function is used. If an agent code is entered all the properties sent in by a particular agent will be listed, otherwise there is no discrimination. The Applicant Listings function is similar except that it lists all the Applicants on the system prior to or after the date that is entered.

At the end of the day it is important to take a back-up copy of the day's work. The floppy disks are fragile and any mishandling will result in all the work on a disk being corrupted. The System Shut Down option is used to close the system at the end of the day.

The complete package consisting of the Commodore hardware – CBM 64, disk drive, printer and software is being marketed at a cost of £3,690. Michael Landau has been using it for nearly two years now and reckons that it has already paid for itself. Property sales are likely to increase because the Applicant will have a wider selection of properties to choose from with the personalised list all of which are within the applicants price range and fit any specifications made. The 'companies' properties can be sent out more frequently and human error is just about eliminated.

Notes on applicant file functions

- 1) STRUCTURE TYPE. The alternatives are 'H'ouse, 'B'ungalow, 'F'lat, 'M'aisonette & 'F'lat/Maisonette.
- 2) PROPERTY TYPE. Terraced. Semi or Detached. (Type 'T', 'S' or 'D'). Terraced will produce matches on properties of all types. Semi will produce Semi & Detached.
- 3) ANTE/POST WAR. 'A' or 'P'.
- 4) LEASE. Minimum length of lease that will be considered. Press return if Freehold required, or nothing specified.
- 5/6) PRICES. Minimum price must be a lesser amount than Maximum price and must exceed £9,000. N.B. The greater the differential between Minimum & Maximum, the longer the matching & printing times.
- 7) P/B OR CONVERSION. Type in 'P' or 'C'. (Applies to Flats & Maisonettes only as does 8 or 9).
- 8) FLOOR. 'U'pper. 'F'irst. 'G'round. 'G/' (gives Ground/First Floor or Upper Floor with lift). 'N' (means not Ground Floor – will produce properties on all floors save ground).
- 9) LIFT. 'Y'es or 'N'o.
- 10) CENTRAL HEATING. 'Y'es or 'N'o.
- 11) CONDITION. Options are 'B'ad. 'F'air. 'A'verage. 'G'ood. 'E'xcellent. (i.e. Bad = Bad + Better. Fair = Fair + Better etc).
- 12) GARAGE. Options are 'Y'es, 'N'o or 'S'pace. (Space will produce matches of Properties with Garage or space for one).
- 13) DRIVE. Options are 'O'wn. 'S'hared. 'R'ear Access or 'N'o space.
- 14) CLOAKROOM. Answer 'Y'es or 'N'o.
- 15) GARDEN. Options are 'S'mall. 'M'edium. 'L'arge. (Medium will produce Medium + Large or vice versa). 'Y'es. 'N'o. 'C'ommunal.
- 16) SEPARATE WC. Options 'Y'es or 'N'o. (If there is a Cloakroom but no Separate WC a positive match on Separate WC will result irrespective).
- 17) KITCHEN SIZE. 'L'arge. 'M'edium. 'S'mall. (Medium matches on Medium & Large. Large Kitchen matches Medium Kitchen. i.e. Only small is excluded).
- 18) RECEPTION SIZE. 'L'arge. 'M'edium'. 'S'mall. (Operates as above).
- 19) 3RD BEDROOM. 'D'ouble or 'S'ingle. Only applies to properties where double 3rd Bedroom required. i.e. Will not produce matches on single 3rd Bedrooms. (Matches on 4-bedroomed properties will ignore this category so that applicants requiring 3 double or 4-bedroomed properties can be catered for).

Printout of the Applicant file, Lists the options available for customer specifications.

Notes on property file functions

- 1) PROPERTY TYPE. The alternatives are 'H'ouse. 'B'ungalow. 'F'lat. 'M'aisonette.
 - 2) PROPERTY TYPE. 'T'erraced. 'S'emi. 'D'etached.
 - 3) ANTE/POST WAR. 'A' or 'P'.
 - 4) LEASE. Enter minimum acceptable number of years unexpired. Press return for Freehold.
 - 5) PRICE REQUIRED. Enter asking price.
 - 6) MINIMUM PRICE. Enter price that you think Vendor may accept (See introduction).
 - 7) AREA. Enter appropriate number from 1 to 10.
 - 8) P/B OR CONVERSION. Enter 'P' or 'C'.
 - 9) FLOOR. Enter 'G'round. 'F'irst. 'U'pper.
 - 10) LIFT. Enter 'Y'es or 'N'o.
 - 11) CENTRAL HEATING. Enter 'Y'es or 'N'o.
 - 12) CONDITION. Options are 'B'ad. 'F'air. 'A'verage. 'G'ood. 'E'xcellent.
 - 13) GARAGE. Enter 'Y'es. 'N'o or 'S'pace.
 - 14) DRIVE. Enter 'Y'es. 'N'o space. 'S'hared. 'O'wn. 'R'ear Access.
 - 15) CLOAKROOM. 'Y'es or 'N'o.
 - 16) GARDEN. Options are 'Y'es. 'N'o. 'S'mall. 'M'edium. 'L'arge.
 - 17) SEPARATE WC. Options 'Y'es. 'N'o.
 - 18) KITCHEN SIZE. 'S'mall. 'M'edium. 'L'arge.
 - 19) RECEPTION SIZE. 'S'mall. 'M'edium. 'L'arge.
 - 20) 3rd BEDROOM. 'D'ouble or 'S'ingle.
 - 21) NUMBER OF RECEPTIONS. Enter number.
 - 22) BEDROOMS. Enter number.
- N.B. Entering Zero or leaving no answer to any of the above categories is the equivalent of answering Yes/No/Not Known/Doesn't matter.

Printout from the Property File showing the options available for describing a property.

Besides the above program there are other specialised packages developed for use in estate agents; Centaur £695, Clear £1,500, Estate Master £650 and Compssoft which is a generalised package with scope for use in an estate agents, £400.

Contacts

Centaur: A.C. Software Ltd, 13 Heavitree Road, EXETER, Devon EX1 2DL. Tel: 0392 211718.

Clear: Coopers Lybrand (NI) Associates Ltd, Fanum House, 108 Great Victoria House, BELFAST BT2 7AX. Tel: 0232 245452.

Estate Master: Alamo Computer Services, 2 Larch Close, Morton, MIDDLESBROUGH, Cleveland. Tel: 0642 3038.

Compssoft: Diamond, DMS/Delta, Hallams Court, Sharnley Green, GUILDFORD, Surrey GU4 8QZ. Tel: 0483 898545.

The package described in the article is available from: M. Landau, Charles & Co., 734 Kenton Road, Kenton, Middlesex. Tel: 01-204 9488/9.

ESTATE AGENTS COMPUTER SYSTEMS

- * High capacity for properties and applicants.
- * Comprehensive property print-outs.
- * Automatically addressed labels.
- * Multiple Property matching.
- * Fast applicant matching.
- * Print-out of property and applicants registers.
- * Guarantees extra sales!
- * Designed, developed and perfected by estate agents.
- * Low capital outlay.

Complete price around £3690.00
(+ VAT) depending on printer.



For further details or demonstration please write, call or phone

Hexawell Ltd,
734 Kenton Road,
Harrow,
Middx. HA3 9QY
01-204 9488 or 0066

CodeWriter

makes
data base and
related programming
as simple as

abc



**"WHY BUY ANY
OTHER DATA-BASE
PROGRAM WHEN
YOU HAVE
CODEWRITER?"**
— recent satisfied user.

Forget about the expense of hiring a professional programmer or the restrictions of 'off-the-shelf' programs. Become your own program designer producing microsoftware to suit your specific requirements. Codewriter enables you to do this, you type commands in your own everyday language, just as you would write them on paper . . . it's as simple as ABC!

When you've completed your design, Codewriter will write the program code and store it on your own disk whilst you sit back and watch. At anytime, you can of course modify the programs you've designed.

Your programs may include data bases, printed reports, calculations and comparisons between fields of data, development of menus, forms, letters, memos, cheques, invoices, statements, mailing labels . . . the possibilities for design are endless.

Codewriter operates with most popular micros.

For details on Codewriter, complete and return the coupon to:
DYNATECH MICROSOFTWARE LTD.



Rue du Commerce, Bouet, St. Peter Port,
Guernsey, Channel Islands.
Telephone 0481 26081 Telex 4191130

name _____

address _____

tel. _____

New accounting packages

This month we take a look at two spreadsheets for the Commodore 64 – a machine whose potential in business is still being explored. A spreadsheet can be immensely useful for businesses, especially in forecasting. A spreadsheet can answer the question 'What will happen if . . .' As well as being useful in the office spreadsheets also have their uses in the home.

Busicalc 2 is produced by Supersoft and is for the 64 in either a tape or disk version. Many of the features and capabilities of this program are taken from its successful predecessor, Busicalc. The first step that has to be taken with any spreadsheet is setting up the working area.

With Busicalc 2, the number of rows can vary from 20 to 999 and the number of columns from 2 to 125 although the sum of rows × columns can not exceed 2500. There is another restriction. The number of boxes multiplied by the column width can not exceed 22,500 although this prerequisite should not affect the size of the spreadsheet unless column width is greater than nine characters.

	jan	feb	total
sales	350	400	750
costs	210	240	450
profit	140	160	300

Keeping a profit account on Busicalc 2.

Vertical and horizontal scrolling is performed very quickly as is the movement of the cursor using the the normal cursor keys. However, it is not possible to move from one end of the screen to the other using the CLR/HOME key. This function is performed by a program command called jump where the user specifies the address of the information required. The worksheet cursor is rendered inoperable once the program is in edit mode but cursor movement along the input line is still permitted.

It is in using these program commands that the user will come across the only comparatively poor feature of the program.

Changing the colour of the background is fiddly but because this is essentially only a piece of decoration, it should not be taken too seriously.

	jan	feb	mar	apr
income				
salary	200.00	200.00	200.00	200.00
other	15.00	20.00	17.95	20.00
subtotal	215	220	217.95	220.00
expenses				
mortgage	76.15	76.15	76.15	76.15
rates	12.54	12.00	13.00	12.00
heating	17.00	15.00	14.00	10.00
food	60.00	50.00	50.00	55.00
clothes	7.85	10.00	10.00	11.00
car	20.00	20.00	20.00	15.00
savings	10.00	10.00	10.00	10.00
subtotal	203.54	193.15	193.15	189.15
cash flow	11.46	26.85	26.85	30.00
bank bef	100.00	100.00	100.00	100.00
bank now	111.46	126.85	126.85	130.00

An example of how Busicalc 2 can keep track of financial accounts in the home.

Any part of the worksheet can be printed out and there are two print modes.

Any Commodore compatible printer should produce satisfactory results and all the user is required to do is set up the correct parameters as prompted by screen messages. The material that is output can be either an exact replica of data as it appears on the screen or a formula list.

All information and data will appear at the top of the screen before being transferred to the working area. Data is

not limited to letters. Digits and formulae can also be entered. When calculations are being carried out, the number of characters per formula is not restricted by the width of the column and each formula must be pre-fixed by a certain symbol which will inform the micro what sort of operation is being carried out.

A simple example of this would be addition where the first address is always assumed to be positive. This would then be followed by the address to be added, the result being stored at the position of the cursor.

BUSINESS SOFTWARE

Formulas may also incorporate the more advanced mathematical functions needed to perform trigonometrical operations, logarithms and square roots. There are other calculations that can be performed which are less useful in everyday use. For instance, POS will test for a positive value and return a 0 or 1 accordingly. The opposite to this function is NEG that will test whether an expression is negative and returns a value of 1 or 0.

All of these functions are built-in features of the program but it may be that these will not suit the requirements of the user. This is a problem which all purchasers of such software face. Super-

soft have attempted to solve this problem by providing the user with three user-definable functions, all of which can be accessed by the same method used to enable all the other functions.

At some stage in the usage of this system there will be seemingly endless numbers of calculations that are exactly the same. Calculating these nearly always becomes very boring and tedious and so it would be a good idea to make use of Basicalc 2's replicate function which copies both box contents and formulae from one area of the worksheet to another. The tape version will cost £69 and the disk version will cost £71. Both of these represent good value for money.

Column a	Column c
1	1
2	2
3	3 +c2*.6
4	4 +c2-c3
Column b	Column d
1	1
2	2 +b2+c2
3 +b2*.6	3
4 +b2-b3	4 +d2-d3

This formula printout gives all the details of calculations that will produce a profit and loss account.

	jan	feb	mar	apr	may	june	july	totals
sales	200	250	300	350	400	450	500	2450
cost	250	300	350	400	450	500	550	2800
profit	-50	-50	-50	-50	-50	-50	50	-250

Analysing monthly profit with Basicalc 2.

The second package is produced by Abrasco. The cost of Abracalc is £27.50 for disk and £25.00 for tape. Both of these are astonishingly low prices and it is easy to see why. Admittedly it does have more features than some of its rivals but the quality is certainly not very high and the manufacturer's claim that it is far better value must be doubted.

A screen format similar to that of Practical is the basis of the spreadsheet, with the three control lines at the top. It is these three lines that show the current location of the cursor that the spreadsheet is addressing. The data area of the spreadsheet is composed of 1040 cells; that is 1040 different addresses of data on a 26 x 40 grid.

Below this main section of the spreadsheet is a help section which is merely a list of commands available. This is quite helpful but all the commands and functions are adequately described in the manual and so the user does not lose anything by deleting the help section and thus widening the work area of the screen.

This is done quite easily and quickly. If only the operation of actually moving the cursor round the screen was as quick. Using the usual cursor keys, cursor movement is appallingly slow and cumbersome. With any good spreadsheet and in an ideal situation, the user should have difficulty seeing the cursor move. There are other ways of moving the cursor namely the CLR/HOME key. Instead of having to mess about and wait all the time it is far quicker and simpler to specify the location that you want the cursor to go to. Incidentally, there are two cursors, the



"The Abracalc does have one great advantage—its price."

other one flashing incessantly on the control line.

The limitations of this package are not only restricted to the speed of the cursor but also apply to the speed at which data is entered. All the data to be entered first appears on the control line but the user must remember not to enter any more than about 10 characters. This is the maximum and any excess will immediately appear on the screen. Hence it is possible to end up with a screen full of information and letters or digits in places

where they ought not to be.

This also applies to arithmetic. It is possible to calculate A1 + B1 but asking the program to calculate A1 + B1 + C1 is another matter altogether. Happily in this instance there is a way out of this problem because there is a limited range of functions like sum and average to calculate a total value between two given addresses. However any calculation takes an awfully long time and in some cases it is quicker to work the answer out mentally rather than wait for this program to do it for you.

But the biggest criticism of Abracalc must be reserved for its print routine. Even in the manual, the manufacturers admit that the print routine may not work. This they claim is due to the printer not being switched on. For the purpose of this review, the 64 was connected to the 3022 printer via Interpod. Everything was switched on, all the connections were perfect and absolutely nothing happened apart from the screen going totally blank.

We explained the problem to Abrasco and they told us that the program should print using the Commodore 1526 printer. Unfortunately we had no time to test this claim to the full. Abrasco say they are also revising the print capabilities of Abracalc so the program can print out through Epson printers using the RS 232 interface.



In spite of its faults the Abracalc does have one great advantage — its price. Considering its cheapness it's hardly surprising that the program should be lacking in some respects. You get what you pay for, of course, and you don't pay a fortune for Abracalc.

SUPERSOFT

the name to remember

for games


For only £8.95 you can buy a game that's exciting, soothing, and frustratingly addictive – all at the same time! STIX looks so different and sounds so different from all those other games that it will seem like being in another dimension when you sit down to play.



CRAZY KONG £8.95



WILDFIRE £6.95



HALLS OF DEATH £8.95

for business

Show your computer who's master with BASICALC! Spreadsheet programs are used by large and small businesses to juggle with figures, prepare reports and so on. Some are very powerful indeed. The problem is that they're difficult to learn, and tricky to use – which is why we came up with the BASICALC series.


Whether you choose BASICALC 1, BASICALC 2, or BASICALC 3 you'll get a program you can understand – and one that almost seems to understand you. Use it in the home, use it for teaching, use it at work – it'll save you time and money.

	Jan	Feb	Mar
INCOME:			
Wages	76.45	76.45	76.45
Mortgage	12.54	12.54	12.54
Rates	18.00	18.00	18.00
Heating	60.00	60.00	60.00
Food	12.00	12.00	12.00
Clothes	20.00	20.00	20.00
Petrol	10.00	10.00	10.00
Savings			
Sub-total	209.29	209.29	209.90
EXPENDITURE:			
NET CASH FLOW	6.31	5.71	5.10
BANK BALANCE	100.00	106.31	112.02
CARRIED OVER	106.31	112.02	117.12

for programmers

MIKRO is a full 6502/6510 ASSEMBLER with the power that professional programmers need, yet so simple to use that we recommend it to beginners! The MIKRO cartridge has many other facilities including editing commands and a machine language monitor, all for £57.50.

There's much more for the 64 in the SUPERSOFT catalogue. Ask your computer dealer for a copy, or phone 01-861 1166.



The Best Software

AT LAST, THE 132 COLUMN PRINTER FOR THE BUSINESS MICRO COMPUTER USER

The MT180 matrix printer is setting the standard in price/performance for the business micro user. The 160 cps gives you high throughput whilst its standard 132 column width is ideal for the latest accounting and spread sheet software.

With the MT180 you can easily use your word processing package. Just one code stream sets the printer to 40 cps correspondence quality and all codes associated with a daisy wheel printer.

And all these extra facilities are standard to the MT180


Bar charts and graphics print-out for business reports. Letter heads handled by friction and print-outs by tractor mechanism.

Problem free interfacing — buffered serial and industry standard parallel.

At Mannesmann Tally we just do not believe in the word option.

For the user we have the on-going support only a manufacturer can totally provide.

For the dealer we've set up an operation based entirely on your requirements.



**FULLY
COMMODORE
COMPATIBLE**

PRESENTING THE MANNESMANN TALLY AT 180
132 COLUMN 160cps MATRIX PRINTER

WORD PROCESSING PACKAGE
AS YOU CAN SEE FROM THIS PARAGRAPH THE AT 180 OFFERS HIGH QUALITY CORRESPONDENCE PRINT AT 40cps. AUTOMATICALLY TEST CONTINUOUSLY WHICH VERTICAL THIS TEST ON THE PAPER AND SHOWS WHICH SUBSTITUTION WHICH ALTERS THE CHARACTER SPACING SO THAT THE FAR RIGHT COLUMN CONTAINS THE LINE CHARACTERISTICS. FOR EACH INDICATION INTO THE WORD PROCESSING SYSTEM THE AT 180 RESPONDS TO YOU AS A DAISSY WHEEL PRINTER.

THIS LETTER QUALITY MODE ALSO GIVES YOU THE CHOICE OF THREE CHARACTER PITCHES: -
PROPORTIONAL SPACING ***** AT 180 - THE BEST PRINTER FOR YOUR MICRO
10 CHARACTERS PER INCH ***** AT 180 - THE BEST PRINTER FOR YOUR MICRO
12 CHARACTERS PER INCH ***** AT 180 - THE BEST PRINTER FOR YOUR MICRO
PLUS A VARIABLE SPACING FEATURE WHICH ALLOWS CHANGES IN CHARACTER PITCH FROM THIS SPACING TO THIS SPACING

DATA PROCESSING, BUSINESS
Here the AT 180 is operating at 160 characters per second with bidirectional printing and short line seeking for fast throughput. To increase your report writing versatility this printer can be programmed to print 6 or 8 lines per inch, plus!



10 CHARACTERS PER INCH FOR UP TO 132 COLUMNS, OR
12 CHARACTERS PER INCH FOR UP TO 132 COLUMNS, OR
10 CHARACTERS PER INCH FOR 132 COLUMNS, OR
12 CHARACTERS PER INCH FOR 132 COLUMNS.

TO DRESS UP YOUR REPORT OR TO EMPHASISE A POINT YOU CAN CHOOSE:
EXPANDED PRINT AT 5 cpi, EXPANDED PRINT AT 6 cpi,
EXPANDED PRINT AT 8.25 cpi, OR BOLD FACE PRINT AT 10 cpi.

FOR SCIENTIFIC REPORTS YOU CAN DO: **SUBSCRIPTS (E-N-C) AND SUBSCRIPTS (M-O)**
TO SIMPLIFY YOUR FORMATING YOU CAN PROGRAM UP TO 16 VERTICAL AND 16 HORIZONTAL TABS, SET LEFT AND RIGHT MARGINS AND FORM LEADING.

GRAPHICS
For this picture worth 1000 words the AT 180 also comes standard with DOT ADDRESSABLE GRAPHICS AT 56 AND 100 DOTS PER INCH HORIZONTALLY, AND 84 DOTS PER INCH VERTICALLY. PRINT BAR CHARTS, GRAPHS OR ANY OTHER IMAGE YOU REQUIRE.

For further information, please contact: **MANNESMANN TALLY LTD.**
Mannington Way, Wokingham, RG40 3AA, UK
PHONE: (0734) 788711
TELEX: 847028
FACSIMILE: (0734) 788711
TALLY: MANNESMANN TALLY (MANNESMANN) TALLY: MANNESMANN TALLY




THE MT180 FROM MANNESMANN TALLY



Molly Millars Lane, Wokingham, Berkshire RG11 2QT
Tel: (0734) 791868 Telex: 847028

Note to microcomputer dealers — if you would like to handle these products then ring Geoff Thomas or Terry Bell on the M-T Direct lines — Wokingham (0734) 791619 and 791533.

A versatile printer



If your requirements are for a printer that will merely produce legible print outs for internal use then your choice is wide. If, however, you need to present print outs to the outside world then you will need a quality printer. We take a look at the MT180C.

Mannesman Tally have traditionally specialised in dot matrix printers and a recent addition to their range is the MT180C. The one we are looking at is the model for the Commodore with IEEE interfacing. This multifunction printer incorporates data processing, graphics and high resolution printing capabilities.

Features of this 132 column printer include a very high printing speed of 160

cps, a comprehensive variety of character size and pitch and optimised logic seeking

Visually the MT180C is very attractive with its cream coloured casing. Weighing only 7kg the printer is compact, easily transportable and could fit very snugly beside a computer system. The manual accompanying the system is very clear and Mannesman Tally have obviously taken a lot of trouble to get the printer to be user friendly.

Multifunction Performance

The printer can emulate the daisy wheel quality of print, but the speed slows down to 40 characters per second (cps). The MT180C responds to many of the same control codes as a daisy wheel printer so that the user's word processing system can be integrated more easily.

HOTEL SYSTEM

We are pleased to introduce our **NEW HOTEL ACCOUNTING SYSTEM** incorporating:-

This system was designed by a hotelier for hotels. Terms are posted automatically on each date change along with any morning tea or newspaper orders. **GUEST BILLING** features Automatic Tariff and a price look-up for 1000 items.

STOCK CONTROL keeps full records of Stock and Sales and will produce Stock Lists, Low Stock Reports, Order Forms etc.

Full **GUEST RECORDS** are stored, showing Name and Address, Last Arrival and Departure Dates, Last Room Occupied, Amount of Last Invoice, Number of Stays and the Total Amount Spent.

These can be viewed when necessary.

The **WORD PROCESSOR** can be used for producing Daily Menus, Wine Lists, Memos, Arrival and Departure Lists and Circular Letters.

Information from the main **GUEST RECORDS** or **FILING SYSTEM** files can be automatically inserted into Letters. The price for this complete system, the computer, floppy disk drives, printer, first 2000 bill sheets and staff training is from **£2745 + VAT**, depending on choice of printer.

Now available on Commodore 700 series from **£3250 + VAT**

For further information please contact Paul Southcott on 0323 843737.

Our reservation package is now available – only on 700 at present.



Southcott Software Services

Glyndley Manor, Hankham, Pevensey, East Sussex BN24-5BS
Telephone: (0323) 843737 Telex: 877440 Ref. SSS

Low price high quality software for Commodore 32K Pet & 64

Integrated accounting systems, Purchase ledger, Sales ledger, Invoice printing, Statements, Trade and early settlement discounts, Payroll with SSP and seven overtime/piece work rates, Stock control, Cash Book, Nominal ledger, will complete audit trail etc etc.

Purchase & Sales Control £80.00 + VAT

Runs both purchase and sales ledgers with optional circulation of VAT from the gross or nett amount, analysis by accounting period, "Due for payment report," totals for NETT VAT and gross. Print invoices on your own stationery laid out according to your own instructions. Suitable for small businesses only. Any 32K Pet or 64.

Stock Control £60.00 + VAT Nominal Ledger £60.00 + VAT

Produces trial balance and up to twenty reports in addition to Profit and Loss and Balance sheet. This programme can be used on its own and it can read files set up by our Purchase and Sales control.

Write or phone for further details

ELECTRONIC AIDS (TEWKESBURY) LTD

Mythe Crest, The Mythe, Tewkesbury
Gloucestershire GL20 6EB
Tel: 0386 831020/0684 294003

PETX2

doubles the speed ...
trebles the memory ...

... of your PET computer!

For users of the CBM/PET 3000, 4000 or 8000 series of computers who want to upgrade to new generation standards, computer specialists J.R. & S. Purdue have developed the PETX2 add-in board. Manufactured to the most exacting standards. PETX2 uses the latest microprocessor technology to double the processing speed of your CBM system, whether running BASIC, Silicon Office, Viscalc or any other application. The system comprises one board positioned inside the computer which can be fitted in 10 minutes using only a screwdriver. The board provides 96K of memory, thus upgrading 32K systems to 96K and replacing current 96K versions. This development means that your investment in software and data is protected, for by enhancing your machine speed, it comes into line with the Sirius, Osborne and even some 16-bit machines, as can be seen from the table of Personal Computer World Benchmarks:

Machine	BM1	BM2	BM3	BM4	BM5	BM6	BM7	BM8	Average
CBM with PETX2	0.87	5.1	9.4	10.3	11.2	16.5	26.0	6.0	17.5
IBM PC	1.5	5.2	12.1	12.6	13.6	23.5	37.4	3.5	17.6
Osborne 01	1.4	4.4	11.7	11.6	12.4	21.9	34.9	6.1	19.9
Apple 111	1.7	7.2	13.5	14.5	16.0	27.0	42.5	7.5	24.7
ACT Sirius 1	2.0	7.4	17.0	17.5	19.8	35.4	55.9	4.3	24.8
Apple 2	1.3	8.5	16.0	17.8	19.1	28.6	44.8	10.7	30.4
Commodore CBM 8032	1.7	10.0	18.4	20.3	21.9	32.4	51.0	11.9	34.3

TECHNICAL DATA


6502A processor running at 2mhz
128K of 4164 dynamic memory
Bank switching VDU Peek Thru
I/O Peek Thru

PRICE
£350 plus VAT
enquire for
quantity
discounts

JR&S

Purdue

1 Port Hill, Hertford, Hertfordshire SG14 1PJ.
Telephone Hertford (0992) 57392



BUSINESS HARDWARE

Three choices of character pitch can be used to vary the print size, proportional spacing, 10 and 12 characters per inch. As well as this there is a variable spacing feature to alter the length between each of the characters. Text can be printed out neatly with the automatic text centering function and a right margin justification.

In the data processing mode the printing speed increases to 160cps and prints bi-directionally – the printer head prints on its return journey as well as forward. This means it can print much faster.

Because this mode has a number of features which vary the text size and spacing, there is scope to increase the variety and clarity of the text. The character sizes can vary from 10 to 20 characters per inch and there is a corresponding increase of columns from 132 to 264. As well as this the number of lines per inch can vary from 6 to 8 and expanded print can be altered from 5 to 10 characters per inch.

Especially suitable for writing formulae is the super and sub script function and for the simplification of forming it is possible to program up to 16 horizontal and vertical tabs.

The production of graphics is excellent

and it can produce graphs, bar and pie charts, curves and other images without difficulty. Other type styles available are the 96 USASCII and 27 National Characters.

Two forms of paper feed can be used, the friction feed can print onto 3 sheets of paper and on the tractor feed which is optional 4 copies can be produced. The paper is fed through very smoothly and would be ideal for letter heads etc. The fabric ribbon produces a black print which is quite faint, I prefer a darker print.

The touch sensitive panel containing the printer controls gives the printer a sophisticated appearance and is a pleasure to use. The On/Off line indicates when the printer will accept data from an external data source. Two Feed Functions can be used; the Line Feed which is only active when the printer is "off" advances the print one line, with the Form Feed, the paper slews to the top of the next form.

The controls can be combined to carry out other functions, for instance it is possible to get a print out of one line to show the program and character set number. Indicator lights show when the power is on, when the "On Line" is on and allowing data to be received and if a fault occurs, a red light illuminates. Additional

controls include knobs to control the paper manually, to regulate the distance between the print head and a paper handling lever.

Interface

The Commodore version of the MT180 has the Commodore compatible IEEE 488 I/O and only utilises the listener (output to host) function, responding to commands from the system controller. Text format can either be programmed or selected using the operator panel. Printer configuration can also be done via the computer interface. The manual explains all the necessary codes and sequences. The printer is not compatible with word processing packages such as Superscript and changing the character sets etc. can not be done unless programmed into the computer before hand.

The MT180C is well designed, extremely versatile and a pleasure to use. Designed to suit programmable measurement systems, small business systems and the home computer systems this machine would suit most needs and is very good value at £749+vat.

Contact: Mannesmann Tally, Molly Millars Lane, Wokingham, Berks, RG11 2QT. Tel: 0734 788711.

The Mannesmann Tally printer is capable of some highly sophisticated printing. Illustrated here is an example of the unusual printing operation the machine can carry out. This is entertaining but such capabilities also make it a very versatile business machine.

```
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ A B C D E F H H G H I J K L M N O P Q R S T U V W X Y Z [ \ ] ^ _ ` a b c d e f g h i j k l
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ A B C D E H H F G H I J K L M N O P Q R S T U V W X Y Z [ \ ] ^ _ ` a b c d e f g h i j
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ A B C D H H E F G H I J K L M N O P Q R S T U V W X Y Z [ \ ] ^ _ ` a b c d e f g h
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ A B C D H H D E F G H I J K L M N O P Q R S T U V W X Y Z [ \ ] ^ _ ` a b c d e f
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ A B H H C D E F G H I J K L M N O P Q R S T U V W X Y Z [ \ ] ^ _ ` a b c d
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ A H H B C D E F G H I J K L M N O P Q R S T U V W X Y Z [ \ ] ^ _ ` a b
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ A H H A B C D E F G H I J K L M N O P Q R S T U V W X Y Z [ \ ] ^ _ ` a
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H H A B C D E F G H I J K L M N O P Q R S T U V W X Y Z [ \ ] ^ _ `
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H ? A B C D E F G H I J K L M N O P Q R S T U V W X Y Z [ \
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H > ? A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H = > ? A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H < = > ? A B C D E F G H I J K L M N O P Q R S T U V
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H ; < = > ? A B C D E F G H I J K L M N O P Q R S T
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H 9 ; < = > ? A B C D E F G H I J K L M N O P Q R
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H 8 9 ; < = > ? A B C D E F G H I J K L M N
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H 7 8 9 ; < = > ? A B C D E F G H I J K L
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H 6 7 8 9 ; < = > ? A B C D E F G H I J
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H 5 6 7 8 9 ; < = > ? A B C D E F G H
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H 4 5 6 7 8 9 ; < = > ? A B C D E F
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H 3 4 5 6 7 8 9 ; < = > ? A B C D
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ A B H H 2 3 4 5 6 7 8 9 ; < = > ? @ A B
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H 1 2 3 4 5 6 7 8 9 ; < = > ? @
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H / 0 1 2 3 4 5 6 7 8 9 ; < = >
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H . / 0 1 2 3 4 5 6 7 8 9 ; <
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H - . / 0 1 2 3 4 5 6 7 8
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H , - . / 0 1 2 3 4 5 6
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H + , - . / 0 1 2 3 4
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H * + , - . / 0 1 2
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H ) * + , - . /
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H ' ( ) * + ,
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H & ' ( ) *
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H % & ' (
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H $ %
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H # $
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H "
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ A B C D E F H H G H I J K L M N O P Q R S T U V W X Y Z [ \ ] ^ _ ` a b c d e f g h i j k l
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ A B C D E H H F G H I J K L M N O P Q R S T U V W X Y Z [ \ ] ^ _ ` a b c d e f g h i j
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ A B C D H H E F G H I J K L M N O P Q R S T U V W X Y Z [ \ ] ^ _ ` a b c d e f g h
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ A B C H H D E F G H I J K L M N O P Q R S T U V W X Y Z [ \ ] ^ _ ` a b c d e f
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ A B H H C D E F G H I J K L M N O P Q R S T U V W X Y Z [ \ ] ^ _ ` a b c d e f
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ A H H B C D E F G H I J K L M N O P Q R S T U V W X Y Z [ \ ] ^ _ ` a b c d
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ A H H A B C D E F G H I J K L M N O P Q R S T U V W X Y Z [ \ ] ^ _ ` a
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H H A B C D E F G H I J K L M N O P Q R S T U V W X Y Z [ \ ] ^ _ `
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H > ? A B C D E F G H I J K L M N O P Q R S T U V W X Y Z [ \
! " # $ % & ' ( ) * + , - . / 0 1 2 3 4 5 6 7 8 9 : ; < = > ? @ H H = > ? A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
```

Simplify all your work with numbers -


CalcResult™

The 3 dimensional program that's a hit with users all over the world!


Only CalcResult gives you all these exciting features ...

● THREE DIMENSIONAL CALCULATION

CalcResult's powerful three dimensional spread sheet format rapidly becomes an irreplaceable tool for those involved in figure manipulation and relationship. Budgets reports, statements, forecasts and planning are all areas in which a saving in time and resources are as important as the ability to handle all forms of calculations. The many features of CalcResult simplify the rapid production and calculation of all aspects of business forecasting and planning. Each model can have up to 32 pages of associated information with a consolidated report and every page has 63 x 254 data positions which can contain text, formulas or values. CalcResult's powerful editing functions mean rapid creation and amendment of models and, once created, split screens and multiple page viewing allow easy review of information.



● GRAPHIC REPRESENTATION



CalcResult can translate rows of columns of numbers into histograms on the screen or printed histograms can be used to enhance presentation of tabular information in reports. (With CalcResult 64 full colour options are available on the screen.)

● HELP FUNCTION AND AN EXPLICIT MANUAL

CalcResult is simple to use and easy to learn thanks to a detailed instruction manual and help screens that are available at the touch of a button, to explain the functions available for each command.

● FLEXIBLE PRINTING

CalcResult allows you to define your own report layout. You can choose the order of columns to be printed and set the width of each independently. Layout definitions can be stored on a disk for future use.

● TIME SAVING COMMANDS AND CONDITIONAL FUNCTIONS

Commands like replicate, copy, move, go to, insert and delete make CalcResult simple and easy to use. CalcResult calculates according to correct mathematical priority and has standard functions for statistics, trigonometry and logarithms. Conditional functions like IF THEN ELSE and OR AND NOT allow greater flexibility in the setting up of models. Once created, all formulas are protected from accidental deletion.

CalcResult is available for the business and home user ...

Advanced CalcResult, with the three dimensional capability, is available for the Commodore 700, 8000 and 64 computers—with a disk drive. A special home or small business version, Easy CalcResult 64, is available as a cartridge. Because this does not require a disk drive the three dimensional, graphic and help function features are not available but even so Easy CalcResult 64 is as powerful as the traditional spread sheets previously only available on expensive business micro computers.

PRICES: EASY CALCRESULT 64 £69 ADVANCED CALCRESULT 64 £109
CALCRESULT 8000 £199 CALCRESULT 700 £225 ALL PRICES PLUS VAT

CalcResult is only available from

KOBRA

MICRO MARKETING
OR THEIR DEALERS

Kobra Micro Marketing,
P.O. Box 28,
Henley-on-Thames, Oxon.
Telephone
(0491) 572512



SEND IN THIS COUPON NOW FOR DETAILS

To: Kobra Micro Marketing, P.O. Box 28, Henley-on-Thames, Oxon.

Please send details of the exciting CalcResult program. I am interested in:

CalcResult 700 CalcResult 8000
CalcResult 64 Easy CalcResult 64

Name _____

Address _____

Tel. No. _____



What's in a database?

Confusion in the computer world often arises from problems with words. Different people sometimes place slightly different meanings on the same word or different words may be used to describe the same thing. Nowhere is this more apparent than in the area referred to variously as databases, database management systems, data management systems. We begin this look at the products in this area with a clarification of the terms used and follow it with a look at a selection of the major products.

A database is a 'collection' of information. A database management system (DBMS) is a method of managing that information. That's it, simply, in a nutshell. The major cause of confusion is the tendency, especially by software companies, to refer to what is really a database management system as a database.

One example of a database, particularly relevant to us, as a magazine publishing house, would be a subscription list. The list of names and addresses would be the database. As it stands it is simply a list in no particular order, but a suitable DBMS would enable us to arrange the list in alphabetical order, for instance, or into various regions of the country.

The usefulness of a DBMS would obviously depend on how much information we had about our subscribers. We might be able, for instance, to divide the list into personal subscribers and business subscribers.

At its most basic a DBMS could be described as a filing system. The advan-

tages of using a computer to manage large collections of information instead of using a manual system will be obvious. Imagine sorting 5,000 names into alphabetical order by hand. If you wanted a regional breakdown as well and needed regular access to both the alphabetical list and the regional breakdown you would need to set up two sets of files.

A computerised system enables quick and easy access to the information and any identifiable and separable categories of information, usually referred to as 'fields'.

Before investing in a DBMS it is absolutely essential that you know as accurately as possible what you will want it to do. One of the most common errors is to buy a DBMS with general applications for use in an industry with specialised needs. Many database management systems are very flexible and will allow you to decide how many 'fields' of information you want to define within the main file of information.

Even so a university department which wants to sort out information which results from market research will have different requirements from a factory personnel manager responsible for thousands of employees.

Due to the enormous variety of database management systems available, covering every one would be impossible. So our attention is focused on some of the DBMS's used in office management. Their main function is to process and store information in a manner recognised by the business using it. Reports and files have to be easily accessible and they usually cover everything that is needed to keep the office running smoothly. Besides these more generalised office systems, numerous others for the more specialised business concerns, are now in use by, estate agents, solicitors, architects, dairy farmers, and many others.

SIMPLY FILE

This is a fairly straightforward database management system for filing information, writing reports and mailing lists. Simple Software Ltd have designed it to be compatible with the Commodore PET/CBM and the CBM 64 and Simply File comes with a comprehensive manual and a single floppy disk.

It has been developed to include all the functions necessary for creating files for information storage, creating reports using the data in the files and to print labels for mail-outs etc. Also included in the package is a selective calculation function. A Word processing program is

available at extra cost.

The main program is the Simply File and is the only one of a suite of eleven that can be loaded directly, all the others are accessed after it has been loaded. There is a limit of 20 fields to each record and if mistakes are made the file can be restructured. Each of the fields can be changed, added to and accessed for consultation.

Labels can be printed in alphabetical order in any key field, for example in order of surname. To print reports, a number of criteria are available for the user to utilise when designing the report; space for header columns, column tabulation and headings and an option for the user to

specify which information is wanted in the report. Apart from the random files there are sequential files which can be used to restructure information from several of the random files.

Nearly 80 per cent of the Simply File packages for the PET are used by schools, universities and technical colleges. Other users include Rank Xerox and British Telecom. More and more users of the CBM 64 and Simply File is used by a variety of people; small businesses, accountants, professional users and even by ministers to maintain Parish records! Prices are £60+ vat for the CBM 64 and £65+ vat for the PET/CBM.

Strengthen your hand

with Superbase 64

The complete information control system for the Commodore 64

The World Famous Commodore 64.



No matter what your business or interest, with Superbase 64 you have a totally flexible 'record' system, as big as you want it, as fast as you need it.

Create your own formats, enter your records, change layouts and datafields.

Superbase gives you unrivalled control in home or office, business or professional practice, with a range of features including:

YOUR OWN RECORDS

- Design your layout using text, numeric, linking and key fields.
- Record size up to 1100 characters spread over only by your equipment.
- As many thousands you want - each with up to 15 files.
- Learn fast through built-in HELP screens - then add your own notes

FAST ACCESS

- Keyed records for high speed retrieval - 3 secs for any file size
- Select and search for any name, description, number, date, etc. in multiple combinations
- Sort records into any order
- Display selections or generate printed reports
- Browse through records matching on any criteria

TOTAL CONTROL

- Links to other programs and EASY SCRIPT for mailshots, high-quality letters, quotes, tables, etc.
- Effective management of invoices, addresses, stock, membership, appointments - any and every kind of record
- English like commands for easy conversational programming, plus built-in BASIC

DATABASE MANAGEMENT

- Easy to understand menus or alter amend fields, rebuilding needed
- Update files with automatic batch processing option
- Calendar arithmetic for effective time management
- Display quantities, values, totals, as you enter them, as you enter them.
- Formulas for on-screen result calculation



Superbase 64

Precision Software Limited,
Park House, 4 Park Terrace,
Worcester Park,
SURREY KT4 7JZ ENGLAND.
Telephone: 01-330 7166
Telex: 8955021 PRECIS G



PRODUCT SURVEY

Tomorrows Office

Tomorrow's Office used to be called The Administrator. For £695, the user gets a very thick manual, two program disks and one dongle.

One of the applications that Tomorrow's Office is useful for is keeping medical records, using the master record as the patient record and the transaction record as the visit report.

Reports can be the product of all visits in a week or month by the doctor, reports on an ailment by week, month and sex, age and sex register and a drugs register detailing which patient has been prescribed which drug.

It is also possible to use the system as a stock control system. The system keeps four main balances which are kept permanently updated by the entry of

transactions. The records, whether in master file or transaction file, can be up to 254 characters long and records in both files are chain linked together.

The package comprises several routines, probably the most important being the creation of the master format. Complete files can be searched very simply using the 'select search' criteria or the simple search. With select search the user can search files based upon multiple fields and various criteria. The simple search allows the user to find data within a field or record.

Such facilities as batch input and update allows the user to update all the records on a daily basis if necessary. It is also possible to get a printout using the view print program. On the medical aspect of the system, the copy/convert

program will copy over all the important medical history to a new disk.

With regards to the stock control aspect of the system, the stock valuation report will provide the user with a list of values at cost price as well as a price list. The stock shortages report shows the user the cost of replenishing stock to either minimum level status or optimum reorder quantity so that a decision can be made as to the most economical method of purchasing. Using the global update facility, it is possible to update a suppliers prices with a constant. For instance if all magazines went up by 20%, the user would need to update the price by that percentage. The hardware needed to run this database management system is a CBM 8096, 8050 or 8250 (although the diskettes supplied with the system are in 8050 format) and a compatible printer.

SILICON OFFICE

SILICON OFFICE

For a very long time now, Silicon Office has been regarded as one of the best selling data base management systems around for the Commodore PETs. It is a large, very versatile software system and includes much more than a DBMS.

The system consists of two types of information storing disks, data disks and work disks. On the latter, all the files are sequential and all the file names on these disks are 16 characters long.

The data disks are organised as relative records under Commodore DOS and each record has a limit of 254 characters. The screen picture for a data file is stored in a sequential file and each screen picture consists of 23 screen lines each of 80 characters, a total of 1840 characters per file. The first relative record file is used solely to keep track of where the next record should be added and so the first real data record is actually the second relative record file.

Silicon Office allows the user to centre text, move from page to page, underline text and many other functions. There are many of these functions which are split into three sections. The Silicon Office command set comprises of 36 commands and these do not include the 26 commands that form the Text Editor Commands or the many built-in functions.

Using a combination of these commands and functions it is possible for Silicon Office to maintain complete control of the user's records. The records on each file can be updated, deleted and stored. Information in one file can be merged and transferred to another file.

There is also an integrated word processor which means the system can produce reports, accounts and letters with great ease. One feature of the word-processor is its ability to split the screen into two or more vertical columns. The mathematical capabilities of the system are also quite extensive. With the numeric constants, numbers consisting of 14 digits may be stored, although floating point representation is not possible. There are also 64 numeric calculator variables, all of which may be seen using the Display Memory function.

Silicon Office is sold on a world wide basis and is being used by the British Government and by over 40% of the world's top companies. It is difficult to think of many offices which could not make good use of the program because it is a very complete system. The hardware needed to run the system is an 8096 or an upgraded 8032 and an 8050 disk unit. Printers that can be used with the system are more varied, these being the 8024, 8026/7, 4022 and 8023. The cost of the software is £790 plus VAT.

There are many similarities between a manual filing system and a computerised DBMS. The main difference is the speed at which the computer operates and the space which storage of information takes up.

The basic unit of every filing system is the record – each card in a card index file is a record. A file is usually defined as a number of records in the same format ie with the same fields.

Fields are the separate items of information which make up the subdivisions on the record. On a personnel record in a personnel file the records might be Name; Address; Age; Sex; Date employed; Position; Salary; One of these fields is the keyfield – that item of information which you are most likely to know, to which you will need most frequent access and which is, as far as possible, unique to each record.

Information is retrieved by using one of several searches. The most important is the keyfield search. This is the quickest and simply runs through the file displaying each record. You can also use a criteria search by asking the computer to find records which conform to one or more criteria. Because the computer keeps a separate file of index of each field this is a fast search.

A character string search is the slowest search but it enables you to find records containing information which is not specified as a separate field. In such a search the computer looks for a nominated word or number.

Report generation is an important function of a DBMS. Different systems have different facilities for printing out the information and present it in different ways.

PRODUCT SURVEY

INFODISK

Infodisk 64 incorporates data processing and information retrieval facilities and works on the 64 with either a single or dual disk drive together with most of the CBM printers. It costs £75 and is less expensive than a similar program for the PET which is £150, although the latter has more facilities because of the larger memory.

The Select Data File always has to be chosen first as it contains the main menu and from it, all the records are created. Data can be entered onto the records in any form and design and the file structures can be changed at any time. The system comes with 6 sample applications for prospective users to use. An INDEX for the manual, an INVENTORY which can be used to control stock, INVOICES, LIBRARY which is a book cataloguing system, LIBRARY especially written for storing recipes, and SUBS which is a club subscription scheme.

The package has been used by libraries for keeping records of their books, general administrative and office use and by club secretaries to keep records of their members.

Each record has a variable length of up to 2400 characters, and the records can now hold up to 180 fields. Multiple files can be kept on disk and the record capacity is limited only by the disk. A sequential filing function enables the user to index the records on the disk in a specified order allowing much easier record retrieval.

An important feature of Infodisk is its report generating ability. Reports can be made which utilise any specified information in the files and they can be produced in pages, in linear or in tabular format. If the user is satisfied with a certain type of report format, the structure can be saved on disk for later use.

Another option on the report generating section is the wordpro/seq file. By using this the user can select data, send it to a sequential file for merging with a word-processing program and documents such as statements and invoices can be created. Certain parameters of the printer can be chosen using the printer option and the width and length of pages can be chosen.

Graphic characters can only be obtained on the Commodore printers, but the upper and lower case alphabet and the numeric keys can be used on all makes.

Most of the DBMS include some form of spreadsheet function and Infodisk is no exception. The Selec Calc File allows calculations to be set up and performed on the records either individually as the data is entered or in batches. It is possible

to define up to 50 calculations in each file and there is no limit on setting up calculation files.

This powerful calculator contains 19 functions including arithmetic, relational and logical operators as well as character and data manipulation. At the beginning of every session with Infodisk the day's date has to be entered and DAT, a data manipulation function, can utilise this date to locate 'out of date' records or in formulas automatically insert the date. The batch processing option can be used to update whole or parts of a file and produces various summary totals or deletes selected records.

The package comes with a manual and a single floppy disk. The 64 version has only just been launched and Beaver Software Systems intend to market it as a user-friendly system suitable for the home and small businesses.

DMS DIAMOND

The DMS Diamond from Compsoft is an information storage and retrieval system capable of storing up to 1016 characters per record. The hardware needed includes an 8032 or 8096, any Commodore disk drive except a 3040 or 2040, any compatible printer and the DMS dongle. The price has recently been reduced from £400 to £195!

At the moment there are more than 4000 DMS Diamond systems in operation, a large number are used in hospitals for research and administrative purposes. It is possible for DMS to store details about patients from which a researcher can trace trends in illnesses and diseases. This sort of test can be carried out using the search facility and specified parameters, of which there may be a maximum of eight.

It is easy to see that such a system could also be adopted for stock control, personnel and client records. DMS will show where stock level has fallen below the minimum and produce a re-order list. The spread sheet part of the system will also work out the recommended selling price based on cost price, sales costs, fixed margins etc.

With personnel records it is possible to produce lists of all personnel to suit several criteria. These lists can be printed, viewed on screen or merged with other data fields.

Using the calculations features it is possible to add, subtract, divide or multiply numeric data with constants or other fields.

However, before any file can be created, the disk must be configured by

entering hardware and software specifications. Entering and amending data is done by two methods, either through the standard screen display or through formatted screens that have been created by the user to suit individual needs.

Creating screen formats has several advantages. By doing this the user can expand prompts and create or miss out certain fields.

It is also possible to use the system to generate reports and letters. The DMS Diamond can print lists in sorted order using either all records or only those that meet various parameters.

In batch processing, there are two options that can be used, PROCESS and PRORUN. The first of these options allows the user to set up various processing routines which may be purely mathematical but each routine may be recalled in PRORUN to perform the processing on a group of records.

Information in one drive can be copied in the other drive. Using the link option, the information can be written to an intermediate file and then read into a new format.

Superoffice

Superoffice is a complete information control system for the 8096. The manufacturers specify that the system is ideal for personnel, customer/client records, stock and subscription handling.

The user defines the report and the screen format unless an off the shelf application is used. There is a step by step guide enabling the user to create the files and the size of the record may surpass 1000 characters although there is a limit of 128 items per record.

There is no need to link the system up to a word-processor because there is a word-processor already built into the program. This will use lists selected from data files for mailshots, tables, forms and the production of labels amongst many others.

Another built in feature of the system is a 30,000 word expandable dictionary and a comprehensive document editor. This editor includes instant text reformatting and the ability to see the printed format of text on screen before the text is actually dumped out on to the printer.

The width of the screen can be altered to accommodate 240 characters for tables and a linked file feature gives unlimited document length. The cost of this system is £850 for floppy disk and £950 for the hard disk version. It is available from Precision Software.

PRODUCT SURVEY

The Manager

The Manager is a sophisticated set of programs designed to run on the 8000 series in conjunction with any 80 or 132 column CBM or ASCII printer.

The record formats are completely user-definable and each record has a maximum record length of 254 characters. The maximum number of records is set at 16,000 although there is no limit on the number of datafiles. The length of each field is limited to 79 characters although there is a total of up to 120 data fields spread over two input screens.

Finding specific records is fast, easy and efficient using the sort facility. The sort can be performed in either descending or ascending alphabetical or numerical order and up to 20 criteria can be defined.

These reports can be output more than one at a time with wordprocessing by either Wordpro or Wordcraft. Once these files have been created they can be modified, summarized, sorted and rearranged. The Manager is available from Commodore or from Commodore dealers, price £275.

The Executive

The Executive is an electronic filing system which allows the user to store information in any form and link it to a word processing program so that information can be extracted from the records. The system is designed to run on the 8000 series and the cost is £645. No specialist skills are required to operate the system apart from understanding screen prompts and the design record formats. One of the first files created is an index file which can be used for high speed index searching. Once a document or report has been created on screen, it will display the finished format of the document in the fixed spacing mode. Also on the screen, there are five status indicator lines for information such as document name, width, length and the number of the page that is currently being displayed.

Also included in the system are several wait points to allow the changing of print wheels or thimbles during the actual printing process. The Executive is available from Dataview Limited.

Superbase

Superbase is a record management system for the Commodore 64, 8096 and the 700 series. It combines user-friendliness with the ability for users to

define records to suit their own needs, retrieve records and process files.

One of the many options available is the ability to link the system to the Easy Script word processor. Each database consists of up to 15 files and as soon as the system starts up, one of these files is selected as the current file.

This is a menu drive system with a double menu of options which may be selected by function key or by typing the name of the function. It is one of these functions that leads to a further menu of housekeeping commands for taking backup copies, initializing disks and other essential tasks.

All new files are created using the FORMAT option which (along with the ability to redefine field length without having to reconstruct the files) will allow the design of up to four screens for the record format and makes use of seven different types of field. It is possible to get 127 separate files with a maximum text field size of 255 characters. The file size is the number of records that each file is capable of accepting and this is only restricted by hardware constraints.

Once a record format has been defined, new records can be created through the ENTER option which displays a clean record format on screen for the operator to fill in. Records can also be added by taking advantage of the menu which allows for the retrieval of records from the current file. Records may be browsed through, edited, replaced or added. There is also the option to search for a particular set of records.

On the processing side, CALC is the main evaluation command. This can be used to change the contents of any type of field within records or obtain values. Such an operation can be carried out record by record or by a complete file or set of records. When sorting a file, it is necessary to specify the particular field or part of field.

One of the most important features about the system is the programming option which enables Superbase to become an applications generator and database programming language as well as a database management system. This option means that advanced users can utilize more than 40 added BASIC commands. User-defined programs have a maximum of 4K at their disposal.

The cost of the system is £99.95 inclusive of VAT and for that price the user will also get a very comprehensive manual, and a user registration form entitling the user to Precision Software's newsletter. One thing Superbase 64 will not cater for is graphics.

BOOKKEEPING FOR THE CASH TRADER ON THE CBM 64

- * Purchase day book
- * Weekly takings summary
- * VAT Account
(Retailer schemes A & B)
- * Trading Account
- * Profit & Loss Account
- * Balance Sheet

FREE 14 DAY TRIAL OFFER

Send us a cheque for £25.00 as a deposit, and we will send you a demonstration cassette or disk, the user guide and specimen reports on 14 days trial.

If you then wish to buy the live system, return the demonstration cassette or disk (keep the user guide) and a cheque for the balance of £64-70 and we will send you the live cassette or disk and our VAT invoice.

Alternatively, if you return to us the cassette or disk, the specimen reports and the user guide in good clean condition, we shall return £20.00 to you retaining £5.00 to cover our handling charges.

Receipt by us of your cheque for the £25.00 deposit will signify your agreement with these conditions. Please state whether you require cassette or disk.

PRICE **£78.00** + VAT

**QUICKCOUNT
LTD
15 NEELD
CRESCENT
LONDON NW4
01-202 5486**

PRODUCT SURVEY

Product: DMS Diamond
Manufacturer/Supplier:
 Compsoft Limited, Hallams Court, Shamley Green, Guildford, Surrey GU4 8QZ. Telephone 0483 898545.

Hardware Requirements:
 CBM 8032/8096, any Commodore disc drive except 3040/2040, printer, DMS Dongle.

Price: £195.

Special Features:

Number of characters per record 1016
 Number of characters per field 254
 Number of fields per file 40.

Product: INFODISK 64

Manufacturer/Supplier:
 Beaver Software Systems, Harby Lane, Stathern, Melton Mowbray, Leicestershire LE14 4HJ. Telephone: 0949 61318.

Hardware Requirements:
 CBM 64 single or dual disk drive.
 CBM printer.

Price: £75.

Special Features:

Number of characters per record 2400
 Number of characters per field 80
 Number of fields per record 180
 Number of records per file is dependant on the size of the disk with a 1541 disk. This number is at least 400. With an 8050 the number is about 600.

Product: The Manager

Manufacturer/Supplier:
 Commodore UK, 675 Ajax Avenue, Slough, Berkshire, SL1 4BG. Telephone 0753 79292.
 Commodore approved dealers.

Hardware Requirements:

CBM 8000. Any 80 or 132 column CBM or ASCII printers

Price: £275.

Special Features:

Number of characters per field 79.
 Number of characters per record 253.

Product: Silicon Office

Manufacturer/Supplier:
 Bristol Software Factory, Thornton House, Richmond Hill, Clifton, Bristol BS8 1AT, Telephone 0272 735022.

Hardware Requirements:
 8096 or upgraded 8032, 8250, 8050 disk drive, 8024, 8026, 8027, 4022 or 8023 printers.

Price: £790 plus vat

Special Features:

Number of records per file using an 8250 restricted by disk capacity. Using an 8050 number of records per file is 700.
 Number of fields per record restricted by screen size.
 Number of characters per record 252.
 Number of characters per field 78.

Product: Simply File 64

Manufacturer/Supplier:
 Simple Software Limited, is Havelock Road, Brighton, Sussex BN1 6GL. Telephone: 0273 504879.

Hardware Requirements:
 CBM 64, or PET 2040/3040/4040/8050 disk drive any compatible printer.

Price: £60 plus VAT for the 64. £65 plus VAT for the PET.

Special Features:

Number of characters per record 254.
 Number of characters per field 79.
 Number of records per file depends on application. A typical number is 450 full block records.
 The standard number of fields per record is 20.

Product: Superbase 64

Manufacturer/Supplier:
 Precision Software, 4 Park Terrace, Worcester Park, Surrey KT4 7SZ. Telephone 01-330 7166.

Hardware Requirements:
 CBM 64, 1541 disk drive or any larger Commodore disk drive, any Commodore printer.

Price: £99.95

Special Features:

Number of records per file restricted only by disk drive capacity.
 Number of fields 127.
 Number of characters per field 255.
 Number of characters per records 1108.

Product: Tomorrows Office.

Manufacturer/Supplier:
 Stage One Software, 300 Ashley Road, Upper Parkstone, Poole, Dorset BH14 9BZ. Telephone 0202 735656.

Hardware Requirements:
 CBM 8096, 8050 or 8250 disk drive, any compatible printer.

Price: £695.

Special Features:

Number of records per file dependant on format set up.
 Number of fields per record 60.
 Number of characters per field 79.

ADVERTISERS DIRECTORY

FEBRUARY 1984

Anger Productions	45	Honeyfold Software	70	Mr Chip	19
AR Software	52	ICPUG	28	Oxford Computer Centre	37
Audio Computers	2	Intelligent Interfaces	69	Precision Software	88
Beaver Software	20	Intercontinental Services Inc	46	Quickcount	91
Bubble Bus	30	Interface Systems	58	Romik Software	8
Bytewell Ltd	62	Kobra Micro Marketing	86	SIP Ltd	20, 60
Cable Software	37	Level 9 Computing	12	Simplesoft	28
Calco Software	20, 28, 74	Llamasoft Software	7	Six Four Supplies Company	4
CCS Ltd	48	James P Malloy	95	Softalk Review	27
Dataplus	63	J Morrison Micros	45	Softex Computers	52
DK Tronics	96	John Purdue	84	Solar Software	40
Dynatech Software	78	Mannesman Tally	82	Southcott Software Supplies	84
Electronic Aides	84	Merlin Software	40	Supersoft	81
Galactic Software	9, 32	Microport	74	Terminal Software	10
Greenwich Instruments	20	Micro Power	52	Tunnel Software	48
Hexawell	78	Microsimplex	60	VIC 20 Users Library	52
Home Computer Centre	30	Microsound	12		

CLASSIFIED

WORDPOWER (It's nearly famous)

A new machine code wordprocessing program for the CBM PET - £40, inc Manual & P+P

Reviewed in Commodore Computing, May '83

Send A4 SAE for further details.
(Manual Available Separately £1)

To: Mr K Pretorius,
15 The Vineries, Oakwood,
LONDON N14 4BH.

COMMODORE SOFTWARE

TAROT - See into the future! Ask any question and the Tarot will answer! Full graphics.

CBM 64 and **VIC 20 + 16K** cassette £4.50

SIMULATION - Mathematical model that includes graphic evaluation. Invaluable decision aid.
VIC 20 (any size) cassette £3.50

DATA FILE - Takes the place of any card index. Facilities include: - save, load file, full sort, print all/part records, amend, delete records, memory remaining etc.
VIC 20 + 16K cassette £4.50

TEXTPRO - Powerful word processor. Facilities include: - Large text buffer, auto centre text, variable tab, insert, amend, delete, copy, move text, word count, right justify, etc. Fully menu driven with comprehensive easy to use instructions. CBM 64 disk and cassette versions fully compiled. Super value.

VIC 20 + 16K cassette £6.95

VIC 20 + 16K disk £9.45

CBM 64 (fully compiled) cassette £8.25

CBM 64 (fully compiled) disk £10.75

All programs complete with full documentation and guarantee. Prices include VAT, packaging and fast delivery by 1st class mail.

Cheque/PO to: Dealer enquiries welcome

A & C SOFTWARE

51 Ashtree Rd., Tividale,
West Midlands. B69 2HD.

SOFTWARE LOW PRICES

All the Top UK Names plus
USA Imports

Send SAE for pricelist (please
state machine)

To:- **Soft-Cellar** 57 Fotheringay
Gardens, Slough, Berks. SL1 5SP

COMMODORE 64 SYNTHESISER

Amaze your family, friends by playing a Piano, Banjo, Flute, Drum, Saxophone, PLUS any other 11 instruments (TOTAL 16).

NOW AVAILABLE FOR CBM 64

Only £8.99 (VAT P&P inclusive)

Please send P.O./cheque to:

TUCRONICS

381 Leeds Road, Bradford BD3 9LY
West Yorkshire, England.

VIC-20 & CBM 64

VIC-20 SCREEN

- TAKES 513 Bytes, GIVES 1020 poke locations. Yes, it **DOUBLES** screen size! Adds a new dimension to your arcade games. Please state memory size.

SWOOSH

- Can you fly a hang-glider? Well find out. Ride the thermals to complete your mission. A complex and challenging game. Astounding graphics & enlarged screen. (3K expansion & Joystick).

VIC-20 & CBM 64 CYBER

- Fancy a challenge? Then try this. Six levels of play. Can you capture ALL the aliens at once? Enlarged screen & multi-colour graphics. (3K expansion VIC-20).

All programs only £5.00 each from:

B2
3 GREENFIELD HOUSE,
GREENFIELD ROAD,
COLNE, LANCS. BB8 9PE

MICROCOMPUTER REPAIRS SERVICES

VERY FAST

VIC 20, CBM 64,
PETS, SPECTRUMS
- COMMODORE COMPUTERS,
PRINTERS, FLOPPY DISKS

Phone **SLOUGH (0753) 48785**

MONDAY TO SATURDAY

SOPHISTICATED GAMES FOR VIC 20

VIC CRICKET Realistic game of skill and luck with all the major rules of cricket correctly interpreted. Ball by ball commentary, full scorecard, printer and game save facilities. Needs 16K expansion. £5.99*

LEAGUE SOCCER League championship game for 2-22 players/teams. Automatic fixtures, full action commentaries, match facts. League tables, results check, postponed games etc. Non league matches also playable - the VIC will even make the cup draw. Printer and game save. Needs 16K expansion. £5.99*

WHODUNNIT? Twelve guests have gathered for drinks at Murder Manor. However, one of them has more than drinks on his mind. Thrilling detective game for 1-6 players, with genuinely different murder every time. You can even rename the suspects! Needs 8K expansion. £4.99*

ELECTION NIGHT SPECIAL For 1 to 3 players: and you are the leader of a political party and your task is to win the election and become Prime Minister. Features constituency visits, opinion polls, holds, gains, etc. Printer and game save. Needs 8K expansion. £4.99*

TOP OF THE POPS Money making game about the music business. Make your own records and see them climb the chart. Printer and game save facilities. Needs 8K expansion. £4.99*

VIC PARTY 4 Contains MASTERWORD, A DAY AT THE RACES, GAME (Strip Poker), and CONSEQUENCES. Four games ranging from the serious to the ridiculous. All good fun - nothing offensive. Needs at least 3K expansion. £5.99*

Available from:

SOPHISTICATED GAMES, Dept
CCI, 27 Queens Road, Keynsham,
Avon, BS18 2NQ. Tel 02756 3427 or
write for further details of our complete range.

*P&P free (UK only). All games sold subject to our conditions of sale, which are available on request.

COMPUTER PROGRAMS copied (cassette based only). Printed inlay cards supplied if required. Minimum order 10 cassettes. Phone:- **M.G. COPIES (MIG RECORDINGS) BURNTWOOD 75375 (24 Hr. Answering service)**.

32K PET 4000 series with tool kit, cover and masses of software. Pristine condition. £295 o.n.o. Tel: **Flax Bourton 2830 (Bristol), evenings**.

INTERNATIONAL COMMODORE OWNERS CLUB establish worldwide contact. Regular lists, news and offers. Send name, address, model(s) plus your special interests, problems, etc. Only £5 anywhere. Send cheque/draft to: **Bayon Ltd. 11 Winchfield Way, Rickmansworth, Herts. WD3 4DL**.

CLASSIFIED

EDUCATIONAL SOFTWARE FOR THE VIC 20 £4.95 EACH

Physics ('O' level/CSE revision)
Biology ('O' level/CSE revision)

Computer Studies ('O' Level/CSE revision)

Maths (CSE revision)

Arithmetic (practice 7/10 yrs)

Mathematics (practice 8/11 yrs)

Reasoning (11+ revision)

Knowledge (Quiz 9/99 yrs)

On Cassette Cheques/PO to

Micro-De-Bug

Consultancy

60 Sir Johns Rd, Selly Park

Birmingham B29 7ER

021-472 7610

MORSE TUTOR CASSETTE Commodore 64. Variable sending speeds. Text or random. £4.99 inc P+P. Cheques/PO's payable to: **Doublesoft, Double Lodge, 49 Nags Head Lane, Brentwood, Essex. 0277 231579.**

ROCK BOTTOM PRICES Imported goodies for your 64, around 30% off. Brand new, fully guaranteed. Education, word processing a speciality, eg Snooper Troops £22.50, Heswriter £26.90, Micro addition £12.50.

Bargain packs: Young children 3 pack, usually £70, our price £57. Facemaker, Alphabet Zoo cartridges, Early Games for young children (cass or disk).

Two super products, Koala graphics tablet, SAM speech synthesiser (disk), usually £125, our price £99.50 the two.

Some VIC items too.

Prices include VAT, postage UK (add £2.00 per order overseas). 14 days delivery. See price lists. Happy Software, 84 Linden Avenue, Ruislip, Middlesex.

PET 32K 3000 SERIES, cassette, manuals, workbooks 1-5, dust cover. software: sales analysis profit and loss, PET-TEL address book and 15 games. Will deliver S.W. £250.00 o.n.o.

Tel: I. Moore on 01-731 2257.

FLUENT PROGRAMMER wanted by novelist with lucrative game concept. Split royalty collaboration. Send sae and evidence of competence to **Maran Steele, Granhams Road, Great Shelford, Cambridge CB2 5JY.**

WANTED:- Hard disc, printer buffer, compatible with Commodore 8000 Series. **Tel: 0323/642132.**

G.W. & A. HESKETH (COMPUTER SERVICES)

We are looking for original programs for Pets and 64s. We particularly want programs for Education (pre-school upwards), Business, Statistics and Research, and Home Management, for our **Cronos Software Packs.**

G.W. & A. Hesketh, Computer Services, P.O. Box 8, Ormskirk, L39 5HH, Lancashire.

PET 2001 replacement 6550 RAM Chips normally £15, Bargain £6! 0742 483587

JUNIOR MATHS For Commodore 64 ideal tutor for addition, subtraction and tables. £3.99 inc. p&p. PO's/Cheques to: Doublesoft, 49 Nags Head Lane, Brentwood CH14 5NL. Tel: 0277 231569.

FOR SALE: BABS 650E Power Guillotine, brand new with spare blade. Cost over £3000 - offers. Also Fortumatic Hot Glue Binder. Little used. Cost over £1500 - offers. Equipment ideal for small printer, or in company document production. No reasonable offer refused - Box 21 CCI 167-169 Gt. Portland St. London W1.

NEW COMMODORE D9090 Hard Disk 7½ MB - surplus to requirements £2,150.00 + VAT. Saving £350.00. Tel: Lancs. 62033.

HERE'S MY CLASSIFIED AD

Please continue on a separate sheet of paper

I make this _____ words, at _____ per word so I owe you £ _____

Name _____

Address _____

Telephone _____

Send your classified entries to:
Classified Department,
Commodore Computing International Magazine,
167-169 Great Portland Street,
London W1N 5FD.
Tel: 01-636 6615

Private readers - advertisements from private readers cost 10p a word.

Trade advertisements - cost 20p a word.

Semi-display - why not make your advertisement more substantial by choosing the semi-display rate. It is only £5 a single column centimetre.


COLLEEN

Puts the Commodore 64 and Casiotone MT-11

IN PERFECT HARMONY

At last – a Personal Music System that is **ideal** for both the amateur and professional musician alike. At a price you can afford!

Realise the full potential of the Commodore 64's fabulous sound capabilities with the **magic** of a Casio keyboard.



At the heart of the system is COLLEEN which lets you :-

- * Enter notes from the Casiotone keyboard
- * Store it, play it back, add the melody
- * Create your own background sounds and rhythm
- * Print out, save to tape or disk
- * Display on monitor
- * Can be used with SYNTHY 64

To Coda

Enquiries to **JAMES P MOLLOY** (Marketing)
13 Romayne Close
Hants
Tel (0252) 544218

THE MAGNIFICENT SEVEN

WHO DARES WINS

Desperate terrorists have taken hostages, as an SAS sharpshooter your task is to take out as many terrorists as possible. Time and shortage of ammo are against you. Terrorists parade hostages at windows, change their disguises to confuse. Shooting hostages brings demotion and disgrace, accuracy brings promotion and honour.

£5.95



DICTATOR

Do you have the shrewd judgement, foresight, sheer ruthlessness and luck to survive as Dictator? Will you manipulate the squabbling population, stay in favour with the secret police and make the right decisions to keep control? Can you prevent, survive or even deliberately plan assassination attempts, war and the inevitable revolution. "I would rate Dictator as being among the best Spectrum games I have played" — Popular Computing Weekly.


£5.95



INVADERS

An excellent version of the original and for many still the best arcade game ever. Complete with mothership, three bases, crumbling building and screws for fixing to the wall. This popular arcade game has all the usual features, including increasing speed, the crumbling buildings, and of course full colour graphics and sound. Can you resist a frenzied confrontation with the Kami-Kaze invaders?

£5.95



SLICKER

Only in a month of Sunday's does a puzzle program come along which is this brilliant and original. Formations of coloured triangles are mixed into a kaleidoscopic challenge for you to solve. Eight levels of difficulty. Solve Level Eight, join the Slicker Champions Club and win FREE software.


£6.95



ALIEN RESCUE

Minutes to learn but a lifetime to master, steer your craft to the surface of an alien planet, rescue stranded capsules, deliver to the mothership, contend with the hazards of a constant deadly alien barrage, stay cool and make the tricky manoeuvres needed to succeed.

£5.95



MILLIE BUG


This version of one of the all-time greats will live up to your highest expectations having the features, colour, sound and excitement needed to ensure Commodore 64 owners have their own fair share of the action.

£5.95

3D TANX

Use your skill, judgement, nerve (and a heavy artillery piece!) to knock out enemy tanks as they pour across the bridge. This is a full feature game with 3D ballistics, fantastic sound effects and is impossible to beat. The Spectrum version features consistently in the charts.

£5.95




Also for the VIC 20

WOODWORM WHACKER

Take one Pacman — remove pills and fruit — heat up the ghosts to turn them to fast moving nasties — add bouncing bombs to taste. The recipe for a tasty game for VIC 20 arcade addicts.

£4.95



SLICKER

Only in a month of Sunday's does a puzzle program come along which is this brilliant and original.

Formations of coloured triangles are mixed into a kaleidoscopic challenge for you to solve.

Eight levels of difficulty. Solve Level Eight, join the Slicker Champions Club and win FREE software.

£6.95

Available from BOOTS, W.H. SMITH, LASKY'S, SPECTRUM, JOHN MENZIES and good computer software stockists throughout the UK or direct + 50p post and packing.

DK Tronics Ltd., Unit 6, Shire Hill Industrial Estate, Saffron Walden, Essex CB11 3AQ. Telephone: (0799) 26350 (24 hrs) 5 lines

dktronics