
Buyer's Guide To Music Software

COMPUTE

\$3.00 May 1987 Issue 84 Vol. 9, No.

02193 ISSN 0194-357X



There are two things almost everyone has in common.
An active imagination. And a tough

time putting it on paper.

But now we present our *Graphics Scrapbook*™ series. A huge collection of pictures that enable you to easily bring your creative inspirations to The Print Shop™

PrintMaster™ or Create a Calendar.

On each disk there are over 100 unique pictures. For example, in our *School*

scrapbook, teachers and students will find everything from cheerleading to finals. In the Sports Scrapbook, dozens of sports, mascots

and trophies. In the *Off the Wall Scrapbook*, well, just expect the unexpected. And plenty more Scrapbooks are coming. So even if you can't draw a straight

line, it's okay.

As long as you make a straight one to the offer below.



Introducing Create A Calendar.
Our simple, powerful tool that lets you

It might as well look snazzy as it goes by design daily, weekly, monthly or yearly

calendars. In moments.

Among numerous features, it includes graphics, borders and fonts for just about every occasion. Or use your own pictures from the Graphics Scrapbooks or Print Shop compatible graphics disks.

What's more, it lets you write multiple lines of text on every date. To make it easy to keep track of

you're supposed to do. And everything you've done. So this year, go ahead and make your own calendars.

There couldn't be a nicer way to pass the time.


USE OUR PREVIEW DISK TO DRAW YOUR OWN CONCLUSION. Send your name, address, phone number, computer type, and a check or money order for \$1.50 to Calendar/ Scrapbook Preview, P.O. Box 8020, Redwood City, CA 94063. Canadian orders add 50¢ postage. 6-8 weeks delivery. Expires 8/30/87. Valid only in cont. U.S. and Canada.

easy to keep track of everything

easy to keep track of everything

City, CA 94063. Canadian orders add 50c postage. 6-8 weeks delivery. Expires 8/30/87. Valid only in cont. U.S. and Canada.

The Print Shop is a trademark of Dinderband Software. Inc. Printmaster is a trademark of Dinderband Software. Inc. 1986 Eps., Inc. 1986 Eps.,



We'll pay you to take the most exciting classes anywhere.

You'll learn electronics, avionics, aircraft maintenance, health care sciences, management or logistics—the Air Force will train you in one of more than 200 technical specialties America needs today.

You'll get hands-on experience with the latest equipment, and we'll pay 75% of your tuition for off-duty college courses, to get you even further.

Whatever your goals, the Air Force will equip you with the skills to get where you want to be.

If you're looking seriously into your future, Aim High to a future in the Air Force. Visit your Air Force recruiter today or call toll-free 1-800-423-USAF (in California

1-800-232-USAF).



Why go out when you can have so much fun at home? Just take a gander at the kind of excitement Mindscape has to offer.

With Indoor Sports, you can play darts without putting holes in your walls, ice an opponent in air hockey, become a ping-pong pro, and pick up some spares without venturing into an alley.

As a Harrier jump-jet ace in High Roller, you'll be doing barrel rolls toward designated targets without waking the neighbors.



Bop'n Wrestle puts you in the ring with 10 of the biggest, baddest bruisers ever to perfect the turnbuckle fly.

Prepare to take evasive action with Infiltrator, Foil your foes from your 'copter's cockpit and then

convert to covert ground action behind enemy lines. In Balance of Power, you are the President. And the burden of global responsibility seems so real you may wonder why you don't have Secret Service protection.

What do you have to lose? For much less than the cost of a night on the town, Mindscape makes home sweet home a more exciting place to be.

Software that challenges the _ mind.

Indoor Sports is available on C64 & C128. High Roller is available on C64 & C128 and Atari ST. Bop in Wrestle is available on Apple II family, IBM & compatibles, C64 & C128 and Atari 800. Infiltrator is available on Apple II family, IBM & compatibles, C64 & C128 and Atari 800. Balance of Power is available on Apple II family, Macintosh, IBM & compatibles, Amina and Atari ST. Visit your retailer or call 1-800-443-7982 (in Illinois 1-800-64-3767) for VISA or MasterCard orders. To purchase by mail, send VISA or MasterCard number with expiration date, check or money order to Mindscape, Inc., PO. Box 1167, Northbrook, IL. 60065, Add \$3.00 for shipping and handling, Allow 3.5 weeks for delivery.

narks of Apple Computer, Inc., International Business Machines, Commodore Electronics Ltd., Atari, Inc. and Commodore

COMPU

MAY 1987 **VOLUME 9** NUMBER 5 ISSUE 84

FEATURES 18 The New Music Selby Bateman 22 Glossary of Electronic Music Terms	GUIDE TO ARTICLES AND PROGRAMS
REVIEWS 45 On Balance James V. Trunzo 46 Amnesia James V. Trunzo 46 Starglider Andy Eddy 47 Robot Rascals Karen G. McCullough 48 Jet Michael B. Williams	AP AP/64/PC AP/ST/AM/64/PC AP/64 AP/64/PC/PCjr
COLUMNS AND DEPARTMENTS 4 The Editor's Notes Richard Mansfield 8 Readers' Feedback The Editors and Readers of COMPUTE! 49 Computers and Society: A Look at an Era David D. Thornburg 50 Microscope Sheldon Leemon 51 Telecomputing Today: Twelve Special Bulletin Boards Arlan R. Levitan 52 AmigaView: Hardware Add-Ons Sheldon Leemon 54 The Beginner's Page: Sound and Music in BASIC C. Regena 55 The World Inside the Computer: A Magic Slate for Young Writers Fred D'Ignazio 56 INSIGHT: Atari—RUN and INIT Vectors Bill Wilkinson 58 IBM Personal Computing: The Mother Load of Software Donald B. Trivette 59 ST Outlook: Tower of Babel Philip I. Nelson	• AT PC
THE JOURNAL 62 Synthesis Dan Monaghan 70 ShapeMaker for Apple II William C. Vergara 79 Font Printer for the IBM PC/PCjr John Klein 90 128 Colorswap Paul W. Carlson 92 Six New Operators for Atari BASIC Rhett Anderson 94 Omega Sort Jonathan J. Holuta 96 Atari Disk Sector Editor Marcelo Adapon 99 Mirrors for IBM PC/PCjr Paul W. Carlson 101 Solving Alphanumeric Puzzles on Your Home Computer Jim Butterfield 103 Hi-Res Text for Apple II Adam Levin 106 Hi-Res PRINT for Commodore 64 Scott M. Petty 109 Indexing with Sorts Thomas P. Shultz	AP PC/PCjr 128 AT 64 AT PC/PCjr • AP 64
61 CAPUTEI Modifications or Corrections to Previous Articles 112 News & Products 121 COMPUTEI's Author's Guide 122 COMPUTEI's Guide to Typing in Programs 125 MLX: Machine Language Entry Program for Commodore 64 and 128 129 MLX: Machine Language Entry Program for Apple 132 Advertisers Index TOLL FREE Subscription Order Line 800-247-5470 (In IA 800-532-1272)	AP Apple, Mac Macintosh, AT Atari, ST, Atari ST, 64 Commodore 64, 123, Atari ST, 65 Commodore 128, P PET/CBM, PC IBM PC, PCJr IBM PCJr, AM Amiga. 'General interest.

COMPUTE! Publications, Inc. obc Part of ABC Consumer Magazines, Inc. One of the ABC Publishing Companies

ABC Publishing, President, Robert G. Burton 1330 Avenue of the Americas, New York, New York 10019

COMPUTE! The Journal for Progressive Computing (USPS: 537250) is published monthly by COMPUTE! Publications, Inc., 825 7th Ave., New York, NY 10019 USA. Phone: (212) 265-8360. Editorial Offices are located at 324 West Wendover Avenue, Greensboro, NC 27408. Domestic Subscriptions: 12 issues, \$24. POSTMASTER: Send address changes to: COMPUTE! Magazine, P.O. Box 10955, Des Moines, IA 50950. Second class postage paid at Greensboro, NC 27403 and additional mailing offices. Entire contents copyright ©1987 by COMPUTE! Publications, Inc. All rights reserved, ISSN 0194-357X.

Editor's Notes

Apple has announced two new Macintosh computers. Their impressive specifications will further strengthen the already impressive Macintosh line: More than one million Macs have been sold and are currently selling at the formidable rate of over 50,000 units a month. What's more, these machines establish new performance standards which foreshadow the consumer computer of tomorrow.

The older machines, the Macintosh 512e and Macintosh Plus, should continue to sell well to home, educational, and business buyers, their traditional markets. The new machines are expected to open new markets for Apple: advanced graphics workstations, memory- or speed-intensive business applications, scientific research, artifical intelligence studies, and other applications not ordinarily associated with "personal" computers. In fact, these new computers diverge in several ways from the traditional Macintosh line as well as from the traditions of home and personal computing.

The Macintosh SE (for System Expansion) is the long-awaited, open-architecture Mac which allows the attachment of third-party peripherals through one expansion slot. The SE also permits the addition of a variety of keyboards because it includes the Apple II-style interface. Although quite similar to the Macintosh Plus, the SE features greater speeds with some software, permits add-ons, and Apple expects it to compete effectively against the PC AT and AT clones. Two important improvements over the Mac Plus derive from adjustments to the ROM routines and system software as well as a significant increase in hard disk communications.

The Macintosh II is higher-end and is targeted to compete with 80386-class machines and the DEC

VAX. It diverges from the Macintosh line in several important respects. Featuring an optional color display with as many as 256 simultaneous colors, this machine makes extraordinary graphics possible since it has a total of 16.8 million different colors available.

The Macintosh II is not an integrated package: The computer itself is in a box similar to the IBM PC's; the video is separate. There are six internal expansion slots. The computer can address more than four gigabytes of memory (limited to two gigabytes of internal RAM). The high-capacity, full 32-bit 68020 processor operates at 16 MHz, twice as fast as the Macintosh Plus.

To further beef up the power of the Mac II, Apple offers a 68881 math coprocessor chip which can improve the speed of floating-point calculations as much as 200 times. Also, the data-transfer rate has been increased to over one million bytes per second.

COMPUTE! columnist and long-time Apple-watcher David Thorn-burg thinks the Macintosh II represents, in effect, a first step in an entirely new direction for Apple. "Rather than look at the personal computer market and move upward, it seems that Apple looked at the serious workstation market (populated by companies like Sun, Symbolics, Apollo, and others) and brought high performance within the price range of small businesses and university research labs."

The Mac II, Thornburg says, would be quite a bargain for, to take one example, researchers working in artificial intelligence. "For well under \$10,000, one can get the Macintosh II with a 40-megabyte hard disk, lots of RAM, and a splendid version of LISP—all this would compete quite handily with systems costing five times as much."

What makes these develop-

ments intriguing and even predictive for personal computer users is that we've been here before. Recall the LISA. It was priced beyond most home and educational computer users' budgets and marketed to a similar list of high-end users. But soon after LISA's introduction, the personal computer market was treated to the original Macintosh, with the major design improvements of the LISA intact.


With Apple's announcement of these advanced Macintoshes, and the other high-performance machines coming out of Commodore, Atari, and the IBM world, we can confidently expect to see consumer computers in the next few years which will challenge the capabilities of minicomputers. And all these avant-garde machines seem to have a commonality of design and features, as if the trends of the past several years were now converging and leading to the ideal home computer: extraordinarily impressive graphics resolution, high-quality color, massive memory, open architecture, sophisticated sound capability, and ultra-high speed.

Of course we can always look even farther down the road; no one would mind seeing a consumer version of the massive, state-of-the-art Cray mainframe on a chip. But for the forseeable future, who will be dissatisfied with machines which match the capabilities of all but the most sophisticated commercial graphics workstations?


Richard Mansfield

Richard Mansfield Editorial Director

Outstanding Artistic Instructive books from COMPUTE!



You'll find expert information, useful applications, intriguing games, graphics, colorful art, music, programming guides, and more in these new Atari ST-specific books. Beginning to advanced ST users will benefit from the applications and tutorials in each book. And as always, the books are written in COMPUTE!'s clear, understandable style.



COMPUTEI's ST Applications

Brian Flynn and John J. Flynn

\$16.95 ISBN 0-87455-067-X An excellent assortment of games and applications for business and home, written in BASIC, COMPUTEI's ST Applications is an instant library of programs that every ST owner will want to have. All programs have been fully tested and are ready to type in and use on the Atari 520 or 1040 ST. There is also an optional disk available for \$15.95 which includes the programs in the book.

COMPUTE!'s ST Artist

Selby Bateman and Lee Noel, Jr.

\$18.95

ISBN 0-87455-070-X
A step-by-step guide to creating dazzling graphics and art on the Atari ST personal computer. Using NEOchrome and DEGAS*, this book shows you how to get the most out of these excellent painting and drawing programs. Tips and techniques provide you with the most efficient ways of creating graphics and demonstrate how to produce colorful art. Examples illustrate each step and show off all the visual power of the Atari ST and its graphics software. Information is included on the newest versions of NEOchrome and DEGAS Elite. There is an optional companion disk available for \$15.95 which includes artwork from the book.

A product of Batteries Included.

COMPUTEI's ST Applications Guide: Programming in C

Simon Field, Kathleen Mandis, and Dave Myers \$19.95 ISBN 0-87455-078-5

COMPUTEI's ST Applications Guide: Programming in C is your complete tutorial to designing and writing effective ST application programs. Practical examples show you how to use GEM routines to develop professional-looking applications of your own. Explore topics such as disk files, menus, icons, the mouse, sliders, dialog boxes, programming desk accessories, music, and much more. For intermediate to advanced C programmers.

The Elementary Atari ST

William B. Sanders

\$18.95 ISBN 0-87455-024-6 A clear, easy-to-use guide to the Atari ST, this book takes you through everything from connecting your computer, loading programs, and creating graphics and music, to writing your own programs.

Order your Atari ST book today. Call toll-free 800-346-6767 (in NY 212-887-8525), or write COMPUTE! Books, P.O. Box 5038, F.D.R. Station, New York, NY 10150.

NC residents add 5 percent sales tax and NY residents add 8.25 percent sales tax. Shipping and handling: \$2.00 U.S. and surface mail; \$5.00 airmail.

Please allow 4-6 weeks for delivery.



COMPUTEI books are available outside the United States from subsidiaries of McGraw-Hill International Book Company.

Publisher Founder/Editorial Consultant Robert C. Lock Editorial Director Managing Editor Associate Publisher

James A. Casella Richard Mansfield Kathleen Martinek Selby Bateman

Lance Elko

Philip I. Nelson

Tony Roberts

Tom R. Halfhill

Kathy Yakal Patrick Parrish

Tim Victor, Tim Midkiff. William Chin

Tammie Taylor, Karen

Caroline Hanlon David Hensley

Debi Nash

Jim Butterfield Toronto, Canada Fred D'Ignazio Birmingham, AL

David Thornburg Los Altos, CA

Bill Wilkinson

Stephen Levy

Gregg Keizer

Irma Swain

Lee Noel

De Potter

Harry Blair

Jose Cruz

Anita Armfield

John Williams

Janice R. Farv

Joseph W. Hatcher

Robin Case, Kim Potts

Peter Johnsmever

Kathleen Hanlon

Bernard J. Theobald, Jr.

Terry Cash, Carole Dunton

Uhlendorf, Karen Siepak

David Florance, Troy Tucker

Julia Fleming, Iris Brooks, Mary Hunt, Sybil Agee

Editor, COMPUTE! & COMPUTEI'S GAZETTE Assistant Editor, COMPUTE! Production Director

Editor, COMPUTE!'s Atari ST Disk & Magazine Technical Editor Assistant Technical Editors

Ottis R. Cowper George Miller, Dale McBane Assistant Editor, COMPUTEI's Atari ST Disk & Magazine Todd Heimarck Assistant Editor, COMPUTEI's Rhett Anderson

GAZETTE Assistant Features Editor Programming Supervisor **Editorial Programmers**

Editorial Assistant Submissions Reviewer Programming Assistants **Executive Assistant** Administrative Assistants

Associate Editors

Copy Editors

Contributing Editor COMPUTEI's Book Division

Assistant Editor Director of National Sales

Production Manager Art & Design Director Assistant Editor, Art & Design

Mechanical Art Supervisor Artists

Typesetting Illustrator Director of Advertising

Sales Associate Advertising Director Production Coordinator

Customer Service Manager Diane Longo Dealer Sales Supervisor

Individual Order Supervisor Cassandra Green Receptionist Warehouse Manager

James A. Casella, President

Richard Mansfield, Vice President, Editorial Director Richard J. Marino, Vice President, Advertising Sales Christopher M. Savine, Vice President, Finance & Planning

1987 Editorial Board Richard Mansfield Kathleen Martinek Selby Bateman Lance Elko Tom R. Halfhill

Robert Lock, Founder and Editorial Consultant

COMPUTE! Publications, Inc. publishes COMPUTEI **COMPUTEI's Gazette COMPUTEI's Gazette Disk** COMPUTEI's **Apple Applications Special** COMPUTEI'S Atari ST Disk & Magazine

Editorial offices: Corporate offices:

Customer Service:

Hours:

324 West Wendover Avenue Suite 200 Greensboro, NC 27408 USA

825 7th Avenue New York, NY 10019 212-265-8360

> 800-346-6767 (In NY 212-887-8525) 9:30 A.M.-4:30 P.M. Monday-Friday

Coming In Future Issues

Laser Chess: An exciting. innovative game for the Apple II, Commodore 64, IBM PC, Atari, and Amiga

64 RAMdisk

Atari NoDOS

Full Screen Editor for Apple II **RAM Test for Commodore 128** Fast Fractal Landscapes for

Using Amiga Disk-Based Fonts

Subscription Orders & Inquiries

COMPUTE P.O. Box 10954 Des Moines, IA 50340

TOLL FREE Subscription Order Line 800-247-5470 In IA 800-532-1272

COMPUTE Subscription Rates (12 Issue Year):

Canada & Foreign


(one yr.) \$45 (two yrs.) (three yrs.) \$65

Surface Mail \$30 Foreign Air \$65 Delivery

Member

ABC Audit Bureau

Advertising Sales



2. Southeast & Foreign Harry Blair 919-275-9809

3 Midwest & Southwest Jerry Thompson 312-726-6047 (Chicago) 713-731-2605 (Texas) 303-595-9299 (Colorado) 415-348-8222 (California)

Lucille Dennis 415-348-8222 4. West, Northwest & British Columbia Jerry Thompson 415-348-8222 Lucille Dennis 415-348-8222

5. Canada Harry Blair 919-275-9809 Director of Advertising Sales: Peter Johnsmeyer

Associate Advertising Director: Bernard J. Theobald, Jr.

COMPUTE! Sales Office 212-315-1665

Address all advertising materials to: Kathleen Hanlon Advertising Production Coordinator
COMPUTE! Magazine 324 West Wendover Avenue Suite 200 Greensboro, NC 27408

The COMPUTEI subscriber list is made available to carefully screened organizations with a product or service which may be of interest to our readers. If you prefer not to receive such mailings, please send an exact copy of your subscription label to: COMPUTELP.O. Box 10955, Des Moines, IA 50950. Include a note indicating your preference to receive only your subscription.

Authors of manuscripts warrant that all materials submitted to COMPUTEI are original materials with full ownership Authors of manuscripts warrant that all materials submitted to COMPUTEI are original materials with full ownership rights resident in said authors. By submitting articles to COMPUTEI, authors acknowledge that such materials, upon acceptance for publication, become the exclusive property of COMPUTEI Publications, Inc. No portion of this magazine may be reproduced in any form without written permission from the publisher. Entire contents copyright © 1987, COMPUTEI Publications, Inc. Rights to programs developed and submitted by authors are explained in our author contract. Unsolicited materials not accepted for publication in COMPUTEI will be returned if author provides a self-addressed, stamped envelope. Programs (on tape or disk) must accompany each submission. Printed listings are optional, but helpful. Articles should be furnished as typed copy (upper- and lowercase, please) with double spacing. Each page of your article should bear the title of the article, date and name of the author. COMPUTEI assumes no liability for errors in articles or advertisements. Opinions expressed by authors are not necessarily those of COMPUTE!.


PET, CBM, VIC-20 and Commodore 64 are trademarks of Commodore
Business Machines, Inc. and/or Commodore Electronics Limited
Apple, Apple II, and Apple lies are trademarks of Apple Computer Company
IBM PC and PC)r are trademarks of international Business Machines, inc.

ATARI is a trademark of Atari, Inc.
TH-PO//AA is a trademark of Texas Instruments, Inc.
Radio Shack Color Computer is a trademark of Indemarks of International Business Machines, Inc.

ATARI is a trademark of Atari, Inc.
TI-99/4A is a trademark of Texas Instruments, Inc.

Available NOW from COMPUTE! Books

The complete guide to using Microsoft* Works



Mastering Microsoft Works is available **now** from your local computer or book store.

You can also order directly from COMPUTE! by calling toll-free 800-346-6767 (in New York 212-887-8525) or by writing COMPUTE! Books, P.O. Box 5038, F.D.R. Station, New York, NY 10150.

Mastering Microsoft Works

Sharon Zardetto Aker \$17.95 ISBN 0-87455-042-4 287 pages

Microsoft Works offers a system of four integrated modules for home and business Macintosh users. This comprehensive guide and tutorial shows how to use Works efficiently and easily. Works includes a word processor, database, spreadsheet, telecommunications, and graphics, and this book describes how to master Works—from creating form letters with the word processor to tax forms with the spreadsheet. Integrating the modules is explained and illustrated. More than a tutorial, more than just a reference, Mastering Microsoft Works is the complete guide to this state-of-the-art software.

COMPUTE! Publications, Inc. obc One of the ABC Publishing Companies 827 7th Avenue, 6th Floor, New York, NY 10019 Padation of COMPUTE, COMPUTE'S Gazette Dat. COMPUTE'S Arai ST Dat. 8



Readers' Feedback

The Editors and Readers of COMPUTE!

If you have any questions, comments, or suggestions you would like to see addressed in this column, write to "Readers' Feedback," COMPUTE!, P.O. Box 5406, Greensboro, NC 27403. Due to the volume of mail we receive, we regret that we cannot provide personal answers to technical questions.

Proofreader For Tandy 1000

I recently purchased a Tandy 1000 IBM-compatible computer and subscribed to your magazine. After numerous attempts, I have been unable to make the "IBM PC/PCjr Proofreader" program work on my computer. I would like to know if there is something in this program that keeps it from working on my computer and, if so, will I have the same problem if I try to enter other IBM programs from your magazine?

Billy Bolden

At COMPUTE! we make every effort to insure that our IBM PC/PCjr programs will also work on the dozens of IBMcompatible models now available. Since we don't have one of each different model available for testing purposes, we can't guarantee that every program will work on every model. Nevertheless, we have found few documented cases where our programs wouldn't work because of machine incompatibility. Most problems occur on systems which lack some required hardware. For example, programs which require a color/graphics adapter card (or equivalent hardware) will not work on a system that has only a monochrome adapter card.

The "Proofreader" is, for the most part, a "plain vanilla" BASIC program, using no fancy programming tricks. The only exception is in line 160, which uses the dynamic-keyboard technique to insure that LINE INPUT gets the entire program line. While it's possible that your computer is incompatible with this program, a much more likely source of your problem is a typing error.

Check every line of the program carefully against the magazine listing, even those lines you believe you typed correctly. Even experienced programmers make typing mistakes, and a single typing error can have drastic effects, depending on where it occurs in the program.

You also should make sure that the computer is in Caps Lock mode (so that all letters appear in uppercase) except when the listing shows that you should be typing a lowercase letter. This is important because the Proofreader is sensitive to the case of characters. These three lines, for instance, generate three different checksums when typed in with the Proofreader. The checksums are shown in front of each line.

HN 10 print "hi there" NN 10 PRINT "HI THERE" FN 10 PRINT "Hi there"

In COMPUTE! listings for the IBM PC/PCjr and compatibles, BASIC keywords such as PRINT and IF are always in uppercase. Lowercase letters usually don't appear except after REM and DATA statements, or, as shown in the example, as part of a string enclosed in quotation marks.

We don't have access to an original Tandy 1000, but we do have one of the new Tandy 1000EX models. After receiving your letter, we tested the IBM PC/PCjr Proofreader program on our Tandy 1000EX to confirm that it works correctly. The program works the same on a Tandy 1000EX as it does on an IBM PC/PCjr. The Proofreader has also worked on all the other IBM-compatible models we have tested.

Sending Printer Escape Codes In Amiga BASIC

Here is some information that will be useful to any Amiga owner who wishes to use special printer effects (double strike, compressed characters, and so on) from Amiga BASIC. I have had no difficulty printing Amiga screen dumps on my Epson MX-80. However, when I tried to send printer escape codes from Amiga BASIC, they had no effect. This occurred both when I tried to send the control codes with LPRINT and when I used PRINT# to send output to a file I had previously opened to LPT1:, the printer device. In these circumstances, it appears that all printer output is filtered according to the printer selected in Preferences. The solution is to open a printer file using the PAR: device for a parallel printer or the SER: device for a serial printer. If you then use PRINT# to output CHR\$(27) followed by the appropriate control codes, your printer will behave as it should.

Charles Heckel

Thank you for the information. Although the Amiga BASIC manual doesn't mention PAR: or SER:, both device names are understood by AmigaDOS, the disk operating system which BASIC uses for input/ output operations.

Upgrading To An Apple IIGS

I am very impressed by what I have read about the Apple IIGs. Do you have any information on how to upgrade a IIe to IIGs specifications? I understand that the 65C816 microprocessor is available to individuals at a reasonable price, and I would like to purchase one and put it all together.

Mike Mendoza

When Apple premiered the IIGs, they also announced that IIe models could be upgraded to IIGs level. Although they offered only complete IIGs systems at first, upgrades should become available sometime in 1987 for around \$500.

About upgrading it yourself: The 65C816 chip can't simply replace a Ile's 6502 or 65C02 processor. Its pinouts—the signals which are present on each of the chip's leg-like connecting pins-are different enough from earlier models that they aren't interchangeable. Another new chip, the 65C802, is pin-compatible—you just plug it in, and it runs. It has the same new machine language instructions as the 65C816, but like the older chips, it can only directly access 64K of memory. Although we haven't tried doing it, putting a 65C802 in an Apple IIe sounds like an interesting idea. It would be totally compatible with existing Apple II software, but it wouldn't be much like a IIGS.


Many third-party hardware makers offer plug-in cards for the Apple IIe which contain a 65C816, often along with more memory. These accelerator cards can include quite a bit of RAM, far beyond the IIe's 64K or 128K, as well as a high-speed clock for more processing power. Some of these cards can run eight-bit Apple II software faster than a IIGs in emulation mode. For users who only want more speed and storage for IIe applications like

From impossible dungeons and splitsecond snares, the Bard and his party emerge. The Sceptre, so long forgotten, gleams with power like an exploding sun. Even Phenglei Kai, the ancient archmage, bows his head in awe.

"I smell serpents!" Slipfinger squeals, stealing away like the thief he is. Two archdragons slither out of the ground, their eyes burning with the relentless fury of treasure lost.

Protected behind the flame lizards, beyond the reach of normal weapons, a cackling wizard begins the eerie chants of a death spell. A spell that can finish the Bard and his party.

The time has come to battle-test the magic of the Destiny Wand – and reveal the awesome powers of The Destiny Knight.™



- 50% bigger than Bard's Tale."
 - · An all-new story line.
 - Six cities and a huge overland wilderness to explore.
 - Dozens of new spells –
 79 spells in all.
 - New real-time dungeon puzzles. You have to get through them before the clock stops ticking.
 - Summon and name monsters to become a permanent part of your party.
 - More strategy in combat encounters – the weapons and spells you choose depend on the enemy's distance.
 - A bank and casino.
 - A starter-dungeon for building up your low-level characters.
 - 6 guilds for easier game saving.
 Optional use of Bard's Tale characters.
- Optional use of Bard's Tale characters. Bard's Tale experience not required.
- Cluebooks available for both Bard's Tale and Bard's Tale II.™



You get a new class of magic user – the Archmage. With 8 powerful spells like Heal All, Fanskar's Night Lance, and the awesome Mangar's Mallot.



There are over 100 monsters, like this Kner Drone. Many animated. All dangerous.



25 scrolling dungeon levels. All in color. All 3-D. Including 7 different Snares of Death, a new kind of real-time puzzle.

The Bard's Tale II

The Destiny Knight

Optional use
of characters from
of characters from
Ultima III" or Bard's Tale".
Apple version uses

Wizardry characters,
tool

from



ELECTRONIC ARTS"

HOW TO GET IT: Visit your retailer, or call 800-245-4525 (in CA call 800-562-1112) for VISA or Mastercard orders. To buy by mail, send a check, money order, or VISA or Mastercard information to Electronic Arts, P.O. Box 7530, San Mateo, CA 94403. The price is \$39.95 for the Commodore 64 version, and \$49.95 for the Apple version. Add \$5 for shipping and handling (\$7 Canadian). Allow 1-4 weeks for delivery. The Bard's Tale II and Electronic Arts are registered trademarks of Electronic Arts. Ultima is a registered trademark of Richard Garriott. Commodore is a trademark of Commodore Electronic Ltd. Wizardry is a trademark of Sir-Tech Software, Inc. For a copy of our complete catalog, send 50¢ and a stamped, self-addressed envelope to Electronic Arts Catalog, 1820 Gateway Drive, San Mateo, CA 94404.

When you want to talk computers....

HOME COME	
Atari Computers	
520ST Monochrome System	1\$499.00
520ST Color System	749.00
1040ST Color System	879.00
800XL 64K Computer	63.99
65XE 64K Computer	97.99
130XE 132K Computer	129.00
Atari Peripherals	
1020 Color Printer	29.99
1050 Disk Drive	129.00
835 300 Baud Modem	24.99
850 Atari Interface	109.00
M301 300 Baud Modem	39.99
XM801 80-Column Printer	199.00
XM804 ST Printer	189.00
ICD PR Connection	59.99
Xetec Graphix (XL, XE)	39.99



Atari 1040 Color System

\$879

Includes: 1040ST, 1 mb RAM with 3½" drive built-in, 192K ROM with TOS, Basic, Logo, ST language, power supply and color monitor.

Commodore Computers

Commodore-64C 64K Computer189.00 Commodore-64C System w/1802C539.00 Commodore-128 128K Computer259.00 Commodore-128 System......759.00 Amiga 500 & 2000......call Commodore Peripherals 1660 Commodore Modem......59.99 1670 Commodore Modem.......99.99 1541C Disk Drive......189.00 1571 Disk Drive......239.00 1802 Color Monitor......199.00 1902 Color Monitor.....299.00 Amiga 1010 31/2" Ext. Drive.....219.00 Amiga 1020 51/4" Ext. Drive.....189.00 Amiga 1080 RGB Monitor......269.00 C128 512K Expansion Board.....179.00 PPI Parallel Printer Interface......34.99 Xetec S/Graphix 8K......69.99 Micro R&D MW350......44.99

MS/DOS SYSTEMS.



PC-TOO	20	Meg
XT-Com	pati	ble
AT&T 6300)	

\$999


	The second second second
AT&T 6300	from \$1299.00
Compaq	
Cordata	from 899.00
IBM-XT	from 1099.00
IBM-AT	from 2699.00
Leading Edge	from 999.00
NEC Multispeed	from 1499.00
Panasonic Business Par	tnerfrom 799.00
Toshiba 1100 Plus	from 1749.00

MULTIFUNCTION CARDS.

AST
Six Pak Plus PC/XT\$169.00
Six Pak Premium PC/XT249.00
Advantage-AT 128K339.00
Everex
EV-221 Evergraphics Mono139.00
EV-640 Edge Card259.00
Hercules
Color Card159.00
Graphics Card Plus209.00
Fifth Generation
Logical Connection 256K329.00
IDEAssociates
IDE-5251 Local Emulator579.00
Intel
1110 PC Above Board279.00
Inboard 386K 0KCall
NEC
GB-1 EGA409.00
Quadram
Quad Ega + Graphics Adapter299.00
Silver Quadboard129.00
Expanded Quadboard119.00
VIDEO 7
EGA Video Deluxe389.00
Zuckerboard
Color Card w/Parallel89.99
Monochrome Card w/Parallel99.99
576K Memory Card59.99

DRIVES.

Allied Technology
Apple Half-Heights\$109.00
Controller Card39.99
CMS
Drive Plus 20MB Internal Card399.00
Everex
Stream 20 20MB Tape-Backup669.00
Genie Technology
210 H 10+10 subsystem1749.00
Indus
Atari GT Disk Drive189.00
Commodore GT Disk Drive189.00
Iomega
A210H 10+10 Bernoulli Box1899.00
A220H 20+20 Bernoulli Box2499.00
Irwin
110 D 10MB Tape backup



Drive Card 20MB Internal Card...499.00 A220 20 + 20 Subsystem......2199.00


Mountain Computer

Racore Jr. Expansion Chassis \$29


Seagate
ST-225 w/Controller......399.00
Toshiba
Half-Height 360K internal.....89.99

DISKETTES.

DIONETTES.	
Maxell	
MD-1 SS/DD 51/4"	\$8.99
MD-2 DS/DD 51/4"	10.99
MD-2HD Hi-Density 51/4"	21.99
MF-1 SS/DD 31/2"	12.99
MF-2 DS/DD 31/2"	
CS-500 20Mb Streamer Tape	11.99
CS-600 60Mb Streamer Tape	13.49
Sony	
MD1 SS/DD 51/4"	7.99
MD2 DS/DD 51/4"	
MD-2HD Hi-Density 51/4"	20.49
MFD-1 SS/DD 31/2"	
MFD-2 DS/DD 31/2"	19.99







COMPUTER MAIL ORDER

...... When you want to talk price.

MONITORS. SOFTWARE. PRINTERS. FOR AMIGA Canon **Aegis Development** LBP-8A1 Laser, 8 Page/Min....\$1899.00 Animator & Images......\$99.99 MSP-10 160 cps, 80-Column......319.00 Commodore Textcraft/Graphcraft......59.99 Premier 35 35 cps Daisywheel....499.00 **Electronic Arts** 8510-SP 180 cps. 80-Column.......Call Deluxe Paint......64.99 Microillusions 310-SEP Epson/IBM 80-Column......Call Amdek 410 12" Dynamic CAD......359.00 TTL Monitor Micro Systems The Desktop Printshop Laser.....2199.00 Scribble Word Processor.....79.99 Amdek Epson Video 310A Amber TTL.....\$149.00 LX-86 120 cps, Dot Matrix......199.00 Sublogic Color 722 RGB, CGA/EGA......479.00 FX-86E 240 cps, 80-Column......Call Flight Simulator II......37.99 Magnavox FX-286E 240 cps, 132-Column......Call 8CM515 RGB Monitor-80......289.00 EX-800 300 cps. 80-Column......449.00 Print Shop 7BM623 PC Monitor-80 Amber....99.99 LQ-800 180 cps, 24-Wire Printhead.. Call 8CM873 14" Multimode......549.00 **Hewlett Packard** Mitsubishi XC 1409C 14" RGB......319.00 NEC 6300 40 cps Daisywheel...........659.00 The Print Shop For IBM \$3999 12" TTL Green or Amber......109.00 6100 10 cps Daisywheel......389.00 JC-1401P3A Multi-Sync......579.00 5510C Color Dot Matrix......349.00 \$2999 For Commodore & Atari **Princeton Graphics** FOR ATARI ST MAX-12 12" Amber TTL.......169.00 HX-12 12" Color RGB......429.00 Pinwriter 660 24 Wire......489.00 Access Pinwriter 760 24 Wire......689.00 Leader Board Golf.....27.99 HX-12E 12"RGB/EGA.....499.00 Okidata **Batteries Included** Quadram ML-182 120 cps, 80-Column......239.00 D.E.G.A.S. Elite......59.99 8460 Quadchrome Enhanced....439.00 ML-192 + 200 cps, 80-Column....369.00 Microprose Taxan ML-193 + 200 cps, 132-Column......Call Silent Service......29.99 Model 124 12" Amber......119.00 ML-292 200 cps, 80-Column......Call Paradox **Panasonic** Wanderer 3D......29.99 MODEMS. KX-1080i 120 cps, 80-Column.....219.00 Sublogic KX-1091i 180 cps, 80-Column.....299.00 **Anchor** Flight Simulator II......37.99 KX-1592 180 cps, 132-Column.....439.00 6480 C64/128 1200 Baud......\$119.00 Timeworks Omega 80 Amiga......129.00 Swiftcalc......54.99 VM520 ST520/1040 1200 Baud...139.00 FOR IBM Expressi PC-1200 Half Card......149.00 Ashton-Tate **Everex** d-Base III +429.00 Evercom 1200 Baud Internal......119.00 5th Generation Fastback Utility......89.99 Smartmodem 300 External......139.00 Smartmodem 1200B Internal......359.00 Optimouse w/Dr. Halo......99.99 Star NX-10 Smartmodem 2400B Internal......539.00 120 cps Dot Matrix \$209 Lotus **Practical Peripherals** Lotus 1-2-3......329.00 Practical Modem PC-1200.......139.00 Star Micronics MicroPro **Ouadram** NX-10C 120 cps, C64 Interface.219.00 Professional 4.0 w/GL.....239.00 Quadmodem II 1200 Baud......299.00 NX-15 120 cps, 132-Column.....369.00 Microstuf

P341 216 cps, 24-Pin Printhead589.00

In the U.S.A. and in Canada

TI-855 150 cps, 80-Column......599.00

P321 216 cps. 24-Pin Printhead479.00

Crosstalk XVI......89.99

First Choice......119.00

Word Perfect 4.2.....209.00

P.F.S.

Satellite Systems

Texas Instrument

MPP-1064 AD/AA C64......69.99

1200AT 1200 Baud Atari......149.00

2400 Baud Internal......189.00

U.S. Robotics

Call toll-free: 1-800-233-8950.

Outside the U.S.A. call 717-327-9575 Telex 5106017898

Educational, Governmental and Corporate Organizations call toll-free 1-800-221-4283 CMO. 477 East Third Street, Dept. A205, Williamsport, PA 17701 ALL MAJOR CREDIT CARDS ACCEPTED.

POLICY: Add 3% (minimum \$7.00) shipping and handling. Larger shipments may require additional charges. Personal and company checks require 3 weeks to clear. For faster delivery use your credit card or send cashier's check or bank money order. Pennsylvania residents add 6% sales tax. All prices are U.S.A. prices and are subject to change and all items are subject to availability. Defective software will be replaced with the same item only. Hardware will be replaced or repaired at our discretion within the terms and limits of the manufacturer's warranty. We cannot guarantee compatibility. All sales are final and returned shipments are subject to a restocking fee.

Appleworks, this option is worth considering.

But a IIGS has a lot more than a new processor and more RAM. The new video and sound circuitry are only available from Apple. They are also the only source for the ToolBox software built into each IIGS, supporting Macintosh-like windows and menus. Since most commercial developers plan to use all these new features, the only foreseeable way to make your He into a true IIGs is through your Apple dealer. And, for this operation, upgrade isn't exactly the right word. All the IIe's electronic innards are replaced with a new main circuit board. The only parts that are kept are the cabinet, power supply, and keyboard. (Your old interface cards will still work, though.) But when enough new IIGS software has arrived, this procedure could be a very effective means for entering the 16-bit world.

Quiet Disk Format For Commodore 128

The excellent short program written by Martin Filbeau for the Commodore 64 ("Readers' Feedback," December 1986) does indeed prevent the 1541 disk drive's head from rattling when you format a disk. But that program doesn't work on the Commodore 128 in 128 mode. Here is a modified version of the program that works in 128 mode with either a 40-column or 80-column monitor.

```
AG 5 PRINT"{CLR}{GRN}":COLOR 4
      ,1:COLOR Ø,1
MG 10 PRINT" {2 DOWN} INSERT REF
       ERENCE DISK"
QJ 20 GOSUB 270
MP 30 OPEN1,8,15,"IO"
ME 40 OPEN2,8,2,"#"
KR 50 PRINT#1, "U1";2;0;1;0
AQ 60 INPUT#1, N, M$, T, S: PRINT N
       M$,T,S
CR 70 IF N=0 THEN 130
GH 80 PRINT N,MS;T;S
   90 PRINT"{2 DOWN}TRY AGAIN?
GF
        (Y/N)"
DK 100 GOSUB 280
PF 110 GET F$:IF F$="Y" THEN 5
BG 120 CLOSE 2:CLOSE 1:END
KC 130 PRINT" [4 DOWN] REMOVE RE
        FERENCE DISK"
FB 140 PRINT" [DOWN] INSERT BLAN
       K DISK"
FM 150 GOSUB 270
FM 160 FOR I=1 TO 25
BK 170 READ D:D$=D$+CHR$(D)
MR 180 NEXT
KE 190 PRINT#1, "M-W"; CHR$(0); C
        HR$(5); CHR$(25); D$
KA 200 PRINT#1, "M-W"; CHR$ (32);
        CHR$(6); CHR$(3); CHR$(10
        ); CHR$ (64); CHR$ (15)
PS 210 POKE 208,0
JK 215 PRINT" [CLR] [2 DOWN]"
HR 220 INPUT"DISK NAME"; DNAM$
RA 230 INPUT"{2 SPACES}DISK ID
         ';DID$
KJ 240 PRINT" [4 DOWN] FORMATTIN
```

```
DD 250 PRINT#1,"U3:";DNAM$","D
ID$

MC 260 GOTO 120
QD 270 PRINT"{4 DOWN}PRESS ANY
KEY TO CONTINUE"

HK 280 PRINT
JE 290 POKE 208,0
AJ 300 WAIT 208,1
PK 310 RETURN
EC 320 DATA 169,78,141,0,2,169
,48,141,1,2,169,11,141,
42,2

CD 330 DATA 32,238,193,169,1,1
33,81,76,13,238
```

Carlos Vidales

Thanks for the modification. Because of the length of this program, we've added checksums for our "Automatic Proofreader" program. If you're unfamiliar with the Proofreader, see "COMPUTE!'s Guide to Typing In Programs" elsewhere in this issue.

DOS 3.3 CATALOG From Applesoft

I am using an Apple IIc and would like to know how to read a DOS 3.3 catalog into a BASIC array. Can you show me how to do it and explain how it works? Steven Pinckney

DOS 3.3, unlike ProDOS, provides no easy way to do this. However, it can be done. The following code adapts part of "Jacket Lister," a program that appeared in the September 1986 issue of COMPUTE!:

```
20 DIM TB$(144), WS(1000)
80 FOR I = 768 TO 779: READ A
  : POKE I, A: NEXT
90 C = 0:P1 = WS(0) - WS(0) +
   PEEK (131):P2 = WS(Ø) - W
  S(Ø) + PEEK (132)
100 POKE 769,P1: POKE 770,P2
110 POKE 54,0: POKE 55,3: POK
   E 56,11: POKE 57,3: CALL
    1002
12Ø PRINT CHR$ (4); "CATALOG"
125 PRINT
13Ø POKE 768,173: POKE 769,P1
    : POKE 770, P2
14Ø POKE 54,11: POKE 55,3: PO
   KE 56,0: POKE 57,3: CALL
    1002
150 FOR I = 0 TO 4: INPUT A$:
    NEXT
160 INPUT TB$(C): IF TB$(C) =
     "" THEN 170
165 C = C + 1: GOTO 160
17Ø POKE 54,24Ø: POKE 55,253:
    POKE 56,27: POKE 57,253:
     CALL 1002
19Ø DATA 141, Ø, 64, 238, 1, 3, 2Ø8
```

The program starts by dimensioning two arrays, TB\$ and WS. TB\$ is a table of strings to hold the directory entries. WS is just a big block of storage to be used as workspace. Line 80 sets up a short machine language routine which will be used for trapping input and output. The next line uses a trick to find out the address

200 DATA 238, 2, 3, 96

where an array variable is stored. Most versions of BASIC have a function called VARPTR to do this, but Applesoft doesn't. P1 gets the eight low bits of the address, and P2 gets the eight high bits.

In line 100, the address of the workspace is stored in the machine language routine. Line 110 hooks up this routine to intercept all input and output operations, then tells DOS about the new I/O routines with the CALL 1002 statement. (Otherwise, DOS would be completely disconnected.) As it's hooked up at this point, the ML routine will store all output in the workspace and disregard requests for input.

Lines 120 and 125 perform the CAT-ALOG operation, printing all the information into the workspace. In the next line, the ML routine is modified slightly to function as an input routine, and the workspace pointer is reset to the start of the WS array. Then the I/O hooks are changed so that input operations will read from the workspace, while output requests will be ignored.

After line 150 skips four header lines, lines 160 and 165 read each catalog entry into the TB\$ array. Variable C keeps count of the number of files found. Finally, line 170 resets the I/O hooks to the normal values for a 40-column display, and the program ends.

Phantom Opcodes On The 6502

I have a question about 6502 assembly language. I know that every machine language command is contained in one byte, which may be followed by one or two additional bytes. For example, the byte value for the LDA immediate instruction is 169 (\$A9). Some of the possible byte values, however, are not assigned to an instruction. A machine language monitor prints ??? when you try to disassemble one of these instructions. What do these instructions do when the computer executes them? I have heard that they give the combined effect of two other instructions.

Gergely Viczian

Not all of the 256 possible one-byte values are defined as valid machine language instructions for the 6502/6510/8502 microprocessor. The remaining values are officially undefined, meaning that the designers of the processor do not intend them to be used as instructions at all. Many machine language monitors flag such values with ??? to indicate that the byte value could not be interpreted as a valid opcode.

If you've been trying to learn machine language by disassembling other people's programs, you may see many places where it appears on the surface that an undefined opcode has been used.

IS GETTING THE ANSWER TO SOFTWARE PROBLEMS A BIGGER PROBLEM THAN THE PROBLEM?

Don't stay on hold when there's help online from CompuServe'
Software Forums.

The new upgraded version of your software locks up.
And every time you reboot,

you get stuck in the same place in the program.

You've chucked the manual, because you've done exactly what it tells you to do six times already. So you call the software company.

Now you spend half a day beating your head against a brick wall of busy signals, ranting at recorded messages, hanging around on hold. And you still don't get the solution to your problem.

Meanwhile, progress is stopped

and your profits are dribbling away. But wait. There's help...

Several prominent, progressive software publishers recognize this problem, and working with CompuServe, have developed a solution—

have developed a solution— CompuServe Software Forums.

Now you can go online with experts from the companies that produced your software and get prompt, written answers to your specific problems. You can even talk with software developers.

Aldus, Ashton-Tate, Autodesk, Borland International, Creative Solutions, Digital Research, Living Videotext, Lotus Inc., Microsoft, MicroPro, Misosys Inc. and Software Publishing all have CompuServe Software Forums.



CompuServe's large subscriber base also puts you in touch with thousands of other, often more experienced, users of the same software. You'll find they can give you lots of creative ways to get the most out of your software.

And software forums are the best way to learn about product updates, new product announcements, new ways to expand the uses of your software, and offer free uploads of your own programs.

Our online electronic magazines

frequently publish software reviews. And you can find help for many other software products in our other computer-related forums for IBM, Tandy, Atari, Apple, Commodore, TI and others.

The last thing you need when you've got a software problem is a bigger problem getting answers. So, from now on, get prompt, informed answers on CompuServe Software Forums.

To buy your CompuServe Subscription Kit, see your nearest computer dealer. Suggested retail price is \$39.95.

To order direct or for more information, call 800-848-8199 (in Ohio, 614-457-0802).

If you're already a CompuServe subscriber, just type GO SOFTWARE at any! prompt.



CompuServe

Information Services, P.O. Box 20212 5000 Arlington Centre Blvd., Columbus, OH 43220

An H&R Block Company

Instruction	Abs	Abs,X	Abs,Y	Zer	Zer,X	Zer,Y	(Ind,X)	(Ind),Y	Imm
ASO (ASL,ORA)	0F	1F	1B	07	17		03	13	ОВ
RLA (ROL, AND)	2F	3F	3B	27	37		23	33	2B
LSE (LSR,EOR)	4F	5F	5B	47	57		43	53	
RRA (ROR, ADC)	6F	7F	7B	67	77		63	73	
AXS (STX,STA)	8F			87		97	83		
LAX (LDX,LDA)	AF		BF	A7	B7		A3	B3	
DCM (DEC,CMP)	CF	DF	DB	C7	D7		C3	D3	
INS (INC,SBC)	EF	FF	FB	E7	F7		E3	F3	
ALR (LSR,EOR)							ANTES.		4B
ARR (ROR, ADC)									7B
OAL (TAX,LDA)									AB
SAX (DEX,CMP)									CB
NOP	14	2 A E A	7 A T		r.A				
SKB		3A, 5A					74 D4		
SKW			5C, 70			54, 64,	74, D4,	F4	

ASO	ASL then ORA the result with the accumulator
RLA	ROL then AND the result with the accumulator
LSE	LSR then EOR the result with the accumulator
RRA	ROR then ADC the result from the accumulator
AXS	Store the result of A AND X
LAX	LDA and LDX with the same data
DCM	DEC memory and CMP the result with the accumulator
INS	INC memory then SBC the result with the accumulator
ALR	AND the accumulator with data and LSR the result
ARR	AND the accumulator with data and ROR the result
OAL	ORA the accumulator with #\$EE, AND the result with data, then TAX
SAX	SBC data from A AND X and store result in X
NOP	No operation
SKB	Skip byte (that is, branch of +1)
SKW	Skip word of two bytes (that is, branch of +2)

However, you should be aware that—in the vast majority of cases—when you see ??? in a section of disassembled code, you are not looking at a undefined opcode. It's much more likely that you've tried to disassemble a section of memory that doesn't contain machine language, but rather contains data tables, message text, jump vectors, or the like. Since it's only coincidental that the values of these types of data will fall in the range of valid opcodes, most bytes in such areas will show as ???. Undefined opcodes are very rarely used. If you disassemble the entire 16K of BASIC and Kernal ROM in a Commodore 64, you'll find many places where the data disassembles as ???, but none of these is truly an undefined opcode.

Some of the undefined opcodes—sometimes called quasi-opcodes—simply lock up the computer. The computer locks up completely when you attempt to execute any byte ending with \$3, \$7, \$B, or \$F, and most byte values ending with \$2.

Other undefined opcodes cause the processor to perform a meaningful task. Some of these simply replicate a standard instruction: For example, there are six byte values (\$1A, \$3A, \$5A, \$7A, \$DA, and \$FA) that duplicate the NOP (No OPeration) opcode. Others, such as SKB (SKip a Byte) and SKW (SKip a Word) do jobs that are not done by any standard

instruction. The remaining quasi-opcodes generally combine the effects of two stundard instructions. For example, the quasi-op LAX loads both the A and X registers with the same value, just as if you had performed LDA and LDX in sequence with the same value.

Quasi-opcodes have few practical uses. You might save a byte here or there by performing two jobs with one instruction, but most quasi-ops perform pretty obscure functions, and since ordinary monitors and assemblers don't allow for them, it's difficult to write or even disassemble programs containing such codes. Because quasi-ops show up as ??? in an ordinary monitor, they have been used occasionally as a concealment device in copy-protected commercial programs. But for ordinary programming, they are probably more trouble than they're worth. The table above lists all the usable quasiopcodes, taken from Programming the Commodore 64, by Raeto West (COM-PUTE! Books). The codes shown in boldface type are thought to be the most reliable.

De Re Atari Lives

I just read a letter in the February 1987 installment of this column referring to the availability of the Atari reference

book *De Re Atari*. Your readers may be interested to know that a large supply of these books is available for \$10 per copy from this computer dealer.

B & C Computervisions 3283 Kifer Rd. Santa Clara, CA 95051

They also stock many other hard-tofind Atari publications and products. M. J. White

Thank you for this information.

BUMPing In BASIC 7.0

I am writing a game for my Commodore 128 and I have run across a problem with the BUMP(2) function. From what I can determine, the BUMP values to signal sprite collisions should be as follows:

Sprite	Bump Value
0	1
1	2
2	4
3	8
4	16
5	32
6	64
7	128


I am getting other numbers such as 12, 18, 36, and 63. What do those numbers mean?

Jamie Chulada

The mysterious numbers indicate that two or more sprites are colliding. The BUMP function reads the contents of the 128's sprite-collision registers and returns it to BASIC. BUMP(1) reports sprite-to-sprite collisions—the same as performing PEEK(53278) on the Commodore 64-and BUMP(2) reports sprite-to-foreground collisions—the same as PEEK(53279). Each bit of the collision register is assigned to one of the computer's eight sprites. When sprite 0 is involved in a collision, bit 0-the lowest bit of the collision register—is set to 1. When sprite 1 is involved in a collision, bit 1 is set to 1, and so forth. The second column of numbers that you list indicates the decimal values for each bit position in the collision register.

BUMP returns the sum of all the bits in the sprite-collision register. Thus, the number 12 indicates that sprites 2 and 3 are touching one another. Sprite 2's bit value is 4, and sprite 3's bit value is 8. When you add those two bit values together, you get 12. Similarly, the number 18 indicates that sprites 1 and 4 are colliding (2 + 16 = 18).

The BUMP value tells you which sprites are currently involved in some collision. But if more than two sprites are on the screen, it won't necessarily tell you which sprite is touching a given sprite or foreground object. For instance, the value



Amiga screen

SO REAL IT HURTS

GFL Championship Football™


The way computer football should be.

Other football games put you in the grandstands, looking down on the action. Now see what it's like from the *player's* perspective—looking out of your helmet at an angry linebacker headed straight for you, and no blockers in sight.

With GFL Championship Football,™ you've got the first football simulation that actually takes you down on the field, taking the hits and making the plays. And it's more than just a pretty picture—you really get the feel of *playing* football.

No other football simulation gives you so many features:

• In-the-helmet perspective puts you at ground



level on the playing field.


- Scrolling-screen animation moves you up and down the playing field.
- Realistic sound effects let you hear everything from the quarterback calling the signals to the sound of your own footsteps.
- Team selection screens allow you to set the playing style of your team and that of your opponent.

Whether you're taking on bone-crunching action against a friend, or going up against any of the 27 computer-controlled teams in the GFL, this is the one that puts you where the action is!

Available now for the Commodore 64/128, IBM PC and Tandy 1000, Apple II, Amiga, Atari ST and 100% compatible computers.



Amiga screen



Commodore 64-128 screen



Commodore 64-128 screen



Commodore 64-128 screen





63 indicates that sprites 0-5 (1+2+4+8+16+32=63) are touching other sprites or foreground objects. But this result does not mean that each of those sprites is involved in the same collision as the others. For all you know, sprites 0 and 1 may have collided on one part of the screen, and sprites 2-5 may be involved in a three-way collision elsewhere.

In other words, BUMP(2) tells you that a given sprite has collided with some foreground object, but does not indicate which foreground object it is touching. If that information is important, you must compare the horizontal and vertical screen positions of every sprite on the screen.

BASIC Page Flipping On The ST

I am programming in ST BASIC, and I would like to know how to flip from one screen to another.

R. W. Sharples

Page flipping—switching from one display screen to another—is quite simple in a language like C, but it's not practical in ST BASIC. The first problem has to do with memory allocation. An ST screen requires 32,000 bytes, and it must begin at an address that's evenly divisible by 256. In order to use an alternate screen, you must reserve 32,000 bytes of memory at a location divisible by 256. This ordinarily would be done with GEMDOS routines, but ST BASIC provides no means to call a GEMDOS routine. If you attempt to use an unprotected memory area, you run the risk that output to the new screen will interfere with BASIC, or that BASIC's operations will corrupt the screen.

Assuming that you could surmount the memory problem, you also would have difficulty flipping from one screen to the next. Page flipping is done by calling an XBIOS routine, but ST BASIC also lacks any method for calling XBIOS routines. Furthermore, switching to a new screen requires that you pass to the system a 32-bit address representing the location of the new screen. Since the largest variable in ST BASIC is only 16 bits long, you have no practical way to tell the system where your alternate screen begins.

The recently introduced GFA BASIC language permits access to GEMDOS and XBIOS routines, and it also has a built-in command that can flip screens without resorting to system calls. The SWAP command exchanges the values of two variables in GFA BASIC. If you previously have reserved a screen space named SCREEN2, this statement is all it takes to flip from the old screen to the new one:

SWAP screen1, screen2

0

GET UP TO 200 FUN-FILLED PROGRAMS EACH YEAR-

when you subscribe now to COMPUTE!





profession that the program that
niting a machine language program that
orks on five different computers is no
mall task. The first hurdle is finding
safe place to put the code. Though
he casette buffer is an obvious
hoice, it's located in different
laces on various machines, and putting
di there creates problems for tane
isers. Instead, the Proofreader uses 56 bytes of BASIC programming space.+
Ser bushes of Bacic processing contract
To pares of puero broat suuring sharett
Refore it installs the routine in
memory, the Proofreader checks to see
deword, the Linguistader Checks to see
which computer you're using. Then it
stores the ML at the bottom of BASIC
memory and protects itself by moving
the computer's start-of-BASIC pointer
to a spot 256 bytes higher in memory.
Ince that's done, the Proofreader
activates the ML routine and erases
tself with NEH. Note that because the
roofreader overwrites its first few
BASIC lines, it's critical not to
delete anything from the first portion

Subscribe to COMPUTE! today through this special introductory money-saving offer, and you'll be getting a lot more than just another computer magazine. That's because each issue of COMPUTE! comes complete with up to 20 all-new, action-packed programs.

Subscribe now and you can depend on a steady supply of high quality, fun-filled programs like Hickory Dickory Dock, Switchbox, TurboDisk, Home Financial Calculator, Turbo Tape, SpeedScript, SpeedCalc, and hundreds of other educational, home finance, and game programs the entire family can use all year long.

The superb programs you'll find in each issue are worth much, much more than the low subscription price.


And there's more to COMPUTE! than just exciting new programs. Month after month, COMPUTE!'s superb articles deliver the latest inside word on everything from languages to interfaces...from programming to disk drives.

Whether you're a novice or an experienced user, COMPUTE! is the magazine for you. So subscribe today. Return the enclosed card or call 1-800-247-5470 (in lowa, 1-800-532-1272).


Do it now.







ACT NOW AND SAVE!



COMPUTE! Publications, Inc. obc

If attached order card is missing, write: COMPUTE! P.O. Box 10955, Des Moines, IA 50950

The New Music

Selby Bateman, Features Editor

Digital technology and computers are changing the ground rules of music. Sounds are being produced that have never before been heard. Many professional musicians are altering the business of commercial music by composing and performing in ways previously unthinkable. And nonmusicians can now create and play music with the help of smart computer programs that teach, guide, and accompany.

Pick up many of the latest records, tapes, and compact discs on the market and you're in for a surprise. In addition to the traditional credits given to those who play guitar or piano or drums, you'll increasingly find credit being given for *programming*, digital mastering, and other computer-related processes.

You may be in for a similar surprise at your next concert. One or two musicians can now play a bank of computer-controlled instruments that sound like an entire orchestra. Drum machines, sequencers, sound samplers, digital pianos, and synthesizers cover the stage—all hooked into one another and connected to one or more computers.

Musicians as varied as Frank Zappa, Philip Glass, Wendy Carlos, Jan Hammer, Vangelis, Steve Winwood, Pat Metheny, Peter Gabriel, and many others are experimenting with a variety of new-tech musical styles and machines as they explore the cutting edge of digital technology. More fundamental changes are occurring today in the ways we create, play, and listen to music than in any previous era. And those alterations are raising eyebrows, expectations, and problems.

For most computer users, however, the most direct effect of the changing musical landscape may be in the dozens of new and sophisticated music software packages that have been emerging over the past couple of years. Computers with more memory and power are providing a much richer environment for software developers, and this translates into some of the most accessible and flexible music programs ever developed.

The MIDI March

Each of these subject areas—sound generation, commercial production, and amateur access—is based on the revolution in music caused by the introduction of MIDI in 1982.

MIDI—the Musical Instrument Digital Interface—is a standard set of electronic specifications for interconnecting electronic musical instruments, and that includes computers. MIDI is both a hardware standard and a software standard, the basics of which were agreed upon by a number of the leading companies in the electronic music business, such as Yamaha, Sequential Circuits, Korg, E-Mu Systems, Roland, and others. The fact that these companies were able to agree on the standards back in 1982 has meant that all electronic music development could move forward much faster.

How important is MIDI? David Kusek, president of Passport Designs, a leading music software company, claims that MIDI is turning musical instruments into computer peripherals. "It's making it possible for a much larger group of people to make music," he adds. "MIDI is changing the nature of music learning and production."

The basics of MIDI are easy to understand. Let's say you have a personal computer, a synthesizer, a drum machine, and a sequencer. Before MIDI, it would have been virtually impossible to connect the four machines in any mutually productive combination. But through MIDI, you physically connect the four with cables and communicate

via a common set of transmission signals that travel from machine to machine.

MIDI itself is an open-ended set of specifications, designating a minimum group of standards that all companies can follow. At the hardware, or machine, level, MIDI is really quite simple. MIDI ports can be MIDI IN, MIDI OUT, or MIDI THRU. MIDI IN ports receive the digital data, MIDI OUT ports send the data, and MIDI THRU ports pass along the data. The plugs, jacks, and cables used by MIDI must be the same. The cable is the common shielded, twistedpair type, and the ports are the standard five-pin DIN variety.

There are 16 separate MIDI channels that can be set to send, carry, or receive data from different instruments. In the newest instruments, individual voices can be assigned to different channels. They operate in much the same way that television channels do, but the sending and receiving options are much more flexible and interactive with MIDI channels. There are also a variety of modes for sending and receiving information. As you can see, at its most basic level, MIDI is very simple; at higher levels, with many machines interconnected and different channels carrying different voices, the results can become both complex and powerful.

The New Professional Environment

For most computer users and amateur musicians, however, there's no real need to become a technical wizard to exploit the promise of MIDI. Some new computers, like the Atari ST, come with MIDI ports already installed. And MIDI interfaces for personal computers are getting much cheaper and more versatile.

For professional musicians, there's every reason to explore the



Songs

Melody erase

many uses of MIDI. The results among musicians who have already become proficient with computeraided, MIDI-controlled composition and performance have been remarkable. Most dramatic, perhaps, are the works of composers such as Jan Hammer, who every week single-handedly scores an hour-long episode of the television program "Miami Vice" from the computer-controlled recording studio in his home. In a similar fashion, the composer Vangelis created, by himself, the entire award-winning score for the movie Chariots of Fire, composing and producing all of the music.

Frank Zappa—who has, in the past, delighted in writing musical compositions too difficult for musicians to play-now has digital music machines that can do the job quite easily. "I use synthesizers for three things," says Zappa. "For generating sounds that never existed before, for performing music which human beings would have difficulty playing, and to get rid of some of the drudgery of composition."

While professional musicians may be more experienced in composing and performing music, their goals are not unlike those of nonmusicians who want to make music. And thanks to a new breed of music software, amateurs today can do more and sound better than ever before.

Improving Hardware

Making music on a computer has come a long way in a very short time. Before computer manufacturers put music chips in their computers, some adventurous computer users made sound by actually programming their computers to tell their printers to tap out meager rhythmic patterns. The first soundproducing computers used simple tone generators with oscillators that

could affect pitch and volume, and not much more.

Panel

For several years, the Atari eight-bit computers' four-voice sound chip was the best that could be had on a personal computer. But then came the Commodore 64's amazing SID (Sound Interface Device) chip which—five years later is still a remarkable sound processor.

But the greatest leap has been in the advances in sound-generation capabilities that have come with the latest generation of computers. Add to that the vastly expanded power that these computers have because of their 512K and even one-megabyte memories, and the musical landscape looks even broader.

The Amiga's four-voice stereo sound output, with independently programmable volume level and sound-sampling rates, is only now beginning to be effectively tapped. And the Apple IIGS computer goes even further in sound generation with the amazing Ensoniq Q chip that has 15 separate, two-oscillator voices and a built-in analog-todigital converter. It will take a while before software developers exhaust the musical power of the Amiga and Apple IIGS computers.

At the same time, both the Macintosh and the Atari ST computers are attracting professional and amateur musicians alike to their powerful and yet easy-to-use environments. During the past couple of years, software developers have produced quite an array of music-composition programs for the Macintosh, and the same situation seems likely for the ST. In fact, Atari engineers realized that the potential for musical applications of the ST was so great that they designed MIDI IN and MIDI OUT ports on the back of the STs when they were first built. So, instead of needing a MIDI interface to connect between the computer and MIDI instruments, the ST is already set for MIDI use.

tempo

Z00H -

ant Music

Options

More Memory, More Music

There has developed a very large library of music software for eightbit machines like the Commodore 64 and the Apple II-series computers. And many professional musicians first began tinkering with digital music, MIDI, and computers on one of these eight-bit machines.

But despite the flexibility of these computers, the pros soon found themselves reaching the limit of memory on the 64K machines. It's possible to get about 6000 notes into memory at one time on a Commodore 64. And if you want to process those notes in any advanced ways-say, by pitch bending or using a modulation wheel on a MIDI-equipped synthesizer—the memory is used even faster.

The new-generation computers, with 512K or as much as one megabyte of memory, can handle virtually all of the notes and processing that even the most demanding composer can throw at them. Software companies have not been slow to realize this potential. Activision, Aegis Development, Cherry Lane Technologies, Dr. T's Music Software, Electronic Arts (EA), Hybrid Arts, MidiSoft, Passport Designs, Sonus, and Southworth

Music Systems are but a few of the companies that have produced a number of music software programs for both professionals and amateurs. (See accompanying mu-

sic buyer's guide.)

There are almost as many kinds of music software available today as there are packages. But most of them fall into one of three broad categories: educational programs aimed at systematic teaching, training, and/or practice of musical knowledge and skills; entertainment software aimed at unleashing the creative and playful aspects of music creation and performance while also allowing some level of serious productivity; and MIDI-related programs that serve as controllers for you to use with your computer and one or more MIDIequipped musical instruments.

Many of the educational programs have proven to be a boon to music instruction in school settings as well as in the home. But it's the latter two categories—the creative programs and the MIDI programs-that seem to be capturing the fancy of most amateur and professional musicians. In addition, an increasing number of the newest music-creativity programs are being developed with MIDI compati-

bility already built in.

The range of options and features that are a part of most MIDI programs-sequencers, editors, controllers-is remarkable. Passport Designs' new Midisoft Studio for the ST, for example, is a complete multitrack recording studio and sequencer that features realtime recording, playback, overdub, rewind, and fast forward. It has 32 polyphonic tracks which are independently controlled, and a capacity for more than 80,000 notes per song. In addition, there is full track editing for combining, moving, copying, and erasing any combination of the 32 tracks. In other words, you can change virtually any musical parameter you can think of in just about any manner.

For computer users who aren't interested in using their machines with electronic synthesizers, drum machines, digital pianos, and the



Activision's The Music Studio is an entertaining creativity program which also has a full set of music-composition

like, there are plenty of software programs that use just the computer to compose and perform music. Among the best-known and the most complete of these programs for both 8-bit and new 16-bit computers are Activision's The Music Studio and Electronic Arts' Music Construction Set (and the new Deluxe Music Construction Set).

The Music Studio, for example, is something of a musical tool kit that has an impressive array of features, but is also accessible to beginners. The program offers full composing capabilities, as do many programs, but there are also tools for creating your own instruments and sound effects, and a "paintbox" feature for free-form musical experimentation. Activision also offers MIDI capability on the ST, Amiga, Tandy 1000, and Commodore 64 versions.

In a similar fashion, Music Construction Set and the new deluxe version offer free-form composition tools and user-definable sounds. The emphasis in both programs is to give the beginner plenty to play around with and to enjoy, without having to know too much at the start. As the level of knowledge and skill goes up, the programs have built-in tools that are quite sophisticated.

Your Computer Accompanist

A most interesting offshoot from these composition and entertainment programs are software packages that actually become accompanists to your creative and performance efforts. This is the logical next step, and one that promises to bring even more nonmusicians into the computer-music

One of the newest and best examples of this breed of helpful music software is Electronic Arts' Instant Music, a program that won't let you make a mistake-unless you want to. The software does this by keeping you in the right key and rhythm no matter what you're playing. You can even "Mousejam" along with the program—using the mouse to control one instrument as several other instruments play a composition. No matter where you move the mouse on the musical staff, you're in key and in rhythm and always following the melody. The computer becomes your musical partner. For a nonmusician, the experience is both fascinating and educational.

Instant Music, and a few programs like it, provide that one extra step that can help a beginner really get excited about creating music. 'Instant Music is a result of what we learned from Music Construction Set," says EA producer Stewart Bonn. "Although we had freed a person from having to play a keyboard in order to play music, we hadn't necessarily taught them where to place the notes. And, unfortunately, music composition is composed of a lot of rules that not a lot of people understand.

"Instant Music lets the computer take care of all those rules," he says. "It's as though you had the computer holding your hand and

guiding you."

It's clear that the digital-music invasion is just underway. And computers will remain in the forefront of this amazing musical transformation. The digital music machines and computers that you can buy today for less than a thousand dollars can produce far more sophisticated results than musicians could have achieved 20 years ago in a firstrate recording studio. And much of that power comes from MIDI.

Says one music-software developer, "The real power is with the consumer. MIDI will allow the marginal musician perfect performances, if he's willing to use it."

TEST DIVE ONE FOR YOURSELF.

In their day, they ruled over three quarters of the earth's surface.

During WWII, they viciously brought Britain

to her knees. And Japan to the



These were the silent killers: Tench, Gato, U-Boat.

And now, they return. In this, the most realistic, all-encompassing simulaTAKE OUR PREVIEW DISK FOR A SPIN. Drop this coupon in the mail with your check or money order, and we'll gladly send you to the South Pacific to have it out with an enemy fleet.

Mail to Sub Battle Preview, P.O. Box 8020, Redwood City, CA 94063.

Qu	antity Total
Apple II & compat. (128K)	\$1.50 ea.
Commodore 64/128	\$1.50 ea.
IBM PC & compat.	\$1.50 ea.
Atari ST	\$2.75 ea
Macintosh	\$2.75 ea.
Apple II GS	\$2.75 ea
Total Disks Ordered	Total Enclosed
Name	Phone ()
Address	Age
City/State/Zip	

Canadian orders please add 50¢ for additional postage.

Please allow 4 to 6 weeks for delivery. Offer expires 8/30/87 and is valid only in the continental U.S. and Canada. Void where prohibited.


And the contents of a vital target book, among other things.

Your arsenal will include deck and antiaircraft guns. Torpedoes. And mines.

But even all that may not be enough.

Because besides the risk of bumping a depth charge or facing a killer Destroyer, you'll still have to contend with the gunfire of enemy aircraft.

No simulation has ever had the degree of



Glossary Of

Electronic Music Terms

Amplitude-loudness.

Analog sound—recordings on ordinary tape recorders or vinyl records. The sound waves on these media replicate the waves which will hit the air when the tape player or record player is turned on. You can see them if you look closely at an LP: little fluctuations in the grooves which are an analogy of the sound therein contained.


Bandwidth—the amount of fidelity. The distance between the lowest and highest frequencies possible in a given instrument or device.

Digital sound—recordings on compact disc or digital tape. The sound waves bumping against a microphone are translated into numbers (digits) which are then stored. Sound information stored in this fashion is far less susceptible to the dust, warpage, and other kinds of decay which have plagued analog storage media since their invention in the nineteenth century. More importantly, the numbers can be easily processed at virtually no cost. If you want to add echo, just copy the pitch numbers, adjust the timing numbers, and reduce the loudness numbers associated with the copy. All this is a software event in the digital domain: Nothing physical has to happen, just some math. Contrast that to the expensive electronics required to send analog music through a device that has to somehow physically control the necessary repetitions and relationships.

Dynamics—variations in amplitude.

Envelope—how the sound builds and dies away. Broken into four fundamental phases—attack, decay, sustain, and release—the envelope of a sound is the variation in its amplitude over time.

The ear is very sensitive to variations in the loudness of a



sound, and the envelope is one of the most important ways that we distinguish different musical instruments. Some instruments have similar waveforms (pitch relationships) but are easily told apart because one abruptly goes silent while the other slowly fades.

Fidelity-how well a recorded or synthesized sound matches the original. For instance, a two-inch speaker will always be low fidelity no matter how good a signal you feed into it. It's just too small; few musical instruments have two-inch openings through which their sounds normally pass. Forcing the big boom of a bass drum through a two-inch opening is a doomed endeavor: The sound waves are just too large to fit through, and such a speaker is politely described as "lacking in bass." Attach larger speakers to the system, though, and you'll get higher fidelity.

Filtering—selectively removing elements of a sound. When you turn down the treble control on your stereo set, you are filtering out some of the high-frequency content of the music. It sounds less bright because you are invoking a variable filter which eliminates a portion of the sound.

Low-pass filter—a device which allows the low-frequency content of a sound to pass through, but blocks the high-frequency content. In digital recording, there are effects beyond the range of human

hearing which nevertheless can distort the sample and which require low-pass filtering. Such filtering is also used to eliminate hiss or other high-frequency noise.

Noise—disorganized sound. Noise can come from the 60-cycle-persecond hum of ordinary electrical current if electronic equipment isn't properly grounded, from the hiss caused by imperfections in recording tape, or from other sources such as inadequately shielded computer circuitry. Whatever its source, noise is a constant problem in the creation of music and its high-fidelity reproduction. Tape hiss might well be the exact same sound as a brushed cymbal, but the cymbal is brushed with the music, on the beat, while the tape noise is random.

Orchestration—the choice of instruments. Deciding, for example, that you want your melody played by a clarinet and not by an oboe is orchestration.

Oscillator—an electronic device which vibrates, causing electrical signals to take on waveforms. Useful in generating sound.

Pitch—how high or low a sound is. Polyphonic—more than one sound at a time. A soloist singing a melody without accompaniment is *monophonic*. But when you add a guitar, a drum, and other musicians, you get polyphony. An important aspect of a musical instrument is the number of sounds it can make simultaneously. A drum is normally monophonic, but a set of drums can be played polyphonically.

Reverb—complicated clusters of echoes which add fullness and naturalness to a sound and which are caused by reflections of sound waves off the walls of a room. Differences in reverberation are what you hear when you can distinguish the sounds made by the same piano

New books from COMPUTE!

COMPUTE! Books is bringing you a brand new line up of books for your Commodore 64 and 128. These recent releases offer you everything from programming hints to exciting games, from educational to home and business applications.



Pascal for Beginners

\$14.95 0-87455-068-8 Book/disk combination for the Commodore 64 \$29.95 ISBN 0-87455-069-6

This introductory text to standard Pascal on any computer is an ideal tutorial for anyone who wants to learn this powerful computer language. It includes everything you need, including an introductory Pascal interpreter* for the Commodore 64 and 128 in 64 mode, ready to type in and use. Written in plain English and offering numerous program examples, it gently and clearly explains standard Pascal and structured programming. Latter sections include discussions of advanced topics such as files and dynamic data storage. There is also an optional disk available for \$12.95 for the Commodore 64 which includes most of the programs in the book. 688BDSK.

*The Commodore 64 Pascal interpreter is not full-featured, but still a powerful implementation of Pascal which suits the needs of most beginners.

COMPUTE!'s Music System for the Commodore 64 and 128

Book/disk combination only

\$24.95

Sidplayer, the feature-packed, popular music player and editor program, is now more versatile and more impressive than before. Enhanced Sidplayer for the Commodore 128 and 64 includes two new versions—one for the Commodore 128 running in 128 mode and another for the Commodore 64. Take advantage of every feature the SID chip (the sound chip in the 128 and 64) has to offer. Just like the original, Enhanced Sidplayer is easy to learn and use, with many powerful new features. The accompanying disk contains the editor, player programs (including a Singalong program), utilities, and sample music that you can enjoy immediately or change. The new Sidplayer plays any songs created by the original Sidplayer for the Commodore 64.

User's Guide to GEOS: geoPaint and geoWrite

\$18.95 ISBN 0-87455-080-7 Learn the ins and outs of GEOS, the new icon-based operating system for the new Commodore 64C and the 64, with this step-by-step guide. Everything from creating simple letters with geoWrite and pictures with geoPaint to merging text and graphics and using desk accessories is clearly and concisely explained.

COMPUTE!'s Second Book of the Commodore 128

\$16.95

ISBN 0-87455-077-7

The editors at COMPUTE! Publications have collected some of the best games, programs, and tutorials for the Commodore 128 (in 128 mode) from COMPUTE! magazine and COMPUTE!'s Gazette. Like COMPUTE!'s First Book of the Commodore 128, this book offers a variety of programs and articles for every 128 user. Each program has been fully tested and is ready to type in and use on the Commodore 128 running in 128 mode. There is also a disk available for \$12.95 which includes the programs in the book. 777BDSK.

Mapping the Commodore 64, Revised

\$16.95

An update of the bestselling memory map and programming guide. It's a necessity for intermediate and advanced programmers. This definitive sourcebook has been expanded and now covers the new icon-based GEOS (Graphics Environment Operating System) with clear descriptions of how to make it work for you. For BASIC and machine language programmers of both the Commodore 64 and 64C.

Look for COMPUTE! Books at your local computer or book store.

Or, to order directly from COMPUTE!, call toll free 1-800-346-6767 (in NY 212-887-8525) or write COMPUTE! Books, P.O. Box 5038, F.D.R. Station, New York, NY 10150.

Please include shipping and handling: \$2.00 per book in U.S. and surface mail; \$5.00 airmail. NC residents add 5 percent sales tax and NY residents add 8.25 percent sales tax.

Please allow 4–6 weeks for delivery.



COMPUTE! Books are available outside the United States from subsidiaries of McGraw-Hill International Book Company.

NLQ 180

Hi-Speed Printer Sale

0 - 180 CPS • Near Letter Quality

Lifetime Warranty

Wholesale Cost Prices!!!

Fantastic Price

60% OFF LIST PRICE

NLQ-180 Premium Quality Printer

List \$499.95

Near Letter Quality Selectable From Front Panel Controls • High Speed Dot Matrix • Letter Quality Modes • 8K Buffer frees up Business or Personal • Tractor/Friction •

15 Day Free Trial • Lifetime Warranty on

Print Head* • 6 Month Immediat

Replacement computer 4-times faster • Pica, Elite.

This is an example of ITALICS

Enhanced Boldface Condensed Text

Double-strike example of Near Letter Quality

10" Carriage Graphics Fantastic Easy to Use

Lifetime Warranty*

Print Buffer

Interface

8K bytes utility buffer

(original plus 2 copies)

Character Fonts

Text Mode - Bi-directional

Graphic Mode — Uni-directional

Plain paper, Roll paper, Single sheet

Fanfold, Multipart paper: max. 3 sheets

Centronics type parallel (8-bit)

Pica, Elite, Italics, Condensed

Printing Direction

- IBM — COMMODORE — EPSON —— NLQ 180 SPECIFICATIONS

Impact dot matrix **Printing Speed**

Printing Method

160-180 CPS at standard character printing

Printing Characters

Standard 9 x 9 dot matrix

NLQ 12 x 18 dot matrix (33cps)

Character size: 2.12 x 2.8 mm (standard) Character sets: Full ASCII character set (96) 32 International characters

Ink Ribbon Cartridge

Ribbon Life: 3 million characters/cartridge

---- APPLE - ATARI - ETC.

Physical Dimensions

Size: 15" x 12" x 5" Weight: 12.7 lbs.

Maximum Number of Characters

80 cpl Standard: 10 cpi Standard enlarged: 5 cpi 40 cpl 12 cpi 96 cpl Elite: Elite enlarged: 6 cpi 48 cpl Condensed: 17 cpi 132 cpl Condensed enlarged: 8.5 cpi 66 cpl Condensed elite: 20 cpi 160 cpl

INTERFACES -

Atari \$39.95 Apple \$49.95 Laser \$19.95 Commodore \$29.95 IBM \$49.95

Add \$10.00 for shipping, handling, and insurance. Illinois residents please add 61/4% sales tax. Add 20.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. All orders must be in U.S. Dollars. WE DO NOT EXPORT TO OTHER COUNTRIES EXCEPT CANADA. Enclose Cashier Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail. Prices & Availability subject to change without notice.

VISA — MASTER CARD — C.O.D. C.O.D. on phone orders only

22292 N. Pepper Rd., Barrington, Illinois 60010 Call (312) 382-5050 or 382-5244 to Order We Love Our Customers Twice the speed* at just a fraction of the cost! Computes over two times faster than the IBM® XT

10 MHz Super Turbo IBM® XT Compatible Computer System Run thousands of IBM® software programs available.



Look at all you get for only \$59900

The complete system	List Price	Sale Price	
10 MHz Super Turbo XT Computer	\$1295°°	*49900	
* 512K Memory	\$9995	No extra cost	
* Single floppy disk drive	\$12995	No extra cost	
* Parallel printer port	\$59°5	No extra cost	
* Serial printer port	\$59°5	No extra cost	
* Mouse/joystick port	\$59°5	No extra cost	
* RGB color graphics port	\$9995	No extra cost	
* Hercules compatible monochrome port	\$7995	No extra cost	
MS DOS 3.2 & GW Basic	\$19900	\$99 00	
12" Hi-Res 35 MHz Green Screen Monitor	\$24900	*9900	
(TTL & EGA compatible)		40.005	
Monitor interface cable	\$2495	*19*5	
Big Blue Printer	\$199°°	*39°5	
RS 232 IBM to Big Blue cable	\$1995	*9°5	
2 rolls of paper	\$1995	*5*5	
Word First • Word Processor	\$9900	*3995	
Data First • Data Base	\$9900	*39°5	
Calc First • Spreadsheet	\$9900	*39°5	
Total price when bought separately	\$2893 ⁸⁵	*89265	

Home & Business

This IBM® XT compatible is perfect for your home and/or business uses. It makes life easier in more ways than you can imagine. Use the system for personal letters, form letters, address storage, listing valuables, figuring finances, school reports, business reports, calculations, business projections...the list can go on and on. With the addition of some of the thousands of software programs available for IBM® you can increase the capabilities of your system even further. A terrific home improvement, business enhancer, entertainment center & educational aid!

Save over 27500 off sale prices!

Complete System only '599

* Built-in the Super Turbo XT

IBM® is the trademark of International Business Machines Inc.

* 90 Day Immediate Replacement Policy from Computer Direct

Shipping, Handling & Insurance Charges and Information

Add \$35.00 for shipping, handling and insurance. Illinois residents please add 6½% sales tax, Add \$70.00 for CANADA, PUERTO RICO, HAWAII, ALASKA and APO-FPO. All orders must be in U.S. dollars. Enclose Cashier Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail. Prices & Availability subject to change without notice.

VISA - MASTERCARD - C.O.D.

Please call for C.O.D. charges.

22292 N. Pepper Rd., Barrington, Illinois 60010

Call (312) 382-5050 or 382-5244 to Order

We Love Our Customers



played in a small room or played in Carnegie Hall. Reverb is often added artificially in recording studios to make music sound more real and more pleasing to the ear.

Ring Modulation—a special way of superimposing filtering on a sound which results in the exotic, constantly shifting timbre characteristic of bells and gongs.

Sampling-making a brief digital recording of a sound or musical instrument. Although we're all familiar with analog recording using tape recorders, the quality of digital recording can be much greater; and the resulting sound, captured in RAM memory instead of tape, is far easier to work with. For example, if you sampled the sound of a pencil hitting a cup, you could then play the sound back at different pitches, as if you had 88 cups sitting inside a piano, 1 for each key. Or you could modify the sound in a variety of ways (echo, play it in reverse, and so forth), which is quite easy to do when the sound resides in computer RAM memory, but difficult, if not impossible, when it's on tape. Sampling, however, does use up RAM memory very quickly. A few seconds of sampled sound can require thousands of bytes of storage space.

Sampling Rate—how often, per second, the sound waves hitting a microphone are measured and transformed into numbers. All things being equal, the higher the sampling rate, the more the resulting sample will resemble the original.

Sonic—pertaining to sound.

Sync—using one oscillator to control another to produce such effects as tremolo (where the pitch rapidly rises and falls, almost like yodeling) or vibrato (where the amplitude rises and falls).

Synthesis-creating artificial sounds from scratch. Using the elements of sound (waveforms and envelopes), it is possible to build very close approximations of acoustic instruments or to invent entirely new sounds.


Sound is vibration. It's a disturbance of the air that forms wavelike patterns which strike the ear. And there are two fundamental elements to sound: pitch and amplitude. Pitch is how high or low the sound is on the musical scale and is a direct result of how many vibrations per second are occurring. A high pitch is caused by frequent vibrations; a low pitch by fewer vibrations. The amplitude is how loud the sound is.

Synthesists can use electronics and computers to create waveforms and control amplitude in complex ways. They can superimpose, invert, filter, and otherwise manipulate them into sounds that are designed rather than natural. Modern music is becoming increasingly reliant on synthesis in the same way and for the same reasons that modern manufacturing increasingly relies on synthetic materials: The product is often less expensive, more reliable, and, sometimes, cannot be found in nature.


Transpose—applied to digital sampling, this means to move a sound up or down in pitch. A drum transposed up three octaves could sound like a bird chirp-a shorter and higher-pitched sound. Transposing a sampled sound so far from its normal range is called the Mickey Mouse effect because the sound begins to take on an odd, hollow quality. For this reason, several different samples of instruments with wide pitch ranges (such as the guitar) need to be made. The piano, one of the most difficult instruments to

sample, requires many samples across its range. The waveforms of the low notes and high notes on a piano are so distinct that they seem to derive from different instruments altogether.

Voicing—adding character to a sound. Changing the voicing of an organ can make it sound like reed or wind instruments, for example. Waveforms-The sometimes intricate shapes of the sound waves characteristic of different sounds. The sine wave (shown below), the simplest waveform, sounds like a flute.



If you start to deform the waves, like this:




A modified sine wave

you'll start hearing a more raspy sound. Enough deformation, and you can end up with what sounds like a trumpet. Manipulating waveforms, in combination with control over a sound's envelope, can produce the sound of any instrument. The unique quality of an instrument's sound, its particular waveform, is called its timbre.



SUPPORT FROM COMPUTE! BOOKS

Everything for the Amiga. From BASIC beginner's guides to advanced programming handbooks, COMPUTE! offers you information-packed tutorials, reference guides, programming examples, ready-to-enter applications, and games to help you develop your computing skills on Commodore's Amiga.



COMPUTEI'S AmigaDOS Reference Guide

Arlan R. Levitan and Sheldon Leemon A comprehensive tutorial and reference guide to the powerful AmigaDOS—the operating system underlying the Workbench and Intuition—this book offers information useful to every Amiga owner. It defines and illustrates all DOS commands, and shows you how to create file directories, access peripherals, run batch file programs, and avoid "disk shuffle." The screen- and line-oriented text editors are explained in detail. Numerous examples and techniques explain how to use AmigaDOS to make operating your Amiga both convenient and efficient.


\$16.95 ISBN 0-87455-047-5

Elementary Amiga BASIC

C. Regena

Here's your introduction to the new and powerful BASIC on the Amiga personal computer. The Amiga's impressive graphics, animation, and sound can be unlocked with the right commands, and BASIC is the place to start. Complete descriptions of Amiga BASIC's commands, syntax, and organization take you from the beginner level to a full-fledged programmer. Plus, the book offers you ready-to-type-in programs and subroutines while showing you how to write your own programs. There is a disk available which includes the programs in the book, \$12.95. This title is also available as a book/disk combination for \$29.95 (057-2).

\$14.95 ISBN 0-87455-041-6



COMPUTEI's Amiga Programmer's Guide

Edited

Your tutorial and reference manual to AmigaDOS, BASIC, Intuition, and other important software tools which accompany the new Amiga, COMPUTE's Amiga Programmer's Guide is a clear and thorough guide to the inner workings of this fascinating newgeneration computer. The great speed of its 68000 microprocessor, coupled with the versatility of the Amiga-specific graphics and sound, makes the Amiga one of the most powerful computers available today. This book is the key to accessing the Amiga's speed and power.

\$17.95 ISBN 0-87455-028-9


Advanced Amiga BASIC

Tom R. Halfhill and Charles Brannon

This guide to applications programming on Commodore's new Amiga contains everything an intermediate programmer requires to begin creating sophisticated software on this powerful machine, including several ready-to-type-in programs. Clear, yet comprehensive documentation and examples cover advanced BASIC commands, designing graphic applications, generating sound and music, using the Amiga's built-in speech synthesizer, creating a user interface, and programming the computer's peripherals. There is a disk available which includes the programs in the book, \$15.95. (June release)

\$17.95 ISBN 0-87455-045-9

Look for these books at your local book or computer store. Or order directly from COMPUTE!. Call toll-free 1-800-346-6767 (in NY 212-887-8525).



COMPUTE!'s Beginners Guide to the Amiga

Dan McNeill

Written in a lively and entertaining style, this book teaches you everything a beginner needs to know to get started quickly with the Amiga from Commodore. You will learn about setting up the system, all the most popular types of software, and details about the hardware.

\$16.95 ISBN 0-87455-025-4

Inside Amiga Graphics

Sheldon Leemon

The Amiga. Commodore's powerful new computer, is an extraordinarily impressive graphics machine. Easy to use, the Amiga can produce color graphics and excellent animation. You'll find thorough descriptions of the computer's abilities and the hardware required to create a complete graphics system. Software, too, is central to the Amiga's power, and complete tutorials show you how to get the most from the machine. (June release) \$17.95 ISBN 0-87455-040-8


COMPUTEI's Kids and the Amiga

Edward H. Carlson

The latest in this bestselling series written by Edward Carlson, COMPUTE!'s Kids and the Amiga, will acquaint you with BASIC. Over 30 sections—all with instructor notes, lessons, assignments, and lively illustrations—entertain and amuse you as you learn to program your new computer. Clear writing and concise examples make it easy for anyone—children and adults alike—to painlessly learn BASIC. (May release)

\$14.95 ISBN 0-87455-048-3

Please allow 4-6 weeks for delivery after your order is received.



COMPUTE! books are available outside the United States from subsidiaries of McGraw-Hill International Book Company.

A Buyer's Guide To Music Software

he programs listed here are only some of the hundreds of music software packages available for personal computers. This buyer's guide is not meant to be exhaustive, but does give you some idea of what's available and which companies are producing music software. A number of the companies mentioned here have a variety of other music programs available. The following guide does not attempt to include the professional programs priced significantly above the general consumer level. Note that prices and machine availability change frequently.

Product	Price	Publisher/ Vendor	System	Description	
Adams' Music Disk Version 6.0	\$39.95	Adams' Soft	Apple II, IIe, IIc	Elementary music-learning program with colorful graphics. Mos useful for elementary-school teachers.	
Advanced Music System	\$79.95	Firebird	Commodore 64/128	A music program allowing creation of full compositions with MIDI capability. Suitable for the professional musician as well as beginners.	
Aegis Sonix	\$79.95	Aegis Development	Amiga	Create any type of music by combining multiple instruments and sounds with this professional music-composition program An expanded version of a program originally called Musicraft.	
Bank Street Musicwriter	\$49.95	Mindscape	Apple II+, IIe, IIc; Atari eight-bit; Commodore 64; IBM PCjr	Composing comes to life as you arrange music on the screen. It's as easy to learn as arranging words in word processing.	
Basic Chords	\$39.95-\$99.95	Electronic Courseware	Apple II+, IIe, IIc; Commodore 64/128; IBM PC, PCjr; Tandy 1000	Computer plays a basic chord or its inversion, which the user must then identify.	
Basic Guitar 1	\$50	Digital Concept Systems	Apple II, II+, IIe	Two-disk set of sound and graphics to teach chords to beginning guitarists.	
Basic Piano Theory Software	\$29.95	Alfred Publishing	Apple II+, IIe, IIc; Commodore 64/128	Creative graphics and animation in game formats reinforce concepts taught in Alfred's Basic Piano Theory.	
Beatles Classics	\$29.95	DJ Software	Commodore 64/128	Strum-along-song disk comes with 15 songs, from "Hey Jud to "Hard Day's Night."	
Camus	\$50	Conduit	Apple II; IBM PC	Set of exercises that train the ear to perceive musical notation.	
Chord Power for Guitar	\$39.95	Newarts	Commodore 64	Displays over 10,000 guitar chords with sound at user's request	
Chord Primer	\$49.95	Dynacomp	IBM PC, PCjr	Program capabilities range from a built-in library of over 600 chords to a set of automated lessons on music theory for guitar	
Chords	\$79	Wenger Computer Software	Apple II, II+, IIe	Intermediate or advanced music students drill and practice chord identification for ear training.	
Christmas Classics	\$9.95	Free Spirit Software	Commodore 64/128	"Joy to the World," "Deck the Halls," "Twelve Days of Christmas," and "Jingle Bells" are among the over 40 songs included.	
Christmas, Volume 3	\$15	Great Wave Software	Mac, Mac Plus	Collection of Christmas songs.	
Classical Selection, Volume 5	\$15	Great Wave Software	Mac, Mac Plus	Collection of favorite classical music.	
Clef Notes	\$39.95	Electronic Courseware	Apple II+, IIe, IIc; Commodore 64/128; IBM PC, PCjr; Tandy 1000	Drill-and-practice in identifying notes as they're placed on the treble, alto, tenor, and bass clefs.	
Coco Notes	\$12.95	CBS Interactive Learning	Atari eight-bit; Commodore 64	Players try to catch notes, create melodies, and fish for tunes. Teaches sound discrimination, musical patterns, and composition. For ages 6 and up.	
Computer Song/Album/Music- Video Hits	\$15.95	Sight & Sound Music Software	Commodore 64	Listen to hits of favorite artists while controlling computer- generated instrument sounds and special effects.	
COMPUTE!'s Music System for the Commodore 128 & 64	\$24.95	COMPUTE! Publications	Commodore 64/128	Enter, edit, and play the most sophisticated music possible on the Commodore 128 and 64 with <i>Enhanced Sidplayer</i> .	
ConcertWare+ MIDI	\$139.95	Great Wave Software	Mac, Mac Plus	Control any MIDI-compatible electronic keyboard, synthesizer or drum machine. Record voices as you enter them monophonically on an electronic keyboard.	
ConcertWare+, Version	\$69.95	Great Wave Software	Mac, Mac Plus	Create, edit, print, and play music files; create new instrument sounds, as well. Some music and instruments included.	
Deluxe Music Construction Set, Version 2.0	\$99.95	Electronic Arts	Mac, Mac Plus; Amiga	Improved and redesigned to take full advantage of these powerful computers. Enter notes directly on the staff with the mouse or from onscreen keyboard.	

"...everything a good compiler should be...easy to use...efficient...offers a good range of optional features...excellent documentation...inexpensive." Tom Benford, Commodore Magazine

Give your BASIC programs a boost!

Basic Compiler

Now anyone can speed up their BASIC programs by 3 to 35 times! Basic-64 and Basic-128 easily converts your programs into fast machine language or speedcode (takes up less space yet protects your programs from prying eyes) or a mixture of both. You can even compile programs written with extentions—Simon's Basic, VICTREE, BASIC 4.0, VideoBasic and others. When the compiler finds an error, it just doesn't stop, but continues to find any other errors as well. Supports overlays and has many other options. 128 version works in FAST mode and allows you to use all 128K of memory. If your program walks or crawls, give it the speed to *RUN!*

for C-64 \$39.95 for C-128 \$59.95

Super C

C is one of today's most popular languages. It's easy to transport C source code from one computer to another. With *Super C* you can develop software or just learn C on your Commodore. *Super C* is easy to use and takes full advantage of this versatile language. Produces 6502 machine code and is many times faster than BASIC. Includes full-screen editor (search, replace and block



"...easy to use package with more power than most users should need...ultra-fast compile and link times make program development effortless." Adam Hørst, Transactor

operations), compiler, linker and handbook. Combine up to seven modules with the linker. Besides the standard I/O library, a graphic library (plot points, lines, fill) and a math library (sin, cos, tan, log, arctan, more) are included. Whether you want to learn C, or program in a serious C environment for your Commodore, *Super C* is the one to buy.

for C-64 \$59.95 for C-128 \$59.95

PPM

Personal Portfolio Manager is the most comprehensive stock market portfolio management system available for the 64 or 128—For investors who need to manage stock portfolios, obtain up-to-the-minute quotes and news and perform selected analysis. Allows multiple portfolios for special intrests (high tech, low risk, income, etc.) and monitored individually. And the versatile report generator lets you produce any kind of report to analyze a portfolio or stock. You can even update your portfolio automatically using Dow Jones or Warner Computer Systems and your modem.

for C-64 \$39.95 for C-128 \$59.95




"...Personal Portfolio Manager will help you make the most of your money." Jim Grubbs, RUN Magazine

"...a customized data base with advanced telecommunications features and a relatively sophisticated report generator. This combination is hard to beat on any microcomputer."

Ted Salamone, Commodore Magazine

... and SUPER BOOKS!




Anatomy of the C-64
Insider's guide to '64 internals.
Graphics, sound, I/O, kernal,
memory maps, and much
more. Complete commented
ROM listings. 300pp \$19.95



Analomy of the 1541 Drive
Best handbook on this drive,
explains all. Filled with many
examples programs, utilities.
Fully commented 1541 ROM
listings. 500pp \$19.95



Tricks & Tips for the C-64
Collection of easy-to-use techniques: advanced graphics, improved data input, CP/M, enhanced BASIC, data handling and more. 275pp \$19.95



GEOS Inside and Out
Detailed info on GEOS. Add
your own applications to
GEOS. Edit icons. Constant
display clock. Single-step
through memory. \$19.95



GEOS Tricks and Tips
Collection of helpful techniques for all GEOS users,
Includes source for a font
editor and a machine language monitor. \$19.95

Call now for the name of your nearest dealer. Or order direct with your credit card by calling 616/241-5510. Add \$4.00 per order for S&H. Foreign add \$12.00 per item.

oy calling of 0.241-0.010. And \$4.00 per Other for S&H. Foreign add \$12.00 per liem. Other books and software also available. Call or write for your free catalog. Dealers inquires welcome–2000 nationwide.



C-128 INTERNALS
Important C-128 information.
Covers graphic chips, MMU,
I/O, 80 column graphics and
fully commented ROM
listings, more. 500pp \$19.95



1571 INTERNALS
Essential reference. Internal
drive functions. Explains
various disk and file formats.
Fully-commented ROM
listings. 450pp \$19.95



C-128 TRICKS & TIPS
Fascinating and practical info
on the C-128. 80-col hires
graphics, bank switching.
300 pages of useful information for everyone. \$19.95



C-128 PEEKS & POKES
Dozens of programming
quick-hitters, techniques on
the operating system, stacks,
zero page, pointers, and
BASIC. 240pp \$16.95



C-128 BASIC 7.0 Internals
Get all the inside into on
BASIC 7.0. This exhaustive
handbook is complete with
fully commented BASIC 7.0
ROM listings. \$24.95

Abacus

P.O. Box 7219
Dept. C5
Grand Rapids, MI 49510
Telex 709-101 • Fax 616/241-5021
Phone 616/241-5510

Product	Price	Publisher/ Vendor	System	Description	
Ear Challenger Game	\$39.95	Wenger Computer Software	Apple II, II+, IIe	An aural/visual game designed to increase tonal memory of a series of pitches. Seven levels of difficulty. For elementary, intermediate, and advanced students.	
Early Music for Musicworks	\$15	Recreations Software	Mac, Mac Plus	More than 60 music files of early music of many different styles sounds, and moods.	
Early Music Skills	\$39.95	Electronic Courseware	Apple II+, IIe, IIc; Commodore 64/128; IBM PC; Tandy 1000	Note-recognition tutorial and drill for beginning music student A MIDI version is available.	
Early Music, Volume 4	\$15	Great Wave Software	Mac, Mac Plus	Collection of music from the Renaissance period.	
Ear Teacher	\$79	Wenger Computer Software	Apple II, II+, IIe	Provides complete record keeping for students using the Intervals, Tunings, Chords, and Melodic games music program	
Easy Guitar	\$29.95	DJ Software	Commodore 64	Guitar instruction.	
Elvis Classics	\$29.95	DJ Software	Commodore 64/128	Strum-along-song disk with 15 songs. Includes "Teddy Bear," "Hound Dog," "Love Me Tender," and more.	
Euphony Jr.	\$19.95	TCO Software	Commodore 64/128	A collection of three hours of classical music for your listening enjoyment.	
Euphony+	\$29.95	TCO Software	Commodore 64/128	Create, edit, and play music in three voices. Print out your music scores.	
FB01 Design	\$139.95	Sonus	Commodore 64/128	A double-banked MIDI librarian and editor for use with the Yamaha FB01 FM sound generator.	
Find That Tune	\$39.95	Electronic Courseware	Apple II, II+, IIe, IIc, IIGS; Commodore 64/128	Aural/visual program with two difficulty levels.	
GlassTracks	\$69.95-\$85	Sonus	Apple II+, IIe, Macintosh; Commodore 64; Atari 520/1040ST	A multifunctional MIDI recording studio.	
Guitar Master 1.0	\$49.95	Mastersoft	Commodore 64	A comprehensive program of instruction designed for students, amateurs, and professional guitarists.	
Guitar Tutor, Volume 1	\$49.95	Nappo Software	Maç, Mac Plus	Teaches beginning guitarists the correct finger positions of basic chords.	
Guitar Wizard	\$29.95-34.95	Baudville	Apple II+, IIe, IIc, IIGS, Mac; Atari eight-bit, ST; Commodore 64/128, Amiga; IBM PC, XT, AT	Learn and analyze scales, chords, and tunings for all types of fretted string instruments. Clear graphic displays of the fretboard, notes, intervals, and finger positions.	
Halftime Battling Bands	\$12.95	CBS Interactive Learning	Atari eight-bit; Commodore 64	Children choreograph and stage their own Be-Bop Bowl halftime show. Trip up the opposing band while creating you own marching tunes and band formations.	
Hey Diddle Diddle	\$20.95-\$26.95	Spinnaker Software	Apple II, II+, IIe, IIc; Atari eight-bit; Commodore 64; IBM PC	Collection of 30 classic nursery rhymes featuring brilliant color graphics and lively music.	
Imagination: Music	\$34.95	Wiley Professional Software	Apple II, II+, IIe	Music is both heard and seen; each song can be repeated, edit further, or saved for future listening.	
Incredible Musical Keyboard	\$29.95	Sight & Sound Music Software	Commodore 64	Transforms the Commodore 64 into a musical instrument complete with black and white keys.	
Instant Keyboard Fun I— MIDI	\$39.95	Electronic Courseware	Apple II+, IIe; Commodore 64/128	Twenty-six songs the user plays on a synthesizer keyboard.	
Instant Music	\$49.95	Electronic Arts	Amiga	The Amiga accompanies you with the sound of three instruments while you create music using a mouse; a music composition and creativity program.	
It's Only Rock'n'Roll	\$29.95	Electronic Arts	Amiga	The first in a series of library disks for use with EA's Deluxe Music Construction Set, Deluxe Video, and Instant Music.	
Kawasaki Rhythm Rocker	\$26.95	Sight & Sound Music Software	Commodore 64	Combines color graphics with electronic instrument sounds and preprogrammed bass rhythms. Features a multitrack recording capability.	
Kawasaki Synthesizer	\$29.95	Sight & Sound Music Software	Commodore 64	Two-disk package that transforms the Commodore 64 into a programmable synthesizer and sound processor.	
Keyboard Chords—MIDI	\$79.95	Electronic Courseware	Apple II+, IIe; Commodore 64/128; IBM PC; Tandy 1000, 1200	Tutorial on major, minor, diminished, and augmented chords; chord spelling drill; and a keyboard drill.	
Learning Guitar	\$39.95	Chipware	Commodore 64	Introduction to the joy of playing a guitar. Learn to strum songs	
Overnight Listen	\$69	Imaja	Mac, Mac Plus	in less than an hour. Interactive music program providing melodic and harmonic ear	
Listen!	\$39.95	Electronic Courseware	Apple II+, IIe, IIc; Commodore 64; IBM PC, PCjr; Tandy 1000, 1200	training.	
Magic Piano	\$49.95	Edusoft	Apple II, II+, IIe, IIc	A music-learning system for any teacher who wishes to introduce music in the classroom. Transforms computer keys into piano keys.	





1-614-868-6868

Add \$3.00 min. U.S. shipping, C.O.D. \$5.00 extra. Hawaii and Alaska \$4.95 min. Orders outside U.S. are not insured. Canada & Mexico 10% min. \$10.00. All other countries 25% min. \$30.00. MasterCard, Visa and school purchase orders accepted. Personal checks allow 3 weeks. 5.5% sales tax for Ohio residents. Defective replaced within 20 days. 20% restocking not replaced with same item. Compatibility not guaranteed. Prices subject to change

Since 1981

Lyco Computer Marketing & Consultants






Vickie Blaker Customer Service Department Manager

"Our Customer Service Department is one example of how much Lyco Computer cares about your satisfaction. Everyday we talk to people from all over the world, and our goal with each person who calls is to be as helpful, efficient, and courteous as possible. We're ready to find the answers -- from questions about the status of an order, to warranties, to product availability and price -- or guide you to someone who can. And we're always here to help you...before, during, and after your purchase."

Sublogic: Baseball Stadium \$15.95 Flight Simulator II. \$31.95 Jet Simulator \$31.95 Championship Golf \$New Championship Golf \$32.95
Baseball Stadium \$15.95 Term Paper \$35.75 Borrowed Time \$26.95 Flight Simulator II \$31.95 Champ. Basketball \$26.95 Champ. Basketball \$26.95 Champ. Basketball \$26.95 Champ. Basketball \$26.95 Championship Golf \$32.95
Flight Simulator II. \$31.95 Champ. Basketball \$26.95 Champ. Basketball \$26.95 Champ. Basketball \$326.95 Championship Golf \$32.95
Jet Simulator\$31.95 Championship Golf\$New Championship Golf\$32.95
Night Mississ Dishall 204 05
Night Mission Pinball \$21.95 Microprose: Hacker \$26.95
395 COM MODORE Scenery Disk
95 SOFTWARE Sublogic Faceball \$24.95 Decision in Desert \$24.95 Little Péople \$29.95
Broderbund: Sublogic Football \$26.95 F-15 Strike Eagle \$22.95 Mindshadow \$26.95 Bank St. Writer 128K \$32.75 Epyx: Silent Service \$22.95 Music Studio \$35.95
Carmen San Diego \$22.75 Destroyer \$24.75 Microleague: Tass Times \$26.95
Champ. Lode Runner \$24.75 Fastload \$24.75 Micro Leag. Baseball \$25.95 Strategic Simulations:
Varioto Champ
1860 \$25.75 Movie Monster \$24.75 86 Team Disk \$14.95 Sublogic:
nop Companion\$22.75 Multiplan\$24.75 Broderbund: Flight Simulator II\$32.95
p Paper \$12.75 Sub Battle \$23.95 Airheart \$22.75 Jet Simulator \$CALL
Super Cycle \$23.95 Ancient Art of War \$25.75 Epyx:
Graphics Scrapbook\$14.95 / Print Shop Companion \$25.75 / Pegus
\$23.95 S. Sports Baskellai \$23.95 Carmen S. Diego (USA) \$28.75 Winter Games \$22.95
\$24.95 Vorpol Utility Kit\$15.75 Ballik St. Writer +\$44.79 Pawn\$26.95 Rogue\$19.75
\$13.95 World Games \$24.75 Battlegruppe \$38.95 Union World Games \$24.75
.\$14.95 / Firebira: Colonial Conquest
Flite \$19.95 / Gettysburg\$35.95 / Art Gallery 1 or 2\$18.95 / Road War 2000\$24.95 /
75 / Frankie Goes to Italy\$19.95 / Shard of Spring \$25.95 / VIP:
Pawn \$28.95 / Wizards Crown \$25.95 / VIP Professional \$115 / Orling \$24.95
Tracker \$31.95 Sublogic: Silver Confee School Computer Baseball \$14.95
Starglider \$24.95 Figure later 1 \$22.95 Gettysburg \$38.75
Night Mission Pinhall \$22.95
Tech Expressions: Sublogic: Scenery #1-#6 \$6.75 Sublogic: Standard
y Paper
re\$6.75 Destroyer\$15.95 Scenery 8an Fran\$15.95 Scenery #1.#6\$19.95
Movie Monster\$24,95 Activision:
Winter Games\$24.95 Peoble Beach\$32.95 Ancient Art of War \$28.95 SSDD \$6.00
\$22.95 World Games .\$24.95 Points .\$26.95 Print Shop .\$37.75 DSDD .\$7.50
d: Firehird: Ballyhoo \$25.75 Print Ship Companion \$31.75 SKC:
\$26.95 / Colossus IV Chess \$25.95 / Enchanter Trilogy\$49.75 / Gentles Etbaly 16 III \$8.50 SSDD\$8.50
\$24.95 / Elite \$22.95 / Monomist \$25.75 / Toy Shop \$39.95 / DSHD \$18.95
\$34.95 Startlider \$26.95 Music Studio. \$32.75 Bank St. Writer + \$54.95 Verbatim:
Microprose: Junison World: SSDD
Art Gallery 2
Print Master\$25.95 Decision in Desert\$24.95 Print Master\$36.75 3.5
F-15 Strike Eagle \$22.95 / 3M:
Silent Service
Micro Leag. Baseball \$25.95 Maxell:
SSDD \$15.99
77 Stat Disk
Con con
Applied Tallery 20175 / 3-1/4 / DSDD \$24.99 /
SOFTWARE Apshai Inlogy
d\$24.95 / Karate Champ\$19.75 / SSDD\$9.99 / SSDD\$14.99 / listed, call for price
\$14.95 / Movie Monster\$24.75 / DSDD\$12.99 / DSDD\$19.99 / and availability!





Product	Price	Publisher/ Vendor	System	Description	
Making Music on Micros	\$69.95	Random House Software	Apple II, II+	Learn BASIC programming and music theory at the same time.	
Master Composer	\$39.95	Access Software	Commodore 64	Takes full advantage of the sound chip to produce all types of music, from simple melodies to intricate compositions.	
Melodian ConcertMaster	\$59.95	Melodian Systems	Commodore 64/128	Combines the capabilities of a music synthesizer, recording studio, and video display. ConcertMaster creates an environment for experimenting and learning about music.	
Melodian Keyboard with ConcertMaster	\$159	Melodian Systems	Commodore 64/128	This unique system is a major advance in the teaching, learning, and enjoyment of music.	
Melodian RhythmMaster	\$59.95	Melodian Systems	Commodore 64/128	RhythmMaster helps develop perfect timing through the use of color-coded video-displayed notes.	
Melodian ScoreMaster	\$59.95	Melodian Systems	Commodore 64/128	Program your music and print it out in music notation which other musicians can read and play. Any music recorded with ConcertMaster can be printed.	
Melodic Games	\$79	Wenger Computer Software	Apple II, II+, IIe	Drill-and-practice memory dictation for ear training.	
MIDI/4+	\$129.95	Passport Designs	Apple II, II+, IIe; Commodore 64	Four-channel multitrack composing and recording tool for MIDI	
MIDI/8+	\$169.95	Passport Designs	Apple IIe; Commodore 64/128	Eight-channel multitrack recording software that turns your computer and MIDI keyboard into a professional recording studio.	
MIDI Jazz Improvisation	\$79.00	Electronic Courseware	Apple II+, IIe, IIc	Provides instrumental and vocal students with play-along material to learn jazz improvisation using original tunes.	
Midimac: Patch Librarian—Casio CZ	\$75	Opcode Systems	Mac, Mac Plus	Made for the Casio CZ synthesizer with several banks of patches to store thousands of sounds with MIDI capabilities.	
MIDI Processor	\$149.95	Sonus	Commodore 64/128	A processing program for use with the Super Sequencer or Studio I sequencers.	
MIDI Recording Studio	\$39	Dr. T's Music Software	Atari ST	A MIDI recording program for those just beginning to work with MIDI, with a stripped-down version of parts of the Dr. T Keyboard Controlled Sequencer.	
MIDIsoft Studio	\$99	Passport Designs	Atari ST	A multitrack recording studio that works with the ST and any MIDI-equipped instrument.	
MIDI Tech 64	\$99.95	Sonus	Commodore 64/128	A full-featured monitor/system-exclusive librarian program.	
MIDI Voice Librarian	\$69.95	Passport Designs	Apple II+, IIe, IIc; Commodore 64/128	Over 100 great new sounds for MIDI keyboard. Load up to four banks of 32 sounds at any moment.	
Musical Computer I and II, Version 1.0	\$34.95	Computer Applications Tomorrow	Apple II+; Atari eight-bit; Commodore 64	Teaches music fundamentals. Covers note reading, sharps and flats, tempo definitions, and more.	
Music Box I	\$59.00	Wenger Computer Software	Apple II, II+, IIe, IIc; Commodore 64	Four programs designed to aid students in learning and remembering music symbols.	
Music by Matrix	\$29.95	Dynacomp	Commodore 64	Audiovisual aid to help the student understand chords and scales in terms of the intervals involved.	
The Music Class	\$39-49 each	Wenger Music Software	Apple II, II+, IIe, IIc, IIGs	A five-part music-instruction series, including Fundamentals, Rhythm, Ear Training, Music Symbols, and Note Reading.	
Music Concepts, Version 1.0	\$59.95	Ventura Educational Systems	Apple II, II+, IIe, IIc	Introduce the concepts of music theory, the history of music as we know it, and even the science of sound.	
Music Construction Set			A computer music program that everyone can enjoy. Doesn't require years of piano lessons or learning computer codes.		
Music Editor	\$20	Affordable Software	IBM PC	Compose songs with as many as 500 notes per song.	
Music Logo	\$99.95	Terrapin	Apple II, II+, IIe, IIc	Explores musical structure and extends the user's musical understanding and appreciation.	
Music Made Easy	\$29.95	Alfred Publishing	Apple II+, IIe; Commodore 64	Teaches the basics of music in a step-by-step course. Lessons are reinforced with drills and quizzes.	
Music Magic	\$30	Dayline Software	Commodore 64/128	Play your favorite songs and/or compose your own music.	
Musicman	\$29.95	Zephyr Services	Apple II, II+, IIe; IBM PC, XT, PCjr	Try your hand at composing music right on the screen with standard musical methods. Save compositions on disk or pla some of the sample music provided.	
Music of the Masters: I, II, III, and IV	\$9,95	Free Spirit Software	Commodore 64/128	Collections of works by major classical composers. Instrument simulations include violin, piano, harpsichord, flute, and guitar.	
Music of the Masters V	\$9.95	Free Spirit Software	Commodore 64/128	Approximately one hour of popular themes from the best-known classical works, using various instrument simulations.	
Music Processor	\$24.95	Sight & Sound Music Software	Commodore 64	Create, edit, play, and compose your own musical arrangements.	
Music Program	\$19.95	Micro Demon	TRS-80 Model 100	Turns any Model 100 into a musical instrument by modifying the sound routine.	
Music: Rhythm	\$29	MECC	Commodore 64/128	Stimulating practice on rhythmic fundamentals. For beginning- to advanced-level music students.	

Product	Price	Publisher/ Vendor	System	Description	
Music: Rhythm and Pitch	\$29	MECC	Atari eight-bit; Commodore 64	Three disks which can be used singly or in a combination to provide practice at successive levels of difficulty.	
Music: Scales and Chords	\$29	MECC	Atari eight-bit; Music theory and drill-and-practice. Commodore 64/128		
Music Shop	\$149.95	Passport Designs	Commodore 64/128	Compose, edit, print, and play back with a joystick, easy-to-use pull-down menus, and your MIDI keyboard.	
Music Studio	\$34.95-\$59.95	Activision	Atari eight-bit, ST; Commodore 64/128; Amiga; IBM PCjr; Tandy 1000; Apple IIGs Music, lyrical composition, and audio synthesis plets you orchestrate, mix, create sounds, and ever sounds.		
Music System	\$39.95	Firebird	Commodore 64/128	A multitracking sound system. Use your Commodore keyboard to enter and correct music with the cassette-recorder-style multitracking functions.	
MusicWorks	\$49.95	Hayden Software	Mac Provides all the tools needed for anyone to create a music, from simple melodies to fully orchestrated s Music can be composed on a standard musical staf player-piano grid.		
Notable Phantom	\$19.95	Designware	Apple II+, IIe, IIc; Commodore 64; IBM PC, PCjr	Learn to play a keyboard instrument and to read music, with the help of funny ghosts, spiders, and The Notable Phantom.	
Notes	\$19.95	Comput-Ability	Apple II+, IIe, IIc	Develop speed and accuracy in identifying each musical note by its letter name. For ages 6 and up.	
The Orchestrator	\$49.95	Intersect Software	Atari ST	A music composition and entertainment system for both the experienced and beginning musician. MIDI compatible.	
Party Songs	\$15.95	John Henry Software	Commodore 64/128	A sing-along software program with old-time favorites.	
Patch Librarian— Yamaha DX21/27/100	\$75	Opcode Systems	Macintosh, Macintosh Plus	Use Mac disks to store thousands of sound patches for the Yamaha DX synthesizer. Takes the place of expensive RAM cartridges. Makes using inconvenient cassette-tape storage of sounds obsolete.	
Personal Musician	\$29.95	Creative Software/ Activision	IBM PC, PCjr	Experiment with computer-generated musical tones as you learn to read music and write your own original songs.	
Player Piano	\$19.95	Dynacomp	Atari	Turn your Atari into a player piano.	
Rock 'N' Rhythm	\$26.95	Spinnaker Software	Atari eight-bit; Commodore 64/128	Expand and develop your music skills by taking charge of your own recording studio.	
RX Librarian	\$49.95	Sonus	Commodore 64/128	A MIDI librarian that works with the Yamaha RX11 and RX21 drum machines.	
Song Painter	\$59.95	Rubicon Publishing	Mac, Mac Plus, Mac XL	Turns the Mac into a four-voice synthesizer that lets you create your own music with no knowledge of musical notation.	
Songwriter	\$19.95	Mindscape	Apple II+, IIe, IIc; Atari eight-bit; IBM PC, XT, PCjr	Colorful graphics combined with editing functions for over 28 different songs. Connector cable is included to hook up to stereo.	
Sound Development System	\$29.95	Dynacomp	Commodore 64	Create and place sound effects and music within your own BASIC or machine language programs.	
Soundscape Pro MIDI Studio	\$149	Mimetics	Amiga	A MIDI recording studio consisting of several interrelated MIDI modules.	
Sound Tracks	\$49	MECC	Apple II, II+, IIe, IIc	Turn your computer into a musical keyboard with this package. For ages 5–12.	
Staff Master	\$45	Micro Learningware	Apple II, IIe, IIc	Three programs for the beginning music student. Excellent graphics. For grade-level 4 and up.	
Stickybear Music, Version 1.0	\$39.95	Weekly Reader Family Software	Apple II, II+, IIe, IIc, IIGs	Compose a piece of music, play it, change the tempo, or go back and change notes or sections.	
Strum-Along Songs	\$69.95	DJ Software	Commodore 64/128	Play and sing your favorite songs on your guitar or keyboard accompanied by your own backup band. Each disk includes 15 easy-to-play songs.	
Studiomac, Version 1.3	\$125	Creative Solutions	Mac	Create music and play it out over a Casio CZ101 synthesizer.	
SYNTHY-64	\$17.95	Abacus Software	Commodore 64	A music and sound synthesizer that can duplicate a piano, banjo, flute, drum, or almost any other instrument. You can al make special-effects sounds in an endless variety of combinations.	
Terpsichore	\$49.95	Great Wave Software	Macintosh, Music for exclusive use with ConcertWare+ and ConcertWare MiDI on the Macintosh.		
3001 Sound Odyssey	\$26.95	Sight & Sound Music Software	Commodore 64	An educational odyssey that explores the basics of electronic music synthesis and the construction of sound effects.	
12-Bar Tunesmith	\$39.95	Electronic Courseware	Apple II+, IIe, IIc; Commodore 64/128; IBM PC, PCjr; Tandy 1000, 1200, 3000	graph notation. Choose from four different pitch durations and hear tunes played at varying tempos.	
Xylophone/Square	\$8.95	Kidware	Commodore	Play any of nine songs or program your own.	

The data for this guide was supplied by MENU—The International Database Corporation. For further evaluative information, or to insure that your product is included in the database, contact MENU, 1520 South College Avenue, Fort Collins, Colorado 80524. The toll-free number is 1-800-THE-MENU.

Rememory

Charles Harbert

How good is your memory? This program lets you test your memory against the computer or a friend. The original version is written for the Commodore 64. We have added new translations for the Amiga, IBM PC/PCjr, Apple II series, and Atari 400, 800, XL, and XE. The Commodore and Atari versions require at least one joystick. The IBM PC/PCjr version requires BASICA and a color/graphics card for the PC and Cartridge BASIC for the PCjr. The Apple II version works on any Apple II-series computer, under DOS 3.3 or ProDOS.

"Rememory" is a game that will push your powers of concentration and memorization to the limit. Type in the program listed for your computer and save it. Read the general instructions and refer to the specific notes for your computer before you begin to play.

Playing Rememory

Rememory is played on a grid containing 54 boxes arranged in a 9×7 matrix. Each box contains a graphics shape, and there are many matching shapes within the grid. The object of the game is to find all of the matches in the playing grid by selecting any two boxes at a time.

The graphics cursor (mouse pointer in the Amiga version) indicates your current postion on the game screen. Move the cursor to the box you wish to select using the joystick, mouse, or cursor controls, depending on which computer you are using. When you select the box, the computer displays the shape which it contains.

A turn consists of two selec-


tions. After you select both boxes, the computer displays both of them briefly. If the two shapes you selected are identical, you have scored one match, and those shapes remain visible on the board. If the shapes do not match, the computer erases them, and it is your job to remember where those shapes were found. The computer scrambles the shapes at the beginning of each game, so you won't know where a given shape is found until you uncover it.

Rememory can be played with one or two players. When you play alone, the object is to match all the shapes in the fewest number of turns. For a two-player game, the goal is to score more matches than your opponent. You get an extra turn every time you succeed in making a match. If you set a time limit for each move (for instance, 20 or 30 seconds), Rememory can be a fast-paced, exciting two-player game.


When you run the program, it asks how many players will play the game. Enter the number of players, 1 or 2. Then the program asks how many matches will be required to finish the game. If you enter the maximum number, 27, you will have to match every pair of shapes in the grid to finish. If you choose a lower number, the game ends when you achieve the designated number of matches. The right side of the screen displays the current score.

Commodore 64 Version

This version of Rememory (Program 1) can be played with one or two joysticks. If you are using only one joystick, plug it into port 2.




"Rememory" for the Commodore 64, a challenging memory game. This version uses custom machine language subroutines to speed up its graphics.




The Amiga version of "Rememory" uses a 32-color palette and color cycling to enhance the game's visual appeal and difficulty.



The Apple II version of "Rememory" is played with the keyboard and runs with either DOS 3.3 or ProDOS.



"Rememory" for the IBM PC/PCjr.



A custom display list is used to achieve the graphics effects in "Rememory" for the Atari 400, 800, XL, and XE.

Amiga Version

The Amiga game (Program 2) is played with the mouse. Move the mouse pointer to the desired box and press the left mouse button to select it. In the two-player game, the colors of the window border change to indicate whose turn it is. To add to the interest and difficulty, this program uses color cycling to change the colors of the graphics shapes.

IBM PC/PCjr Version

This version of Rememory (Program 3) requires BASICA and a color/graphics card for the PC, and it requires Cartridge BASIC for the PCjr. Move the cursor with the cursor keys and press Enter to select a box. For a two-player game, the scores are displayed on a red or green background. The cursor changes color to indicate whose turn it is.

Apple II Version

Rememory for the Apple II (Program 4) runs on any Apple II-series computer under either DOS 3.3 or ProDOS. This program is played with the keyboard. Press the I, J, K, and M keys to move the cursor up, left, right, and down, respectively. Press the space bar to select a box. In the two player game, the asterisk (*) indicates whose turn it is.

Atari 400, 800, XL, And XE Version

The Atari version of Rememory (Program 5) can be played with one or two joysticks. If you use only one joystick, it should be plugged into port 1.

For instructions on entering these programs, please refer to "COMPUTE!'s Guide to Typing In Programs" elsewhere in this issue

Program 1: Commodore 64 Rememory

- AP 10 RO=-2:CO=2
- BD 20 DIM SYM(27,12):DIM BT(25 ,40):DIM MAT(53,16)
- JG 3Ø POKE 252, Ø: POKE 253, Ø: RE STORE
- KC 40 POKE 53280,14:POKE 53281 ,14
- BQ 50 MA=0:S(0)=1000:S(1)=1000 :C(Ø)=Ø:C(1)=Ø
- FH 6Ø GOSUB129Ø:GOSUB45Ø:GOSUB 750:GOSUB1080:GOSUB1840: GOSUB610:GOTO320
- BH 70 IFMA=NMTHEN GOTO140
- AX 80 GOSUB1580:LET B1=BX:GOSU B15ØØ
- DP 90 GOSUB1580:LET B2=BX:IF B 1=B2 THEN GOTO9Ø
- SJ 100 GOSUB1500
- KJ 110 IF MAT(B1,0)=MAT(B2,0) {SPACE}THEN GOTO210
- HK 120 GOSUB1410:LET BX=B1:GOS UB1410:LET BX=B2
- MQ 130 GOTO260
- KH 140 PRINT "[HOME] [RVS] [WHT] [8 DOWN] [6 RIGHT] PRESS {SPACE}ANY KEY TO CONTI NUE"
- FB 150 FOR A=0TO10:GET B\$:NEXT CE 160 GET A\$:IF A\$=""THENGOTO 160
- PC 170 INPUT "{2 DOWN} [RVS] {9 RIGHT}PLAY AGAIN(Y O R N)"; Z\$
- BP 180 IF MID\$(Z\$,1,1)="N" THE N GOTO200
- RA 190 GOTO30
- MB 200 END
- GP 210 LET MAT(B1,1)=99:LET MA T(B2,1)=99
- CF 220 LET C(UP)=C(UP)+1:LET M A=MA+1
- MP 230 LET S(UP)=S(UP)+1
- AX 240 IF PL=2THENGOTO310
- DE 250 GOTO270
- GK 260 LET S(UP)=S(UP)+1
- FR 270 IF PL=1 THEN GOTO310 ED 280 IF UP = 0 THEN GOTO300
- 290 LET UP=0:GOTO310 CM
- RP 300 LET UP=1
- SG 310 POKE 1024+40*3+39,96:PO KE1024+40*12+39,96
- FF 320 IF UP=0 THEN POKE1024+4 0*3+39,42
- PA 330 IF UP=1THEN POKE 1024+4
- Ø*12+39,42 PA 340 POKE 251, UP: IF JS=1 THE
- N POKE 251,0 PP 350 PRINT"{HOME}{3 DOWN}
- {38 RIGHT}1" QB 360 PRINT"{38 RIGHT}UP":LET S\$=STR\$(S(\emptyset))
- GP 370 PRINT"{37 RIGHT}"; RIGHT \$(5\$,3)
- AM 380 LET C\$=STR\$(C(0))

- CE 385 PRINT"{38 RIGHT}"; RIGHT \$(C\$,2)
- AS 390 IF PL=1 THEN GOTO70
- GA 400 PRINT" [HOME] [12 DOWN] [38 RIGHT]2'
- MH 410 PRINT" [38 RIGHT] UP"
- DX 420 LET S\$=STR\$(S(1)):PRINT "{37 RIGHT}"; RIGHT\$(S\$,
- SS 430 LET C\$=STR\$(C(1))
- PP 435 PRINT"{38 RIGHT}"; RIGHT
- \$(C\$,2) **KB 440 GOTO70**
- GS 450 FOR R=0TO 24
- GX 460 FOR C=0TO39
- XS 470 LET BT(R,C)=88
- FB 480 NEXT C
- BK 490 NEXT R BF 500 LET T=00
- CK 510 FOR R=0TO 20 STEP 4
- KM 520 FOR C=0TO32STEP4
- 53Ø BT(R+1,C+1)=T:BT(R+1,C+ GS 2) = T
- EQ 540 BT(R+1,C+3)=T:BT(R+2,C+ 1)=T
- GJ 550 BT(R+2,C+2)=T:BT(R+2,C+ 3) = T
- MK 560 BT(R+3,C+1)=T:BT(R+3,C+
- 2) = TJH 57Ø BT(R+3,C+3)=T:T=T+1
- CH 58Ø NEXT C
- XA 590 NEXT R
- HP 600 RETURN
- HE 610 REM DRAW BOARD
- QA 620 PRINT "{CLR}":C=0:X=224
- AJ 630 FOR V=0TO24STEP4:GOSUB6 60:NEXT
- JS 640 FOR H=0TO36STEP4:GOSUB7
- 10:NEXT PX 650 RETURN
- RM 660 FOR H=0T036
- FS 670 POKE 1024+40*V+H,X
- MA 680 POKE 55296+40*V+H,C
- MB 690 NEXT H
- RA 700 RETURN
- DA 710 FOR V=0TO24
- 72Ø POKE1Ø24+4Ø*V+H,X:POKE5 DK 5296+4Ø*V+H,C
- KM 730 NEXT V
- 740 RETURN RF
- RR 750 REM INIT SYM TABLE
- HG 76Ø FORX=ØTO26
- KF 770 FOR Y=0TO11
- DC 780 READ SYM(X,Y):NEXT Y
- 790 NEXT X CK 800 RETURN
- FD 810 DATA 0,0,0,96,96,96,193 ,193,193,96,96,96
- SF 820 DATA 0,2,0,96,96,96,96, 90,96,96,96,96
- QE 830 DATA 0,2,0,120,120,120, 120,120,120,120,120,120
- CX 840 DATA 0,2,0,96,224,96,22 4,224,224,96,224,96
- PA 850 DATA 0,2,0,230,230,230,
- 230,230,230,230,230
- RQ 860 DATA 0,15,0,233,96,223, 96,87,96,95,96,105 AM 870 DATA 0,9,0,224,223,96,9
- 5,224,223,96,95,224 ME 880 DATA 0,0,0,231,205,205,
- 206, 206, 206, 229, 205, 229 JH 890 DATA 0,1,0,85,67,73,74,
- 67,73,74,67,75 KG 900 DATA 0,6,0,214,214,214,
- 214,214,214,214,214,214 GA 910 DATA 0,3,0,96,96,96,79,
- 80,96,80,122,112 MP 920 DATA Ø,11,0,127,127,127 ,127,127,127,127,127,127 7
- DH 930 DATA 0,1,0,224,224,224, 224,224,224,224,224,224

XJ	940	DATA 0,9,0,112,67,110,9	l cx	1430	X=MAT(BX,14):POKE 252,	,162,3,142,15,193,162
		3,224,93,109,67,125	0	1100	X	EA 1810 DATA 0,160,0,189,6,193
AF	950	DATA Ø,6,0,78,77,100,10	GJ	1440	X=MAT(BX, 15): POKE 253,	,145,2,165,6,145,4,200
		0,78,77,78,77,100			X	,232,192,3,208,241
PG		DATA Ø,6,0,85,114,73,10	100000000	1450		MH 1820 DATA 24,169,40,101,2,1
VC		7,86,115,74,113,75	ME	1460	FOR X=49414 TO 49422:P	33,2,169,0,101,3,133,3 ,24,169,40,101,4,133
NC		DATA Ø,2,Ø,224,224,	TE	1470	OKE X, Y:NEXT	RS 1830 DATA 4,169,0,101,5,133
		224, 224, 224, 224, 224	CONTRACTOR OF THE PARTY OF THE		SYS49674 RETURN	,5,206,15,193,160,0,20
RB		DATA 0,9,0,110,0,112,10	1177		X=MAT(BX,3):POKE 6,X	4,15,193,208,203,96
DD		9,91,125,85,113,75 DATA 0,4,0,224,224,224,			X=MAT(BX,3):POKE 6,X	SR 1840 FOR X=49408TO49771:REA
KB		224,224,224,224,224,224			X=MAT(BX, 14): POKE 252,	D A: POKE X, A: NEXT
SG		DATA 0,7,0,91,91,91,91			X	DE 1850 RETURN
		,91,91,91,91	DH	1520	X=MAT(BX,15):POKE 253,	Dun 0 A i
DM	1010	DATA Ø,7,0,75,73,74,85			X	Program 2: Amiga
100		,91,73,73,74,85		1530		Rememory
HJ	1020	DATA Ø,11,0,96,81,96,8	YK	1550	FOR X=49414 TO 49422 Q=MAT(BX,Y):POKE X,Q:Y	
DM	1020	5,91,75,74,113,73	All	1330	=Y+1:NEXT	DEFINT a-z:DEFSNG r,g,b,mx:RANDO
Di	1030	DATA Ø,15,0,95,224,224 ,96,95,224,96,96,95	BJ	1560	SYS49674	MIZE TIMER:SCREEN 1,320,200,5,14 WINDOW 3,"",(0,0)-(311,186),16,1
GA	1040	DATA Ø,13,0,85,96,73,9	MC	1570	RETURN	:WINDOW OUTPUT 34
		6,91,96,74,96,75	HK	1580	SYS49426:RO=PEEK(252):	DIM bn(5,8),cb(26),r(11),b(11),d
KG	1050	DATA 0,9,0,77,96,78,96			CO=PEEK(253)	f(7),aLt(7),hor(7),ver(7),sL(7),
		,86,96,78,96,77	DX	1590	IF BT(RO,CO)=88 THEN G	rn(7),ck(7)4
ED	1060	DATA Ø, 9, Ø, 96, 96, 96, 79	XD	1600	OTO1580 BX=BT(RO,CO)	RESTORE PaletteData:FOR i=0 TO 1 5:READ r,g,b:PALETTE i,r,g,b:NEX
22	1070	,80,96,76,122,96	FJ	1610	IF MAT(BX,1)=99 THEN G	T4
DK	TOID	DATA 0,9,0,96,96,96,85 ,73,96,74,75,96		1000	OTO1580	FOR i=20 TO 21:READ r,g,b:PALETT
OG	1080	REM INIT MAT TABLE	НН	1620	RETURN	E i,r,g,b:NEXT4
		FOR $X=\emptyset$ TO53:MAT $(X,4)=\emptyset$	ES	1630	DATA Ø,Ø,Ø,Ø,Ø,Ø,102,1	FOR i=0 TO 5:READ r(i),b(i):PALE
		:NEXT			02,102,102,102,102,102	TTE i+22,r(i),Ø,b(i):NEXT4
HC	1100	FOR X=ØTO26	100		,102,102,0,0,0,76,122	FOR i=Ø TO 5:r(11-i)=b(i):b(11-i)=r(i):NEXT4
		FOR Y=ØTO1	JA	1640	DATA 193,24,166,251,18	PaletteData: 4
		LET R9=INT(RND(Ø)*54)			9,0,220,74,176,5,198,2	DATA Ø, Ø, Ø, .5, .5, .5, .5, .5, .6,
HF	1130	IF R9<Ø OR R9>53 THEN {SPACE}GOTO112Ø	VV	1650	52,76,70,193,24,74	0,04
CD	1140	IF MAT (R9,4)=9 THEN GO	YV	1630	DATA 176,5,230,252,76, 70,193,24,74,176,5,198	DATA Ø, .6, Ø, .6, .6, Ø, .6, Ø, .6, Ø, .6
CD	1140	T01120	- 44		,253,76,70,193,24,74	DATA Ø,Ø,.6,.9,.9,.9,.9,Ø,Ø,Ø,.9
CM	1150	LET MAT(R9,Ø)=X:MAT(R9	AA	1660	DATA 176,5,230,253,76,	,04
		,1)=Ø:LET MAT(R9,4)=9			70,193,24,74,176,211,3	DATA Ø,Ø,.9,.9,.9,Ø,.9,Ø,.9,.5,.
GR	1160	MAT(R9,2)=ØØ:MAT(R9,3)	Canal Control	TE THE SECOND SE	2,251,193,96,169,36	5,.54
		=SYM(X,1)	XH	167Ø	DATA 197,253,208,4,162	DATA 0,0,0,0,0,04
		FOR E=3 TO 11			,0,134,253,169,25,197,	DATA .6,0,.8,0,1,0,.8,0,.6,0,.5,
		MAT(R9,E+2)=SYM(X,E) NEXT E	но	1680	252,208,4,162,0,134 DATA 252,24,169,0,101,	FOR i=Ø TO 26:READ cb(i):NEXT4
		NEXT Y		1000	253,16,4,162,35,134,25	DATA 9,4,13,15,3,0,9,6,12,9,4,20
		NEXT X			3,24,169,0,101,252	,13,0,0,0,22,12,9,13,15,15,9,8,9
BJ	1220	K=1:K2=1:A=0:B=8	QD	1690	DATA 16,4,162,24,134,2	,3,104
		FOR W=ØTO5			52,173,5,193,201,0,240	e\$=SPACE\$(3):ON TIMER(1) GOSUB C
		FOR X=ATOB	22	1700	,3,32,251,193,169,1	FOR i=Ø TO 74
QD	1250	MAT(X, 14) = K: MAT(X, 15) =	DB			df(i)=&HFFFF:ver(i)=&HAAAA:rn(i)
P.T	1260	K2:K2=K2+4:NEXT X K=K+4:K2=1			252,164,253,142,1,193, 140,2,193,32,240,255	=RND*&HFFFF4
		A=A+9:B=B+9:NEXT W	SM		DATA 32,165,193,32,207	IF (i AND 1) THEN hor(i)=&HFFFF:
		RETURN			,193,169,113,32,210,25	aLt(i)=&HAAAA ELSE aLt(i)=&H5555
		REM INPUT OPTIONS			5,162,48,160,255,136	IF (i AND 4) THEN ck(i)=&HFØFØ E
XA	1300	LET JS=1	SB		DATA 208,253,202,208,2	LSE ck(i)=&HFØF4
		PRINT"{CLR}"			48,76,21,193,165,252,1	NEXT4
ED	1320	INPUT "{BLK}ONE OR TWO	PO	1720	62,1,134,250,10,10	FOR $i=\emptyset$ TO 3:READ $sL(i):sL(i+4)=$
PO	1330	PLAYER GAME"; PL IF PL<>1 AND PL<>2 THE	FQ		DATA 101,252,10,10,38, 250,10,38,250,101,253,	SL(i):NEXT4
DU	1330	N1310			133,249,169,0,101,250	DATA &H3333,&H6666,&hcccc,&H9999
НВ	1340	IF PL=2 THEN INPUT"	JA		DATA 133,250,174,0,193	Start:4
		{CLR}{DOWN}ENTER NO. O			,224,99,240,7,160,0,17	COLOR 2,0:CLS:GOSUB InPLayers:LO
		F JOYSTICKS(1 OR 2)";J			7,249,141,4,193,96	CATE 13,9:GOSUB InMatches4
0.7	1250	S TO TO U.S. TO U.S. TWO	HM	1750	DATA 162,54,134,248,16	GOSUB RandBoard:mf=0:ts=0:FOR i=
QE	1350	IF JS<>1 AND JS<>2 THE			5,252,133,247,10,10,10	Ø TO 1:tr(i)=Ø:sc(i)=Ø:NEXT4 GOSUB DrawBoard:pL=Ø:m=1:sw=Ø:TI
FC	1360	N1340 INPUT"ENTER NO. OF MAT	JS		1,247,10,10,38,248 DATA 10,38,248,101,253	MER ON4
10	1300	CHES (1-27)"; NM:NM=INT	00	1,00	,133,247,169,0,101,248	WHILE ts <nm4< td=""></nm4<>
		(NM):IFNM<10RNM>27THEN			,133,248,174,0,193	IF np THEN PALETTE 1,.6*(1-pL),.
		1370	QC		DATA 224,99,240,7,160,	6*pL,04
BJ	1370	IFNM<10RNM>27THENPRINT			0,177,247,141,3,193,96	GOSUB SelectBox:GOSUB ShowPic:rl =ro:cl=co:GOSUB SelectBox:GOSUB
		"{HOME}{DOWN}":GOTO136	75.0	170~	,173,4,193,160,0,145	ShowPic4
	1200	Ø DDINM#{GID}{1@ DOIN!	KS		DATA 249,160,0,173,3,1	IF bn(rl,cl)=bn(ro,co) THEN4
EA	1380	PRINT"{CLR}{10 DOWN} {6 RIGHT}PLEASE STANDB			93,145,247,96,162,99,1 42,0,193,162,0,142	sc(pL)=sc(pL)+1:ts=ts+1:m=04
		Y FOR 45 SECONDS"	SE	1790	DATA 5,193,32,165,193,	ELSE4
GR	1390	LET UP=Ø			166,250,134,3,166,249,	FOR i=1 TO 4000:NEXT:GOSUB HideP
		RETURN			134,2,32,207,193,166	END IF4
		REM BLANK OUT BOX	SF	1800	DATA 248,134,5,166,247	tr(pL)=tr(pL)+1:GOSUB UpdateScor
XB	1420	POKE 6,6			,134,4,162,0,142,0,193	e:IF m THEN pL=pL XOR np4

```
m=14
WEND4
COLOR 15,0:LOCATE 9,10:PRINT "An other game (y/n)?"4
EndLp: k$=UCASE$(INKEY$):IF k$="
Y" THEN Start4
IF k$="N" THEN TIMER OFF: SCREEN
CLOSE 1:WINDOW CLOSE 3:END ELSE
EndLp4
SelectBox:4
WHILE MOUSE(0)=0:WEND:px=MOUSE(1
):py=MOUSE(2):WHILE MOUSE(Ø)<>0:
WEND4
IF POINT(px,py) <> 2 THEN SelectBo
px=px AND &HFFE0:py=py AND &HFFE
Ø:ro=INT(py/32):co=INT(px/32):py
=py+8
RETURN4
ShowPic:4
n=bn(ro,co):COLOR ,cb(n):GOSUB H
ide4
ON n+1 GOTO 1,1,1,2,3,4,5,6,7,8,
9,10,11,12,13,14,15,16,17,18,19,
20,21,22,23,24,14
LOCATE cy, cx: PRINT STR$ (bn (ro, co
1)4
1 RETURN4
2 COLOR Ø:LOCATE cy+1,cx+1:PRINT
CHR$(214):PAINT(px+12,py+12):RET
URN4
3 COLOR 13:aS=CHRS(191)+CHRS(63)
:LOCATE cy, cx:PRINT a$CHR$(191)4
LOCATE cy+1, cx: PRINT CHR$ (63) a$:
LOCATE cy+2, cx:PRINT a$CHR$(191)
:: RETURN 4
4 PATTERN , sL:FOR i=0 TO 7:COLOR
i+74
LINE(px+2*i, py+2*i)-(px+23-2*i, p
y+23-2*i),,bf:NEXT:PATTERN ,df:R
ETTIRN4
5 COLOR 10:AREA(px+2,py+12):AREA
STEP(10,-10): AREA STEP(10,10) 4
AREA STEP(-10,10): AREA STEP(-10,
-10):PATTERN ,hor:AREAFILL:PATTE
RN ,df:RETURN4
6 COLOR 14:GOSUB Triangle:AREAFI
LL: RETURN 4
7 COLOR 13:CIRCLE(px+19,py+5),2:
PAINT(px+20,py+5)4
PATTERN , sL:GOSUB Triangle: AREAF
ILL: PATTERN , df: RETURN 4
8 COLOR ,3:LOCATE cy, cx+1:PRINT
SPACE$(1):LOCATE cy+1,cx:PRINT e
$4
LOCATE cy+2, cx+1:PRINT SPACE$(1)
; : RETURN 4
9 FOR i=Ø TO 2:FOR j=Ø TO 2:COLO
R 20+((i+j)) AND 1):x=px+5*i+7:y=
py+5*j+74
CIRCLE(x,y),2:NEXT j,i:RETURN4
10 COLOR 21:GOSUB BOX:PATTERN ,a
Lt:AREAFILL:PATTERN ,df:RETURN4
11 COLOR 6:GOSUB BOX:PATTERN ,sL
:AREAFILL:PATTERN ,df:RETURN+
12 COLOR 14:PATTERN , hor: x=px+4:
y=py+4:GOSUB Diamond:AREAFILL4
x=px:y=py+12:GOSUB Diamond:AREAF
x=px+12:y=py+16:GOSUB Diamond:AR
EAFILL: PATTERN , df: RETURN +
13 FOR i=Ø TO 11:COLOR (i MOD 6)
+22:LINE(px,py+2*i)-(px+23,py+23
-2*i):NEXT4
RETURN 4
14 FOR i=Ø TO 11:COLOR (i MOD 6)
+22:LINE(px,py)-(px+2*i,py+23-2*
i)4
LINE(px+23,py+23)-(px+2*i,py+23-
2*i):NEXT:RETURN4
15 COLOR 24: GOSUB Box: PATTERN , a
Lt: AREAFILL: COLOR ,04
LOCATE cy+1, cx+1:PRINT SPACE$(1)
                                    i=0:FOR j=0 TO 4 STEP 2:FOR k=0
:PATTERN ,df:RETURN4
```

```
16 COLOR 20:x=px+8:y=py+12:GOSUB
Diamond: AREAFILL: x=x+44
CIRCLE(x,y),2,21:PAINT(x,y),21,2
1: RETURN4
17 COLOR 12:GOSUB Triangle:PATTE
RN , ver: AREAFILL: PATTERN , hor: CO
LOR 9,124
AREA(px,py):AREA STEP(23,0):AREA STEP(0,23):AREA STEP(-23,-23)
AREAFILL: PATTERN , df: RETURN 4
18 PATTERN , rn: PAINT(px, py), 22, Ø
:PATTERN ,df:RETURN4
19 PATTERN , ck: PAINT(px, py), Ø, Ø:
PATTERN , df: RETURN 4
20 COLOR 15,0:LINE(px,py+7)-(px+
23, py+7),Ø4
LOCATE cy+1, cx: PRINT CHR$ (240) CH
R$ (245) CHR$ (240) : RETURN4
21 FOR i=1 TO 11:LINE(px,py+i*2)
-(px+23,py),104
LINE(px, py+23)-(px+23, py+i*2),12
:NEXT:RETURN4
22 FOR i=4 TO 20:LINE(px,py+i)-(
px+23, py+i), (i MOD 4)+28: NEXT: RE
TURN4
23 COLOR Ø:LINE(px,py+17)-(px+6,
py+9):LINE -STEP(6,2):LINE -STEP
(6.6)4
LINE -STEP(5,0):PAINT(px,py),0,0
:LINE(px,py+16)-(px+6,py+8), 284
LINE -STEP(6,2), 29:LINE -STEP(6,
6),30:LINE -STEP(5,0),31:RETURN4
24 LINE(px,py+8)-(px+23,py+16),Ø
:PAINT(px,py+23),5,0:RETURN4
Triangle: 4
AREA(px,py):AREA STEP(23,23):ARE
A STEP(-23,\emptyset): AREA STEP(\emptyset,-23):R
ETURN4
Diamond: 4
AREA(x,y): AREA STEP(4,-4): AREA S
TEP(4,4): AREA STEP(-4,4): AREA ST
EP(-4,-4)4
RETURN4
Box:4
AREA(px,py):AREA STEP(23,0):AREA STEP(0,23):AREA STEP(-23,0).
AREA STEP(Ø,-23):RETURN⊀
HidePic: 4
COLOR ,2:GOSUB Hide:ro=rl:co=cl:
GOSUB Hide: RETURN4
Hide: cx=4*co+1:cy=4*ro+24
FOR i=0 TO 2:LOCATE cy+i,cx:PRIN
T e$::NEXT:RETURN4
UpdateScore: 4
COLOR Ø, pL+3:pr=8*pL-4*np+13:LOC
ATE pr, 37:s$=STR$(tr(pL)) 4
PRINT RIGHTS ("00"+RIGHTS (s$, LEN(
s$)-1),3)4
LOCATE pr+2,37:s$=STR$(sc(pL))4
PRINT RIGHT$ ("00"+RIGHT$ (s$, LEN(
s$)-1),3)4
RETURN4
DrawBoard: 4
CLS:COLOR ,2:FOR i=0 TO 234
IF (i AND 3)<>0 THEN4
FOR j=0 TO 8:PRINT e$SPC(1);:NEX
T4
END IF4
IF i<23 THEN PRINT
NEXT4
FOR pL=0 TO np:COLOR 0,pL+3:FOR
j=0 TO 6:LOCATE 8*pL-4*np+10+j,3
PRINT e$:NEXT:LOCATE 8*pL-4*np+1
1,37:PRINT STR$(pL+1):GOSUB Upda
teScore:NEXT4
RETURN4
RandBoard: 4
```

```
TO 8:bn(j,k)=i:bn(j+1,k)=i:i=i+1
:NEXT k,j4
FOR j=0 TO 5:FOR k=0 TO 8:sj=INT
(RND*5):sk=INT(RND*9)4
t=bn(sj,sk):bn(sj,sk)=bn(j,k):bn
(j,k)=t:NEXT k,j4
RETURN4
InPLayers: 4
LOCATE 11,9:PRINT "Number of pla
yers (1/2)?"4
GetKey:k$=INKEY$:IF k$="" OR (k$
<>"1" AND k$<>"2") THEN GetKey
np=VAL(k$)-14
RETURN4
InMatches: 4
INPUT "Number of matches (1-27)?
",5$4
nm=VAL(s$):IF nm<1 OR nm>27 THEN
nm=274
RETURN4
CycLe: 4
nsw=sw XOR 1:PALETTE 20,0,sw*.9,
Ø:PALETTE 21,0,nsw*.9,04
sw=(sw+1) MOD 2:cc=(cc+1) MOD 12
FOR cn=28 TO 31:PALETTE cn,1,1,1
:NEXT: PALETTE (cc MOD 4)+28,0,0,
FOR cn=0 TO 5:ck=(cc+cn) MOD 12:
PALETTE cn+22, r(ck), Ø, b(ck): NEXT
RETURN4
Program 3: IBM PC/PCjr
Rememory
BM 10 KEY OFF: DEF SEG=0: DEFINT A
      -Z:POKE 1047, PEEK (1047) OR
       64: RANDOMIZE TIMER
SA 20 SCREEN 0,1:WIDTH 40:LOCATE
,,0:COLOR 8,0,0:CLS
FM 3Ø DIM CF(26), CB(26), PS$(26,2
     ), BN (5,8): GOSUB 1500: GOSUB
       4000: LOCATE 13, 9: GOSUB 45
DA 40 GOSUB 3000:RO=0:CO=0:PX=1:
     PY=1:MF=Ø:TS=Ø:FOR I=Ø TO
      1:TR(I)=0:SC(I)=0:NEXT:GOS
     UB 1000:PL=0
LJ 45 WHILE TSKNM
KN 50 GOSUB 2000: IF BN(RO,CO)=27
      THEN 50 ELSE GOSUB 1200:R
      1=RO: C1=CO
00 60 GOSUB 2000: IF (BN(RO,CO)=2
     7) OR ((R1=R0) AND (C1=C0)
     ) THEN 60 ELSE GOSUB 1200
JK 70 IF BN(R1,C1)=BN(R0,C0) THE
     N SC(PL)=SC(PL)+1:TS=TS+1:
     BN (RO, CO) = 27: BN (R1, C1) = 27
     ELSE FOR I=1 TO 2000: NEXT:
     GOSLIB 1100
DL 80 TR(PL)=TR(PL)+1:GOSUB 1070
     :IF BN(RO,CO) <27 THEN PL=P
     L XOR NP
80 9Ø WEND
BA 100 COLOR 7,0:LOCATE 9,10:PRI
NT "Another game (Y/N)?"
HB 110 K$=INKEY$:IF K$="Y" THEN
       CLS:LOCATE 13,7:GOSUB 450
       Ø: COLOR 8: GOTO 40
NH 120 IF K$="N" THEN CLS: END EL
       SE 110
NE 1000 E$=STRING$ (3, 219)
;:NEXT
6A 1Ø3Ø IF I<23 THEN PRINT
01 1040 NEXT
EB 1050 FOR PL=0 TO NP:COLOR 0,P
        L*2+2:FOR J=Ø TO 6:LOCAT
        E 8*PL-4*NP+1Ø+J, 38:PP
```

T SPACE\$ (3): NEXT: LOCATE 8*PL-4*NP+11,38:PRINT ST R\$(PL+1):GOSUB 1070:NEXT JN 1060 RETURN 18 1070 COLOR 0, PL*2+2: PR=8*PL-4 *NP+13:LOCATE PR, 38:S\$=S TR\$(TR(PL)):PRINT RIGHT\$ ("ØØ"+RIGHT\$(S\$, LEN(S\$)-1),3) PC 1080 LOCATE PR+2,38:S\$=STR\$(S C(PL)):PRINT RIGHT\$ ("ØØ" +RIGHT\$(S\$, LEN(S\$)-1),3) JG 1090 RETURN 0 1100 COLOR 8: GOSUB 1150: R1=R0 :C1=CO:GOSUB 1150:RETURN LM 1150 X=4*C1+2:Y=4*R1+2:LOCATE Y, X: PRINT E\$DL\$E\$DL\$E\$; : RETURN JE 1200 LOCATE PY+1, PX+1: N=BN (RO ,CO):COLOR CF(N),CB(N):P RINT PS\$(N,Ø)DL\$PS\$(N,1) DL\$PS\$(N,2);:RETURN FB 1500 DL\$=CHR\$(31)+STRING\$(3,2 ML 1510 FOR I=0 TO 26 0M 1520 READ CF(I), CB(I): FOR J=0 TO 2: READ TØ, T1, T2: PS\$(I,J) = CHR\$(TØ) + CHR\$(T1) + CHR\$(T2):NEXT J, I 10 1530 RETURN CP 1800 DATA 6,1,168,63,168,63,1 68,63,168,63,168 PD 1805 DATA 7,5,201,202,187,211 ,210,210,218,208,215 NM 1810 DATA 14,4,32,32,32,32,15 ,32,32,32,32 OM 1815 DATA 9,2,15,15,15,15,178 , 15, 15, 15, 15 KN 1820 DATA 4,7,244,244,159,245 , 179, 244, 159, 245, 245 DP 1825 DATA 8, 2, 177, 176, 177, 176 177, 176, 177, 176, 177 FF 1830 DATA 8,0,223,223,223,6,6 ,6,220,220,220 QN 1835 DATA 13,1,32,32,32,157,3 2, 157, 32, 157, 32 GF 1840 DATA 0,7,176,176,176,176 176, 176, 176, 176, 176 GM 1845 DATA 10,2,32,4,32,4,32,4 32,4,32 NI 1850 DATA 4,7,32,219,32,219,2 19, 219, 32, 219, 32 OH 1855 DATA 7,3,178,178,178,178 , 178, 178, 178, 178, 178 JF 1860 DATA 0,6,206,206,206,206 206, 206, 206, 206, 206 OM 1865 DATA Ø, 4, 32, 32, 32, 32, 32, 32, 32, 32, 32 ME 1870 DATA 14,0,219,219,219,21 9,219,219,219,219,219 MM 1880 DATA 12,4,222,186,221,24 0,240,240,222,186,221 P 1885 DATA 4,0,32,95,32,248,32 ,248,92,236,47 ML 1890 DATA 8,5,248,248,248,248 248, 248, 248, 248, 248 NL 1895 DATA Ø,2,32,32,32,32,32, 32,32,32,32 FB 1900 DATA 12,5,177,177,177,17 7,177,177,177,177,177 MD 1905 DATA 4,7,248,249,248,250 ,249,248,250,249,250 F 1910 DATA 15,7,32,32,237,32,2 37,32,237,32,32 BK 1915 DATA 12,1,184,64,213,192 ,197,217,214,193,183 F6 1920 DATA 13, 4, 232, 32, 232, 32, 32, 32, 232, 32, 232 DI 1925 DATA 1,7,14,32,32,32,32,

234, 32, 187, 32, 201 FH 2000 GOSUB 2500 10 2005 K\$=RIGHT\$(INKEY\$,1):IF K \$="" THEN 2005 ELSE K=AS C(K\$) FH 2010 IF K=13 THEN LOCATE PY,P X:PRINT SPACE\$(5);:LOCAT E PY+4, PX: PRINT SPACE\$ (5);:RETURN AE 2020 IF K=72 THEN IF RO>0 THE N RO=RO-1:GOSUB 2500 ON 2030 IF K=80 THEN IF ROKS THE N RO=RO+1: GOSUB 2500 PH 2040 IF K=75 THEN IF CO>0 N CO=CO-1:GOSUB 2500 GA 2050 IF K=77 THEN IF CO<8 THE N CO=CO+1:GOSUB 2500 NK 2060 GOTO 2005 FL 2500 X=4*CO+1:Y=4*RO+1:COLOR PL*2+2,Ø E0 2510 LOCATE PY, PX: PRINT SPACE \$(5);:LOCATE PY+4,PX:PRI NT SPACE\$ (5); KL 2520 LOCATE Y, X: PRINT CHR\$ (21 8) SPC (3) CHR\$ (191); : LOCAT E Y+4, X: PRINT CHR\$ (192) S PC (3) CHR\$ (217); LE 253Ø PX=X:PY=Y JC 254Ø RETURN IE 3000 I=0:FOR J=0 TO 4 STEP 2: FOR K=0 TO 8:BN(J,K)=I:B N(J+1,K)=I: I=I+1: NEXT K, 06 3Ø1Ø FOR J=Ø TO 5:FOR K=Ø TO 8:SJ=INT(RND*5):SK=INT(R ND*9) MA 3020 T=BN(SJ,SK):BN(SJ,SK)=BN $(J,K):BN(J,K)=T:NEXT\ K,J$ 16 3Ø3Ø RETURN BF 4000 LOCATE 11,9:PRINT "Numbe r of players (1/2)?" KD 4010 K\$=INKEY\$: IF K\$="" OR (K \$<>"1" AND K\$<>"2") THEN 4010 HJ 4020 NP=VAL (K\$)-1 IH 4030 RETURN MD 4500 INPUT "Number of matches (1-27)? ",5\$ EH 451Ø NM=VAL (S\$): IF NM<1 OR NM >27 THEN NM=27 JO 452Ø RETURN Program 4: Apple II Rememory 89 20 HOME : GOSUB 4000: VTAB 13 : HTAB 5: GOSUB 4500 52 3Ø DIM PS\$(26,2),BN(5,8): GOS UB 1500: GOSUB 10000 00 4Ø GOSUB 3ØØØ:RO = Ø:CO = Ø:P $X = 1:PY = 1:MF = \emptyset:TS = \emptyset$: FOR I = Ø TO 1:TR(I) = Ø :SC(I) = Ø: NEXT : GOSUB 1 000:PL = 0: GOSUB 1095 19 50 GOSUB 2000: IF BN(RO,CO) = 27 THEN 5Ø 53 55 GOSUB 1200:R1 = RO:C1 = CO 80 60 GOSUB 2000: IF (BN(RO,CO) = 27) OR ((R1 = R0) AND (C 1 = CO)) THEN 60 18 65 GOSUB 1200 EJ 70 IF BN(R1,C1) = BN(R0,C0) T HEN SC(PL) = SC(PL) + 1:TS = TS + 1:BN(RO,CO) = 27:BN(R1,C1) = 27: GOTO 80 07 75 FOR I = 1 TO 1000: NEXT : GOSUB 1100 40 80 TR(PL) = TR(PL) + 1: GOSUB 1070: IF BN(RO,CO) < 27 T HEN PL = NP - PL 61 90 IF TS < NM THEN GOSUB 1095

: GOTO 5Ø

OTHER GAME (Y OR N)? ": EA 110 GET KS: IF KS = "Y" THEN VTAB 12: HTAB 4: GOSUB 45 ØØ: HGR2 : GOTO 4Ø A4 120 IF K\$ = "N" THEN HOME : E ND 91 13Ø GOTO 11Ø 95 1000 HOME :E\$ = "": FOR I = 0 TO 2:E\$ = E\$ + CHR\$ (32)): NEXT A6 1010 K = 0: FOR I = 0 TO 23: HTAB 2: IF K = 4 THEN K = 0 88 1020 IF K < > 3 THEN FOR J = Ø TO 8: INVERSE : PRINT E\$;: NORMAL : PRINT SPC(1);: NEXT EF 1030 IF I < 23 THEN PRINT 61 1040 K = K + 1: NEXT B6 1050 FOR PL = 0 TO NP: INVERS $E : FOR J = \emptyset TO 6: VTAB$ 8 * PL - 4 * NP + 9 + J : HTAB 38: PRINT ES: NEX T : VTAB 8 * PL - 4 * NP + 10: HTAB 39: PRINT ST R\$ (PL + 1): GOSUB 1070: E9 1060 RETURN A6 1070 INVERSE :PR = 8 * PL - 4 * NP + 12: VTAB PR: HTA B 38:S\$ = STR\$ (TR(PL)): PRINT RIGHT\$ ("ØØ" + S\$.3) 80 1080 VTAB PR + 2: HTAB 38:S\$ = STR\$ (SC(PL)): PRINT R IGHT\$ ("ØØ" + S\$,3) 83 1090 NORMAL : RETURN D8 1095 INVERSE : VTAB 8 * NP * (1 - PL) - 4 * NP + 10: HTAB 38: PRINT CHR\$ (32) :PR = 8 * PL - 4 * NP + 1Ø: VTAB PR: HTAB 38: PR INT CHR\$ (105): NORMAL : RETURN #F 1100 INVERSE : GOSUB 1150:R1 = RO:C1 = CO: GOSUB 1150 : NORMAL : RETURN 3C 1150 X = 4 * C1 + 2:Y = 4 * R1 + 1: VTAB Y: HTAB X: P RINT ES: HTAB X: PRINT E \$: HTAB X: PRINT ES;: RE TURN 88 1200 FOR J = 0 TO 2: VTAB PY + J: HTAB PX + 1: PRINT PS\$(BN(RO,CO),J);: NEXT : RETURN EB 1500 FOR I = 0 TO 26: FOR J = Ø TO 2 38 1510 PS\$(I,J) = STR\$ (I): NEX T J, I F3 1520 FOR I = 0 TO 26: FOR J = Ø TO 2 F5 1530 READ TØ, T1, T2: PS\$(I, J) = CHR\$ (TØ) + CHR\$ (T1) + CHR\$ (T2): NEXT J, I EB 154Ø RETURN 25 1800 DATA 35,35,35,35,35,35,3 5, 35, 35 31 1810 DATA 58,63,58,63,58,63,5 8,63,58 71 1820 DATA 64,64,43,64,43,32,4 3,32,32 D5 1830 DATA 32,44,64,42,32,44,6 4,42,32 A4 1840 DATA 33,32,34,32,35,32,3 4,32,33 84 1850 DATA 47,46,46,47,46,46,4 6.47.47 4E 1860 DATA 36,38,37,32,39,36,3 9,36,39 17 187Ø DATA 64,91,64,92,91,92,6 4,91,64 48 1880 DATA 61,61,61,61,61,61,6 1,61,61 80 1930 DATA 10,1,188,32,200,32, | DD 100 VTAB 8: HTAB 8: PRINT "AN 47 1890 DATA 91,91,91,91,91,91,9

32, 32, 251, 32

66 4000 VTAB 11: HTAB 5: PRINT " NUMBER OF PLAYERS (1 OR 8,230,188,128 1.91.91 #8 1218Ø DATA 128, 152, 156, 152, 15 9F 1900 DATA 92,91,92,64,64,64,9 2)? ": 2, 152, 188, 128 1,92,91 #F 4005 K = PEEK (49152):R = RND 48 1905 DATA 45, 32, 42, 32, 94, 32, 4 83 1219Ø DATA 128, 188, 23Ø, 176, 14 (1): IF K > 127 THEN PO 4.32.43 0,230,254,128 KE 49168, Ø 83 12200 DATA 128, 188, 230, 176, 22 6E 1910 DATA 39, 32, 37, 32, 93, 32, 3 CA 4010 IF K < > 177 AND K < > 1 4,230,188,128 8,32,36 78 THEN 4005 82 1915 DATA 36,37,38,39,59,37,3 95 1221Ø DATA 128, 176, 184, 18Ø, 25 78 4Ø2Ø NP = K - 177 7,38,39 4, 176, 176, 128 EØ 4Ø3Ø RETURN 32 1920 DATA 46,46,46,46,46,46,4 8C 1222Ø DATA 128, 254, 134, 190, 22 15 4500 INPUT "NUMBER OF MATCHES 4,230,188,128 6,46,46 (1 TO 27)? ";S\$ EA 1925 DATA 94,93,94,94,93,94,9 18 1223Ø DATA 128,188,134,19Ø,23 D5 4510 NM = VAL (S\$): IF NM < 1 4,93,94 0,230,188,128 OR NM > 27 THEN NM = 27 AI 1930 DATA 91,92,91,91,92,91,9 E6 1224Ø DATA 128, 254, 224, 176, 15 2,140,140,128 E6 452Ø RETURN 1,92,91 JA 10000 HGR2 : GOSUB 10990: GOS DØ 1225Ø DATA 128,188,23Ø,188,23 EA 1935 DATA 92,91,92,92,91,92,9 UB 12000 2,91,92 Ø, 23Ø, 188, 128 DØ 10030 IF PEEK (190 * 256) = 7 73 1226Ø DATA 128, 188, 23Ø, 23Ø, 25 30 1940 DATA 95, 95, 95, 95, 95, 95, 9 6 THEN PRINT CHR\$ (4);" 2, 176, 152, 128 5.95.95 PR#A768": GOTO 10050 DI 1227Ø DATA 128,152,128,152,17 50 1945 DATA 32,32,32,96,96,96,3 F9 10040 POKE 54,0: POKE 55,3: C 6,230,188,128 2,32,32 ALL 1002 45 1950 DATA 97,97,97,97,97,97,9 68 1228Ø DATA 14Ø,14Ø,14Ø,255,25 FC 10050 POKE 6,0: POKE 7,128: P 7,97,97 5, 140, 140, 140 OKE 230,64 EE 1955 DATA 98,33,33,34,34,34,9 37 1229Ø DATA 128, 152, 14Ø, 134, 14 83 10060 RETURN 9,33,99 Ø, 152, 128, 128 F2 10990 FOR I = 768 TO 855: REA E4 1960 DATA 34,33,100,100,34,33 IE 12300 DATA 157, 178, 149, 181, 12 D A: POKE I, A: NEXT : R 8, 173, 205, 186 ,34,33,100 ETURN A2 12310 DATA 128, 140, 152, 176, 15 2F 1965 DATA 32,96,32,39,59,36,3 F3 11000 DATA 216, 120, 133, 69, 134 2,140,128,128 8,59,37 ,70,132,71 F8 12320 DATA 128, 188, 230, 176, 15 F4 1970 DATA 32,39,37,32,38,36,3 5E 11010 DATA 166,7,10,10,176,4, 2, 128, 152, 128 2.32.32 16,62 17 1233Ø DATA 255, 255, 255, 255, 25 77 1975 DATA 101,102,101,101,102 68 11020 DATA 48,4,16,1,232,232, 5, 255, 255, 255 , 101, 101, 102, 101 10,134 70 1980 DATA 103, 104, 103, 103, 104 D9 1234Ø DATA 128,252,230,230,25 AJ 11030 DATA 27,24,101,6,133,26 4,230,230,128 , 103, 103, 104, 103 ,144,2 D7 1235Ø DATA 128,19Ø,23Ø,23Ø,19 42 2000 GOSUB 2500 97 11040 DATA 230, 27, 165, 40, 133, 0,230,254,128 7E 2010 GET K\$: IF K\$ = CHR\$ (32 8, 165, 41) THEN VTAB PY: HTAB PX: 78 1236Ø DATA 128,188,23Ø,134,13 85 11050 DATA 41,3,5,230,133,9,1 PRINT CHR\$ (32):: HTAB 4,230,190,128 PX + 4: PRINT CHR\$ (32): 62,8 BF 1237Ø DATA 128, 190, 230, 230, 23 56 11060 DATA 160,0,177,26,36,50 0,230,190,128 VTAB PY + 2: HTAB PX: P .48.2 RINT CHR\$ (32): HTAB PX F2 1238Ø DATA 128, 254, 134, 134, 19 88 11070 DATA 73,127,164,36,145, + 4: PRINT CHR\$ (32): R Ø, 134, 254, 128 8,230,26 FØ 1239Ø DATA 128, 254, 134, 134, 19 FTHRN E4 11080 DATA 208, 2, 230, 27, 165, 9 Ø, 134, 134, 12B 29 2020 IF K\$ = "I" THEN IF RO > ,24,105 Ø THEN RO = RO - 1: GOS 65 12400 DATA 128,188,230,134,24 7A 11090 DATA 4,133,9,202,208,22 6,230,190,128 UB 2500 6,165,69 44 12410 DATA 128,230,230,230,25 BC 2030 IF K\$ = "M" THEN IF RO < JE 11100 DATA 166,70,164,71,88,7 4,230,230,128 5 THEN RO = RO + 1: GOS 6,240,253 8A 1242Ø DATA 128, 152, 152, 152, 15 UB 2500 F2 12000 FOR I = 32768 TO 33359: 2, 152, 152, 128 DA 2040 IF K\$ = "J" THEN IF CO > READ A: POKE I, A: NEXT JA 1243Ø DATA 128,224,224,224,22 Ø THEN CO = CO - 1: GOS : RETURN 4,230,188,128 UB 2500 50 12010 DATA 0,0,0,0,0,0,0,0 C2 2050 IF K\$ = "K" THEN IF CO < 9C 1244Ø DATA 128,23Ø,23Ø,182,15 46 12020 DATA 1,3,6,12,24,48,96, 8,230,230,128 8 THEN CO = CO + 1: GOS 64 UB 2500 46 1245Ø DATA 128, 134, 134, 134, 13 JB 12030 DATA 64,96,48,24,12,6,3 4, 134, 254, 128 68 2060 GOTO 2010 86 2500 X = 4 * CO + 1:Y = 4 * R &C 1246Ø DATA 128,23Ø,254,23Ø,23 DF 12040 DATA 65,99,54,28,28,54, 0 + 1 0,230,230,128 99,65 9F 251Ø VTAB PY: HTAB PX: PRINT AD 1247Ø DATA 128,19Ø,23Ø,23Ø,23 CHR\$ (32);: HTAB PX + 4: 25 12050 DATA 152, 152, 152, 143, 13 0,230,230,128 5, 128, 128, 128 PRINT CHR\$ (32): VTAB P CB 1248Ø DATA 128,188,23Ø,23Ø,23 CJ 12060 DATA 128, 128, 128, 135, 14 Y + 2: HTAB PX: PRINT CH 0,230,188,128 R\$ (32);: HTAB PX + 4: P 3, 152, 152, 152 D3 12490 DATA 128,190,230,230,19 4C 12070 DATA 140,140,140,248,24 RINT CHR\$ (32); 0,134,134,128 0,128,128,128 24 2520 VTAB Y: HTAB X: PRINT CH 8F 12500 DATA 128, 188, 230, 230, 23 45 12080 DATA 128,128,128,240,24 R\$ (62);: HTAB X + 4: PR Ø, 182, 236, 128 8, 140, 140, 140 97 1251Ø DATA 128,19Ø,23Ø,23Ø,19 INT CHR\$ (60): VTAB Y + 2: HTAB X: PRINT CHR\$ (6 #8 12090 DATA 128,176,152,140,14 0,230,230,128 0,152,176,128 2);: HTAB X + 4: PRINT C CI 1252Ø DATA 128,188,23Ø,14Ø,17 Al 12100 DATA 128,134,140,152,15 HR\$ (6Ø); 6,230,190,128 2,140,134,128 C5 253Ø PX = X:PY = Y B7 12530 DATA 128,254,152,152,15 BE 12110 DATA 0,1,3,7,15,31,63,1 EC 254Ø RETURN 2, 152, 152, 128 27 6C 3ØØØ I = Ø: FOR J = Ø TO 4 ST 4E 1254Ø DATA 128,23Ø,23Ø,23Ø,23 55 12120 DATA 127,63,31,15,7,3,1 EP 2: FOR K = Ø TO 8:BN(0,230,190,128 J,K) = I:BN(J + 1,K) = I56 1255Ø DATA 128,23Ø,23Ø,23Ø,23 82 1213Ø DATA 127,126,124,120,11 : I = I + 1: NEXT K,J 0,230,152,128 27 3Ø1Ø FOR J = Ø TO 5: FOR K = 2.96.64.0 CA 1256Ø DATA 128,23Ø,23Ø,23Ø,23 CC 1214Ø DATA Ø,64,96,112,120,12 Ø TO 8:SJ = INT (RND (1 0,254,230,128) * 5):SK = INT (RND (1 4, 126, 127 A2 12570 DATA 128,230,230,230,18 AF 12150 DATA 25,51,102,76,25,51) # 9) 8,230,230,128 $86 \ 3020 \ T = BN(SJ,SK):BN(SJ,SK)$,102,76 22 1258Ø DATA 128,23Ø,23Ø,23Ø,18 = BN(J,K):BN(J,K) = T: NIE 12160 DATA 76, 102, 51, 25, 76, 10 8, 152, 152, 128 8E 1259Ø DATA 128,254,176,152,14 EXT K, J 2,51,25 DF 3Ø3Ø RETURN

38 1217Ø DATA 128,188,23Ø,246,23

0,134,254,128

F9 12600 DATA 170,170,170,170,17 0,170,170,170 1261Ø DATA 213,213,213,213,21 3,213,213,213 C5 12620 DATA 162,162,170,136,13 6, 170, 162, 162 23 1263Ø DATA 136, 136, 17Ø, 162, 16 2,170,136,136 83 1264Ø DATA 85,127,42,Ø,85,127 .42.0 2E 1265Ø DATA Ø, B, 42, 42, 42, 42, 8, 88 1266Ø DATA 74,109,85,74,106,7 3,123,43 43 12670 DATA 96,96,96,96,96,96, 96,96 A# 1268Ø DATA 3,3,3,3,3,3,3,3 48 12690 DATA Ø,Ø,Ø,Ø,Ø,Ø,Ø, 127 #F 12700 DATA 85,85,85,85,85,85, 85,85 17 1271Ø DATA 42,42,42,42,42,42, 42,42 C8 12720 DATA 0,8,34,8,34,8,34,8 D# 12730 DATA 0,8,34,8,34,8,34,8 D3 1274Ø DATA 8,42,28,8,28,42,8,

Program 5: Rememory For Atari 400, 800, XL, And XE

BJ 1 OPEN #1,4,0,"K: ": PRINT CHR\$ (125) DIM SPACE1\$ (40), SPACE2\$

(20), BN(5,8), S\$(6), TR(1), SC(1)

HE 5 GOSUB 4000: POSITION 9.1 3: GOSUB 4500

HN 1 Ø GRAPHICS Ø: POKE 82, Ø: P OKE 83,39

FH 15 POKE 752, 1: PRINT

DLIST=PEEK (560) +PEEK (5 DE 20 61) *256

FOR T=6 TO 28 STEP 2:P CD 30 OKE DLIST+T, 6: NEXT T

PL 40 POKE 756, 226

CB 5Ø SCREEN=PEEK (88) +PEEK (8 9) \$256

NK 60 FOR I=0 TO 660 STEP 60 : K=SCREEN+I

FOR J=40 TO 59: POKE K+ J, 128: NEXT J: NEXT

PA 90 POKE 710,0:POKE 752,1 60 105 GOSUB 3000: ROW=0: COL= Ø:MF=Ø:TS=Ø:FOR I=Ø T 0 1:TR(I)=Ø:SC(I)=Ø:N EXT I:GOSUB 1000:PL=0

OH 110 GOSUB 2000: IF BN (ROW, COL) = 27 THEN 110

BE 115 GOSUB 1200: PROW=ROW: P COL=COL

6H 12Ø GOSUB 2ØØØ: IF (BN (ROW ,COL)=27) OR ((PROW=R OW) AND (PCOL=COL)) T **HEN 120**

NL 125 GOSUB 1200

00 13Ø IF BN(PROW, PCOL) = BN(R OW, COL) THEN SC(PL)=S C(PL)+1:TS=TS+1:BN(RD W, COL) = 27: BN (PROW, PCO L)=27:GOTO 14Ø

KK 135 FOR I=1 TO 200:NEXT I : GOSUB 1100

JH 14Ø TR (PL) = TR (PL) +1: GOSUB 1080: IF BN (ROW, COL) < 27 THEN PL=NP-PL

GOSUB 1070: IF TS<NM T 06 150 **HEN 110**

ON 160 POSITION 10,9:PRINT " ANOTHER GAME (Y/N)?": POKE SCREEN+40,128

JF 170 GET #1, K: IF K=89 THEN GRAPHICS Ø: PRINT CHR \$ (125): RUN JB 180 IF K=78 THEN GRAPHICS

Ø: PRINT CHR\$ (125) : EN D

6L 19Ø GOTO 17Ø IK 1000 POS=SCREEN+63: FOR I=

Ø TO 5:FOR J=Ø TO 8: POKE 4*J+POS, 128:POK E 4*J+POS+1, 128: NEXT J:POS=POS+12Ø:NEXT

IL 1050 POSITION 1,0:PRINT " *P1 000 000": IF NP=1 THEN POSITION 29,0: PRINT "P2 000 000"

ND 1060 GOTO 1099

6C 1070 POSITION 27*PL+1, Ø:P RINT "*": POSITION 27 * (1-PL)+1, Ø: PRINT CH R\$ (32): GOTO 1099

01 1080 PR=27*PL+8:S\$=STR\$(T R(PL)):POSITION PR-L EN(S\$),Ø:PRINT S\$

S\$=STR\$(SC(PL)):POSI IN 1090 TION PR+4-LEN(S\$), Ø: PRINT SS

IC 1099 POKE SCREEN+40,128:R ETURN

PIC=27:GOSUB 1150:PR OW=ROW: PCOL=COL: GOSU B 1150: RETURN

EM 1150 XPOS=PCOL: YPOS=PROW: GOSUB 20000: RETURN

NO 1200 PIC=BN (ROW, COL): XPOS =COL: YPOS=ROW: GOSUB 20000: RETURN

AK 2000 GOSUB 2510

AM 2005 JY=STICK(PL*JS):POKE

JA 2010 IF STRIG(PL*JS) = 0 TH EN POKE PCUR, PC1: POK E PCUR+3, PC2: RETURN

FH 2020 IF JY=14 THEN IF ROW >Ø THEN ROW=ROW-1:GO SUB 2500

PI 2030 IF JY=13 THEN IF ROW <5 THEN ROW=ROW+1:GO SUB 2500

KI 2040 IF JY=11 THEN IF COL >Ø THEN COL=COL-1:GO SUB 2500

IC 2050 IF JY=7 THEN IF COL< 8 THEN COL=COL+1:GOS UB 2500

6J 2060 FOR I=0 TO 50:NEXT I :GOTO 2005

BC 2500 POKE PCUR, PC1: POKE P CUR+3, PC2

80 251Ø CUR=SCREEN+ROW*12Ø+4 *COL+62:PC1=PEEK(CUR):PC2=PEEK(CUR+3)

FA 2520 POKE CUR, 32: POKE CUR +3,32:PCUR=CUR

KK 253Ø RETURN

F6 3000 I=Ø:FOR J=Ø TO 4 STE P 2: FOR K=Ø TO 8: BN (J, K) = I : BN(J+1, K) = I : I=I+1:NEXT K:NEXT J

8L 3Ø1Ø FOR J=Ø TO 5: FOR K=Ø TO 8:SJ=INT(RND(Ø) * 5): SK=INT(RND(Ø) *9)

PD 3020 T=BN(SJ, SK): BN(SJ, SK) = BN (J, K) : BN (J, K) = T: NEXT K: NEXT J

K6 3Ø3Ø RETURN

LN 4000 POSITION 9,9:PRINT " NUMBER OF PLAYERS (1 /2)?":

FF 4010 GET #1, NP: IF NP<>49

AND NP<>50 THEN 4010
K6 4020 NP=NP-49:IF NP=0 THE N 4060

POSITION 9,11:PRINT IN 4030 "NUMBER OF JOYSTICKS (1/2)?"

F! 4040 GET #1, JS: IF JS<>49 AND JS<>50 THEN 4040 NK 4050 JS=JS-49

KK 4060 RETURN

KJ 4500 PRINT "NUMBER OF MAT CHES (1-27)";:INPUT S\$:IF S\$="" THEN S\$= " 01 "

HB 4510 NM=VAL (S\$): IF NM<1 0 R NM>27 THEN NM=27 KL 452Ø RETURN

JK 10000 DATA 81,69,65,82,82 ,68,90,67

NH 10010 DATA 209, 207, 0, 74, 7 2,0,154,131

KO 10020 DATA 12,3,0,93,91,0 3,86 DK 10030 DATA 2,86,75,79,75.

79,2,86 6J 10040 DATA 20,84,0,212,21

2,0,84,20 J6 10050 DATA 96,128,0,96,96

,0,128,96

H6 10060 DATA 8,128,0,28,30, 0,128,204

DATA 73,79,65,83,83 KI 10070 68,75,76

E6 10080 DATA 201, 207, 26, 84,

84,26,203,204 16 10090 DATA 11,128,66,3,3,

86,128,15 6E 10100 DATA 209, 195, 75, 82,

82,79,209,195 MJ 10110 DATA 124, 124, Ø, 60, 6 0,0,124,124

FJ 10120 DATA 61,61,217,0,0, 89,61,61

NH 10130 DATA 254, 254, Ø, 31, 3 1,0,254,254

DATA 109, 109, 45, 55, FE 10140 45,55,119,119

MB 10150 DATA 1,4,65,68,65,6 8,1,4

BO 10160 DATA 1,68,0,139,139 0,1,68

DA 10170 DATA 128, 128, 0, 211, 211,0,203,204 NN 10180 DATA 128,128,0,72,7

4,0,203,204 DF 10190

DATA 73,79,0,128,12 8,0,203,204 16 10200 DATA 73,128,0,90,69

0,128,76 06 10210

DATA 209,128,0,90,6 9,0,128,209

DP 10220 DATA 128, 128, 0, 251, 251,0,128,128 BM 10230 DATA 71,70,0,66,86,

0,70,71 DATA 213, 213, Ø, Ø, Ø, 88 10240

0,206,206 0A 10250 DATA 6,7,0,0,0,0,7,

PN 10260 DATA 198, 198, 0, 70, 7

0,0,198,198 EK 10270 DATA 128, 128, 0, 128,

128,0,128,128 FF 20000 REM Call with PIC h

olding the picture number, XPOS & YPOS holding the card p osition (0-8,0-5)

JL 20020 RESTORE PIC*10+1000

JO 20040 START=SCREEN+YPOS*1 2Ø+XPOS+XPOS

CK 20050 FOR I=1 TO 2: READ A :POKE START+40+1, A: NEXT I

BK 20060 FOR I=1 TO 4: READ A : POKE START+61+I+XP OS+XPOS, A: NEXT I

FJ 20070 FOR I=1 TO 2: READ A :POKE START+100+1, A : NEXT I NK 20080 RETURN

44 COMPUTEI May 1987

Reviews

On Balance

James V. Trunzo

Requirements: Apple II-series computer with a minimum of 128K. Both 3½-inch and 5½-inch disks contained in each package.

After a hard day's work, few people want to take time to manage the money they make. In our house, that task is ably handled by my wife. Now, in order to make her job a little easier, I had, in the past, tried to get her to use my computer and any number of home accounting software packages. My efforts, however, were in vain. Either it took too many hours to set up accounts prior to even beginning to use the software, or the programs were too complicated for those of us without a degree in accounting. All we really needed was a computerized checkbook program with the ability to do some neat things, like sorts. Nothing we found could overcome her preference towards her own calculator, pen, and paper system. That is, nothing could until Broderbund released its newest productivity package: On Balance.

On Balance is a money management program—which, incidentally, is not copy protected—that so closely simulates the most basic of noncomputer household systems, it destroys the inhibitions many people have about using a computer to aid in financial management. The fact that it emulates the system most households are already using makes it unintimidating to novices, giving them the security they need to fairly evaluate the program.

Simple And Versatile

On Balance allows the user to begin working with it immediately. After ten minutes of initial setup, you can begin making full use of the program. While you can create all your accounts before making any entries if you so desire, On Balance, unlike many other similar financial packages, doesn't require that you do so. Accounts can be established on the fly. If entering the details of a

check is your first transaction, you set up your checking account at that time. If your next entry is a deposit into a savings account, just answer the series of onscreen questions, and another account has come into existence. Simplicity is one of *On Balance's* best features.

However, don't confuse simplicity with lack of sophistication or get the idea that this program is a watered-down version of a "real" home accounting program—On Balance is as complete a program as any of its type currently on the market. It's just that Broderbund's program allows you a tremendous amount of versatility, and it doesn't require that you use all of its features if you need only a few. And it certainly has enough features. For instance: On Balance will handle all standard record keeping, reconciliation tasks, budgets, check printing, and so forth. It will generate reports showing your net income and net worth as well as reports on individual accounts and transaction lists. It will even print graphs allowing you to compare a variety of financial information, like money spent versus money budgeted. And it does all these things in a speedy, clear, simple way—which is what really separates it from others of its ilk.

Part of the ease of use implied above stems from *On Balance*'s use of pull-down windows and constant onscreen menus. Using a mouse, a keyboard, or a combination of both, the user selects major elements of the program from a menu line at the top of the screen. This drops a window containing more detailed choices. For example, selecting "Accounts" from the menu line will open a window listing all the account types that have been created. Furthermore, onscreen help is almost always available, and editing is a snap if modification is needed due to change or error.

Other features aid in the speed and usefulness of the program. An everpresent, full-functioning calculator hides behind the main screen, waiting to be summoned through the use of Open Apple-C, and a Notepad is also always available to jot down important notations about a transaction. Another feature that saves the user time and

trouble is the ability to enter a set of regular payments, like a mortgage payment. For example, not only will *On Balance* prepare itself to handle these recurring transactions, it will also prompt you, through the use of onscreen messages, when one is due. Of course, these are just a few of the features built into *On Balance*.

Manipulating Data

Once you have entered information, you can manipulate it in a variety of ways. Searches and sorts can provide you with various forms of comparisons that will clearly show you where your money is—or where it went. Search by date, check number, payee, dollar amount, or even text; and send the data to a customized report. Then view the information that you requested either on your monitor screen or on paper. On Balance lets you record up to 800 transactions a month, and Broderbund claims that users can store an entire year's data on a single disk. This is an important factor if you wish to flag certain transactions throughout the year (for example, tax-related entries) and pull them all at one time.

One other thing: On Balance is compatible with AppleWorks. This means that the user can both export financial data from On Balance to AppleWorks and do forecasting and analyzing without having to re-enter start-up figures. A special disk facilitates the exporting of information from one program to the other.

Overall, On Balance is an impressive piece of work. It is designed to put you in charge of your financial affairs by giving you a wide variety of information in a simple, easily understandable fashion. Whether you're setting up a budget, keeping track of stock purchases, or simply balancing your checkbook, On Balance helps you do the job quickly and painlessly.

On Balance
Brøderbund Software
17 Paul Dr.
San Rafael, CA 94903-2101
\$99.95
(Interactive demo disk available for
\$7.99. Price can be applied to purchase
of full package at later date.)

Amnesia

James V. Trunzo

Requirements: Apple II series, IBM PC and compatibles, and Commodore 64 computers.

It's not the type of thing one often, if ever, thinks about. Yet, for a moment, consider the terrifying prospect of complete memory loss. Your entire life disappears. All those you have grown to know and love-or even hate-become strangers. The career you've built and the knowledge you've gained dissolve into nothingness. Your solitude is so complete that, upon looking in a mirror, you don't even know the face

staring back at you.

The rather unpleasant concept of complete memory loss, or amnesia, is the basis for Electronic Arts' first journey into the text adventure genre. Employing the considerable skills of Thomas M. Disch, winner of the Campbell Award for best science fiction novel in 1980, EA thrusts the player into the hazy world of an amnesia victim who lives in New York City. As this character, you wake up in the fictional Sunderland Hotel suffering from acute amnesia, and are lacking any comforting physical resources like food, clothing, or money. As you stumble about trying to piece together information that will literally return your life to you, you discover that things could get worse. As the package copy notes: "A strange woman wants to marry you. A strange man is trying to kill you. The state of Texas wants you for murder...," and you still aren't sure who you are.

Beyond The Ordinary

Amnesia, like other well-designed text adventures, puts you in a predicament and challenges you, with the aid of an extensive and sophisticated parser, to figure out which piece goes where in the giant puzzle. However, Amnesia goes well beyond ordinary text adventures, many of which arrived after Infocom's shining successes.

Electronic Arts lives up to its reputation by building its electronic novel in Manhattan-all of Manhattan. There are four thousand individual and authentic locations on this eclectic urban island, including 650 streets and the entire Manhattan subway system. Central Park, Chinatown, Soho, Broadway and 42nd Street, Times Square, Greenwich Village, the Battery, and even the Brooklyn Bridge are all faithfully reproduced. If you care to find out how faithfully, cruise Central Park at 2:00 in the morning (from the safety of your home). Amnesia's internal clock keeps very accurate time, so the muggers know when to come out. Actually, part of the enjoyment of playing Amnesia is wandering about fabulous Manhattan, especially if you're familiar with some of it. Even if you aren't, don't despair: Electronic Arts provides you with a detailed street map of the borough, as well as a complete map of the subway system.

Beyond the vast scope of the gaming environment that makes up Amnesia, Disch and EA have not glossed over the details that make day-to-day existence possible. In Amnesia, you need money or credit cards to function. Restaurants and stores open and close according to schedule. The television news (worth watching, incidentally) comes on at 7:00 in the evening. Your character is aware of the time of day, and it becomes hungry and sleepy.

Because Amnesia occurs in a modern-day setting that incorporates many familiar physical surroundings, it may appeal to some game players that don't enjoy the mythical or space-age formats that many computer games employ. This 1980's urban backdrop also provides the game with a sense of realism that may be a bit unsettling.

The program itself contains features typically found in text adventures. In addition to its excellent parser, Amnesia allows multiple saves, printouts, and a scoring system that rewards accomplishments beyond simply solving a piece of the puzzle.

The powerful combination of Thomas Disch's fine prose and EA's program design talent makes Amnesia a text adventure well worth experiencing.

Amnesia Electronic Arts 1820 Gateway Dr. San Mateo, CA 94404 \$44.95 Apple II, IBM PC and compatible versions \$39.95 Commodore 64 version

Starglider

Andy Eddy

Requirements: Commodore 64, Amiga, Atari ST, Apple II, and IBM PC and compatibles. Disk drive required. Mouse optional, but recommended on systems where it is available; joystick optional, but recommended on all others. Color display also optional, but recommended. Atari ST and Commodore 64 versions reviewed.

Every once in a while, a game comes along that tickles and teases your senses. Remember the exhilaration you experienced the first time you played Space Invaders or Asteroids—the panic that overcame you as you got used to the controls, the racing heartbeat that seemed to match the pounding pulse of the sound effects, the adrenaline rush with every laser blast for or against you.


Over the years there have been some computer contests that touch you like this. One such product is Starglider by Rainbird Software (marketed in the U.S. by Firebird Licensees). A space sortie in vector graphics that can be likened to an aerial Battlezone, Starglider has a mix of bright colors, rapid movement, and strategic excitement that will bring you back again and again.

Find Out For Yourself

One of the most enticing points of the game is the inherent mystery that its creator has engineered. Much like a suspense novel, Starglider's charms aren't spelled out at the beginning for you. Given very little in the way of instruction beyond the most cursory navigational direction, your piloting skill is increased only through practice—during which time you will face many frustrating defeats—and careful perusing of the accompanying novella that details, in story form, the reason you are battling Herman Krudd and his troops. If your bent is to plunge into a game without reading through the manual, you'll find yourself in deep trouble time and time again.

Once you've acquired the knowledge to stay alive and keep your craft aloft (refueling your ship, replenishing your missiles, lasers, shields, and so on), and you've learned how to track all of the various indicators that alert you to your ship's condition, position, and endangerment, all you have to do is dispatch the many enemies that threaten you. Oh, is that all?

Most of these adversaries can be blown away with your shipboard lasers, though it takes quite a few shots for them to meet their demise. Others are impervious to your blasters and



The Atari ST version of Starglider from Firebird.

must be taken out with a missile—and your ship can hold only two at any given time. If this gives you the impression that your work is cut out for you, you're right.

Importantly, it must be pointed out that the discouragement level is not enough for you to shelve the game. Waving a galactic carrot in your windshield, Starglider teases you into the just-one-more-try mode. Most times, you find yourself getting a few more points on the scoreboard than the last time, maybe reaching a higher level than before. But with each level come new challenges that must be overcome. And on and on...

Jeremy "Jez" San of Argonaut Software (Jez San of Argonaut, Jason and the Argonauts—get the connection?), who originated Starglider and programmed the 68000 versions, is a talented individual who has constructed a visually smooth concoction that's so realistic in its feel that you'll duck and squirm in your seat in an attempt to guide your careening jet with body English.

A Loss In Translation?

Starglider was obviously designed on a 16-bit machine and converted to the 8bit counterparts, and it suffers a bit in the transition. For example, the game is very well suited to mouse use, as I discovered in the ST version, for controlling altitude, speed, steering, and

laser triggering.

But, in the Commodore rendering, the joystick seems to come up a little short in giving you carefree handling of the ship, though some latitude is provided by having two different joystick modes. Here, the keyboard assists on certain functions; in fact, all versions of the game can be played entirely from the keyboard, and the ability to redefine keys lets the player make a personal layout for game control.

Graphics differences are more drastically exposed. On the ST, a radar screen at the bottom of your dashboard shows all objects within a certain perimeter with each item's "blip" a distinct color. On the 64, it's impossible to

distinguish one blip from the next, which puts you at a marked disadvantage when you're on the prowl for a docking silo or energy tower at critical moments. Other than that difference and a few variations in sound and visual effects between the two, the game play is very similar, and the differences only limit its spectacularity on the Commodore. I must say, the digitized voice status reports during play and the rockin' intermission music with vocals on the ST rendering were real shocks.

About the only across-the-board complaint I had was tolerable, to say the least. At the end of each foray, a high score table is displayed where you may insert your name among the top achievers-standard fare for most games of this ilk, and, above all, making for some heated competition between contestants. The problem is that the list lasts only the length of that immediate session; no scores are saved to disk for permanent recall. While San told me that this was to prevent the possibility of overwriting vital program data, in the past it has been a feature on many games with very little, if any, detriment.

To The Future

So far, Rainbird has brought The Pawn and Starglider to the Americas from overseas-and these are two of the most critically acclaimed programs in recent memory. If they keep this streak going, they can be counted on to become one of the major suppliers of quality gameware.

Starglider Firebird Licensees P.O. Box 49 Ramsey, NJ 07446 \$39.95 Commodore 64 version \$44.95 all other versions

Robot Rascals

Karen G. McCullough

Requirements: Apple II series, Commodore 64.

Robot Rascals is a hybrid; it's a cross between a card game and a computer adventure-Go Fish meets the electronic scavenger hunt. In games, as in plants and animals, cross-fertilization has the potential to produce hopeless disasters as well as unusually strong, effective offspring. Robot Rascals is among the successes.

Each player (up to four) is dealt

four item cards; then each selects a robot from the ten available onscreen. During a turn the player directs the robot on a scavenger hunt, looking for

the items that match the cards in his or her hand. The player who gets to home first with items to match all the cards in


his or her hand wins.

Sounds simple, right? You bet. Except for a few complications, like the luck cards you draw before each turn. These can direct you to take a card, steal a card, force a swap among other players, and so on, all of which can wreak havoc with your (or your opponent's) hand. The item deck contains a few surprises also: wild cards, a killer card, and a cosmic cheat, though these are used only in more advanced games. Then there's the problem of thieving robots, and, just to keep things from getting boring, the computer will occasionally change the rules.

If this sounds like overkill, take heart: The game can be played on several levels. Not all the complications apply at the lower echelons. To start, you can play a super-beginner game, a simple race to find the four items in your hand and beat your opponent(s) home. It's a good introduction, but only three- and four-year-olds won't be quickly bored and ready to move onto higher levels. The advanced game is a no-holdsbarred free-for-all, with more complications than a jet fighter's controls.

This is a well-designed, wellexecuted game program. The screen windows give all the status information you need, and they show what your robot is up to. Joystick control is tight and precise, a real pleasure. There's plenty of variety in the terrain you search, and enough travel and movement options: Your robot can walk or teleport to get around, drop an item, or erect defensive shields.

But the real joy of the game is the robots themselves. There are ten to choose from, and each is distinctive; in fact, it's no exaggeration to say they



The Commodore 64 version of Robot Rascals from Electronic Arts.

have individual personalities. The animation of these little technological marvels is subtle and clever. Each robot moves differently; some grin while they walk. Belbot pounds his chest in delight when he finds an item; Birt jumps for joy. Sphero flops along lazily when he moves, but if you take too long to give him directions, he'll stamp his "foot" impatiently.

The whole family, including the three-year-olds, can play Robot Rascals since a handicapping feature lets players of differing ability compete against each other. If the game has a flaw, it's that it's—pardon the pun—almost terminally cute. But then, so is Teddy Ruxpin, and we know how many of those have sold.

Robot Rascals Electronic Arts 1820 Gateway Dr. San Mateo, CA 94404 \$39.95 Commodore 64 version \$44.95 Apple II version

> Back issues of COMPUTEI, COMPUTEI's Gazette, or any magazine disks can be ordered by calling 800-346-6767 (in NY 212-887-8525). Some issues may no

> > longer be available.

COMPUTE!
TOLL FREE
Subscription

Order Line 1-800-247-5470 In IA 1-800-532-1272

Jet

Michael B. Williams

Requirements: Apple II series with 64K minimum, Commodore 64, or IBM PC/PCjr and compatibles with 128K minimum and color graphics adapter. Joystick optional. Apple version reviewed.

It's the realtime, three-dimensional display that best exemplifies this Sub-LOGIC program. Everything—from planes, missiles, and mountains, to the runway and control tower—is shown in perfect perspective and color. If you were to fire a missile at a plane passing in front of you, you would see not only the missile eject from your jet, but also, in perspective, the unwary plane approach from the side, be hit by the missile, and break into pieces as it falls toward the ground.

Jet has several display enhancements to help you maneuver the aircraft. As if using a telescope, you can zoom in to see objects in greater detail and zoom out to expand your field of vision. The attitude (pitch) indicator, which can be superimposed over the display, rotates, rises, and falls to reflect your orientation to the horizon. It, too, is seen in perspective, with its ten-degree graduations becoming smaller towards the center of vision. To help you in battle, you can summon a colorcoded radar display that shows the location of enemy planes and missiles and of your home base—all with respect to your aircraft. Jet can also supply a range indicator that changes color as you close in on a target.

Jet's instrument panel is sparse compared with those of other flight simulators. It is this deceptively simple display that allows you to ignore many of the technical aspects of flying and to concentrate on the flying experience itself. At the same time, this makes Jet noticeably less realistic than SubLO-GIC's Flight Simulator II.

Flying By Remote Control

In addition to the normal cockpit display, there is a unique feature which allows you to pilot the plane from the control tower. In essence, you are flying the plane by remote control. Your field of vision is fixed toward the aircraft, and you can see the plane as it is taking off and landing. Since the only display feature that is accessible in this mode is zoom, you will find it difficult to fly the jet this way. You can easily toggle back to the cockpit display at any time. There, in addition to the forward view from the cockpit, you can also see

above and to the left, right, and rear of the plane.

Jet does have a few problems which surface because of the speed and graphics limitations of the Apple II: Sound effects are sparse. The program is painfully slow at updating the display, which can turn a smooth flight into a spasmodic one. The program is slowest in its combat mode; screen updates occur at about one second intervals. Most importantly, you must use a color monitor with the Apple version of Jet. On a monochrome monitor, it is nearly impossible to distinguish between the sky, horizon, and markings on the ground; attempting to land the jet becomes a daredevil event at best. With a color monitor, however, each element has a unique color to help distinguish it.

A few of Jet's problems are due to its implementation. The aircraft's speed is given as a Mach number (relative to the speed of sound) on a graduated scale which is only marked in increments of Mach 0.5. The altitude is also represented by a vertical graduated scale, but is equally difficult to read because it is marked with increasing intervals instead of constant ones. Digital readouts for both the speed and the altitude would help tremendously. When you are fighting MiGs, you won't have time to guess your actual altitude and speed.

To add to the feeling that you are really flying, *Jet* includes real hazards such as blackout and red out, which reflect the human body's limited tolerance to high acceleration. In the event of imminent destruction, you can push the eject button and float safely back to earth by parachute.

Jet comes with a quick reference card summarizing the commands available. It is also compatible with the same scenery disks used by Flight Simulator II and Microsoft's Flight Simulator. Sub-LOGIC offers scenery disks for Japan and the San Francisco area.

If you have a color monitor, you'll definitely want to consider adding the state-of-the-art *Jet* to your program library. Its lack of realism may turn off flying aficionados, but its ease of flight and its truly remarkable graphics are sure to please weekend pilots who want to take their F-16 for a spin around the Golden Gate Bridge.

Jet
SubLOGIC
713 Edgebrook Dr.
Champaign, IL 61820
\$39.95 Apple II series and Commodore
64 versions
\$49.95 IBM PC/PCjr (and compatibles)
version



Computers and Society

David D. Thornburg, Associate Editor

A Look At An Era

When there's talk about the success stories of the personal computer industry, most people think of Silicon Valley with all its ups and downs. Names like Jobs, Wozniak, Peddle, and others too numerous to mention, are bandied about as though they were the only people involved with the success of this industry.

While no one would want to diminish the contributions of these people, the fact remains that there is another part of the personal computer industry located far from Silicon Valley with success stories of its own. As valuable as your personal computer might be, you probably wouldn't know more than half the things you can do with your computer if it weren't for magazines like COMPUTE!.

Now this piece is not a pitch to get you to read COMPUTE!—after all, you are doing that already. The reason for spending time on this topic this month is that, with the departure of Robert Lock from the day-to-day operations of this magazine, COMPUTE! has entered a new era. Accordingly, I thought I might share some of my recollections on the growth of this magazine since I had an article in its very first issue, and have had at least one article in nearly every issue since that one.

Retrospectives of this sort are usually to be found in the last issue of a magazine just as it goes belly up. As you know, many computing magazines have fallen prey to the vagaries of the computer market. Some of the older magazines (like Recreational Computing) were acquired by other magazines (like COMPUTE!), and still others just quietly went out of business (like Creative Computing).

COMPUTE! has had its ups and downs—just as has the industry—but unlike most of its counterparts, COMPUTE! has emerged stronger than ever for one simple reason—

its readers.

A dedicated base of readers is essential to the survival of a magazine, and COMPUTE! was careful from the start to insure that it had a solid base of editorial writers who helped maintain the consistency that made this magazine what it is.

In the fall of 1979 the first issue of COMPUTE. The Journal of Progressive Computing hit the stands. It was 104 pages long and contained 19 articles, 10 reviews, and a full spectrum of advertisers from Commodore to small garage operations. My company, Innovision, placed its first ad in this premier issue. While my company hasn't grown much in the intervening years, it is still around.

While the major focus of COM-PUTE! was on the Commodore PET, it also devoted space to other 6502-based computers like the Ohio Scientific Challenger (remember that one?) and the single-board computers like the KIM-1 and AIM-65 (may they rest in peace).

While COMPUTE! started as a quarterly, Robert decided to make it bimonthly starting with the January/ February 1980 issue. By this time the magazine was publishing articles about the Apple II and Atari 800, as well as continuing its strong PET coverage.

By the third issue, this column was started. This means that COM-PUTE! has had the longest-running column on the social impact of computers in the history of personal computer magazines.

Within a short time COMPUTE! became a fancier magazine, sporting a full-color cover and monthly publication. Our magazine had come of age.

ABC

I was concerned when ABC acquired the magazine. I was afraid that COMPUTE! was going to lose some of its personal touch. But, un-

der Robert's careful guidance, this never happened. Even though I am on the West Coast and have never visited COMPUTE!'s offices, I could tell from my phone conversations that Robert was hiring exactly the right kind of people to let the publication grow and thrive.

From the humble beginnings of COMPUTE!, Robert built a multifaceted publishing venture that included several magazines and a full catalog of books. Furthermore, he did this during a time when the computer industry was on a roller-coaster ride of immense proportions.

The Lesson?

When the computer magazines started to drop like flies, the "smart money" people said the the survivors would be the highly focused one-machine magazines. Magazines with a general focus were going to be victims simply because advertisers would not be able to target their ads as carefully.

Because COMPUTE! also published machine-specific magazines (like GAZETTE for Commodore owners), it could offer advertisers what they needed—and this probably helped maintain the magazine's success.

Can a general personal computing magazine survive? COM-PUTE! has shown that it can not only survive, but that it can, with your support, thrive in both good times and bad.

The main reason, as I said before, is because of you—the readers of this magazine.

Another reason—one I think is equally as important—is because this magazine was built with the leadership of one of the finest men I have met in the industry.

Thank you, Robert, for all you have done for all of us. Our entire industry is watching to see what you will be doing next.

Sometimes the impact of a rumor is more significant than whether or not it proves, in the end, to be true. A good example is the new generation of personal computers that IBM may or may not have announced by the time that you read this. For months, we've been hearing about as many as three different PCs that IBM may come up with, with code names like "Renegade" and "CloneKiller." The most often discussed is a low-end machine for the home and educational market. The machine described doesn't have expansion slots—at least not any compatible with current models-although it's said to have some networking capabilities (vital in an education setting). It will likely use the 80286 processor running at a slow six megahertz, and have a built-in graphics adapter, but rumors here range from a normal EGA-type adapter to one with fabulous graphics capabilities, such as 640 × 480 resolution with up to 256 colors onscreen at once, and windowing capabilities in ROM. Likewise, sound may be anything from an internal beeper to a fullblown synthesizer. All rumors agree on a 31/2-inch disk drive and a full keyboard.

The operating system is another area of dispute. Most sources agree that it will use a new DOS, but reports on its features range from a slight change to support networking, to a version that includes Microsoft Windows or Topview, to a hybrid MS-DOS with a proprietary hardware/software scheme to shut out would-be cloners, to a completely proprietary system. In all of the rumors, we hear again and again of the possibility of a completely new hardware bus that will not accept the thousands of third-party add-on products for the current PC, and of a completely new operating system that will be upwardly compatible with the current one, but that can't be copied. In short, the anticipated PC wouldn't be PC compatible, and couldn't be cloned.

At first, we heard that the machine would be announced during the Super Bowl, à la Apple. When that didn't come to pass, stories began to center around a big meeting of IBM dealers in March, and a possible April announcement. But whether or not any of the rumors turn out to be true, their existence is being felt in the PC marketplace. Corporate buyers are holding off, waiting to see what develops before they commit to new purchases. The mood is reminiscent of that which prevailed before the announcement of the PCjr, when a "PC II" was rumored to be imminent.

But rather than being the product of a conspiracy on IBM's part, as some have suggested, it may well be that these rumors are a reflection of a growing perception of the seriousness of IBM's position. Having spawned the enormous PC market, IBM has had to stand idly by and watch its influence in that market diminish. Whether IBM will take bold action, and whether that action will be enough to stem the tide, are questions that will keep everybody in the industry watching.

Although the new high-end Macintosh models discussed in this issue's "Editor's Notes" are priced beyond the means of the average consumer, they're bound to have an effect on the home computer market, just as the original Mac did. For one thing, their introduction will send down the price of the Mac Plus and 512K Mac. The street price of the latter may break the \$1,000 barrier for the first time, putting it head to head with the Atari ST, the Amiga, and PC clones.

The small screen and closed

architecture of the old Mac are much less of a problem with the home market than with the business crowd, and users may be more apt to put up with these limitations for the time being, knowing that upgrades are available. Since software and the time spent creating data files usually end up as the biggest part of a computer investment, it's quite important that the user know that when he buys new hardware, he'll be able to take his software with him. Atari and Commodore have stated their intentions to manufacture 68020 machines, but so far, only Apple has assured a compatible upgrade path.

Although the Atari PC clones caused quite a sensation at CES, there have been recent reports that they may not appear quite as quickly as expected. Though Atari claimed that the machines would be ready by March, it may be as late as August when they are actually sold. For one thing, they have yet to undergo the sometimes-lengthy FCC approval. For another, Atari has yet to sign an agreement with Digital Research allowing it to distribute the GEM operating system with the machine. Though one distributor was quoted as saying he had the machines in the warehouse, others have doubted that the models shown at CES were actually the finished product.

In the meantime, Atari's announcements may end up hurting ST sales, with buyers waiting for the new PC clones or Mega ST machines. And though Atari cut the price of the current STs at the time the new machines were announced, dealers whose stock was purchased at the old price may be reluctant to sell them at as large a discount as some consumers will expect.



Telecomputing Today

Arlan R. Levitan

Twelve Special Bulletin Boards

While most continue to be microcomputer related, a growing number of electronic bulletin board systems (BBSs) have veered off the beaten track. BBSs devoted to law, medicine, genealogy, and real estate are common enough to elicit little more than a yawn from seasoned telecomputerists. Here are a dozen free boards that will spice up even the most jaded palate. Bon appétit!

Note: All numbers were verified as of February 20, 1987. Please observe board rules and common courtesy. Remember, you are a guest in the system operator's (SYSOP's) "house."

Aviation Connection (214) 245-5633 Dallas, TX

You don't need a 2400-bps modem to fly around here. Whether you're certified for flying on instruments or just an aeronautics buff, the Aviation Connection is dedicated to your wild blue yonder.

Bullet 'N Board (703) 971-4491 Silver Spring, VA

SYSOP Tanya Metaksa's aim was to dedicate this board to the Second Amendment and firearms. News on the latest legislative happenings and weaponry. Gun-show schedules and National Rifle Association information abound. While this board is free, you must go through a registration process to gain access.

The Casino BBS (609) 652-6030 Atlantic City, NJ

Feel lucky? You won't lose your shirt playing in this casino. SYSOP Dave covers the Atlantic City casino beat, including nightlife and entertainment guides. Ask regulars where the best slot payoffs are and how much it takes to build a hotel on Boardwalk these days.

Collectors Network (213) 204-0646 Los Angeles, CA

Just how much is that Charlie 'Sunday Punch'' Maxwell card worth? SYSOP Harry Rosenfeld knows. Info on coins, stamps, baseball cards, and just about anything else that's collectible. Also includes excellent BBS lists.

Crime Prevention BBS (214) 578-1311 Plano, TX

Who broke Emma's window last Thursday night? Follow the saga of crime in Plano, Texas. Tips on spotting con artists, prevention of criminal mischief, and personal protection-all from SYSOP Captain Lyndon Payne and the rest of Plano's finest. Be sure to check out the "Crime of the Week."

Cryptologic Research (703) 237-4322 McLean, WV Hours: 5:30 p.m.-8:00 a.m. EST M-F

Do you suspect that the scribblings of your three-year old are really cleverly coded messages for special agents? SYSOP Robert Juneman operates this board as a service to the International Association for Cryptologic Research (IACR) and anyone else interested in Cryptography and Computer Security.

Electronic Call Board (718) 499-1633 Brooklyn, NY

Dedicated to the performing arts, SYSOP Bobby Ballard keeps aspiring actors apprised of the latest casting notices. Special-interest sections covering theater, film, video, music, and art. If the Muse moves you, participate in electronic role playing. The Call Board also includes schedules of stage shows playing around the country.

The Guideboard (415) 864-3858 San Francisco, CA

Get a real hacker's view of one of America's most popular vacation spots. The Guideboard is frequented by cabbies who keep each other

posted on what's going on in the city by the Bay. Enough colorful personalities to populate a season's worth of "Taxi" TV reruns.

MIDI World Network (213) 826-4288 Los Angeles, CA

SYSOPs Moore, Daystrom, and Fitzpatrick are in tune with the times. An excellent BBS devoted to MIDI-related computer use. Highly recommended if one of your keyboards has black and white keys.

Survival Communication (707) 545-0746 Napa Valley, CA

Pack the freeze-dried food, hop in the jeep, and head for the mountains. Don't forget your modemequipped lap-top, though; there are forums on survival, self-sufficiency, and emergency preparedness. SY-SOP Don Kulha hosts discussion areas on medicine, food, alternative energy, radio communications, weapons-craft, and survival vehicles.

Top of the Rockies BBS (303) 963-3688 Roaring Fork, CO

Is warmer weather tempting you to hang up the skis and poles for the season? Let SYSOP Barry Clements tempt you with ski information for Aspen, Snowmass, Sunlight, and the rest of the country. If you get tired of discussing equipment and technique, check out the tasty recipes and nutrition information.

The Train Board (513) 398-0928 Mason, OH

Does the thought of the electric "chug" of an ancient Lionel train set running in your living room bring tears to your eyes? Or do you prefer using radio-controlled submarines in the local duck pond? SYSOP Decker Dogget moderates information on train collecting and radio-control hobbies.

Hardware Add-Ons

There are an astonishing number of good hardware products for the Amiga 1000, and more are waiting in the wings. The following sampling represents products that are currently available, or that should be by the time this column appears. I've chosen to list only hard disks, RAM expansions, and clock calendars, since these represent the categories in which users are most interested.

Hard Disks

Two outstanding products in the hard disk category are the MAS-20 from Microbotics, and the C Ltd. drive, both of which provide 20 megabytes of storage and a SCSI port for a list price of about \$1,000. C Ltd. has lately added a full line of higher-capacity drives, ranging from 30 megabytes for \$1,300 to 350 megabytes for \$7,000. Xebec is a name that's new to the Amiga community, but it's very familiar in the IBM PC world, where the company is a leading maker of hard drives and controllers. Just out is the Xebec 9720H 20-Meg SCSI hard drive, with a list price of \$1,075. I've used a preliminary unit, and my timings indicate that this drive loads files a bit faster than the C Ltd. and Microbotics drives.

Two new drives should be available for sale by the time you read this. The first is from Supra Corporation, which has an established track record with hard drives for the Atari ST and the Macintosh. The Supra 20-meg hard drive lists for \$1,000, and offers an optional 1meg-RAM upgrade board that fits into the drive controller card. The second is the PAL Jr. from Byte by Byte. Having gone through many design changes, the final version will be a mini version of the PAL box, an expansion box that fits on top of the Amiga. Though only 21/2 inches tall, it will come with a 20meg hard drive and a meg of RAM, and have two full-size horizontal expansion slots. The price remains at \$1,500, and because all sales will be direct, there will be no discounts from list price. For this price premium, Byte by Byte hopes to offer much higher performance.

RAM Expansion

RAM expansion units for the Amiga have really proliferated lately. Prices keep changing so quickly that it would be pointless to give exact costs here, but at this time, one-meg boards range from \$300 to \$450, and two-meg boards from \$575 to \$850. Many of these are in the form of self-contained modules that plug into the right side of the Amiga. In this category there's the the onemeg aMEGA from C Ltd.; the Xpander II from Pacific Cypress, a two-slot box that comes with a twomeg card in one slot; and my own favorite, the Starboard 2 from Microbotics. The Starboard is a compact unit which holds from 512K to two meg, and has provisions for a multifunction card with clock calendar and 68881 math coprocessor.

The Insider, from Michigan Software Distributers, is a new onemeg board that mounts internally. It plugs into the 68000 processor socket, and includes a clock calendar. Another internal expansion is the Kickstart Eliminator and RAM Expansion Kit from Creative Microsystems. This isn't strictly a RAM expansion, since the kit provides the Kickstart 1.2 code on EPROM chips. Not only does this eliminate the need for the Kickstart disk, but it also frees up the 256K of writeprotected RAM for general use. A couple of caveats apply. Installation is not for the inexperienced, and it voids your Amiga warranty. With Kickstart in ROM, you can't switch versions without changing chips, which means you can't run software that only works with 1.1. But Sidecar or hard disk users, who will want to use 1.2 exclusively, won't find anything better for convenience and extra memory.

ASDG also makes memory expansion boards that fit in expansion boxes like the PAL Jr., and its own Mini-rack. But its most exciting product may well be the Recoverable RAM Disk, a shareware program which creates a RAM drive that survives a warm reset (CTRL-Amiga-Amiga). It's available on most of the information services and bulletin boards.

Clock Calendars

There's a clock-calendar board available for almost every port on the the Amiga. Tic from Byte by Byte and MouseTime from Microbotics connect to the second mouse port. MouseTime fits next to memory expansion modules, but Tic doesn't, necessitating software that switches the function of the two mouse ports. Atime, from Akron Systems, sits on the printer port, and provides a pass-through for the printer. The most innovative, though, may be Time Saver from C Ltd., which connects in the keyboard line. Not only does it update the system time automatically at power-up time, without software, but it also has 8K of battery-backedup RAM for keyboard macros and CLI command history.

Train for the Fastest Growing Job Skill in America

Only NRI teaches you to service all computers as you build your own fully IBMcompatible microcomputer

With computers firmly established in offices—and more and more new applications being developed for every facet of business—the demand for trained computer service technicians surges forward. The Department of Labor estimates that computer service jobs will actually *double* in the next ten years—a faster growth rate than for any other occupation.

Total systems training

No computer stands alone...
it's part of a total system. And
if you want to learn to service and
repair computers, you have to understand computer systems. Only NRI
includes a powerful computer system
as part of your training, centered
around the new, fully IBM-compatible
Sanyo 880 Series computer.

As part of your training, you'll build this highly rated, 16-bit IBM-compatible computer system. You'll assemble Sanyo's "intelligent" keyboard, install the power supply and disk drive and interface the high-resolution monitor. The 880 Computer has two operating speeds: Standard IBM speed of 4.77 MHz and a remarkable turbo speed of 8 MHz. It's confidence-building, real-world experience that includes training in programming, circuit design and peripheral maintenance.

No experience necessary— NRI builds it in

Even if you've never had any previous training in electronics, you can succeed with NRI training. You'll start with the basics, then rapidly build on them to master such concepts as digital logic, microprocessor design, and computer memory. You'll build and test advanced electronic circuits using the exclusive NRI Discovery Lab®, professional digital multimeter, and logic probe. Like your computer, they're all yours to keep as part of your training. You even get some


Your NRI total
systems training includes all of this:
NRI Discovery Lab* to design and modify circuits
• Four-function digital multimeter with walk you-through instruction on audio tape • Digital logic probe for visual examination of computer circuits
• Samyo 880 Series Computer with "intelligent" keyboard and 380K double-density, double-sided disk drive • High resolution monochrome monitor • 8K ROM, 256K RAM • Bundled software including GW
BASIC, MS DDS, WordStar, CalcStar • Reference manuals, schematics and bite-sized lessons.

of the most popular software, including WordStar, CalcStar, GW Basic and MS DOS.

Send for 100-page free catalog

Send the post-paid reply card today for NRI's 100-page, full-color catalog, with all the facts about at-home computer training. Read detailed descriptions of each lesson, each experiment you perform. See each piece of hands-on equipment you'll work with and keep. And check out NRI training in other high-tech fields such as Robotics, Data Communications, TV/Audio/Video Servicing, and more.

If the card has been used, write to NRI Schools, 3939 Wisconsin Ave., N.W., Washington, D.C. 20016.



... then install the computer power supply, checking all the circuits and connections with NRI's Digital Multimeter. From there, you'll move on to install the disk drive and monitor.



McGraw-Hill Continuing Education Center 3939 Wisconsin Avenue, NW Washington, DC 20016

We'll Give You Tomorrow.

IBM is a Registered Trademark of International Business Machine Corporation.



The Beginner's Page

C. Regena

Sound And Music In BASIC

Programming sound and music on your computer can be both fun and rewarding. It's among my favorite things to do on the computer. I wish I could just give you a BASIC listing for some music on your specific computer this month, but that's not possible, since this is a column for all computers, and music commands in BASIC are very machinespecific. However, here are some general ideas you can use when programming sound and music.

The Most Common Commands

To program your own music or sounds, you'll need to refer to your BASIC programming manual. The most common key BASIC words for sound are PLAY, SOUND, BEEP, and WAVE. Look these words up in your index or list of BASIC words to see if they are available on your computer. The Commodore 64 uses POKE commands, so refer to the chapter on sound in your manual as well as the pages in the appendices that list the memory locations and values for sound, volume, and voice programming.

On some computers you may be able to use the command **PRINT CHR\$(7)**, which is the bell or beep character for a short tone.

The PLAY command usually uses note names in quotes to "play" musical tones ABCDEFG. You may also specify sharps with # or + and flats with —. To specify which octave for the note you want, use the letter O before an octave number, such as O3. Other options include the length, L; a pause (rest), P; a dot for dotted notes; and tempo, T. The IBM PLAY statement has many more options which are listed in the manual. A sample command is

30 PLAY "O3 CBABCDE"

After you get used to the general PLAY command, try using

string variables to play a longer tune or to play repetitious phrases without typing a lot of individual PLAY statements. For example, let A\$ be the string to play one musical phrase. Then you can use the command PLAY "XA\$;". You may use numeric variables also. For example, if you have a variable octave J, use the command PLAY "O = J;". Consult your manual for the use of variables and to determine when the semicolon is necessary.

Different computers have different variations of the SOUND command. Here are some examples:

IBM: SOUND frequency, duration, volume, voice

Atari: SOUND voice, note, tone, loudness Atari ST: SOUND voice, volume, note, octave, duration

Amiga: SOUND frequency, duration, volume, voice

Commodore 128: SOUND voice, frequency, duration

Any of the parameters may be numeric variables, but you do need to make sure the variables are within the proper limits.

For the Atari and Atari ST commands, the notes are numbered. You can refer to charts to see the numbers that correspond to each musical note and tone or octave.

Sound Frequency

Some SOUND commands use a *frequency* parameter. The frequency is the cycles per second, or Hertz (Hz), that produce a particular tone. For example, concert *A* is 440 cycles per second. Your manual should have a chart comparing note names to frequencies. You might keep in mind that a note one octave higher is double the frequency. For example, concert *A* is 440Hz, and the *A* note one octave higher is 880Hz. The note *A* one octave lower is 220Hz.

The duration parameter is a number that tells how long to play a note. On the IBM and Amiga, the duration is figured in "clock ticks,"

which occur 18.2 times per second; on the Atari ST the duration is the time in 1/50 second counts; on the Commodore 128 it's in 1/60 second counts.

On most computers, the volume parameter is a number from 0 to 15, with 15 the loudest. The Amiga uses numbers from 0 to 255. The voice parameter refers to the sound channel you want to use. Using different voice numbers allows you to play more than one note at a time, as when playing a three-note chord.

Other commands may be associated with the SOUND command. You may need to use a delay loop instead of specifying a duration (Atari). If so, you could use a FORNEXT loop in a subroutine. In IBM BASIC, be sure to read about MB for the differences in music background and music foreground.

The WAVE command for the Amiga and Atari ST computers are very versatile commands that change the waveforms of the sounds so you can get, for example, white noise, a flute sound, or a trumpet sound. (POKE commands on the Commodore 64 change waveforms.) Since numeric variable names are allowed in SOUND commands, try using variable notes in FOR-NEXT loops for all kinds of different sound effects. You might keep the note number or frequency the same, but vary the volume. Or try a FOR-NEXT loop with the frequency increasing in the loop.

You might want to experiment a bit with PLAY and SOUND to create your own computer musical composition. You may need to experiment a lot to get the sound you want, but the results can be very satisfying.



The World Inside the Computer

Fred D'Ignazio, Associate Editor

A Magic Slate For Young Writers

I am currently working with Alabama's Dr. Gloria Solomon and Canada's Dr. Julie Davis to develop multimedia presentations using computers in educational environments. For our word processor we have chosen Magic Slate from Sunburst Communications (39 Washington Ave., Pleasantville, NY 10570-9971). Magic Slate costs \$99.95 and is available for the Apple II family of computers with a minimum of 48K. (An 80-column card is needed if you use the 80column version.)

Magic Slate is a full-function word processor. It lets your young authors do all the basic word processor functions, including cutting and pasting, word-wrap, centering, underlining, search and replace, and so on. It comes in a large orange notebook with a backup disk, a teacher's guide, and primary and advanced student handbooks which the manufacturer encourages you to reproduce. For an extra price you can also get a lab pack and extra reference cards.

Electronic Pen Pals

We chose Magic Slate for three major reasons. First, it comes in 80column, 40-column, and 20-column versions. Teachers and older students find the 80-column version easy to learn and use, yet comparable to "business"-quality word processors. Younger students delight in the 20- and 40-column versions. They especially like the 20-column Magic Slate's big letters. It's easy to fill a screen with these letters, and you can print them out on paper if you have a graphics printer.

Second, Magic Slate's utility function makes it easy to convert students' papers, reports, and stories into files which can be sent via modem to other students thousands of miles away. There is so much more incentive for students to write when they know their words will be transmitted quickly to other students over the telephone line. Hundreds of students have become electronic pen pals, and several students in Alabama and Canada are collaborating on research and science reports for their teachers. Another dozen students are jointly authoring an electronic novel which is presently growing at a rate of five new chapters a day.

Third, Magic Slate does not exist in a vacuum. It is supported by an excellent family of writing programs which enhance and extend the basic word processor. The first program is Type to Learn (for grade level 2-adult students, \$69). Type to Learn teaches students how to use the computer keyboard. Since the program uses a language-based approach, students not only learn where the keys are on the keyboard; they also practice their spelling, composition, grammar, and punctuation as they type. (At extra cost teachers can purchase a ten-disk lab pack, student typing textbooks, and a gradebook disk to manage students' keyboard activities.)

Next come a group of three programs: I Can Write! (\$40, for grade 2 students), Be a Writer! (\$40, for grade 3 students), and Write with Me! (\$59, for grade 4 students). Each program contains 25 lessons which take the student, step by step, toward becoming a young author. I Can Write!, the most elementary program, starts with openended writing exercises which encourage a student to explore his or her personal identity. Be a Writer! carries beginners into more formal language objectives, including the construction of full sentences, and using descriptive, narrative, and explanatory writing. The third program, Write with Me!, lets children construct their own book, 25 chapters long.

The Collected Writings

Students use the 20-column version of Magic Slate when they are doing I Can Write! and Be a Writer! activities; they use the 40-column version of Magic Slate with Write with Me! The programs challenge students to develop their word processing skills along with their language skills. As their writing ability increases, students are encouraged to use more advanced word processing functions. Teachers can use a printer to print out the students' compositions. Each page of a student's work adds to a growing book of his or her writings. After three years and 75 chapters, a student's "collected writings" can be quite impressive.

One last program, Magic Slate Typestyles (\$49 for either the 20column or 40-column Magic Slate), lets students install new typestyles on their Magic Slate disk. Students can use premade typestyles or design new typestyles of their own with the program's powerful editor. Teachers especially like the typestyles program because it enables them to teach students that learning to write no longer means just putting words on a page (or screen). Now a person who wishes to communicate can also be involved with the way the writing looks. With this program, the writer must choose a page's layout and design, the character set and font being used, and the accompanying graphics. Even for second- and third-graders, desktop publishing is right around the corner. The Magic Slate family is so valuable because it prepares youngsters for the age of desktop publishing by integrating language arts, word processing, and "page processing" skills into a single curriculum of exercises and activities.@

RUN And INIT Vectors

This month's discussion is something of a continuation of my column of a couple of months ago, where I presented a program that showed you the segments of a binary file. And that column, in turn, referred back to the April 1986 column. Both columns are required reading for a full understanding this month, but you'll learn something even if you are reading this cold.

We begin by noting that when you ask Atari DOS (version 2.0S or 2.5) to save a chunk of memory as a binary file, it asks you to supply four numbers:

START, END, INIT, RUN

And, if you've looked through enough magazine articles or user group newsletters, you've probably come across places where an author instructed you to use the save binary file option, mentioned the beginning and ending addresses, and then told you to be sure to give the proper RUN (and/or INIT) address. The START and END numbers seem obvious: They are the first and last addresses of the range of memory to be written out. But what about INIT and RUN? What can those possibly mean?

A Feature Unmatched

The ability of any binary file, including the ever-important AUTO-RUN.SYS, to have a RUN or INIT address associated with it is, in my opinion, a feature unmatched by any small system DOS, up to and including MS-DOS (IBM PC and clones) and TOS (for the ST). Only with Atari DOS's binary files and their format-compatible relatives can you tell the operating system to load part of your binary file (also called machine language file, object code, and so on—several names for the same thing), execute that part, and then continue loading more of the file. So let's see how it all works.

When DOS loads a binary file, including the AUTORUN.SYS file at power-up time, it monitors two locations. The simpler of the two is the RUN vector. Before DOS begins the load of a binary file, it puts a known value into locations 736-737 (hex \$2E0-\$2E1). When the file is completely loaded—DOS encounters the end of the file-if the contents of location 736 have been changed, then DOS assumes the new contents specify the address of the beginning of the program just loaded. DOS calls the program (via a JSR) at that address.

The second monitored location is the INIT vector, at 738-739 (hex \$2E2-\$2E3). This vector works much the same as the RUN vector, but DOS initializes and checks it for each segment as the segments are loaded. If the INIT vector's contents are altered, then DOS assumes the user program wants to stop the load process long enough to call a subroutine. So DOS calls (via a JSR) at the requested address, expecting that the subroutine will return so that the rest of the load can take place. This is a very handy feature. Most of you have probably seen it at work—for example, when a program first puts up an introductory screen (maybe just a title and a Please wait message) when you run (or boot), then continues to load.

Taking Full Control

The other important difference between the RUN and INIT vectors is that DOS leaves channel 1 open while the INIT routine is called. (DOS always opens and loads the binary file via this channel.) I suppose a really tricky program could close channel 1, open a different binary file, and then return to DOS. DOS would proceed to load the new file as if it were continuing the load of the original one. Most of the time, though, INIT routines should not touch channel 1.

As noted, when you SAVE a binary file from DOS 2.x (and many of its variants), you are allowed to specify both an INIT and a RUN address. But the INIT address is sort of useless, since it is added to the end of a file; so, for example, your opening screen display won't occur until the entire file is loaded. To take full control, you must resort to assembly language (or to a compiled language, such as Kyan Pascal or OSS's Action). For those of you familiar with assembly language, I present the skeleton listing below. This listing is compatible with the Atari Assembler Editor cartridge or the MAC/65 assembler. You will need to make a handful of minor substitutions if you are using some other assembler.

I'm not going to explain the program in great detail—the source code is fairly well documented. A couple of important points though: Notice that there is no special command to the assembler that will force it to put in an INIT vector (or RUN vector—unless you have the AMAC assembler). Instead, we simply create a binary file segment that is only two bytes (one word) long. And this segment is loaded by DOS's loader at—where else—the appropriate vector. So the very act of loading the specified addresses modifies the contents of the vector. What could be neater?

As mentioned, this is strictly a program skeleton. It will do nothing as is. You must add some of your own assembly language to it to make it actually do something. So, if you thought INIT and RUN vectors were beyond you, try this skeleton and be ready to change your mind.

INIT Vector Example

; Skeleton of a program which puts ; a 'please wait' type message on

: the screen before loading the ; main code. * = \$3000; or someplace DOINIT ; the code which follows is for ; demo purposes only! Use your ; own code...pretty display lists ; or dazzling colors or whatever ; channel zero LDX #0 LDA #9 ; Put Text command STA \$342 ; command byte LDA #MSG&255 STA \$344 ; low byte, addr of msg LDA #MSG/256 ; high byte, ditto STA \$345 LDA #255 ; use a too-big length... ; since RETURN STA \$348 terminates ; this call anyway \$E456 ; call CIO RTS ; back to DOS MSG .BYTE 125; (clear screen) .BYTE 29,29,29,29; (cursor down) .BYTE 127; (tab once) .BYTE "-please wait-" .BYTE 155; (return...end of msg) ; now the INIT VECTOR forces DOS ; to call our DOINIT routine *= \$2E2; init vector .WORD DOINIT; gets pointed to us ; Your main program... ; you are on your own here! *= \$3000; the same address if you ; I can use the same address because ; my init code can disappear when ; its job is done. This may not ; work with your code. Be careful. DORUN

; then we get DOS to run our program ; by using a RUN vector.

; AMAC uses ORG, *= \$2E0 not *=

.WORD DORUN; AMAC uses

WORD, no dot ; AMAC uses END, .END

no dot

0

Attention all FX80, FX100, JX, RX, & MX owners:

You already own half of a great printer



Now for \$79.95 you can own the rest. You see, today's new dot matrix printers offer a lot more.

Like an NLQ mode that makes their letters print almost as sharp as a daisy wheel. And mode switching at the touch of a button in over 160 styles. But now, a Dots-Perfect

upgrade kit will make your printer work like the new models in minutes— at a fraction of their cost.

And FX, JX and MX models will print the IBM character set, too.

So, call now and use your Visa, MasterCard, or AmerEx. Don't replace your printer, upgrade it!

1-800-368-7737

(Anywhere in the United States or Canada)



Dots-Perfect



& Dresselhau

8560 Vineyard Ave., Ste. 405, Rancho Cucamonga, CA 91730

An upgrade kit for EPSON FX, JX, RX, & MX printers

(714) 945-5600

IBM is a registered trademark of International Business Machines Corp is a trademark of Epson America, Inc



Looking for a Widget for your Okidata printer and need it now? Call Precision!

Precision Images normally stocks most spare parts for your Okidata printer, from the Okimates to the Pacemarks including the new Microline and Laserline series. Anything and everything for your Okidata printer is only a phone call away. Precision Images is 'your direct connection to genuine Okidata parts and supplies."

for Visa/MasterCard orders call: 1-800-524-8338



Precision Images, Inc. P.O. Box 866 Mahwah, New Jersey 07430

LOTTO CIPHER.

GET THE BEST ODDS ON ANY LOTTERY SIX NUMBER - PICK FOUR - DAILY GAME

- PRODUCES FOUR COMBINATIONS OF NUMBERS TO CHOOSE FROM.
 ANY AMOUNT OF BALLS AND NUMBERS CAN

- ANY AMOUNT OF BALLS AND NUMBERS CAN BE PROGRAMMED. PRINTS OUT PAST LOTTO NUMBERS DRAWN PAST COMPUTER PICKS, AND NUMBER DRAW FREQUENCY LIST. RANDOM NUMBER GENERATOR INCLUDED.



Window Magic

SUPER HI-RESOLUTION DRAWING IN MULTI OR MONO COLOR

- MIRROR, FLIP, AND SCROLLING WINDOWS
 200M-EXPANDS A WINDOW TO DOUBLE SIZE
 SAVE AND LOAD YOUR WINDOWS ON DISK
 PRINTS ON STANDARD DOT MATRIX PRINTER
 CLONE COLOR ATTRIBUTES

STOCK BROKER.

PROFITS GUARANTEED OR YOUR MONEY BACK

BUYING GOOD QUALITY, VOLATILE ISSUES AND USING THIS TRADING SYSTEM WILL HAVE YOU FULLY INVESTED AT THE LOWEST PRICES AND CONVERTING TO CASH AS THE STOCK NEARS ITS PEAK, • TECHNICAL TRADING THAT WORKS.

- BAR GRAPH PRINT-OUTS RECORD UP TO 144 STOCKS ON A DISK



\$29.95 C-64/128

ACORN OF INDIANA, INC.

2721 OHIO STREET MICHIGAN CITY, IN 46360





SHIPPING AND HANDLING, ADD \$1.50 - C.O.D.'S ACCEPTED VISA AND MASTER CARD ORDERS ADD 4% INDIANA RESIDENTS ADD 5% SALES TAX



IBM Personal Computing

Donald B. Trivette

The Mother Load Of Software

Imagine thousands and thousands of computer programs available for less than ten cents each, and you have just imagined PC-Sig's new CD-ROM disc with more than 15,000 files. PC-Sig is an unofficial keeper (there being no official keeper) of the DOS computer programs that have found their way into the public domain either from computer clubs and savvy individuals or from professional software developers seeking to avoid the high cost of promotion and advertisement.

For about \$20 you can join PC-Sig and receive a directory listing the contents of more than 700 disks as well as a monthly newsletter describing new contributions. You may order disks through the mail, by toll-free telephone, or from several dozen PC-Sig authorized dealers. Each disk—even the ones stuffed with 20 or more programs—is priced at just \$6. Until recently PC-Sig's only method of distribution was via floppies, but now the distribution has entered the CD-ROM age.

A Huge "Hard Disk"

For \$195 you can purchase the entire PC-Sig collection containing thousands of programs all on one CD-ROM disc. The disc comes with driver software causing your CD-ROM player to emulate a huge hard disk, which permits many standard DOS commands to be used to access and manipulate files on the CD-ROM. The CD is organized so that each floppy is allocated its own directory. To read a file named CASTLE.DOC on what would be disk number 47, for example, you simply use the DOS TYPE command. The syntax to point to the subdirectories and display the file would be TYPE D: \1-100 \ DISK-047 \ CASTLE.DOC. The DOS COPY command is used to copy the programs from the CD-ROM to your floppies or hard disk for execution, although some programs

will execute directly off the disc.

In order to make the CD available as economically as possible, PC-Sig has not included expensive search software with the disc. Instead you must rely on the printed directory, on the DOS FIND command, or on your own word processing software to scan the index files and locate programs that are of interest to you. This isn't quite like looking for a disk in a haystack, since many of the disks have a theme: games, utilities, languages, word processing, communications, and special interest.

The quality of the software runs from ho-hum to excellent. The following descriptions are quoted from the PC-Sig newsletter's hit parade of disks. Disk 517: "IMAGE-PRINT allows the production of high-quality characters on a dotmatrix printer....All the mathematisymbols, international characters, and graphics characters are included." Disk 418: "HARD DISK UTILITIES is a collection for the hard-disk user compiled from over 25 disks in our library." Disk 523: "SIDEWINDER is a program that allows printers to output sideways....It works much like the commercial program...is written in PASCAL and the source code is provided." Disk 558: "PC-PROMPT is a memory-resident DOS extension that provides syntax prompting for DOS commands as you type." Disk 273: "BEST UTILITIES have been taken from other library volumes...to collect on one disk all of the better utilities." Disk 310: "QMODEM is a fantastic telecommunications program...." Disk 376: "PATCHES are programs that allow you to place the indicated programs on your hard disk or to make backup copies."

Personal Bests

Some of my own favorites: Disk 53, which contains BASIC programs to

make different sounds, including chirp, bomb, siren, engine, and tadaa; Disk 78, the PC-Write word processing program; Disk 120, a PC Chess program; Disk 216, a group of C utilities; Disk 241, specializing in games for the PCjr; Disk 321, home applications; Disk 354, another disk of games just for PCjrs; Disk 372, a collection of dozens of BASIC subroutines; Disk 375, a group of Pascal utilities; and Disks 528-529, which contain the New York Word word processing program. Other disks that look interesting include Disk 447—THE SKY, Disk 459—AGRI-CULTURAL PROGRAMS, Disk 465—FAMILY TIES, Disks 494-496—THE WORLD DIGITIZED, and Disk 565—HAMRADIO.

Although the PC-Sig CD is quite a bargain, most software distribution will continue to be made on floppy disks until CD-ROM players fall in price. For more information, write PC-Sig, 1030 East Duane Ave., Suite D, Sunnyvale, CA 94086, or call (408) 730-9291.

Fix It Yourself

It wasn't long after I got my IBM PC that I took some of the key caps off just to see what made the keys click. The A and the S caps reseated perfectly, but the space bar didn't quite snap into place, and I'd been working with it partly attached for years. Now—thanks to a new book, How to Repair and Maintain Your IBM PC, by Gene Williams—I've been able to repair my faulty keyboard. If you are do-it-yourself inclined (or stupidly curious, as I was), this book may be just what you're looking for. It has chapters on diagnosing what is wrong, disk drives, power supplies, troubleshooting memory, adding to your system, and-when all else failsdealing with the technician. It's priced at \$13.50 from Chilton Publishing in Radnor, PA.

Tower Of Babel

This month we'll take a whirlwind tour of some popular ST languages, translating a short but useful program into each language in turn. The assembly language version of this program is only 59 bytes long, but it can speed up disk save operations by a factor of about 30–50 percent, depending on the size of the file involved. No, it's not done with mirrors. In fact, the job is so easy as to be almost trivial from a programming standpoint.

Like some other computers, the ST automatically verifies the success of every disk write operation. At memory location \$444 (1092) is a word-length variable that indicates whether verification is in effect. If this flag contains a nonzero value (\$FF00 is normal) the ST verifies all disk saves; if it contains zero, verification is turned off. Thus, you can disable verification simply by putting a zero into \$444. Our programmers use this technique regularly to speed up saves on floppy disk drives; however, I advise against using it with any hard disk drive.

Assembly Language Version

Program 1 is the source code for the original version, which is written in assembly language. If you don't have an assembler, you can create this program with Program 6. Type in that program with *ST BASIC* and run it; then go to the desktop and double-click on QUICKSAVE.PRG. Verification is disabled, and you should notice a significant speedup in disk saves.

The first four instructions in Program 1 call the XBIOS routine known as Supexec, which executes a routine in supervisor mode. (As explained in a previous column, certain ST memory areas can be accessed only in supervisor mode.) The first instruction passes to Su-

pexec the address of the routine we want to execute. The second instruction passes the opcode (38) of the Supexec routine itself. When we invoke the routine with trap #14, the machine flips into supervisor mode, performs the designated routine (mycode), and switches back to user mode. In the mycode routine, the instruction clr.w \$444 clears, or stores a zero in, location \$444. After returning from the XBIOS trap, we add six bytes to the stack pointer to adjust for the word and longword previously pushed onto it. Finally, the instructions clr.w -(sp):trap #1 call Term, the standard GEMDOS routine for terminating a program.

C Version

After writing and testing the assembly language version, I translated it into C (Program 2). The #include statement in the first line tells the compiler to include, or read, a header file named osbind.h when it compiles this program. This particular header file contains definitions for all of the XBIOS, BIOS, and GEMDOS functions on the ST, including Supexec, the XBIOS function we need. Actually, we need to grab only two statements from osbind.h:

extern long xbios(); #define Supexec(a) xbios(38, a)

The #define statement allows us to substitute the descriptive name Supexec for XBIOS function 38. We could have skipped the #include and defined Supexec with these statements, but using the header file saves typing and minimizes the risk of typos—important considerations in longer programs, which may use dozens of different system routines. (By the way, every language package contains all the requisite include files.)

Note how the use of a descriptive name makes this program easier to read than the first example. If

you know what Supexec does (ignoring for the moment the question of how one attains that knowledge), you can tell at a glance what's involved in any statement where that name appears.

The second statement in the program—extern int mycode()—makes it possible for Supexec to find the address of mycode, the function we wish to execute in supervisor mode.

The third line in Program 2 declares a pointer variable named ptr. Because C has no keyword equivalent to BASIC's POKE, we must use a pointer, which is simply a variable that points to something else. The first statement in the mycode function is ptr = (int *) 0x0444. It makes ptr point at location \$444, or 0x0444 in C terminology. The expression (int *) is a cast which tells the compiler we're dealing with a word-length object rather than something of another size. Once ptr is aimed at the right spot, the statement *ptr = 0 stores a zero in the place where it points.

The main body of every C program is contained in a function named main. The curly braces and } mark the extent of main, and of every other function. Our main function contains the single statement Supexec(mycode), which invokes the Supexec function, passing to it the address of the routine we wish to execute in supervisor mode. The program terminates when we hit main's second curly brace. Notice that we don't have to do anything special to terminate the program; the compiler handles that detail for us, as it does many others.

Pascal Version

Program 3 is the same program written for *Personal Pascal*, the OSS implementation of Pascal for the ST. Pascal is very different from C. In the first place, Pascal originated as an academic, not a practical,

computer language, and it was developed for large, multiuser computers where tinkering with the machine's innards is a definite nono. Accordingly, the pure incarnation of Pascal forbids any direct access to the computer's memory. But such concerns are less important on a single-user, non-multitasking computer like the ST. And, as a practical matter, most Pascal compilers let you do a number of things that the Pascal language doesn't want you to do. So let's be naughty.

Near the top of Program 3, the VAR statement declares the variable *ssp*, which we'll use later to store an address. Compare this to the statement which declares ptr in the C program. Though the syntax is slightly different, the result is the same: Both declarations tell the compiler the name and type of a variable which we intend to use. Unlike BASIC, which automatically creates variables as soon as you use them, Pascal and C require you to declare every variable (state its name and type) before use.

The FUNCTION declaration gives the compiler the information it needs to call a system routine—in this case, the GEMDOS function named Super, whose opcode is \$20. Again, despite some syntactical variations, you can see the similarity between this and the #define statement which we could have used in the C version.

The naughty part of Program 3 is found in the procedure wpoke, which performs the equivalent of a POKE by means of an unusual variant record named funny. I can't take credit for this procedure, by the way; it comes from an unsupported OSS include file (unsupported meaning that OSS offers this code for general use, but does not answer questions or offer other customer support relating to it).

The main body of this program occurs in the last BEGIN-END construct. Just as curly braces enclose the body of a C function, the words BEGIN and END enclose the body of a Pascal procedure. The first statement in this procedure invokes the system routine Super, passing it a zero to get us into supervisor mode and saving the previous address of the user stack pointer in the variable

ssp. The second statement calls the procedure wpoke to store a zero in location \$444. The third statement calls Super a second time, passing it the address stored in ssp to put us back in user mode. The two calls to Super have the same effect as one call to Supexec, without the difficulty of passing the address of one Pascal procedure to another.

ST BASIC Version

Program 4, the ST BASIC version, requires only one line of code. The DEFDBL statement insures that we'll be POKEing a word-length quantity rather than a byte. Notice that we needn't do anything to put the computer in supervisor mode before doing the POKE: Either ST BASIC itself runs in supervisor mode, or it shifts in and out of supervisor mode to do the POKE.

That may sound convenient, particularly since ST BASIC offers no means to access the XBIOS or GEMDOS routines that invoke supervisor mode. But it makes POKE a potent weapon, indeed. One of the most common and most deadly BASIC programming errors comes from POKEing to an address different from the one intended. In this program, for instance, say that you accidentally type POKE AA, 0 instead of POKE A, 0. The variable AA is never defined in this program, so it has the value zero by default. The effect is to POKE a zero into location zero: ST BASIC crashes with two cherry bombs on the screen, and the system locks up completely when the desktop reappears. Be extremely careful with POKE in ST BASIC.

GFA BASIC Version

GFA BASIC offers two different types of POKE statements. POKE, DPOKE, and LPOKE let you store a byte, word, or longword value, respectively, in any memory location that's accessible in user (normal) mode. If you need to access protected memory, you may use SPOKE, SDPOKE, or SLPOKE, to store a byte, word, or longword in a protected address. The S in these commands stands for supervisor mode.

What's nice about this scheme is that it protects the unwary tyro against simple blunders, without denying sophisticated programmers access to the machine. If you accidentally POKE to a protected memory address, *GFA BASIC* traps the error and puts up a message suggesting that you check your POKEs and PEEKs. BASIC recovers without crashing, as it should from any runtime error. If you go to the trouble of putting an *S* in front of the POKE, it is assumed that you know what you're doing and are prepared for the possible consequences.

Bloody But Unbowed

That concludes our pocket tour of Babel, but the list of ST dialects is by no means exhausted. Had space (and my patience) permitted, we might have tried Modula-2, Forth, BCPL, and others. It's interesting to see how various languages favor different solutions to the same problem, but don't worry if some of the examples look confusing. Few programmers need to become proficient in more than one or two languages, and the plain truth is that a good programmer can write effective programs in almost any language. So find one that suits your own needs and go to work.

Program 1: Assembly Language Version

move.l #mycode, -(sp) move.w #38, -(sp) trap #14 addq.l #6,sp clr.w -(sp) trap #1 mycode: clr.w \$444

Program 2: C Version

#include <osbind.h>
extern int mycode();
int *ptr;
main()
{
 Supexec(mycode);
}

mycode()
{
 ptr = (int *) 0x0444;
 *ptr = 0;
}

Program 3: Pascal Version

PROGRAM quiksave;

VAR
ssp: long—integer;

FUNCTION super(sp: long—integer):
long—integer;

GEMDOS(\$20); (\$P-) PROCEDURE wpoke(address: longinteger; value: integer); int-ptr = 'integer; VAR funny: RECORD CASE boolean OF true: (a: long-integer); false: (p: int-ptr); END: BEGIN funny.a := address; funny.p^:= value; END: $\{P=\}$ BEGIN ssp := super(0);wpoke(\$444,0); ssp := super(ssp); END

Program 4: ST BASIC Version

10 defdbl a:a=&H444:poke a,0

Program 5: GFA BASIC Version

sdpoke &H444, 0

Program 6: QUIKSAVE.PRG **Filemaker**

```
100
       close:open "R",1,"A:\QUIK
       SAVE.PRG",59
field #1,59 as a$
110
       for j=1 to 59:read byts
byt=val("&H"+byts)
120
130
140
       c=c+1:chk=chk+c+byt
150
       x$=x$+chr$(byt):next
       lset as=xs:put 1,0:close
160
       if chk<>3363 then ? "Typi
170
       ng error":kill "A:\QUIKSA
       VE. PRG"
       data 60,1A,00,00,00,1A
data 00,00,00,00,00,00
180
190
       data 00,00,00,00,00,00
200
       data 00,00,00,00,00,00
210
       data ØØ, ØØ, ØØ, ØØ, 2F, 3C
220
230
       data 00,00,00,12,3F,3C
240
       data 00,26,4E,4E,5C,8F
25Ø
       data 42,67,4E,41,42,79
       data 00,00,04,44,4E,75
260
       data ØØ,ØØ,ØØ,Ø2,ØØ
270
```

Attention Programmers

COMPUTE! magazine is currently looking for quality articles on Commodore, Atari, Apple, and IBM computers (including the Commodore Amiga and Atari ST). If you have an interesting home application, educational program, programming utility, or game, submit it to COMPUTE!, P.O. Box 5406, Greensboro, NC 27403. Or write for a copy of our "Writer's Guidelines."

CAPUTE!

Apple Magazine Indexer

The Apple version of this filing utility from the April issue (p. 106) is missing its first three lines. To create a working version, add the following to the published listing:

86 Ø GOTO 5Ø DE 1 REM POSITION COMMAND 50 2 PRINT D\$"READ" Z\$", R"FP", B"B Y: RETURN

Euchre

In the Apple version of this game from the March issue, the first four lines are missing from the BASIC listing (Program 3, p. 54). For a complete program, add the following lines:

- 1 PRINT CHR\$ (4); "BLOAD EUCHRE.B IN, A36008"
- 2 IF PEEK (190*256) = 76 THEN PRIN T CHR\$ (4); "PR#A36008": GOTO 4 3 POKE 54, 168: POKE 55, 140: CALL
- 4 POKE 6, Ø: POKE 7, 141: POKE 23Ø,

Many owners of IBM PC and compatible computers have had difficulty deciphering the graphics characters used in their version of the game (Program 5, p. 58). To simplify entry, change or add the following lines, which build the graphics from character codes in DATA statements:

- PL 1005 COLOR 0,6:LOCATE 1,28,0: PRINT CHR\$ (201) STRING\$ (1 Ø, 205) CHR\$ (187)
- PI 1010 LOCATE 2,28:PRINT CHR\$(1 86)" EUCHRE "CHR\$(186)
- JC 1015 LOCATE 3,28:PRINT CHR\$ (2 ØØ) STRING\$ (10, 205) CHR\$ (1 88)
- EC 1060 FOR I=0 TO 5:LOCATE 19+I ,33:PRINT CHR\$ (222);:NEX
- CB 1070 FOR I=0 TO 5:LOCATE 5+I, 33: PRINT CHR\$ (222); : NEXT
- OL 1112 RESTORE 1113:FOR I=0 TO 2:N\$(I)="":FOR J=Ø TO 19 :READ A: N\$ (I) = N\$ (I) + CHR\$ (A):NEXT J, I
- GA 1113 DATA 32,32,219,32,220,32 ,220,32,222,32,32,220,32 ,220,220,32,254,32,254,3 2,222,32,219,32,32,220,2 20,32,32,32,220

- LL 1114 DATA 32,254,32,219,32,25 4,32,220,32,32,32,219,32 ,32,32,32,32,219,32,32,3 2, 32, 32, 219, 32, 32, 32, 32,
- CI 2218 COLOR 10,2:Y=F*5+4:LOCAT E 21, Y: PRINT CHR\$ (201) CH R\$ (187) : LOCATE 22, Y: PRIN T STRING\$ (2, 186) : LOCATE 23. Y: PRINT CHR\$ (200) CHR\$ (188)
- 11 3070 PRINT CHR\$ (205) CHR\$ (187) CD\$CL\$CHR\$ (186) NL\$CD\$CHR \$ (186) CD\$CL\$CHR\$ (200) CHR \$ (205)

The article states that the Atari version (Program 2) will work on an Atari 400. This is true only if the 400 has memory expansion.

Atari Wari

There is an error in the Atari version of this game from the February issue (Program 6, p. 70), and in the WARI.FEB program on the COM-PUTE! Disk for January-March. Line 840 should end with THEN 970 rather than THEN 950. As listed, the program will crash with an ERROR 16 (RETURN without GO-SUB) after the maximum number of moves in a limited game. No problem occurs in an unlimited game. Thanks to Frank Walters for pointing out this correction.

SpeedView

This 80-column preview enhancement for SpeedScript (November 1986, p. 76) should not be confused with the "SPEEDVIEW" Speed-Script preview enhancement released earlier by Upstart Publishing, P.O. Box 22022, Greensboro, NC 27420. The latter program is a part of Upstart Publishing's SPEEDMATE customizer program for SpeedScript.

Synthesis

Dan Monaghan

Hang on to your hats, music enthusiasts—this program turns the Commodore 64 into an impressive music synthesizer with full control over the 64's multifaceted sound chip. Beginners and experts alike can have fun playing music and trying out different sounds with this program. And if you're already familiar with the 64's sound capabilities, you'll find "Synthesis" a powerful tool for experimenting with electronic music sounds. The program works with either disk or tape and requires no extra equipment.

When you got your Commodore 64 or 128, you may have heard that its SID (Sound Interface Device) chip is one of the best sound and music devices in any personal computer. That's true, but programming the SID chip can be a complex business, requiring several POKEs to produce just one sound. "Synthesis" unlocks the full potential of the 64's sound-maker, providing you the equivalent of a sophisticated electronic music synthesizer.

Synthesis turns the 64's keyboard into a musical keyboard, so you can play the synthesizer simply by pressing on the computer's keys. The program also provides a convenient, full-featured editor for designing your own sounds and for experimenting. Once you find a sound that you like, it can be saved to disk or tape for future use or revision. In this way you can build a complete library of instrument voices and sound effects. Even if you don't know anything about programming the SID chip, you can have fun with this program immediately. This article includes 36 preset patches (sound settings), ranging from conventional musical instruments like the flute and cello to far-out electronic sounds such as space bass, percolator, and metallica.

A Synthesizer And 36 Voices

This article includes two programs. Program 1 is the synthesizer and sound editor. Program 2 is not actually a program, but a data file of 36 different synthesizer voices. While it's not absolutely necessary to type in Program 2, you'll probably want to have it as a demonstration of the wide capabilities of Synthesis and the SID chip.

Both programs must be entered with the "MLX" machine language entry program found elsewhere in this issue. Follow the MLX instructions carefully. If you are using a cassette drive, you'll want to save Program 2 immediately after Program 1 on the same tape. Here are the addresses you need to type the programs in with MLX:


Program 1. SYNTHESIS

Starting address: 0801 Ending address: 1C37

Program 2. VOICES

Starting address: 1C38 Ending address: 23E2

Although it's written in machine language, Synthesis loads and runs the same way a BASIC program does. Load it from disk or



"Synthesis" turns the Commodore 64 into an impressive musical synthesizer, and offers full control of the sound chip.

tape, type RUN, and press RE-TURN. Do not try to start it with a SYS command.

Quick Demo

We'll describe all of the synthesizer's functions fully, but for those who can't wait to try it out, here's a quick demonstration. After typing and saving Programs 1 and 2, load and run Program 1. Synthesis puts you in the file editor screen. The top portion of the screen contains prompts that show you which keys to press for various options. The remainder of the screen is taken up with blank slots which will be filled in after you load a voice file. (Program 2 is a sample voice file.)

Let's begin by playing the synthesizer. From the main screen, press the f7 function key: Synthesis displays the synthesizer screen. At the bottom of the screen is a musical keyboard display that indicates which of the computer's keys act as synthesizer keys. Play the synthesizer using these keys. (If you don't

hear any sound, turn up the volume on your TV or monitor.) This is the default voice—the one that Synthesis uses if you haven't loaded or created a custom voice.

When you've finished playing, press E to exit the synthesizer and return to the file editor. Now let's load a voice file. Press L; then type in the filename when prompted. If you saved Program 2 with the name VOICES, type VOICES and press RETURN. Synthesis then asks whether you wish to load from disk (press D) or tape (press T). After the file has loaded, Synthesis prompts you to press the asterisk (*) key to return to the file editor.

When you return to the main screen, notice that it is now filled with the names of 36 different synthesizer voices. All of these voices have been loaded in memory and are available for your use. To select a voice, press the f1 key. Synthesis displays a cursor (>) in front of the first voice name. Use the cursor keys to move around the screen until you find a voice that sounds interesting. To choose that voice, press RETURN.

The voice which you selected has now been loaded into the synthesizer. To hear what it sounds like, press f7 to go to the synthesizer; then press any of the synthesizer keys. The synthesizer uses the selected voice in place of the default voice which you heard earlier. When you've heard enough, press E to return to the file editor; then press f1 to select one of the other 35 voices. There's a wide variety to choose from.

File Editor

The program begins by displaying the file editor screen. Here is where you select existing voices, name new voices that you have created, and save or load completed files. A voice file can contain as many as 36 individual voices.

The file editor screen offers six options, which you select by pressing the keys indicated on the screen. A list of editor options follows.

f1. The f1 function key loads a voice from the file into the synthesizer. Use the cursor keys to move the pointer to the desired voice, and press RETURN. Synthesis loads that voice into the synthesizer;

when you go to the synthesizer screen, that voice is available for your use.

f3. This key takes the voice currently in the synthesizer and stores it in the voice file. If you have just created a new voice and wish to save it, you must store the voice with this function before saving the file (the save function is explained below). f5. The f5 key allows you to change the name of the current voice. Enter a name when prompted and press RETURN. The voice name must be no more than 12 characters in length. To rename an existing voice, first select it with f1; then press f5 to rename it.

f7. Press f7 to exit the file editor and go to the synthesizer screen.

L. Loads a voice file from tape or disk. The program prompts you to enter a filename and then asks whether to load from disk or tape. Press C at the second prompt to cancel the operation.

S. Saves the voice file to tape or disk. This saves all of the voices which appear in the voice list on the file editor screen (voices which have been loaded with L or stored by pressing f3). The current voice in the synthesizer will not be saved unless you have previously stored it in the file.

Synthesizer Functions

The synthesizer screen serves two different purposes: playing music and creating new voices.

By pressing the keys indicated in the musical keyboard display, you can play notes using the current voice parameters. The musical keyboard configuration appears at the bottom of the screen. Press the E key to return to the file editor screen.

The synthesizer screen also allows you to change the current voice characteristics to create a new voice or modify the current one. The voice characteristics appear in the upper portion of the screen.

Playing the synthesizer requires no further explanation. To change a voice characteristic, use the cursor keys to move the pointer to the parameter you wish to change; then press the plus key (+) or minus key (-) to increase or decrease the current value.

When you're using this feature of Synthesis, it will help to have a basic understanding of how the SID chip works—a subject which is beyond the scope of this article. The user's manual for your computer explains more about the SID chip, and many other references are available. If you don't have a complete reference, don't be afraid to experiment: You can't hurt the computer in any way by trying out different settings (although certain combinations may result in no sound or very peculiar sounds). If you produce an unwanted sound, or simply want to discard the current voice, press the asterisk key (*); Synthesis resets all three voices to the default parameters.

Certain features of this synthesizer, such as sample and hold, are not features of the SID chip itself, but will be familiar to those who have a general knowledge of electronic music synthesis. Following is an explanation of what each voice parameter controls.

Voice Parameters

Waveform. This parameter controls the basic tonal characteristics of each of the synthesizer's three voices. You may choose any of the basic waveforms supplied by the SID chip: triangle, sawtooth, pulse, and noise (random). Note that each of the three voices can have a different waveform.

Pulse width. This parameter controls the symmetry of the pulse waveform. Note that pulse width is relevant only if you have selected a pulse waveform; if you are using some other waveform, changing the pulse width has no effect. The range for this parameter is from 0-8, with 0 creating a very narrow pulse and 8 creating a square wave. Pulse mod. The pulse mod parameter allows you to use voice 3 to modulate the pulse width (note that pulse width is meaningful only when a pulse waveform is in use). A constantly changing pulse width can create very interesting sounds. You may choose as the source of modulation either the envelope of voice 3 (ENV) or the output of voice 3 (LFO). LFO stands for low frequency oscillator, a source which changes with a comparatively low frequency (over a comparatively long period of time). If you choose ENV as the source of modulation, the modulation is controlled by voice 3's current ADSR parameters (see below).

Ring. This parameter enables or disables ring modulation, a special SID chip effect which combines the frequencies of two voices in a way which produces mathematically incongruous harmonics. If that description sounds baffling, select the steel drum voice from the VOICES file and play some notes on the synthesizer. The ringing, metallic tones result from ring modulation. Ring modulation always involves two voices. If you select ring mod for voice 1, then its output is ring modulated with the output of voice 3. Voice 2 is ring modulated by voice 1, and voice 3 is ring modulated by voice 2.

Sync. This parameter enables or disables synchronization, another special effect involving two voices. Synchronization combines the frequency output of two voices to create a more complex sound than would be created with either voice alone. To hear examples of synchronization, select space bass or sync sweep from the VOICES file. The modulation order for synchronization is the same as for ring modulation. Voice 1 is synchronized with voice 3, voice 2 is synchronized with voice 1, and voice 3 is synchronized with voice 2.

Filtered. This parameter determines whether a voice is routed through the SID chip's built-in filter. The filter allows you to suppress the output of the selected voice within a defined frequency range.

Octave. The SID chip has a frequency range of seven full octaves. This function lets you set any voice to a desired octave. If you set voice 3's octave to 0, that voice goes into LFO (low-frequency oscillator) mode. LFO mode is used in cases where you want to use voice 3's output to modulate some characteristic of a second voice. When you set a voice to LFO mode, that voice produces no audible output itself; instead, its output is rerouted for another purpose.

Interval. The interval parameter causes a voice's frequency to play at a certain number of half-steps above the note being played on the musical keyboard. For instance, if you set voice 1's interval to 7 and play an F# note on the musical keyboard, Synthesis plays a C# note. If you set the voice 1 interval to 0, the voice 2 interval to 4, and the voice 3 interval to 7, you will hear a complete major chord. The major triad voice in the VOICES file demonstrates one use of the interval parameter.

Pitch. The pitch parameter allows you to detune the selected voice by raising or lowering its pitch slightly, within the range +2 to -2. The idea behind detuning is to make two (or more) voices play the same note, but set one voice just slightly off key by raising or lowering its pitch. The results sound more interesting and "natural" than if both voices were playing in perfect unison. Listen to the honky tonk voice in the VOICES file for a demonstration of detuning.

Pitch mod. Pitch modulation is useful for creating vibrato or other pitch-based effects. Again, this parameter always involves two voices. Voice 3 provides a modulating signal which you can use to affect the output of either voice 1 or voice 2. Voice 3 may be in LFO, ENV, or S/H (sample and hold) mode. Sample and hold effects are explained

Track. This parameter determines whether or not the designated voice follows the synthesizer keyboard. If tracking is on for a given voice, its frequency is determined by which musical key you press. If tracking is off, the keyboard has no effect on its pitch: Instead, that voice's pitch is controlled solely by its octave, interval, and pitch parameters. Untracking a voice allows you to use its output as an LFO or to create a drone voice which plays at a constant frequency. The bagpipe voice in the VOICES file untracks one voice for use as a drone.

Attack. The next four parameters (attack, decay, sustain, and release) are usually abbreviated with the acronym ADSR. Together, they define the envelope, or characteristic shape of the final output for a given voice. The attack parameter controls the rate at which, after a musical key is pressed, the level of the designated voice rises to its maximum volume.

Decay. After the attack has reached its peak (see above), the decay parameter controls the rate at which the output of the designated voice drops to the sustain level.

Sustain. This parameter controls the volume level at which the output of the designated voice remains until you release a key on the musical keyboard.

Release. After you've released a key, this parameter controls the rate at which the output of the designated voice fades away into silence.

Mod level. Some of the special effects available in Synthesis involve two voices: One voice is used to modulate (change) the output of a second voice. For pitch mod, pulse mod, sample and hold (S/H), and filter mod, the source of the modulating signal is either the ADSR envelope of voice 3 or the waveform output of voice 3. The mod level parameter controls the intensity of modulation in such cases. If you are using voice 3 to create vibrato, for instance, the mod level can change the vibrato effect from a slight wavering in pitch to a large, multioctave sweep. The maximum mod level is 9; at this extreme level, you may exceed the range for other parameters, creating a glitch in the sound.

S/H rate. The acronym S/H stands for sample and hold, another special electronic sound effect. This feature samples (looks at) the output of voice 3, holds the sampled level, then applies it to the pitch of any voice for which S/H modulation is selected. The modulated voice is then played automatically, just as if you had pressed the key again. Instead of a constantly changing pitch, as with LFO modulation, S/H modulation occurs in discrete steps. If you set the LFO mod level to 0, the pitch of the modulated voice is not changed, but the voice is still automatically rekeyed. For examples of S/H modulation, listen to the staircase, random, and mandolin voices in the VOICES file.

Filter pitch. This parameter sets the resonant frequency of the filter.

Resonance. The resonance parameter controls the strength, or amount of emphasis, which the filter has.

Mode: This characteristic selects the type of filter to be used. A bandpass filter (BP) causes the filter to pass through, or admit, only frequencies above the designated filter pitch; frequencies above the cutoff point are suppressed. A high-pass filter (HP) passes frequencies above the cutoff point and suppresses lower frequencies. Careful filtering can be very useful in simulating the sounds of natural instruments. However, since the filter is subtractive that is, it takes away part of the sound you would otherwise hear it tends to make the final output somewhat quieter than normal.

Voice 3. The voice 3 parameter enables or disables the final output of voice 3. If you are using voice 3 to modulate another voice, you will normally want to disable its output with this feature. If you don't, you may hear unwanted clicks during each envelope cycle for voice 3. If you wish to disable the output of voice 1 or voice 2, set all of the ADSR parameters for that voice to

Please refer to the "MLX" article elsewhere in this issue before entering the following programs.

Program 1: Synthesis

Ø8Ø1:ØB Ø8 ØØ ØØ 9E 32 3Ø 36 EC Ø8Ø9:31 ØØ ØØ ØØ 4C EØ ØE ØØ B3 Ø811:18 6A EØ ØØ DØ Ø2 A9 ØØ C5 Ø819:AØ ØØ 84 2A 18 90 04 2A E1 Ø821:26 2A 18 CA DØ F9 2A E3 66 14 A4 2A 6Ø BC 1E 4F Ø829:6A A6 7E Ø831:4Ø B9 CD 14 8D 5F 08 B9 14 55 Ø839:C8 14 8D 6Ø Ø8 B9 D7 B9 D2 14 35 Ø841:8D 64 Ø8 8D 65 Ø849:Ø8 BD 24 4Ø FØ Ø8 AC 80 E3 Ø851:02 B9 EE 17 65 42 7 D 18 67 7D 1B 40 A8 B9 D4 18 3E Ø859:4Ø Ø861:85 45 B9 FØ 1A 85 46 60 Ø869:20 22 ØC A5 45 99 ØØ D4 53 Ø871:A5 46 99 01 D4 60 BD ac DB 22 99 Ø879:4Ø 29 FE 20 ØC 04 4E Ø881:D4 6Ø AØ ØØ Bl 26 20 D2 61 Ø889:FF C8 CØ Ø9 DØ A4 3C F6 60 Ø891:28 E6 29 A6 29 18 20 FØ D9 Ø899:FF A2 Ø2 60 A9 09 18 65 9F 90 Ø2 E6 27 4E Ø8A1:26 85 26 60 Ø8A9:48 A9 CD 85 26 68 A8 10 8E Ø8B1:Ø6 A9 E8 85 26 DØ 16 FØ 36 Ø8B9:14 2Ø 9D Ø8 CØ Ø1 FØ ØD Ø8C1:2Ø 9D Ø8 CØ Ø2 FØ 96 20 56 Ø8C9:9D Ø8 20 9D Ø8 4C 83 Ø8 Ø9 Ø8D1:A9 2Ø 2Ø D2 FF 88 DØ FA AE Ø2 AØ Ø2 80 51 8A 48 Ø8D9:6Ø 8D 80 50 02 96 Ø8E1:A9 ØØ 8D 53 Ø2 Ø2 2E 51 2E 5Ø **B4** Ø8E9:A2 11 18 Ø8F1:Ø2 CA FØ 11 2E 53 02 AD 55 Ø8F9:53 Ø2 38 E9 ØA 30 EB 8D 50 Ø9Ø1:53 Ø2 38 BØ E6 AD 53 Ø2 E5 99 54 Ø2 88 47 0909:09 30 10 DØ Ø911:68 AA 6Ø 4A 4A 4A 4A 4C ØF Ø919:1B Ø9 2Ø DA Ø8 AØ Ø3 2Ø 95 0921:D1 08 C8 20 3D 09 A0 03 8B ØBB1:1F 2Ø 94 Ø8 AD 2F 4Ø 2Ø 3D ØBB9:A9 Ø8 AØ ØD 20 92 Ø8 AD 0929:20 D1 08 A9 1D 4C D2 FF 1B 2Ø 1B Ø9 1F AØ 20 DE ØBC1:3Ø 4Ø Ø931:20 DA Ø8 AØ Ø2 20 D1 Ø8 51 31 4Ø 85 2A E6 ØBC9:94 Ø8 AD 48 Ø939:AØ ØØ FØ E7 B9 54 Ø2 7B ØBD1:27 AØ 27 84 26 AØ ØØ A9 2E Ø941:D2 FF C8 CØ Ø3 DØ F5 60 89 ØBD9:10 25 2A DØ 10 A9 06 E6 Ø949:48 AØ Ø2 2Ø D1 Ø8 68 20 89 ØBE1:9F Ø8 A9 2A DØ 05 79 25 Ø951:D2 FF AØ Ø2 4C D1 Ø8 85 20 40 C7 27 ØBE9:A9 Ø6 20 9F Ø8 B1 26 20 Ø959:26 A9 14 85 A2 04 AØ 30 98 Ø961:ØØ 84 C7 18 2Ø FØ FF B1 85 ØBF1:D2 FF C8 CØ Ø6 DØ F6 Ø969:26 FØ Ø6 ØBF9:ØD 20 92 Ø8 C6 27 A5 2A **B9** C8 DØ 20 D2 FF 86 92 Ø971:F6 6Ø A9 Ø6 85 C7 8D 86 99 ØCØ1:29 8Ø FØ 04 A9 aa FØ 5D ØCØ9:A9 Ø8 6Ø FØ ØC 45 Ø979: Ø2 A4 67 A6 68 18 FØ 04 2Ø A9 Ø981:FF A9 3E 2Ø D2 FF 20 ØC11:AØ 00 18 6A 6A 38 **C8** E9 D2 E4 83 Ø989:FF A4 67 A6 68 C9 DØ 91 ØC19:03 DØ FA 98 09 3Ø 4C D2 44 10 0991:0C CØ Ø6 FØ Ø4 AØ Ø6 DØ 29 ØC21:FF AØ ØE EØ Ø1 DØ Ø2 AØ 21 EØ Ø2 DØ Ø2 AØ ØØ 60 3D Ø999:02 AØ 1A DØ 24 C9 9D FØ 99 ØC29: Ø7 11 DØ Ø9 E8 Ø9A1:FØ C9 92 ØC31:AØ 14 84 27 AØ F2 84 26 EØ 17 Al Ø9A9:DØ 17 A2 Ø5 DØ 86 ØC39:AØ ØØ Bl 26 FØ ØA 2Ø D2 FC 13 C9 91 Ø9B1:DØ Ø9 CA EØ Ø4 DØ Ø2 ØC41:FF C8 DØ F6 E6 27 DØ F2 7 D A2 DF Ø9B9:16 DØ Ø6 C9 ØD DØ BA FØ 7A ØC49:20 37 ØA AØ ØØ A2 Ø2 Ø9C1:11 84 67 86 68 A9 9D 20 18 ØC51:ØF 4Ø 99 03 D4 BD 27 40 90 Ø9C9:D2 FF A9 20 20 D2 FF 18 EØ ØC59:99 Ø5 D4 BD 2A 40 99 96 81 Ø9D1:9Ø A7 A9 1B 85 8C A5 68 ØF ØC61:D4 98 18 69 Ø7 A8 CA 10 24 Ø9D9:38 E9 Ø5 AA A9 CE 18 69 EF 2D 40 9D 15 54 ØC69:E6 A2 Ø1 BD Ø9E1:6A 9Ø Ø2 E6 8C F6 CA 10 A2 40 ØC71:D4 CA 1Ø F7 18 AD 30 40 Ø9E9:A4 67 CØ Ø6 FØ Ø7 18 69 DD ØC79:ØA ØA ØA ØA 85 2A A9 ØØ 23 Ø9F1:35 90 Ø2 E6 8C 85 8B A9 AC ØC81:AE 15 40 FØ 02 09 04 AE Ø9F9:1C 85 8F A9 38 85 8E 60 5D ØC89:16 4Ø FØ Ø2 Ø9 Ø2 AE 17 RF ØAØ1:AØ ØØ 2Ø CF FF 99 00 02 CE ØC91:40 FØ Ø2 Ø9 Ø1 Ø5 2A 8D D4 ØAØ9:C8 C9 ØD DØ F5 AØ ØØ B9 Ø9 8E ØC99:17 D4 18 AD 31 40 ØF FB ØA11:00 02 AA C9 0D FØ 10 29 25 ØCA1:8D 18 D4 AD 1C D4 AE 33 CØ ØA19:7F 38 E9 3Ø BØ Ø4 A9 20 44 ØCA9:40 20 A4 0D 85 61 84 62 6C ØA21:DØ Ø9 8A 29 7F 38 E9 5B CF ØCB1:86 6D AD 1B D4 AE 34 40 D9 ØA29:BØ F4 8A 99 ØØ 4Ø C8 CØ ØCB9:20 A4 ØD 85 63 84 64 86 81 A9 ØA31:ØC DØ DC 4C F8 Ø9 Ø6 25 Cl Ø2 DØ 10 AD 32 71 ØCC1:6E CE ØA39:8D 86 Ø2 ØØ AØ 00 27 Ø2 A9 Ø1 45 69 Ø3 A2 84 ØCC9:40 8D C1 3A ØA41:29 18 20 FØ FF BD ØØ 4Ø ØCD1:85 69 FØ Ø2 85 6A A2 Ø2 62 ØA49:20 D2 FF E8 EØ ØC DØ F5 7F ØCD9:BD 12 40 FØ 16 C9 Ø1 FØ 37 ØA51:A9 ØD 85 28 2Ø 9Ø Ø8 A9 ØCE1:09 AD 1C D4 AC 33 40 4C **B9** AD ØA59:16 85 27 A9 A9 85 26 85 8E ØCE9:F1 ØC AD 1B D4 AC 34 40 67 ØA61:C7 A9 ØØ 8D 86 02 10 3C ØD E2 A9 ØCF1:20 DB CA 10 AD 2F F5 ØA69:85 2A A5 2A 3D ØC 40 D0 80 ØCF9:40 FØ 1C C9 Ø1 DØ 99 AC 98 ØA71:08 20 9D 08 18 90 18 Ø6 90 06 DA 2A 83 ØDØ1:34 4Ø AD 1B D4 ØA79:F1 2Ø 83 Ø8 A9 A9 85 26 A4 ØDØ9:AC 33 40 AD 10 D4 18 CØ 4E ØA81:CA 1Ø E3 2Ø 9Ø Ø8 BD ØF AC ØD11:09 FØ Ø4 6A C8 DØ F8 18 ØA89:4Ø 2Ø 1B Ø9 CA 10 F7 20 60 ØD19:6D 2D 40 8D 16 D4 A6 2D 8D 02 F0 02 09 80 9F ØA91:90 Ø8 BD 12 40 20 A9 08 A6 ØD21:8A AC ØA99:CA 10 F7 2Ø 9Ø Ø8 BD ac 44 ØD29:85 F7 BD ØØ 14 85 6B 59 ØAA1:40 29 04 20 A9 08 CA 10 **B5** ØD31: ØA A2 02 20 77 Ø8 CA 10 ØAA9:F5 20 9Ø Ø8 BD ØC 40 18 ØA 92 85 41 A2 02 A4 B2 ØD39:FA 3Ø ØAB1:29 Ø2 2A 2Ø A9 Ø8 CA 10 35 ØD41:41 18 84 42 20 2F Ø8 BD 42 ØAB9:F3 20 90 08 BD 15 40 20 45 ØD49:21 4Ø FØ 22 10 06 A5 6A 92 ØAC1:A9 Ø8 CA 10 F7 A9 Ø6 8D Ø7 ØD51:FØ 24 DØ ØF C9 Ø2 DØ ØB FA ØAC9:86 Ø2 2Ø 9Ø Ø8 AØ 014 2Ø 99 ØD59:A5 62 85 FA A5 61 A4 6D A8 ØAD1:D1 Ø8 BD 18 40 20 OF ac B6 ØD61:18 9Ø Ø8 A5 64 85 FA A5 DR E9 ØAD9:AØ Ø3 2Ø D1 Ø8 A9 20 61 6E 2Ø BB ØD 2Ø 69 1 D ØD69:63 A4 ØAE1:D2 FF CA 10 E8 20 90 08 AA ØD71:08 BD 21 40 10 09 A5 69 80 ØAE9:BD 1B 4Ø 20 1B 09 CA 10 50 77 Ø8 5Ø ØA A5 ØD79:DØ Ø5 20 F3 ØAF1:F7 20 90 08 A9 FA 7C 85 26 97 ØD81:6B 3Ø Ø6 BD ØC 40 20 18 85 ØAF9:A9 85 27 BD 40 **A8** 1B 16 1E ØD89:08 CA 10 **B3** A9 ØØ 6A 5A ØBØ1:FØ 18 20 9D 08 CØ FØ A9 ØD91:A5 6B 10 03 20 3E ØE ØBØ9:11 9D Ø8 CØ Ø2 ØØ 20 FØ ØA DD ØD99:A4 ØC 18 4C FØ FF 00 58 ØB11:20 9D Ø8 CØ Ø3 FØ Ø3 20 AD ØDA1:00 00 ØØ 18 **A8** 30 07 85 D6 ØB19:9D Ø8 2Ø 83 Ø8 CA D4 90 ØDA9:2A 38 A9 7F E5 2A 29 7F BD 10 ØB21:2Ø 9Ø 08 A9 16 85 27 BD D9 ØDB1:AØ ØØ 90 Øl **C8** 84 14 ØB F7 02 18 CØ ØØ DØ ØB 65 2C ØB29:21 4Ø 20 A9 Ø8 CA 10 ØDB9:11 Ø8 ØB31:2Ø 9Ø Ø8 BD 24 40 20 A9 64 ØDC1:45 85 45 A5 FA 65 46 85 62 E5 ØB39:08 CA 10 F7 20 90 08 A9 84 ØDC9:46 60 38 85 8D A5 45 Fl FA 85 27 ØDD1:8D 85 45 A5 46 E5 5C ØB41:00 8D 86 02 BD 40 18 CE ØDD9:46 6Ø 8D 1Ø Ø2 A9 ØØ 8D ØB49:20 14 Ø9 CA 10 F6 20 90 6F 26 ØB51:08 BD 27 40 29 ØF 20 18 ØDE1:11 Ø2 88 30 ØB 18 6D 10 BC A4 ØB59:09 CA 10 F5 20 90 Ø8 BD 19 ØDE9:02 90 F7 EE 11 Ø2 BØ F2 Ø9 CA 10 ØDF1:20 22 ØC 99 Ø2 18 01 ØB61:2A 4Ø 20 14 ØC D4 AD 18 90 2A 40 29 D5 7D ØF 99 03 ØB69:F6 2Ø as BD ØDF9:11 Ø2 40 D4 01 ØB71:ØF 2Ø 1B Ø9 CA 10 F5 AØ 2E ØEØ1:6Ø A9 93 2Ø D2 FF A9 Ø1 17 ØB79:16 20 92 as A9 96 80 86 ØEØ9:8D 86 Ø2 A9 00 85 C7 AØ AE ØB81:02 AD 33 Ø9 20 49 ØI ØE11:0C A2 Ø1 20 9B ØD 86 59 40 30 3D ØB89:09 AØ 20 20 94 08 AD 34 A6 ØE19:84 3E A9 3E 20 D2 FF 4C **B8** ØB91:40 Ø9 30 20 49 Ø9 20 90 51 ØE21:31 ØC A2 ØØ 86 C7 E8 8E EØ ØB99:08 AD 32 40 20 74 A9 ØA ØE29:86 Ø2 A6 3D A4 3E 2Ø 9B AB 12 ØE31:0D A9 20 20 D2 FF 18 A5 B0 ØBA1:00 8D 86 02 A0 0D 20 92 18 ØBA9:08 AD 2D 40 20 31 09 A0 51 ØE39:B5 FØ Ø1 38 6Ø A6 F7 8A 28

ØE41:AØ ØØ 29 8Ø FØ Ø1 C8 84 7C 10D1:98 10 02 A0 03 88 98 60 58 1361:A2 38 AØ 1C 2Ø D5 FF 9Ø A5 ØE49:85 8A 29 7F C9 40 FØ EC 10D9:BD 0C 40 49 Ø4 9D ØC 40 67 1369:32 AØ 36 C9 Ø4 DØ Ø2 AØ 1E 40 49 02 1371:00 C9 as Da 10E1:60 BD 0C 9D ØC CØ Ø2 C9 ØE51:C9 Ø7 FØ C9 AØ 36 30 EA 02 DØ 88 11 1379:08 DØ 02 AO B9 C2 13 ØE59:03 4C EE ØF C9 28 DØ Ø4 6D 1ØE9:4Ø 60 BD 15 40 49 Ø4 9D 18 17 5A A7 ØE61:18 4C 63 10 C9 2B DØ 03 A9 1ØF1:15 40 60 BD 18 40 A4 **B5** 55 1381:FØ 20 D2 FF C8 DØ F5 F5 ØE69:38 BØ F6 Ca 10F9:DØ 09 18 C9 54 FØ ØR 69 4A 1389:A9 38 85 C1 A9 10 85 C2 31 DØ 03 4C 68 EA 1101:0C 1391:A9 Cl E2 A2 AØ 20 D8 ØE71:C8 ØE C9 ØE DØ Ø7 38 C9 00 FØ 02 23 2A DØ C6 20 FR 6A F3 1399:FF 1109:E9 BØ CE AØ aa ØE79:09 AØ aa 84 C6 68 68 A9 DC ac 90 18 40 60 BC 18 70 R9 48 14 5R ØE81:93 4C FF 20 1111:40 A5 B5 D0 09 C8 CØ ØC 13A1:FØ 87 20 D2 FF C8 DØ F5 ØE D2 23 ØE BØ 2F 79 ØE89:09 EØ 14 DØ 02 A2 aa ER 75 1119:DØ 99 AØ aa FØ 05 88 10 B6 13A9:EØ aa DØ ØA A5 **B**5 DØ 04 A4 1121:02 AØ ØB 98 9D 13B1:A2 Ø1 DØ 02 99 ØE91:DØ ØC CØ 1F DØ 01 88 FØ 1R 40 60 91 A2 8E 33 9F 20 13B9:40 60 00 00 00 ØE99:01 DØ 1129:BC Ø2 A2 15 CA 86 3D F2 1E 4Ø A5 B5 DØ 09 C8 5F aa aa aa 18 Ø5 29 10 FØ Ø8 1131:CØ Ø5 DØ Ø9 ØØ FØ 13C1:00 0D 46 49 4C 45 20 ØEA1:8A AØ ØC EØ 1A AØ 8B 4E 8E 1139:88 13C9:4F 20 ØEA9:10 DØ 02 AØ 15 84 3E 20 A3 10 02 A0 04 98 9D 1E C9 54 46 4F 55 4E 44 C5 ØEB1:9B ØD A9 3E 1141:40 60 BC 40 20 C4 10 61 13D1:ØD aa ØD 44 20 D2 FF CE 21 45 13 56 49 43 RD 1309:45 20 ØEB9:01 24 DØ FR A9 30 8D 91 63 1149:9D 21 40 60 BD 24 40 49 D8 4E 4F 54 20 50 52 7 F 1151:04 9D 24 13E1:45 53 45 4E 54 ØD ØEC1:24 CE ØØ 24 DØ Fl 60 AØ 95 40 60 BD 27 40 ED aa aa E.3 13E9:ØD ØEC9:34 B9 B8 17 99 ØØ 40 88 CC 1159:A4 B5 DØ 06 18 69 10 18 54 4E 4F 20 46 49 4C 45 4R ØED1:10 F7 1161:90 03 9D 13F1:20 4E 41 4D 45 ØD ØØ 68 68 4C ØC 38 E9 27 31 aa Ch 10 40 B7 ØD 24 13F9:45 1169:60 BD 52 4F 52 ØD ØØ FF ØED9:00 00 00 aa aa aa ØØ A2 98 27 40 29 OF A4 B5 98 52 5D 1171:DØ 95 18 69 ØI 90 03 14Ø1:FF FF FF ØEE1:FF 9A 20 F8 Ø9 A2 ØØ 86 91 38 5F FF FF FF FF FF 29 1179:E9 Ø1 1409:FF FF FF ØEE9:69 AØ aa R9 B8 17 91 8E 52 29 ØF 85 **B5** RD 27 8C ØØ Ø1 FF FF FF 39 1181:40 29 FØ Ø5 9D 1411:FF Ø3 ØEF1:C8 CØ DØ **B5** 27 40 FF Ø4 FF FF 35 F6 98 18 65 96 2F 92 FF 3E 1419:FF ØEF9:8E 85 8E 90 02 E6 8F E8 1189:60 BD 2A 40 A4 **B5** DØ Ø6 38 06 FF Ø7 4D 08 FF 95 FF 7 D 1191:18 69 10 18 90 03 1421:FF ØFØ1:EØ 25 DØ E5 A9 93 20 D2 FF 38 E9 88 ØA FF ØB FF FF 99 FF 8E ØFØ9:FF A9 Ø5 8D 1199:10 90 2A 4Ø 60 BD 1429:FF ØD 20 DØ 80 8R 2A 40 Ø3 FF ØE ØF FF 21 ac FF 06 ØF11 : DØ A9 11A1:29 ØF A4 B5 DØ 1431:FF ØE 20 D2 FF AØ 17 **B4** 05 18 69 40 FF FF FF FF FF 79 10 FF Ø1 FF FF FF FF ØF19:A9 ØØ 99 ØØ D4 88 10 FA 23 11A9:01 90 03 38 E9 29 ØF Ø9 1439:FF FF FF FF 61 11B1:85 1441:00 ØF21:A9 05 85 68 A9 96 85 67 64 **B**5 BD 2A 40 29 FØ 95 EB A9 ØD 4C D2 FF 99 ØD DD ØF29:A9 38 85 8C 11B9:B5 9D 2A 4Ø 6Ø AD 1449:44 4F 8B A9 1C 85 E8 33 4Ø C7 4E 45 ED ab aa aa ØØ 11C1:CØ 15 1451:00 00 00 00 00 00 00 ØF31:20 F8 Ø9 AG 34 B1 SR 99 E1 FØ Ø3 AD 34 40 A6 3D ØØ 79 ØF39:00 40 10 11C9:B5 DØ ØA E8 EØ ØA DØ 1459:00 aa ØØ D3 88 F8 AØ Øl **B9** 7 F AA 96 45 4C 45 43 E7 ØF41:39 17 FØ 96 20 D2 FF CB 55 11D1:0A A2 00 F0 Ø6 AA CA 10 31 1461:54 20 D6 4F 49 43 45 20 80 11D9:02 A2 09 1469:26 ØF49: DØ F5 AØ aa R9 aa 40 20 CF Ca 15 FØ 04 SE D5 20 D2 45 54 55 52 4E 46 45 ØF51:D2 FF C8 CØ ØC DØ F5 37 11E1:34 40 60 4C A9 13 ØØ A5 3E 1471:00 D3 45 4C 43 A9 54 20 FR 1479:C6 ØF59:ØD 2Ø D2 11E9:B5 DØ Ø4 2Ø 5A FF A9 20 A2 28 9B 12 60 20 99 49 4C 45 20 CC 4F 43 4 B 11F1:63 ØF61:20 D2 FF CA 12 60 CØ ØC DØ ØC A5 C3 1481:41 54 49 DØ E8 4F 4E 20 FA 86 BB 26 20 DC 11F9:B5 DØ Ø4 EE C7 40 ØF69:8D 86 A9 96 8D 86 072 F8 2D 60 CE 94 1489:D2 45 54 55 52 4E aa C5 DD ØF71:A5 8D 2Ø 1R 99 8C 1201:2D 40 60 AE 25 40 A5 R5 3E 1491:4E 54 45 52 2Ø CE AØ 00 D2 41 4D CF 1209:DØ ØB E8 EØ Ø3 DØ Ø2 ØF79:86 92 A9 9D 20 D2 FF B1 68 A2 85 1499:45 20 26 20 D2 45 54 55 DC 1211:00 8E 2F 40 60 CA 10 ØF81:8E 2Ø D2 FF F9 ØB C8 CØ ac aa an an DØ 7 B 14A1:52 4F 20 1F Da 9R 1219:A2 Ø1 DØ F5 CØ ØF89:F6 ØC 18 A9 35 65 8E 85 8E RØ DØ 13 33 14A9:52 45 53 53 2Ø 2A 20 54 2A 1221:AE ØF91:90 Ø2 E6 8F E6 8D 30 4Ø A5 B5 DØ 04 E8 A5 8D 94 EC 14B1:4F 20 52 45 54 55 52 4E 13 ØF99:C9 1229:18 90 01 CA 8A 29 25 DØ CF A5 CB C9 04 FØ ØF 8D EE 14B9:20 54 4F 20 C5 44 49 54 19 ØB ØFA1:DØ A9 5C 20 1231:30 40 6Ø AD 31 40 58 99 20 A2 aa 7 A 34 14C1:4F 52 00 00 00 00 00 17 3D 1239:A8 ØFA9:73 Ø9 4C 31 ØF 09 05 DØ DA 29 8Ø FØ Ø2 A2 80 86 3D 1409:18 18 19 19 FC 68 D4 40 20 ØFB1:15 A9 72 AF 1241:B5 18 98 29 70 2A 20 58 09 20 73 10 02 3A 14D1:AC 1A 1A 1A 18 1B 18 84 B5 1249:A9 Ø5 ØFB9: Ø9 AØ 34 **B9** ØØ 40 91 10 **B5** 8D 31 40 60 8B 54 56 5C 14D9:FØ C8 ØØ ØØ ØØ 88 82 3E ØFC1:88 1251:AD 31 40 49 10 FR 4C 8Ø 8D 31 12 3E ØF C9 96 D3 40 14E1:9C 40 9A 9E 9C 82 8E 90 42 1259:60 EE ØFC9:DØ ØB A9 32 40 DØ 05 90 20 58 99 20 E5 14 A9 F2 14E9:82 9C 40 00 62 72 70 6C AC ØFD1:01 ØA 4C 3E ØF C9 Ø3 DØ D6 1261:DØ ØD CE 32 40 AD 32 40 8B 14F1:00 Ø6 13 05 1D 1D 1D 1D 1D 3E C9 1269:38 E9 Ø5 BØ Ø5 A9 FF ØFD9:06 20 02 0E 4C ØF 8D 2C 67 14F9:1D 1D 1D 1D 1D 1D 1D 1D 22 ØFE1:ØD DØ Ø3 1271:32 40 60 38 E9 Ø5 4C 4C CB C9 12 2A 44 31 7 B 15Ø1:12 D6 4F 49 43 45 20 31 09 1279:09 ØFE9:DØ B2 4C DD 12 20 23 ØE E9 93 ØD ØD ØD 12 D3 41 13 1509:20 1D D6 4F 49 43 45 20 5C ØFF1:EØ 11 DØ Ø3 4C AE ØE EØ 29 1281:56 45 2Ø C6 49 4C 45 ØD A5 1511:32 20 1D D6 4F 49 43 45 D8 ØFF9:14 FØ F9 EØ 10 DØ ØA AØ 1289:93 ØD ØD ØD 12 CC 4F 41 DØ 24 33 1519:20 2Ø ØD 9Ø D7 56 41 B1 1001:15 C4 3E DØ 02 AØ 1291:44 20 C6 49 4C 45 0D C5 1F DØ 53 A4 1521:45 46 4F 52 4D ØD DØ 55 24 1009:EB E0 56 1299:4E AØ 12 DØ ØA ØC C4 54 45 52 20 C6 49 4C C2 1529:4C 53 45 20 D7 49 44 54 R9 1011:3E DØ Ø2 AØ 1E DØ DD EØ 9F 12A1:45 4E 41 4D 45 20 1F ØØ El 1531:48 ØD DØ 55 4C 53 45 20 8C 1Ø19:13 FØ F2 18 A5 12A9:90 ØD ØD D4 41 **B5** FØ 91 C5 50 45 2C 4A 1539:CD 4F 44 ØD 49 D2 4E 47 17 1021:38 98 BØ ØB CØ 12B1:20 1E DØ Ø2 6C C4 49 53 4B 2Ø 4F 52 41 1541:ØD D3 59 4E 43 ØD C6 49 10 1029:A9 02 69 09 **A8** C5 12B9:20 C3 41 4E 43 45 4C 20 DØ CØ 31 D3 1549:4C 54 45 52 ØD 1F CF 43 44 1031:0C D0 02 A9 27 E9 99 A8 02 12C1:28 D4 2C C4 20 4F 52 C3 A7 1551:54 41 56 45 ØD C9 4E 54 95 1039:DØ BA 10 1209:29 00 AØ ØØ B9 10 10 10 10 10 64 7A 12 20 92 1559:45 52 56 41 4C ØD DØ 49 18 12D1:D2 FF 1041:10 11 11 11 C8 CØ ØF DØ F5 A9 D5 43 48 ØD DØ 49 54 43 F7 11 11 11 11 EØ 1561:54 1049:11 11 11 12D9:00 48 FØ 10 AØ ØØ B9 89 1569:48 11 12 12 88 9F F2 31 20 CD 4F 44 ØD CB 45 A1 12E1:12 1Ø51:B9 D8 E1 EA F3 ØE 20 D2 FF C8 CØ ØF DØ A9 28 42 D9 1571:59 2Ø D4 41 43 4B ØD CA 52 1059:40 55 69 12E9:F5 A9 ØI 48 AØ ØØ B9 97 89 9D BD 1579:90 F.7 F3 62 28 Cl 54 54 41 43 4B ØD E6 12F1:12 FØ Ø6 1061:1C 50 A9 ØØ 69 00 85 B5 E4 20 D2 FF C8 D0 17 1581:C4 45 43 41 59 ØD D3 55 D7 12F9:F5 ØØ 84 1069:A6 3D A4 3E 20 73 10 4C DF AØ C6 20 CF FF DF 1589:53 54 41 49 4E ØD D2 45 CØ 1301:29 1071:D3 ØE CA BD 7F 99 00 02 C8 C9 ØD A2 3B 10 48 BD 90 1591:4C 45 41 53 45 ØD 1F D6 04 1079:4F 1309:D0 F3 84 BB AØ ØØ B9 A9 Ø3 10 48 A2 00 CØ 1E FØ **A8** 1599:4F 49 43 45 20 33 20 CD 56 1311:12 FØ 1081:06 06 20 D2 FF C8 DØ E8 CØ 15 FØ Øl E8 60 06 38 15A1:4F 44 20 CC 45 56 45 4C AF 1089:BD 0C 40 A8 1319:F5 2Ø E4 FF C9 54 FØ 22 82 29 ØF 85 B5 64 15A9:20 C5 1D 4E 56 1D 1D 1D 39 1091:98 29 FO 1321:C9 44 FØ 22 C9 43 DØ F1 6C 18 2A DØ Ø2 A9 2A 15B1:1D 1D 20 CC C6 CF ØD D3 E5 1329:68 ØØ 9D AØ 1099:10 05 B5 ØC 40 60 BC 72 B9 A6 14 FØ Ø6 **B4** 15B9:2F C8 2Ø D2 41 54 45 ØD D1 1331:20 D2 FF C8 DØ F5 10A1:0F 40 A5 B5 DØ 09 A5 CB 1E 15C1:90 C8 CØ 66 C6 49 4C 54 45 52 20 50 1339:C9 31 DØ 10A9:09 DØ 09 FA 20 F8 Ø9 4C 9D AØ 00 FØ 05 88 04 15C9:DØ 1D 49 54 43 48 1D 7B 1D 1341:3E ØF A2 Ø1 DØ Ø2 A2 Ø8 8A 10B1:10 02 A0 Ø8 98 9D ØF 40 88 15D1:1D 1D 1D 1D 1 D 10 1D CD AC 1349:AØ ØØ A9 Ø1 20 BA FF A5 96 10B9:60 BC 12 40 2Ø C4 1Ø 9D 51 15D9:4F 44 55 4C 41 54 45 ØD 1F 1351:BB A2 ØØ AØ Ø2 10C1:12 40 20 BD FF 60 A5 B5 DØ 09 C8 14 2D 15E1:D2 45 53 4F 4E 41 4E 43 7D 1359:20 42 14 68 FØ 2A A9 ØØ AC 10C9:C0 03 D0 0A A0 FF D0 06 72 15E9:45 1D 1D 1D 1D 1D 1D 1D 28

15F1:1D 1D 1D 1D 1D 1D CD 4F AF 1881:36 58 7C Al CA F4 21 51 4A 15F9:44 45 ØD D6 4F 49 43 45 12 1889:83 B9 F1 2D 6D BØ F8 43 5E 1601:20 33 0D 1F 12 D3 48 49 57 1891:94 E8 42 A2 Ø7 72 E3 5B DD 1609:46 54 92 20 CF 43 54 41 37 1899: DA 61 FØ 87 28 D1 85 44 FD 1611:56 45 ØD 12 Ø5 2Ø 20 90 18A1: ØE E4 C7 B7 B5 C3 E1 ØF F5 16 1619:20 20 Ø5 20 90 20 20 95 4A 18A9:50 A3 0B 89 1D C8 8E 6E 7C 17 1621:20 A7 20 20 90 20 20 05 97 18B1:6B 86 C2 1F AØ 47 12 E5 20 90 1629:20 90 20 20 05 20 79 18B9:3A 91 1C DD D7 ØD 84 3E Ø7 1631:20 05 20 A7 20 20 90 20 EF 18C1:41 8F 2F 24 74 23 39 BA FB 1639:20 05 20 90 20 20 05 20 6F 18C9:AE 1B Ø8 7D 82 1F 5E 48 86 1641:A7 90 92 20 20 C5 3D C5 12 18D1:E8 47 72 Ø3 Ø8 ØD 15 1F 84 1649:58 49 54 ØD 12 Ø5 20 54 20 18D9:2B 3B 5Ø 6E 93 C2 FA ØC 99 1651:90 20 53 05 20 90 20 44 50 18E1:1C 2D 3E 51 66 7B 91 A9 36 1659:05 20 A7 20 20 90 20 47 D1 18E9:C3 DD FA 18 38 5A 7D A3 1E 1661:05 20 90 20 48 Ø5 20 90 53 18F1:CC F6 23 53 86 BB F4 30 1D 1669:20 4A Ø5 2Ø A7 20 20 90 69 18F9:70 B4 FB 47 98 ED 47 A7 36 1671:20 4C Ø5 20 90 20 5B Ø5 1901:0C 77 E9 61 E1 68 F7 8F 24 9A 1679:20 A7 90 92 20 20 2A 3D ED 1909:30 DA 8F 4E 18 EF D2 C3 CA 1681:C3 4C 45 41 52 ØD Ø5 12 42 1911:C2 D1 EF 1F 6Ø B5 1E 9C BB 1689:20 5A A7 20 58 A7 20 43 38 1919:31 DF A5 87 85 A2 DF 3E BD 1691:A7 20 56 A7 20 42 A7 1921:C1 6A 3C 39 63 BE 4B ØE A4 20 58 1699:4E A7 20 4D A7 20 3C A7 8D 1929:0B 45 BF 7D 83 D5 79 72 DA 1931:C7 7C 16A1:20 3E A7 2Ø 3F A7 ØØ ØØ FC 96 1D 17 8A 7E FA E5 16A9:D4 52 49 41 4E 47 4C 45 1939:06 AB F2 E5 8E F8 2D 04 CC 7 F 16B1:1D D3 41 57 54 4F 4F 1941:09 ØE 17 21 2E 3F 55 75 FE 54 D1 16B9:48 1D DØ 55 4C 53 45 20 1949:9C CD Ø2 ØD 1D 2D 3F 52 BC 18 16C1:20 20 1D CE 4F 49 53 45 22 1951:67 7C 93 AB C4 DF FB 1A 3B 16C9:20 20 20 1D 20 20 20 CF 1959:3A 5B 7F A5 CE F8 26 56 C6 75 16D1:46 46 20 20 1D 20 20 20 82 1961:88 BE F7 34 74 B7 FF 4B 97 16D9:CC C6 CF 20 20 1D 20 20 EF 1969:9C F1 4C AC 11 7D EF 68 81 16E1:20 C5 4E 56 20 20 1D 20 9A 1971:E8 6F FF 97 38 E3 98 58 48 1979:23 FA DE DØ DØ DF FE 2E 16E9:20 20 D3 2F C8 20 20 1D BF 17 16F1:20 20 20 CF 4E 20 20 20 84 1981:71 C6 3Ø BØ 46 F5 BD AØ 55 16F9:1D 20 20 2Ø 2D 1989:AØ BE FD 5D E2 8D 61 6Ø C1 32 20 20 55 1701:20 1D 20 1991:8D EA 7A 4Ø 4Ø 7D FA BB 42 20 20 2D 31 20 C4 1709:20 20 1D 20 20 20 20 30 E6 1999:C5 1B C3 C1 1A D4 F4 81 99 1711:20 20 20 1D 20 20 20 2B 1A 19A1:80 FA F4 77 8A 37 87 83 AC 1719:31 20 20 20 1D 20 20 19A9:35 A9 E9 Ø5 ØA ØF 19 23 5Ø 2Ø B7 19B1:31 43 5B 7C A5 D8 ØA ØD 32 1721:2B 32 2Ø 2Ø 2Ø 1D 2Ø 2Ø 4D 1729:CC DØ 2Ø 20 20 20 19B9:1D 2E 4Ø 53 68 7D 94 AC C2 DØ CF 52 1731:20 20 20 20 C8 D0 20 20 67 19C1:C5 EØ FD 1B 3B 5D 81 A7 7A 1739:93 13 12 1F 2Ø 46 19C9:DØ FB 28 58 8B C1 FA 37 7E 31 20 C6 5Ø B1 1741:92 20 CC 4F 41 44 20 D6 81 19D1:77 BB Ø3 4F AØ F6 37 1749:4F 49 43 45 20 20 19D9:16 82 F5 6E EE 76 Ø6 9F 5A 12 2Ø F3 1751:46 33 20 92 20 D3 54 4F 19E1:40 EC A1 62 2D 05 EA DC F9 E4 1759:52 45 20 D6 4F 49 43 45 19E9:DD ED ØD 3E 81 D8 43 C4 C6 DE 1761:ØD 12 2Ø 46 35 2Ø 92 2Ø 72 19F1:5B ØB D4 B9 BA DA 1A 7D BD 1769:CE 45 20 57 CE 41 4D 45 98 19F9:03 B1 87 88 B7 16 A9 72 6F 1771:20 20 20 20 12 20 46 37 92 1AØ1:75 B4 35 FA Ø7 62 ØE 1Ø 61 1779:20 92 20 D3 59 4E 54 48 92 1A09:6E 2D 52 E4 EA 69 6A F4 1F 1781:0D 12 20 20 CC 20 92 20 EC 1A11:0F C4 1C 21 DD 5A A5 ØØ 37 1789:CC 4F 41 44 20 C6 49 4C 59 1A19:00 00 00 00 00 00 00 00 4D 1791:45 20 20 20 12 20 20 D3 95 1A21:00 00 00 01 01 01 01 01 74 5E 1799:20 92 20 D3 41 56 20 CB 1A29:01 01 01 01 01 01 01 02 45 17A1:C6 49 4C 45 ØD Ø5 C3 55 BC 1A31:02 02 02 02 02 02 03 03 68 1A39:03 03 03 04 04 04 04 05 8D 17A9:52 52 45 4E 54 20 D6 4F 43 17B1:49 43 45 20 12 00 00 1A41:05 05 06 06 07 07 07 08 C4 2A BA 1A49:08 09 09 0A 0B 0B 0C 0D 2F 17B9: 2A 2A 2A 2A 2A 2A 2A 2A E7 1A51:ØE ØE ØF 10 11 12 13 15 17C1:2A 2A 2A 11 11 11 08 08 CA 1A59:16 17 18 1A 1C 1D 1F 21 B7 1709:08 00 00 00 00 00 ØØ 24 20 17D1:30 3C 00 00 00 02 02 1A61:23 25 27 2A 2C 2F 31 34 AC 02 35 1A69:38 3B 3E 42 46 4A 4F 54 C2 17D9:00 00 00 04 04 04 00 00 78 1A71:58 5E 63 69 70 76 7D 85 4A 17E1:00 F8 F8 F8 20 ØØ ØØ ØF ØD 17E9:10 ØA Ø1 ØØ ØØ ØØ ØC aa 1A79:8D 95 9E A8 B1 BC C7 D3 1C DA 1A81:EØ ED FB ØØ ØØ 00 00 00 21 17F1:00 00 00 00 00 00 aa aa 20 1A89:00 00 00 00 00 00 00 01 BE 17F9:00 00 00 01 06 ØB 11 18 D1 1A91:01 01 01 01 01 01 01 01 C5 1801:25 34 47 61 83 AE E3 ØA 78 1A99:01 01 01 02 02 02 02 02 EC 1809:1A 2B 3D 50 63 79 85 8F A7 1AA1:02 02 03 03 03 03 04 16 1811:CØ DB F7 15 35 56 7A AØ 81 1AA9:04 04 04 05 05 05 06 06 FF 1819:C7 F2 1F 4E 81 B6 EE 2A A1 1821:6A AD F4 4Ø 8F E4 90 BE 1AB1:07 07 07 08 08 09 09 0A 0D 3E 1829:02 6C DD 55 D4 5A E9 80 1AB9:0B 0B 0C 0D 0E 0E 0F 10 5F EA 1AC1:11 12 13 15 16 17 19 1A 1Ø 1831:1F C9 7C 3A Ø4 D9 BB 41 AB 21 23 25 27 2A 6F 1839:A8 B5 D2 ØØ 3F 92 75 1AC9:1C 1D 1F F9 33 1AD1:2C 2F 32 35 38 3B 3F 42 FØ 1841:08 B2 77 56 51 6B A4 ØØ F7 1AD9:46 4B 4F 54 59 5E 64 6A AA 1849:7F 24 F2 EA 10 65 EE AC EF 1AE1:70 77 7E 85 8D 96 9F A8 03 1851:A3 D6 49 ØØ FF 49 E5 D5 F8 1AE9:B2 BD C8 D4 EØ EE FC ØØ ØA 1859:21 CB DC 46 AC 93 ØØ 58 3A 1AF1:00 00 00 00 00 00 00 26 42 97 B8 Ø2 ED 1861:FE 93 CA AB 1AF9:00 00 00 01 01 01 01 01 4D 1869:07 ØC 13 1D 28 37 4B 67 70 1BØ1:01 01 01 01 01 01 02 38 1871:8B B8 ED ØB 1B 2C 5Ø 5A 3E 1BØ9:02 02 02 02 02 02 03 03 42 1879:65 7A 9Ø A8 C1 DC F8 16 21

1B11:03 03 03 04 04 04 04 05 67 1B19:05 05 06 06 07 07 07 08 9E 1B21:08 09 09 0A 0B 0B 0C 0D 09 1B29:ØE ØE ØF 10 11 12 13 15 D8 1B31:16 17 19 1A 1C 1D 1F 21 B1 1B39:23 25 27 2A 2C 2F 32 35 89 1B41:38 3B 3F 43 47 4B 4F 54 D8 1B49:59 5E 64 6A 7Ø 77 7E 86 DB 1B51:8E 96 9F A8 B3 BD C8 D4 ED 1B59:E1 EE FD 00 00 00 00 00 FB 1B61:00 00 00 00 00 00 01 01 9A 1869:01 01 01 01 01 Ø1 Ø1 9F Øl 1B71:01 01 01 02 02 02 02 02 C6 1B79:02 02 03 03 03 03 03 04 EF 1B81:04 04 04 05 05 05 06 06 D9 1B89:07 07 07 08 08 09 09 0A E6 1B91:0B 0B 0C ØD ØE ØE ØF 10 39 1B99:11 12 13 15 16 17 19 1A E9 1BA1:1C 1D 1F 21 23 25 27 2A 49 1BA9:2C 2F 32 35 38 3B 3F 43 CB 1BB1:47 4B 4F 54 59 5F 64 6A Ø9 1BB9:71 77 7E 86 8E 96 9F A9 76 1BC1:B3 BE C9 D5 E2 EF FD ØØ EA 1BC9:00 00 00 00 00 00 00 00 FF 1BD1:00 00 01 01 01 01 01 01 47 1BD9:01 01 01 01 01 01 01 02 11 1BE1:02 02 02 02 02 02 03 03 1B 1BE9:03 03 03 04 04 04 05 05 42 1BF1:05 05 06 06 07 07 07 08 77 1BF9:08 09 0A 0A 0B 0B 0C 0D 02 1CØ1:ØE ØF ØF 10 11 12 14 15 1C09:16 17 19 1A 1C 1E 1F 21 8F 1C11:23 25 28 2A 2D 2F 32 35 8B 1C19:38 3C 3F 43 47 4B 50 54 F4 1C21:5A 5F 65 6B 71 78 7F 86 B4 1C29:8E 97 AØ A9 B4 BE CA D6 4A 1C31:E2 FØ FE ØØ ØØ ØØ ØØ F6

Program 2: Voices

3C 3C 1D88:00 00 00 ØØ ØØ ØØ 1D90:3C aa aa 99 92 03 ØI 00 07 94 04 50 50 50 E5 1D98:00 aa 94 1DAØ:F8 FR FR 10 aa aa ØF 10 E3 1DA8:05 01 00 53 54 52 49 4E A7 53 32 20 20 20 6D 1DBØ:47 20 21 as aa 8D 1DB8:21 21 as ØA aa 99 1DCØ:00 aa aa 24 30 3C aa aa AF 1DC8:00 02 03 Ø1 ØØ ØØ ØØ 04 F7 1DDØ: 04 94 50 50 50 F8 F8 FR 6E 1DD8:10 aa aa OF 10 95 91 aa A2 1DEØ:54 55 42 41 20 20 20 20 DB 1DE8:20 20 20 20 11 21 21 98 ØØ aa 94 94 3D ØØ ØØ 1DFØ:08 Ø8 1DF8:18 18 18 aa aa aa 012 93 4F 7B 1EØØ: Ø2 ØØ ØØ 04 04 04 Ø6 1EØ8:05 Ø5 Ø6 Ø8 D8 94 aa 02 22 40 55 DE 1E10:0F 10 05 96 aa 46 1E18:54 45 20 20 20 20 20 20 **B7** Ø8 Ø8 ØØ 54 1E2Ø:2Ø 11 11 11 08 ØØ ØØ ØØ ØØ ØØ 30 3C 19 1E28:00 91 1E3Ø:07 ØØ 90 02 02 92 aa 29 04 04 99 43 50 F8 5C 1E38:01 ØØ 1E40:00 10 aa gg ØF 90 95 1 F F8 55 53 41 1E48:01 01 50 45 52 43 1E5Ø:2Ø 42 41 53 53 20 41 11 39 1E58:41 98 Ø8 aa aa aa ga B8 ØØ 1E60:00 ØØ 18 ØØ ØØ C3 24 24 1E68:03 02 91 aa aa aa 04 94 D2 Ø7 10 1E7Ø:04 Ø8 ØA Ø8 Ø7 07 E4 1E78:00 90 ØF 10 05 01 50 53 49 48 4F 68 1E80:41 52 43 1E88:52 44 20 41 41 41 03 91 20 ØØ ØØ 96 1E9Ø:03 00 ØØ ØØ ØØ 48 30 00 ØØ ØØ Ø2 ØI 02 ØB 1E98:3C 1 EAØ: ØØ 99 99 94 04 04 99 08 67 1EA8:09 Ø5 Ø5 Ø5 10 ØØ ØØ ØF 2B 1EBØ:10 Øl ØØ 41 43 43 43 20 20 44 49 41 4E 20 BF 1EB8:52 1ECØ:11 41 41 Ø8 Ø8 98 99 99 DE 1EC8:00 00 00 ØØ ØØ 3C 3C ØØ 6E

Attention Programmers

COMPUTE! magazine is currently looking for quality articles on Commodore, Atari, Apple, and IBM computers (including the Commodore Amiga and Atari ST). If you have an interesting home application, educational program, programming utility, or game, submit it to COMPUTE!, P.O. Box 5406, Greensboro, NC 27403. Or write for a copy of our "Writer's Guidelines."

1EDØ:00 00 02 04 00 00 00 00 8D 1ED8:04 04 04 09 20 20 78 F8 94 ØØ aa OF 90 95 ØI 63 1 FEØ: F8 10 54 49 41 4E 5E 1EE8:00 4D 41 52 1EFØ:20 46 49 53 48 11 21 21 17 Ø8 ØØ ØØ ØØ ØØ 04 40 1EF8:08 Ø8 30 Ø9 ØØ aa 02 12 1F00:04 ØØ 24 aa aa 14 02 aa 94 94 1FØ8: Ø2 92 ØA 1F10:C0 aa aa FR FR FR 10 aa Ø8 5Ø 1F18:01 ØF 90 95 03 45 1B 1F2Ø:52 41 54 4F 52 53 4F 4C 43 72 98 98 98 1F28:20 20 11 11 11 1F3Ø:00 ØØ ØØ ØØ ØØ ØØ 24 48 FE 1F38:3C aa ØØ ØØ Ø2 Ø2 02 00 BØ 94 04 99 02 04 67 1F40:00 aa 04 1F48:F8 02 Ø4 20 ØØ aa ØF 90 **B4** 1F50:05 Øl aa 46 52 4E 43 48 50 4C 49 43 45 41 80 1F58:20 50 4F 99 Ø8 aa ØØ 2D 1F60:11 11 aa as 1F68:00 ØØ ØØ ØØ 3C 3C Ø3 97 86 ØØ Øl 1F7Ø:07 02 04 ØØ Øl ØØ 39 99 ØØ ØØ F8 F8 FR 1F78:Ø4 04 95 5F 1F80:20 ØØ 99 ØF 90 05 al 1F88:55 20 54 41 4B 45 72 46 4F 1F90:4F 46 46 20 21 15 41 Ø8 BA aa aa 04 1F98:08 as aa aa 94 ER 1FAØ:00 30 30 99 ØB ØB 02 02 ØC 1FA8:02 ØØ Ø1 02 ØØ ØØ ØØ FØ 19 1 FRØ : 00 00 FF FF ØØ ØØ ØØ Ø2 1FB8:ØF 90 ØE 08 as 53 59 4E 73 20 53 57 45 45 5Ø 20 88 1FCØ:43 1FC8:20 11 13 11 as 91 94 aa 1B 1FDØ:00 aa aa aa aa aa 3C 24 AR 1FD8:06 99 ØØ 94 02 02 02 91 77 1FEØ:00 ØØ Ø4 04 CB 18 ØØ Ø8 A6 10 00 ØØ ØF 90 Ø5 21 1FE8:87 47 1FFØ: Ø2 07 48 45 4C 49 43 4F AC 1FF8:50 54 45 52 20 20 41 81 C7 Ø8 ØØ aa 86 98 98 ØØ ØØ 2000:85 aa R5 2008:00 94 24 54 54 00 aa 2010:02 02 02 FF FF FF 04 94 1E 20 aa aa FØ 14 93 2018:04 03 04 2020:00 02 ØF 10 ØE 09 aa 46 9E 2028:49 4C 54 45 52 45 44 20 4F 2030:45 4E 56 11 11 41 Ø8 Ø6 26 00 04 ØØ 94 2038:08 aa aa aa 04 Ø2 2040:24 30 Ø3 ØØ ØØ 02 02 ØD 2048:00 ØØ ØØ ØØ 04 04 59 Ø3 6E 2050:00 Ø8 5A FA ØØ ØØ Ø2 ØF AØ 2058:10 05 as aa 48 41 4E 44 ØR 2060:20 43 4C 41 50 20 20 20 82 2068:81 81 81 Ø8 Ø8 Ø8 ØØ DA 2070:00 ØØ ØØ ØØ 24 30 3C 99 ØB 2078:00 aa 92 aa 92 92 aa 99 29 2080:04 04 04 22 53 Ø3 99 Ø3 2088:03 10 ØØ ØØ ØF 10 05 ØI 12 2090:00 4D 41 4A 4F 52 20 54 49 2098:52 49 41 44 20 41 41 41 8A 20A0:08 Ø8 Ø8 ØØ ØØ ØØ ØØ ØØ E7 20A8:00 24 30 30 Ø7 Ø4 aa Ø2 45 2ØBØ: Ø2 02 ØØ ga aa Ø4 04 04 8E 20B8:00 ØØ aa F8 F8 F8 ØØ 10 54 2ØCØ:00 ØF 10 Ø5 Ø1 ØØ 53 54 1A 2ØC8:41 49 52 43 41 53 45 20 70 20D0:20 20 21 11 41 Ø8 Ø8 aa AØ 20D8:00 ØØ ØØ ØØ ØØ ØØ ØØ 00 19 20E0:3C Ø1 ØØ ØØ Ø2 Ø2 02 ØØ 9B 2ØE8:00 FF gg 04 04 99 aa 99 92 20F0:F8 00 Ø5 10 ØØ ØØ ØF 90 FD 2ØF8:57 Ø1 Ø7 52 41 4E 44 4F 46 2100:4D 20 20 20 20 20 20 81 3A 2108:11 41 ØR aa as aa aa aa E4 2110:00 ØØ ØØ 00 ØØ 30 Øl ØØ 15 2118:00 Ø2 Ø2 02 ØØ ØØ FF ga 3R 2120:04 04 ØØ ØØ Ø9 ØØ 00 95 B2 2128:10 aa aa ØF 90 35 Ø1 Ø8 C6 2130:50 41 54 54 45 52 4E 53 1E 2138:20 20 20 20 21 11 41 Ø8 70 2140:08 ØR aa aa 00 99 ØØ ØØ 88 2148:00 aa 30 Øl ØØ ØØ Ø2 02 A6 2150:02 ØØ ØØ FF 04 04 04 00 CB 2158:00 05 00 ØØ 04 10 ØØ ØØ 3C

2160:0F 90 35 01 07 53 50 6C 2168:43 45 20 42 41 53 53 20 E3 2170:20 Ø5 11 43 41 98 08 aa F.7 2178:00 aa aa aa aa 24 30 18 C3 2180:00 Ø2 ØØ Ø2 Ø2 Ø2 ØØ 92 7D 2188:00 04 04 04 07 ØØ ØØ 07 CB 219Ø:F8 00 00 00 ØF 90 05 10 **B3** 2198:07 aa 42 41 47 50 49 50 19 21AØ:45 20 20 20 20 20 41 41 D8 21A8:41 02 92 02 99 99 aa 60 21BØ:00 ØØ 48 ØØ 99 99 30 48 BF 04 aa aa 99 ga 04 21B8:02 99 Ø1 21CØ: Ø4 ØØ 20 20 F8 F8 F8 10 **B8** 21C8:00 00 ØF 10 05 Ø1 ØØ 6E 21DØ:52 50 55 4D 45 54 20 20 10 21D8:20 20 20 11 41 21 Ø8 as E8 21EØ:08 ØØ ØØ ØØ ØØ 94 04 aa 3F 21E8:3C 30 aa aa ØØ 02 Ø2 02 66 21FØ:00 aa aa 94 25 aa 04 24 DØ 21F8:55 Ø7 **A8 A8** 2B aa 02 ØF **B3** 2200:90 ØA Ø6 ØØ 52 4E 20 44 2208:48 41 52 4D 4F 4E 49 58 7F. aa as aa aa 2210:81 43 41 as FF 2218:00 gg ga gg ØC 30 30 aa ØE 2220:00 90 02 02 02 aa FF 92 D6 2228:00 04 04 aa aa aa 8F FC ØA 2230:00 20 ØØ ØØ ØF 90 24 96 85 2238:08 42 41 53 53 4F 4F 4E 33 2240:20 20 20 20 20 41 11 11 4B 2248:08 as aa Ø8 aa aa aa aa 93 2250:04 ØØ ØØ 24 06 aa 00 02 ØB 2258:02 02 ØØ ØØ ØØ 00 00 22 2260:00 ØØ 44 F8 02 F8 ØD aa 53 2268:00 aa 90 95 01 91 4F 52 ac 4E 2270:47 20 20 20 20 20 56 41 2278:20 20 11 11 11 08 Ø8 98 CB 2280:00 90 99 aa aa 90 30 30 61 2288:24 aa 97 ØØ 02 92 03 aa DD 2290:00 00 04 04 04 00 08 99 C5 2298:F4 44 D4 20 00 99 ØF 10 33 22AØ: ØA 01 aa 57 4F 57 20 20 D7 22A8:20 20 20 20 20 20 20 11 DD 22BØ:21 41 08 Ø8 08 00 ØØ ØØ 97 22B8:00 04 04 30 00 00 24 24 A 2 22CØ:00 02 02 02 aa aa aa 04 E9 22C8:04 04 A9 ØØ ØØ 08 F8 50 22DØ:01 ØØ Ø2 ØF 90 ØA 08 gg 83 22D8:53 40 49 44 45 52 20 20 18 22EØ:2Ø 20 20 20 11 11 41 9A 22E8:08 Ø8 00 00 00 00 99 99 33 22FØ:24 30 30 99 07 00 02 94 99 02 22F8:01 99 Ø2 04 014 04 ØA 60 2300:00 87 ØØ F6 F6 20 ØØ 00 DE 23Ø8:ØF 90 ØA 07 00 4D 45 54 RF 2310:41 4C 4C 49 43 41 20 20 Ø8 2318:20 11 15 43 Ø8 08 ØØ F9 2320:00 ØØ ØØ ØØ ØØ 24 48 30 C3 2328:00 00 ØØ 02 014 02 aa 02 **B8** 2330:02 04 04 04 ØA ØA ØA Ø9 CE 2338:04 20 ØØ ØØ ØF 90 ØA EC 2340:07 ØØ 4D 4F 4E 53 54 45 56 53 2348:52 201 42 41 53 41 41 C7 2350:41 Ø8 Ø8 08 ØØ aa ga aa BA 2358:00 aa 18 24 30 aa aa aa 65 2360:02 74 02 02 99 aa aa 014 94 2368:04 ØF 09 04 08 96 05 20 58 2370:00 00 ØF 10 ØA Øl ØØ 53 41 2378:59 4E 54 48 45 58 20 20 F9 2380:20 20 20 41 21 21 Ø5 08 96 2388:08 ØØ ØØ ØØ 00 aa ØØ 30 93 2390:48 30 ØØ ØØ 00 02 02 91 17 2398:00 aa aa 01 04 04 09 09 6A 23AØ:07 98 08 98 10 00 00 ØF AA 23A8:10 Ø5 Ø1 ØØ 2A 2A 2A 2 A Da 23BØ:2A 2A 2A 2A 2A 2A 2A 2A F6 08 23B8:11 11 11 Ø8 08 ØØ ØØ CE 00 23CØ:00 ØØ ØØ 24 30 3C ØØ 61 2308:00 99 Ø2 02 02 90 aa 00 7F 23DØ:04 014 014 00 ØØ 00 F8 F8 85 ØØ 23D8:F8 10 ØØ ØF 10 FF ØØ 58 23E0:00 00 00 00 00 00 00 ØØ 27 0

68



When It Comes To Reading Music, Most People Draw A Blank.

If you're not content with your knowledge of music, Wenger has something that will fill in the blanks. It's called The Music Class.™ An exciting new 5-part

software series for kids, adults, beginners, even professionals.

The Music Class is the consummate music teacher. Its simple stepby-step instructions teach everything from the basics to rhythm to note reading—all at your own speed.

And The Music Class even gives

advice, points out errors, and applauds correct answers. <u>Fundamentals:</u> Make sense of those skinny lines with blobs and tails. All the basics from note reading to

rhythm. \$49.

Y S C.

<u>Rhythm:</u> What is the real difference between a waltz and a polka, ragtime and rock, and more. A comical little guy named Mr. Metro Gnome is your teacher. \$49.

<u>Ear Training:</u> How to hear exactly what's happening in a piece of music. You'll never listen to Bon Jovi or Mancini quite the same way again. \$49.

<u>Music Symbols:</u> And you thought they were called squiggles, slashes, and dots. Animated graphics and games will teach you up to 80 musical symbols. \$39.

<u>Note Reading:</u> Know the difference between an E-Flat eighth note and a B-Flat quarter note. This is where you learn to read the foreign language called music. \$39.

Any Apple II or IIGS with 64K memory can run The Music Class.

So order by calling toll free 1-800-843-1337. In Hawaii and Alaska call collect 612-854-9554.

And begin changing that blank stare into an ear-to-ear grin.

The Music Class Prom the Wenger Music Learning Division, Wenger Corp. 1401 East 79th Street, Minneapolis, Minnesota 55420.

ShapeMaker For Apple II

William C. Vergara

Have you ever wished that you could enliven your programs with eyecatching title pages or graphs and charts labeled with descriptive information? Shape tables are very useful for creating such effects on the Apple II. This comprehensive program makes it easy to create and edit shape tables for a variety of purposes. It runs on any Apple II-series computer, under either ProDOS or DOS 3.3.

Many programs can be enhanced by presenting graphics based on custom character fonts or other special shapes. But designing hi-res characters and generating shape tables can be a complex undertaking. "ShapeMaker" provides a simple means of generating and editing shape tables containing characters and shapes—from very small figures to shapes many times larger than standard Apple characters. You can design your own shapes and characters, or you can copy them automatically from existing shape tables and add them to your own customized table.

Using ShapeMaker

Type in and save Programs 1 and 2. Note that you must save Program 2

with the filename SHAPEMAKER because that's the name Program 1 uses when loading Program 2. Program 1 is a very short program that resets the BASIC start-of-program pointer and runs Program 2. This is done to create a protected memory area for hi-res page 1.

Because BASIC memory is modified, you should be very careful about editing or resaving either of these programs after you have run them. If you need to edit the program, you should reboot the computer, reload the program from disk, make the desired changes, and resave it before running it again.


When you run the program, it displays a main menu which looks like this:

MAIN MENU

- (1) DESIGN A NEW SHAPE
- (2) ESTABLISH SIZE OF DOT MATRIX
- (3) CHANGE STARTING COORDINATES
- (4) SAVE SHAPE TABLE TO DISK
- (5) LOAD OR START A NEW SHAPE TABLE
- (6) REVIEW A SHAPE TABLE
- (7) COPY SHAPES FROM OLD TO NEW
- (8) EDIT THE NEW SHAPE TABLE
- (9) LEAVE THE PROGRAM

(PRESS <ESC> KEY TO CATALOG A

The main menu gives you ac-



"ShapeMaker" for Apple II computers is a convenient tool for creating and editing shape tables. This screen illustrates just one of the ways that shape tables can be used.

cess to the program's basic functions. To select an option, simply press the indicated key. For instance, you can press the ESC key to display a catalog of the current disk, or press 9 to exit the program and return to BASIC.

Creating A New Shape

You will usually begin with option 5, which clears the screen and prints a menu with two options. Press N to begin a new table from scratch, or L to load a partially completed table from disk.

If you choose to create a new shape table, the program asks you

to enter the table's capacity—that is, the number of shapes which this table will contain. An Apple shape table can hold as many as 255 shapes. Next, the program prompts you to enter the number of rows and columns for the design matrix and the starting point within the matrix. For instance, say that you want to design a character which is seven pixels (screen dots) wide and nine pixels high; you would enter 7 at the column prompt and 9 at the row prompt. The starting point determines where in the matrix you will begin drawing; the lower left corner of the matrix corresponds to coordinates (1,1).

The design matrix can be as wide as 35 columns and as high as 25 rows. On the screen, it is displayed six times its actual size. You are now ready to design your first shape. If you press Q followed by N, you return to the main menu.

Once the matrix has been set up, you can begin designing a new shape by selecting option 1 from the main menu. The matrix appears immediately with a blinking cursor, which indicates your current position. Beneath the matrix, Shapemaker displays the capacity of the new shape table and the number of the shape being designed.

As indicated by the prompts, you can move the cursor with the arrow keys (for the IIe and IIc) or the keys I, J, K, and M. Press P wherever you want to draw a dot: That point in the matrix is filled. Continue by moving the cursor and plotting pixels until the shape is complete. Pressing Q ends the design process and displays the shape in its true size to the right of the matrix.

At this point you can press Y to add the shape as the next numbered shape in the current table, or press N to discard it. In either case, the program returns to the main menu.

Additional Options

From the main menu, you can select option 2 to change the matrix size or option 3 to select new starting coordinates for the next shape. It's a good idea to save new shape tables frequently to protect against a power failure or other accidents. To save a file, choose option 4 and follow the prompts on the screen. After it saves the file, ShapeMaker prints the starting address and the length of the file in bytes, which you may wish to record for future

ShapeMaker goes to some lengths to protect against mistakes. If you hit the wrong key by mistake, it usually gives you another chance to repeat the input or sends you back to the main menu.

Option 7 allows you to copy an existing shape table into a new table. Again, you can simply follow the prompts on the screen after selecting this option. If there is a source shape table in memory, the program prints its name and asks whether you wish to copy that table. If no table is in memory, ShapeMaker asks you to enter both the name of the desired shape table and the drive where it can be found. At that point, the program gives a description of the source table and asks for the number of the source shape you wish to copy. Before proceeding with the copy, it allows you to verify that this is the correct shape by displaying it on the screen. If you press Y (yes), that shape is copied to the end of the current shape table.

It can take several seconds to copy a shape, so ShapeMaker prints a flashing reminder while it is busy. When the copying is complete, you can either enter the next shape number to copy or enter 0 to exit to

the main menu.

Option 6 allows you to review either the source or the destination table.

Option 8 lets you edit the new shape table. When you choose this option, it displays a four-item menu asking whether you wish to insert a shape, delete a shape, increase the table's capacity, or decrease its capacity. For the first two items, you'll need to enter the number of the shape to insert or delete. Inserting shape 7, for instance, has the effect of moving upward all existing shapes with the number 7 and above, and putting in a new shape as number 7.

When you insert, ShapeMaker asks whether you will design the new shape from scratch or copy it from a source table in memory. For a new design, the program jumps to the design matrix. If you choose to

copy the new shape into place, the program follows the normal copying procedure, but inserts the shape where indicated rather than adding it to the end of the shape table. If the shape table is full before insertion, the table capacity is increased by one to make room for the inserted shape (as long as the number of shapes would not exceed 255). Deleting a shape removes it from the table and decrements the number of each shape higher than the number chosen.

When you select option 9 (quit), ShapeMaker checks to see if the new table has been changed since the last save. If so, it asks whether you really want to lose the changed shape table, and exits only if you respond with Y (yes).

Custom Character Sets

Programs 3-5 are three sample character sets which you can use immediately or modify further to your own tastes. Each shape table must be entered with the "MLX" machine language entry program listed elsewhere in this issue. Here are the starting and ending addresses needed to enter these files with MLX:

Program 3. SHAPETABLE3X6

STARTING ADDRESS? 7800 **ENDING ADDRESS?** 7BFF

Program 4. SHAPETABLE5X7

STARTING ADDRESS? 7800 **ENDING ADDRESS?** 7CA7

Program 5. SHAPETABLE7X9

7800 STARTING ADDRESS? ENDING ADDRESS? 7F8F

The first shape table (SHAPE-TABLE3X6) contains 58 uppercase letters, numerals, and other ASCII characters in a format three pixels wide and six pixels high. The characters are small enough so that 70 of them can be placed across the high-resolution screen spaced one pixel apart.

The second table (SHAPE-TABLE5X7) duplicates the standard Apple character set in size, with uppercase, lowercase, and all other standard characters. The third shape table (SHAPETABLE7X9) includes a larger version of the previous table, plus a complete Greek alphabet.

Once you have saved these files to disk, they can be loaded, reviewed, and edited at any time with ShapeMaker.

Displaying A Shape Table

Program 6 is a short BASIC program that will display any of the three example shape tables in its entirety. To view a shape table, run Program 6 and answer the two prompts requesting a filename and drive number. The shape table will be displayed on the monitor screen in several rows of 20 characters each.

Hi-Res Bar Chart

Programs 7 and 8 aren't necessary to use ShapeMaker, but you may want to type them in to view an example of what can be done with shape tables. Program 7 is a BASIC program that loads a shape table into memory and uses it to create a bar chart on the hi-res screen. (See photo.) Program 8 is the shape table data for Program 7. It should be entered with MLX using these addresses:

Program 8. BARTABLE

STARTING ADDRESS? 7800 ENDING ADDRESS? **79EF**

For Program 7 to function properly, you must save the data from Program 8 with the name BARTABLE. (See line 300 of Program 7.)

Program 1: SHAPEBOOT

For instructions on entering this program, please refer to "COMPUTEI's Guide to Typing In Programs" elsewhere in this issue.

- D2 10 REM THIS PGM RESETS THE ST ART OF BASIC
- 95 20 REM IT ALSO RUNS SHAPEMAKE
- 88 3Ø POKE 103,1: POKE 104,64: P OKE 16384, Ø: REM PUT BASIC ABOVE HIRES PAGE 1
- E8 4Ø PRINT CHR\$ (4); "RUN SHAPEM AKER"

Program 2: SHAPEMAKER

For instructions on entering this program, please refer to "COMPUTEI's Guide to Typing In Programs" elsewhere in this issue.

- 34 5 GOSUB 342Ø
- 58 10 TEXT: HOME: IF PEEK (103) + 256.* PEEK (104) < > 1 6385 THEN PRINT: PRINT "R UN SHAPEBOOT TO SET START OF BASIC": PRINT : GOSUB 2 120: GOTO 1040
- 60 20 BL = Ø:KT = Ø:X = Ø:Y = Ø: I = Ø:CODE = Ø:M\$ = "":Q = \emptyset : XZ = \emptyset : BH = \emptyset : P = \emptyset : H = \emptyset :R = \emptyset :C = \emptyset :ADDR = \emptyset
- BE 30 ONERR GOTO 1560
- 50 40 HCOLOR= 3: SCALE= 1: ROT= Ø:TA = 30720:TB = 2304: PD KE TB, Ø: POKE TA, Ø: REM

- \$7800 (NEW) \$900 (OLD) TA BLES
- 30 50 TC = 7938:FLAG = 0
- F9 60 POKE 768,1: POKE 769,0: PO KE 770,4: POKE 771,0: REM CURSOR TABLE
- 30 7Ø POKE 772,112: POKE 773,3Ø: POKE 774,7: POKE 775,32: POKE 776, Ø
- 07 80 POKE TC, 1: POKE TC + 1,0: POKE TC + 2,4: POKE TC + 3 .Ø: REM EDIT TABLE
- 39 9Ø GOTO 84Ø
- BD 100 TEXT : HOME :SN = 0 07 110 PRINT "PLEASE PRESS:": PR INT : PRINT " L TO LOAD A SHAPE TABLE FROM DISK" : PRINT " N TO STARY A NEW SHAPE TABLE": PRINT : PRINT : PRINT "PRESS ANY OTHER KEY FOR MAIN MENU" : PRINT : PRINT
- BB 12Ø PRINT "YOUR SELECTION: "; : GET A\$: PRINT A\$
- AE 130 IF AS = "N" THEN 220
- C8 14Ø IF A\$ < > "L" THEN 84Ø
- 11 150 PRINT : INPUT "NAME OF TA BLE "; N\$
- BI 160 GOSUB 1540: REM GET DRIV E #
- 7E 17Ø PRINT CHR\$ (4); "BLOAD "; N \$;",A";TA;",D";AN
- 20 180 N = (PEEK (TA + 2) + 256 * PEEK (TA + 3) - 2) / 2
- 4A 190 SN = PEEK (TA): PRINT : I F SN = N THEN PRINT "TABL E FULL": PRINT : GOSUB 21 20: GOTO 840
- 59 200 ADDR = PEEK (TA + SN * 2 + 2) + PEEK (TA + SN * 2 + 3) * 256 + TA
- 84 210 GOSUB 3400: GOSUB 2120: G OTO 84Ø
- FI 220 TEXT : HOME : PRINT "PLEA SE ENTER THE DESIRED NUMB ER": INPUT "OF SHAPES FOR THIS TABLE: ";N: IF N > 255 OR N < 1 THEN PRINT : EN = 2: GOTO 158Ø
- BB 230 POKE TA, 0: POKE TA + 1,0 CA 240 D1 = 2 * N + 2
- A4 250 POKE TA + 2,D1 256 * IN
- T (D1 / 256) 22 260 POKE TA + 3, INT (D1 / 25
- 25 270 FOR I = TA + 4 TO TA + 2 * N + 3: POKE I, Ø: NEXT I
- OF 280 PRINT : PRINT "CHOOSE SIZ E OF SHAPE DESIGN GRID"
- 36 290 INPUT "NUMBER OF COLUMNS (1 - 35) ";C:C = 6 * C: I F C > 210 THEN 290 1E 300 INPUT "NUMBER OF ROWS (1
- 25) ";R:R = 15Ø 6 * R : IF R < Ø THEN 3ØØ
- 4F 31Ø HGR : POKE 25Ø,R: POKE 25 1,0
- 49 320 IF C = 0 OR R = 150 THEN 155Ø
- 89 330 FOR I = R TO 150 STEP 6: HPLOT Ø, I TO C, I: NEXT I C5 340 FOR I = 0 TO C STEP 6: HP
- LOT I,R TO I,150: NEXT I
- 17 35Ø IF F1 = 1 THEN 37Ø
- 86 360 IF A = 1 DR FLAG = 1 THEN 390
- 71 370 HOME : VTAB 21: PRINT "OR IGIN OF SHAPE? LOWER LEF
- T IS (1,1)"
 EB 38Ø INPUT "COLUMN ";X1: INPUT "ROW "; Y1
- DB 390 X = 6 * X1 3:Y = 153 -

- 6 * Y1
- 5F 400 IF F1 = 1 THEN 2240
- CO 410 IF SN = N AND FLAG = 0 TH EN PRINT "TABLE IS FILLED TO PRESENT CAPACITY": PR INT : PRINT : GOSUB 2120: GOTO 84Ø
- 7E 42Ø IF FLAG = 1 THEN ADDR = P EEK (TC + 2) + TC: GOTO 4
- 7F 43Ø ADDR = PEEK (TA + SN * 2 + 2) + 256 * PEEK (TA + S N * 2 + 3) + TA
- 04 44Ø POKE 232,Ø: POKE 233,3: R EM CURSOR TABLE
- 64 450 HOME : VTAB 21: PRINT "TA BLE CAPACITY: ";N;" SHAPE S-THIS IS # ";
- 88 460 IF FLAG = Ø THEN PRINT SN + 1: GOTO 48Ø
- 63 47Ø PRINT IS
- 44 48Ø VTAB 22: PRINT "TO MOVE C URSOR, USE IJKM OR ARROW KEYS"
- 25 49Ø VTAB 23: PRINT "PRESS: P TO PLOT A POINT"
- SE 500 VTAB 24: PRINT TAB(9); "Q TO END THIS SHAPE":
- 90 510 CODE = 0
- 97 52Ø GOSUB 146Ø:H=8:REM DRAW B LINKING CURSOR
- 24 54Ø IF M\$ = "P" THEN CODE = 4 FOR I = X - 1 TO X + 1: HPLOT I,Y - 1 TO I,Y + 1: NEXT I: GOTO 520
- 27 550 IF M\$ = "Q" THEN POKE ADD R,CODE: POKE ADDR + 1,255 : GOTO 660
- EB 590 POKE 6, ASC (M\$): POKE 8, Y: POKE 9, X: POKE 252, COD E: CALL 2048
- FE 600 H = PEEK (7):X = PEEK (9):Y = PEEK (B)
- 4E 61Ø IF H = 8 THEN 52Ø
- 78 640 POKE ADDR, H: ADDR = ADDR +
- 9C 65Ø GOTO 51Ø
- 78 660 IF FLAG = 1 THEN ADDR = P EEK (TC + 2) + TC:LOC = A DDR: GOTO 680
- 94 67Ø ADDR = PEEK (TA + SN * 2 + 2) + 256 * PEEK (TA + S N * 2 + 3) + TA:LOC = ADD
- 80 680 V1 = PEEK (LOC): IF V1 = 255 THEN POKE ADDR, Ø: ADDR = ADDR + 1: GOTO 780
- EF 690 V2 = PEEK (LOC + 1): IF V 2 = 255 THEN POKE ADDR, V1 : POKE ADDR + 1, Ø: ADDR = ADDR + 2: GOTO 780
- DE 700 V3 = PEEK (LOC + 2): IF V 3 = 255 THEN POKE ADDR, V1 + 8 * V2: POKE ADDR + 1, Ø: ADDR = ADDR + 2: GOTO 7 BØ
- EF 71Ø BYTE = V1 + 8 * V2 + 64 * V3
- A4 72Ø IF BYTE = Ø THEN POKE ADD R,64: POKE ADDR + 1,24:AD DR = ADDR + 2:LOC = LOC + 3: GOTO 680: REM USES 3 SKIP-UP VECTORS
- 70 73Ø IF V3 > Ø AND V3 < 4 THEN POKE ADDR, BYTE: ADDR = AD DR + 1:LOC = LOC + 3: GOT 0 680: REM USE ALL 3 VEC TORS
- 32 74Ø BYTE = V1 + 8 * V2: REM 3RD VECTOR NOT USED FROM HERE ON
- \$6 750 IF V2 > 0 THEN POKE ADDR, BYTE: ADDR = ADDR + 1:LOC

- = LOC + 2: GOTO 680: REM 2 VECTORS USED
- F9 76Ø IF V1 < > Ø THEN POKE ADD R. BYTE: ADDR = ADDR + 1:LO C = LOC + 1: GOTO 680: RE M 1 VECTOR USED
- 66 770 IF BYTE = 0 THEN POKE ADD R, 24: POKE ADDR + 1,8:ADD R = ADDR + 2:LOC = LOC +2: GOTO 680: REM 2 SKIP-UPS AND 2 OFFSETTING MOVE S SIDEWAYS
- FE 780 IF FLAG = 1 THEN POKE 232 ,TC INT (TC / 256) * 25 6: POKE 233, INT (TC / 25 6): DRAW 1 AT 200,100: 60 TO 2270
- B4 790 POKE TA, SN + 1: POKE 232 TA - INT (TA / 256) * 256 : POKE 233, INT (TA / 256): XDRAW SN + 1 AT 245,10
- 84 800 HOME : PRINT : VTAB 22: P RINT "SAVE THIS AS SHAPE NUMBER "; SN + 1; " (Y/N) ";: GET A\$
- 08 810 IF A\$ = "Y" THEN SN = SN + 1:SF = 1: IF SN < N THE N D1 = ADDR - TA: POKE TA + 2 * SN + 2,D1 - 256 * INT (D1 / 256): POKE TA + 2 * SN + 3, INT (D1 / 25 6)
- IF A\$ < > "N" AND A\$ < > 48 82Ø "Y" THEN 800
- 90 830 POKE TA, SN
- 41 84Ø TEXT : HOME : PRINT " SH APEMAKER"; TAB(32); "MAIN MENU": VTAB 4: PRINT "PL EASE MAKE A SELECTION: ": PRINT : PRINT
- 65 85Ø FLAG = Ø:EX = Ø:BL = FRE (Ø)
- #1 860 PRINT TAB(3); "(1) DESIGN A NEW SHAPE"
- 91 87Ø PRINT TAB(3);"(2) ESTABL ISH SIZE OF DOT MATRIX"
- EA 880 PRINT TAB(3); "(3) CHANGE STARTING COORDINATES"
- PRINT TAB(3); "(4) SAVE S HAPE TABLE TO DISK" 87 890
- 10 900 PRINT TAB(3); "(5) LOAD O R START A NEW SHAPE TABLE
- F9 91Ø PRINT TAB(3); "(6) REVIEW A SHAPE TABLE"
- 70 920 PRINT TAB(3): "(7) COPY S HAPES FROM OLD TO NEW TAB LE"
- 68 93Ø PRINT TAB(3); "(8) EDIT T HE NEW SHAPE TABLE"
- PRINT TAB(3); "(9) LEAVE 0F 94Ø THE PROGRAM"
- F 950 PRINT : PRINT : PRINT "(P RESS <ESC) KEY TO CATALOG A DISK)"
- 64 960 PRINT : PRINT : PRINT "YO UR SELECTION: ";: GET A\$: PRINT A\$: A = VAL (A\$)
- 57 970 IF ASC (A\$) = 27 THEN 143
- JF 980 IF A < 1 OR A > 9 THEN 84
- AF 990 PRINT : IF N = Ø AND A < 5 THEN PRINT "NO TABLE AV LOAD OR INITIAL AILABLE. IZE": PRINT "A SHAPE TABL E BEFORE DESIGNING SHAPES .": PRINT : GOSUB 2120: G OTO 840
- 80 1000 IF SN = 255 AND A < 4 TH EN : HOME : PRINT "THE S

- HAPE TABLE IS FULL": PRI NT : GOSUB 2120: GOTO 84
- AA 1010 ON A GOTO 310,280,310,10 50,1370,1140,1700,2125,1 979
- FA 1020 IF SF = 0 THEN 1040
- FB 1030 HOME : PRINT "YOU ARE AB OUT TO PERMANENTLY LOSE" : CHR\$ (7): PRINT "THE S HAPE TABLE FILE IN MEMOR Y": PRINT "DO YOU REALLY WANT TO DO THAT? (Y/N) ";: GET AN\$: IF AN\$ < >
 "Y" THEN 840
- 00 1040 TEXT : HOME : POKE 103,1 : POKE 104,8: POKE 2048, Ø: POKE 2049, Ø: POKE 205 Ø, Ø: VTAB 7: PRINT "THE APPLESOFT POINTER HAS NO W BEEN RESET": PRINT "TO ITS NORMAL LOCATION IN MEMORY.": VTAB 11: PRINT "TO LIST THIS PROGRAM F IRST USE COMMAND
- 8A 1Ø45 VTAB 14: HTAB 12: PRINT "LOAD SHAPEMAKER": END
- 90 1050 INPUT "NAME ": N\$
- 77 1060 GOSUB 1540
- E6 1070 BL = PEEK (TA + SN * 2) + 256 * PEEK (TA + SN * 2 + 1) + TA
- 72 1080 FOR EO = BL TO BL + 2000 : IF PEEK (EO) = Ø THEN L = E0 - TA + 2: GOTO 11 99
- 28 1090 NEXT ED
- F6 1100 PRINT CHR\$ (4); "BSAVE "; N\$; ", A"; TA; ", L"; L; ", D"; A
- D3 1110 PRINT : PRINT "FILE : "; N\$: PRINT "SAVED AT: ";T A; " DECIMAL": PRINT "FIL E LENGTH: ";L;" DECIMAL" : PRINT : PRINT "PRESS A KEY ": GET BL\$
- #0 112Ø SF = Ø: GOTO 84Ø 58 1130 TEXT : HOME : END
- B2 114Ø IF PEEK (TB) = Ø AND PEE K (TA) = Ø THEN PRINT "T HERE ARE NO TABLES IN ME MORY": PRINT : GOSUB 212 Ø: GOTO 84Ø
- E7 115Ø IF PEEK (TA) = Ø THEN 12 10
- DD 1160 IF PEEK (TB) = 0 THEN 11 90
- 30 1170 HOME : PRINT "WHICH SHAP E TABLE DO YOU WANT TO S EE?": PRINT : PRINT "PRE SS: ": HTAB 3: PRINT "1 F OR THE TARGET (NEW) TABL E": HTAB 3: PRINT "2 FOR THE SOURCE (OLD) TABLE ": GET ANS
- E2 118Ø IF AN\$ < > "1" THEN 12ØØ 7F 119Ø TT = TA:SS = SN: GOTO 12 20
- EA 1200 IF AN\$ < > "2" THEN 840
- 16 121Ø TT = TB:SS = OS
- 53 1220 POKE 232, TT INT (TT 256) * 256: POKE 233, IN T (TT / 256)
- F5 1230 HOME : PRINT "THERE ARE ";SS;" SHAPE(S) IN THE T ABLE"
- C8 124Ø NN = (PEEK (TT + 2) + 2 56 * PEEK (TT + 3) 2) / 2: PRINT "TABLE CAPACI TY IS "; NN; " SHAPES"
- 04 1250 IF SS = 0 THEN PRINT : G OSUB 2120: GOTO 840
- 64 1260 PRINT : PRINT "ENTER Ø T | 40 1600 IF EN = 6 THEN PRINT "SO

- O RETURN TO MAIN MENU": PRINT
- 61 127Ø INPUT "OR ENTER NUMBER O F DESIRED SHAPE "; DS\$: DS = VAL (DS\$): IF DS > SS THEN 1230
- 38 128Ø IF DS = Ø THEN 84Ø
- 6F 129Ø POKE 232, TT INT (TT 256) * 256: POKE 233, IN T (TT / 256)
- 98 13ØØ HGR
- C4 131Ø XDRAW DS AT 22Ø, 10Ø: VTA B 21: CALL - 868: PRINT "CURRENT SHAPE IS # "; DS
- 88 1320 VTAB 22: PRINT "ENTER NU MBER OF NEXT DESIRED SHA PE, ": CALL - 868: INPUT "OR ENTER Ø TO RETURN TO MAIN MENU "; ANS: IF AN \$ = "Ø" THEN 840
- 07 1330 XDRAW DS AT 220, 100:DS = VAL (AN\$)
- 80 1340 IF DS > SS OR DS < 1 THE N TEXT : PRINT CHR\$ (7): GOTO 123Ø
- 2E 135Ø IF DS = Ø THEN 84Ø
- 72 136Ø GOTO 131Ø
- 58 1370 HOME : IF SF = 0 THEN 10 0
- 5F 138Ø PRINT "THE SHAPE TABLE I N MEMORY WILL BE": PRINT "LOST IF YOU START A NE W SHAPE": PRINT "TABLE. DO YOU REALLY WANT TO D O": PRINT "THAT? (Y/N) " ; CHR\$ (7);
- E8 139Ø GET ANS
- 7E 1400 IF AN\$ = "Y" THEN 100
- 13 1410 IF AN\$ < > "Y" AND AN\$ < > "N" THEN PRINT : PRIN T : GOTO 1380
- EJ 142Ø GOTO 84Ø
- 73 1430 GOSUB 1540
- DB 144Ø PRINT CHR\$ (4); "CATALOG, D"; AN
- CA 1450 PRINT : GOSUB 2120: GOTO 840
- D2 146Ø XZ = PEEK (49168):KT = Ø 15 147Ø XDRAW 1 AT X, Y: KT = KT +
- C5 148Ø IF KT = 2 THEN KT = Ø
- 40 1490 FOR I = 1 TO 30:BL = PEE K (49152): IF BL > 127 T HEN M\$ = CHR\$ (BL - 128) :BL = Ø: GOTO 152Ø
- 75 1500 NEXT I
- 70 151Ø GOTO 147Ø
- 24 1520 IF KT = 1 THEN XDRAW 1 A
- E7 153Ø RETURN
- FI 1540 HOME : PRINT "ENTER DISK DRIVE NUMBER: ";: GET A N\$: PRINT AN\$: AN = VAL (AN\$): RETURN
- C9 1550 TEXT : HOME : PRINT "THE RE'S NO SHAPE DESIGN MAT RIX IN MEMORY": PRINT LEASE ESTABLISH ONE": PR INT : GOSUB 2120: GOTO 8 40
- 84 1560 TEXT : HOME : PRINT : PR INT "DOPS! CAN'T DO THAT ": PRINT CHR\$ (7)
- 58 157Ø EN = PEEK (222)
- 51 158Ø IF EN = 2 OR EN = 3 THEN PRINT "THAT NUMBER IS T OO BIG OR SMALL"
- E4 1590 IF EN = 4 THEN PRINT "SO RRY, CAN'T WRITE TO A WR ITE": PRINT "PROTECTED F ILE"

```
RRY, CAN'T FIND THAT FIL
      E"
79 1610 IF EN = 8 THEN PRINT "TH
      ERE'S SOME SORT OF INPUT
      /OUTPUT": PRINT "ERROR"
83 1620 IF EN = 9 THEN PRINT "SO
      RRY, THAT DISK IS ALREAD
       Y FULL OF DATA"
F8 1630 IF EN = 10 THEN PRINT "S
      ORRY, CAN'T WRITE TO A L
       OCKED FILE"
2A 164Ø IF EN = 11 OR EN = 16 TH
      EN PRINT "THERE'S SOME S
      ORT OF SYNTAX ERROR HERE
06 1650 IF EN = 53 THEN PRINT "S
      ORRY, THAT NUMBER IS NOT
       LEGAL"
38 166Ø IF EN = 77 THEN PRINT "O
      H OH! WE'RE OUT OF MEMO
      RY!"
2A 167Ø ONERR GOTO 156Ø
88 1680 PRINT : PRINT "LET'S RET
      URN TO THE MAIN MENU AND
       ": PRINT "TRY AGAIN": PR
      INT : GOSUB 2120: GOTO 8
      40
86 1690 OT$ = "": GOTO 1560
69 1700 IF SN = N THEN PRINT "TA
      BLE IS FULL": GOSUB 2120
      : GOTO 840
DB 1710 HOME : IF OT$ < > "" THE
N PRINT "THE SOURCE SHAP
      E TABLE IN MEMORY IS: ":
      PRINT OTS: PRINT : PRINT
       "IS THAT OK? (Y/N):": G
      ET ANS: IF ANS = "Y" THE
      N 1760
A2 1720 PRINT : PRINT "ENTER NAM
      E OF SOURCE SHAPE TABLE:
        ": INPUT ""; OT$:
79 173Ø GOSUB 154Ø
El 1740 ONERR GOTO 1690
89 1750 PRINT CHR$ (4); "BLOAD ";
      OT$; ", A"; TB; ", D"; AN
88 1760 HOME : IF N = Ø THEN PRI
      NT "THERE IS NO TARGET T
      ABLE AVAILABLE IN": PRIN
       T "MEMORY. PLEASE INITI
      ALIZE A NEW TABLE": PRIN
      T "OR LOAD ONE FROM MEMO
      RY": PRINT : PRINT "RETU
      RNING TO MAIN MENU": PRI
      NT : GOSUB 2120: GOTO 84
DB 177Ø NO = ( PEEK (TB + 2) + 2
      56 * PEEK (TB + 3) - 2)
       12
AE 1780 OS = PEEK (TB)
D8 1790 DA = PEEK (TB + DS * 2 +
       2) + PEEK (TB + OS * 2
      + 3) * 256 + TB: REM AD
      DRESS OF OLD TABLE
6F 1800 PRINT "THE SOURCE TABLE
      CAN HOLD ";NO;" SHAPES":
PRINT : PRINT "IT NOW H
```

```
EA 1860 POKE 232, TB - INT (TB /
                                          256) * 256: POKE 233, IN
                                          T (TB / 256)
                                    1E 1870 DRAW AN AT 200,100: IF F
                                         LAG = 1 THEN 2630
                                   65 1880 HOME : VTAB 21: PRINT "C
                                         OPY THIS AS SHAPE #"; SN
                                          + 1;" (Y/N) ";: GET AN$
                                   85 1890 IF ANS = "N" THEN 1810
                                   68 1900 IF AN$ < > "Y" THEN 840
                                     1910 VTAB 24: HTAB 1: FLASH :
                                           PRINT "COPYING DATA";:
                                          NORMAL : PRINT "
                                   86 1920 ADDR = PEEK (TA + SN * 2
                                           + 2) + 256 * PEEK (TA +
                                           SN * 2 + 3) + TA
                                   16 193Ø SF = 1: IF SN < N THEN D
                                          1 = ADDR - TA: POKE TA +
                                           2 * SN + 2, D1 - 256 * I
                                          NT (D1 / 256): POKE TA +
                                           2 * SN + 3, INT (D1 / 2
                                          56)
                                   02 194Ø POKE TA, SN + 1
                                   A5 1950 OA = PEEK (TB + 2 * AN)
                                          + PEEK (TB + 2 * AN + 1)
                                          * 256 + TB
                                    31 1960 Z1 = 0
                                    32 197Ø FOR I = 1 TO 1ØØØ
                                    F4 1980 POKE 232, TB - INT (TB /
                                          256) * 256: POKE 233, IN
                                          T (TB / 256)
                                    34 199Ø BI = PEEK (OA)
                                    83 2000 POKE 232, TA - INT (TA /
                                          256) * 256: POKE 233, IN
                                          T (TA / 256)
                                   C7 2010 POKE ADDR. BI
                                   30 2020 ADDR = ADDR + 1
                                   04 2030 OA = OA + 1
                                    05 2040 IF BI = 0 AND Z1 = 0 THE
                                         N POKE ADDR, Ø: ADDR = ADD
                                          R + 1: GOTO 2080
                                   89 2050 IF BI = 0 THEN 2080
                                    05 2060 Z1 = Z1 + 1
                                   88 2070 NEXT I
                                   CB 2080 SN = SN + 1: IF SN < N T
                                          HEN D1 = ADDR - TA: POKE
                                           TA + 2 * SN + 2, D1 - 25
                                          6 * INT (D1 / 256): POKE
                                           TA + 2 * SN + 3, INT (D
                                          1 / 256)
                                   7A 2090 VTAB 23: HTAB 1: PRINT "
                                          DONE, PLEASE PRESS A KEY
                                           ";: GET AN$
                                   68 2100 IF SN = N THEN HOME : VT
                                         AB 23: GOTO 1700
                                   65 211Ø GOTO 181Ø
                                   43 2120 PRINT "PRESS ANY KEY TO
                                          CONTINUE ";: GET ANS: RE
                                          TURN
                                   5F 2125 IF N = Ø THEN 176Ø
                                   4F 213Ø HOME : PRINT "PRESS:": P
                                         RINT : PRINT TAB( 3):"(1
                                          ) TO INSERT A SHAPE IN T
                                          ABLE": PRINT TAB( 3);"(2
                                          ) TO DELETE A SHAPE FROM
                                           TABLE"
                                   66 214Ø PRINT TAB( 3);"(3) TO IN
                                         CREASE TABLE CAPACITY":
55 1810 HOME : HGR : VTAB 24: PR
                                         PRINT TAB( 3); "(4) TO DE
      INT "ENTER Ø TO RETURN T
                                          CREASE TABLE CAPACITY ";
                                          : GET ANS: PRINT ANS: IF
                                          AN$ < "1" OR AN$ > "4"
31 1830 VTAB 21: HTAB 1: PRINT "
                                          THEN 84Ø
      ENTER SOURCE SHAPE NUMBE
                                   38 215Ø AN = VAL (AN$)
                                   5F 216Ø PL = Ø: IF AN = 3 THEN P
                                         L = 1
                                   66 217Ø IF AN = 1 AND SN = 255 T
48 185Ø IF AN < 1 DR AN > DS THE
                                         HEN PRINT : PRINT "SORRY
      N PRINT "SORRY, NO SUCH
SHAPE IN TABLE": PRINT "
                                           THE NEW SHAPE TABLE IS
                                          FULL": PRINT : PRINT "D
      PLEASE PRESS A KEY ": GE
                                          ELETE A SHAPE BEFORE ADD
                                         ING TO TABLE": GOSUB 212
```

```
Ø: GOTO 840
48 2180 ON AN GOTO 2190,2740,302
      5.3025
11 2190 HOME : PRINT "ENTER NUMB
ER OF SHAPE TO BE INSERT
       ED": INPUT "INTO THE NEW
       TABLE "; IS: IF IS < 1 0
      R IS > SN THEN PRINT : P
      RINT "THAT NUMBER IS OUT
       OF RANGE": PRINT : GOSU
      B 2120: GOTO 840
63 2200 FLAG = 1:S1 = SN:NN = N
93 2210 HOME : PRINT "PRESS:": P
      RINT : PRINT TAB( 3);"(1
       ) TO DESIGN NEW SHAPE #"
       ; IS: PRINT TAB( 3); "(2)
       TO GET IT FROM THE SOURC
      E TABLE ";: GET AN$: PRI
NT AN$: IF AN$ < "1" OR
      AN$ > "2" THEN 2210
J1 2220 AN = VAL (AN$)
E# 223Ø ON AN GOTO 224Ø, 261Ø
9C 224Ø F1 = Ø: IF C = Ø OR R =
       15Ø THEN F1 = 1: GOTO 28
      OS
E9 2250 IF N = 0 THEN PRINT : PR
       INT "NO TARGET TABLE AVA
       ILABLE": PRINT : GOSUB 2
       12Ø: GOTO 84Ø
E5 2260 GOTO 310
50 227Ø HOME : POKE - 16368, Ø: V
      TAB 22: HTAB 1: PRINT "I
       NSERT THIS AS SHAPE NUMB
      ER "; IS; " (Y/N)?"; : GET
      AN$
FD 2280 IF AN$ < > "Y" THEN TEXT
       : HOME : GOTO 2130
DI 2290 HOME : VTAB 24: FLASH : PRINT "INSERTING SHAPE N
      UMBER "; IS: NORMAL :SF =
BØ 23ØØ NL = Ø
07 231Ø FOR I = TC + 4 TO TC + 1
      000
91 232Ø BL = PEEK (I):NL = NL +
      1: IF BL = Ø AND NL > 1
      THEN 235Ø
17 233Ø IF BL = Ø THEN NL = 2: G
      OTO 235Ø
82 234Ø NEXT I
74 2350 IF SN = N THEN EX = 2
7A 236Ø GOSUB 334Ø
DE 237Ø START = PEEK (TA + IS *
      2) + 256 * PEEK (TA + IS
       * 2 + 1) + TA: REM FR
      OM IS TO END
58 2380 FOR I = OE TO START STEP
26 2390 POKE I + NL + EX, PEEK (
      I)
74 2400 NEXT I
F9 2410 Z = 0
1C 242Ø FOR I = TC + 4 TO TC + 4
       + NL - 1: REM INSERT N
      EW SHAPE
09 2430 POKE START + EX + Z, PEE
      K(I):Z = Z + 1
84 244Ø NEXT I
F4 245Ø BEGIN = PEEK (TA + 2) +
      256 * PEEK (TA + 3) + TA
      : REM ADDRS OF #1 SHAPE
70 2460 FOR I = START - 1 TO BEG
      IN STEP - 1
27 2470 POKE I + EX, PEEK (I)
94 248Ø NEXT I
95 249Ø BH = Ø
48 2500 A1 = 2: IF SN + 1 > = N
      THEN A1 = Ø
28 2510 FOR I = TA + 2 * SN + A1
       TO TA + 2 * IS STEP - 2
A9 252Ø BH = PEEK (I + 1):BL = P
      EEK (I):BL = BL + NL + E
```

AS "; OS; " SHAPES IN IT":

R TO COPY: ";: INPUT "";

PRINT : GOSUB 2120:

4A 1820 VTAB 21: HTAB 36: PRINT

ANS: AN = VAL (ANS)

T ANS: GOTO 1810

O MAIN MENU"

F# 184Ø IF AN = Ø THEN 84Ø

```
X: IF BL > 255 THEN BL =
       BL - 256:BH = BH + 1: P
      OKE I + 3, BH
DØ 253Ø POKE I + 2, BL: POKE I +
      3, BH
86 254Ø NEXT I
ID 2550 FOR I = TA + 2 * IS TO T
A + 2 STEP - 2
79 2560 BH = PEEK (I + 1):BL = P
      EEK (I):BL = BL + EX: IF
       BL > 255 THEN BL = BL
       256:BH = BH + 1: POKE I
       + 1, BH
7E 257Ø POKE I, BL: POKE I + 1, BH
% 258Ø NEXT I
A3 259Ø SN = S1 + 1:N = NN + EX
      / 2: POKE TA, SN: D1 = 2 *
       N + 2
A8 2600 HOME : VTAB 23: PRINT "I
      NSERTION OF SHAPE NUMBER
       ": IS; " COMPLETE";: PRIN
      T : GOSUB 2120: GOTO 840
98 261Ø IF N = Ø THEN 225Ø
71 262Ø GOTO 171Ø
76 2630 HOME : VTAB 21: PRINT "I
NSERT THIS AS SHAPE # ";
      IS;" (Y/N)";: GET A$: IF
       A$ = "N" THEN 1810
86 264Ø IF A$ < > "Y" THEN 84Ø
IF 2650 DA = PEEK (TB + 2 * AN)
      + PEEK (TB + 2 * AN + 1)
       * 256 + TB: REM ADDR 0
      F SHAPE
12 266Ø Z = Ø
07 267Ø FOR I = Ø TO 1ØØØ: REM
      PUT IT IN TABLE
JA 268Ø BI = PEEK (OA + I)
64 269Ø POKE TC + 4 + I,BI
10 2700 IF BI = 0 AND Z > 0 THEN
       2730
75 271Ø IF BI = Ø THEN POKE TC +
       4 + I + 1,0: GOTO 2730
82 272Ø NEXT I
8E 273Ø GOTO 229Ø
83 2740 PRINT : PRINT "ENTER NUM
      BER OF SHAPE TO DELETE F
      ROM THE": INPUT "TARGET
      (NEW) SHAPE TABLE ": ANS:
      DS = VAL (AN$): IF DS <
      1 OR DS > SN THEN PRINT
      : PRINT "NO SUCH NUMBER
      IN TABLE": PRINT : GOSUB
       212Ø: GOTO 84Ø
A5 275Ø POKE 232, TA - INT (TA
      256) * 256: POKE 233, IN
      T (TA / 256)
85 276Ø HGR : DRAW DS AT 200,100
60 2770 HOME : VTAB 22: PRINT "D
      ELETE THIS AS SHAPE # ":
      DS; "? (Y/N) ";: GET AN$:
IF AN$ < > "Y" AND AN$
      < > "N" THEN 84Ø
% 278Ø IF AN$ = "N" THEN 274Ø
EF 2790 HOME : VTAB 22: FLASH :
      PRINT "DELETING SHAPE #
       ";DS: NORMAL :SF = 1
62 2800 ADDR = PEEK (TA + SN * 2
      ) + 256 * PEEK (TA + SN
      * 2 + 1) + TA
E9 2810 IF PEEK (ADDR) = 0 THEN
      EO = ADDR + 1: GOTO 2850
59 2820 FOR EO = ADDR TO ADDR +
      1999: REM FIND END OF T
      ABLE
83 283Ø BL = PEEK (EO): IF BL =
      Ø THEN 285Ø
28 284Ø NEXT EO
F4 285Ø START = PEEK (TA + 2 * D
      S) + 256 * PEEK (TA + 2
       * DS + 1) + TA
16 286Ø Z = Ø
08 2870 FOR I = START TO START + 84 3235 IF NC < 1 THEN EN = 2: G
```

```
1000: REM FIND LENGTH
                                            OTO 158Ø
                                     44 3240 IF SN > N - NC THEN PRIN
      OF DELETE SHAPE
                                            T "DO YOU WANT TO LOSE "
67 288Ø BL = PEEK (I): Z = Z + 1:
                                            ;SN - N + NC; " SHAPE(S)?
       IF BL = Ø THEN 29ØØ
                                            (Y/N) ";: GET AN$: IF A
N$ < > "Y" THEN 840
A0 2890 NEXT I
37 2900 IF Z = 1 THEN Z = 2
                                     32 325Ø GOSUB 341Ø:SF = 1
FE 2910 FOR I = START + Z TO EO:
                                     SC 3260 FOR I = START TO DE: POK
       REM MOVE VECTORS
                                            E I - 2 * NC, PEEK (I):
49 2920 POKE I - Z, PEEK (I)
                                            NEXT I
8A 293Ø NEXT I
                                     86 327Ø FOR I = TA + 2 TO START
18 2940 EX = 0: IF SN < N THEN E
                                            - 2 - 2 * NC STEP 2
      X = 2
                                     01 3280 BL = PEEK (I):BH = PEEK
(I + 1): IF BL = 0 AND B
8A 295Ø FOR I = TA + 2 * DS + 2
      TO TA + 2 * SN + EX STEP
                                            H = Ø THEN 332Ø
                                     C9 3290 BL = BL - 2 * NC
56 2960 BH = PEEK (I + 1):BL = P
EEK (I):BL = BL - Z: IF
                                     92 3300 IF BL < 0 THEN BL = BL +
                                             256:BH = BH - 1: GOTO 3
      BL < Ø THEN BL = BL + 25
                                            300
      6:BH = BH - 1
                                     CI 331Ø POKE I, BL: POKE I + 1, BH
CC 2970 POKE I - 2, BL: POKE I -
                                           : NEXT I
      1.BH
                                     89 332Ø N = N - NC: IF SN > N TH
9E 298Ø NEXT I
                                           EN SN = N: POKE TA, SN
24 2990 IF SN = N THEN BL = EO
                                     6C 333Ø GOTO 322Ø
       Z + 1: POKE TA + 2 * SN
                                     C1 334Ø Z = Ø:ADDR = PEEK (TA +
       ,BL - INT (BL / 256) * 2
                                            SN # 2) + 256 # PEEK (TA
      56: POKE TA + 2 * SN + 1
                                             + SN * 2 + 1) + TA
        INT ((BL - TA) / 256)
                                     20 3350 FOR I = 1 TO 1000
86 3000 IF EX = 2 THEN POKE TA +
                                     9E 336Ø BL = PEEK (ADDR): IF BL
       2 * SN + 2,0: POKE TA +
                                            = Ø AND Z > Ø THEN 339Ø
        2 * SN + 3, Ø
                                     9A 337Ø IF BL = Ø THEN ADDR = AD
73 3010 SN = SN - 1: POKE TA, SN:
                                           DR + 1: GOTO 339Ø
      EX = \emptyset:ADDR = EO + 1
                                     88 338Ø ADDR = ADDR + 1:Z = Z +
43 3020 HOME : VTAB 22: PRINT "D
                                           1: NEXT I
      ELETION OF SHAPE NUMBER
       ";DS; " COMPLETED": PRINT
                                     73 339Ø DE = ADDR: RETURN
                                     68 3400 HOME : PRINT "THIS TABLE
        : GOSUB 2120: GOTO 840
                                             CAN HOLD ";N; " SHAPES":
IC 3025 GOSUB 3400: IF PL = Ø TH
EN PRINT "SUBTRACT ";: G
                                             PRINT : PRINT "IT NOW H
      OTO 3Ø35
                                            AS "; SN; " SHAPE (S) IN IT
                                            ": PRINT : PRINT : RETUR
81 3Ø3Ø PRINT "ADD ":
14 3035 INPUT "HOW MANY SHAPES?
                                            N
       "; NC$: NC = VAL (NC$)
                                     9E 341Ø PRINT : FLASH : PRINT "A
60 3Ø4Ø GOSUB 334Ø
                                            DJUSTING CAPACITY": NORM
78 3050 START = PEEK (TA + 2) +
                                            AL : RETURN
                                     IF 3420 FOR I = 1 TO 178: READ X
: POKE 2047 + I,X: NEXT
      256 * PEEK (TA + 3) + TA
CF 3Ø6Ø IF PL = Ø THEN 323Ø
88 3070 IF N + NC > 255 THEN HOM
E: PRINT "TOO MANY SHAP
                                            I: RETURN
                                     AE 3430 DATA 165,6,201,73,240,04
      ES!": PRINT : GOSUB 2120
                                            ,201,11,208,37,165,252,1
                                            33, 7, 56, 165, 8, 201, 3, 240,
      : GOTO 84Ø
JA 3080 GOSUB 3410:SF = 1
                                            16,233,6,133,8,197,250,1
57 3090 FOR I = OE TO START STEP
                                            44,3
                                     60 3440 DATA 76,177,8,24,105,6,1
                                            33, 8, 32, 58, 255, 169, 8, 133
€ 3100 POKE I + 2 * NC, PEEK (I
                                            ,7,76,177,8,201,75,240,4
      )
                                             201,21,208,37,24
73 311Ø NEXT I
6E 3120 FOR I = START TO TA + 2
                                     F3 345Ø DATA 165,252,105,1,133,7
                                            ,24,165,9,105,6,133,9,16
       * (N + NC) + 1
                                            5, 251, 197, 9, 176, 102, 56, 1
2E 313Ø POKE I,Ø
                                            65,9,233,6
7F 314Ø NEXT I
                                     % 3460 DATA 133,9,32,58,255,169
,8,133,7,76,177,8,201,77
EF 315Ø FOR I = TA + 2 TO START
       - 2 STEP 2
87 3160 BL = PEEK (I): BH = PEEK
                                            ,240,4,201,10,208,37,24,
       (I + 1): IF BL = Ø AND B
                                            165, 252, 105, 2, 133, 7
      H = Ø THEN 321Ø
                                     AB 347Ø DATA 24,165,8,105,6,133,
                                            8, 169, 150, 197, 8, 176, 57, 5
BB 317Ø BL = BL + 2 * NC
00 3180 IF BL > 255 THEN BL = BL
                                            6, 165, 8, 233, 6, 133, 8, 32, 5
         - 256:BH = BH + 1: GOTO
                                            8,255,169,8
                                     CE 348Ø DATA 133,7,76,177,8,201,
        3180
7F 319Ø POKE I, BL: POKE I + 1, BH
                                            74,240,4,201,8,208,32,24
                                            , 165, 252, 105, 3, 133, 7, 56,
71 3200 NEXT I
E7 3210 BH = INT ((OE - TA + 2 *
                                            165, 9, 233, 6
        NC + 1) / 256):BL = OE
                                     AD 349Ø DATA 133,9,165,9,201,240
       + 2 * NC + 1 - TA - BH *
                                            ,144,12,24,105,6,133,9,3
        256: POKE TA + SN # 2 +
                                            2,58,255,169,8,133,7,96
        2, BL: POKE TA + SN * 2
                                     53 50000 D$ = CHR$ (4): I$ = CHR$
       + 3, BH: N = N + NC
                                             (9)
21 322Ø GOSUB 34ØØ: GOSUB 212Ø:
                                     IE 50020 PRINT D$; "PR#1"
       GOTO 840
                                     2F 50040 PRINT I$; "60P"
C5 323Ø IF N - NC < 1 OR N - NC
                                     85 50050 PRINT I$; "80N"
       > 255 THEN 213Ø
```

Program 3: SHAPETABLE3X6

Please refer to the "MLX" article elsewhere in this issue before entering the following program.

7800: 3A 00 76 00 7C 00 82 00 C5 7808: BE 00 98 00 A0 00 AB 00 A9 7810: AC 00 B4 00 BB 00 C1 ØØ 4F ØØ CE C6 ØØ CA 7818: ØØ D1 00 DF 7829: D7 99 DF 00 E₆ 99 EF 99 10 7828: F8 00 FF 00 Ø6 Ø1 ØE Ø1 E6 7830: 15 Ø1 1F 01 01 26 29 61 68 2F 7838: 01 34 01 39 01 40 01 66 47 7840: 01 49 01 51 01 59 01 90 01 7848: 61 01 6A Ø1 74 **7B** 01 27 85 Ø1 785Ø: BE Ø1 98 Ø1 AØ Ø1 31 7858: A9 Ø1 BØ Ø1 BA 01 C4 01 E8 7860: CD Ø1 D4 Ø1 DF Ø1 F7 Ø1 FF 7868: EE Ø1 F5 Ø1 FE Ø1 97 Ø2 EB 7870: 10 92 18 Ø2 1F Ø2 12 04 2F 787R: 20 24 04 00 40 18 33 ØD D8 7880: 24 0101 21 24 17 27 17 82 15 36 7888: 77 6E 24 27 ØØ 24 BC CØ 7899: 6E BØ 02 30 1E 30 04 99 12 7898: 20 20 9F 8D 12 1F 26 00 CD 78AØ: 36 E5 23 Ø5 20 E5 94 99 **7B** 7848: 40 03 24 00 OC. 23 C5 96 DD 78BØ: 1A 76 94 90 24 1C 8E 12 BD 78B8: F6 04 ØØ EØ ØD 16 1F 94 37 78CØ: 99 24 15 1F 04 99 32 1E F1 78C8: 94 00 38 ØD 04 00 12 Ø4 DB 78DØ: 99 2C 20 D7 92 99 21 90 26 ØØ 2Ø BA 78D8: 1E 36 95 20 E4 76 95 78EØ: 36 6F 94 99 BC 21 E4 9A ØØ 28 54 78FR: 17 RF D1 17 20 04 78FØ: 20 3F BE 11 36 3F ga ga 5B 78F8: 38 24 ØD 36 36 26 ØØ 38 96 7900: 24 2D 96 F6 27 ØØ 38 64 AØ 79Ø8: 95 24 32 1E 1C 99 18 20 49 791Ø: 2D 36 36 26 99 38 28 70 7918: D7 32 ØF Ø5 20 04 ØØ 38 DE 7920: 24 2D 36 36 99 Ø4 2Ø F3 26 15 7928: 00 BØ 13 04 90 94 C7 75 7930: 28 28 20 99 25 38 B7 94 C2 7938: osos 14 ØC ØC 1C 1C 04 OIOI 4D 7940: CØ 2C 35 F6 16 94 99 99 75 7948: osos 25 E4 1E 36 36 ØD 24 CB 7950: 99 60 1C 37 36 65 24 CB 36 7958: ØØ 23 24 2D **B6** 32 3F 24 80 7960: 00 21 30 38 36 36 2F Ø5 92 7968: 20 ØØ Ø8 40 Ø3 3F F5 E7 36 7970: 36 2D Ø4 ØØ 6Ø 38 37 36 D2 7978: 04 99 Ø8 4Ø 36 93 3F 36 CA 79801 34 2F 25 24 aa 28 24 1F 09 7988: 34 36 6E 24 94 ØØ 24 3C D8 7999: ØD 96 1A 36 98 1F 04 99 1B 7998: CI ØB 3Ø 36 F6 Ø7 20 00 EB 79AØ: 94 EØ 09 1F 36 36 6E 24 6C 79A8: 27 00 11 3E 24 24 Ø4 ØØ D3 79BØ: 21 24 17 07 30 36 36 ØD 64 79B8: 24 99 10 24 36 36 6E 3C A7 79CØ: ØC 24 3F 24 00 21 24 36 95 7908: 2E 25 EØ 37 36 04 99 28 FØ 79DØ: 36 36 04 99 21 3C FØ 36 FE 79D8: 36 ØE 3D 28 24 00 Ø5 20 DF 79EØ: 1C 37 36 ØD 24 36 ØØ 38 ØB 79E8: 60 **B**5 32 1E 27 ØØ 12 24 23 79FØ: 24 30 ØD 06 ØØ 31 3E 27 79F8: 24 24 ØD 36 06 ØØ 24 A2 21 7AØØ: 1F 36 36 ØE Ø5 20 00 21 83 26 00 7AØ8: 24 1F 36 36 2F 28 5F 7A1Ø: 20 20 1F **B6** 32 ØD 24 ØØ 8Ø 7A18: 24 12 64 FC 36 ØØ 2C 2Ø A5 96 7A2Ø: 3F 32 2D 04 99 32 00 F7 7A28: 00 00 aa 00 00 99 99 99 1D 7A3Ø: 00 00 00 99 00 00 00 00 25 7A38: 99 99 99 ØØ ØØ 99 99 99 2D 7A4Ø: 00 99 99 99 99 99 99 99 35 7A48: 00 99 99 99 99 99 99 99 3D 7A5Ø: 99 99 99 99 99 99 99 99 45 7A58: 99 99 99 ØØ 00 00 00 99 4D 7A60: 99 99 00 00 00 00 00 00 55 7A68: 00 00 99 ØØ 00 ØØ ØØ ØØ 5D 7A7Ø: 00 00 00 00 00 00 99 00 65 7A78: 00 00 00 00 99 99 ØØ 99 6D 7A89: 99 99 99 99 99 99 99 75

Program 4: SHAPETABLE5X7

Please refer to the "MLX" article elsewhere in this issue before entering the following program.

7800: 64 00 CA 00 D1 00 D9 00 BF 78Ø8: E7 ØØ F5 ØØ Ø3 Ø1 1Ø Ø1 E8 01 781Ø: 17 Ø1 1F Ø1 24 31 Ø1 29 39 Ø1 7818: 44 3E Ø1 Ø1 48 Ø1 7820: 4E 01 5C 01 64 Ø1 71 01 1F 7828: 7C Ø1 87 Ø1 92 Ø1 9F 01 71 783Ø: A9 Ø1 **B7** Ø1 C2 Ø1 C9 Ø1 EB 7838: D2 Ø1 D9 01 F2 Ø1 F9 Ø1 ØE 7840: F3 01 03 02 ØF Ø2 1E Ø2 AA 7848: 28 Ø2 35 92 41 02 4A 02 3D 785Ø: 56 Ø2 62 Ø2 6A Ø2 72 02 9B 7858: 7E Ø2 86 Ø2 92 02 9E 02 D5 786Ø: A9 Ø2 B3 Ø2 BE Ø2 CA Ø2 D2 7868: D7 Ø2 DF 02 EA Ø2 F6 02 31 7870: 02 03 ØD 17 Ø3 23 03 03 03 7878: 2A Ø3 32 03 38 Ø3 4Ø Ø3 Ø7 7889: 45 03 4B Ø3 58 Ø3 63 Ø3 97 7888: 6C Ø3 76 Ø3 81 Ø3 8A Ø3 9F 7890: 97 Ø3 9F Ø3 A6 Ø3 AD Ø3 D1 7898: B7 Ø3 BE 03 C7 Ø3 CF 03 1B 78AØ: DB Ø3 E3 Ø3 ED Ø3 F4 Ø3 D3 78A8: FD Ø3 Ø7 94 ØF 04 18 Ø4 37 78BØ: 23 94 2D 94 37 04 41 014 6A 7888: 49 014 4F 04 57 04 61 Ø4 ØB 78CØ: 73 Ø4 7C 94 86 Ø4 90 04 A5 78CB: 99 94 09 94 18 Ø8 24 24 36 78DØ: 00 Ø1 40 18 2Ø 6C 36 AE 78D8: 00 21 30 ØC 30 ØC 60 36 **7B** 78EØ: 6F 3E ØD 17 17 26 00 09 42 78E8: 10 2D ØC 1C 37 10 97 28 DA 78FØ: 28 E5 16 94 00 2C 28 28 9B 78F8: 28 2Ø DF 33 25 8D 92 32 EB 7900: 25 04 00 29 0D 1C DF 6C 1E

7920: 24 E4 94 00 01 7928: 23 10 ØD **B5** 7930: 09 20 24 FC 12 AD 25 DB 7938: 35 FA 04 ØØ 42 40 18 7940: 2D 2D 94 99 21 35 Ø4 7B 99 7948: 28 28 28 28 20 00 20 24 46 7950: 64 2D 15 36 34 1F 3F 04 73 7958: 28 28 201 aa 29 30 201 24 10 7960: 24 1F 04 99 2D 2D DC 1B 60 7968: 64 2D Ø5 20 1C 3F 1E 04 99 797Ø: 99 70 2D Ø5 20 10 2F 28 6D 7978: EØ 3F 04 00 49 24 FD 42 798ø: 28 30 94 20 28 36 030 70 CD 7988: 2D 95 20 E4 3F 27 20 2D C1 7990: 25 99 29 2D 20 3F 10 37 35 7998: 26 18 08 20 04 0505 99 64 AF 79AØ: 24 95 20 05 20 3F 3F OA BB 79A8: 00 29 2D 20 10 3F 17 26 BF 79BØ: 18 Ø8 2D 64 15 26 00 29 **7B** 79B8: 2D 20 24 E4 3F 17 76 2D 8D 79CØ: 04 00 29 30 Ø4 28 30 DB 7908: 00 91 Ø5 20 27 25 38 20 2D 79DØ: Ø4 ØØ 48 39 38 60 ØC 04 C1 79D8: 99 18 08 2D 2D Ø4 38 3F CE 79FØ: 27 GO GR OC OIC 1C 1C 04 36 79E8: 00 09 04 28 28 20 07 38 29 79FØ: 1E Ø4 ØØ 29 2D 18 Ø8 24 84 79F8: 3F 36 FD 24 1A 24 ØC 2D 71 7AØØ: 15 94 00 24 24 ØC ØC 41 15 7AØ8: 15 36 36 C4 3F 04 00 2D 5F 7A1Ø: 2D 20 3F 1C 36 94 18 ØB 15 7A18: 3C 28 2D 15 26 00 20 24 C1 7A2Ø: 2D 15 64 96 F2 3F Ø4 ØØ **3B** 7A28: Ø5 2Ø 24 30 28 2D 15 36 44 7A3Ø: 36 1E 3F 04 00 24 24 24 FC 2D 7A38: 2D 96 **3B B7** 2A 2D 94 5A 7A40: 00 24 24 24 2D 2D 96 3B 8B 7A48: 27 ØØ 20 24 64 2D 15 9E B7 7A5Ø: 2B 35 F6 3F 04 00 24 24 87 7A58: 24 4D 31 3F 34 AF 11 34 40 7860: 04 00 29 24 Ø7 24 E5 28 C2 7868: 25 ØØ AB 2D 20 24 3C 28 ØA 7A7Ø: 25 99 24 24 24 4D F1 17 1E 7A78: 1E ØE ØE ØE 04 00 2D 2D 4A 7ABØ: DC 24 24 1B 24 00 24 24 FF 7A88: 24 ØE 15 66 28 30 36 36 CØ 7A9Ø: 26 00 24 24 24 ØE ØE ØE E2 7A98: 96 24 21 24 24 00 20 24 6D 7AAØ: 64 2D 15 36 36 1E 3F 94 **C5** 7AA8: ØØ 24 24 24 2D AD 36 1E 18 7ABØ: 3F Ø4 ØØ 20 24 64 2D 15 6A 7AB8: 36 **B**6 1F 67 21 90 24 24 46 7ACØ: 24 2D AD F6 3F ØE ØE ØE 94 7AC8: Ø4 ØØ A8 2D 05 20 10 3F C7 7ADØ: Ø7 2D 20 OC 15 04 00 99 67 7AD8: 24 24 24 3F 4D 25 ØØ 2Ø 80 7AEØ: 24 24 4D 31 36 36 1E 3F **B3** 7AE8: Ø4 ØØ Ø9 Ø7 38 20 24 60 68 7AFØ: 99 36 36 94 99 29 1E 24 25 7AF8: 24 4D 31 36 36 1F ØC 51 1E 7BØØ: 24 00 64 ØC ØC ØC FC 1B FB 7BØ8: 76 71 8F 26 00 09 24 30 17 7B1Ø: 38 2Ø 4D 31 1E 04 00 2D 7B18: 2D DC 1B ØC ØC ØC ØC **3C** E5 7B2Ø: 3F 27 ØØ Ø9 E5 24 24 20 45 7B28: 04 ØØ 48 Ø9 10 10 10 1C 60 7B3Ø: Ø4 00 29 24 24 24 27 99 90 7B38: 40 18 28 28 70 ØE Ø4 ØØ AØ 7B4Ø: 12 2D 2D 94 ØØ 40 40 18 ØB 7B48: 7Ø 94 99 29 ØD 97 20 3F ØF 7B5Ø: 17 Ø5 40 18 2D 15 94 99 63 7B58: 29 2D 20 3F E4 26 40 36 EØ 7B6Ø: 18 24 99 29 E5 1B 24 ØC FF 7B68: 2D 15 Ø4 90 20 64 20 1D C5 7B7Ø: 2Ø 96 36 3F 27 99 29 25 78 7878: ØR 3F 3F 26 60 2D 15 04 73 7B8Ø: 99 21 24 30 Ø5 60 2D D6 E2 7B88: 27 99 29 2D 36 3F 27 18 20 7B9Ø: Ø8 24 20 2D 36 26 00 24 5B 7B98: 24 24 95 AD 26 00 36 29 AB 7BAØ: E5 24 30 ØC 20 00 72 2D EE 7BA8: 20 24 24 27 00 24 24 24 AC 7BBØ: 4D F2 1E ØE ØE 26 ØØ 29

79Ø8: 29 DC 2F 38 6Ø 15 Ø4 ØØ 8F

20 30 26 00

14

29 2Ø F9

0101

18 29

40

1C 24 24 ØC Ø4

7910:

7918:

7BB8: 3D 2Ø 24 24 27 ØØ 24 24 C2 36 7BCØ: 6E 24 24 00 AD 27 21 ØB 36 26 7BC8: 24 10 ØD AD ØØ 20 RE 15 36 1F 3F 24 24 2D AD 36 1E 7RFØ. 3F 04 20 15 00 64 2D B2 36 7RFR: 00 36 F6 38 27 21 24 10 17 7RFØ. an An 014 aa 29 20 FØ 3F 59 7RFR: 07 60 2D 014 00 71 Ø5 EØ 22 67 7000: 23 24 AC 2A Ø4 99 20 CC 7CØ8: 24 4D 27 76 aa 36 76 1F 019 33 7010: ar. OC. 24 DE 33 014 aa 10 7018: 29 20 56 Ø5 20 24 DF 33 4D 7C2Ø: 36 04 00 ØC ØC 1C 10 4D 4C 7028: F1 16 ØE 04 00 12 2D 20 64 04 7C3Ø: 24 1C 4D F1 aa 2D 67 1C 3F 7038: 2D 3F DC 63 OC OC 04 OF 1C ØC 64 25 69 7C4Ø: 99 99 F5 23 7048: 00 09 24 24 24 04 00 29 A4 7C50: Ø5 20 ØC 1C E4 27 ØØ 4Ø 1B 7C58: 18 18 Ø8 ØC 15 15 Ø5 20 40 7060: 00 29 2D 38 3F 67 2D Ø5 C3 38 3F 7C68: Ø5 38 3F 67 2D 67 FR 7070: 2D Ø4 ØØ 24 F4 09 24 1F 4B 7078: 4D E1 Ø4 00 18 Ø8 ØE ØE 1C 7C8Ø: 2C ØC 1F 24 24 00 09 EØ CC 7C88: 1C Ø5 30 25 A8 2A Ø4 ØØ 1F 7090: 09 28 28 38 30 RØ 3F Ø4 C7 7C98: ØØ 25 24 2C 1F Ø5 6Ø AD 9D 7CAØ: 96 F2 Ø7 2Ø ØØ 2Ø ØØ ØØ Ø5

Program 5: SHAPETABLE7X9

Please refer to the "MLX" article elsewhere in this issue before entering the following program.

7800: 80 00 02 01 10 01 20 01 47 78Ø8: 2E Ø1 3B Ø1 46 Ø1 54 Ø1 A7 01 73 01 7A Ø1 B7 Ø1 5B 7818: 93 Ø1 9E Ø1 Ø1 AB Ø1 **B5** AC 7820: CØ Ø1 CD Ø1 DA Ø1 E7 Ø1 27 7828: F1 Ø1 FC Ø1 Ø8 Ø2 14 92 74 7830: 24 92 33 02 40 02 4C 02 DE 7838: 57 Ø2 63 Ø2 6E Ø2 7A Ø2 54 7840: 8B 02 9C 92 A4 Ø2 AD 97 **B**5 7848: C2 Ø2 DB Ø2 ED Ø2 ØØ Ø3 31 7850: 03 10 97 Ø3 19 Ø3 33 Ø3 F5 7858: 3F Ø3 44 03 4B Ø3 4F Ø3 F7 7860: 56 Ø3 6A Ø3 74 Ø3 84 Ø3 76 7868: 95 Ø3 A5 Ø3 B4 Ø3 **C7** Ø3 ØE 787Ø: D3 Ø3 E7 Ø3 F8 Ø3 ØØ Ø4 11 7878: Ø8 Ø4 04 1E Ø4 29 Ø4 13 68 788Ø: 59 Ø4 6C Ø4 35 Ø4 48 Ø4 ØE 7888: 7A Ø4 89 OLA 99 Ø4 A4 04 53 789Ø: B4 014 **C5** Ø4 DØ Ø4 DA 04 26 7898: EA Ø4 F5 Ø4 Ø6 Ø5 18 Ø5 78 78AØ: 28 Ø5 35 95 47 Ø5 58 Ø5 E1 78A8: 68 Ø5 73 Ø5 81 Ø5 90 05 14 78BØ: A3 Ø5 B3 Ø5 Ø5 DØ Ø5 30 CØ 7888: DB 05 F5 05 FF 05 FR 05 68 78CØ: FD Ø5 Ø4 Ø6 1Ø Ø6 2Ø Ø6 B1 7808: 2B 96 **3B** 06 48 96 53 96 9F 78DØ: 7A Ø6 84 Ø6 7F 65 96 71 96 78D8: 91 96 98 06 A4 06 AE Ø6 28 78EØ: B9 Ø6 C8 Ø6 D9 Ø6 E1 Ø6 5A Ø6 Ø2 Ø7 ØC Ø7 70 78E8: EC Ø6 F7 Ø7 25 97 43 A 78FØ: 19 97 Ø7 36 09 78F8: 4F 07 56 07 60 07 68 07 7900: 8B Ø7 20 64 AD 15 15 15 C5 79Ø8: 94 49 18 1E 9F F2 27 99 09 7910: 92 Ø5 20 24 24 24 2D AD 8D 2D Ø5 20 99 49 7918: 1E 3F 96 Ø4 7920: 92 29 30 20 24 24 1C 6F 4A F1 1E 7928: 49 1E Ø4 99 05 59 3E 7930: 20 D7 23 ØC E5 97 20 64 Ø9 E5 2D 7938: AD Ø4 00 **3B** 20 1D 7949: E5 1B ØC ØC 25 00 09 2D 97 7948: 3F Ø7 20 05 28 20 74 DB EØ 7950: 2D 30 04 00 92 49 09 24 59 10 7958: 24 FF 17 ØD 36 26 69 24 6D 28 20 30 3F 796Ø: 00 99 2D Ø8 64 ØC AD AB 7968: 36 ØE C4 18 23 24 80 7970: 15 26 99 29 Ø5 F8 7978: 24 ØØ 24 24 24 95 2A 28 38

FØ

798Ø:

12 ØE ØE

7988: 28 28 15 15 C4 D8 24 E4 44

Ø5 2Ø ØØ Ø5 CØ

7990: 1C Ø4 ØØ 92 24 24 24 60 22 31 36 ØE 1F 90 21 24 Ø5 7998: 79AØ: 6F 49 F6 1E 1E Ø4 ØØ BB 24 7948. 49 20 FØ 3F **TF** 40 OC F5 15 94 99 79RØ: 63 2D 10 99 2D 28 ØB 7988: 20 10 10 F7 1E 74 04 00 98 7900: 09 24 24 30 17 4D 28 2D F4 79C8: 9F 36 36 014 00 92 24 24 D6 79DØ: 24 ØC ØC AD 15 F6 1E E7 DD 79D8: 2D 04 ØØ 18 Ø8 64 ØC 2D 20 ØØ 49 AB 79EØ: 9F ØE F6 1E 79E8: 24 24 30 BF ØD 2D 04 62 79FØ: ØØ Ø1 20 24 3C 4D Ø9 17 AA Ø9 24 79F8: 27 ØØ 3F 20 36 F6 21 1E Ø4 ØØ D3 7AØØ: 25 **B4** A9 36 64 28 FR 1B TAØR: 29 28 28 6F AA EØ 92 49 24 7A1Ø: 11 15 25 aa 24 9D 7A18: 24 24 DF ØE 36 ØE ØD Ø5 ØE 7A2Ø: 20 64 94 99 29 95 20 24 80 7A28: D8 17 36 6E 4A 2D 2Ø 24 68 7A3Ø: 1C Ø4 ØØ 25 E4 24 ØC ØC 62 36 7A38: 2D 15 ØE 36 17 25 ØØ ØA 7040: 18 08 0F 0F 24 24 24 24 04 7A48: 2D 2D Ø4 00 40 18 28 2D 7F 7A5Ø: 2D E5 1C 96 2A 2Ø 00 40 54 7A58: 18 28 28 BØ 12 Ø7 20 2D 8D 7A60: 2D 25 00 49 24 24 24 24 E7 7A68: 1E 1E 4D E1 49 18 86 04 ØØ 7A7Ø: ØB 04 38 3F 44 99 56 2D 85 7A78: Ø4 ØØ 2D 2D 2D DC DB ØC 88 7A8Ø: ØC ØC FD 38 38 38 28 2D E1 7A88: 2D 25 00 40 18 Ø5 28 15 9B 7A9Ø: 15 2D 20 18 08 1E 3F 38 50 7A98: 38 17 04 aa 49 04 18 Ø8 82 7AAØ: 24 24 24 99 49 49 18 98 79 7AA8: 24 4D 36 04 ØØ 09 24 30 B2 7ABØ: 27 28 35 ØE 35 36 44 28 FD 7AB8: Ø4 38 10 10 24 ØD 36 28 37 7ACØ: Ø4 ØØ 28 2D 2D 05 20 10 69 2D 2D E5 65 7ACB: 3F 3F Ø7 20 ØC 7ADØ: B3 B6 B6 1F 94 20 04 20 DE 7AD8: Ø4 2Ø ØØ 49 9 Ø5 FØ 17 A1 7AEØ: DF 63 ØC ØC ØC ØC ØC DF 69 7AFB: F3 17 ØF Ø4 ØØ 29 6D E1 F8 13 7AFØ: 27 65 DF 1F 17 2E 40 60 7AF8: 1F 2Ø ØC 15 26 ØØ ØE Ø7 2D 7800: 40 CO 18 08 00 00 49 05 24 00 73 7BØ8: 1C 10 24 24 OC ØC. 014 7B10: 49 ØC ØC 24 24 1C 1C 94 49 7B18: ØØ ØC 2D ØE ØE DE 23 Ø5 60 ØE 6A 7B2Ø: 24 38 3F Ø4 18 Ø8 ØE 7B28: 2D ØC ØC 96 3F Ø7 18 Ø8 F1 04 00 49 20 24 3F 67 46 7B3Ø: 24 92 29 89 7838: Ø9 24 95 2A 25 ØØ 7B4Ø: 20 30 04 00 40 18 28 2D B6 7B48: 2D 25 00 09 04 00 60 0C 9C 7B5Ø: ØC ØC ØC ØC Ø4 99 29 2D 32 24 E4 3F 7B58: 2D 20 24 3F 17 6E ØC ØC ØC 30 7B6Ø: 36 36 36 ØC ØC 7B68: Ø4 ØØ 29 2D E5 23 24 81 1E Ø4 ØØ 2D 2D 2D DC D6 7B7Ø: 24 7878: DB 63 ØC ØC 65 ØC E4 3F DC 788Ø: 3F 17 04 00 70 2D 2D Ø5 F4 2D 89 7B88: 20 E4 3F 27 18 18 ØC 7B9Ø: 2D 15 04 00 49 09 24 C5 36 3F 3F ØC ØC ØC ØC. FD 7B98: 2C 1F 7BAØ: ØC 04 00 70 2D 2D 7B 36 36 3F 27 24 2C C5 7BA8: Ø5 2Ø E4 3F 2Ø A6 29 2D 20 7BBØ: 20 20 25 00 7BB8: E4 3F 36 04 40 18 A7 3F 37 94 7BCØ: 24 ØC 2D 2D 15 00 09 07 7BC8: 24 64 ØC ØC ØC 30 3F 3F 30 99 29 2D 2D 2Ø E4 3A 7BDØ: 37 94 4Ø 18 24 FA 7RDB: 3F 3F 17 36 94 00 70 52 7BEØ: ØC 2D 2D 15 36 Ø4 24 3F 7BEB: 2D 2D Ø5 20 94 00 13 2D 2D 15 36 7BFØ: 20 64 7BF8: Ø1 18 Ø8 Ø4 4Ø 18 04 00 22 20 ØØ 34 27 40 18 7000: 92 61 24 98 7CØ8: 49 E1 1C 1C 1C ØC. ØC ØC 7C1Ø: ØC 04 00 40 18 2D 2D 2D 11 04 38 3F **TF** 27 0101 09 Ø5 4D 7C18: 28 EØ 1C 1C 1C Ø4 D7 7C2Ø: 28 28 20 0C 0C ØC E4 83 7C28: ØØ 49 Ø4 7C3Ø: 3F 3F 17 26 ØØ 29 2D E5 C2 7C38: DB 23 24 24 64 2D 2D 15 F5

7C4Ø: 36 F6 3F 27 ØC 35 Ø4 ØØ A9 7048: 24 24 24 ØC ØC 2D 15 15 F5 7050: 3F 3F 34 04 94 36 AF 40 31 7058. aa 20 2D 20 20 F4 3F 3F 67 ØD 2D 5E 7C6Ø: 36 26 18 40 24 30 36 7068: AD 00 09 2D 04 2D 7C7Ø: DB 1C 24 24 ØC ØC 2D 2D 7078: 2D 2D 20 24 42 7C80: E4 3F AF 36 34 2D 7088: 00 2D 2D DC DB 23 24 06 7C9Ø: 2D E5 1B 24 2C 2D 25 D4 2D 7098: 24 24 2D F5 1B 99 20 92 24 7000 2D 2D 25 00 09 20 20 20 97 7CA8: ØC AA 30 FF 9A 1C 24 24 ØC. 7CBØ: 2D AD 04 00 24 24 24 24 7CB8: 36 4D 49 36 36 36 C4 7CCØ: 3F 3F Ø8 04 00 29 2D 94 7CC8: 23 24 24 24 3F 4D 25 00 9C 7CDØ: 79 2D Ø5 2Ø 24 24 24 6F 59 7CD8: Ø4 4D 49 99 24 24 24 24 30 7CEØ: 1E 1E 1E 1E 6F 72 OF OF 85 7CF8: 04 00 2D 2D 2D DC DB 23 14 7CFØ: 24 24 24 04 00 24 24 24 C6 7CF8: 24 ØE ØE ØE 26 Ø8 ØC ØC 9F 7DØØ: 36 36 36 36 Ø4 ØØ 24 24 5A 7DØ8: 24 24 ØE ØE ØE ØE ØE 93 7D10: 36 Ø4 18 Ø8 24 24 24 ØØ A4 7D18: Ø9 2D Ø5 28 2Ø 24 E4 1C 7D 7D2Ø: 3F 17 17 36 36 ØE Ø4 00 BB 7D28: 24 24 24 24 2D 2D AD 36 B4 7D3Ø: 1E 3F 3F 04 00 09 2D ØD BD 7D38: 1C 10 ØD 24 24 1C 1C 3F 35 7D4Ø: 1E 1E 36 36 ØE Ø4 ØØ 24 AØ 7D48: 24 24 24 2D 2D AD 34 1E 60 7D5Ø: 3F 3F BD ØE ØE ØE Ø4 ØØ FD 7D58: 70 2D 2D Ø5 2Ø E4 3F 3F 7D6Ø: 2Ø 64 2D 2D 15 Ø4 ØØ ØC 7D68: 49 24 24 24 24 3F 6F 09 DD 7D7Ø: 2D Ø4 00 29 2D 2D 20 24 18 DB 36 36 36 26 7D78: 24 24 DF 65 49 10 7D80: 00 1C 24 24 39 1C 6C 7D88: 49 31 36 36 1E 1E Ø4 ØØ 10 7D9Ø: 24 24 24 24 4D 49 36 36 9F 7D98: 36 36 Ø7 38 38 2Ø B4 1A 7DAØ: 04 00 64 ØC ØC 1E 1C D6 7DA8: 1C 6C 49 31 1E 1E 16 AC 7DBØ: ØE 99 49 24 24 1C 10 D6 26 1E 1E Ø4 7DB8: 1C 49 31 99 BA 4C 7DCØ: 2D 2D DC DB 63 ØC ØC 2D A1 7DC8: ØC ØC ØC 30 3F 3F 27 99 57 7DDØ: Ø9 2D E5 1B 24 24 24 20 30 7DD8: 2D 014 0303 48 49 F1 1C 10 16 7DEØ: 1C 1C 10 Ø4 ØØ 29 2D 24 D7 7DE8: 24 24 24 3F 27 00 40 40 71 7DFØ: 4Ø 48 E1 3F 3F 17 Ø4 ØØ AC 7DF8: 2D 2D 2D 04 00 40 40 40 7EØØ: 49 10 24 ØØ 29 6D 3C 95 9B 7FØR: 20 24 3F BF 17 36 04 00 65 2D 15 36 F6 3F 56 7E1Ø: 24 24 18 Ø8 24 24 99 7E18: Ø7 20 18 3E 29 20 FB DB 24 64 2D 92 7E2Ø: 05 ØØ 29 6D 3C 7E28: AD 94 95 20 16 7E3Ø: 30 Ø5 20 24 96 1B 3F 17 89 7E38: 36 ØØ 29 2D E5 DB 23 48 26 25 E4 3F BF 26 99 57 7E4Ø: 2D 2D 7E48: Ø9 24 24 3F 4D FD 20 64 52 7E5Ø: AD Ø4 00 12 ØE 2D 2D 20 E5 38 BF 36 A5 Ø7 7F58: 24 24 24 1E 00 24 24 24 83 7E6Ø: 76 2D Ø5 2Ø 34 7E68: 24 96 ØA ØC AD 15 26 73 7E7Ø: ØØ 49 24 24 3C Ø5 18 Ø8 B4 12 ØE 2D 2D 20 24 1D 7E78: 94 99 24 24 24 7EBØ: 24 24 94 00 24 37 7E88: 96 49 F1 1E 6F 72 ØE 94 7E90: ØØ Ø9 24 24 24 24 94 99 50 AD 36 36 4D 24 50 7E98: 24 24 20 ØC B2 7EAØ: 24 1C 27 99 24 24 AC 36 36 7EA8: 2D 15 94 00 29 2D 4B 3F BF 36 26 ØA 7EBØ: Ø5 20 24 1C 7EB8: ØØ 92 24 24 24 ØE Ø5 F3 7ECØ: 28 AD 36 F6 3F 99 **C9** 24 24 1E DC 92 09 24 7FC8: 49 2D Ø5 2Ø 4D 38 BF 76 7FDØ: Ø7 36 15 Ø4 ED 74 2D 7ED8: ØØ 24 24 ØC 7EEØ: ØØ 7Ø 2D 2D EØ E7 F4 F7 ØC 7EE8: 2D AD Ø4 ØØ 49 2D F8 23 7C

7EFØ:	24	24	B4	3B	4D	25	00	29	7B	
7EF8:	2D	Ø5	20	24	FC	DB	36	36	ØE	
7FØØ:	04	00	09	1C	1C	24	6C	99	37	
7FØ8:	36	F6	Ø4	ØØ	20	24	60	11	DB	
7F1Ø:	36	F6	6F	29	Ø5	20	24	24	7D	
7F18:	ØØ	ØC	ØC	25	3F	38	68	49	E2	
7F2Ø:	1E	96	15	04	ØØ	12	ØE	2D	48	
7F28:	2D	20	24	24	24	DF	1B	36	99	
7F3Ø:	36	ØE	2D	Ø5	20	00	2D	2D	4C	
7F38:	E5	DB	ØC	ØC	ØC	Ø5	38	3F	87	
7F4Ø:	3F	94	ØØ	49	2D	DC	23	E4	70	
7F48:	ØC	24	ØC	2D	Ø4	ØØ	49	20	7D	
7F5Ø:	24	18	Ø8	24	Ø4	ØØ	29	2D	4A	
7F58:	20	64	1C	24	10	3F	Ø4	ØØ	20	
7F6Ø:	40	18	40	18	60	AD	15	2D	20	
7F68:	20	ØØ	24	24	24	24	35	36	90	
7F7Ø:	36	36	2E	24	24	24	24	35	4F	
7F78:	36	36	36	2E	24	24	24	24	E7	
7F8Ø:	35	36	36	36	2E	24	24	24	40	
7F88:	24	Ø4	ØØ	ØØ	ØØ	FF	ØØ	ØØ	9A	

Program 6: DISPLAYSHAPE

For instructions on entering this program, please refer to "COMPUTEI's Guide to Typing In Programs" elsewhere in this issue.

```
2E 10 HOME: TEXT

92 20 HGR: SCALE= 1: ROT= 0: HC
OLOR= 3

A0 30 POKE 232,0: POKE 233,112

F0 40 VTAB 22: PRINT "ENTER NAME
OF TABLE:": INPUT "";N$:
PRINT "ENTER DRIVE #: ";:
GET AN$:AN = VAL (AN$)

4C 50 PRINT AN

9E 60 PRINT CHR$ (4); "BLOAD ";N$
;",A28672,D";AN

E3 70 X = 1:Y = 1

3D 80 FOR I = 0 TO 200 STEP 20

48 90 FOR J = 1 TO 20

23 100 X = X + 10: IF J = 1 THEN
```

COMPUTE! Subscriber Services

Please help us serve you better. If you need to contact us for any of the reasons listed below, write to us at:

P.O. Box 10954 Des Moines, IA 50340

or call the Toll Free number listed below.

Change Of Address. Please allow us 6–8 weeks to effect the change; send your current mailing label along with your new address.

Renewal. Should you wish to renew your COMPUTEI subscription before we remind you to, send your current mailing label with payment or charge number or call the Toll Free number listed below.

New Subscription. A one year (12 month) US subscription to **COMPUTEI** is \$24.00 (2 years, \$45.00; 3 years, \$65.00. For subscription rates outside the US, see staff page). Send us your name and address or call the Toll Free number listed below.

Delivery Problems. If you receive duplicate issues of **COMPUTEI**, if you experience late delivery or if you have problems with your subscription, please call the Toll Free number listed below.

COMPUTE! 1-800-247-5470 In IA 1-800-532-1272

```
X = 1:Y = Y + 15
F9 110 IF I + J > PEEK (28672) T
      HEN 150
08 120 DRAW I + J AT X,Y
54 130 NEXT J
E5 140 NEXT I
1A 15Ø HOME
            : VTAB 22: PRINT "PL
       EASE PRESS A KEY ";: GET
       ANS: TEXT : HOME : END
Program 7: BARCHART
For instructions on entering this program,
please refer to "COMPUTEI's Guide to Typing
In Programs" elsewhere in this issue
B7 110 TEXT : HOME : MAX = Ø
2F 12Ø READ NB. WB
38 13Ø WS = (28Ø - NB * WB) / (N
       B + 1)
F7 140 X = WS +
74 15Ø IF NB * (WB + WS) < 28Ø T
       HEN 17Ø
58 160 PRINT CHR$ (7); "CHART IS
       TOO WIDE": PRINT "PLEASE
       PRESS A KEY ": GET ANS: G
       OTO 49Ø
48 17Ø DIM BAR(2 * NB), C(5Ø)
2A 18Ø FOR I = 1 TO 2 * NB
98 19Ø READ BAR(I)
  200
      IF MAX ( BAR(I) THEN MAX
       = BAR(I)
E# 21Ø NEXT I
11 22Ø SCL = 13Ø / MAX
58 23Ø HGR : ROT= Ø: SCALE= 1: H
       COLOR= 3
€C 24Ø HPLOT Ø,Ø TO Ø,159 TO 279
       ,159 TO 279,Ø TO Ø,Ø
FC 25Ø FOR I = 1 TO NB
70 260 HPLOT X,159 TO X,159 - SC
       L * BAR(I) TO X + WB, 159
       - SCL * BAR(I) TO X + WB,
       159
91 27Ø X = X + WB + WS
EE 28Ø NEXT I
50 281 X = WS + WB + 13:BW = WB
FB 282 FOR I = NB + 1 TO 2 * NB
48 283 HPLOT X,159 TO X,159 - SC
L * BAR(I) TO X + BW,159
         SCL * BAR(I) TO X + BW,
       159
A3 284 \ X = X + WB + WS
63 285 NEXT I
FF 290 POKE 232,0: POKE 233,112
      PRINT CHR$ (4); "BLOAD BAR
19
  300
       TABLE, A$7000"
F5 31Ø FOR I = 1 TO NB
20 32Ø K = Ø
30 330 FOR J = 1 TO 10
55 34Ø READ C(J): IF C(J) = Ø TH
      EN 38Ø
4A 35Ø DRAW C(J) AT I * (WS + WB
       ) + 5,156 - K * 9
58 36Ø K = K + 1
SE 37Ø NEXT J
78
  38Ø IF I = NB THEN 4ØØ
F1 39Ø NEXT I
  400 FOR I = 1 TO 25
43
FB 410 READ C(I)
EJ 420 DRAW C(I) AT 18 + (I * 9)
       .13
E6 43Ø NEXT I
FF 44Ø FOR I = 1 TO 4
#4 45Ø READ C(I)
87 46Ø DRAW C(I) AT 185 + (I * 5
      ),22
EE 47Ø NEXT I
8A 471 FOR I = 1 TO 4
DB 473 READ C(I): DRAW C(I) AT 5
      7 + I * 5,22
FE 474 NEXT I
60 476 DRAW 32 AT 85,24: DRAW 31
```

```
AT 213.24
FI 480 DRAW 30 AT 10,150
BE 490 VTAB 24: PRINT "PRESS ANY
       KEY ";: GET ANS: TEXT :
      HOME
80 500 END
AC 51Ø DATA 4,1Ø,16Ø,1Ø8,42,168,
      110, 148, 111, 127
F5 520 DATA 1,2,3,0,4,2,2,3,0,7,
1,6,1,5,0,8,5,9,4,3,8,0
72 53Ø DATA 1Ø, 11, 12, 13, 14, 15, 16
       ,11,24,17,14,11,11,12,24,
       18, 10, 19, 20, 21, 22, 14, 15, 1
       9,23
23 54Ø DATA
             25, 26, 27, 28, 25, 26, 2
      9,25
Program 8: BARTABLE
Please refer to the "MLX" article elsewhere in
this issue before entering the following
program.
7800: 20 00 42 00 4E 00 5B 00 72
78Ø8: 66 ØØ 72 ØØ 7A ØØ 84 ØØ 57
781Ø:
      90
         99
            9C ØØ A7
                      99
                         88
                                88
         00 D3 00 E4 00 EF
7818: C8
                            ØØ EE
782Ø: FA
         00 09 01
                  19 Ø1
                         26 Ø1 D9
               91
                         61 Ø1
7828:
      36
         Ø1
            45
                   53 Ø1
                                RF
7830:
      73 Ø1
            75
               Ø1 7C Ø1 83 Ø1
                                C9
7838: 8B
         91
            92
               91
                   9C
                      Ø1 D5
                            Ø1
                24 ØC ØC 15 15
784Ø: E4
         Ø1 24
                3F Ø4 ØØ AB 2D ØD
7848: 36
         36 C4
7850: 05
         20 10
                3F
                   97
                      20 00
                            2D
                                41
7858: 15 Ø4 ØØ
               20 24 24 4D 31 54
786Ø: 36
         36
            1E
                3F
                   04
                      99
                         24
                            24
                                3E
7868: 24
         2D
            AD
                F6
                   3F ØE ØE ØE
7870: 04
         99
            AB 2D 2Ø
                      24
                         30
                            28
7878: 25 00
                24
                   74
                      2D AD 36
            24
                                24
7880: 1F 3F
            04 00 74 74 74 0F DR
7888: ØE
         ØE 96
                21
                   24 24
                         24 00
                                E2
7890: 24
         24
            24
                2D
                   2D 96 3B B7 E5
7898: 2A
         2D
            04
                00
                   20
                      24 64
78AØ: 15
         36
               1E
                   3F 64 66
            36
                                80
78AB: 24
                   2D AD 36 1E
         24
            24
                2D
                                BA
78BØ: 3F
         3F
            BD
               ØE ØE ØE Ø4 ØØ
                                54
78B8: 2D 2D 2D DC DB 23 24 2D DF
78CØ: E5
         1B
            24
                20
                   2D
                      2D 25 ØØ
                                1B
78C8: 2D 2D
            2D DC DB 23 24 24
78DØ: 24 Ø4
            99
                24
                   24
                      24 ØC
                                FC
78D8: 2D
         15 15
                36
                   3F
                      3F 6F
                            40
                                CB
78EØ: 31
                88 49 24 24 24
         36 04
                                BF
78EB: 24
            AF
         3F
                09
                   2D Ø4 ØØ
                            29
                                DC
78FØ: 2D E5 23 24 24 24 3F 4D
78F8: 25 ØØ
            49
                1C
                   10
                      1C
                         24 24
                                25
7900: 6C 49
            31
                      1E 1E Ø4
7908: 00
         70
            2D
                2D
                   Ø5
                      2Ø E4
7910: 3F 07
            20
                   2D 2D 15 Ø4
                64
7918: 00
         24
            24
                24 24 2D 2D AD
                                BB
7920: 36 1F 3F
                3F 04 00 09
                            20
                                FØ
7928: Ø5
         28 2Ø 24 E4 1C 3F 17
                                1B
7930: 17
         36
            36
                ØE Ø4 ØØ 2D
                            2D
                                88
7938: 2D
         20 24 24 E4 3F 3F AF
7940:
      36
         36
            36
                94
                   99
                      29
                         2D
                            2D
                24 DF DB 36
7948: 20
         24
            24
                            36
                                20
      36
795Ø:
         26 99
               69
                   2D 2D F8 DB
                                64
7958: 1C
         24
            24 ØC ØC 2D AD Ø4
                                10
7960: 00
         24
            24
                24 24 ØE ØE ØE
                                A6
7968: ØE ØE ØE 36 Ø4
                      18 Ø8 24
                                BF
7970: 24
         24 00 00 00 20 BC 95
                                ØE
7978: 36
         6F
            04
                99
                   38
                      24
                         2D
                            36
                                C5
7980: 36
         26
            99
               38 64
                      95
                         32 1E
                                97
7988: 1C
         24
            ØØ
                38 24 2D
                         96 F6
                               10
799Ø:
      27
         00
            38 28
                   7Ø D7
                         32 ØE
                                FS
7998:
      05
         20
            Ø4 ØØ 24 24 24 24 B4
79AØ: 2D
         2D
            2D
               2D
                  2D
                      2D 2D
                            20
                                93
               36
79A8: 2D
         2D
            36
                  36 36 3F 3F EF
79BØ: 3F
         3F
            3F
               3F
                   3F
                      3F
                         3F
7988: Ø8 40 CØ ØE ØE ØE ØE ØC 89
79CØ: ØC
                         ØE ØC EF
         ØC
            ØC
               ØE
                  ØF
                      ØF
79C8: ØC
         ØC
            ØC
               DF
                  F3
                      9E F3 1C
                               62
79DØ: 1C
         18
               Ø4 ØØ 24 24 2C AØ
            10
79D8: 2D
         2D
            2D
               20
                  36
                      36
                         3E
                            3F
                                6C
79EØ: 3F
         3F
            27
               aa
                  24
                      24 2C 2D 5F
79E8: 35 36 36
               3F
                   3F
                      99
                         ØØ Ø4 BC
                                 0
```

Font Printer For The IBM PC/PCjr

John Klein

"Font Printer" for the IBM PC/PCjr allows you to print a wide variety of custom character styles on a dotmatrix printer. Its editor makes it easy to design custom text fonts, and the printing program lets you print any ASCII (plain text) file using your custom print style. Another program allows you to print large banners using any custom printer font. As a special bonus, the quarterly IBM PC/PCjr disk that includes this month's COM-PUTE! programs also contains a library of 25 ready-to-use custom printer fonts for this program. The editor program requires a color monitor, and, for the IBM PC and compatibles, a color/graphics card or equivalent hardware is also required. The printing program requires an IBM Graphics Printer or compatible dot-matrix printer. All the programs require BASICA for the PC, Cartridge BASIC for the PCjr, or GW-BASIC for compatibles, and DOS version 2.1 or higher.

"Font Printer" makes it possible to create, edit, and print custom fonts on a dot-matrix printer. You can print text in almost any imaginable print style, from Gothic and Roman to Old English, outlined characters, or whatever else you can devise. You have full control over the shape of each character, so Font Printer isn't limited to printing ordinary characters of the alphabet. It also can print custom letterheads, other graphic designs, and banners.

This article includes four programs. The font editor (Program 1) lets you design and edit complete custom fonts and save them to disk. The printing program (Program 2)

Figure 1: Custom Fonts

REGULARQUALITY
This is a test
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvWXYZ
abcdefghijklmnopqrstuvWXYZ
abcdefghijklmnopqrstuvWXYZ
abcdefghijklmnopqrstuvWXYZ
TRIPLE
This is a test
ABCDEFGHIJKLMNOPQRSTUVWXYZ
ABCDEFGHIJKLMNOPQRSTUVWXYZ
ABCDEFGHIJKLMNOPQRSTUVWXYZ
ABCDEFGHIJKLMNOPQRSTUVWXYZ
Abcdefghijklmnopqrstuvwxyz
1234567890

TRIPLESCRIPT
This is a test
ABCDEFGHIFKLMNOPQRSTUVWXYZ
abcdefghijklmnopgrstuvwxyz
1234567890

OLDWEST
This is a test
ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890

PUMP1'R): NE This is a test ABCDEFGHI: JHLMNOPQRS1'UVWXYZ abcdefghi: jH Imnopqrs'I'uvwxyz

RANDOM
This is a Yest
ABCDEYGHIJKLMNOPORSTUVWXYZ
ABCDEYGHIJKIMNOPORSTUVWXYZ
OLDENGLISH
This is a test

This is a test
ABCDEFGEIJELMNOPORSTUUWXYZ
abcdefghijklmnopqrstuuwxyz

"Font Printer" allows you to create many different custom fonts and print any font in a variety of sizes.

lets you print any ASCII text file using the custom font of your choice. Program 3 helps you keep track of the custom fonts you have created, and the banner printer pro-

gram (Program 4) prints large-letter banners using custom fonts. The accompanying figures illustrate just a part of what you can do with Font Printer.

Figure 2: Letterhead



Dear Prospective Traveler,

With prices rising in what seems every market, the cost of travel is lower than it has ever been. In fact some companies cut their prices in half all the way across the board. Take that long needed vacation today! Don't put it off any longer.

Come down and see our special vacation packages. Simply choose your vacation spot and budget and we'll set you up with the best possible package. We'll get you your airplane, bus, or cruise tickets and reserve a nice place to stay, once at your destination.

See us soon. There is no better time than the present!

Sincerely,

Herbert Filling

Herbert Filling General Manager

1300 STATE STREET, ANYTOWN, U.S.A.



"Font Printer" can also create eye-catching graphic designs, such as this letterhead for a fictitious travel agency. The graphics shapes are created by redefining a block of text characters.

(Ed. Note: As a bonus for disk subscribers, the COMPUTE! Disk that includes the programs for this month also contains 25 ready-made custom printer fonts. (Because space is limited, we cannot publish the bonus fonts in the magazine.)

These programs were tested on an IBM Graphics Printer, a Star Micronics SD-10 (in IBM mode), and on an Okidata printer with the IBM Plug 'n Play Kit. To use Font Printer on another type of printer, check the printer manual to see if it can print APA (All Points Addressable) graphics, also known as bit-image graphics. The printer must also use the command sequence CHR\$(27) CHR\$(76)—ESC L—in order to get 960 dots in the same space normally occupied by 80 text charactersusually referred to as doubledensity graphics mode.

Using The Font Editor

Type in Programs 1–4 and save them on disk; then load and run Program 1, the font editor. The program begins by asking you to enter a filename for the font you wish to edit. Each custom font is saved in a separate disk file. The filename must be no longer than eight characters, not including the extension. You should add a special extension such as .FNT with font filenames as a reminder that they contain custom printer fonts.

Each disk that contains font files must also contain a font code directory file named FONTCODE. DIR. If no font code directory is found on the disk, the font editor will create a new FONTCODE. DIR file. The font editor will also make the appropriate entries in the font code directory for each new font you create. Any disks containing

font files must also have a font code directory file before the fonts can be used by Programs 2–4.

To load an existing font, place a disk containing the appropriate font file in the drive and enter the desired filename. The editor loads the file from disk and displays the first character of that font on the screen. If you enter the name of a file that is not found on the disk or is not currently in the font code directory, Program 1 asks whether you wish to create a font code directory entry for the new file. Press Y to create a new font file or to add an existing file to the font code directory, or press N to abort the function and return to the original prompt.

If a file with the specified name exists on the disk but is not in the font code directory, Program 1 allows you to simply add the file to the directory and begin editing. Otherwise, you must create a new font file. In this case, you have two options: You can start with an empty font (all character patterns will be blank), or you can start with a font that is a copy of an existing font. If you choose the option to start with an empty font, you must answer a few questions before you begin to edit. First, the program requests that you specify the character size in terms of width and height.

The character width (in dots) can be any whole number from 4–36. A width value of 12 creates normal-width characters which will print ten characters to the inch on a standard printer. To create half-width characters, you would specify a width of 6. Use a width of 24 for double-width characters, 36 for triple-width, and so on.

After you specify the character width, Program 1 asks you to specify the character height in terms of lines. A character may be one, two, or three lines high. Each line contains eight vertical dots, and the normal printer font is one line in height. A character with a height of two lines is 16 dots high, and one with three lines is 24 dots high—a very large character, indeed.

The next prompt asks you to enter the *font call code* for this font. This is the code name you will use to call (begin using) the font within a word processing document. The

font call code can be a descriptive word of any length, but it must contain no spaces, colons, or hyphens. To use a font, you need to remember its call code, not its filename. The font code directory matches call codes with filenames.

Finally, the font editor program prompts you to press C if you wish to create a character font or H if you wish to create a header. A header is simply a picture or graphic design that is built of several individual custom characters. The process of creating headers is described later in this article.

Editing Screen

After you answer those questions (or if you began the program by loading an existing font), the font editor displays the main editing screen. This screen is divided into two areas. On the left is a list of single-key options used in editing. On the right is the editing window, which displays an enlarged version of the current character.

A custom character set is created by drawing one character at a time in the editing window. Use the cursor keys to move around inside the editing window. If you press the space bar when the cursor is on a blank space, that space is turned on. To turn off a space that is already turned on, simply move the cursor to that square and press the space bar again.

Font Printer allows you to define patterns for ASCII characters 33–126. These are all the characters that can be entered from the IBM PC/PCjr keyboard without using the Alt-key entry mode.

If you are creating a comparatively small font, you can draw each character by moving around the editing window and turning on the dots to represent that character. For larger characters or graphics, you may find it faster to draw each character on graph paper before transferring the design to the computer. Another method is to tape a sheet of clear plastic over the monitor screen and draw on the plastic with washable marking pens, then use the editor to fill in the squares to make up the design. When you're done creating one character, simply wipe off the plastic and pro-

ceed to the next.

Figure 3: Centering Guidelines

Uppercase	Lowercase	Ascenders	Descenders	
ABCDEFGH IJKLMNOP QRSTUVWX YZ123456 7890\$%@&	aceimno rsuvwxz *+-=	bdfhklt #	gipqy	

Placement

The placement of each character within the editing window is critical. If you don't align each character in the set properly, the font may look messy or be difficult to read. For most fonts, you'll want to leave white space around characters to prevent them from running into one another and becoming illegible. Figure 3 illustrates some centering guidelines which will create a pleasing appearance in most cases. Note that all characters except uppercase I should be placed flush against the left side of the editing window.

The exact amount of blank space bordering each character depends on the effect you wish to achieve. In general, you should leave one or two blank lines below the characters to leave room for descenders on the lowercase characters g, j, p, q, and y. Similarly, the top line or two of space should be reserved for uppercase characters and for the ascenders in the lowercase characters b, d, h, k, l, and t. Every character should have at least one row of white space to the right.

Editing Options

The left side of the editing screen displays the font editor's single-key commands:

M	move to new character
C	clear editing window
T	trace from character
S	save character to disk
I	reinitialize font parameters
A	clear all characters
W	rewrite screen
R	restart program
Q	quit
SPACE	plot/erase point
	or cancel current command
D	turn draw mode on/off
E	turn erase mode on/off

The move command (M) lets you change which character you are editing.

The clear window command (C) clears the editing window, erasing the current character pattern.

The trace command (T) allows you to copy the pattern of another character in the font into the editing window. This is useful for creating characters that look similar. For instance, to create a lowercase e character, you might begin by tracing in the pattern of lowercase c (assuming you have already created the c). When asked to choose which character to trace, you may either enter the character's ASCII value or simply type the desired character. Note that this command clears the current character before tracing the pattern of the new one.

The save command (S) saves the current character pattern (the contents of the editing window) to the font file. To add the pattern to the font file, you must save it before moving to another character or exiting from the editor. After you save a pattern, you will automatically be moved to the next character in the set. Note that all the data for the pattern may not be written immediately to disk when you use the S command. The computer collects the data in a buffer and writes to disk only when the buffer is full. For this reason, it's important to always exit the program with the Q (quit) command. If you use Ctrl-Break to break out, the last editing changes you made may not be written to disk.

The initialize command (I) resets the size of the font and allows you to change its call code. If you change the font size, you'll probably need to use the clear all (A) command to erase any previous character definitions. Character patterns designed for one font size will appear garbled when displayed in another size.

The clear all command (A) clears all the characters in the current font. Use this command with care; it's not possible to recover the character patterns once they have been erased.

The rewrite command (W) erases and redisplays the entire editing screen. The editing window is redrawn with the character pattern from the font file.

The restart command (R) restarts the program. The current chararacter set patterns will be cleared, and you'll be given the opportunity to choose another font file for editing.

Press the Q key to exit the program and return to BASIC. All saved character patterns will be written to disk before the program exits

The clear all, restart, and quit commands all ask *Are you sure?* before proceeding. Respond with *Y* to execute the command or *N* to cancel the command. You can also cancel the clear, trace, and save commands by pressing the space bar while the command is acting.

The draw-mode command (D) allows you to turn automatic draw mode off and on. When draw mode is on, the cursor automatically turns on every square which it moves over. This is useful for filling large areas of the editing window. When draw mode is off, the cursor moves without disturbing anything in the edit window.

The erase-mode command (E) allows you to turn automatic erase mode off and on. When erase mode is on, the cursor automatically erases every square which it moves over.

Both draw mode and erase mode are canceled when you draw with the space bar.

Creating Headers

A header is simply a picture made of many custom characters. Perhaps the most common use of a header is to create a letterhead which goes at the top of a page of stationery. (See Figure 2.) However, you can use this feature to put graphics anywhere on a page.

The first step in creating a header is to decide on its size. You must subdivide the header into blocks of character size. For example, to create a header that is 240 dots wide by six lines high, you could use character blocks 24 dots wide by three lines high, in which case 20 characters would be re-

quired for the header—two rows of 10 characters each. Other character sizes could be used, such as 12 dots wide by two lines high, in which case the header must be subdivided into more blocks. The only restriction is that the complete header pattern can use no more that 94 blocks (only characters 33-126 can be defined). If you use the largest character size (36 dots wide by three lines high) and divide the header into 26 characters across by 3 characters high, you can create a header line that is three times as high as the largest font style and the width of 80 normal characters, a space about $8 \times \frac{3}{4}$ inches in size.

If you create a header of the maximum size, the three lines of character blocks can be divided in many different ways. For instance, you might use the upper two lines to create a custom letterhead for the top of a page, and use the remaining line to create a design for the bottom of the page.

Header characters can be created by drawing as you go on the editing screen. However, you may find it somewhat difficult to visualize the overall design, since only one character is visible in the editing window. Perhaps the simplest method is to tape together several sheets of graph paper and design the header completely before you begin editing with the font editor. Then decide what portion of the design should go in each character block, and begin filling in the characters. You'll have an easier time remembering which character blocks comprise the header pattern if you use a sequential series of characters for the patern. For example, if you subdivide your header design into two rows of ten characters, you might use characters 65-74 (corresponding to A-J) for the top row and characters 75-84 (corresponding to K-T) for the bottom row. Be sure you remember which characters you used for your design. You'll need this information to print the header later.

Forbidden Character Values

When you save a character, its pattern is converted into a series of numbers in the range 0–255. Two

of the 256 possible values create problems when you attempt to write them to disk as part of a file. The tab character (ASCII 9) is written as five space characters rather than as one tab character. Character 26 signifies the end of a file and prevents all subsequent values from becoming part of the file. If you try to save a pattern containing either of these values, the program shows you which dots in the pattern create the problem number (they will be changed to red), and it gives you a chance to correct them. Simply change one of the offending dots in the vertical column containing a problem pattern and try to save the character again. Fortunately, these values appear infrequently.

Using Custom Fonts

Once you have created a custom font or header, you can use the font or header in a word processor document. The first step, of course, is to create the document and decide which fonts you wish to use. You can use almost any word processor, as long as it has an option to store documents as ASCII text files. (Program 2, the printing program, can use only ASCII text files.) You can use any of the fonts created with the font editor as well as the standard character styles available in your word processor or printer. A few special rules must be followed when preparing a document to use the custom fonts and headers.

Using a font that's wider than the usual 12-dot width may require some extra planning. Because the characters take up more space horizontally, you may have problems centering them or determining how many will fit on a line. For instance, if you are using double-width (24dot) characters, you should reduce the margins on your word processor by half, or insert an extra space between each character in a line so that the word processor will not attempt to store too many characters per line. If a line of text translates into font characters requiring more than the maximum number of dots the printer can place on a line (960 dots for the IBM Graphics Printer), characters to the right of the limit will be lost. Similarly, you may encounter problems when trying to set the page length for fonts

Increase your knowledge about all aspects of compu

An absolutely no-risk guarantee.

Select 5 Books for only

More programs, projects, and ways to use your micro. Keep well-informed about the latest books available—and get the original publishers' editions at discounts of up to 50% off the publishers' prices!









1884P \$18.95



2738 \$29.95 Counts as 2





1816 \$15.95



\$17.95



1970 \$22.95



1988 \$23.95



2732 \$18.95





1085P \$10.25



1807 \$17.95



2622 \$21.95



2710 \$27.95 Counts as 2



2623 \$21.95



1535 \$16.95



1737 \$18.95





2691 \$23.95



1724P \$13.50



2756 \$18.95



2650 \$21.95



2856 \$25.95



1990 \$24.95



\$12.95



1275 \$15.95



2694 \$22.95

Membership Benefits • Big Savings. In addition to this introductory offer, you keep saving substantially with members' prices of up to 50% off the publishers' prices. • Bonus Books. Starting immediately, you will be eligible for our Bonus Book Plan, with savings of up to 80% off publishers' prices. . Club News Bulletins. 13 times per year you will receive the Book Club News, describing all the current selections-mains, alternates, extras-plus bonus offers and special sales, with hundreds of titles to choose from. . Automatic Order. If you want the Main Selection, do nothing and it will be sent to you automatically. If you prefer another selection, or no book at all, simply indicate your choice on the reply form provided. • Ironclad No-Risk Guarantee. If not satisfied with your books, return them within 10 days without obligation! • Exceptional Quality. All

books are quality publishers' editions especially selected by our Editorial Board.



1997 \$21.95



2749 \$22.95







1993 \$21.95





The Computer Book Club®

P.O. Box 80, Blue Ridge Summit, PA 17214

Please accept my membership in The Computer Book Club® and send the 5 volumes circled below, billing me \$3.95 plus shipping and handling charges. If not satisfied, I may return the books within ten days without obligation and have my membership canceled. I agree to purchase at least 3 books at regular Club prices (plus shipping/handling) during the next 12 months, and may resign any time thereafter.

1535 1737 1768 1807 2622 2623 2650 2691 2694 2732 2749 2756 2761 2766P 2771 2831 2850 2855 2856 Name

Address City

Phone Valid for new members only. Foreign applicants will receive special ordering instructions. Canada

must remit in U.S. currency. This order subject to acceptance by The Computer Book Club®

that are taller than usual—each line printed in the tall font will occupy more than one line printed in standard height. You can compensate by inserting a blank line between each line of double-height text, or two blank lines between each line of triple-height text.

Comma Command

To change the font style within a word processing document, you must include a comma command at the point of change. A comma command is simply a comma (,) followed immediately by a the call code of the font which you wish to use. (Remember, use the call code for the font, not the filename under which the font is stored.) When the document is printed, the comma command tells the printing program (Program 2) which font to use at that point in the printout.

All of the fonts created by the font editor program are line fonts, meaning that you must print an entire line of text in the selected font, not just part of the line. The comma to begin the command must be the first nonspace character in the line, except that leading form feed characters, CHR\$(12), are allowed. Only one comma command is allowed per line of text.

The comma must be followed immediately (without spaces) by the call code of the desired font, which must be entirely in uppercase characters. A comma command can also take several optional parameters. Here is a list of the comma command options:

- S space following lines horizontally
 SS space following lines horizontally and vertically
- D double strike
- G change printer graphics mode
- H horizontal expansion
- V vertical expansion

You need not include any options in the comma command. For example, if you simply wish to change to the custom font named MYFONT, you would insert this comma command at the beginning of the line where you want the change to take effect:

,MYFONT:Your text goes here.

Notice that the call code (MY-FONT) contains no spaces. The comma command must be separated from the text to be printed by a

colon (:). In this case, your text consists of the words Your text goes here. If you include options in the comma command, each option must be preceded by a hyphen (-). For instance, this comma command changes the font to MYFONT and causes the printer to double-strike each character one dot below the first character.

,MYFONT-D1:Your text goes here.

The S and SS options tell the printer program how to handle large fonts. The S option assumes that you have provided extra spaces between each character to be printed; this option is appropriate when you are printing characters that are normal height, but wider than normal. The SS option makes the same assumption about horizontal spacing and further assumes that you have inserted an extra line between each line of text to be printed; this option is appropriate when you are using characters that are both wider and higher than usual.

The D option invokes doublestrike mode, in which the printer prints each character, then backs up and prints it again before proceeding to the next character. You may follow the D with a number from 1 to 3 to control how many dots below the first character the second character is printed. Double-strike values of 1 or 2 make characters appear darker than normal. Larger values create a mirrored or doubling effect.

The G option changes the printer's graphics mode. This permits you to squeeze or expand existing fonts even further by invoking built-in printer modes. The G should be followed by the two-digit numeric code of the option you want to invoke. For an IBM Graphics Printer and compatibles, the codes 75, 76, and 90 invoke normal graphics, double-wide graphics, and compressed graphics, respectively. Thus, the comma command ,MY-FONT-G90 causes the printer to use the characters in MYFONT, using compressed graphics mode.

The H and V options affect the optional automatic spacing invoked by the S or SS options (see above). The H option is followed by a number in the range 1–9 to indicate how many times the font should be ex-

panded horizontally. The V option is followed by a number from 1 to 4 to indicate how many times to expand the font vertically. For example, the comma command ,MYFONT-H3-V2-SS tells the printer program to print each subsequent character three times its normal width and two times its usual height.

Expanding characters with the H and V options can be a slow process. To indicate that something is happening, the program flashes an exclamation point (!) on the

screen.

Back To Normal

To cancel a custom font and resume printing with the printer's standard character set, insert this comma command:

REGULAR

Note that this command cannot use any of the options of the other commands. There are two ways of changing the print style while using the standard character set. The first is to use the usual formatting commands for your word processor. You must use some care, however, when mixing these commands with Font Printer comma commands. To use this method, insert all of the comma commands needed to do what you want, then print the document to disk using your word processor's printer option or print program. It is important to include this step so that the output is reformatted according to your embedded formatting commands and so that the final file is in ASCII.

Standard Fonts

The second way to change printer styles is to define special printer font call codes. The definitions must be entered as DATA statements at the end of Program 2. Remember, a standard printer style is one which your printer can print without the aid of Font Printer. Program 2 must know three things for each standard character style: the style's call code, the ASCII code or sequence of codes which invokes the style, and the code or sequence which disables the style.

Definitions for some styles available on the IBM Graphics Printer are already in the DATA lines at the end of Program 2, but you may want to add more. To avoid confusion, it is best to put each set of standard font information on its own DATA line. Begin by typing a descriptive name for the style. This name is the style's call code; note that the call code must be entirely in uppercase, with no spaces, colons, or hyphens. The call code must be followed by the ASCII value or values which invoke (enable) this font, each number separated by a comma. Next must come the value -1, which marks the end of the invoking sequence. In the same manner, enter the ASCII values which turn off (disable) the font, following that sequence with another -1. Here are two examples for standard compressed and double-width compressed modes:

1010 DATA COMPRESSED, 15,-1,18,-1 1020 DATA DOUBLECOMPRESSED, 15,14,-1,20,18,-1

Notice that two codes are used to enable double-width compressed mode: The first valueequivalent to CHR\$(15)—invokes compression and the second (14) invokes double-width printing.

If you add new DATA lines to Program 2, note that the last DATA item must be named ENDD. Do not delete the line containing the REG-ULAR call code; this item is needed to return to normal print mode after you have invoked a custom font.

Once you have defined the special font codes for the standard styles, you can invoke the styles by including comma commands just like those for the custom fonts. For example, if you have defined a call named COMPRESSED, you can invoke that style with the command ,COMPRESSED:.

Printing Headers

Headers are printed in much the same manner as any other font created by Font Printer. The comma commands have the same effect for headers as for any font. The only difference is in how the different parts of the picture are written into the document. Remember, a header consists of many different blocks which have been designed to make up one large picture. Thus, your word processing document would contain the constituent characters

which, when redefined, make up the picture.

To illustrate, say that you have created a graphic header named MYHEAD using all of the characters from ASCII 33-110; you have used the largest font style as suggested earlier, and the design occupies three lines, 26 characters to each line (characters 33-58 were used for the top line, 59-84 for the middle, and 85-110 for the bottom). In the header file—and in the final printed product—each character's pattern makes up part of the overall design. But here is the way the header would appear in a word processing document before printing to disk:

,MYHEAD:!"#\$%&'()*+,-./0123456789: <=>?@ABCDEFGHIJKLMNOPQRST UVWXYZ[\]^-'abcdefghijklmn

The comma command ,MY-HEAD tells the printer program to use the font from the file MYHEAD. Like other comma commands, it is separated from subsequent text with a colon. After the comma command comes the series of characters which, when translated by the printer program, creates the graphic design of the header.

Printing A Document

When you run Program 2, it asks you for the name of the file to print. Enter the name of the ASCII text file that contains your document. There are two different ways to print the document. The first is to enter LPT1: (or simply press Enter) when the program asks you for the output file/device. This option causes the document to be printed directly to the printer, a method which works in most cases.

If the first method does not produce the expected results, or if you wish to print more than one copy of the document, use this technique: When prompted for the output file/device, enter a filename. The program creates a disk file containing the data that would otherwise have been sent to the printer. Once saved on disk, the document can be printed in one of two ways. You can use the DOS PRINT command to put the file in the print queue, allowing you to run other programs while the file is printing. You can also use TYPE and redirect the output to the printer instead of the screen. Here are examples of both commands (remember, these are DOS commands which you enter from the DOS prompt):

PRINT filename TYPE filename >LPT1:

The expression >LPT1: diverts the output from TYPE to the printer. TYPE works about twice as fast as PRINT, but it doesn't allow you to perform other tasks while printing like PRINT does.

After you enter the output file/ device, Program 2 asks for the name of the disk drive (be sure to include the colon-A:, B:, and so on) which contains the font files. This allows you to keep your font files on a separate disk. If you have more than one drive, put the document disk (the one containing your text file) in drive A: and the the font disk in drive B:; then specify B: for the drive containing font files. If you have only one disk drive, you can either put the text file on the same disk as the font files, or you can enter B: for the font-file drive. In the latter case, you'll have to repeatedly swap the document and font disks. (When it's time to swap disks, the computer will beep twice. Wait for a message to insert the correct disk.) In any case, the font disk must also contain a font code directory file (FONTCODE.DIR).

If the program can't find a font file called in your document, it indicates the error and gives you the option of inserting a disk containing the specified font file or ignoring the font change.

After you have answered all the necessary questions, Program 2 prints the document to a file or to the printer, according to your choice.

Listing Call Codes

Program 3 helps you keep font files in order. To get a complete list of the font call codes for all of the font files in the current font code directory for a disk, use Program 3. You can direct the listing of font codes and filenames to the screen, printer, or a disk file. Program 3 also has an option to create a file containing a sample of all the fonts in the font code directory. If you choose this option, the program will create a disk file named ALLFONTS, which you can then print with Program 2.

Printing Banners

Program 4 prints banners using custom fonts which you have created with the font editor. After you enter the words to be printed on the banner and the font call code for the font in which the banner is to be printed, the program displays the possible print sizes and asks you how many times to expand the font horizontally and vertically. In most cases, the best results are obtained by selecting a horizontal expansion value that is about half the vertical expansion value. This prints the font with about the same proportions as it would normally have.

After you select the banner size, you are given three different ways to make up each letter. In the first method, the banner letters are made from the words of the message itself. For example, if the message is Happy Birthday, each letter is made up of the letters HappyBirthday. The second method is to create each character out of normal-sized versions of the character itself. (The large H is made of small H characters, and so on). The third method lets you choose the character or combination of characters to use for the banner; for instance, to make a happy birthday banner for your friend Bill, you might use BILL to make up each character.

For instructions on entering these programs, please refer to "COMPUTEI's Guide to Typing In Programs" elsewhere in this issue.

Program 1: Font Editor

- FM 10 SCREEN 0,1:WIDTH 80:KEY OF F: DIM CHAR (2, 37), CODE\$ (2, 5 Ø): COL=3
- 01 20 CLS:LOCATE 1,14:COLOR 0,5: PRINT" Font Editor ":LOCAT E 3,1:COLOR 5,0:INPUT"Name of font file to edit >",F ILE\$:B\$=FILE\$:GOSUB 940:IF B\$="" THEN BEEP: GOTO 20 E LSE FILES=BS
- LJ 3Ø A\$="":ON ERROR GOTO 40:OPE N"I", #1, FILE : CLOSE #1: ON ERROR GOTO Ø:GOTO 5Ø
- HD 4Ø IF ERR=53 THEN A\$="NOT ":R ESUME 50 ELSE 980
- IL 50 ON ERROR GOTO 60: OPEN"I",# 3, "FONTCODE.DIR": ON ERROR GOTO Ø:GOTO 7Ø
- 80 60 IF ERR=53 THEN OPEN"0",#3, "FONTCODE.DIR":CLOSE #3:RE SUME 50 ELSE 980
- KE 7Ø IF NOT (EOF (3)) THEN FOR Z= Ø TO 2: INPUT #3, CODE\$: NEXT Z: IF CODE\$<>FILE\$ THEN 70 ELSE IF A\$="" THEN 90
- 0A 8Ø CLOSE #3:GOSUB 57Ø:GOTO 1Ø

- BK 90 CLOSE #3: OPEN"R", #1, FILE\$, 4: FIELD #1,2 AS B\$,2 AS C\$:GET #1: X=VAL (B\$): Y=VAL (C\$) \$8: CLOSE #1
- GL 100 OPEN"R",#1,FILE\$,X:FIELD #1,X AS D\$:CHR=1
- PD 110 COLOR 6,0:LOCATE 8,1:PRIN T"M = MOVE to new charact er":PRINT"C = CLEAR editi ng window":PRINT"T = TRAC E (copy) image from chara cter": PRINT"S = SAVE char acter to disk":PRINT"I = reINITIALIZE font paramet ers":PRINT"A = clear ALL characters"
- NP 120 PRINT"W = reWRITE screen" :PRINT"R = RESTART progra m":PRINT"Q = QUIT":PRINT" SPACE BAR = plot/erase po int"TAB(10)"(or cancel cu rrent command) ": PRINT"D = DRAW is OFF": PRINT"E = E RASE is OFF": DRAWS=Ø: ERAS ES=Ø
- IJ 13Ø GOSUB 92Ø:COLOR 4,Ø:FOR Z =1 TO 25:LOCATE Z, 42:PRIN T SPACE\$ (38) :: NEXT Z: FOR Z=1 TO X:LOCATE Y+1, Z+42: PRINT RIGHT\$ (STR\$ (Z), 1);: NEXT Z:FOR Z=Ø TO 1:FOR Z 1=1 TO Y: LOCATE Z1, 42+ (Z* (X+1)):PRINT RIGHT\$(STR\$(Z1),1);:NEXT Z1,Z:XP=1:YP =1:CR=CHR
- MD 14Ø GOSUB 89Ø: FOR Z=1 TO Y/8: GET #1, ((CR-1) \$Y/8) +Z+1:F OR Z1=1 TO X:A=ASC(MID\$(D
- \$,Z1,1)):IF A=Ø THEN 18Ø LM 15Ø IF INKEY\$=" " THEN GOSUB 93Ø:GOTO 19Ø
- 6H 16Ø FOR Z2=7 TO Ø STEP -1:IF A=>2^Z2 THEN A=A-(2^Z2):L OCATE (Z-1) *8+(8-Z2), Z1+4 2:COLOR 5,5:PRINT" ";
- KF 17Ø NEXT Z2
- LM 180 NEXT Z1, Z: COL= (SCREEN (YP, 42+XP, 1) AND 15)
- HB 190 COLOR ,0:LOCATE 23,1:PRIN T SPACE\$ (4Ø);
- PE 200 LOCATE YP, XP+42: COLOR 1,C OL: PRINT CHR\$(1);
- MO 210 AS=INKEYS: IF AS="" THEN 2 10
- NE 220 IF CANCEL THEN CANCEL=0:C OLOR ,0:LOCATE 21,1:PRINT SPACE\$ (40);
- JJ 23Ø IF LEN(A\$)=2 THEN 39Ø ELS E IF AS=" " THEN IF DRAWS THEN AS="D" ELSE IF ERAS ES THEN AS="E" ELSE COLOR 5,5:LOCATE YP, XP+42:PRIN T" ";:IF COL=5 OR COL=4 T HEN COL=3:GOTO 200 ELSE C OL=5:GOTO 200
- PA 240 LOCATE YP, XP+42: COLOR COL ,COL: PRINT" ";: A\$=CHR\$ (AS C(A\$)+32*(A\$>="a" AND A\$< ="z"))
- MF 250 IF A\$="C" THEN COL=3:GOSU B 890: GOTO 200
- E0 260 IF A\$="T" THEN 500
- FK 27Ø IF A\$="S" THEN 42Ø
- JN 280 IF A\$="W" THEN GOSUB 560: **GOTO 110**
- DP 290 IF A\$="M" THEN 530 El 300 IF A\$="I" THEN GOSUB 960: CLOSE #1:GOSUB 720:GOTO 1
- JH 310 IF A\$="A" THEN GOSUB 960: GOSUB 860: GOSUB 890: COL=3 :CHR=1:GOSUB 920:GOTO 200 68 320 IF A\$="R" THEN GOSUB 960:

- CLOSE #1: RUN
- PL 33Ø IF A\$="Q" THEN GOSUB 96Ø: CLOSE #1: SCREEN Ø: CLS: END
- FI 340 IF AS="D" THEN DRAWS=1-DR AWS: COL=5: IF ERASES THEN ERASES=Ø
- GI 350 IF AS="E" THEN ERASES=1-E RASES: COL=3: IF DRAWS THEN DRAWS=Ø
- HD 360 LOCATE 19,13: IF DRAWS THE N COLOR 14, Ø: PRINT"ON " E LSE COLOR 6, Ø: PRINT"OFF"
- 01 370 LOCATE 20,14: IF ERASES TH EN COLOR 14,0: PRINT"ON " ELSE COLOR 6, Ø: PRINT"OFF"
- CI 380 GOTO 200
- LK 39Ø A\$=RIGHT\$(A\$,1):XO=XP:YO= YP:IF A\$="H" AND YP>1 THE N YP=YP-1 ELSE IF A\$="M" AND XP<X THEN XP=XP+1 ELS E IF AS="P" AND YP<Y THEN YP=YP+1 ELSE IF A\$="K" A ND XP>1 THEN XP=XP-1 ELSE 200
- DM 400 LOCATE YO, XO+42: COLOR COL , COL: PRINT" ";: COL= (SCREE N(YP, XP+42, 1) AND 15): IF D RAWS THEN COL=5 ELSE IF E RASES THEN COL=3
- IM 410 LOCATE YP, XP+42:COLOR 1,C OL:PRINT CHR\$(1);:GOTO 20
- PO 42Ø SAVED=Ø:COLOR 2,Ø:LOCATE 21,1:PRINT"SAVING"SPACE\$(18);
- PD 430 FOR X1=43 TO X+42:FOR NUM =1 TO Y/8:BYTE=Ø:FOR Y1=8 TO 1 STEP -1: BYTE=BYTE-2 ^(8-Y1) * ((SCREEN (Y1+ (NUM-1) *8, X1, 1) AND 15) <>3): NEX T Y1
- HM 44Ø IF INKEY\$=" " THEN GOSUB 93Ø:GOTO 2ØØ
- KO 45Ø CHAR (NUM-1, X1-42) = BYTE: IF BYTE=9 THEN COLOR 4,4:LO CATE (NUM-1) #8+5, X1: PRINT " ";:LOCATE (NUM-1) *8+8, X 1:PRINT" ";:SAVED=1
- GL 460 IF BYTE=26 THEN COLOR 4,4 :LOCATE (NUM-1) #8+4, X1:PR INT" ";:LOCATE (NUM-1) *8+ 5, X1: PRINT" ";:LOCATE (NU M-1) #8+7, X1: PRINT" ";: SAV ED=1
- CC 470 NEXT NUM, X1: IF SAVED=1 TH EN COLOR 4,0:LOCATE 21,1: PRINT"PATTERN CANNOT BE S AVED": CANCEL=1: GOTO 200
- MK 48Ø FOR Z=1 TO Y/8:B\$="":FOR Z1=1 TO X: B\$=B\$+CHR\$ (CHAR (Z-1, Z1)): NEXT Z1: LSET D\$ =B\$:PUT #1, ((CHR-1) *Y/8)+ Z+1:NEXT Z
- FC 49Ø CHR=CHR-1*(CHR<94):GOSUB 920:COLOR ,0:LOCATE 21,1: PRINT SPACE\$ (6): CR=CHR: GO TO 140
- FE 500 COLOR 3,0:LOCATE 23,1:LIN E INPUT"Character to trac e (!-~ or 33-126) >",B\$:I F B\$="" THEN 19Ø
- MP 510 CR=VAL(B\$)-32:IF CR<=-23 THEN IF B\$>"~" OR B\$<"!" THEN BEEP: GOTO 500 ELSE C HR=ASC(B\$)-32:GOSUB 920:C R=CHR:GOTO 140 ELSE IF CR <1 OR CR>94 THEN BEEP: GOT 0 500
- DA 52Ø GOTO 14Ø
- KL 530 COLOR 3,0:LOCATE 23,1:LIN E INPUT"Character to edit (!-~ or 33-126) >",B\$:IF B\$="" THEN 190

- HE 540 CR=VAL(B\$)-32:IF CR<=-23 THEN IF B\$>"~" OR B\$<"!" THEN BEEP:GOTO 530 ELSE C HR=ASC(B\$)-32:GOSUB 920:C R=CHR:GOTO 140 ELSE IF CR <1 OR CR>94 THEN BEEP:GOT O 530
- JM 550 CHR=CR:GOSUB 920:GOTO 140
 IF 560 CLS:LOCATE 1,14:COLOR 0,5
 :PRINT"Font Editor ":LOC
 ATE 3,1:COLOR 5,0:PRINT"C
 urrent font filename >"FI
 LE\$:RETURN
- CK 57Ø COLOR 12:LOCATE 21,1:IF C ODE\$<>FILE\$ THEN 59Ø
- DN 580 PRINT FILE*;" appears in the font code directory, but isn't on disk.":PRINT "Do you wish to create a new version of ";FILE*;" (Y/N)? ";:GOTO 600
- FB 590 PRINT"There is no entry f or ";FILE\$;" in the font code directory.":PRINT"Th ere is ";A\$;"a file named ";FILE\$;" on this disk." :PRINT"Do you wish to cre ate an entry for ";FILE\$; " (Y/N)? ";
- LD 600 B\$=INPUT\$(1):IF B\$="N" OR B\$="n" THEN RETURN 20
- NC 610 IF B\$<>"Y" AND B\$<>"y" TH EN BEEP:GOTO 600
- KC 62Ø LOCATE 21,1:FOR Z=1 TO 3:
 PRINT SPACE\$(7Ø):NEXT Z:L
 OCATE 21,1:PRINT"(E) = st
 art with an EMPTY font":P
 RINT"(C) = start with a C
 OPY of an existing font":
 IF A\$="" THEN PRINT"(A) =
 ADD an existing font fil
 e to the font code direct
 ory"
- FC 63Ø B\$=INPUT\$(1):IF B\$="E" OR B\$="e" THEN GOSUB 56Ø:A\$ ="NEW":GOTO 72Ø
- NH 640 IF B\$="A" OR B\$="a" THEN IF A\$="" THEN SOURCE\$=FIL E\$:GOTO 670
- CK 650 IF B\$<>"C" AND B\$<>"c" TH EN BEEP: GOTO 630
- OA 660 CLS:INPUT"Filename of fon t to copy >",SOURCE\$:B\$=S OURCE\$:GOSUB 940:IF B\$="" THEN BEEP:GOTO 660 ELSE SOURCE\$=B\$
- JB 670 ON ERROR GOTO 710:OPEN"I" ,#1,SOURCE\$:CLOSE #1:OPEN "R",#1,SOURCE\$,4:FIELD #1 ,2 AS B\$,2 AS C\$:GET #1:X =VAL(B\$):Y=VAL(C\$) *8:CLOS E #1:ON ERROR GOTO 0
- 61 680 IF SOURCE\$=FILE\$ THEN GOS UB 560:GOTO 780
- N! 690 OPEN"R",#1,SOURCE\$,X:FIEL D #1,X AS B\$:OPEN"R",#2,F ILE\$,X:FIELD #2, X AS C\$
- IE 700 FOR Z=1 TO 94:GET #1,Z+1: LSET C\$=B\$:PUT #2,Z+1:NEX T Z:CLOSE:GOSUB 560:GOTO 780
- IL 710 GOSUB 560:LOCATE 5,1:PRIN T"ERROR: ";SOURCE*;" not found or couldn't be read .":RESUME 620
- EM 720 COLOR 5,0:LOCATE 4,1:INPU T"Character width in dots (4-36) > ",X:IF X<4 OR X >36 THEN BEEP:GOTO 720
- BJ 730 LOCATE 5,1:INPUT"Characte r height in lines (1-3) > ",Y:Y=Y*8:IF Y<1 OR Y/8> 3 THEN BEEP:GOTO 730

- EM 740 OPEN"R",#1,FILE\$,4:FIELD #1,2 AS B\$,2 AS C\$
- PL 750 LSET B\$=RIGHT\$(STR\$(X),2) :LSET C\$=RIGHT\$(STR\$(Y/8) ,2):PUT #1,1:CLOSE #1
- EH 760 IF A\$="I" OR A\$="NEW" THE N OPEN"R",#1,FILE\$,X:FIEL D #1,X AS D\$
- HO 77Ø IF A\$="NEW" THEN GOSUB 86 Ø:CLOSE #1
- JJ 780 COLOR 3,0:LOCATE 23,1:INP
 UT"Enter code name for th
 is font >",CODE\$:B\$=CODE\$
 :GOSUB 940:IF B\$="" THEN
 BEEP:GOTO 780 ELSE CODE\$=
 B\$
- AC 790 LOCATE 23,1:INPUT"Font ty
 pe: (C) = Character or (H
) = Header >",TYPE\$:IF T
 YPE\$="C" OR TYPE\$="c" THE
 N TYPE=0 ELSE IF TYPE\$="H
 " OR TYPE\$="h" THEN TYPE=
 2 ELSEBEEP:GOTO 790
- BF 800 OPEN"I",#3,"FONTCODE.DIR"
- FK 810 WHILE NOT(EOF(3)):FOR Z1= Ø TO 2:INPUT #3,CODE\$(Z1, Z):NEXT Z1:Z=Z+1:WEND:CLO SE #3:Z1=0
- K8 82Ø IF Z1=Z THEN Z=Z+1 ELSE I F CODE\$(2,Z1)<>FILE\$ THEN Z1=Z1+1:GOTO 82Ø
- EN 83Ø CODE\$(Ø,Z1)=STR\$(TYPE):CO DE\$(1,Z1)=CODE\$:CODE\$(2,Z 1)=FILE\$
- BL 84Ø OPEN"O",#3,"FONTCODE.DIR" :FOR Z1=Ø TO Z-1:FOR Z2=Ø TO 2:PRINT #3,CODE\$(Z2,Z 1):NEXT Z2,Z1:CLOSE #3
- JP 850 COLOR ,0:LOCATE 23,1:PRIN T SPACE\$(50);:RETURN
- H6 86Ø FOR Z=1 TO 94:FOR Z1=1 TO Y/B
- OP 87Ø IF INKEY\$=" " AND A\$="A" THEN 93Ø
- KF 880 LSET D\$=STRING\$(X,CHR\$(0)
):PUT #1,(Z-1)*Y/8+Z1+1:N
 EXT Z1,Z:RETURN
- KM 89Ø FOR Z1=1 TO Y:COLOR 3,3:L OCATE Z1,43:PRINT SPACE\$(X):
- X); BI 900 IF INKEY\$=" " AND A\$="C" THEN 930
- DB 91Ø NEXT Z1:Z1=FRE("c"):RETUR N
- LF 920 COLOR 7,0:LOCATE 6,1:PRIN
 T"Current character = ";:
 COLOR 15:PRINT CHR\$(CHR+3
 2);:COLOR 7:PRINT SPC(5);
 "ASCII =";:COLOR 15:PRINT
 CHR+32;:RETURN
- OM 930 COL=(SCREEN(YP,42+XP,1)AN D 15):CANCEL=1:COLOR 4,0: LOCATE 21,1:PRINT"COMMAND CANCELLED":WHILE INKEY\$< >"":WEND:RETURN
- JI 940 C\$="":FOR ZZ=1 TO LEN(B\$)
 :ASCII=ASC(MID\$(B\$,Z2,1))
 :IF ASCII<>32 THEN C\$=C\$+
 CHR\$(ASCII+32*((ASCII>96)
 AND(ASCII<123)))
- FI 950 NEXT Z2:B\$=C\$:RETURN
- IM 960 COLOR 12,0:LOCATE 23,1:PR
 INT"Are you sure you wish
 to "A\$" (Y/N)? ";:B\$=INP
 UT\$(1):IF B\$="Y" OR B\$="Y"
 THEN LOCATE 23,1:PRINT
 SPACE\$(41);:RETURN
- KJ 97Ø IF B\$="N" OR B\$="n" THEN RETURN 19Ø ELSE 96Ø
- IC 98Ø CLOSE:PRINT:PRINT "Error" ;ERR;"in line";ERL:RESUME

ME 99Ø END

Program 2: Printing Program

- IF 1Ø SCREEN Ø:WIDTH 8Ø:COLOR 2, Ø,Ø:KEY OFF:DIM TEXT\$(94,2),CODE\$(3,100),B#(960)
- 00 20 READ A\$:IF A\$<>"ENDD" THEN CODE\$(0,Z)="1":CODE\$(1,Z)
 =A\$:FOR Z1=2 TO 3:READ A:W
 HILE A<>-1:CODE\$(Z1,Z)=COD
 E\$(Z1,Z)+CHR\$(A):READ A:WE
 ND:NEXT Z1:Z=Z+1:GOTO 20
- NH 3Ø STANDARD=Z-1
- KB 4Ø CLS:COLOR Ø,2:LOCATE 1,33:
 PRINT" Font Printer ":COLO
 R 2,0:LOCATE 3,1:INPUT"Dri
 ve with disk containing do
 cument file (default = A:)
 > ",DISK1\$:IF DISK1\$="" T
 HEN DISK1\$="A:" ELSE IF RI
 GHT\$(DISK1\$,1)<>":" THEN B
 EEP:GOTO 40
- PP 50 LOCATE 5,1:PRINT"Insert di sk containing document fil e into drive ";DISK1\$
- 8F 6Ø LOCATE 7,1:PRINT SPACE\$(78
):LOCATE 7,1:INPUT"Name of
 ASCII document file to pr
 int > ",IN\$:IF IN\$="" THEN
 BEEP:GOTO 6Ø
- DL 70 ON ERROR GOTO 820: OPEN"I", #2,DISK1\$+IN\$: ON ERROR GOT
- MP 80 FEND=0:WHILE NOT(EOF(2)):L INE INPUT #2, A\$:FEND=FEND+ 1:WEND:CLOSE #2
- II 90 IF FEND=0 THEN BEEP:LOCATE
 9,1:PRINT"ERROR: Input fi
 le ";IN\$;" is empty.":GOSU
 B 760:GOTO 40
- CO 100 LOCATE 9,1:PRINT SPACE\$(7 8):LOCATE 9,1:INPUT"Name of output file or device (default = LPT1:) > ",OUT T\$:IF OUTT\$="" THEN OUTT\$ ="LPT1:"
- BB 110 ON ERROR GOTO 830:OPEN"O" ,#1,OUTT\$:ON ERROR GOTO 0
- ED 120 LOCATE 11,1:PRINT SPACE\$(
 78):LOCATE 11,1:INPUT"Dri

 ve with disk containing f

 ont files (default = B:)

 > ",DISK2\$:IF DISK2\$="" T

 HEN DISK2\$="B:" ELSE IF R

 IGHT\$(DISK2\$,1)<>":" THEN

 BEEP:GOTO 120
- ML 130 IF DISK2\$<>DISK1\$ THEN LO CATE 13,1:PRINT"Insert di sk containing font files into drive ";DISK2\$
- CB 14Ø PRINT:PRINT STRING\$(78,"-
- DN 150 OPEN"R", #2, DISK1\$+IN\$,1:F IELD #2,1 AS I\$:FLIN=0:CH AR=0:NUM=0
- KM 160 FLIN=FLIN+1:IF FLIN<=FEND THEN 200
- DE 17Ø CLOSE:PRINT STRING\$(78,""):PRINT"Finished printin
 g ":IN\$:PRINT
- BN 180 PRINT"Print another docum ent (Y/N) > ";:A\$=INPUT\$(1):IF A\$="y" OR A\$="Y" TH EN 40
- MO 190 IF A\$<>"n" AND A\$<>"N" TH EN BEEP:GOTO 180 ELSE CLS :END
- EE 200 A\$="": ON ERROR GOTO 880
- 10 210 IF EOF(2) THEN 170 ELSE C HAR=CHAR+1:GET #2, CHAR: IF

- ASC(I\$)<>13 THEN A\$=A\$+I \$:LS=(I\$<>""):GOTO 210
- IJ 220 GET #2:IF ASC(I\$)<>10 THE N LF=0 ELSE CHAR=CHAR+1:L F=-1
- 80 23Ø IF INSTR(A\$,CHR\$(12))=1 T HEN A\$=RIGHT\$(A\$,LEN(A\$)-1):PRINT #1.CHR\$(12):
- 1):PRINT #1, CHR\$(12);
 MD 24Ø Z=INSTR(A\$,","):IF Z=Ø TH
 EN 54Ø ELSE IF Z=1 THEN 2
- EA 250 FOR Z1=1 TO Z-1:IF MID\$(A \$,Z1,1)<>" " THEN Z=0:NEX T Z1:IF Z=0 THEN 540
- EE 26Ø Z1=INSTR(Z,A\$,":"):IF Z1= Ø THEN 54Ø ELSE FONT\$=MID \$(A\$,Z+1,Z1-Z-1)
- JL 270 Z2=INSTR(FONT\$,"-"):IF Z2
 THEN OPT\$=MID\$(FONT\$,Z2)
 :FONT\$=LEFT\$(FONT\$,Z2-1)
- J6 280 COLOR 6:PRINT"font=";FONT \$;:IF Z2 THEN PRINT" & "; OPT\$;
- BJ 29Ø IF FONT\$=OLD\$ THEN 39Ø
- MC 3ØØ Z3=Ø
- EM 310 IF Z3<=STANDARD THEN IF C ODE\$(1,Z3)=FONT\$ THEN 380 ELSE Z3=Z3+1:GOTO 310
- 6L 320 FLAG=1:GOSUB 780:ON ERROR GOTO 860:OPEN"I",#3,DISK 2\$+"FONTCODE.DIR":ON ERRO R GOTO 0
- 00 330 Z=STANDARD+1:WHILE NOT(ED F(3)):FOR Z3=0 TO 2:INPUT #3,CODE\$(Z3,Z):NEXT Z3:Z =Z+1:WEND:CLOSE #3:Z3=STA NDARD+1
- MJ 34Ø IF Z3<Z THEN IF CODE\$(1,Z 3)=FONT\$ THEN 38Ø ELSE Z3 =Z3+1:GOTO 34Ø
- DM 35Ø BEEP:PRINT:PRINT:PRINT"No entry for ";FONT\$;" in f ont code directory."
- FE 360 PRINT"(I) = Ignore font c hange":PRINT"(R) = Retry on another font file disk ":B\$=INPUT\$(1):IF B\$="i" OR B\$="I" THEN FLAG=2:GO SUB 780:GOTO 530
- NH 37Ø IF B\$="r" OR B\$="R" THEN 32Ø ELSE BEEP:GOTO 36Ø
- 00 38Ø NUM=Z3:IF VAL(CODE\$(Ø,NUM))=1 THEN PRINT:GOTO 53Ø
- KE 390 DOUBLE=0:DNUM=0:GR=76:SPA CED=0:VERT=1:HOR=1:SP=0:P R=0:IF Z2=0 THEN 470
- CJ 400 FOR Z3=1 TO LEN(OPT\$):B\$= MID\$(OPT\$,Z3,1) J6 410 IF B\$="S" THEN SPACED=1:I
- J6 41Ø IF B\$="S" THEN SPACED=1:I
 F MID\$(OPT\$, Z3+1,1)="S" T
 HEN SPACED=2:Z3=Z3+1
- IH 42Ø IF B\$="D" THEN DOUBLE=1:D
 NUM=VAL(MID\$(OPT\$, Z3+1, 1)
): Z3=Z3+1
- KD 43Ø IF B\$="G" THEN GR=VAL(MID \$(OPT\$, Z3+1, 2)): Z3=Z3+2
- FA 44Ø IF B\$="V" THEN VERT=VAL(M ID\$(OPT\$,Z3+1,1)):Z3=Z3+1 :IF VERT>4 THEN VERT=4 EL SE IF VERT<1 THEN VERT=1
- HL 450 IF B\$="H" THEN HOR=VAL(MI D\$(OPT\$, Z3+1,1)): Z3=Z3+1: IF HOR<1 THEN HOR=1
- LB 460 NEXT Z3
- HE 470 PRINT #1,CHR\$(27)+CHR\$(50);:IF FONT\$=OLD\$ THEN NUM =ONUM:PRINT " - Font alre ady in memory.":GOTO 530
- ED 480 ON ERROR GOTO 870:OPEN"I" ,#3,DISK2\$+CODE\$(2,NUM):C LOSE #3:ON ERROR GOTO 0
- IF 49Ø OPEN"R", #3, DISK2\$+CODE\$(2, NUM), 4: FIELD #3, 2 AS B\$,

- 2 AS C\$:GET #3,1:WIDE=VAL (B\$):HIGH=VAL(C\$):CLOSE # 3:SP\$=STRING\$(WIDE,Ø)
- FB 500 OPEN"R", #3, DISK2\$+CODE\$(2, NUM), WIDE: FIELD #3, WIDE AS B\$
- ND 510 FOR Z=1 TO 94:FOR Z3=0 TO HIGH-1:GET #3,(Z-1)*HIGH +Z3+2:TEXT\$(Z,Z3)=B\$:NEXT Z3,Z:CLOSE #3:FOR Z=0 TO HIGH-1:TEXT\$(0,Z)=SP\$:NE XT Z
- BI 520 OLD\$=FONT\$:ONUM=NUM:PRINT
 " high=";HIGH;" wide=";
 WIDE:FLAG=2:GOSUB 780
- BH 53Ø A\$=MID\$(A\$, Z1+1)
- P0 540 COLOR 7:IF VAL(CODE\$(0,NU M))=1 THEN PRINT A\$:PRINT #1,CODE\$(2,NUM);A\$;CODE\$ (3,NUM);:IF NOT(LF) THEN PRINT #1,CHR\$(27);CHR\$(74);CHR\$(1);:GOTO 160 ELSE PRINT #1,"":GOTO 160
- EI 550 IF SPACED=0 THEN 600
- 6C 56Ø LE=LEN(A\$):B\$=A\$:A\$="":FO R Z=1 TO LE STEP WIDE*HOR /12:FOR Z1=1 TO WIDE*HOR/ 12:IF MID\$(B\$,Z+Z1-1,1)=" " THEN NEXT Z1:A\$=A\$+" " ELSE A\$=A\$+MID\$(B\$,Z+Z1-1,1)
- FH 570 NEXT Z: IF SPACED=1 THEN 6
- HB 58Ø SP=SP+1:IF SP=HIGH*VERT T HEN SP=Ø:IF NOT(PR) THEN 6ØØ ELSE PR=Ø:GOTO 16Ø
- HK 590 IF NOT(LS) OR PR THEN 160 ELSE PR=-1
- DD 600 A\$=LEFT\$(A\$,INT(960/(WIDE *HOR))):LE=LEN(A\$):PRINT A\$
- HF 610 FOR Z1=0 TO HIGH-1:FOR Z2 =0 TO DOUBLE:IF Z2=1 THEN PRINT #1,CHR\$(27)+CHR\$(5 1)+CHR\$(DNUM+1) ELSE IF Z 1>0 AND VERT=1 THEN PRINT #1,CHR\$(27)+CHR\$(49)
- DB 62Ø C\$=CHR\$(27)+CHR\$(GR)+CHR\$
 ((LE*WIDE*HOR)MOD 256)+CH
 R\$(FIX(LE*WIDE*HOR/256)):
 IF VERT=1 THEN PRINT #1,C
 \$:
- 6K 63Ø FOR Z3=1 TO LE:ASCII=ASC(
 MID\$(A\$,Z3,1))-32:IF ASCI
 I<Ø OR ASCII>94 THEN ASCI
 I=Ø
- 10 64Ø IF VERT>1 THEN 68Ø
- HF 650 IF ASCII=0 THEN FOR Z4=1 TO HOR:PRINT #1,SP\$;:NEXT Z4:GOTO 710
- AG 66Ø IF HOR=1 THEN PRINT #1, TE XT\$(ASCII, Z1);:GOTO 71Ø
- 0E 67Ø FOR Z4=1 TO WIDE:A\$=MID\$(
 TEXT\$(ASCII,Z1),Z4,1):FOR
 Z5=1 TO HOR:PRINT #1,A\$;
 :NEXT Z5,Z4:GOTO 71Ø
- CE 68Ø FOR Z4=1 TO WIDE:A=ASC(MI D\$(TEXT\$(ASCII,Z1),Z4,1)) :B#=Ø
- JF 690 FOR Z5=7 TO Ø STEP-1:IF A
 >=2^Z5 THEN A=A-(2^Z5):FO
 R Z6=Ø TO VERT-1:B#=B#+(2
 ^Z5^VERT)*(2^Z6):NEXT Z6
- NH 700 NEXT Z5:FOR Z5=1 TO HOR:B #((Z3-1)*WIDE*HOR+(Z4-1)* HOR+Z5)=B#:GOSUB 750:NEXT Z5,Z4
- FK 710 NEXT Z3, Z2: IF VERT=1 THEN 730
- CG 720 FOR Z2=VERT TO 1 STEP-1:P RINT #1,C\$;:FOR Z3=1 TO W IDE*HOR*LE:PART=INT(((B#(Z3)/256^Z2-INT(B#(Z3)/256

- ^Z2)) *256^Z2) /256^(Z2-1))
 :PRINT #1, CHR*(PART);:GOS
 UB 750:NEXT Z3:PRINT #1, C
 HR*(27)+CHR*(49):NEXT Z2
- BC 73Ø NEXT Z1:IF VAL(CODE\$(Ø,NU M))=2 THEN PRINT #1,"":GO TO 16Ø
- MC 74Ø PRINT #1,CHR\$(27)+CHR\$(5Ø):GOTO 16Ø
- PC 75Ø PRINT"!"CHR\$(29)" "CHR\$(2 9);:RETURN
- 60 76Ø PRINT TAB(8) "Press any ke y to continue...":WHILE I NKEY\$="":WEND:RETURN
- HD 770 LOCATE 11,1:PRINT SPACE\$(
 78):PRINT SPACE\$(78):RETU
 RN
- HI 780 IF DISK1\$<>DISK2\$ THEN RE TURN ELSE BEEP: ON FLAG GO TO 790,800
- NA 790 PRINT:PRINT"Remove docume nt disk from drive ";DISK 1\$;". Insert font disk.": GOTO 810
- FD 800 PRINT:PRINT"Remove font d isk from drive ";DISK1\$;" . Insert document disk."
- DP 810 BEEP:PRINT"Press any key
 when ready.":WHILE INKEY\$
 ="":WEND:RETURN
- CB 820 IF ERR<>53 THEN 890 ELSE BEEP:LOCATE 9,1:PRINT"ERR OR: Input file ";IN\$;" no t found on the disk in dr ive ";DISK1\$:GOSUB 760:RE SUME 40
- MA 830 IF ERR=24 OR ERR=25 OR ER R=27 OR ERR=64 OR ERR=68 THEN BEEP:LOCATE 11,1:PRI NT"ERROR #";ERR;"- Check device ";OUTT\$:GOSUB 760: GOSUB 770:RESUME 100
- OC 840 IF ERR<>58 THEN 890 ELSE
 BEEP:LOCATE 11,1:PRINT"ER
 ROR: The disk already con
 tains a file named ";OUTT
 \$:PRINT"Do you want to re
 place the existing file (
 Y/N) > ";:A\$=INPUT\$(1):IF
 A\$="y" OR A\$="Y" THEN KI
 LL OUTT\$:GOSUB 770:RESUME
 110
- JH 850 IF A\$<>"n" AND A\$<>"N" TH EN BEEP:GOTO 840 ELSE GOS UB 770:RESUME 100
- N 860 IF ERR<>53 THEN 890 ELSE BEEP:PRINT:PRINT:PRINT"ER ROR: The disk in drive "; DISK2*;" has no font code directory file.":PRINT T AB(8)"Insert another disk .":GOSUB 760:RESUME 320
- BH 870 IF ERR<>53 THEN 890 ELSE BEEP:PRINT:PRINT:PRINT"ER ROR: Font file ";CODE\$(2, NUM);" not found on the d isk in drive ";DISK2*:RES UME 360
- CB 880 IF ERR=15 THEN RESUME 200 CD 890 PRINT:PRINT"Error"; ERR; "i n line"; ERL:RESUME 900
- LC 9ØØ END
- CG 1000 DATA REGULAR,-1,-1 JP 1010 DATA CONDENSED,15,-1,18,
- -1 EE 1020 DATA DOUBLEWIDTH, 14, -1, 2 0, -1
- ON 1030 DATA ENDD

Program 3: Call Code Lister

- A6 1Ø SCREEN Ø:COLOR 12,Ø,Ø:WIDT H 8Ø:CLS
- CP 2Ø PRINT:INPUT"Drive containi
 ng font files (default = A
 :) > ",DISK\$:IF DISK\$="" T
 HEN DISK\$="A:"
- PB 3Ø ON ERROR GOTO 100:OFEN"I", #1,DISK\$+"FONTCODE.DIR":ON ERROR GOTO Ø
- 6P 4Ø PRINT:PRINT"Select output device (P)rinter (S)creen or (D)isk" :PRINT
- EN 5Ø A\$=INPUT\$(1):IF A\$="s" OR A\$="S" THEN OUTT\$="SCRN:" ELSE IF A\$="P" OR A\$="P" T HEN OUTT\$="LPT1:" ELSE IF A\$="d" OR A\$="D" THEN 7Ø E LSE BEEP:GOTO 5Ø
- GJ 6Ø TB=Ø:OPEN"O", #2,OUTT\$:WHIL E NOT(EOF(1)):INPUT #1,A\$: INPUT #1,A\$:INPUT #1,B\$:PR INT #2,TAB(4Ø*TB)B\$;" = "; A\$;:TB=1-TB:WEND:PRINT #2, "":CLOSE:END
- © 70 PRINT:PRINT"Do you want the alphabet for each font printed also (Y/N) > ":A\$=I NPUT\$(1):IF A\$="n" OR A\$="N" THEN 90 ELSE IF A\$<>"y" AND A\$<>"Y" THEN 70
- \$P 80 C\$=CHR\$(13)+CHR\$(10):D\$=C\$
 :FOR Z=65 TO 90:C\$=C\$+CHR\$
 (Z):D\$=D\$+CHR\$(Z+32):NEXT
 7
- NN 9Ø OPEN"O", #2, "ALLFONTS": WHIL E NOT(EOF(1)): INPUT #1, A\$: INPUT #1, A\$: PRINT #2, ", "; A \$; ": "; A\$; C\$; D\$: INPUT #1, A\$: WEND: CLOSE: END
- NL 100 BEEP:PRINT:PRINT"The disk
 in drive ";DISK\$;" has n
 o font code directory fil
 e.":RESUME 20

Program 4: Banner Printer

- CM 10 SCREEN 0:WIDTH 80:COLOR 1, 0,0:CLS:DIM TEXT\$(94,2)
- FC 20 LINE INPUT"Enter Banner wo
- J6 3Ø INPUT"Enter Font Call Code > ",CODE\$:FOR Z=1 TO LEN(CODE\$):B\$=MID\$(CODE\$,Z,1): IF B\$>""" AND B\$<"(" THEN C\$=C\$+CHR\$(ASC(B\$)-32) ELS E IF B\$<>" " THEN C\$=C\$+B\$
- BL 40 NEXT Z:COLOR 6:PRINT "Inse rt disk with font files in to disk A: and press any k ey when ready":AN\$=INPUT\$(
- ON 50 CODE\$=C\$:ON ERROR GOTO 240
 :OPEN"I",#1,"FONTCODE.DIR"
 :WHILE NOT(EOF(1)):INPUT #
 1,C\$:INPUT #1,C\$:IF CODE\$<
 >C\$ THEN INPUT #1,C\$:WEND:
 CLOSE:BEEP:COLOR 7:LOCATE
 3,1:PRINT "FONT NOT FOUND"
 SPACE\$(65):C\$="":COLOR 1:L
 OCATE 2,1:GOTO 30
- FD 60 INPUT #1, FILE*: CLOSE: LOCAT
 E 3,1:PRINT SPACE*(79): ON
 ERROR GOTO 0: OPEN"R", #1, FI
 LE*, 4:FIELD #1, 2 AS B*, 2 A
 S C*:GET #1,1:WIDE=VAL(B*)
 :HIGH=VAL(C*): CLOSE: OPEN"R
 ", #1, FILE*, WIDE: FIELD #1, W
 IDE AS B*

- PH 70 FOR Z=1 TO 94:FOR Z1=0 TO HIGH-1:GET #1, (Z-1)*HIGH+Z 1+2:TEXT\$(Z,Z1)=B\$:NEXT Z1 ,Z:CLOSE:SP\$=STRING\$(WIDE, 0):FOR Z=0 TO HIGH-1:TEXT\$ (0,Z)=SP\$:NEXT Z
- FM 80 COLOR 2:LOCATE 4,1:PRINT:F
 OR Z=1 TO 80/(HIGH*8):PRIN
 T USING"&##\\#.#&";SPACE*(
 10);Z;")";Z*8*HIGH/10;" in
 ches tall":NEXT Z:PRINT
- BH 90 INPUT"Enter VERTICAL expan sion multiple > ",VERT:IF VERT=>Z THEN 90
- 8) 110 LOCATE 5+Z, 40: INPUT "Enter HORIZONTAL expansion mul tiple > ", HOR
- PB 12Ø B\$="":FOR Z=1 TO LEN(A\$): IF MID\$(A\$,Z,1)<>" " THEM B\$=B\$+MID\$(A\$,Z,1)
- JD 130 NEXT Z:COLOR 6:LOCATE 18, 25:PRINT"Create the lette rs of the banner with:"TA B(25)"1) The original str ing "TAB(25)"2) Each lett er creating itselt"TAB(25)"3) You enter the string used":PRINT
- PL 140 LOCATE 22,30:INPUT"Enter selection > ",AN:IF AN>3 OR AN<1 THEN 140 ELSE IF AN=3 THEN LOCATE 23,30:IN PUT"Enter String > ",B\$
- FE 150 COLOR 20:LOCATE 3,18:PRIN T"SET UP PRINTER AND PRES

- S ANY KEY WHEN READY":AN\$
 =INPUT\$(1):LOCATE 3,18:PR
 INT SPACE\$(18) "PRINTING"S
 PACE\$(18)
- PO 160 TABB\$=SPACE\$(INT((80-VERT *B*HIGH)/2)):LPRINT CHR\$(27);CHR\$(49)
- NK 170 FOR Z=1 TO LEN(A\$):IF MID \$(A\$,Z,1)=" " THEN FOR Z1 =1 TO WIDE*HOR:LPRINT:NEX T Z1:GOTO 230
- JC 18Ø ST=ST+1:FOR Z1=1 TO WIDE: FOR Z2=1 TO HOR:ST=ST+1:I F ST>LEN(B\$) THEN ST=1
- P 19Ø PT=ST:FOR Z3=HIGH-1 TO Ø
 STEP-1:ASCII=ASC(MID\$(TEX
 T\$(ASC(MID\$(A\$,Z,1))-32,Z
 3),Z1,1)):FOR Z4=Ø TO 7:I
 F ASCII MOD 2^(Z4+1)>Ø TH
 EN ASCII=ASCII-2^Z4:FLAG=
 -1 ELSE FLAG=Ø
- CD 200 FOR Z5=1 TO VERT:PT=PT+1: IF PT>LEN(B\$) THEN PT=1
- PE 210 IF NOT (FLAG) THEN LNS=LNS +" " ELSE IF AN=2 THEN LN \$=LNS+MID\$(A\$, Z, 1) ELSE L NS=LNS+MID\$(B\$, PT, 1)
- KM 22Ø NEXT Z5, Z4, Z3:LPRINT TABB
 \$;LN\$;SPACE\$(8Ø-LEN(TABB\$
 +LN\$));:LN\$="":NEXT Z2, Z1
- E0 23Ø NEXT Z:COLOR 7:BEEP:CLS:E
- AE 240 COLOR 7:PRINT"FONT FILES
 NOT FOUND Insert correc
 t disk and press any key
 to continue":AN\$=INPUT\$(1
):LOCATE 2,1:RESUME 20

©

COMPUTE! Publications, Inc. is seeking to fill the following inhouse editorial positions:

Assistant Book Editor—Requires knowledge of computer programming. Undergraduate degree in English or related field. Two years writing and editing experience.

Assistant Technical Editor—Requires extensive experience with microcomputers, knowledge of machine language. Experience or training in editing or writing. Undergraduate degree preferred; experience in lieu of degree considered.

Microcomputer Programmer—Requires proficiency on one or more of the following computers: IBM PC, Commodore, Atari, Apple. College degree preferable with coursework in BASIC. Proficiency in BASIC programming. Extensive machine language experience a plus.

Features Editor—Requires college degree in journalism, English, communications, or related field which emphasizes writing; three years experience in journalism; some experience with microcomputer industry desirable.

Send résumé and salary history in complete confidence to:

Personnel Director COMPUTE! Publications, Inc. P.O. Box 5406 Greensboro, NC 27403

128 Colorswap

Paul W. Carlson

This short machine language routine makes it simple to create dazzling special effects on the Commodore 128 by swapping colors in the multicolor graphics mode. Several BASIC demonstration programs are included to show you how to use the routine. A disk drive is required.

Many different graphics effects are possible in the Commodore 128's multicolor graphics mode. Here is a brief explanation of that mode and the way it is used by "128 Colorswap." A multicolor mode screen consists of 1000 blocks of 32 double-width pixels. Four different color sources can be used within each block of pixels: background, foreground, multicolor 1, and multicolor 2. These color sources correspond to the color source numbers 0, 1, 2, and 3 in the BASIC COLOR statement. Although each of the 1000 blocks of pixels can have its own colors for each of the four color sources, this article explores some of the effects possible when the same four colors are used for the entire screen and three of the four colors are instantly interchanged.

Creating The Machine Language Routine

To begin, type in, save, and run Program 1. This program creates a short machine language (ML) routine on disk using the filename COLORSWAP. You may want to give Program 1 a descriptive name and keep it to create the Colorswap routine on other disks. The other

programs demonstrate how you can use the ML routine in your own programs even if you're not an ML programmer.

Demonstration Programs

Program 2 is the first demonstration program. Type it in and save it on the disk containing the ML file COLORSWAP. Now run the program: It displays three colored boxes. Press any key (except Q, which exits the program) to see how the colors are swapped. Each time you press a key, the colors are shifted one box to the right with the rightmost color going into the box on the left. The box on the left is always the current foreground color at the moment a key is pressed. Likewise, the center box is the current multicolor 1 color and the right box is the current multicolor 2 color.

When you press a key, the program calls the ML routine with the statement SYS 2816. This routine replaces the multicolor 2 color with the multicolor 1 color, replaces the multicolor 1 color with the foreground color, and replaces the foreground color with the old multicolor 2 color. If you look at Program 2, you'll see that it executes SYS 2816 once in line 60 before it waits for a keypress in line 70. This is done because the ML routine does not change any colors the first time it is called in a program.

Programs 3, 4, and 5 show how rapid color swapping can simulate movement. Type in and save all of them.


Program 3 creates a red, green, and blue spiral design against a

white background. When the pattern is complete, the spiral appears to rotate rapidly. In fact, this illusion is achieved without redrawing anything or swapping screens (page flipping). Instead, the program simply calls the Colorswap routine to swap the colors.

Programs 4 and 5 use a similar technique. Program 4 creates the illusion of rushing through a tunnel. Program 5 has an interesting 3-D effect that's difficult to describe.

Using Colorswap

Colorswap is easy to put to work. Because the ML routine resides in the cassette buffer, it can be BLOADed at any point in your program before the first SYS 2816 that activates it. Keep in mind that no colors are changed the first time you call the ML routine (this is not important, however, if you intend to call the ML many times in succession to simulate animation).



"128 Colorswap" is a machine language utility that makes it possible to create interesting graphics displays. In this screen, different colors in the design are changed rapidly to create an animated, 3-D effect.

A second point to remember is that Colorswap will change the color of all non-background pixels on the screen to the current color source colors defined in your BASIC program. A multicolor screen could contain as many as 16 colors, but after you call the ML routine, the number of colors is reduced to four at the most. This might be useful in some applications, but for simulating animation you should create the display using just one color for each of the four color sources.

It's important to time color changes carefully to eliminate flickering in simulated animation. Flickering occurs in cases where the Colorswap routine cannot change the colors everywhere on the screen during the time the raster is outside of the display area. No flashing is visible in Programs 3-5 because the timing is such that the flickering is limited to the top left corner of the screen, where no swapping occurs. The timing in all three demonstration programs is controlled by the same series of statements. (See lines 130-140 of Program 3.) Fortunately, the timing that produces the least amount of flicker also produces a nice rate of color changing. If you want to use a different rate in your own programs, you may have to experiment a bit.

BASIC 7.0 makes it easy to create multicolor graphics screens, and Colorswap can really make those screens come alive. The short demonstration programs in this article just hint at what is possible.

For instructions on entering this program, please refer to "COMPUTEI's Guide to Typing In Programs" elsewhere in this issue.

Program 1: 128 COLORSWAP **File Creator**

- QK 10 T=0:FORN=2816T02920:READ K:T=T+K:POKEN,K:NEXT
- JE 20 IFT <> 15400THENPRINT "*** {SPACE}ERROR IN DATA STA TEMENTS ***": END
- PD 30 BSAVE"COLORSWAP", P2816TO P2921
- JD 40 PRINT"COLORSWAP SUCCESSF ULLY CREATED": END
- BP 50 DATA 166,132,164,133,165 ,134,134,133
- DQ 60 DATA 132,134,133,132,10, 10,10,10
- MR 70 DATA 24,101,133,133,250, 169,0,133
- JG 80 DATA 251,133,253,169,216 ,133,252,169

- JF 90 DATA 28,133,254,162,4,16 0,0,165
- DB 100 DATA 134,145,251,165,25 0,145,253,200
- PB 110 DATA 208,245,230,252,23 0,254,202,208
- AM 120 DATA 238,165,1,41,254,1 33,1,162
- KK 130 DATA 4,160,0,132,251,16 9,216,133
- KF 140 DATA 252,165,134,145,25 1,200,208,249
- RB 150 DATA 230,252,202,208,24
- 4,169,10,205 KH 160 DATA 18,208,208,251,165 ,1,41,253
- ER 170 DATA 133,1,165,1,9,3,13 3.1
- QM 18Ø DATA 96

Program 2: 128 Colorswap— Demo 1

- GM 10 BLOAD"COLORSWAP"
- MA 20 COLORO, 2: COLOR1, 3: COLOR2 ,6:COLOR3,7:COLOR4,2:GRA PHIC3,1
- DD 3Ø X1=1Ø:Y1=7Ø:X2=5Ø:Y2=13Ø
- PD 40 FORC=1TO3:BOXC, X1, Y1, X2, Y2,,1
- EJ 50 X1=X1+50:X2=X2+50:NEXT
- MX 60 SYS2816
- BA 7Ø GETKEYA\$: IFA\$ <> "Q"THEN6Ø
- JE 8Ø COLORØ, 12:COLOR4, 14:GRAP HICØ, 1: GRAPHICCLR

Program 3: 128 Colorswap— Demo 2

- GM 1Ø BLOAD"COLORSWAP"
- CB 20 COLORO, 2:COLOR1, 3:COLOR2 6:COLOR3,7:COLOR4,2
- KF 3Ø GRAPHIC3,1:CX=8Ø:CY=100
- DH 40 CIRCLE3, CX, CY, 63, 90
- EG 50 RD=89.5:TP=2*1:K=9:N=20: F=RD/TP:DA=TP/K:DB=TP/N: A=Ø:C=4
- AQ 60 FORI=1TOK:B=0:A=A+DA:C=C -1:IFC=ØTHENC=3
- FR 70 DRAWC, CX, CY
- QH 8Ø FORJ=1TON:B=B+DB:R=F*B:D RAWCTOCX+.7*R*SIN(A+B),C Y+R*COS(A+B):NEXTJ, I
- QF 90 DRAW3,78,102:A=0
- MP 100 FORI=1TOK: A=A+DA: C=C-1: IFC=ØTHENC=3
- GQ 110 PAINTC, CX+.65*R*SIN(A), CY+.95*R*COS(A),1:NEXT
- RK 120 CIRCLEO, CX, CY, 63, 90
- CD 130 FORN=1TO10:NEXT:SYS2816
- MS 140 GETA\$:IFA\$=""THEN130
- BD 150 COLORØ, 12: COLOR4, 14: GRA PHICØ, 1: GRAPHICCLR

Program 4: 128 Colorswap— Demo 3

- GM 10 BLOAD "COLORSWAP"
- CR 20 COLORO, 1:COLOR1, 3:COLOR2 ,6:COLOR3,7:COLOR4,1:GRA PHIC3,1
- JM 30 C=1:X1=16:X2=144:Y1=10:Y 2=190
- RK 40 FORI=0TO10:XP(I)=X1+1:YP (I) = Y1 + 1
- HK 50 BOXC, X1, Y1, X2, Y2
- BC 60 C=C-1:IFC=0THENC=3
- SM 7Ø X1=X1+.1*(X2-X1):X2=159-

- AB 80 Y1=Y1+.1*(Y2-Y1):Y2=199-Y1:NEXT
- QA 90 C=2:FORI=0T09:C=C-1:IFC= ØTHENC=3
- EX 100 PAINTC, XP(I), YP(I), 1:NE
- KA 110 GETAS: IFAS<> ""THEN130
- JS 120 FORN=1TO10:NEXT:SYS2816 :GOTO11Ø
- KB 13Ø COLORØ, 12:COLOR4, 14:GRA PHICØ, 1: GRAPHICCLR

Program 5: 128 Colorswap— Demo 4

- GM 10 BLOAD"COLORSWAP"
- MA 20 COLORO, 2:COLOR1, 3:COLOR2 ,6:COLOR3,7:COLOR4,2:GRA PHIC3,1
- RM 30 CX=80:CY=110:RD=70:TP=2* 1:N=15:F=RD/(2*TP):DB=TP 7(N+N):C=1
- QG 4Ø FORJ=1TO4.8*N:B=B+DB:R=F *B:X=CX+.7*R*SIN(B):Y=CY +R*COS(B)
- EK 50 IFJ>10THENCIRCLEC, X, Y, .1 75*R,.25*R:PAINTC,X,Y,Ø
- BC 60 C=C+1:IFC=4THENC=1
- RJ 70 NEXT
- CF 8Ø GETA\$: IFA\$ <> ""THEN100
- CD 90 FORN=1T010:SYS2816:GOT08
- EX 100 COLORO, 12: COLOR4, 14: GRA PHICØ, 1: GRAPHICCLR

0

COMPUTE! Disk Subscriptions

COMPUTE! Disks are available for the following computers:

- Apple II series
- Commodore 64 and 128
- Atari 400/800 /XL/XE
- IBM PC and PCir

Each error-free disk contains all the programs from the previous three issues of COMPUTE!. With a disk subscription, you'll receive one disk—for the machine you specify—every three months. To subscribe, call toll free

800-247-5470

(in Iowa 800-532-1272).

Six New Operators For Atari BASIC

Rhett Anderson, Assistant Editor

This compact machine language utility adds six useful bitwise operators to Atari BASIC.

Atari BASIC differs from most other BASICs in a number of ways. Although it includes some hardware-related commands (GRAPHICS, STICK, PADDLE, and so on), its lack of bitwise operators makes accessing other hardware features difficult. "Six New Operators for Atari BASIC" adds six bitwise operators to BASIC. The program is published in the form of BASIC statements which you can add to your own programs. Begin your program at line 30.

Bitwise Operators

What are bitwise operators, and what makes them so important? On some computers you may see a line that looks like this:

10 POKE 65460, PEEK (65460) AND 254

This line looks confusing to most Atari programmers because Atari BASIC uses AND only as a *logical operator*. Logical operators consider values to be either true or false. They are often used to create an IF statement that contains two or more logical tests. For instance, this line uses AND as a logical operator:

20 IF A=1 AND Y<200 THEN GOTO 200

In this statement, the computer performs GOTO 200 only when the value of A is 1 and the value of Y is less than 200. The AND links together the conditions A=1 and Y<200.

In Atari BASIC, a zero is treated as false and anything else is considered true. Logical operators always return a value of either 0 or 1. Thus, the result of the IF test in line 20 is 0 when one or both conditions are false, and 1 when both of them are true.

A bitwise operator, on the other hand, treats each bit of a byte-size value separately. A plain English translation of line 10 would read something like this: "Get the value from memory location 65460 and perform an AND operation with the value 254, treating each bit separately. Store the result back in location 65460." Since 254 is 11111110 in binary, line 10 has the effect of turning off the least significant bit of location 65460 (setting the lowest bit to 0).

Bitwise operators are extremely useful when you need to access one of the Atari's hardware registers (a memory location set aside for controlling a specific hardware feature). Some hardware registers serve more than one purpose, with each bit in the register controlling a different feature. There are many cases where you might want to change the value of just one bit in a hardware register, without disturbing the other bits. That sort of activity is difficult if you don't have bitwise operators.

This program provides a convenient means for performing bitwise operations such as the one in line 10. If you are a bit confused by the preceding explanation, don't lose heart. The last section of this article offers some examples which you can use even if you don't understand binary numbers or bitwise operators fully.

Operator List

The new bitwise operators are XOR (eXclusive OR), BOR (Bitwise OR), BAND (Bitwise AND), BNOT (Bitwise NOT), SHL (SHift Left), and SHR (SHift Right). Let's examine them.

XOR. The result (for each bit) is 1 if one and only one of the operands is 1. So, 1 XOR 1 = 0 and 0 XOR 1 = 1.

BAND. The result is 1 only if both operands are 1. So, 1 AND 1 = 1 and 0 AND 1 = 0.

BOR. The result is 1 if either or both operands are 1. So, 1 OR 1 = 1 and 0 OR 1 = 1.

BNOT. The result is opposite the operand (this operator only accepts one operand).

SHL. Shifts all bits (16 of them) to the left a designated number of times. Each shift is equivalent to a multiplication by 2.

SHR. Shifts all bits to the right a specified number of times. Each shift is equivalent to an integer division by 2.

These operators are accessed with the USR function. Following are examples which show the syntax of each operator.

RESULT = USR(XOR,a,b)
RESULT = USR(BAND,a,b)
RESULT = USR(BOR,a,b)
RESULT = USR(BNOT,a)
RESULT = USR(SHL,a,b)
RESULT = USR(SHR,a,b)

Each USR statement must include the desired operator (XOR, BAND, and so on) plus two operands (except for BNOT, which takes only one operand). The operands—represented by *a* and *b* in the examples—are the values needed

to perform the operation. The operands may consist of numeric constants or any expressions that evaluate to a numeric value. For instance, both of these lines return the result of 3:

10 RESULT=USR(BOR, 1, 2) 20 A=1:B=(2*A):RESULT=USR (BOR, A, B)

In each case, the variable RE-SULT will contain the result of the operation. Of course, you can replace RESULT with any legal Atari BASIC variable name. To save space, the machine language routine includes no error checking, so be sure to include the proper number of parameters. If you don't, you will have to press SYSTEM RESET to regain control of your computer.

Examples

Bitwise operators can be used in many different ways. Following are some examples which you can use in your own programs. Ian Chadwick's book, Mapping the Atari (available from COMPUTE! Books), contains much more information about hardware registers and how to use them.

B=USR(BAND, A, 1): REM B= 1 IF A IS ODD, B=Ø IF A IS EVEN

B=USR(XOR,B,1):REM MAK ES B=1 IF B WAS Ø, MAK ES B=Ø IF B WAS 1.

B=USR(BNOT, B): REM SAME AS ABOVE

B=USR (BAND, NUM, 255): RE M RETURNS THE LOW BYTE OF NUM

B=USR(SHR,NUM,8):REM R ETURNS THE HIGH BYTE O

A=USR(BAND, 8, STICK(Ø)) :REM RETURNS A Ø IF TH E JOYSTICK IS PRESSED RIGHT (AND A 8 IF IT I SN'T)

A=USR(BAND, 1, PEEK (5327 9)): REM RETURNS A Ø IF START IS PRESSED, A 1 IF IT ISN'T.

POKE 623, USR (BOR, PEEK (623),64): REM ENABLE GT IA MODE 9. THIS IS INT ERESTING TO DO IN GRAP HICS Ø.

POKE 562, USR (BAND, PEEK (562),254):REM TURN OF F KEYBOARD DEBOUNCE CI RCUIT.

Six New Operators For Atari

For instructions on entering this program, please refer to "COMPUTEI's Guide to Typing In Programs" elsewhere in this issue.

HD 10 FOR T=1536+128 TO 1775 : READ A: POKE T, A: NEXT

FN 2Ø XOR=1536+128:BAND=XOR+ 16: BOR=16+BAND: BNOT=16 +BOR: SHL=BNOT+12: SHR=S HL+13

BA 1010 DATA 32,214,6,165,21 2,69,214,133

HL 1020 DATA 212, 165, 213, 69,

215,133,213,96 AN 1030 DATA 32,214,6,165,21 2,37,214,133 HI 1040 DATA 212,165,213,37,

215,133,213,96 NK 1050 DATA 32,214,6,165,21

2,5,214,133 EF 1060 DATA 212,165,213,5,2

15, 133, 213, 96

HC 1070 DATA 104,104,73,255, 133,213,104,73

BN 1080 DATA 255, 133, 212, 96, 32,214,6,166

EI 1090 DATA 214,6,212,38,21

3,202,208,249 00 1100 DATA 96,32,214,6,166

,214,70,213 KB 1110 DATA 102,212,202,208 249,96,104,133

MI 1120 DATA 216, 104, 133, 217 104, 104, 133, 213 ME 1130 DATA 104, 133, 212, 104

,133,215,104,133 FH 1140 DATA 214,165,217,72, 165,216,72,96 0

> II + needs paddles) ☐ 038 BUSINESS/HOME MANAGEMENT

payroll much more 056 BANK'n SYSTEM check balancer, write

spelling, typing, etc.

085 BASIC MATH DRILLS fractions.

& print checks

checkbook, calculator, more

039 BEST OF BUSINESS general ledger.

064 BEST OF EDUCATION math drills.

057 OMNI FILE data base with instructions

multiple choice, work problems 118 GAMES fast action space arcade games

195 PASSTIME, a potpourri of programs

NEW TOP TEN FOR MAC \$9.00/DISK

213 BEST UTILITIES diskcat, krunch,

diskcheck, diskmap, etc.

005 CODE CRACKING, FEDIT edit file

006 ResED and ReED edit menu bars.

007 SWITCHER edit multiple Microsoft BASIC files

029 COMMUNICATIONS Red Ryder, MacTep

039 FONTS Font catalog
045 DESK ACCESSORIES Minifinder, timer

062 GAMES Dungeons of doom, baseball

067 GAMES Billiards, volleyball, juggling

PUBLIC DOMAIN SOFTWARE EXCHANGE

3 086 BEST OF MAC MacWorld 86

icons and I.D. numbers

037 SLIDE SHOW

Authorized Dealer

blocks in ASCII or hex

THE AMAZING CEMASTE

ENTER THE FINAL **FRONTIER** OF MAN-TO-MACHINE COMMUNICATIONS



There is nothing else like it. Voice Master gives both speech output

and voice recognition with this single hardware product! Your voice controls programs, or home appliances, robots, and more with spoken commands. Verbal response back gives status, verifies, or requests your reply! Speech output and recognition patterns are recorded in with your voice. Or use the voice of your friend, boss, teacher, mother, even the family pet! Programming is simple with new commands added to BASIC. A music bonus program lets you write and compose musical scores simply by humming the tune. Unlimited applications for fun, education, and commercial use. Design your own programs for profit. Speech and recognition quality unsurpassed by even the most sophisticated machines. Only Covox provides this high-tech marvel at a price less than most common peripherals.

The Covox Voice Master comes complete with all hardware and software for only \$89.95. (Add \$4 shipping and handling for USA, \$6 Canada, \$10 overseas.) Available for Commodore 64/128, Apple II, II+, IIc, IIe, Atari 800, 800XL, 130 XE. Specify when ordering. Visa, MasterCard phone orders accepted.



Call or write for FREE Voice Master Infopak and special combination package offers.

COVOX INC., DEPT. C!

675-D Conger Street • Eugene, Oregon 97402 • U.S.A. Area Code (503) 342-1271 • Telex 706017 (Av Alarm UD)

Public Domain & User Supported Software

NEW TOP TEN FOR APPLE \$5.00/DISK **NEW TOP TEN FOR COMMODORE 64** 037 FREEWRITER wordprocessor (Apple

S5 DOIDISK The 64 GOLD Library 105 ARTIST SKETCHBOOK drawing programs ☐ 106 GREAT AMERICAN NOVELISTS word

processing 107 PHONE CONNECTIONS communications

☐ 108 SPACE WARS space games

☐ 109 DUNGEONS & DRAGONS text adventures

☐ 110 HOME ORCHESTRA instrument simulation

111 JUKE BOX prerecorded songs 112 EINSTEIN'S FAVORITES advanced math

113 PONZO'S TUTOR programming from BASIC to machine 114 ELECTRONIC SECRETARY filehandling

utilities NEW TOP TEN FOR IBM \$6.00/DISK

PC-SIG Authorized Dealer 005 PC-FILE III, V4 labels, forms, and more 078 PC-WRITE v.2.165 popular and powerful

273 BEST UTILITIES print spooler, file search, more 274 BEST GAMES packman, breakout,

wizard, more 293 ARCADE GAMES (color graphics required) 405 DESKMATE more than a sidekick

457 GREATEST ARCADE the best of the best games

528 NEW YORK WORD sophisticated word processing: 1 of 2 529 NEW YORK WORD 2 of 2

☐ 557 PINBALL ALLEY from simple to complex pinball games

Address _

Add \$4 shipping & handling per order. CA residents add 6.5% sales tax

Amount enclosed \$ __ _ | | Check | | VISA | | MasterCard Card No

Signature _ Exp. Date _ Phone (__ Name

Call toll free 800-431-6249 in Calif. 415-952-1994



COMPUTER SUPPLY PO. Box 883362 San Francisco, CA 94188

Omega Sort

Jonathan J. Holuta

Written entirely in machine language, this fast sorting routine for the Commodore 64 can be used by anyone and does not take away any space from BASIC memory.

If you write programs that handle data, sooner or later you will need a routine to sort items into alphabetical order. There are several sorting methods suitable for use in BASIC, including the bubble sort, shell sort, and quick sort. None of those methods, however, is very efficient for sorting large amounts of data.

"Omega Sort" is a speedy machine language routine which you can use in any BASIC program, even if you don't know a thing about machine language. Program 1 contains the sort routine. Type in this program with the "MLX" machine language entry program found elsewhere in this issue. Here are the starting and ending addresses you'll need when typing in the program:

Starting address: C000 Ending address: C377

Don't forget to save a copy of the program after you finish typing it in. If you want use Program 2 to test the sorting routine, save the data from Program 1 with the name OMEGASORT, since that's the name Program 2 looks for.

Omega Sort can sort 1000 randomly ordered strings in alphabetical order in less than six seconds. To see the routine at work, type in and save Program 2, the BASIC demonstration program. If you are using tape instead of disk, change the 8 to a 1 in line 10 of Program 2.

When you run Program 2, it loads the machine language routine from disk or tape into memory. Then it prompts you to enter the number of strings you wish to sort. To create 1000 random strings, for instance, type 1000 and press RE-TURN. The program prints all of the strings on the screen in their original order, then it sorts them alphabetically. When the sorting is done, the program displays the strings in the new order, one screenful at a time. Press any key to view the next page of data, or press f1 to exit the program.

How To Use It

To use Omega Sort, your program must begin by loading the machine language routine into memory. The first line of Program 2 demonstrates how this is done.

Some machine language sorting routines sort only one dimension of a multidimensional array, which is not always convenient. To demonstrate why, suppose that you have an address file program that stores a list of names and addresses in a two-dimensional array as shown here:

N\$(1,1)=name 1 N\$(1,2)=street 1 N\$(1,3)=city 1 N\$(1,4)=state 1 N\$(1,5)=zip code 1 N\$(1,6)=phone 1

Each full entry contains six separate items: the name, street, city, state, zip code, and phone number. In a real program, of course, you might have dozens or even hundreds of such entries. The name for entry 2 would be contained in N\$(2,1), and so forth.

If you sort the first dimension of this array (name), then the names will be mismatched with the other data items. The name for entry number 1 might be matched with the street for entry 36, and so on.

Instead of sorting the strings themselves, Omega Sort sorts a numeric index array. Each element of the numeric array points to one data set in the string array. The advantage of this method is that all the items within each data set remain in their original order. In addition to great speed, this gives you more flexibility in using string arrays.

In Program 2, the string array is named A\$, and the index array is named N%. Note that the index array must be an integer array (one whose name ends with %). Any legal Commodore variable names may be used, provided you follow this simple rule.

Calling The Machine Language

Like other machine language routines, Omega Sort is called with a SYS command. In addition to the command itself, which includes the starting address of the machine code, you must supply three items of information: the number of elements to sort, the name of the string array, and the name of the index array. Here is an example:

100 SYS 49152, N, N\$(0), N%(0)

In this statement, the variable N indicates the number of elements to be sorted, and the variable N\$(0) indicates the name of the array you wish to sort. If there are 40 elements in the N\$ array, for instance,

you would set N to 40 before executing line 100. Or, you could just replace N with the number 40. The variable N% is the index array.

Once the sorting is complete, the index array contains the new order. To gain access to the sorted data, you must refer to elements of the string array through the index. Look at line 110 of Program 2. The expression A\$(A%(X)) causes PRINT to display the elements of A\$ in the order contained in the A% array. Remember, Omega Sort rearranges the order of the numeric index array, not the string array itself. Each element of the index array points to one element of the string array.

The SYS statement for a multidimensional array is the same, except that you must specify which dimension to sort. Here is an

example:

100 SYS 49152,N,N\$(0,3),N%(0)

For the address array mentioned above, the preceding statement would sort the addresses according to the array's third dimension (city). This statement would sort it according to the first dimension (name):

100 SYS 49152,N,N\$(0,1),N%(0)

This statement would sort the address array by its fifth element (zip code):

100 SYS 49152,N,N\$(0,5),N%(0)

Here is an example line that would print the elements of the address array in their new order:

110 FOR X=0 TO N:PRINT X,N\$(N%(X) ,5):NEXT

You can use this routine without knowing how it works, but, for those who are interested, here is a brief explanation. Omega Sort first stores important zero page pointers in the cassette buffer so it can use these locations for its own purposes. Then it determines where in memory the arrays reside. In the case of strings, the actual text is stored from the top of BASIC memory in a downward direction. The array storage space (located just above the end of BASIC program text) contains a series of pointers to the strings in high memory. Omega Sort checks the pointers and then changes the values of the integer array to match the alphabetical order of the strings themselves. When finished, it restores the contents of the zero page and returns to BASIC. The entire process works so quickly that it can sort a hundred strings in less than a second.

Program 1: Omega Sort

Please refer to the "MLX" article elsewhere in this issue before entering the following program.

```
CØØØ:2Ø 8E CØ 2Ø 6Ø CØ 2Ø 23 B8
C008:C0 E6 D9 D0 02 E6 DA
                          38 85
CØ1Ø:A5 DD E9 Ø2 85 DD A5 DE Ø7
CØ18:E9 ØØ 85 DE 2Ø 48 C1
                           2Ø F2
                           A5
CØ2Ø:9A CØ 6Ø A5
                 DD 85
                       DF
                              EF
CØ28:DE 85 EØ A9 ØØ 85 E1
                           85
CØ3Ø:E2 AØ Ø1 A5 E1 91 DF
                           88
                              63
CØ38:A5 E2 91 DF C5
                    DA
                       FØ
                          16
                              07
CØ4Ø:18 A5 DF 69 Ø2 85 DF A5
CØ48:EØ 69 ØØ 85 EØ E6 E1
                           DØ
                              24
CØ5Ø:EØ E6 E2 4C
                 31
                    CØ A5
                           El
                              D6
CØ58:C5 D9 FØ Ø3 4C 4Ø CØ 6Ø
CØ6Ø:2Ø FD AE 2Ø 9E AD 2Ø
                           F7
                              2D
CØ68:B7 A5
           14 85 D9 A5 15 85
                              1F
CØ7Ø:DA 2Ø FD AE 2Ø 9E AD A5
                              8E
CØ78:47 85
           DB A5
                 48
                    85
                       DC
                           20
                              Ø7
           20 9E AD A5 47
                           85
CØ8Ø:FD AE
                              B2
CØ88:DD A5 48 85 DE 60 AØ
                          19
                              96
           ØØ
              99
                 3C
                           DØ
                              8E
CØ9Ø:B9 D8
                    Ø3 88
CØ98:F7 6Ø AØ 19 B9 3C Ø3
                           99
                              32
CØAØ:D8 ØØ 88 DØ F7 6Ø A5
                           DD
                              17
           A5
              DE
                 85
                    EØ
                       AØ
                           Ø2
CØA8:85 DF
CØBØ:18 A5 DF 6D 72 C3 85
                           DF
CØB8:A5 EØ 6D 73 C3 85 EØ
                           88
                              A8
CØCØ:DØ EE
           6Ø
              A5
                 DD 85
                       El
                           A5
                              3B
CØC8:DE 85 E2 AØ Ø2 18 A5 E1
                             1F
CØDØ:6D 74 C3 85
                 E1 A5
                       E2
                           6D
                              CF
CØD8:75 C3 85 E2 88 DØ EE
                           60
                              AA
CØEØ:AØ Ø1 B1 DF 8D 76 C3 88
                             7 D
CØE8:B1 DF
           8D
              77
                 C3
                    A5
                       DB
                           85
CØFØ:E6 A5 DC 85 E7 AØ Ø3 18
                              23
CØF8:A5 E6 6D 76 C3 85 E6 A5
                             C3
           77
              C3
                 85
                    E7
                          DØ
C100:E7 6D
                        88
                              AB
C108:EE A0 02 B1 E6
                    99 EA
                              F9
C110:88 10 F8 60 A0 01
                       B1
                              4F
                           E1
C118:8D 76
           C3 88 B1 E1
                        8D
                           77
                              A8
C120:C3 A5 DB 85 E8 A5 DC 85
                             DF
C128:E9 AØ Ø3 18 A5
                    E8 6D
                           76
C130:C3 85 E8 A5 E9 6D
                       77 C3
                             26
C138:85 E9 88 DØ EE AØ Ø2 B1 C6
C14Ø:E8 99
           EA
              ØØ
                 88
                    10
                       F8
                           60
                              D2
C148:A2 Ø1 A9 Ø1 9D 8Ø C3 A9
                              C2
C150:00 9D AE C3 E8 A5 D9 9D
                             7C
C158:80 C3
           A5
              DA
                 9D
                    AE
                       C3
                          A9
                              48
C160:02 8D 7A C3 A9 00 8D
C168:C3 AE 7A C3 BD 8Ø C3 8D
                              ØA
C170:78 C3 BD AE
                 C3 8D
                       79 C3 CE
C178:AD 7A C3 DØ Ø3 CE 7B C3
                              Ø5
C18Ø:CE 7A C3 AE
                 7A C3 BD
                           80
                              4C
C188:C3 8D 7C C3 BD AE C3 8D
                             DA
C190:7D C3 AD 7A C3 DØ Ø3 CE
                             57
C198:7B C3 CE
              7A C3
                    AD
                        7C
                           C3
                              DD
Cla0:8D 72 C3 AD 7D C3 8D 73
                             64
C1A8:C3 AD 78 C3 8D 74 C3 AD
                             38
C1BØ:79 C3 8D
              75
                 C3
                           7C
                    18 AD
                              41
C1B8:C3 6D
           78 C3 8D
                    7E C3 AD
C1CØ:7D C3 6D 79
                 C3 8D
                       7F
                           C3
                             50
C1C8:6E 7F C3
              6E
                 7E
                    C3 A5 DD
                              EE
C1DØ:85 E3 A5
              DE 85 E4 AØ Ø2
                             B5
C1D8:18 A5 E3 6D
                 7E C3 85 E3
                              17
              7F
ClEØ: A5 E4 6D
                 C3 85 E4
                           88
C1E8:DØ EE AØ ØØ B1 E3 8D 77
                              54
C1FØ:C3 C8 B1 E3
                 8D
                    76
                       C3 A5
                              7Ø
C1F8:DB 85 FØ A5
                 DC
                    85 F1 AØ
                              C5
C200:03 18 A5 F0 6D 76 C3 85
                             23
C2Ø8:FØ A5
           Fl
              6D
                 77
                    C3
                       85
                           Fl
                              4C
C210:88 DØ EE AØ Ø2 B1 FØ 99
                              48
C218:ED ØØ 88 1Ø F8 2Ø A6 CØ FC
```

```
C220:20 EØ CØ AØ FF C8 C4 ED AA
C228:BØ ØF C4 EA BØ 14 B1 EB 36
C230:D1
       EE
           90 ØE FØ
                    EF 4C
                          5A
                             87
C238:C2 A5 EA C5 ED 90 03 4C
           EE 72 C3 DØ Ø3 EE
C240:5A C2
                             FE
           18 A5 DF 69 Ø2 85 Ø4
C248:73 C3
C250:DF A5 EØ 69 ØØ 85 EØ 4C
                              06
C258:1D C2
           2Ø C3 CØ
                    20
                       14 Cl
                              CD
C260:A0 FF
           C8 C4 EA BØ ØF C4
C268:ED BØ 14 B1 EE D1 EB 9Ø D5
C27Ø:ØE FØ
           EF
              4C 9A C2 A5 ED
                              15
C278:C5 EA 90 03 4C 9A C2 AD DD
           DØ Ø3 CE 75 C3 CE
C280:74 C3
                             1E
C288:74 C3
           38 A5
                 E1 E9 Ø2 85
                              DA
C290:E1 A5 E2 E9 00 85 E2 4C
                              93
C298:5A C2 AD
              73 C3 CD
                       75
                          C3
                              EC
C2AØ:9Ø 12 FØ Ø3 4C E2 C2 AD
                              62
C2A8:72 C3 CD 74 C3 90 05 F0
                             B4
C2BØ:03 4C
           E2 C2 AØ
                    ØØ Bl
                           DF
                              9B
C2B8:48 C8 B1 DF 48 B1 E1
C2CØ:DF 88 B1 E1 91 DF AØ Ø1
                              FA
C2C8:68 91 E1 88 68 91 E1 EE
                             E7
C2DØ:72 C3 DØ Ø3 EE 73 C3 AD
C2D8:74 C3 DØ Ø3 CE 75 C3 CE
                              76
C2EØ:74 C3 AD 73 C3 CD 75
                          C3
                              82
C2E8:90 12 FØ 03 4C FF C2 AD
C2FØ:72 C3 CD 74 C3 9Ø Ø5
                          FØ
                              FC
           FF C2 4C 1D C2
                              49
C2F8:03 4C
                          AD
C300:7D C3 CD 75 C3 90 10 F0
                             B9
           43 C3
                    7C
C3Ø8:Ø3 4C
                 AD
                       C3
                           CD
                              7D
C310:74 C3 90 03 4C 43 C3 EE
C318:7A C3 DØ Ø3 EE 7B C3 AE
                             B3
C320:7A C3
              7C C3 9D 8Ø
                           C3
           AD
                              AC
C328:AD 7D C3 9D AE C3 EE 7A 15
C330:C3 DØ Ø3 EE 7B C3 E8 AD
                              87
C338:74 C3 9D 8Ø C3 AD
                       75
                           C3
                              2A
C340:9D AE C3 AD 72 C3 8D 7C
                              CF
C348:C3 AD
           73 C3 8D
                    7D C3 CD
                              7F
C350:79 C3 90 03 4C
                    5A C3 4C
                              67
C358:A9 C1 DØ Ø8 AD 7C C3 CD
                             74
C360:78 C3 90 F3 AD 7B C3 D0
                             1A
C368:06 AD 7A C3 D0 01 60 4C
                              81
C370:69 C1 EA 00 00 00 00 00 7A
```

Program 2: BASIC Demonstration

For instructions on entering this program, please refer to "COMPUTEI's Guide to Typing In Programs" elsewhere in this issue.

- DG 10 IF Z=0 THEN Z=1:LOAD"OME GASORT",8,1
- QQ 20 POKE 53281,1:PRINT"{CLR} {2 DOWN}{BLK}"
- MH 3Ø DEFFNA(X)=INT(X*100+.5)/ 100
- MC 40 INPUT"HOW MANY"; N:DIMA\$(
 N),A%(N)
- PA 50 A\$="ABCDEFGHIJKLMNOPQRST UVWXYZ"
- QQ 60 FORX=0TON:A\$(X)=MID\$(A\$, RND(1)*18+1,RND(1)*5+3): PRINTX,A%(X),A\$(X)
- RJ 70 NEXT
- FK 80 PRINT" [DOWN] [RVS] SORTING
 ":T1=TI
- GD 90 SYS 49152,N,A\$(0),A\$(0) EG 100 T2=TI:TM=(T2-T1)/60:PRI NT"{CLR}{DOWN}"
- HF 110 FORX=0TON:PRINTX,A%(X), A\$(A%(X))
- BG 120 IFPEEK(214)<21THEN170
- BR 130 PRINT"{DOWN}HIT ANY KEY
 TO CONTINUE:{2 SPACES}
 F1 TO END
- BQ 140 GETB\$:IFB\$=""THEN140 CH 150 IFB\$="{F1}"THENX=N-18
- GH 160 PRINT"{CLR}{DOWN}" SQ 170 NEXT
- FE 180 PRINT"{2 DOWN}{RVS}"FNA
 (TM)"{OFF}SECONDS"

Atari Disk Sector Editor

Marcelo Adapon

With this utility you can view and change the contents of any sector on a standard floppy disk. The program works with Atari DOS 2.0 and 2.5 and runs on any Atari 800XL, 65XE, or 130XE computer. (The program will not work on the older 400 or 800 models.) A disk drive and joystick are required. Recommended for intermediate and advanced programmers.

If you are interested in learning about Atari disk organization, or if you have ever needed to recover an accidentally deleted disk file, "Atari Disk Sector Editor" can be a very useful tool. It's a convenient, menudriven utility which allows you to display the contents of any disk sector on the screen and modify any byte or series of bytes within the sector. (A disk editor is a very powerful tool-if misused, it can easily scramble an entire disk, destroying its contents forever. To avoid losing important data, you should practice using this program on an unimportant disk until you are familiar with its use.)

Type in the program and save it to disk. Notice line 5: To edit an enhanced-density DOS 2.5 disk, you'll need to change the DENSITY=0 in that line to DENSITY=1. The program uses several of the less common screen editor sequences, so be sure to refer to the "Guide to Typing In Programs" article elsewhere in this issue if you see something in braces ({ }) that you don't understand. For example, the {5 DEL LINE} in line 470 means to type the delete-line sequence, ESC-SHIFT-DELETE, five times.

When you run Disk Sector Editor, it spends a few moments installing machine language subroutines; then it displays the menu screen. This screen lists all the commands available in the program. The menu disappears when you display a disk sector. Use the joystick to move the cursor from one byte to another in the sector display. You can go back to the menu at any time by pressing the question mark key (?).

Command List

Here is a complete list of the program's commands:

- **R.** Reads the sector indicated by the number in the sector indicator and displays its contents on the screen. **W.** Writes the current sector back to disk, including any changes you have made while editing the sector.
- C. Changes to a new sector.
- T. Activates text input mode. Text mode lets you change the contents of the byte under the cursor by typing a key. (Don't type too quickly—input is rather slow in this mode.) Exit this mode by pressing CTRL-CLR.
- H. Activates hexadecimal input mode. As with text mode, this mode lets you change the contents of a byte. However, the new value is typed as a hexadecimal value. For instance, typing the characters AA changes the contents of the byte under the cursor to hexadecimal \$AA. Exit hexadecimal mode by typing ZZ.
- **D.** Activates decimal input mode. This mode works the same as text and hexadecimal mode, except that entries are in decimal. Exit by typing -1.
- L. Displays sector link information. This function shows the data con-

tained in the last three bytes of the current sector. These bytes show the number of active bytes in the sector, the file number, and the next sector in the chain of linked sectors. Note that if the last byte is zero, you have reached the final sector in the chain (the end of the file).

- **S.** Shows the decimal value of the byte under the cursor.
- **A.** Shows the character in ATASCII and internal format.
- N. The Next command automatically reads the next sector in the file chain and increments the sector indicator to that sector number.
- +. Pressing the plus key (+) causes the program to read the next sector in numerical order. If you execute this command from sector 720 (standard density) or 1010 (enhanced density), the program proceeds to sector 1.
- —. Pressing the minus key (—) causes the program to read the previous sector in numerical order. If you execute this command from sector 1, the program backs up to sector 720 (standard density) or 1010 (enhanced density).
- ?. The question mark key (?) returns you to the main menu, which lists all the program's commands.

Among other things, this program allows you to recover a file that was deleted accidentally. Before you try to recover an actual file, it's a good idea to practice this process with a dummy file on an unimportant disk. For instance, create a dummy file by saving a one-line BASIC program to disk; then delete the file to set up the conditions for recovering it. After you know that you can successfully recover the dummy file, you can proceed to restore important files.

Directory Records

To begin the recovery process, read the directory sectors (361–368) to find out whether the filename of the deleted file still exists. It's important to understand the format of file records within the disk directory. Each record contains 16 bytes, whose significance is explained as follows.

Byte 0: Status

The status byte records the file's status, which is one of four possible values:

\$40 = normal

\$43 = unclosed

\$80 = deleted

\$20 = locked

The status byte for a deleted file appears on the screen as the heart character.

Bytes 1-2: Length

These bytes show the length of the file in low-byte/high-byte format. To convert from low-byte/high-byte format to a decimal number, use the BASIC statement PRINT LO + 256 * HI, where LO equals the low-byte value and HI equals the high byte.

Bytes 3-4: Starting sector

This pair of bytes indicates the sector where the file begins. This value is also in low-byte/high-byte format.

Bytes 5-12: Filename

The first part of the filename (the eight characters before the period) is contained in these bytes.

Bytes 13-15: Extension

These three bytes contain the threecharacter extension which appears after the period in a filename.

When you view a file record with this program, each record takes up two lines of the display. Each record starts on a line that ends with a zero (10, 20, and so on). To recover a deleted file, you need only change that file's status byte from \$80, meaning that it's deleted, to \$40, the normal file type. Once this is done, write the sector back to disk.

File Recovery

The best time to recover a file is immediately after it has been deleted, before any other files have been created or updated. That way, you can be reasonably certain that no part of the deleted file has been overwritten by another file. After recovering a file, you should exit the program and attempt to read the file normally, to make sure all of it is present. (Don't write to that file or any other file on the disk, however, or you may destroy your chances of recovering it.)

With the file intact, only one job remains. You have changed the file's status back to normal, but you must still update the disk's VTOC (Volume Table Of Contents) so that DOS knows the file's sectors are in use again. Copy the recovered file to a second disk; then insert the original disk and delete the file again from the DOS menu. Now copy the file back from the second disk to the original. DOS updates the VTOC and the file is restored completely.

Recovery is much more difficult in cases where the deleted file has no entry in the directory sectors or where part of it is missing after you've restored it to normal status. Since the directory holds no clue as to the file's length or location, you have to look through every sector on the disk to find the beginning of the file, then determine its length manually by chaining through all its sectors until you reach the final sector. Once that has been done, you have to construct a new file record in the directory and update the VTOC as well. It's possible to recover a file in this way, but only if none of it has been overwritten by other files. And this method depends on your ability to recognize the file's first sector amongst all the other sectors on the disk. Unless the file is absolutely irreplaceable, you may find it more time-efficient to recreate the file by using the program that created it in the first place.

Atari Disk Sector Editor

For instructions on entering this program, please refer to "COMPUTEI's Guide to Typing In Programs" elsewhere in this issue.

- FE 5 DENSITY=0:REM DENSITY=1

 IF USING DOS 2.5 ENHAN
 CED DENSITY
- MA 10 IF PEEK(1536)<>173 THE N GOSUB 1150
- FF 20 P2=PEEK(106)-5:POKE 10 6,P2:GRAPHICS 0:SC1=PE EK(88):SC2=PEEK(89):SC RN=P2*256:DL=PEEK(560) +256*PEEK(561)
- AF 30 POKE 752, 1: SECTOR=1
- CN 40 DIM R\$(1), BUF\$(128), CM D\$(1): DRIVE=1: BUF\$=CHR

- \$ (Ø):BUF\$ (128) = BUF\$:BU F\$ (2) = BUF\$:ADDR=ADR (BU F\$)
- JA 5Ø DIM HX\$(16),HXN\$(3),HX N1\$(2):HX\$="Ø123456789 ABCDEF"
- 10 60 DIM ML1\$(26), ML2\$(19): RESTORE 62
- FI 62 FOR I=1 TO 26:READ BYT :ML1\$(I)=CHR\$(BYT):NEX
- FN 64 FOR I=1 TO 19:READ BYT :ML2\$(I)=CHR\$(BYT):NEX
- NP 66 DATA 104,104,133,1,104
 ,133,0,162,0,160,0,169
 ,0,145,0,200,208,249,2
 30,1,232,224,4,208,242
- HD 68 DATA 72,138,72,162,0,1
 69,0,157,192,158,232,2
 24,40,208,246,104,170,
 104,64
- FC 7Ø A=USR(ADR(ML1\$), SCRN): A=ADR(ML2\$):POKE A+9, I NT((SCRN+96Ø)/256):POK E A+8, SCRN+96Ø-PEEK(A+ 9) *256
- JF80 POKE DL+10,130:POKE 51 3,INT(A/256):POKE 512, A-PEEK(513)*256:POKE 5 4286,192
- FH 90 ? "R READ SECTOR "
- PD 100 ? "W WRITE SECTOR"

 MB 110 ? "C CHANGE SECTOR

 READ/WRITE NUM"
- HE 120 ? "T ENTER TEXT DAT
- AJ 130 ? "H ENTER HEX DATA
- BA 140 ? "D ENTER DECIMAL DATA"
- EJ 150 ? "L PRINT SECTOR L INK INFO"
- EH 160 ? "S SHOW DECIMAL V ALUE"
- JM 170 ? "A CHARACTER REPR ESENTATIONS"
- KA 180 ? "N NEXT SECTOR IN CHAIN"
- JK 19Ø ? "+ DISPLAY NEXT S ECTOR"
- NC 200 ? "- DISPLAY PREVIOUS SECTOR"
- 8L 210 ? "? HELP SCREEN"
 CM 220 ? " USE JOYSTICK TO M
- OVE CURSOR "
 NH 23Ø ? " PRESS A KEY TO CO
- MN 240 OPEN #1,4,0,"K:"
- # 250 GET #1, B: IF FL<>1 THE N GOSUB 600
- FD 260 FL=1:GOSUB 650:POKE 7 54,1:POKE 694,0:POKE 702,64
- LB 270 IF PEEK (754) <>1 THEN 450
- KE 28Ø D=PEEK(632):IF D=15 T HEN 27Ø
- 0H 290 POKE LOC, PEEK (LOC) -12 8: POKE LOC+1, PEEK (LOC +1) -128
- 84 300 POSITION 28, Y+1:? " "
- JA 310 POKE TEMP, PEEK (TEMP) -128: POKE TEMP+1, PEEK (TEMP+1) - 128
- BH 320 POSITION 6+X*3,0:? X: POSITION 29+X,0:? X
- 60 330 IF D=10 OR D=14 OR D= 6 THEN Y=Y-1
- DH 34Ø IF D=9 OR D=13 OR D=5 THEN Y=Y+1

		الملكنيين			
CC 350	IF D=10 OR D=11 OR D=	1	DD 3700 THEN DEDTED 1		
BL 226	9 THEN X=X-1	00 700	DR>72Ø THEN SECTOR=1		0000
AU 3 LO	IF D=6 OR D=7 OR D=5		R\$="R":GOTO 47Ø	KU 920	IF HXN\$="ZZ" THEN POS
HT 200		NH / 19	SECTOR=SECTOR-1: IF SE		ITION Ø, 18:? "
	THEN X=X+1	STATE VISION	CTOR<1 THEN SECTOR=10		(5 DEL LINE)": GOTO 26
	IF X>7 THEN X=Ø		10	dia sum	Ø
	IF X<Ø THEN X=7	AE 711	IF DENSITY=Ø AND SECT	00 930	H=ASC(HXN\$(1,1)):IF (
	IF Y>15 THEN Y=Ø	A Description	OR>720 THEN SECTOR=72		H<48 DR H>57) AND (H<
BD 400	IF Y<Ø THEN Y=15		Ø	71.00	65 OR H>7Ø) THEN ? "
CP 410	LOC=SCRN+45+4Ø*Y+X*3:		R\$="R":GOTO 47Ø	A service of	{BELL}":GOTO 900
The state of	POKE LOC, PEEK (LOC) +12	AF 73Ø	POSITION Ø, 18:? "	EK 940	L=ASC(HXN\$(2,2)):IF (
	8: POKE LOC+1, PEEK (LOC	THE RESERVE A	(5 DEL LINE) THE DECIM		L<48 OR L>57) AND (L<
	+1)+128:POSITION 28,Y		AL VALUE OF BYTE #":Y	CE Divine	65 OR L>7Ø) THEN ? "
	+1:? "(ESC)(RIGHT)"	3900	*8+X:? "IS EQUAL TO "		(BELL)": GOTO 900
RF 420	TEMP=SCRN+42+4Ø*Y:POK	1707 IL	:PEEK (ADDR+8*Y+X) : GOT	NE 950	IF H<65 THEN H=H-48:6
20 122	E TEMP, PEEK (TEMP) +128		0 280	,	OTO 97Ø
1972		AK 740	FN=INT (PEEK (ADDR+125)	10040	H=H-55
1 1 1 1 1 1 1	:POKE TEMP+1, PEEK (TEM		/4): NSEC=PEEK (ADDR+12		IF L<65 THEN L=L-48:6
50 470	P+1)+128	THE TOPS	6)+256*(PEEK(ADDR+125		
EF 430	POSITION 6+X*3,Ø:? CH	Cut and)-FN*4)		OTO 99Ø
1 1 1 1 1 1 1	R\$(176+X):POSITION 29	E1 750	POSITION Ø, 18:? "		L=L-55
1 0 W 1 0 0 0 0 W	+X,Ø:? CHR\$(176+X)	20 / 20			V=H*16+L:GOSUB 1060:G
	GOTO 27Ø	THE SECTION ASSESSMENT	(5 DEL LINE) DOS FILE		OTO 900
CC 45Ø	GET #1, B: R\$=CHR\$(B):P		NUMBER "; FN: ? "NEXT S	HB 1000	POSITION Ø, 18:? "
-	OKE 754,1	30000 4.05	ECTOR IN THIS FILE IS		(5 DEL LINE) ASCII CH
LE 460	IF R\$="?" THEN GOSUB	102 30	"; NSEC: AC=PEEK (ADDR+		ARACTER ENTRY MODE"
Miles .	66Ø:GOTO 25Ø	517.5	127)	10 1010	POSITION 2,19:? "PRE
IK 47Ø	IF R\$="R" THEN CMD\$="	L1 / 60	? "THERE ARE "; AC; " A		SS CHEEN TO END T
	R":GOSUB 1270:GOSUB 6	A STATE OF	CTIVE BYTES": ? "IN TH	200	EXT ENTRY MODE"
	ØØ: POSITION Ø, 18:? "	00 =	IS SECTOR": GOTO 270	DM 1020	V=PEEK (ADDR+Y*8+X):P
FOR IS	(5 DEL LINE)": GOTO 27	UC 77Ø	POSITION Ø, 18:? "		OSITION Ø, 20:? "
The same	0		(5 DEL LINE) ASCII		(DEL LINE) CHARACTER
JF 480	IF R\$="W" THEN CMD\$="		{10 SPACES} INTERNAL":		TO REPLACE ";: IF V=1
	W": GOSUB 1270: GOSUB 6	TO SEE S	? "GRAPHIC ASC	WELL AND	55 THEN ? "ENBEDIEL" : G
	ØØ:POSITION Ø, 18:? "		(4 SPACES) GRAPHIC INT	LEGISTE !	OTO 1020
	(5 DEL LINE)": GOTO 27			ER 1030	? CHR\$(27); CHR\$(V)
30.5	Ø	E0 78Ø	V=PEEK(Y*8+X+ADDR): IF	LC 1040	GET #1, V: IF V=158 TH
1000		LEADY BE	V=155 THEN V=27		EN POSITION Ø, 18:? "
	IF R\$="C" THEN 670	AK 790	POSITION 10, 18:? CHR\$	217/5/5/19	(5 DEL LINE)": GOTO 2
	IF R\$="H" THEN 880		(27); CHR\$(V): POKE SCR		60 DEL LINES : 6010 2
	IF R\$="D" THEN 840	AP BOY	N+75Ø, V	ED 1050	GOSUB 1060:GOTO 1020
	IF R\$="T" THEN 1000	EN BØØ	V=V-INT(V/64) *64+64:P		POSITION X*3+5, Y+1:H
	IF R\$="L" THEN 740		OSITION 15, 19: ? CHR\$(10 1000	
	IF R\$="+" THEN 690		27); CHR\$(V): POKE SCRN		X=V:GOSUB 1260:? HXN
	IF R\$="-" THEN 710	100000	+790, V+64-(V+64>128) *		\$: POSITION X+29, Y+1:
DN 560	IF R\$="S" THEN 730	ADDRESS.	128		? CHR\$(27);: IF V=155
	IF R\$="A" THEN 770	8 910	GOTO 27Ø		THEN ? CHR\$(27):GOT
DK 58Ø	IF R\$="N" THEN 820				0 1080
HA 59Ø	GOTO 27Ø	01 020	FN=INT (PEEK (ADDR+125)	THE RESERVE OF THE PARTY OF THE	? CHR\$(V)
MP 600	GOSUB 650: X=0: Y=0:LOC	- 130 al 20	/4):NSEC=PEEK (ADDR+12	EL 1080	POSITION 6+X*3,Ø:? X
100	=SCRN+45		6)+256* (PEEK (ADDR+125		:POSITION 29+X,Ø:? X
M0 610	POSITION Ø, Ø: ? "LINE	The same)-FN*4): IF NSEC=Ø THE		POKE ADDR+Y*8+X,V
	E 1 2 3 4 5 6		N GOTO 260	MH 1100	X=X+1:IF X>7 THEN X=
	7 E1234567": A=USR (15	PH 820	SECTOR=NSEC: CMD\$="R":		Ø:POSITION 28,Y+1:?
No. of Lot of	36, ADDR)		R\$="R":GOTO 47Ø		" ";:Y=Y+1:IF Y>15 T
ON 620	? :? "SECTOR # TO BE	LM 840	POSITION Ø, 18:? "		HEN Y=Ø
	WRITTEN/READ: "; SECTOR	TO MAN AND THE	(5 DEL LINE) TYPE IN D	LP 1110	POKE TEMP, PEEK (TEMP)
10 44	. " "	Small at a	ECIMAL NUMBER THEN RE		-128: POKE TEMP+1, PEE
HM 630	TEMP=LOC-3: POKE TEMP,		TURN": ? "TYPE -1 TO E		K(TEMP+1)-128
	PEEK (TEMP) +128: POKE T	MARK B	ND DECIMAL ENTRY MODE	EC 1120	TEMP=SCRN+42+4Ø*Y:PO
2	EMP+1, PEEK (TEMP+1)+12		# 14 SPAS SUBJECT TO THE STATE OF		KE TEMP, PEEK (TEMP) +1
	8	EP 85Ø	POSITION 2,20:? "		28: POKE TEMP+1, PEEK (
LJ 640	POKE LOC, PEEK (LOC) +12		{DEL LINE} NUMBER TO R		TEMP+1)+128
	8: POKE LOC+1, PEEK (LOC	BEBEN	EPLACE "; PEEK (ADDR+Y*	FP 1130	LOC=SCRN+45+4Ø*Y+X*3
-	+1)+128:POSITION 28,1		8+X);":";:TRAP 850:I		: POKE LOC, PEEK (LOC) +
	:? "(ESC) (RIGHT) ": RET		NPUT V:TRAP 40000		128: POKE LOC+1, PEEK (
	URN	FL 860	IF V=-1 THEN POSITION		LOC+1)+128:POSITION
PD 450	POKE DL+4, Ø: POKE DL+5		Ø,18:? "{5 DEL LINE}		28, Y+1:? "{ESC}
1.000	.P2:POKE 88,0:POKE 89		":GOTO 260		(RIGHT)"
	,P2:RETURN		GOSUB 1060:GOTO 850	JI 1140	POSITION 6+X*3,Ø:? C
V0		11 88à	POSITION Ø, 18:? "		HR\$(176+X):POSITION
KU 660	POKE DL+4, SC1: POKE DL	STATE OF	(5 DEL LINE) TYPE IN H		29+X,Ø:? CHR\$(176+X)
100	+5,SC2:POKE 88,SC1:PO	THE PARTY	EXADECIMAL NUMBERS AN		: RETURN
The same	KE 89, SC2: RETURN	MESSE	D RETURN";	DM 1150	RESTORE 1160:FOR A=Ø
IK 670	POSITION Ø, 18:? "	MH 89Ø	? "TYPE IN ZZ TO END		TO 207: READ B: POKE
	(5 DEL LINE) SECTOR NU		HEX ENTRY MODE"		A+1536, B: NEXT A: RETU
1 1 1 1 1 1	MBER";:TRAP 670:INPUT	60 900	V=PEEK (ADDR+Y*8+X):HX		RN
10 10 10 10	SECTOR: POSITION 30,1	Par 199	=V:GOSUB 1260:POSITIO	AJ 1160	DATA 173,6,228,141,1
	7:? SECTOR; " "	Break 1	N Ø, 20:? "{DEL LINE}H		89,6,238,189,6,173,7
DN 680	POSITION Ø, 18:? "	DE CO	EX NUMBER TO REPLACE		,228,141,190,6,169,0
	(DEL LINE)":GOTO 270	the Paris	\$";HXN\$;" :?":INPUT H		,141,253,6,141,254
NO 690	SECTOR=SECTOR+1: IF SE		XN\$	DB 117Ø	
	CTOR>1010 THEN SECTOR	86 910	TRAP 900:HXN1\$="00":H		,10,141,208,6,165,11
- miles	=1		XN1\$(3-LEN(HXN\$),2)=H		,141,209,6,104,104,1
KD 691	IF DENSITY=Ø AND SECT	7 R THE	XN\$:HXN\$=HXN1\$:TRAP 4		33,11,104,133,10,174
			the section of the state of the section of the sect		the state of the s

JN 1180 DATA 253,6,172,254,6 ,224,0,208,15,140,25 5, 6, 152, 32, 148, 6, 169 ,58,32,188,6,172 KE 119Ø DATA 254,6,177,10,32 ,148,6,169,32,32,188 ,6,238,254,6,238,253 6,173,253,6,201 MG 1200 DATA 8,208,208,169,0 ,141,253,6,169,27,32 ,188,6,172,255,6,177 ,10,201,155,208,2 DH 1210 DATA 169,27,32,188,6 ,238,255,6,238,253,6 ,173,255,6,201,128,2 40,49,173,253,6,201 6D 122Ø DATA 8,208,217,169,0 ,141,253,6,169,155,3 2,188,6,76,43,6,141, 210,6,41,240,74 HM 1230 DATA 74,74,74,170,18 9, 192, 6, 32, 188, 6, 173 ,210,6,41,15,170,189 ,192,6,32,188,6 KA 124Ø DATA 96,173,208,6,13 3,10,173,209,6,133,1 1,96,32,176,242,96,4 8,49,50,51,52,53 KA 1250 DATA 54,55,56,57,65, 66,67,68,69,70 CB 126Ø H=INT (HX/16):L=HX-H* 16+1:H=H+1:HXN\$(1)=H X\$(H,H):HXN\$(2,2)=HX\$(L,L):RETURN El 1270 POSITION 0, 18:? " (5 DEL LINE)"; : POKE 54286,64: TRAP 1330 11 128Ø DIM SIOCALL\$ (16) L6 129Ø RESTORE 132Ø JA 1300 FOR CNT=1 TO 14: READ BYTE EH 1310 SIOCALL\$ (CNT) = CHR\$ (B YTE) : NEXT CNT LM 1320 DATA 104,32,89,228,1 73,3,3,133,212,169,0 ,133,213,96 PC 133Ø TRAP 40000 NE 134Ø IF SECTOR<1 OR SECTO R>(72Ø+DENSITY*29Ø) THEN POSITION Ø, 18:? "(2 BELL) SECTOR NUM BER ERROR": POKE 5428 6,192: RETURN 66 1350 POKE 768, ASC ("1") EF 1360 POKE 769, DRIVE DE 1370 POKE 770, ASC (CMD\$) 68 1380 POKE 771,128 LK 1390 IF CMD\$="R" THEN POK E 771,64 0E 1400 POKE 773, INT (ADDR/25 OH 1410 POKE 772, ADDR-256*PE EK (773) PH 1420 POKE 774,3 PG 1430 POKE 775,0 MN 1440 POKE 776, 128: POKE 77 LE 1450 IF DENSITY=2 THEN PO KE 776, Ø: POKE 777, 1 KF 1460 POKE 779, INT (SECTOR/ 256) KC 147Ø POKE 778, SECTOR-256* PEEK (779) HH 148Ø SIDSTATUS=USR (ADR (SI OCALL\$)) 00 1490 IF SIOSTATUS<>1 THEN POSITION Ø, 18:? "ER ROR "; SIOSTATUS; " DU RING LAST READ/WRITE 04 1500 POKE 54286, 192: RETUR

Mirrors For IBM PC/PCjr

Paul W. Carlson

Here's a program that really shows off the graphics capabilities of the PC and PCjr. "Mirrors" produces an ever-changing, lightning-fast kaleidoscopic display in medium resolution. The program requires a color monitor and, for the IBM PC, a color/ graphics adapter card.

This graphics program creates entrancing, constantly changing designs on the medium-resolution screen. Type in the program and save a copy, then place a disk in the drive and run it. This BASIC program creates an executable machine language program named MIRRORS.COM. (Once you have created MIRRORS.COM, you won't need the BASIC program again.) To use the program, type SYSTEM and press Enter to exit BASIC and enter DOS. At a DOS prompt, type MIRRORS and press Enter. The program clears the screen and begins to create its display. The screen is divided into four quadrants. Inside each quadrant, a graceful series of lines moves in a changing pattern. Since each quadrant mirrors the others, the result is pleasingly symmetrical. Press the Q key to terminate the program and return to DOS.

How It Works

The program begins by plotting 20 lines in each quadrant. Then, in each quadrant, the oldest line is erased and a new line is plotted. The direction in which the lines move is controlled by an x and a y increment for each end of the lines. When the program detects that the end of a line is about to leave the top or the bottom of its quadrant, it randomly picks a new y increment for that end of the lines. The new increment will be opposite in sign to the old one, to send the lines back toward the center of the quadrant. The x increment changes in the same manner when the end of a line is about to go beyond the side of a quadrant.

The program achieves its speed by avoiding BIOS routines and writing directly to video RAM. Since almost every operation in the program has to be performed four times (once for each quadrant), the macro capabilities of the IBM Macro Assembler were used to generate in-line code rather than using subroutine calls. This increased the size of the program, but resulted in a dramatic speed increase.

MIRRORS.COM Filemaker

For instructions on entering this program, please refer to "COMPUTEI's Guide to Typing In Programs" elsewhere in this issue.

- E! 10 T=0:OPEN "MIRRORS.COM" FOR **OUTPUT AS 1**
- LJ 20 FOR J=1 TO 48: READ A\$: N=VA L("&H"+A\$)
- LN 3Ø T=T+N:PRINT#1, CHR\$(N);:NEX

C7. Ø6. 11 ML 85Ø DATA Ø1,3D,Ø1,ØØ,72,Ø5,3D KE 440 DATA 02,01,00,EB,2E,02,BB IN 40 FOR J=1 TO 100: PRINT#1, CHR , AØ, ØØ, 72 \$ (Ø); CHR\$ (1); : NEXT 3F, Ø1, 8B JC 860 DATA 15,E8,57,01,25,03,00 P 50 FOR J=1 TO 1121: READ A\$: N= CK 45Ø DATA D8, 2B, 85, 95, Ø1, 2B, 9D , 95, 92, 99 VAL ("&H"+A\$) 31,Ø1,A3 KL 870 DATA 83,06,FD,01,00,78,02 T=T+N: PRINT#1, CHR\$ (N); :NEX JA 460 DATA 09,02,89,1E,0D.02.8B ,F7,D8,A3 ,85,C7,Ø1 T: CLOSE 1 LH 880 DATA FD, 01, A1, 07, 02, 03, 06 JA 470 DATA BB, 9D, 63, 01, A3, 0B, 02 BA 70 IF T=892Ø9! THEN PRINT"MIR .FF.Ø1.3D 89, 1E, ØF RORS.COM SUCCESSFULLY CREA 81 890 DATA Ø1,00,72,05,3D,64,00 TED! ": END ID 480 DATA 02,C7,06,11,02,01,00 72, 15, E8 LP 8Ø PRINT CHR\$ (7); "**** ERROR E8, Ø2, Ø2 CI 900 DATA 31,01,25,03,00,05,02 KM 490 DATA B8,3F,01,8B,D8,2B,06 IN DATA STATEMENTS *****" ,00,83,06 : END , Ø5, Ø2, 2B MP 910 DATA FF, 01, 00, 78, 02, F7, D8 6C 500 DATA 1E,01,02,A3,09,02,89 DATA E9, 10, 01, 3F, 00, 3F, 40, , A3, FF, Ø1 , 1E, ØD, Ø2 3F,8Ø,3F NB 92Ø DATA A1, Ø1, Ø2, Ø3, Ø6, F9, Ø1 AA 510 DATA A1,07,02,88,1E,03,02 JB 100 DATA C0, CF, 00, CF, 10, CF, 20 ,A3,Ø1,Ø2 A3, ØB, Ø2 .CF.3Ø.F3 CP 93Ø DATA A1, Ø3, Ø2, Ø3, Ø6, FB, Ø1 01 110 DATA 00,F3,04,F3,08,F3,0C PD 52Ø DATA 89,1E,ØF,Ø2,C7,Ø6,11 .A3.Ø3.Ø2 ,02,00,00 ,FC,ØØ,FC LH 940 DATA A1,05,02,03,06,FD,01 M 530 DATA EB, D7, 01, BB, 3F, 01, 8B NL 120 DATA Ø1,FC,Ø2,FC,Ø3,ØØ,ØØ ,A3,Ø5,Ø2 , DB, 2B, 85 ,00,00,00 FP 950 DATA A1, Ø7, Ø2, Ø3, Ø6, FF, Ø1 NB 540 DATA 95,01,28,9D,31,01,A3 68 13Ø DATA ØØ,ØØ,ØØ,ØØ,ØØ,ØØ ,A3,Ø7,Ø2 ,09,02,89 ,00,00,02 KF 960 DATA B4, Ø6, B2, FF, CD, 21, 3C HH 550 DATA 1E,0D,02,88,C7,00,88 68 140 DATA 00,02,00,02,00,02,00 .71.74.07 03,00,03 .DB. 2B. 85 LE 970 DATA 3C,51,74,03,E9,A1,FD OP 560 DATA C7,01,28,90,63,01,A3 AE 150 DATA 00,1E,00,0F,00,00,00 32, FF, B8 , ØB, Ø2, 89 ,00,00,00 HL 980 DATA ØØ, Ø6, 33, C9, BA, 4F, 18 JN 570 DATA 1E, 0F, 02, C7, 06, 11, 02 JJ 160 DATA 00,00,00,00,00,88,00 ,CD, 10, B8 ,00,00,EB B8,8E,CØ IK 990 DATA 00,02,33,DB,33,D2,CD JP 580 DATA A6,01,88,3F,01,88,D8 ,10,BB,02 JI 170 DATA FB, B8, 05, 00, CD, 10, B8 ,2B,06,05 MC 1000 DATA 00,CD,10,C3,50,53,5 ,00,06,33 NC 590 DATA 02,28,1E,01,02,A3,09 1,53,57,56 N 180 DATA C9, BA, 4F, 18, 32, FF, CD , Ø2, 89, 1E OH 1010 DATA BE,01,00,BF,01,00,8 ,10,C7,06 LH 600 DATA 0D,02,88,C7,00,88,D8 IH 190 DATA 11,02,01,00,C7,06,09 B, 16, ØF, Ø2 2B. Ø6. Ø7 6P 1020 DATA 2B, 16, 0B, 02, 7D, 04, F ,02,00,00 PA 610 DATA 02,28,1E,03,02,A3,08 7, DF, F7, DA HA 200 DATA C7,06,08,02,00,00,C7 ,02,89,1E HC 1030 DATA 89,3E,25,01,8B,0E,0 Ø6, ØD, Ø2 66 620 DATA ØF, Ø2, C7, Ø6, 11, Ø2, Ø1 D, Ø2, 2B, ØE DATA 3F, Ø1, C7, Ø6, ØF, Ø2, ØØ ,00,E8,75 DATA Ø9, Ø2, 7D, Ø4, F7, DE, F NA 1949 . ØØ. E8. ØF 6P 63Ø DATA Ø1,8B,85,31,Ø1,8B,9D CF 220 DATA 03, C7, 06, 09, 02, 3F, 01 7, D9, 89, 36 95, Ø1, A3 EP 1050 DATA 23,01,38,CA,7D,08,B , C7, Ø6, ØB FM 640 DATA 09,02,89,1E,0D,02,88 E,00,00,87 P6 23Ø DATA Ø2,ØØ,ØØ,C7,Ø6,ØD,Ø2 C7, ØØ, 8B NJ 1969 DATA CA, EB, Ø4, 90, BF, ØØ, Ø 3F. Ø1. C7 HL 65Ø DATA D8, 2B, 85, 63, Ø1, 2B, 9D Ø,89,36,27 QN 24Ø DATA Ø6, ØF, Ø2, C7, ØØ, E8, F4 , C7, Ø1, A3 DATA Ø1,89,3E,29,Ø1,8B,C , Ø2, C7, Ø6 NL 1070 DA 660 DATA ØB, Ø2, 89, 1E, ØF, Ø2, C7 PH 25Ø DATA Ø9, Ø2, 3F, Ø1, C7, Ø6, ØB 2, D1, EØ, A3 ,06,11,02 LH 1080 DATA 2B,01,2B,C1,8B,D8,2 , Ø2, C7, ØØ AF 670 DATA 01,00,E8,49,01,A1,01 DE 260 DATA C7,06,0D,02,00,00,C7 B, C1, A3, 2D , Ø2, 8B, 1E ,06,0F,02 IC 1090 DATA 01,88,36,09,02,88,3 6L 6BØ DATA Ø5, Ø2, A3, Ø9, Ø2, 89, 1E AE 270 DATA C7,00,E8,D9,02,C7,06 E, ØB, Ø2, 41 .ØD. Ø2. B8 BH 1100 DATA 8B, 16, 11, 02, 56, 53, 8 09.02.00 0J 690 DATA C7,00,8B,D8,2B,06,03 QN 280 DATA 00,C7,06,0B,02,C7,00 B, C7, 8A, EØ , Ø2, 2B, 1E MH 1110 DATA 25, FE, Ø1, D1, EØ, D1, E C7, Ø6, ØD FF 700 DATA 07,02,A3,0B,02,89,1E Ø, D1, EØ, 8B 66 290 DATA 02,00,00,C7,06,0F,02 , ØF, Ø2, C7 ED 1120 DATA D8,80,E7,07,D1,E0,D ,00,00,E8 KL 710 DATA 06,11,02,00,00,EB,1E IL 300 DATA BE, Ø2, BE, Ø1, ØØ, C7, Ø6 1,EØ,Ø3,D8 , Ø1, A1, Ø1 01 113Ø DATA 8B,C6,D1,F8,D1,F8,Ø , Ø9, Ø2, AØ KC 720 DATA 02,89,84,31,01,A1,03 3, D8, 81, E6 86 310 DATA 00, C7, 06, 0D, 02, 3E, 01 ,02,89,84 CL 1140 DATA Ø3, ØØ, D1, E6, D1, E6, Ø 89,36,ØB LE 730 DATA 63,01,A1,05,02,89,84 PO 320 DATA 02,89,36,0F,02,E8,A4 3,F2,D1,E6 ,95,Ø1,A1 DH 115Ø DATA 8B, 84, Ø3, Ø1, 26, 22, Ø , 02, 46, 83 DI 740 DATA 07,02,89,84,C7,01,83 7, ØA, C4, 26 LD 33Ø DATA FE,64,75,EF,C7,Ø6,Ø9 ,C7,Ø2,83 LC 1160 DATA 88,07,58,5E,83,FB,0 ,02,01,00 9K 75Ø DATA FF,28,75,03,BF,00,00 Ø,7D,11,Ø3 II 340 DATA C7,06,0D,02,9F,00,89 ,83,C6,Ø2 NB 1170 DATA 36,27,01,03,3E,29,0 36. ØB. Ø2 CL 760 DATA 83, FE, 28, 75, 03, BE, 00 1,03,1E,2B 0A 35Ø DATA 89,36,ØF,Ø2,E8,87,Ø2 .00, A1, Ø1 JE 1180 DATA 01,E2,B1,EB,0F,90,0 46,81,FE KI 770 DATA 02,03,06,F9,01,3D,01 LI 360 DATA C7,00,75,EE,BF,02,00 3,36,23,01 ,00,72,05 KF 1190 DATA 03,3E,25,01,03,1E,2 , BE, ØØ, ØØ MH 78Ø DATA 3D, AØ, ØØ, 72, 15, EB, A3 D, Ø1, E2, AØ CN 37Ø DATA 8B,85,31,01,8B,9D,95 ,01,25,03 EH 1200 DATA 5E,5F,5A,59,5B,58,C 3,51,52,A1 ,Ø1,A3,Ø9 0A 79Ø DATA ØØ, Ø5, Ø2, ØØ, 83, Ø6, F9 HO 380 DATA 02,89,1E,0D,02,88,85 ,01,00,78 DL 1210 DATA 2F, 01, 75, 09, FB, B4, 0 ,63,Ø1,8B NB 800 DATA 02,F7,D8,A3,F9,01,A1 Ø, CD, 1A, 89 AG 390 DATA 9D, C7, 01, A3, 0B, 02, 89 ,03,02,03 6L 122Ø DATA 16,2F,Ø1,B9,Ø8,ØØ,A ,1E,ØF,Ø2 KL 810 DATA 06, FB, 01, 3D, 01, 00, 72 1,2F,Ø1,33 NK 400 DATA C7,06,11,02,00,00,EB , Ø5, 3D, 64 0A 123Ø DATA D2, A9, Ø2, ØØ, 74, Ø2, B ,53,Ø2,A1 JM 820 DATA 00,72,15,E8,7D,01,25 2,01, 49,04 6C 41Ø DATA Ø1, Ø2, 8B, 1E, Ø5, Ø2, A3 ,03,00,05 KD 1240 DATA 00,74,02,86,01,32,D ,09,02,89 FA 83Ø DATA Ø2,ØØ,83,Ø6,FB,Ø1,ØØ 6, DØ, EA, D1 RL 42Ø DATA 1E, ØD, Ø2, A1, Ø3, Ø2, 8B .78.02.F7 IK 1250 DATA D8, E2, E8, A3, 2F, Ø1, 5 .1E.Ø7.Ø2 JM 84Ø DATA D8, A3, FB, Ø1, A1, Ø5, Ø2 A,59,C3 A6 43Ø DATA A3, ØB, Ø2, 89, 1E, ØF, Ø2 ,03,06,FD

Solving Alphanumeric Puzzles On Your Home Computer

Jim Butterfield, Associate Editor

In this article, Associate Editor Jim Butterfield shows how a computer can be used to solve a classic brainteaser. The example program works on any computer with BASIC.

Alphanumeric puzzles are a popular diversion, but have you ever tried to solve one with a computer? Let's give it a try. In the process, we'll learn about program building, as well. Here is the puzzle we'll attempt to solve:

RAM

AND

ROM

DATA

This is an addition problem. Each letter in the puzzle stands for a numeric digit. The challenge is to replace each letter with a number so that the addition makes sense. Here's a hint: There's nothing odd about this computer's RAM and ROM, and we have truly prime DATA.

Alphanumeric puzzles of this sort are sometimes easy to solve you almost can do them in your head. At other times, they are complex and require lengthy cogitation. One slip in the addition and you might spend an hour chasing a solution that won't work.

A computer is good at performing math and repetitive tasks, so it can help a great deal. But you must use common sense in putting the problem to your computer, or you'll waste a massive amount of computer time. If you attack the problem with brainpower, you may arrive at a solution without having to program the computer at all. On other occasions, the computer saves hours of dull work.

We'll solve this problem using your home computer. But first, a comment about the problem's terminology and assumptions.

First Reasoning

The phrase nothing odd about RAM and ROM signals that these are even numbers. This may not be only a hint; it may be needed to eliminate extra solutions. Since even numbers must end in a last digit of 0, 2, 4, 6, or 8, we may assume that the letter M has one of these values. Examining the right-hand column of the addition, we also see that M cannot have a value of zero. (If M were equal to zero, then the result of adding the rightmost row would be D rather than A.) Thus, we know that M must be 2, 4, 6, or 8. When we begin to write the program, this will be one of the first facts which we will give the computer.

Another important hint is found in the phrase truly prime DATA. This means that DATA will work out to be a prime number (one which doesn't divide evenly by any other number). We may need to examine the possible solutions to see which are prime and which are not, but, in the meantime, the fact that DATA is prime reveals another important piece of information: The letter A must be odd. Since the last digit of an odd number must be odd, then A must have a value of 1, 3, 5, 7, or 9. Of these, we can eliminate the value 5 immediately. Any number ending in 5 is divisible by 5, so it can't be prime. Thus, we know that A must represent the digit 1, 3, 7, or 9.

Take a look at the first letters of each number: R, A, and D. None of these can be zero because we don't write conventional numbers with zero as the first digit. When we come to these digits, we'll instruct the computer not to try replacing them with zero.

Now we have the basis for some more advanced conclusions. We know that A must be an odd digit. Look at the rightmost column: M plus D plus M equals A, plus a possible carry to the next column. Since A must be odd, we conclude that the sum of M plus M must be an even number. So to make the total odd, D must be an odd number, too. Another fact which we'll give to the computer.

Look at the left column. The letter D is generated by a carry. The biggest carry we possibly could have for this addition would be two. And since we've just decided that D must be odd, that means D must have a value of one. This is a good place to start programming. Enter a NEW command to erase any previous program, then enter this line:

100 D=1

That's our first fact: D equals 1. Type in the rest of the program lines as they appear in this article. Let's concentrate on the right-most column again. We normally add digits in right-to-left order, and we'll ask the computer to do the same, trying out various values to see which ones work. We know that M plus D plus M equals A (plus a possible carry). We know the value of D, as well, so let's try different values for M. Since M is an even digit (but not zero) this FOR-NEXT loop is appropriate.

110 FOR M=2 TO 8 STEP 2 990 NEXT M

Note that we're looking ahead and writing the NEXT statement at the same time as FOR, allowing lots of space in between for the lines we have yet to write.

At this stage we should ask if there is any forbidden value for M. It's a good idea, each time you introduce a new trial value, to make sure that the number isn't taken already by a letter whose value we have solved. In this case, the only solved letter is D with a value of 1; since M starts at 2 it can never conflict. To remind ourselves of the rule, let's test for the forbidden value anyway.

120 IF D=M THEN 990

Now that we have values for D and M, we can calculate a total for the first column. Calling this total T1, we calculate as follows.

130 T1=M+M+D

Let's see if we have a carry to the next column; this happens if the value of T1 is 10 or greater. If we divide T1 by 10 and take the integer (INT) value of the result, we arrive at the carry to the next column: It might be 0, 1, or 2 in this case. The variable K1 holds the value of the carry.

140 K1=INT(T1/10)

We have the total and the carry, but we still don't know the digit that belongs at the bottom of column 1. For example, if the total was 17 (with a carry of 1), the digit 7 would appear in this place. We can obtain this by subtracting ten times the carry from the total.

150 D1=T1-K1*10

At this point, we have the digit that goes at the bottom of column 1 (to represent the letter A). Let's set it and check to make sure it's not the same as the solved values for M and D. If it is the same, we must try new values.

160 A=D1

170 IF A=M OR A=D THEN 990

As long as we're setting values for A, we know it must be odd (the value of DATA is prime). We could put in a specific test for this, but that's not necessary in this case. Because D has a value of 1, the total for this column must be odd. (The sum of M plus M must be even; adding 1 to that sum always creates an odd number.)

We might as well eliminate another possibility so as to save computing time. As noted earlier, the fact that DATA is prime means that A can't have a value of 5.

18Ø IF A=5 THEN 99Ø

Quick Trial

At this point, let's try a test run to see if we are getting reasonable values. Enter the following line and run the program.

200 PRINT D; M; A

When you run this program, line 200 reveals the possible values of D, M and A. There are only three, and D always has a value of 1 (remember, we set that value at the beginning). You might like to try the arithmetic on the right hand column to insure that it's correct. It's time to tackle the second column. We'll wipe out line 200, which existed only for testing purposes, and proceed to more ambitious calculations.

Onward And Upward

The second column contains the addition A plus N plus O (the letter O, not the numeral 0), plus any carry from column 1. We know the value of A, but N and O are unknown to us. Let's try out various values, beginning with N.

200 FOR N=0 TO 9 980 NEXT N

Again, we enter both parts of the FOR-NEXT loop together. Note that for correct nesting, NEXT N must be occur ahead of NEXT M. We'll check N for credibility.

210 IF N=A OR N=M OR N=D THEN 980

Add these lines to try different values for O.

220 FOR O=0 TO 9 230 IF O=N OR O=A OR O=M OR O= D THEN 970 970 NEXT O If you study the puzzle carefully, you may see that the values for O and N are interchangeable. They appear only in this column, and their total is all that counts. You might exploit this by changing line 230 to include IF O < N OR... which would force O to be bigger than N and thus eliminate duplicate solutions and extra calculating. But such things are easier to spot in hindsight than when you're programming. We'll leave the program as shown.

Here's an important note. It's a wise practice to avoid variables named O, since it's easy to confuse the alphabetic letter with an unrelated number. We're using O in this case to keep the program close to the original puzzle. Be careful not to confuse the letter O with the numeral 0 in the preceding lines and in the ones to follow.

It's time to compute the total for column 2. Remember, we must add in the carry from column 1. These lines calculate the digit at the bottom of this column and the carry.

```
240 T2=K1+A+N+O

250 K2=INT(T2/10)

260 D2=T2-K2*10

270 T=D2

280 IF T=O OR T=N OR T=A OR T=

M OR T=D THEN 970
```

Again, we'll add a test line and run the program to see whether we're making progress.

300 PRINT D; M; A; N; O; T

The list of possible answers is pretty long, but the rest of the program will chop it down.

Last Column

For column 3, we need to calculate the sum of R plus R plus A, plus the carry from column 2. The value of R is not known, so we must try a new set of values. However, we do know that R cannot be zero (because it's the first digit in a number).

300 FOR R=1 TO 9
310 IFF R=T OR R=O OR R=N OR R
=A OR R=M OR R=D THEN 960
960 NEXT R

The totals are computed as in previous cases.

320 T3=K2+R+R+A 330 K3=INT(T3/10) 340 D3=T3-K3*10

Since the digit at the bottom of this column must be A, we can exclude other values immediately. 350 IF D3<>A THEN 960

We know, too, that the carry must have a value of 1 to yield the correct value for D.

360 IF K3<>1 THEN 960

How close are we getting? Enter this test line and run the program. 400 PRINT D; A; T; A

There will be duplicate numbers. We foresaw this fact when we noted the interchangeability of the variables N and O. The computer prints ten lines, representing five different solutions. The first one is 1383—not a prime number, since it divides evenly by 3.

Now that you have reduced the number of possibilities to five, you could check them out by hand. You might find it an interesting exercise to do a little factoring within your program. Three of the five possibilities divide by 3, and here's an interesting fact: If a number divides by three, the sum of its digits will divide by three. Thus, if you add the values of D, A, T, and A, you can check this total for divisi-

bility by three. What's the lesson? A computer can eliminate some of the drudgery work, but it can't replace the human brain. It often requires considerable reasoning just to set up a problem in a form that the computer can handle. And in many cases, such as this one, the computer may not give you the final answer, but will instead reduce the possibilities to a range that humans

can manage easily.

In short, computers are only as smart as the humans who program them. A "dumb" program—one that has no pre-reasoning applied to its construction—runs very slowly indeed, and may yield inaccurate results. A little brainwork goes a

As an additional exercise, you might add some program lines to check the final value of DATA to make sure that it's prime. For that matter, the computer might print the final result on the screen or a printer. If you're looking for a new challenge, you might try writing your own program to solve this classic alphanumeric puzzle:

SEND

MORE

MONEY

Hi-Res Text For Apple II

Adam Levin

This program copies the contents of a 40-column text screen onto either of the Apple's hi-res screens, opening the door to a whole new category of graphics effects. Among other things, it allows Apple II + owners to display lowercase characters. This technique is fully compatible with the Applesoft/DOS Tool Kit character sets.

The Apple II's high-resolution graphics screen has certainly been put through its paces over the years. There are programs to fade it in and out, scroll it every which way, invert the colors, and so on. The text screen, on the other hand, gets less attention. There are clever methods available for manipulating it, but it just doesn't offer as much flexibility as the hi-res screen.

But what if you could treat the text screen just like the hi-res screen? You could fade the text in and out, smoothly scroll it in various directions, and even invert the colors. "Hi-Res Text" takes each character on the 40-column text screen and, using a lookup table, draws that character on either of the hi-res graphics screens. The lookup table is in the same format as the Applesoft/DOS Programmer's Tool Kit character sets, so you

can use your favorite character set for the translation or create your own. In addition, since you define the shapes of the characters, Apple II+ users can obtain lowercase characters on the hi-res screen.

Starting Out

Except for Program 5, the BASIC demonstration program, the programs and file included with this article must be entered with the "MLX" machine language entry program published elsewhere in this issue. Read the MLX instructions carefully before you begin. Note that if you wish to use the demonstration program (Program 5), you must save Programs 1-4 from MLX with the filenames indicated below (Program 2 must be saved as HIRES.FADE, and so on). You will need starting and ending addresses to enter Programs 1 and 2.

For Program 1, HIRES.TEXT:

STARTING ADDRESS? 0300 ENDING ADDRESS? 0351

For Program 2, HIRES.FADE:

STARTING ADDRESS? 0350 ENDING ADDRESS? 039F

Program 1 (HIRES.TEXT) copies the text screen to a hi-res screen. Program 2 (HIRES.FADE) erases a screenful of hi-res text by fading it gradually to the background color. Program 3 (IIEC.ASCII.SET) and Program 4 (II+.ASCII.SET) are character sets. The data in Program 3 is for the Apple IIe and IIc, and the data in Program 4 is for the II+. Choose the character set appropriate for your computer and type it in with MLX. Again, you will need starting and ending addresses to enter these programs.

For Program 3, IIEC.ASCII.SET:

STARTING ADDRESS? **ENDING ADDRESS?** 62FF

For Program 4, II+.ASCII.SET:

STARTING ADDRESS? ENDING ADDRESS?

After you have typed those files from MLX, type and save Program 5, then run it. After asking which computer you are using, it prints a screenful of text on the text screen, then copies it to the hi-res screen. After a short pause, it fades out the hi-res screen.

Using HIRES.TEXT

Program 5 shows the basic techniques for using HIRES.TEXT and the character set of your choice. To use HIRES.TEXT, first BLOAD it into memory at location 768 (\$300). Next, BLOAD a character set into memory at location 24576 (\$6000). Once the character set is in place, you can activate HIRES.TEXT with CALL 768 from BASIC or 300G from the built-in machine language monitor.

After HIRES.TEXT has copied the text screen to the hi-res screen, you can manipulate the hi-res screen any way you like. There are, however, some options to consider. First, HIRES.TEXT does not clear the hi-res screen before it begins copying. This makes it easy to overlay text onto existing graphics. If you want the hi-res screen to be blank before the characters are transferred, you must erase it in the usual way.

In order for HIRES.TEXT to copy text onto the correct hi-res page (1 or 2), you must place a number in a memory location where the program can find it. If you use the command HGR or HGR2, this is done for you. Otherwise, you must POKE a value into location 230 before you run HIRES.TEXT. For hi-res page 1, use POKE 230,32. For page 2, use POKE 230,64.

You will also need to decide what is to be visible during the copying process. If you want to see the characters becoming visible on the hi-res screen, you must turn on that screen beforehand. Or, suppose that you want to fade in the entire screen: In that case, you might display a blank hi-res screen while the copying is underway, and then use a routine that fades from the filled hi-res screen to the blank one. Here are the POKEs for turning on different screens.

Text Screen

POKE -16300,0:POKE -16302,0:POK E -16303,0

Hi-Res Page 1

POKE -16300,0:POKE -16302,0:POK E -16297, Ø: POKE -163Ø4, Ø

Hi-Res Page 2

POKE -16299, Ø: POKE -16302, Ø: POK E -16297, Ø: POKE -163Ø4, Ø

If you have an Apple II+, you won't be able to type the lowercase letters in lines 58 and 62 unless your computer has been modified to include a lowercase character generator. It's possible to get lowercase characters on the screen by displaying the characters which, when converted, correspond to lowercase in the new character set. Under normal circumstances, these character values appear as lowercase and punctuation. If you'd rather not figure out the proper character codes, you can simply omit the lowercase text in these lines. Program 5 will still provide an effective demonstration of text on the hi-res screen. As an alternative, any word processors have some method for entering lowercase characters even if they can't be displayed at the time. You could use such a word processor to create a message for your text, then EXEC the text into your program. Alternatively, you can add 32 (\$20) to the ASCII value of each character which you want to display in lowercase.

Please refer to the "MLX" article in this issue before entering the following programs.

Program 1: HIRES.TEXT

Ø3ØØ: A5 E6 Ø9 18 85 E6 A2 17 59 Ø3Ø8: AØ 27 84 FF A9 ØØ 85 FD ØF Ø31Ø: A9 Ø7 85 FE 8A 2Ø C1 FB A1 Ø318: B1 28 29 7F 38 E9 2Ø 3Ø F7 Ø320: 28 ØA ØA 26 FD ØA 26 FD C2 61D8: 3E Ø6 Ø6 Ø6 Ø6 Ø6 3E ØØ 22

```
Ø328: 69 ØØ 85 FC A5 FD 69 6Ø BB
Ø33Ø: 85 FD A5 29 45 E6 85 29 B9
Ø338: A4 FE B1 FC A4 FF 91 28 C6
Ø34Ø: 38 A5 29 E9 Ø4 C6 FE 1Ø D8
Ø348: ED 88 10 BE CA 10 B9 60 BF
Ø35Ø: E2 E5 ØØ ØØ ØØ ØØ ØØ ØØ 41
```

Program 2: HIRES.FADE

```
Ø35Ø: A9 2Ø 85 E6 2Ø F2 F3 2Ø 27
Ø358: ØØ Ø3 AD 52 CØ AD 57 CØ 26
Ø36Ø: AD 54 CØ AD 5Ø CØ AD 51 77
Ø368: Ø3 85 E6 A9 FF 85 FD AØ 7B
Ø37Ø: ØØ 18 A9 38 66 FD 9Ø 1C 9D
Ø378: A9 ØØ 85 26 A5 E6 85 27 61
Ø38Ø: B1 26 25 FD 91 26 E6 26 86
Ø388: DØ F6 E6 27 A5 27 29 1F 3F
Ø39Ø: DØ EE FØ DF 2Ø 58 FC 2C 5F
Ø398: 54 CØ 2C 51 CØ 6Ø ØØ ØØ 1B
```

Program 3: IIEC.ASCII.SET

```
6000: 00 00 00 00 00 00 00 00 CO
6008: 08 08 08 08 08 00 08 00 A0
6010: 14 14 14 00 00 00 00 00 62
6018: 14 14 3E 14 3E 14 14 00 5B
6020: 08 3C 0A 1C 28 1E 08 00 C0
6028: 06 26 10 08 04 32 30 00 41
6030: 04 0A 0A 04 2A 12 2C 00 EB
6038: 08
         Ø8 Ø8 ØØ ØØ ØØ ØØ FF
6040: 08 04 02 02 02 04 08 00 96
6048: 08 10 20 20 20 10 08 00 68
6050: 08
         2A
            1C
               Ø8
                  1C
                     2A Ø8 ØØ
                               3D
6058: 00 08 08 3E 08 08 00 00 60
6060: 00 00 00 00 08 08 04 00 89
6Ø68: ØØ
         ØØ
            ØØ
               3E
                  ØØ ØØ ØØ
6070: 00 00 00 00 00 00 08 00 41
6078: 00 20 10 08 04 02 00 00 EB
6Ø8Ø: 1C
         22 32 2A
                  26 22 1C ØØ
                               B2
4088: 08 0C 08 08 08 08 1C 00 6A
6090: 1C
         22 20
               18 Ø4 Ø2 3E ØØ
                              12
6098: 3E 20 10 18 20 22 1C 00
                               C5
60A0: 10 18 14 12 3E 10 10 00 65
60A8: 3E
         02
            1E
               20
                  20
                     22 1C
                            ØØ
                               90
60B0: 38 04 02 1E 22 22 1C 00 82
60B8: 3E 20 10 08 04 04 04 00 5B
6ØCØ: 1C
         22 22
                  22 22 1C
               1C
60C8: 1C 22 22 3C 20 10 0E 00 85
60D0: 00 00 08 00 08 00 00 00 00 D2
60D8: 00 00 08 00 08 08 04 00 03
6ØEØ: 1Ø Ø8 Ø4 Ø2 Ø4 Ø8 1Ø ØØ AC
6ØE8: ØØ ØØ 3E
               ØØ 3E
                     ØØ ØØ ØØ
                               63
6ØFØ: Ø4 ØB 1Ø 2Ø 1Ø ØB Ø4 ØØ
                               62
6ØF8: 1C 22 1Ø Ø8 Ø8 ØØ Ø8 ØØ
                               23
6100: 1C
         22 2A 3A 1A Ø2 3C ØØ
                               93
61Ø8: Ø8 14 22 22 3E 22 22 ØØ F8
611Ø: 1E 22 22 1E 22 22 1E ØØ 66
6118: 10
         22 02 02 02 22 10 00
                               A2
6120: 1E 22 22 22 22 1E 00 B6
6128: 3E Ø2 Ø2
               1E Ø2 Ø2
                        3E ØØ
                               41
6130: 3E 02 02 1E 02 02 02 00 D0
6138: 3C Ø2 Ø2 Ø2 32 22 3C ØØ 8C
6140: 22
         22 22 3E 22 22 22 ØØ A2
6148: 1C Ø8 Ø8 Ø8 Ø8 Ø8 1C ØØ
6150: 20 20 20 20 20 22 1C 00 F2
6158:
      22 12 ØA Ø6 ØA 12
                        22 ØØ 2F
6160: Ø2 Ø2 Ø2 Ø2 Ø2 Ø2 3E ØØ 99
6168: 22 36 2A 2A 22 22 22
617Ø: 22 22 26 2A 32 22 22 ØØ 92
6178: 1C 22 22 22 22 1C 00 0A
618Ø: 1E
         22 22
               1E
                  02 02 02 00
                               1D
6188: 1C 22 22 22 2A 12 2C 00 3A
619Ø: 1E 22 22 1E ØA 12 22 ØØ ED
6198: 1C
         22 Ø2 1C 2Ø 22 1C ØØ B5
61AØ: 3E Ø8 Ø8 Ø8 Ø8 Ø8 Ø8 Ø0 76
61AB: 22 22 22 22 22 1C 00
                               3D
61BØ: 22 22 22 22 22 14 Ø8 ØØ E4
61B8: 22 22 22 2A 2A 36 22 00 6A
61C0: 22 22 14 08 14 22 22 00 BD
61CØ: 22
6108: 22 22 14 Ø8 Ø8 Ø8 Ø8 Ø8 98
```

61DØ: 3E 2Ø 1Ø Ø8 Ø4 Ø2 3E ØØ E1

61EØ: ØØ Ø2 Ø4 Ø8 1Ø 2Ø ØØ ØØ 26 61F8: 3E 30 30 30 30 30 3E 00 9E 61FØ: 00 00 08 14 22 00 00 99 97 61F8: ØØ ØØ ØØ ØØ ØØ 7F ØØ BA 6200: 04 Ø8 10 ØØ 00 ØØ ØØ 99 CA 3C ØØ 6208: 00 00 10 20 30 22 35 6210: Ø2 Ø2 1E 22 22 22 1E ØØ 12 6218: ØØ ØØ 30 Ø2 Ø2 Ø2 30 ØØ 15 6220: 20 20 30 22 22 22 3C ØØ BB 22 3E Ø2 3C ØØ Ø5 6228: ØØ ØØ 1C 623Ø: 18 24 04 1E Ø4 04 04 00 A4 6238: 00 00 1C 22 22 3C 2Ø 1C Ø1 22 22 22 22 00 44 6240: 02 02 1E Ø8 Ø8 Ø8 1C ØØ AB 6248: ØB ØØ ØC 6250: 10 00 18 10 10 10 12 0C 12 6258: Ø2 02 22 12 ØE 12 22 90 01 6260: ØC Ø8 Ø8 Ø8 Ø8 Ø8 1C ØØ 47 6268: ØØ ØØ 36 2A 2A 2A 22 ØØ D4 627Ø: 00 00 1E 22 22 22 22 99 F8 22 22 22 1C ØØ B4 6278: 00 00 1C 628Ø: ØØ ØØ 1E 22 22 1E Ø2 Ø2 BA ØØ 30 22 22 30 2Ø 20 59 6288: ØØ 6290: 00 00 3A Ø6 Ø2 Ø2 Ø2 ØØ 19 ØØ ØØ 3C Ø2 1C 2Ø 1E ØØ A2 6298: 62AØ: Ø4 04 1E 04 04 24 18 ØØ 4D 62A8: ØØ ØØ 22 22 22 32 20 00 06 Ø8 ØØ 4D 22 22 22 14 62BØ: ØØ ØØ 62B8: 00 00 22 22 2A 2A 36 ØØ 4A 62CØ: ØØ ØØ 22 14 Ø8 14 22 ØØ DF ØØ ØØ 22 22 22 30 20 1C 52 62C8: 00 00 3F 10 08 04 3F 00 2B 62DØ: 38 ØØ 9F 62D8: 38 00 00 06 00 00 62EØ: Ø8 Ø8 Ø8 Ø8 Ø8 Ø8 Ø8 Ø8 A5 62E8: ØE 18 18 3Ø 18 18 ØE ØØ FD 62FØ: 2C 1A ØØ ØØ ØØ ØØ ØØ 52 62F8: ØØ 2A 14 2A 14 2A ØØ ØØ B6

Program 4: II+.ASCII.SET

99 99 99 99 99 99 99 99 C9 4008: ØØ Ø8 Ø8 Ø8 Ø8 Ø8 ØØ Ø8 B4 00 00 00 99 6010: 14 00 00 14 14 ØØ 14 14 3E 14 3E 14 14 1A 6018: 99 Ø8 3C ØA 1C 28 1E Ø8 DØ 6020: 26 10 08 04 32 30 15 6028: 00 06 6030: 00 04 0A 0A 04 2A 12 2C EC 00 Ø8 Ø8 Ø8 ØØ 00 ØØ ØØ 70 6038: Ø8 Ø4 Ø2 Ø2 Ø2 Ø4 Ø8 CB 6040: 00 6048: ØØ Ø8 1Ø 2Ø 2Ø 2Ø 1Ø Ø8 B8 Ø8 Ø8 27 6050: 00 08 2A 1C 1C 2A 3E Ø8 Ø8 ØØ ØØ Ø8 Ø8 6058: ØØ Ø8 Ø8 Ø4 55 6060: 98 98 98 98 00 ØØ 99 99 3E ØØ ØØ ØØ 1B 6068: ØØ ØØ ØØ ØØ Ø8 39 6070: 00 00 00 00 A078: 00 00 20 10 Ø8 Ø4 Ø2 ØØ 92 1C F9 6080: 00 1C 22 37 24 26 22 6088: 00 08 0C Ø8 Ø8 Ø8 Ø8 1C D9 1C 22 20 18 94 Ø2 3E B1 6090: 00 1C 8F 6098: 00 3E 20 10 18 20 22 60A0: ØØ 1Ø 18 14 12 3E 1Ø 10 63 6ØA8: 00 3E 02 1E 20 20 22 1C 38 Ø4 Ø2 1E 22 22 1C 40B0: 00 60B8: 00 3E 20 10 08 04 04 04 6A 6ØCØ: ØØ 1C 22 22 1C 22 22 1C B8 6ØC8: ØØ 1C 22 22 30 2Ø 1Ø ØE 87 00 00 00 ØB 00 Ø8 ØØ ØØ 32 6ØDØ: 99 99 99 9B 9B 9B 94 4E 6ØD8: ØØ 1Ø Ø8 Ø4 Ø2 Ø4 Ø8 1Ø 27 6ØEØ: 6ØE8: ØØ ØØ ØØ 3E 99 3E ØØ 00 86 20 10 Ø4 ØA 00 04 08 10 Ø8 60FØ: 22 10 08 08 00 Ø8 6E AØFB: ØØ 1C 1A ØØ 10 22 2A 3A Ø2 30 28 6100: 61Ø8: ØØ Ø8 14 22 22 3E 22 22 6110: 00 1E 22 22 1E 22 22 1E 9C ØØ 22 Ø2 Ø2 02 22 6118: 1C 1C BE 6120: 00 1E 22 22 22 22 22 1E CC 6128: 00 3F Ø2 02 1F 02 02 3F 16 6130: aa 3E Ø2 Ø2 1E Ø2 Ø2 Ø2 E1 6138: ØØ 3C Ø2 Ø2 Ø2 32 22 30 C3 6140: ØØ 22 22 22 3E 22 22 22 D2 Ø8 Ø8 Ø8 Ø8 6148: 00 10 08 1C 20 6150: ØØ 2Ø 2Ø 2Ø 2Ø 2Ø 22 1C Ø3

6158: ØØ 22 12 ØA Ø6 ØA 12 22 25 6160: 00 02 Ø2 Ø2 Ø2 Ø2 3E 5E 5D 22 22 6168: 00 22 2A 2A 22 36 32 22 22 E2 617Ø: ØØ 22 22 26 24 ØØ 22 22 22 22 22 10 6178: 1C A2 6180: 00 1F 22 1E 30 20 C2 6188: 00 1C 22 22 22 2A 12 22 1E ØA 22 AØ 6190: 00 1E 22 12 6198: ØØ 1C 22 Ø2 1C 2Ø 22 1C 88 98 61AØ: ØØ 3E Ø8 Ø8 Ø8 Ø8 Ø8 EC 61A8: ØØ 22 22 22 22 22 22 10 54 22 22 14 20 22 ØB 61BØ: 00 22 22 61B8: 90 22 22 22 20 20 34 22 F2 22 22 14 Ø8 14 22 22 88 61CØ: 00 61C8: ØØ 22 22 14 Ø8 Ø8 Ø8 Ø8 12 20 10 08 04 02 3E BA ØØ 3E 61DØ: 61D8: ØØ 3E Ø6 Ø6 Ø6 Ø6 3E DF 20 61EØ: ØØ ØØ Ø2 94 Ø8 10 00 E4 3E 3Ø 30 30 30 3Ø 3F 25 61EB: ØØ aa aa aa 14 22 99 90 5D 61FØ: aa 61F8: 00 aa 90 ଉଉ ଉଉ ଉଉ ଉଉ 3E F9 6200: C7 00 94 98 19 99 99 99 99 20 30 22 30 Ø1 62Ø8: ØØ ØØ ØØ 6210: 00 Ø2 Ø2 22 22 22 1E 73 1E 99 99 30 Ø2 Ø2 Ø2 3C F8 6218: 90 ØØ 20 20 30 22 22 22 30 CF 6220: 6228: ØØ 0303 99 10 22 3E Ø2 3C 04 04 04 ØØ 18 24 Ø4 1E CC 6230: 6238: ØØ ØØ 1C 22 22 30 2Ø 1C 01 6240: 00 Ø2 Ø2 1E 22 22 22 22 A7 08 00 OC ØB Ø8 Ø8 1C 5C 6248: ØØ 6250: 10 90 18 10 10 10 12 00 12 6258: Ø2 Ø2 22 12 ØE 12 22 ØF ØØ 626Ø: 00 ØC 08 Ø8 Ø8 Ø8 Ø8 1C 36 2A 2A 22 Ø1 6268: 00 00 00 36 2A 627Ø: 00 00 00 1E 22 22 22 22 17 00 ØØ 00 10 22 22 22 1C F8 6278: 6280: 00 00 1E 22 22 1E Ø2 Ø2 BA 22 59 ØØ 22 30 20 20 6288: 00 3C 6290: 00 00 00 3A Ø6 Ø2 Ø2 Ø2 37 6298: ØØ ØØ ØØ 3C Ø2 1C 2Ø 1E FF 62AØ: aa 94 04 1E 04 04 24 18 59 22 32 20 62AB: ØØ ØØ ØØ 22 22 B9 62BØ: ØØ ØØ ØØ 22 22 22 14 Ø8 61 62B8: ØØ ØØ ØØ 22 22 2A 2A 36 E3 62CØ: ØØ ØØ ØØ 22 14 Ø8 14 22 B2 22 22 3C 2Ø 1C 52 62CB: 00 00 22 ØØ ØØ ØØ 3E 10 94 3E 62DØ: Ø8

Program 5: Demonstration

For instructions on entering this program, please refer to "COMPUTEI's Guide to Typing In Programs" elsewhere in this issue.

98

62F8: ØØ ØØ 2A 14 2A 14 2A ØØ 3A

Ø6 ØC ØC 38

ØR A5

D5

18 ØE

Ø8 Ø8 Ø8

1A 00 00 00 00 00 04

51 1Ø D\$ = CHR\$ (4)

38 ØC. ØC

ØE 18 18 30 18

62FØ: Ø8 Ø8 Ø8

62D8: 00

62E8: ØØ

62FØ: ØØ 2C

- 05 15 PRINT D\$"BLOAD HIRES. TEXT" : REM , A\$300
- DF 20 PRINT CHR\$ (26)"1": TEXT : HOME
- A8 30 PRINT "DEMONSTRATION OF HI RES. TEXT" AND HI
- 19 34 PRINT " RES. FADE"
- PRINT : PRINT : PRINT "WHI CH TYPE OF APPLE ARE YOU U SING?"
- 90 41 VTAB PEEK (37) + 3: PRINT 'Q' WILL QUIT": VTAB PEEK (37) - 2 22 42 PRINT "'+' PLUS 'E' ENHNC
- 'C' COMPACT ";: GET T\$: PRINT T\$
- 38 43 IF T\$ = "Q" OR T\$ = "q" TH EN HOME : TEXT : END
- > "+" AND T\$ < > " T\$ < E" AND T\$ < > "e" AND T\$ < > "C" AND T\$ < > "c" THEN

- VTAB PEEK (37): GOTO 42 BJ 50 PRINT : PRINT "HIRES. TEXT WILL BE USED TO TURN": PRI NT "THIS SCREEN INTO GRAPH ICS."
- AB 52 PRINT : PRINT "PRESS RETUR N TO SEE HIRES. FADE": GET
- 5A 54 IF L\$ < > CHR\$ (13) THEN 5
- FE 56 HOME : PRINT : PRINT "LOAD ING ASSOCIATED FILES."
- DE 58 PRINT : PRINT "THE NEXT FE W LINES ARE IN LOWER-CASE: ": PRINT : PRINT "Now is t he time for all good men": PRINT "to come to the aid of their country."
- AB 60 PRINT : PRINT " !" + CHR\$ (34) + "#\$%%'()*+,-./Ø1234 56789:; <=>?@ABCDEFGHIJKLMN OPORSTUVWXYZ" + CHR\$ (91);
- 68 62 PRINT CHR\$ (92) + "]^" + C HR\$ (95) + CHR\$ (96) + "ab cdefghijklmnopqrstuvwxyz" + CHR\$ (123) + CHR\$ (124) + CHR\$ (125) + CHR\$ (126) + CHR\$ (127)
- FB 64 IF T\$ = "+" THEN T\$ = "": PRINT D\$"BLOADII+.ASCII.SE T": REM , A\$6000
- 15 66 IF LEN (T\$) THEN PRINT D\$" BLOADIIEC.ASCII.SET": REM A\$60000
- 36 68 IF L\$ = CHR\$ (13) THEN PRI NT D\$"BLOADHIRES.FADE": RE M , A\$35Ø
- PRINT : PRINT "THIS IS STI LL THE TEXT SCREEN.
- 13 72 PRINT "PRESS A KEY WHEN RE ADY...";: GET A\$
- 87 8Ø CALL 848: REM \$35Ø
- 85 POKE - 16368, Ø
- 90 FOR R = 1 TO 400: IF PEEK (- 16384) < 127 THEN NEXT
- 40 95 POKE 16368, Ø A9 100 GOTO 20

All the programs in this issue are available on the readyto-load COMPUTE! Disk. To order a one-year (four-disk) subscription, call toll free 800-247-5470 (in IA 800-532-1272). Please specify which computer you are using.

Hi-Res PRINT For Commodore 64

Scott M. Petty

This short machine language utility allows you to quickly print characters on the Commodore 64's high-resolution graphics screen.

How many times have you thought of an idea for a game, replete with high-resolution screens, colorful animated sprites, and onscreen scoring and timing? Many different utilities are available for drawing shapes on a hi-res screen, but most of them omit one important item: printing text. Of course, you can always copy character patterns onto the hi-res screen in BASIC, but the process is painfully slow. "Hi-Res PRINT" is a short machine language routine which allows you to print letters and numbers anywhere on a hi-res screen, using different colors and reverse mode if desired. Because it's done in machine language, the process is as fast as using normal PRINT statements in BASIC. And you can use the routine from BASIC, without having any machine language knowledge.

Typing The Programs

You'll need to type in four short programs. Program 1 is the machine language (ML) program itself. Program 2 creates an abbreviated character set for use by the ML program, Program 3 demonstrates hi-res character printing, and Program 4 is used to relocate the ML to a different memory area.

Begin by typing in Program 1 with the "MLX" machine language

entry program found elsewhere in this issue. Read the MLX instructions carefully and be sure to save a copy of the program when you are done typing. Here are the starting and ending addresses for Program 1:

Starting address: C000 Ending address:

It is important that you save this program with the filename HRPRINT so that the other programs can load it by that name.

The ML program will need a set of character patterns to use for printing on the hi-res screen. Program 2 (CHARSETMAKER) is a BASIC program that makes a disk file containing data for the first 64 characters of the Commodore 64 character set. Type in Program 2

and save a copy. The character file which you create with Program 2 will load at any address that you specify. For now, supply the address indicated below so that you can use this character set with the demonstration program (Program 3). Run Program 2. When it asks for the address of the character set, enter the number 16384 and press RETURN. The program then asks you to name the file in which this character set will be stored. Type in HRCHARSET and press RETURN. Again, it is important to use this particular filename so that Program 3 can load the file from disk. After you answer the second prompt, the program

writes the file to disk and ends. Type in and save Programs 3 and 4, then load and run Program 3



If you think it's difficult to print characters on the Commodore 64's hi-res screen, look again. "Hi-Res PRINT" is a convenient machine language utility which prints letters and numbers at any location on a hi-res screen. No machine language knowledge is necessary to use this program.

(DEMO) for a demonstration. The program begins by loading the files HRPRINT and HRCHARSET into the correct memory locations and by clearing the hi-res screen. Then it draws a sine wave to prove that you are indeed looking at a hi-res screen. Finally, the program prints several text messages in different colors. In the left portion of the screen are two example score and timer displays which continue to update as long as the program runs. To end the demonstration and return to the normal screen, press any key.

Loading From A Program

Let's learn how to use the machine language routine by observing how Program 3 handles it. Several preparatory steps are required. First, the BASIC program must load both the ML code and the special character set which it uses. Program 3 does this in lines 110–120:

110 IF A=0 THEN A=1:LOAD"HRPRI NT",8,1 120 IF A=1 THEN A=2:LOAD"HRCHA RSET",8,1

These lines should appear at the very beginning of the program, before any other BASIC statements (except REMarks, which the computer ignores). If you are not familiar with how LOAD works in program mode, these lines may look somewhat baffling. Here is an explanation of how they work.

When it executes a LOAD statement under program control, BASIC performs the load and then reruns the program from the beginning. However, BASIC remembers the values of variables that were previously used in the program. Thus, the first time you run Program 3, the variable A is set to 1, and the computer loads the machine language file HRPRINT. After the load is complete, the computer runs the program a second time, beginning again with the first line of the program. But now A is equal to 1, so the IF test in line 110 fails, and the computer proceeds to line 120. The variable A is set to 2, the computer loads the file CHAR-SET, and the program is run from the beginning for a third time. This time both IF tests fail, and the computer goes on to execute the remainder of the program.

Locating The Hi-Res Screen

The next step is to decide where to put the hi-res screen. High-resolution screens require two separate blocks of memory. The largest block, called the bitmap, is 8000 bytes in size; it contains information about which pixels (screen dots) are turned on and which are off. The second block is 1000 bytes in size; it contains color information for each of the 8×8 -pixel blocks in the bitmap. The computer combines pixel information from the first block and color information from the second block to produce the final picture which appears on the hi-res screen.

The 64's video chip can refer to addresses only within a 16K (16,384-byte) memory zone. As a result, you must always locate the 8000-byte bitmap and its 1000-byte

color-memory block within the same 16K area. The Commodore 64's memory can be divided into four such blocks, which are known as *video banks*:

Bank 0: 0-16383 (\$0000-\$3FFF) Bank 1: 16384-32767 (\$4000-\$7FFF) Bank 2: 32768-49151 (\$8000-\$BFFF) Bank 3: 49152-65535 (\$C000-\$FFFF)

Program 3 locates the bitmap and color memory in video bank 0. The bitmap will start at location 8192 and color memory will go at 1024, the same area used as screen memory in text mode. Line 200 tells the computer the bitmap's location, and line 220 puts the machine in hires bitmap mode.

The following shows where Program 3 puts the bitmap, color memory, and character set:

Location Usage 1024-2023 color memory 8192-16383 bitmap 16384-16895 character set

One disadvantage of using video bank 0 is that it locates the bitmap in the middle of the RAM (Random Access Memory) area normally used to store BASIC programs. BASIC memory ordinarily resides in locations 2049-40959, giving you 38,911 bytes to hold a BASIC program and its variables. In this case, however, it is restricted to locations 2049-8191, leaving only 6141 bytes of BASIC program space. What's more, the program takes no steps to protect the bitmap; if you expand the program, it will eventually encroach on the bitmap area, corrupting its contents. For longer BASIC programs, you may need to use a different video bank—a subject that is beyond the scope of this article. In Programming the Commodore 64, available from COMPUTE! Books, you can find detailed explanations of video bank usage and methods for creating a protected memory zone.

Setting Up

Once you have loaded the machine language program and its character set, located the hi-res screen, and enabled hi-res mode, you're nearly ready to print characters on the screen. Before you can use the ML program, however, you must tell it what sort of printing to perform, as well as the location of the bitmap, color memory, and character set.

Line 150 sets two important variables—IN and PR—which are used in later SYS statements. The variable IN stands for initialize. This variable is used in a SYS call which passes the initializing information to the ML program. The first initializing statement occurs in line 240: 240 SYS IN, 2, 8192, 16384, 1024

The first value in every SYS statement is the address of the ML code which you wish to execute. Since we set IN to 49152 (line 150), this SYS statement transfers control to the ML instructions beginning at location 49152. If the ML code loads at location 49152, you should always set IN to 49152. If you relocate the code to a different memory area (see below), IN should be set to the new starting address of the ML code.

This particular ML program is designed to retrieve additional information which appears after the SYS address. The last three values in line 150 should look familiar: Here the numbers 8192, 16384, and 1024 indicate the location of the bitmap, character set, and color memory, respectively. When you execute this SYS statement, the ML program stores this information for future reference.

The second value in the SYS statement (2, in this case) is a special flag for the ML program. This value must be either 1 or 2, depending on what sort of printing you desire and what sort of hi-res screen is in use. For normal hi-res (not multicolor) screens and normal printing, this value should be 1. If you are using a multicolor hi-res screen, or if you wish to have reverse printing on a normal screen, set this value to 2.

Of course, any of the values in the SYS statement can be replaced by numeric variables. For instance, BASE is set to 8192, so you could replace the 8192 in line 240 with BASE.

Once you've initialized the program for use, the next step is usually to clear the hi-res screen. If you don't do this, it will contain random shapes. Clearing the bitmap in BASIC is a time-consuming chore, since you must POKE zeros into 8000 consecutive memory locations. Line 270 does the job in less than a second by using the ML

program to print reverse spaces on the entire hi-res screen.

Clearing the screen is a very simple matter. Line 260 creates a string, F\$, which consists of 40 spaces. In line 270, the program prints F\$ 24 times, once for each character row on the screen. Here is the SYS statement that prints the string:

SYS PR, 15, 0, J, F\$

Once again, the first parameter after SYS is an address within the ML program. The variable PR stands for PRINT; it is set to 49207 in line 150. The second value sets the printing color (15, in this case, for light gray). The third and fourth parameters set the character column and character row, respectively, where the first character of the string is printed. In this example, we always start printing at column 0, the leftmost column of the screen. The fourth value is set by the variable J, which the FOR-NEXT loop in line 270 causes to cycle from 0 to 24.

The last parameter tells the ML program what to print. On this occasion it is a string variable (F\$). You can also use any string or numeric expression that requires no more than 80 characters to print. Here are just a few examples:

SYS PR, 15, 0, 0, "HELLO" SYS PR, 15, 0, 0, LEFT\$(A\$(12),1) SYS PR, 15, 0, 0, SIN(TI)*TI²

The rest of the SYS statements in Program 2 print messages on the screen, reinitializing the ML program as needed for various kinds of printing. By examining and experimenting with these lines, you will see how to use the ML routine in several different ways.

Relocating The ML Program

Program 4 is not immediately necessary, but you may want to type it in for future use. Like many other machine language programs on the Commodore 64, Hi-Res PRINT normally occupies the protected memory area beginning at location 49152. It may happen that you wish to use this program with some other ML utility which also loads at that address. If so, you can run Program 4 to create a copy of the ML program which loads and runs

at a different memory address.

Before using Program 4, you must decide on a new location for the ML program. This can be any free RAM area at least 524 bytes in size which is not otherwise in use at the time. When you run Program 4, it loads the HRPRINT file at its normal memory location, and then asks you to enter the new memory address and the filename to use for the new file. Of course, you should use some filename other than HRPRINT for the new file. (When loading the new file under program control, you would then substitute the new filename for HRPRINT.) The program adjusts all of the ML program's internal addresses for the new location and writes the new file to disk.

As a convenience, Program 4 also prints the new addresses to use for IN and PR in the SYS statements for this program (see above). Make a note of these addresses and be sure to set IN and PR accordingly when using the relocated version.

In addition to the memory occupied by the ML code itself, this program stores information in the following memory locations:

(\$02A7-\$02FF) 679-767 820-827 (\$0334-\$033B) 1020-1023 (\$03FC-\$03FF)

You should take care not to POKE into these locations or otherwise disturb their contents when using this program.

Program 1: HRPRINT

Please refer to the "MLX" article in this issue before entering the following program.

CØØØ: 2Ø F1 B7 8E 13 Ø3 4C 15 4Ø CØØ8:CØ 2Ø FD AE 2Ø 9E AD 2Ø 93 CØ10:CE B1 A5 65 60 20 09 CØ C6 CØ18:8D FA Ø2 A5 64 8D FB Ø2 ØD CØ2Ø:2Ø Ø9 CØ 8D FC Ø2 A5 64 84 CØ28:8D FD Ø2 2Ø Ø9 CØ 8D FE 97 CØ3Ø:02 A5 64 8D FF Ø2 6Ø AØ EA CØ38:ØØ A9 ØØ 99 A7 Ø2 C8 CØ CØ4Ø:51 DØ F8 2Ø F1 B7 8E 34 7F CØ48:03 20 Fl B7 8E 36 Ø3 20 8Ø CØ5Ø:F1 B7 8E 35 Ø3 2Ø FD AE 21 CØ58:20 9E AD A5 ØD DØ 13 20 93 CØ6Ø:DD BD AØ ØØ B9 ØØ Ø1 C9 ED CØ68:ØØ FØ 26 99 A7 Ø2 C8 4C A7 CØ7Ø:64 CØ 2Ø A3 B6 AØ ØØ B1 7C CØ78:64 85 Ø2 C8 B1 64 85 FB 8Ø CØ8Ø:C8 B1 64 85 FC AØ ØØ B1 D3 CØ88:FB 99 A7 Ø2 C8 C4 Ø2 DØ B1 CØ9Ø:F6 A9 A7 85 F9 A9 Ø2 85 45 CØ98:FA AD 13 Ø3 C9 Ø1 DØ 12 9B CØAØ: AD 34 Ø3 85 FB A9 10 85 EA CØA8:FC 2Ø B5 CØ AD FC Ø3 8D 68 CØBØ:34 Ø3 4C D1 CØ A9 ØØ 8D ED CØB8:FD Ø3 8D FC Ø3 A2 Ø8 46 74 CØCØ:FB 9Ø Ø3 18 65 FC 6A 6E A8 CØC8:FC Ø3 CA DØ F2 8D FD Ø3 BC

```
CØDØ:60 AD 35 03 85 FB A9 A0 D4
CØD8:85 FC 20 B5 CØ 18 AD FC
                             7A
CØEØ:03 6D FC 03 8D FC 03 AD
                             23
CØE8:FD Ø3 6D FD Ø3 8D FD Ø3 Ø5
CØFØ: AD FC Ø3 8D FE Ø3 AD FD 1F
CØF8:03 8D FF 03 AD 36 03 85 61
C100:FB A9 08 85 FC 20 B5 C0 D9
C108:18 AD FC 03 6D FE 03 8D CD
CllØ:FC Ø3 AD FD Ø3 6D FF Ø3 39
Cl18:8D FD Ø3 18 AD FC Ø3 6D 98
C120:FA 02 8D FC 03 AD FD 03 F0
C128:6D FB Ø2 8D FD Ø3 AD FC
                             CE
C13Ø:03 8D 37 Ø3 AD FD Ø3 8D A8
C138:38 Ø3 AØ FF
                 C8 B1 F9
                         C9
C140:00 D0 01 60 8D 39 03 C9
                             3F
C148:40 90 15 C9 60 F0 0B B0 DC
C150:09 38 E9 40 8D 39 03 4C
C158:60 C1 38 E9 80 8D 39 03 D1
C160:AD 39 03 85 FB A9 08 85
                             DD
C168:FC 20 B5 C0 18 AD FC 03 A9
C17Ø:6D FC Ø2 8D 3A Ø3 AD FD 3A
C178:03 6D FD 02 8D 3B 03 A2
C180:FF 8C F9 02 A0 00 E8 8E EB
C188:F8 Ø2 18 AD F8 Ø2 6D 37 C8
C190:03 85 FD A9 00 6D 38 03 7A
C198:85 FE 18 AD F8 Ø2 6D 3A 61
ClAØ:03 85 FB A9 00 6D 3B 03
C1A8:85 FC B1 FB 91 FD EØ Ø7 71
C1BØ:DØ D4 AC F9 Ø2 AD 35 Ø3 3B
C1B8:85 FB A9 28 85 FC 20 B5 CB
C1CØ:CØ 18 AD FC Ø3 6D 36 Ø3 6D
C1C8:8D FC Ø3 AD FD Ø3 69 ØØ 5C
C1DØ:8D FD Ø3 18 AD FC Ø3 6D 51
C1D8:FE Ø2 85 FB AD FD Ø3 6D A5
C1EØ:FF Ø2 85 FC AD 13 Ø3 C9 EE
C1E8:01 DØ Ø8 AD 34 Ø3 11 FB C8
C1FØ:4C F6 C1 AD 34 Ø3 91 FB 38
C1F8:18 A9 Ø8 6D 37 Ø3 8D 37 E2
C200:03 A9 00 6D 38 03 8D 38 69
C208:03 4C 3C Cl 00 00 00 00 C5
```

For instructions on entering these programs, please refer to "COMPUTE!'s Guide to Typing In Programs" elsewhere in this issue.

Program 2: CHARSETMAKER

- JS 100 REM CREATE CHARACTER SE T FOR
- BG 110 REM 'HI-RES PRINT' ML R OUTINE
- MG 120 PRINT CHR\$(142): REM USE CHR\$(14) FOR{2 SPACES} LOWERCASE
- AS 130 PRINT CHR\$(8): REM DISAB LE CASE CHANGE FROM KEY BOARD
- QD 140 INPUT "LOCATION OF CHAR
- ACTER SET";N
 RB 150 A=N-INT(N/256)*256: B=I NT(N/256)
- XC 160 INPUT "FILENAME"; F\$
- EC 170 IF LEN(F\$)=0 THEN 160
 DA 180 PRINT "WORKING..."
- JE 190 REM COPY FIRST 64 CHARA CTERS FROM ROM CHARACTE R SET
- SS 200 POKE 56334, PEEK(56334) AND 254
- AP 210 POKE 1, PEEK(1) AND 251 KK 220 FOR J=0 TO 511
- CK 23Ø POKE J+N, PEEK(53248+J)
- OF 240 NEXT J FG 250 POKE 1, PEEK(1) OR 4 PF 260 POKE 56334, PEEK(56334)
- OR 1
- HF 270 CLOSE 15:OPEN 15, 8, 15
- FA 280 GOSUB 410
- KD 290 OPEN 2, 8, 2, F\$ + ",P,
- JA 300 GOSUB 410
- HQ 31Ø PRINT#2, CHR\$(A);:PRINT #2, CHR\$(B);

AC	320	GOSUB 410
		FOR J=Ø TO 511
PH	340	PRINT#2, CHR\$(PEEK(J+N));
DQ	35Ø	NEXT J
		GOSUB 410
XD	370	CLOSE 2:CLOSE 15
BJ	380	PRINT CHR\$(9): REM ENABL
		E CASE CHANGE FROM KEYB OARD
PS	39Ø	END
DQ	400	REM CHECK DISK DRIVE ER
		ROR STATUS
QR	410	INPUT#15, EX, EX\$, TR, SE
BE	420	IF EX=Ø THEN RETURN
RF	430	PRINT CHR\$(18) "DISK ER ROR"
SB	440	PRINT EX; EX\$; TR; SE
AB	450	GOTO 37Ø
Pro	ogra	am 3: Demo
KB	100	REM 'HRPRINT' DEMO
EQ	110	IF A=Ø THEN A=1:LOAD "H
		RPRINT", 8, 1
DP	120	IF A=1 THEN A=2:LOAD "H RCHARSET", 8, 1
HD	130	POKE 53280,15

HC 140 REM SET SYS ADDRESSES SA 150 IN=49152: PR=49207 JG 160 REM BI ARRAY IS USED TO DRAW CURVE RK 170 FOR J=0 TO 7:BI(J)=21J: NEXT KF 180 REM BITMAP AT 8192 MP 190 BASE=8192 JB 200 POKE 53272, PEEK (53272) [SPACE]OR 8 XF 210 REM HI-RES QQ 220 POKE 53265, PEEK(53265) OR 32 BM 230 REM INITIALIZE MULTI/RV S(2), BITMAP AT 8192, CHA RSET AT 16384, COLOR AT {SPACE}1024 RG 240 SYS IN, 2, 8192, 16384, 1024 BK 250 REM CLEAR SCREEN AND DR AW CURVE MA 260 F\$="":FOR J=1 TO 40:F\$= F\$+CHR\$(32):NEXT RH 270 FOR J=0 TO 24:SYS PR, 1 5, Ø, J, F\$:NEXT PJ 28Ø FOR Y=Ø TO 199 STEP .5 XX 290 X = INT(160+40 * SIN(Y/10)) DG 300 BY = BASE+40 * (Y AND 2 48) + (Y AND 7) + (X AND(SPACE) 504) HM 310 POKE BY, PEEK(BY) OR (B

I(NOT X AND 7)) AB 320 NEXT Y MX 330 REM INITIALIZE HIRES(1) ,BITMAP AT 8192, CHARSET AT 16384, COLOR AT 1024 GD 340 SYS IN, 1, 8192, 16384, 1024 QH 350 REM PRINT MESSAGES ON H I-RES SCREEN HM 360 SYS PR, 6, 1, 1, "PRINT HR DEMO" DJ 370 SYS PR, 2, 1, 2, "(C) 1 987 COMPUTE!" RQ 380 SYS PR, 1, 17, 21, "HIT ANY KEY TO EXIT" HR 390 SYS PR, 8, 17, 5, "YOU {SPACE}CAN PRINT NORMAL LY" AM 400 REM INITIALIZE FOR REVE RSE DJ 410 SYS IN, 2, 8192, 16384, 1024 EM 420 SYS PR, 5, 17, 13, "OR

RM 440 SYS IN, 1, 8192, 16384, 1024 CG 450 SYS PR, 14, 2, 9, "TIME R: " HM 460 SYS PR, 14, 2, 17, "SCO RE: " CS 470 REM UPDATE SCORE AND TI MER PD 480 FOR J=0 TO 10000 EX 490 SYS PR, 0, 8, 9, TI FP 500 SYS PR, 0, 8, 17, J BB 510 GET X\$ JD 520 IF X\$="" THEN NEXT J AD 530 REM BACK TO NORMAL TEXT SCREEN

RS"

GAIN

{SPACE}IN REVERSE LETTE

JA 430 REM NORMAL CHARACTERS A

EP	540	POKE 53265,27:POKE 5327 2,21
PS	550	PRINT CHR\$(147):END
Pro	gro	ım 4: Relocator
KJ	100	REM THIS PROGRAM RELOCA
PJ	110	REM 'HRPRINT' ML ROUTIN E AND WRITES
CA	120	REM THE RELOCATED CODE {SPACE}TO DISK
QS	13Ø	IF A=Ø THEN A=1:LOAD "H RPRINT",8,1
HJ	140	INPUT "NEW LOCATION FOR HRPRINT"; N
JD	150	
EX	160	A=INT(N/256):B=N-256*A
XB		PRINT "WORKING"
RX		CLOSE 15:OPEN 15,8,15,"
		IØ"
PM	190	GOSUB 410
GK		OPEN 2, 8, 2, F\$ + ",P,
AR	210	GOSUB 410
	220	
JO	230	
XD		
QR	25Ø	
QK	260	IF P<>76 AND P<>108 AND
		P<>32 THEN PRINT#2, CHR
		\$(P);:NEXT J
HX	270	
JS	280	IF Z<192 OR Z>194 THEN
		{SPACE}PRINT#2,CHR\$(P);
		:NEXT J
QJ	290	
HX	300	
AS		
JQ	320	Z=INT(A/256)
PE		
KP	340	
	250); CHR\$(Z);
EF		
XR		
FK		R 'IN':";N
KF	380	R 'PR':";N+55
DD		
DQ	400	REM CHECK DISK DRIVE ER

QR 410 INPUT#15, EX, EX\$, TR, SE

RF 430 PRINT CHR\$(18) "DISK ER

0

BE 420 IF EX=0 THEN RETURN

SB 440 PRINT EX; EX\$; TR; SE

ROR"

SD 450 GOTO 390

Indexing Sorts

Thomas P. Shultz

This article explains a simple way to improve the efficiency of string sort operations in BASIC. Although the programs are written for the Commodore 64, the technique can be adapted for almost any computer with BASIC.

Many programs require that you sort a group of strings in alphabetical order. Whether you're creating an address file, keeping track of recipes, or compiling statistics for the local softball team, sorting is often a fundamental requirement. The simplest method of sorting involves exchanging the contents of one string for another. On the Commodore 64, exchanging strings of different lengths causes an internal process known as garbage collection, in which the computer reclaims small amounts of memory left vacant by the exchanges. Though it does conserve memory, garbage collection can be very time consuming. This article demonstrates a method for avoiding garbage collection delays and speeding up alphabetical sorts.

To understand how the improvement works, let's look at the conventional method for storing and sorting strings. Program 1 demonstrates an elementary bubble sort of a string array containing 500 elements. The program first creates 500 strings, each containing a random assortment of 20 characters. Then it sorts the strings into alphabetical order.

The sorting occurs in lines 210-250. We sift through the array, comparing pairs of strings. If the first string has a lower alphabetical value than the second (line 230), we conclude that it's in the right place and don't exchange it. Otherwise, we exchange the two strings through the use of a temporary string named A\$ (line 240). To evaluate the efficiency of this sort, the program displays the time required to sort the array, as well as the amount of memory required for strings. Depending on its original position, a given string may need to be recopied many times before the sort is complete. This process is slow in itself, and it also creates the likelihood of significant garbage collection delays.

Program 2 shows how to improve the sort through the use of a matching numeric array. The basic idea is to use the numeric array as an index into the string array. Lines 210-260 perform the sort in this program. Again, the basic technique is to compare pairs of items, swapping them if they're not already in the desired order. But instead of exchanging the strings themselves, we simply change the elements of the numeric array which point to those strings.

The result is a dramatic savings in time and memory consumption. In one test, Program 1 took 12,616 seconds (just over 31/2 hours) to complete the sort, while Program 2 did the job in only 4820 seconds. The secret is to leave the strings in their original order and to switch the numeric indices instead. Lines 290-310 show one way to access the strings once they have been sorted. You could also use an expression like L\$(SO(X)), where X represents the string you wish to access.

This technique should work with little or no modification on most computers with BASIC. (Atari BASIC is a notable exception, since it doesn't support string arrays.) If you have a Commodore 64, you may want to refer to the "Omega Sort" article elsewhere in this issue, which follows the same basic idea but takes advantage of a machine language routine to perform the sort even faster. Commodore programmers should note that the index array in Program 2 is a floating point array, not an integer array. In some versions of BASIC, integer values work faster than floating point variables, but this is not the case in Commodore BASIC.

For instructions on entering these programs, please refer to "COMPUTE!'s Guide to Typing In Programs" elsewhere in this issue.

Program 1: Bubble Sort

```
GS 100 PRINT "CREATING 500 RAN
        DOM STRINGS"
RX 110 DIM L$ (500)
GB 120 FOR J=1 TO 500
RS 130 X$="":FOR K=1 TO 20
XP 140 X$=X$+CHR$(INT(RND(1)*2
        5)+65)
RA 150 NEXT K
XB 160 L$(J)=X$
RB 170 NEXT J
CE 180 \text{ M1} = \text{PEEK}(52)*256 + \text{PEE}
        K(51)
QF 190 PRINT "SORTING"
XD 200 TI$ = "000000"
BF 210 FOR X = 499 TO 0 STEP -
KH 220 FOR Y = 1 TO X
PM 230 IF L$(Y) < L$(Y+1) THEN
        250
  240 \text{ A} = L\$(Y):L\$(Y) = L\$(Y)
        +1):L$(Y+1) = A$
DB 250 NEXT:NEXT
```

```
HH 260 T$ = TI$
QD 270 \text{ M2} = \text{PEEK}(52)*256 + \text{PEE}
        K(51)
AA 28Ø FOR X=1 TO 5ØØ
SP 290 PRINT L$(X)
FD 300 NEXT
KJ 310 PRINT "# BYTES USED FOR
        STRINGS: ";M1-M2-6
EX 320 PRINT "[6 SPACES]# SECO
       NDS REQUIRED: ";T$
```

Program 2: Bubble Sort With Index

```
GS 100 PRINT "CREATING 500 RAN
       DOM STRINGS"
DA 110 DIM L$(500), SO(500)
GB 120 FOR J=1 TO 500
RS 130 X$="":FOR K=1 TO 20
XP 140 X$=X$+CHR$(INT(RND(1)*2
       5)+65)
RA 150 NEXT K
HS 160 L$(J)=X$:SO(J)=J
RB 170 NEXT J
CE 180 \text{ M1} = \text{PEEK}(52)*256 + \text{PEE}
       K(51)
QF 190 PRINT "SORTING"
XD 200 TI$ = "000000"
BF 210 FOR X = 499 TO 0 STEP -
CG 220 FORZ = 1 TO X
XS 230 YA = SO(Z):YB = SO(Z+1)
PB 240 IF L$(YA) < L$(YB) THEN
JB 250 SO(Z) = YB:SO(Z+1) = YA
XA 260 NEXT: NEXT
DJ 270 T$ = TI$
JC 280 M2 = PEEK(52)*256 + PEE
       K(51)
QD 290 FOR X = 1 TO 500
XX 300 Y = SO(X)
RM 310 PRINT L$(Y)
RF 32Ø NEXT
BG 330 PRINT "# BYTES USED FOR
        STRINGS: ";M1-M2-6
QR 340 PRINT "{6 SPACES}# SECO
       NDS REQUIRED: ";T$
```

To receive additional information from advertisers in this issue, use the handy reader service cards in the back of the magazine.

From the publishers of COMPUTE!



May 1987 COMPUTE! Disk

All the exciting programs from the past three issues of *COMPUTE!* are on one timesaving, error-free, floppy disk that is ready to load on your Apple II, II+, IIe, and IIc computers. The May 1987 *COMPUTE! Disk* contains the entertaining and useful Apple programs from the March, April, and May 1987 issues of *COMPUTE!*.

The May 1987 *COMPUTE! Disk* costs \$12.95 plus \$2.00 shipping and handling and is available only from COMPUTE! Publications.

For added savings and convenience, you may also subscribe to the *COM-PUTE! Disk.* At a cost of only \$39.95 a year (a \$12.00 savings), you'll receive four disks, one every three months. Each disk will contain all the programs for your machine from the previous three issues of *COMPUTE!*. To order a subscription, call toll free 800-247-5470 (in IA 800-532-1272).

This is an excellent way to build your software library while you enjoy the quality programs from *COMPUTE!*.

Disks and subscriptions are available for Apple, Atari, Commodore 64 and 128, and IBM personal computers. Call for details.

For more information or to order the May 1987 *COMPUTE! Disk,* call toll free 1-800-346-6767 (in NY 212-887-8525) or write *COMPUTE! Disk,* P.O. Box 5038, F.D.R. Station, New York, NY 10150.



825 7th Avenue, 6th Floor, New York, NY 10019
Publishers of COMPUTEI, COMPUTEI's Gazette, COMPUTEI's Gazette Disk, COMPUTEI Books,
COMPUTEI's Apple Applications, and COMPUTEI's Atan ST Disk & Magazine.

News & Products

Macintosh File Protection

Sentinel is a data-security program for locking up your files on the Macintosh. You can secure your private files with one mouse click. Locked files cannot be accessed without a password, nor can they be copied using disk-recovery programs. Sentinel also encrypts files to DES standards.

DiskFit is a hard-disk backup utility that backs up incrementally and automatically. The program creates a smart set of disks which it continually updates. DiskFit revises the files on the same floppy disk rather than writing the altered files to a new disk. All the files are kept in standard Apple format so they appear as icons on the screen. DiskFit also identifies a growing file and moves it to a new disk or splits the file onto two disks.

Retail price for Sentinel and DiskFit is \$74.95 each.

SuperMac Software, P.O. Box 390725, Mountain View, CA 94039 Circle Reader Service Number 216.

PC Communications Software

Headlands Communications has released PC-Talk4, the fourth version of this data-communications software. PC-Talk4 has an errorchecking protocol for accurate file transfers; screen emulation of VT100/52 as well as the standard TTY terminals, expanded macro capability, and expanded dialing directory which allows a single keystroke command for up to 990 phone numbers; and split-screen editing for privacy. You can stay in PC-Talk4 and still access DOS commands, subdirectories, view DOS files, and check available disk space. Plus, there are quick online baud-rate changes that use only one keystroke to change from 300 to 9600 bps.

PC-Talk4 is available for the IBM PC and compatibles. Laptop versions are also available for Toshiba and Zenith computers. Retail list price is \$129, with upgrades priced at \$45.

Headlands Communications, P.O. Box 8, 1624 Tiburon Blvd., Tiburon, CA 94920-0008

Circle Reader Service Number 217.

Zoomracks II For The ST

Quickview has released Zoomracks II, an upgraded version of the Zoomracks database and word processor for the Atari ST. New features include arithmetic functions, mail merge, and report formatting.

Quickview has also introduced a *Business Start Kit* which contains over 35 *Zoomracks* templates and output forms for invoicing, payables, prospecting, area codes, daily calendar, names and addresses, checkbook, phone logs, and many other small-business uses.

There's also a *Home Start Kit* of templates and output forms for home use. It offers names and addresses, checkbook balancing, phone logs, gift lists, recipes, cookbook indexes, and other applications.

These Quickview products are available for the Atari ST. Zoomracks II retails for \$119.95. Each Starter Kit sells for \$19.95.

Quickview Systems, 147 Main St., Ste. 404, Los Altos, CA 94022 Circle Reader Service Number 218.

PrintMaster Plus Update

Unison World has updated *Print-Master Plus* for the Amiga to include the ability to save graphics to the IFF format and support Amiga's color screens. With this program, you can create customized signs, banners, stationery, calendars, and greeting cards. Text can be mixed with the more than 100 graphics included. There is a built-in graphics editor to modify artwork or save

it to disk. Ten type fonts can be created in five styles—standard, shadow, silhouette, rain, or checkered. The program features both monthly and weekly calendar routines.

PrintMaster Plus is not copyprotected. It is available for MS-DOS-compatible computers at \$59.95, for the Commodore 64/128 at \$34.95, for the Atari ST at \$39.95, and for the Amiga at \$49.95.

Unison World, 2150 Shattuck Ave., Ste. 902, Berkeley, Ca 94704 Circle Reader Service Number 219.

Atari Eight-Bit Combat Simulation

Firebird Licensees has released MRCA—Mach 2, a combat flight simulator for the Atari eight-bit computers. This game simulates the USAF F-15 jet fighter with 3-D cockpit displays, aerobatic maneuvers, air-to-air combat, crosswinds, turbulence, blind landings, training modes, and pilot skill ratings. The package includes a full-color poster and a user's manual. A joystick is required.

Suggested retail price is \$24.95.

Benford Communications, 520 Havens Cove Rd., Bricktown, NJ 08723-6940

Circle Reader Service Number 220.

PC-Based Diet

Munch is a menu-driven, computer-based diet and nutrition program for the MS-DOS-compatible computers. Each day you enter the food you have eaten, and the program calculates the carbohydrates, proteins, fats, and kilocalories you have consumed. Then it compares this with a reasonable diet for someone with your weight, height, sex, and age, and suggests ways you might improve your diet. The emphasis is on a food exchange

system, so the program can be used by dieters and diabetics.

Munch runs on the IBM PC, PCir, and any other MS-DOSbased computers.

Suggested retail price is \$39.95.

Pat Munyon & C.R. Smolin, 7760 Fay Ave., Suite J, La Jolla, CA 92037

Circle Reader Service Number 221.

Scholastic Writing Program

Scholastic Software has released an outlining and writing software program for students in grades 6 and up. First Draft guides students from organizing ideas to printing essays, reports, and stories. Help screens explain each function in the program. Students can print their work in outline form or in report form. Outlines can be saved as files compatible with The Bank Street Writer and most other word processors.

First Draft is available in school and home editions for the Apple II series with 64K, IBM PC with 128K, and Tandy 1000. The school edition contains a program disk and a data disk, backup disks, a user handbook, a reference guide, and suggestions for student activities. The home edition contains a program disk and data disk plus the user handbook.

Retail price for the home edition is \$69.95. The school edition costs \$87.45, and lab packs and educator discounts are available.

Scholastic Software, 730 Broadway, New York, NY 10003 Circle Reader Service Number 222.

New Games From SSI

Strategic Simulations has announced several new games for personal computers. Battlecruiser provides hours of simulated shipto-ship combat on the Atlantic Ocean during World Wars I and II. One or two advanced game players have the option of fighting battles in either war, using the scenarios on the disk or creating their own scenarios. The WWI disk has four scenarios with ship types for Britain and Germany. The WWII disk has ship types from Britain, France, Germany, and Italy with four scenarios-Cape Tuelada, the Bismarck chase, Channel Dash, and Sirte. Players choose from 158 classes of warships or modify ship data to create their own warships. During combat, the computer keeps track of shell hits, flooding, fire, and damage to the ships.

Battlecruiser is available for Apple II-series, Commodore 64/ 128, and Atari eight-bit computers.

Roadwar 2000 is now available for the IBM PC, Atari ST, Amiga, and Macintosh computers in addition to the Apple II series and Commodore 64. This futuristic adventure game centers on the survival of the fittest. You are a gang leader who must conquer a city by collecting soldiers, vehicles, and supplies. Once in control, you have to contact eight scientists crucial to the survival of the world and return them to your research base. There are 19 vehicle types and an assortment of supplies to help you. Social interaction with residents, wanderers, cannibals, and foreign armies is important in your mission. The playing field is a geographically accurate map of the US and parts of Canada and Mexico.

Realms of Darkness is a graphic adventure game in which you use command phrases to guide players in and out of tight spots. An adventure-mode parser lets you talk directly to game characters who understand over 100 verbs and nouns.

Your goal is to defeat the Rogue Alliance in their 20-level dungeon stronghold of Darkness using seven comrades. You have to survive seven different action scenarios to win.

Realms of Darkness provides over 150 hours of play for intermediate players. A joystick is optional.


SSI now has a version of Phantasie available for the Atari eight-bit machines, and Phantasie II available for the Atari ST. Phantasie is a multiple-character role-playing game where players assemble a party of one to six characters to search the Isle of Glenor for nine rings to rid their land of the Dark Lord. There are eight races and six classes of characters to choose from, and over 80 types of monsters to fight.

Phantasie II takes place on the Isle of Ferronrah. In this game, you

Does Your Computer Speak To Strangers?

Only if you want it to with the Lockheed-GTEX GTX 100 Secure Modem.

The GTX-100 secure modem is an electronic barrier for your data files. This modem uses state-of-the-art technology designed especially to protect your data bases from unauthorized telecommunication access. It uses a sophisticated callback/password sequence to authenticate all callers attempting to access your computer files via the telephone lines. If the GTX-100 does not "clear" the caller, computer access is denied. After qualifying the caller and allowing him to gain access to your computer, the GTX-100 then functions as a standard 300/1200 baud intelligent modem. And, it's very user friendly.



LOCKHEED THE SECURE MODEM

Price Now Only...

Act Fast, Quantity Limited

Add \$6.00 for shipping & handling

30 DAY MONEY BACK GUARANTEE

FEATURES:

- 300/1200 baud external full feature, intelligent modem
- Interfaces with standard RS-232C (terminal or CPU mode)
- Compatible with major communications packages
- · Call progress tone detection displayed on terminal
- · Auto-dial, Auto-answer with tone or rotary pulse dialing
- 4 operating modes, 3 secure or conventional intelligent modem operation
- . Battery backup of memory
- · 2 year warranty

Credit card customers can order by phone, 24 hours a day. 7 days a week. V/SA' MosterCord





Toll Free: 1-800-523-2445 ex. 125 In Pa. 1-800-222-2070 ex. 125 Outside the continental U.S.: 305-486-6551

must sail to the magical Isle to capture and destroy the Dark Lord's powerful and evil Orb.

Battlecruiser has a suggested retail price of \$59.95. Roadwar 2000, Realms of Darkness, Phantasie, and Phantasie II each retail for \$39.95.

Strategic Simulations, 1046 N. Rengstorff Ave., Mountain View, CA 94043

Circle Reader Service Number 223.

Clip Art Package For PaintPro

Abacus Software has released a clip art package for PaintPro, an ST graphics and art program. PaintPro Library #1 contains hundreds of symbols and features for architecture, electronics, and graphicdesign uses. They can be used in the three display resolutions of the ST. There are also five new fonts that are GDOS compatible.

Suggested retail price for PaintPro Library #1 is \$29.95.

Abacus Software, P.O. Box 7219, Grand Rapids, MI 49510 Circle Reader Service Number 224.

SONY 3.5" DISKETTES

Certified by Apple for MacIntosh

· Safety Auto Shutter protects against fingerprints and dust Safety Auto Design is heat-resistant and guards against disk damage during handling



	SS	DS
Box	1.09	1.59
Bulk	1.17	1.29

POLY PACK 51/4" DISKETTES

(From Leading Mfr.)
100% Error Free



Lifetime Warranty

- Blank Jackets • WP Tabs
- Envelopes

Sold in Lots of 100 Only

QUALITY PRINTER RIBBONS

Apple Imagewriter								\$3.95 ea
Okidata 80/82/83 .								\$1.49 ea
Epson LX 80/90								\$2.95 ea

Sold 6/Box (Minimum) Sold 5/Box (Minimum)
Min. Order \$25.00. S&H: Continental USA: \$4.00/100
or fewer disks: discount at 300. Ribbons \$.25 each.
Foreign orders APO/FPO, please call. MI residents add
4% tax. Prices subject to change without notice. Hours
8:30 AM - 7:00 PM.







Precision Data Products™ P.O. Box 8367, Grand Rapids, MI 49518 (616) 452-3457 • Michigan 1-800-632-2468 Outside Michigan 1-800-258-0028

New Flight Simulator II Scenery Disk

SubLOGIC has released scenery disk number 7 for the Commodore 64 and 128 versions of Flight Simulator II and Jet. This disk covers the East Coast of the US from Washington, DC, to Key West, Florida, and features many miles of coastlines, rivers, roads, railroads, racetracks, transmitter towers with blinking lights, and elevated bridges. There are over 130 airports, including a dozen military airports. The scenery includes the Washington Monument, White House, Capitol Building, Pentagon, Lincoln Memorial, and a space shuttle on the launch pad.

You must have Flight Simulator II or Jet to use this disk.

Retail price is \$19.95. SubLOGIC, 713 Edgebrook Dr., Champaign, IL 61820

Circle Reader Service Number 225.

Peripherals, Software From Progressive

Progressive Peripherals & Software has introduced several new products.

The Megaboard 2 is a twomegabyte RAM-expansion board for the Amiga 1000. The board, which uses programmable array logic, is $4 \times 10\frac{1}{2}$ inches, so it fits against the Amiga without taking up too much workspace.

CLI-Mate is a disk-management utility program for the Amiga that bypasses the CLI and Workbench. Using the mouse, you can rename or delete files and create directories and multiple file copies. There is a print/display option so you can adjust page length, margins, and page number, or print with or without line numbers in ASCII format. A pattern/wildcard utility searches the directory for similar filenames.

Vizawrite, for the Amiga, is a word processing package written entirely in 68000 machine code for speed and compactness. This is a WYSIWYG (What You See Is What You Get) format, so you can experiment with fonts, type styles, and page layout before printing. Vizawrite supports all Amiga proportional and fixed-width fonts, bold, underline, italic, superscript, subscript, and most international characters.

With Vizawrite you can load files from other packages-including graphics, text, or IFF-format pictures-into one of the windows and incorporate them into your document. There's a glossary so you can define commonly used phrases and insert them into the text. And the find-and-replace function searches for a defined string and replaces it with another.

Vizawrite requires 256K memory. It has Workbench 1.2 installed on the disk and requires Kickstart 1.2 or greater. Recommended printers are Hewlett-Packard Laserlet, NEC Pinwriter P6/P7, Juki 6100 daisywheel, and Diablo-compatible printers. Vizawrite supports text and graphics created with Deluxe-Paint, Graphicraft, Textcraft, and other Amiga software packages.

Retail price: \$599.95 for the MegaBoard 2; \$39.95 for CLI-Mate; and \$149.95 for Vizawrite.

Progressive Peripherals & Software, 464 Kalamath St., Denver, CO 80204 Circle Reader Service Number 226.

Football For The PC

One or two players control the field in this gridiron simulation from SubLOGIC. With Football, you choose the team and call the plays both offensive and defensive-and then participate on the field.

Each of your football players has different physical attributes and performance characteristics which you can adjust to fit your needs.

Football requires an IBM PC, PCjr, or PC-compatible with 256K memory, a color graphics adapter card or the equivalent, and a composite-color or RGB monitor. The PCjr requires a joystick for the twoplayer mode.

Retail price is \$39.95. Versions for other computers should be available by the time you read this.

SubLOGIC, 713 Edgebrook Dr., Champaign, IL 61820

Circle Reader Service Number 227.

Guessing Game

Buzzword is a new game with 200 categories in levels from bright to gifted. Players use clues to guess the words and increase their vocabulary in the process. It's available for the Atari eight-bit, Commodore 64, and IBM PC computers for

Software Discounters of America

S.D. of A

For Orders Only-1-800-225-7638 \$100 in continental USA PA Orders-1-800-223-7784

Free shipping on orders over

No surcharge for VISA/MasterCard

 Your card is not charged until we ship Customer Service 412-361-5291

YOUR ENTERTAINMENT SOFTWARE SPECIALIST!

COMMODORE 64 & 128 APPLE II SERIES IBM SOFTWARE ACCESS ACCESS Chessmaster 2000 . . \$26 Marble Madness \$23 Europe Ablaze \$30 Lords of Conquest . . \$26 ACCOLADE Hitchhikers Guide . . \$24 Triple Pack: BH1, BH2, Tenth Frame\$25 World Class Mean 18 Golf \$30 Hollywood Hijinx ...\$24 Leather Goddesses .\$24 Raid Over Moscow \$14 World Class \$25 Make Your Own Mean 18 Famous Leader Board \$25 ACCOLADE Course Disk \$14 World Tour Golf\$25 Leader Board \$25 Marble Madness \$23 ACCOLADE Mind Mirror \$9.88 Zork 1 ... Ace of Aces\$19 **EPYX** Fight Night \$19 Hardball \$19 ACTIVISION Alter Ego (M or F) ...\$30 Zork Trilogy MICROLEAGUE Moeblus Movie Maker . \$36 Fight Night\$19 Hardball ... Champ. Wrestling ... \$23 Hacker 2 \$24 Music Studio \$30 Create A Calendar...\$19 Music Const. Set . . \$9.88 Music Const. Set GS \$32 Baseball*Box Score/Stats Destroyer \$23 Fast Load (cart) \$23 Sub Battle Simulator \$25 ARTWORX Hardball \$19 Killed Until Dead \$19 Gamemaker Library Disks: Bridge 4.0 \$16 Strip Poker \$25 Data Disk #1 Female \$14 Data Disk #2 Male \$14 Data Disk #3 Female \$14 Compiler ... ACTION SOFT *General Mgr./Owner \$24 Summer Games 2 . . . \$23 Up Periscope!\$19 ACTIVISION *1985 Team Disk ... \$12 *1986 Team Disk ... \$12 *Add-on programs! MICROPROSE Pegasus Pinball Const. Set Gamemaker \$30 Greeting Card Maker \$24 Hacker 2 \$24 Murder on the Super Cycle \$23 World Games FIREBIRD Allens . . . Russia (The Great War) \$26 Scrabble\$26 Gamemaker \$25 Gamemaker Library Disks Sports or Sci. Fl. \$14 Ea. AVALON HILL Elite Seven Cities of Gold . \$9.88 Starglider \$25 The Pawn \$25 Super Bowl Sunday . \$21 F-15 Strike Eagle . . . \$21 Silent Service \$21 MINDSCAPE Mississippi \$24 Music Studio GS ... \$49 Paintworks GS ... \$47 Skyfox \$9.88 Star Fleet 1 \$32 Super Boulder Dash \$9.88 S.B.S. Champs Disk .\$14 S.B.S. '85 Team Disk .\$14 Greeting Card Maker . \$23 Hacker 2 \$23 Music Studio \$23 BRODERBUND GAMESTAR American Challenge . \$24 Portal . Shanghal . . . \$24 Shanghal GS . . . \$29 Ultima 4\$36 Balance of Power ...\$30 Bop & Wrestle\$19 Defender of the Crown \$24 Champ. Baseball ... \$23 Champ. Basketball .. \$23 GFL Champ. Football \$23 Portal Portal Shanghai Ancient Art of War . . \$27 EPYX Champ. Wrestling ... \$23 Create A Calendar ... \$19 Summer Games 2 ... \$23 Tass Times GS ARTWORX\$27 Carmen Sandlego Transformers\$23 (World) Infiltrator\$19 Sub Mission\$24 INFOCOM Karateka Bridge 4.0 Bridge 4.0\$16 Highland Games .\$9.88 Police Cadet ...\$9.88 Bureaucracy 128 . . . \$23 Hitchhiker's Guide . . \$23 Winter Games Print Shop\$36 P.S. Companion ...\$32 International Hockey \$19 Strip Poker \$19 Data Disk #1 (Female)\$14 Data Disk #2 (Male) \$14 SSI World Games GAMESTAR Hollywood Hijinx ...\$23 Leather Goddesses .\$23 Battle of Antietam \$30 P.S. Graphics Gettysburg\$36 Library #1 or #2 \$21 Ea. Strip Poker.....\$21 Data Disk #1 Female .\$14 Champ, Baseball. Zork Trilogy MASTERTRONIC Kampfgruppe Toy Shop\$44 CENTRAL POINT Champ. Basketball . . \$24 Rings of Zilfin\$24 AVALON HILL Data Disk #2 Male . . . \$14 Data Disk #3 Female . \$14 Champ. Football \$24 HI-TECH EXPRESSIONS Roadwar 2000 Dr. Ruth \$19 Super Sunday \$21 Bounder Copy 2\$23 Thai Boxing \$9.88 AVALON HILL Captain Zap \$6.88 Award Ware Card Ware SIERRA Knight Games RANTAM DATA EAST Black Cauldron \$24 Super Sunday \$21 S.B.S. 1985 Team Disk \$14 S.B.S. Champs Disk .\$14 Ninja Pro Golf Walt Disney Series: Card & Party Shop . \$24 Comic Strip Maker \$24 Heart Ware \$6.88 Party Ware \$9.88 INFOCOM Commando \$24 Tag Team Wrestling .\$24 ELECTRONIC ARTS King's Quest 1, 2, or 3 \$32 Ea. Shogun . AVANTAGE SPECTRUM HOLOBYTE Bureaucracy Blackjack ... MICROPROSE Award Maker\$24 Video Vegas\$19 BRODERBUND Software Classic Series: Spy vs. Spy 1 & 2 ... \$9.88 BERKELEY SOFTWORKS Hitchhiker's Guide . . \$24 Hollywood Hijinx . . . \$24 Gato\$24 Gunship\$23 Silent Service\$23 Mind Mirror GEOS 64\$39 GEOS add-ons Call Music Const. Set . . \$9.88 Airheart \$21 Animate (128K) \$42 Carmen San Diego USA \$27 World \$24 Leather Goddesses One-on-One\$9.88 Pinball Const. Set ...\$9.88 SPRINGBOARD MINDSCAPE BRODERBUND Trinity Zork Trilogy Certificate Maker ... American Challenge .\$19 Bop & Wrestle \$19 Defender of the Crown \$25 Seven Cities Gold ... \$9.88 Super Boulder Dash . \$9.88 C.M. Library #1 . MICROLEAGUE Newsroom #1, #2 or #3 ... \$16 Ea. Toy Shop \$39 DATA EAST **ELECTRONIC ARTS** Fist Super Star Dazzle Draw (128K) . . \$34 Baseball Amnesia. N.R. Clip Art #1 . General Mgr./Owner . \$24 1986 Team Disk \$12 MICROPROSE Chessmaster 2000 . \$26 Ice Hockey \$23 Karateka\$21 Print Shop (Enhanced) \$27 N.R. Clip Art #3 . Uchl Mata\$19 Grand Slam Bridge . . \$39 P.S. Graphics Murder Party ORIGIN Print Shop Companion \$23 P.S. Graphics Library #1, 2 or 3 \$14 Ea. Toy Shop \$36 CENTRAL POINT F-15 Strike Eagle . . . \$21 Expander Silent Service MINDSCAPE Starfleet 1\$32 Moeblus Tag Team Wrestling .\$23 Starflight Football Starflight\$32 World Tour Golf\$32 ELECTRONIC ARTS American Challenge . \$24 SPRINGBOARD Software Classic Series: Archon 2: Adept . . . \$9.88 Heart of Africa . . . \$9.88 TELARIUM Bop & Wrestle\$19 Certificate Maker . Infiltrator \$19 Create A Calendar ... \$19 C.M. Library #1 \$23 SSI Destroyer \$24 Summer Games 2 . . . \$24 Dragonworld Newsroom \$32 N.R. Clip Art #1 or #3 \$19 Commando \$21 Tag Team Wrestling .\$21 ELECTRONIC ARTS \$9.88 Mail Order Monsters \$9.88 ahrenheit 451 . . . Gettysburg ... Phantasie 2 Rings of Zilfin Movie Maker \$9.88 Music Const. Set .. \$9.88 World Games\$24 World Karate Champ. \$19 Nine Princes... \$9.88 N.R. Clip Art #2 \$25 \$23 Age of Adventure . . \$9.88 One-on-One \$9.88 Pinball Const. Set . \$9.88 GAMESTAR Rendezvous Gettysburg UNISON WORLD Shard of Spring Wizard's Crown \$23 Champ. Baseball . . Seven Cities Gold .\$9.88 Champ. Basketball . . \$24 Newsmaster ... Printmaster Plus SPRINGBOARD Skyfox. 88.92 GFL Ch. Football Skyfox\$9.88 Super Boulder Dash .\$9.88 Touchdown Football \$9.88 Articfox\$26 Bard's Tale 1 or 2 ... \$29 \$24 Shard of Spring Certificate Maker ... \$29 HI-TECH EXPRESSIONS Art Gallery 1 or 2 .\$19 Ea. \$21 \$32 Award Ware\$9.88 Card Ware\$6.88 SUBLOGIC Battlefront\$25 Carriers at War\$30 VALUE TIME Flight Simulator 2 . . \$32 F.S. Sceneral Brown 2 . . . \$32 Newsroom Art Library 1 or 2 . \$6.88 Ea. N.R. Clip Art #1 or #3 \$17 N.R. Clip Art #2 \$23 **ELECTRONIC ARTS** SA RA Calendars & Chessmaster 2000 . . \$29 Deluxe Paint II GS . . . \$65 America's Cup Sailing \$23 F.S. Scenery Disks \$14 Ea. . \$23 Party Ware INFOCOM Stationery . Arctic Fox\$23 Bard's Tale 1 or 2 \$26 Ea. VIP TECHNOLOGIES Greeting Cards . . . \$6.88 Signs & Banners . . \$6.88 Football \$26 Ballyhoo\$24

P.O. BOX 111327—DEPT. CP—BLAWNOX, PA 15238

*Please Read The Following Ordering Terms & Conditions Carefully Before Placing Your Order: Orders with cashiers check or money order shipped immediately on in stock items. Personal & Company checks, allow 3 weeks clearance. No C.O.D.'s! Shipping: Continental U.S.A.—Orders under \$100 add \$3; free shipping on orders over \$100. AK, HI, FPO, APO.—add \$5 on all orders. Canada & Puerto Rico.—add \$10 on all orders. Sorry, no other international orders accepted! PA residents add 6% sales tax on the total amount of order including shipping charges! REASONS FOR CALLING CUSTOMER SERVICE—412-361-5291 (1) Status of order or back order (2) If any merchandise purchased within 60 days from S.D. of A. is defective, please call for a return authorization number. Defective merchandise will be replaced with the same merchandise only. Other returns subject to a 15% restocking charge. After 60 days please refer to the manufacturers warranty included with the merchandise & return directly to the manufacturer. Customer service will not accept collect calls or calls on S.D. of A.'s 8009 order lines! Have you seen our on line catalog of 1000 software titles for Commodore, Atarl, Apple, IBM and Amiga? It's on Compuserve's Electronic Mall—just type GO SDA and shopping for software will never be the same again! HOURS: Mon.-Fri. 9AM-5:30 PM, Sat. 10AM-4PM Eastern Time. Because this ad had to be written 2-3 mos. before it was published, prices & availability are subject to

\$39.95. The Atari ST version is \$42.95.

Buzzword Game Company, P.O. Box 440747, Aurora, CO 80044 Circle Reader Service Number 228.

PageMaker 2.0

Aldus has released a new Page-Maker version for the Macintosh that features dictionary-based hyphenation, kerning, interactive facing pages, and support for longer documents. It will also send edited files back to Microsoft Word 3.0.

PageMaker 2.0 retails for \$75 to registered users who bought a previous version before September 3, 1986, and \$37.50 for subscribers to Aldus' Extended Technical Support Service. Anyone who bought Page-

SOLARSIM



The Solar System Simulation Program

SOLARSIM is a dynamic 3-D color graphics simulation of our solar system and nearby star systems. It simulates the planets, 250 asteroids and comets (including Halley's), and over 800 stars, nebula and galaxies. And, one of the most unique features of SOLARSIM is that you can add planetoids and stars. View and identify the stars and solar system from any point on Earth or in space, on any date. For an interesting twist, place yourself on Halley's Comet during its 1985-86 trek past the sun and view the Solar System as it passes by!

"SOLARSIM is fun... It is as much a learning experience as a pleasure trip." Il Computing "This PC program is a real gem."Jerry Pournelle, BYTE

ONLY \$29.95!

Systems: IBM PC/XT/h/AT: 128K, CGA TI Pro: 256K, 3-plane graphics Z-100: 192K, 3-plane graphics

See your local software dealer, or send check, money order or COD orders to INTERSTEL, P.O. Box 57825, Webster, TX 77598, (713) 333-3909. Please add \$2 for shipping. In Texas, add sales tax

Credit card orders: (800) 622-4070 (Nat'l) (800) 942-7317 (ILL interstel

SECURITY KEYS

Programmers! Protect your software with the most effective system available. We manufacture "dongle" keys in any quantity at low cost. Available for C64, C128, Amiga and ST. Call or write for more information or send \$5.00 for a unique sample to:

DATALOCK

Manufacturing Co. P.O. Box 950 St. Joseph, MI 49085 (616) 982-1786

Maker after September 3, 1986 will receive version 2.0 free.

Aldus, 411 First Ave. S., Ste. 200, Seattle, WA 98104 Circle Reader Service Number 229.

New Line-Up From Mindscape

Mindscape has released several new products. The educational division is now distributing the Understanding Math Series, a collection of five programs that teach basic math skills. The programs can be customized to meet the needs of each student in grades 1 through 6.

The programs in the series are Learning Place Values, Learning Addition, Learning Subtraction, Learning Multiplication, and Learning Divison. The series is available for the IBM PC, Tandy 1000, and the Apple II family with 128K.

The retail price for the Understanding Math Series is \$299.95. Each title is available individually for \$69.95.

Teachers and students can create crossword puzzles for math, science, social studies, language arts, reading, and spelling drills with Crossword Magic Puzzle Disks. The disks work with Crossword Magic and are appropriate for grades 5 through 8. There are six disks in the series, and each disk has 20 puzzles plus printouts of the puzzles.

Crossword Magic Puzzle Disks are available for Apple II-series computers with 48K. You will need Crossword Magic to use the Puzzle Disks.

The series retails for \$59.95 and individual disks are \$14.95 each. *Crossword Magic* retails for \$59.95, or can you buy *Crossword Magic* and the series of *Puzzle Disks* for \$119.95.

Mindscape's Quest for Files series (in social studies and science) promote research and critical thinking for students in grades 7 through 12. In each subject, the student must compare, contrast, and combine facts from the database to develop generalizations and conclusions. An online tutorial and file manager helps to access the database.

The Quest for Files: Social Studies series includes Families of

the World: The Melting Pot; The American Presidency: Hail to the Chief; and The First U.S. Congress: Dawn's Early Light. Titles in the Quest for Files: Science series are Rocks and Minerals: The Upper Crust; Elements, Compounds, and Mixtures: A Matter of Mystery; and Nutrition: Food, Glorious Food.

Each of the series is available for the Apple II family with 64K, the IBM PC or PCjr, and the Tandy 1000 for \$125.95. Individual titles are priced at \$49.95 each.

Two other Mindscape packages—Mindscape's Reading Workshop and Social Studies Explorer Series—are now available for MSDOS computers. The Reading Workshop provides students ten activities to provide practice in reading comprehension, vocabulary building, sequencing, and other reading and language arts skills. It includes selections from fairy tales, adventure stories, historical fiction, and short stories from authors such as Poe, Twain, Melville, and Verne.

This series has six complete packages, one for each reading level from 4 to 9. Every package contains three story disks and backups, a *Toolkit* disk, a teacher's manual, a printout of each story, and reference cards for students.

The Social Studies Explorer Series stimulates students to think critically and determine relevant facts during their online travels. There are *American History* and *World Geography* sets for students to visit; the object is for students to ask questions and use the answers to determine where they are. Then they have to identify the clues they used to reach their conclusions.

Mindscape's Reading Workshop and Social Studies Explorer Series are both available for the IBM PC or PCjr, Tandy 1000, and Apple II computers. The Reading Workshop series costs \$150 for each level, \$425 for a set of three levels, and \$375 for a lab pack. The American History and World Geography sets each cost \$150. Each title within a set costs \$39.95, and lab packs are \$100 per title.

Mindscape, 3444 Dundee Rd., Northbrook, IL 60062

Circle Reader Service Number 230.


FRANKLIN ACE 2200 PERSONAL COMPUTER

For Personal, Business, And Educational Computing!

The Franklin ACE 2200 Personal Computer is an exceptional value in microcomputers. It's easy to operate and has the advanced design features, power, and versatility for a variety of computing applications in the home, school, or small business. The Franklin Ace 2200 is compatible with two of the most widely used computers today, the Apple® lle and Ilc. This model has been thoroughly reconditioned by experienced technicians to a condition as good or better than new. Now you can purchase it at a LOW liquidation price!

Look at All These Advanced Features:

- Apple® II Compatibility: Includes features of the Apple® lle such as 128K RAM and 80 column video display functions.
- Additional 64K Memory: Additional bankswitched memory, also known as "lle text card" or "Ile extended text card" capability.
- 12" Diagonal Monochrome Monitor: Features an 80 character x 24 line display on a flat, nonglare, green phosphor screen. Tilt/swivel base for easy, no-strain viewing.
- Double High Resolution Display: Allows display of 560 x 192 pixels on the screen, the same as in the Apple® IIc.
- 90-Key Detachable Keyboard: Includes the open and closed "F" keys needed for many Apple® software programs, plus extra features such as 12 programmable function keys and switchable command keys on the numeric keypad.
- Advanced Built-In Software: Includes Franklin's own Disk Operating System, Franklin DOS 2, and BASIC programming language, Franklin BASIC. Highly compatible with programs written for the Apple® II+, IIe, and IIc.
- Printer Interface Hardware and Software: For four of the most popular printers, including graphics printing capability. Also includes software controls for many printer functions.
- 65SC02 Microprocessor: The main processor on the Franklin incorporates this new chip, which is available as an upgrade for the Apple® Ile. It offers extra power and a number of additional commands for experienced programmers.
- Built-In, Compact, Half-Height Dual Disk Drives: Capable of using diskettes in 40 track format, in addition to those in standard Apple® 35 track format. This option lets you increase diskette storage capacity by 15% while maintaining the ability to use standard Apple® diskettes.
- Expansion Slots: Include parallel printer port and joystick/game port, which allow for easy addition of peripherals.



THE FRANKLIN ACE 2200...

Simple enough to be a "first" computer, yet powerful enough to meet the advanced needs of experienced users. Whether you're a professional person, business executive, homemaker, or college student, you'll find the Franklin Ace 2200 an excellent choice for all your computing needs.

Reconditioned with 90-Day Limited Factory Warranty.

Original List Price	\$1138.00	\$6	a	9
Liquidation Priced At Only.		U	J	J
Iter	m H-2424-7107-055 Shipping	g, handling:	\$15.0	00 each

5
Master







0	Ш	- [Fr	e	e:	1	-	8	0	D.	-3	2	8	-(0	6	0	9	by p	dit C	ard e, 2	4 hr	tom	ers day	an , 7 d	orde	a we	e
-	_	-	-	-	-	-	-	-	-	_	-	_	_	_	-	-	_	-	-	-	-	-	_	_	-	-	-	

Item H-2424

SEND TO: C.O.M.B. Direct Marketing Corp.

1405 Xenium Lane N/Minneapolis, MN 55441-4494

Send___Franklin Computer(s) Item H-2424-7107-055 at \$699 each, plus \$15 each for ship, handling. (Minnesota residents add 6% sales tax. Sorry, no C.O.D. orders.)

☐ My check or money order is enclosed. (No delays in processing orders paid by check.)

Charge: ☐ VISA® ☐ MasterCard® ☐ Discover SM ☐ American Express®

PLEASE PRINT CLEARLY

Name Address -City -

State Phone __(

Sales outside the 48 contiguous states are subject to special conditions.

PC COMPATIBLE

COMMODORE PC-10

INCLUDES

512K RAM 360K D/S DRIVE **CGA BOARD** YEAR WARRANTY PARALLEL & SERIAL I/O GW BASIC AND MS DOS SIDEKICK BY BORLAND \$679

BLUE CHIP PC

INCLUDES

512K RAM 360K D/S DRIVE CGA BOARD

PARALLEL & SERIAL I/O GW BASIC AND MS DOS 6 EXPANSION SLOTS **CALL FOR LATEST PRICE**

PC COMPATIBLE EXTRAS
MS DOS 3.2 & GW BASIC . \$99.95
BLUE CHIP 360K DISK DRIVE . \$129.00
BLUE CHIP TTL GREEN MONITOR . \$99.95 ZUCKERBOARDS (Made In USA)

PRINTER EXTRAVAGANZA

PANASONIC	OKIDATA	
Panasonic 1080i 199 Panasonic 1091i 259 Panasonic 1092i 349 Panasonic 3131 279 Panasonic 3151 409 Panasonic 1592 419 Panasonic 1595 539	Okidata 120	THEMETI
		ũ

EX 86 . . . FX 86E . . EX 800 . . EX 1000 . FX 286E . LQ 800 . . LQ 1000 . LQ 2500 . . . 729

FPSON

STAR MICRONICS NX-10 . NL-10 . NP-10 . . Call NX-15 ND-15 NR-15 NB 24/15 (24 Wire) . . Call

SPECIAL PURCHASE **CANON A-60 18 PIN PRINTER** •200 CPS Draft •100 CPS NLQ •34 CPS NLQ+ •Graphics & NL

& NLQ+ On \$349

OKIMATE 20 & PLUG AND PRINT \$199 FREE SHIPPING IN CONTINENTAL USA

COMMODORE 64/128 SUPER PRINTER PACKAGES

C-64/128 PACKAGE #1

NX-10 Printer

*Ketec Super Graphic Interface

*2 Extra NX-10 Ribbon

NO SURCHARGES On Credit Cards

FREE SHIPPING in Continental USA

\$279

C-64/128 PACKAGE #2
Panasonic 1080i Printer
(etec Super Graphic Interface
Extra Ribbon

Panaso

NO SURCHARGES On Credit Cards FREE SHIPPING In Continental USA \$279

C-64/128 PACKAGE #3

Panasonic 1091i Printer
Xetec Super Graphic Interface
1 Extra Ribbon •1 Extra Ribbon
NO SURCHARGES On Credit Cards
FREE SHIPPING in Continental USA \$339

C-64/128 PACKAGE #4

*Seikosha SP1000VC Printer

*Built-In graphics Interface
NO SURCHARGES On Credit Cards
FREE SHIPPING In Continental USA \$179

ATARI XE/XL SUPER PRINTER PACKAGES

ATARI PACKAGE #1

•NX-10 Printer

•Supra 1150 Interface

•2 Extra Ribbons

NO SURCHARGES On Credit Cards

FREE SHIPPING In Continental USA \$269

ATARI PACKAGE #2

Panasonic 1080i Printer
Supra 1150 Interface
I Extra Ribbon
NO SURCHARGES On Credit Cards
FREE SHIPPING In Continental USA \$269

ATARI PACKAGE #3

Panasonic 1091i Printer

Supra 1150 interface

1 Extra Ribbon

SURCHARGES On Credit Cards
FREE SHIPPING in Continental USA \$329

ATARI PACKAGE #4

• Atari 1027 Printer
• Atariwriter Plus
NO SURCHARGES On Credit Cards
FREE SHIPPING In Continental USA \$129

SUPER COMPUTER PACKAGES

ATARI 130XE PACKAGE

*Atari 130 XE Computer Home Filing Manager
*Atari 1050 Disk Drive * Defender
*Atari 1027 Printer * Millipede
*Atariwriter Plus * Paint
NO SURCHARGES ON Credit Cards
FREE SHIPPING In Continental USA

\$399

COMMODORE 128 PACKAGE #1 Commodore 128 Computer 1571 Disk Drive •15/7 DISK Drive
NO SURCHARGES On Credit Cards
FREE SHIPPING In Continental USA
\$489 (Limited to first 100 orders)

COMMODORE 64C PACKAGE ommodore 64C Computer •1802C Mor

 Commodore 64C Computer
 1541C Disk Drive
 NO SURCHARGES On Credit Caffree SHIPPING in Continental PRICE TOO LOW TO ADVERTISE!

COMMODORE 128 PACKAGE #2

**Commodore 128 Computer

*1571 Disk Drive

*1902 RGB Monitor
NO SURCHARGES On Credit Cards
FREE SHIPPING In Continental USA

(Limited to first 100 orders)

ATARI 1040ST SYSTEM PACKAGE Including RGB or Monochrome Monitor, Mouse, Double-Sided Disk Drive, Basic, TOS on ROM, and Built-in Power Supply Full Manufacturer's Warranty Applies CALL FOR LATEST PRICE

ATARI 520ST SYSTEM PACKAGE
Including RGB or Monochrome Monitor,
Mouse, Disk Drive, Basic, TOS on ROM, and RF
Modulator
Full Manufacturer's Warranty Applies
CALL FOR LATEST PRICE

Archon

AMIGA SYSTEM PACKAGE *Amiga Computer *Amiga 1080 Monitor *512K Ram Expander *1010 Disk Drive CALL FOR LATEST PRICE

AVATEX 1200HC MODEM

•Hayes-Compatible
•External
•Works With All Computers

\$129

Moebius

Murder Party

Russia 25.95
Scrabble 22.95
Chessmaster 2000 25.95
Chitma 1 25.95
Ultima 3 31.95
World Tour Golf 23.95

Multiplan 27.9:
Super Cycle 22.9:
St. Sports Basket 22.9:
St. Sports Baseball 22.9:
Summer Games 2 22.9:
Sub Battle 22.9:

MISCELLANEOUS HARDWARE

COMMODORE 64/128	ATARI XE•XL•400•800	ATARI 520ST • 1040ST
Commodore 64C + GEOS Call 1541C Disk Drive Call Commodore 128 Call 1571 Disk Drive Call 1670 Modem 129 1351 Mouse 44,95 1750 Ram Expander 169 1902 RGB Monitor 279 Xetec Super Graphic 69,95	Atari 130 XE 139 1050 Disk Drive 135 P.R. Connection 62.95 Animation Station 49.95 Alari XM-301 32.95 Supra 1150 Interface Call US Doubler 49.95 Graphic At Interface 39.95	SH 204 20 MEG Hard Drive Call SF314 DS/DD DIsk Drive Call SUpra 20 MEG Hard Drive Call 1040 Dust Gover Call 520 Dust Cover Call Z-Time 520 39.95 Z-Time 1040 49.95

APPLE CALL FOR OTHER APPLE HARDWARE

Touchdown Football 10.95 Ultimate Wizard . . . 10.95 Adv. Construction . 25.95 America's Cup 22.95

America's Cup . . . Arctic Fox Autoduel

Destroyer
Fast Load
Movie Monster
Champ Wrestling
World Games
Winter Games
Summer Games
Apshai Trilogy
Vorpal Utility

COMMODORE 64 SOFTWARE • NEW LOWER PRICE r Prices BERKLEY ACCESS **ELECTRONIC ARTS**

Mach V-Cart 21.95 Leader Board 24.95 Tournament Disk 14.95 Executive Disk 14.95 Robotic Workshop Call Tenth Frame 24.95 Famous Courses 14.95 GEOS ... 37.95 Writer's Workshop 32.95 Geodex ... 22.95 Desk Pak I ... 22.95 Font Pak I ... 19.95 Geopublish ... 34.95 Geocalc ... 34.95 Geocalc ... 34.95 Geocalc ... 27.95 MICROPROSE

SOFTWORKS

See Atari 130XE section for items and prices.

MISCELLANEOUS COMMODORE 64

MIIDELLE, MILEOUS	
Final Cartridge39.95	P.S. Companion 22.95
Gunship 22.95	Graph. Lib 1,2 or 3 16.95
Leather Goddesses 22.95	Fist19.95
Moonmist22.95	Parallax19.95
Hollywood Hijinks 22.95	Uridium19.95
Fontmaster 2 29.95	Uchi Mata 19.95
Disney Comic Strip 23.95	Wizard's Crown 27.95
Disney Card&Party 23.95	Phantasie II 27.95
WWF Wresting 25.95	Roadwar 2000 27.95
Starfleet 126.95	Warship39.95
Elite22.95	Wargame Constr 20.95
Thunder Chopper 19.95	Shard Of Spring 27.95
UP Periscope 19.95	War In S. Pacific 39.95 Rings Of Zilfin 27.95
Contriver Mouse 36.95	Rings Of Zilfin 27.95
The Pawn 25.95	2 On 2 Basketball 22.95
Tracker 25.95	Champ Baseball 22.95
Starglider 25.95	GFL Football22.95
Jet	Transformers 22.95
Sublogic Football . 27.95	Gamemaker 25.95
Flight Simulator II 33.95	Tag Team Wrest 22.95
Sublogic Baseball 33.95	Breakthru 22.95
Printmaster 21.95	Accolade Comics 24.95
Art Gallery 1 Or 2 . 16.95	Phantasie 3 27.95
Superscript 64 32.95	Pirates 25.95
Superbase 64 46.95	Battlecruiser 39.95
Ace Of Aces 18.95	Express Raider 22.95
Kill Until Dead 18.95	Realms/Darkness 27.95
Hardball 18.95	S.D.I
Fight Night 18.95	Defender/Crown 22.95
PSI Trading Co 18.95	Copy II 64 27.95
Print Shop 28.95	Wid Class LB 25.95

ACABUS 64

ACABU
Chartpak 25.95
Cad-Pak 25.95
Powerplan 25.95
Super C Compiler 39.95
Super Pascal 39.95
Super Pascal 25.95
Basic Compiler 25.95
Earth 25.95 Forth 25.95
Geos Inside & Out 16.95
Personal Portfolio 25.95
Personal Portfolio 39.95

Newsroom 30.95 Certificate Maker . . 30.95 Graphics Expander 21.95

TIMEWORKS

Business Sytems . 39.95
Wordwriter/Spell . 32.95
Swiftcalc/Sideways 25.95
Sylvia Porter . 32.95
Sylvia Porter . 32.95
Sideways . 19.95
Sideways . 19.95
Swiftax '86 . 32.95

SPRINGBOARD

Clip Art 1 Or 3 18.95 Clip Art 2 21.95 Cert. Maker Lib 1 . . 21.95

Movie Maker 10.95
Music Construction 10.95
One On One 10.95
Pinball Construction 10.95
Racing Destruction 10.95
Seven Cities Of Gold 10.95
Skytox 10.95
Super Bould Dash 10.95 EST. 1982 P.O. Box 17882, Milwaukee, W/I 53217

ORDER LINES OPEN

Mon.-Fri. 11 a.m. - 7 p.m. CST © Sat. 12 p.m. - 5 p.m. CST To Order Call Toll Free

800-558-0003 For Technical Info, Order

Inquiries, or for Wisc. Orders 414-357-8181

TELEX NUMBER 9102406440

COMMODORE **128 SOFTWARE**

EPYX

Superbase 128. 57.95 Superscript 128 46.95 Paper Clip II. 47.95 Wordwriter 128 42.95 Data Manger 128 42.95 Sylvia Porter 128 42.95 Sylvia Porter 128 42.95 Partner 128 42.95 Fleet System 4 46.95 Perfect Writer 49.95 Pocket Writer 2 36.95

Pocket Filer 2 Pocket Planner 2 Basic Comp. 128 Cad Pak 128 Super C Compiler Cobol 128 Super Pascal 128 Speed Ferm 128 Chart Pak 128 Mach V/128 Multiplan 128

36.9




NO SURCHARGE FOR MASTERCARD & VISA



VISA

NEWI	OWER PRIC	CES · IB	M SOFTWAR	E · NE	y Lower Di	RICES
ACTIVISION Alter Ego 31.95 Borrowed Time 25.95	BRODERBUND Print Shop 37.95	Archon 10.95 Fin Cookbook 10.95	NIC ARTS Murder Party 25.95	INFOCOM Ballyhoo25.95	MISCELLAI SDI	VEOUS IBM Conflict/Vietnam 25.95
Hacker	Karateka		Ogre	Hitchiker 25.95 Leather Goddess . 25.95 Trinity 25.95 Hollywood Hijinx 25.95		Decision/Desert25.95 F-15 Strike eagle22.95 Silent Service22.95 Crusade/Europe25.95
Shanghai	Toy Shop	One on One 10.95 Pinball Constr 10.95 7 Cities of Gold 10.95 Super Blderdash 10.95	Cheemseter 25.95	Moonmist25.95 Zork Trilogy44.95	1st Cadd	Universe II 47.95
Champ Baseball25.95 SIERRA	Fin Independence 94.95 For Comment124.95 SPRINGBOARD	Mind Mirror 10.95 Amnesia 29.95 Gr. Slam Bridge 39.95	Ultima III 38.95 Ultima IV 39.95 Wrld Tr Golf (NoAp) 34.95 Starflight (NoAp) 34.95	ACCOLADE Hardball24.95	Starolider 29.95	Wizardry
Cing's Quest I. II or III 31.95	Certificate Maker 38.95 Newsroom Pro 82.95 SEE APPLE SECTION FOR	MINDSCAPE Bop/Wrestle 19.95 Indoor Sports 19.95	Wordwriter 39.95	Mean 18	7th Spirits 29.95 Champion Golf 31.95 Airplane Constr 25.95	Jet
Smart Money 32.95 Space Quest 31.95 Black Cauldron 25.95 Helicopter Simul 25.95	REST OF ITEMS & PRICES EPYX	Balance/Power31.95	Swiftcalc	Rings of Zilfin 25.95	Printmaster 36.95	Gato
Helicopter Simul 25.95 Police Quest Call	SEE APPLE SECTION FOR ITEMS & PRICES	Sub Mission .25.95 Amer Challenge .25.95 Racter .25.95 Mastertype .25.95	Partner	Rings of Zilfin	Art Gallery 1 24.95 Art Gallery 2 18.95 Newsmaster 62.95	
		Mastertype 25.95 Crossword Magic 31.95 Perfect Score 49.95	Call For	Other IE	M Produ	ucts
NEWL	BALE DEIC	E& • API	PLE SOFTWA			
EPYX	ELECTRONIC ARTS	BRODERBUND	INFOCOM	ACTIVISION	APPLE MISC	ELLANEOUS
Sports Basketball 25.95 Sports Baseball 25.95 World Karate 19.95 World Games 25.95	Age/Adventure 10.95 Archon II 10.95 Movie Maker 10.95 Skyfox 10.95 Adv. Constr 32.95	Airheart	SEE IBM SECTION FOR ITEMS AND PRICES MINDSCAPE	Gamemaker	Gettysburg	Word Attack
Destroyer	Adv. Constr. 32.95 Artic Fox 25.95 Autoduel 32.95	Toy Shop	SEE IBM SECTION FOR ITEMS AND PRICES	Greeting Card 25.95 SEE IBM SECTION FOR REST OF ITEMS AND PRICES	Battlecruiser 39.95	F-15 STrike Eagle
Summer Games II 25.95 Apshai Trilogy 25.95	Bard's Tale	Graph Lib 1,2 or 3 16.95 Bank ST Series Call	SPRING	BOARD	Fight Night21.95 Hardball21.95	Silent Service 22.95 Smart Money 49.95 Sublog. Baseball 34.95 Sublog Football 34.95
Sub Battle 25.95 pyx Joystick 25.95 DATASOFT	Marble Madness	DATA EAST Karate Champ 15.95	Certificate Maker 31.95 Clip Art 1 or 3 19.95 Clip Art 2	Games/Children 22.95 Graphics Expander 25.95 Newsroom 37.95	Comix	Jet
Black Magic	Russia 26.95 Ultima I 26.95 SEE IBM SECTION FOR REST OF ITEMS AND PRICES	Kung Fu Master 15.95 Commando 25.95 Tag Team Wrest 25.95	Certificate Lib 122.95	Newsroom 37.95 Piece of Cake Math 22.95	Realms/Darkness 25.95 Fight Night 21.95 Hardbal 21.95 Hardbal 21.95 Comix 31.95 The Hobbit 23.95 Up Periscope 19.95 Thunder Chopper 19.95 Alt. Reality 24.95 Math Blaster 31.95 Spell It 31.95	Printmaster + 24.95 Art Gallery 1 or 2 18.95 Publisher 89.95 War in S. Pacific
Swords/Sorcery 19.95 Bismarck	OF ITEMS AND PRICES	Call For O	ther Apple	Products	Champ Wrestling 25.95 Wizard's Crown 25.95	Star Trek II 25.95 Roadwar 2000 25.95
NEW LG	WER PRICE		RI ST SOFTW		Gemstone Healer 19.95	Phantasie 325.95
ABACUS extpro32.95	ST EDUCATIONAL Decimal Dungeon 24.95	MICHTRON Cornerman31.95	ST BUSINESS VIP ProfessionalCall	ST ADVENTURES	ST LANGUAGES	ST PRINT UTILITIES
ext Designer32.95 ext Designer32.95 essempro39.95	Fraction Action 24.95	Echo24.95 M-Disk24.95	Swiftcalc St 48.95 Isgur Portfolio 124.95	Sundog 24.95 Universe II 44.95 The Pawn 29.95 Starglider 29.95 Dungeonmaster 24.95	Personal Pascal 49.95 Mark Williams C. 114.95 Lattice C	Rubber Stamp 24.95 Printmaster Plus 24.95
owerplan 49.95 aintpro 32.95 bacus Books Call	Read & Rhyme	Major Motion 24.95 Michtron Utilities 37.95 Cards 24.95 Time Bandits 24.95	DAC Payroll	Dungeonmaster 24.95 Alt. Reality	Cambridge Lisp 139.95 Modular II	Rubber Stamp
ST GRAPHICS legas Elite 48.95	Kid Talk	Cards	Home Accountant 31.95 Sylvia Porter 48.95 Swiftax '86 48.95	Mercenary 24.95 Autoduel 32.95 Ogre 25.95 Defender/Crown 32.95	ST ARCAD Winter Games 24 95	
asy Draw48.95 ad 3-D36.95 iraphic Artist124.95	Donald Duck 16.95 Buzzword 29.95 ST DATABASES	Eight Ball 18.95 Back-Up 24.95 Match-Point 24.95 Karate Kid II 24.95 Raid 31.95 GFA Basic 48.95 Trimbase 62.95	Music Studio 39.95	Balance Of Power 32.95	Rouge	Super Cycle
aintworks 44.95 st Cadd 31.95 egis Animator 48.95	DB Man 96 95	GFA Basic 48.95 Trimbase 62.95 Space Shuttle 2 24.95	Time Link31.95 Micro Cookbook32.95 CZ Droid69.95	Ultima III Or IV 38.95 Portal 32.95 Kings Quest 1,2 or 3 32.95	Brattacus 32.95	Deep Space 29.95 Arena 22.95
eochrome 34.95 omputereyes 189.00	Regent Base 57.95 Data Manager St 48.95 Zoomracks II 96.95	M-Cache. 24.95 GFA Draft 62.95 Trivia Challenge 24.95	EZ Track	1,2 or 3	Silent Service 25.95 Flight Simulator II 33.95 Champ Wrestling 24.95	The Wanderer 22.95 Champ Baseball 29.95
FELECOMMUNICATION t Talk Ver 2.0 18.95	PROCESSORS	Journ To Lair 32.95	DESKTOP PUBLISHING	Tracker	Champ Wrestling . 24.95 World Games	GFL Football 29.95 Harrier Strike 31.95 Sub Battle Sim 24.95
B/ST	Wordwriter St 48.95 Thunder 24.95 Paperclip Elite Call	SEE IBM SECTION FOR ITEMS & PRICES	Drawrite	Wizard's Crown 25.95 Rings Of Zilfin 25.95 Phantasie 3 25.95	Shanghal 29.95 Micro Baseball 39.95 WWF Wrestling 39.95 Skyfox 29.95	Arctic Fox 26.95 RPV 24.95 Crystal Castles 20.95 Gridiron 42.95
	ER PRICES	ATARI XE/				
BRODERBUND	INFOCOM	ELECTRO	NIC ARTS	MISCELI	LANEOUS XE / XL / 40	00 / 800
Garateka	Hitchiker	Age Of Adventure . 10.95 Archon	Super Bould. Dash 10.95 Touch. Football 10.95 Chessmaster 2000 25.95	Flight Simulator33.95 Universe 57.95 Strip Poker 21.95 Micro League	Executive Disk/LB .14.95 Tenth Frame 27.95 Infiltrator 19.95 Bop 'N' Wrestle 19.95 Super Huey 16.95 Home Planetarium 27.95 Abscivitor Plue 20.95	World Karate Championship 19.95 Mercenary 18.95 Wizard's Crown 27.95
Araph. Lib. 1,2 or 3 16.95 2S. Companion 22.95 MICROPROSE	Moonmist22.95 Leather Goddess22.95 Hollywood Hijinx22.95 Zork Trilogy39.95	Mail Ord. Monsters 10.95 Movie Maker 10.95 Music Construction 10.95	Chickaumauga 23.95 Lords/Conquest 22.95 Ogre 25.95 Rommel/Toburk 26.95 Starfleet I 33.95	Baseball	Super Huey 16.95 Home Planetarium 27.95 Atariwriter Plus 39.95	Gettsburg
Gilent Service 22.95 -15 Strike Eagle 22.95 Decision In Desert . 25.95	XLENT SOFTWARE	One On One 10.95 Pinball Construction 10.95	Starfleet I	Fight Night 18.95 Hardball 18.95 Triple Pak 14.95	Atariwriter Plus 39.95 MLB Boxscore/Stat 16.95 Home Accountant . 30.95 Apshai Trilogy 16.95	Synfile 32.95 Syncalc 32.95 Music Studio 22.95 Alt. Reality 24.95
(en. Approach 16.95 Crusade/Europe 25.95 Conflict/Vietnam 25.95	Megafont II16.95 Page Designer18.95 Megafiler18.95 PS Interface18.95	Racing Destruction 10.95 7 Cities Of Gold 10.95 BATTERIES	Ultima IV38.95	Hardball 18.95 Triple Pak 14.95 Leader Board 24.95 Tourn. Disk/LB 14.95	Summer Games16.95	A/R Dungéon 24.95
op Gunner 16.95	Rubber Stamp 18.95 Typesetter 21.95	INCLUDED Home Pak 14.95 Paperclip w/Spell 36.95 B-Graph 24.95	Call Fo	r Other	Atari Pro	oducts
NI WWW D.O.	NWED DOLG					
AMIGA ARC	ADE GAMES	ACTIVISION	GA SOFTWA		AMIGA PRO	
licroleague Baseb.39.95 he Pawn 29.95 light Simulator II . 34.95	Tenth Frame 27.95 Winter Games 27.95	Hacker 29.95 Mindshadow 29.95 Borrowed Time 29.95	Skyfox	7 Cities of Gold 27.95 Starfleet One 38.95	VIP Professional . 169.95 Analyze 2.0 94.95 On-Line	Maxiplan99.95 Maxicom34.95
Ings Quest II 34.95 lack Cauldron 34.95	Strip Poker		Marble Madness 34.95 Return/Atlantis 29.95 Fin. Cookbook 34.95	Art Disk/ Deluxe Print 20.95 Art Disk/	Organize 64.95	Paperclin Flite 84 95
et	Deep Space 29.95 Arena 24.95 Publisher 129.95 Starglider 29.95	People	Fin. Cookbook 34.95 Adventure Constr 27.95 Chessmaster 2000 32.95 Instant Music 34.95 Deluxe Print 69.95 Deluxe Video 69.95	Deluxe Paint	Printmaster	Degas Elite
MINDS		Shanghai 29.95 Hacker II 34.95 Tass Times 29.95 GBA Basketball 29.95 Champ. Baseball 29.95 GFA Football 29.95	Deluxe Video	Autoduel	Aegis Draw 74.95 Aegis Animator/Images 84.95	Logistics
astertype	the Crown 34.95	GIAT COLDUIT25.55	One of One27.95	Earl Weaver Baseball Call	Aegis Art23.95	DB Man99.95
DI34.95	Sinbad34.95 Balance of Power .34.95		Other A			
are \$3.00. In Continental U.S.A.	ORMATION: Please specify include \$3.00 for software orders. 496 see add 596 chinging minimum \$5.00 A	shipping for hardware, minimum \$4.00. I	MasterCard and Visa orders please inclu	de card #, expiration date and signature	. WI residents please include 5% sales t	tax HI AK FPO APO Puerto
minimum amount, you will be c	se add 5% shipping, minimum \$5.00. Al charged the additional amount to get you otain an R.A. # or your return will not be	r package to you quickly and safely. All	goods are new and include factory warra	outside the continental U.S.A. are shipp inty. Due to our low prices all sales are f	eu iirst class insured U.S. mail. If foreigi inal. All defective returns must have a	n snipping charges exceed the return authorization number.



COMPUTE!'s Author's Guide

Most of the following suggestions serve to improve the speed and accuracy of publication. COMPUTE! is primarily interested in new and timely articles on the Commodore 64/128, Atari, Apple, IBM PC/PCjr, Amiga, and Atari ST. We are much more concerned with the content of an article than with its style, but articles should be clear and well-explained.

The guidelines below will permit your good ideas and programs to be more easily edited and published:

1. The upper left corner of the first page should contain your name, address, telephone number, and the date of submission.

2. The following information should appear in the upper right corner of the first page. If your article is specifically directed to one make of computer, please state the brand name and, if applicable, the BASIC or ROM or DOS version(s) involved. In addition, please indicate the memory requirements of programs.

3. The underlined title of the article should start

about 2/3 of the way down the first page.

4. Following pages should be typed normally, except that in the upper right corner there should be an abbreviation of the title, your last name, and the page number. For example: Memory Map/Smith/2.

5. All lines within the text of the article must be double- or triple-spaced. A one-inch margin should be left at the right, left, top, and bottom of each page. No words should be divided at the ends of lines. And please do not justify. Leave the lines ragged.

6. Standard typing paper should be used (no erasable, onionskin, or other thin paper) and typing should be on one side of the paper only (upper- and

lowercase).

7. Sheets should be attached together with a pa-

per clip. Staples should not be used.

- 8. If you are submitting more than one article, send each one in a separate mailer with its own tape or disk.
- 9. Short programs (under 20 lines) can easily be included within the text. Longer programs should be separate listings. It is essential that we have a copy of the program, recorded twice, on a tape or disk. If your article was written with a word processor, we also appreciate a copy of the text file on the tape or disk. Please use high-quality 10 or 30 minute tapes with the program recorded on both sides. The tape or disk should be labeled with the author's name, the title of the article, and, if applicable, the BASIC/ROM/DOS version(s). Atari tapes should specify whether they are to be LOADed or ENTERed. We prefer to receive Apple programs on disk rather than tape. Tapes are fairly sturdy, but disks need to be enclosed within plastic or

cardboard mailers (available at photography, station-

ery, or computer supply stores).

10. A good general rule is to spell out the numbers zero through ten in your article and write higher numbers as numerals (1024). The exceptions to this are: Figure 5, Table 3, TAB(4), etc. Within ordinary text, however, the zero through ten should appear as words, not numbers. Also, symbols and abbreviations should not be used within text: use "and" (not &), "reference" (not ref.), "through" (not thru).

11. For greater clarity, use all capitals when referring to keys (RETURN, TAB, ESC, SHIFT), BASIC words (LIST, RND, GOTO), and three languages (BASIC, APL, PILOT). Headlines and subheads should, however, be initial caps only, and emphasized words are not capitalized. If you wish to emphasize, underline the word and it will be italicized during typesetting.

12. Articles can be of any length—from a singleline routine to a multi-issue series. The average article is about four to eight double-spaced, typed pages.

13. If you want to include photographs, they should be either 5×7 black and white glossies or color slides.

14. We do not consider articles which are submitted simultaneously to other publishers. If you wish to send an article to another magazine for consideration,

please do not submit it to us.

15. COMPUTE! pays between \$70 and \$800 for published articles. In general, the rate reflects the length and quality of the article. Payment is made upon acceptance. Following submission (Editorial Department, COMPUTE! Magazine, P.O. Box 5406, Greensboro, NC 27403) it will take from four to eight weeks for us to reply. If your work is accepted, you will be notified by a letter which will include a contract for you to sign and return. Rejected manuscripts are returned to authors who enclose a self-addressed, stamped envelope.

16. If your article is accepted and you have since made improvements to the program, please submit an entirely new tape or disk and a new copy of the article reflecting the update. We cannot easily make revisions to programs and articles. It is necessary that you send the revised version as if it were a new submission entirely, but be sure to indicate that your submission is a revised version by writing, "Revision" on the envelope and the article.

17. COMPUTE! does not accept unsolicited product reviews. If you are interested in serving on our panel of reviewers, contact the Review Coordinator for

details.

COMPUTE!'s Guide To Typing In Programs

(CLR TAB)

(SET TAB)

(BELL)

(ESC)

FSC

CTRL

{YEL}

CTRL TAB

ESC SHIFT TAB

ESC CTRL 2

ESC ESC

Computers are precise—type the program *exactly* as listed, including necessary punctuation and symbols, except for special characters noted below. We have provided a special listing convention as well as a program to check your typing—"The Automatic Proofreader."

Programs for the IBM, TI-99/4A, and Atari ST models should be typed exactly as listed; no special characters are used. Programs for Commodore, Apple, and Atari 400/800/XL/XE computers may contain some hard-toread special characters, so we have a listing system that indicates these control characters. You will find these Commodore and Atari characters in curly braces; do not type the braces. For example, {CLEAR} or {CLR} instructs you to insert the symbol which clears the screen on the Atari or Commodore machines. A complete list of these symbols is shown in the tables below. For Commodore, Apple, and Atari, a single symbol by itself within curly braces is usually a control key or graphics key. If you see {A}, hold down the CONTROL key and press A. This will produce a reverse video character on the Commodore (in quote mode), a graphics character on the Atari, and an invisible control character on the Apple.

Graphics characters entered with the Commodore logo key are enclosed in a special bracket: [<A>]. In this case, you would hold down the Commodore logo key as you type A. Our Commodore listings are in uppercase, so shifted symbols are underlined. A graphics heart symbol (SHIFT-S) would be listed as S. One exception is {SHIFT-SPACE). When you see this, hold down SHIFT and press the space bar. If a number precedes a symbol, such as {5 RIGHT), $\{6 \text{ S}\}$, or $\{8 \text{ Q}\}$, you would enter five cursor rights, six shifted S's, or eight Commodore-Q's. On the Atari, inverse characters (white on black) should be entered with the inverse video

Atari 400/800/XL/XE When you see See (CLEAR) ESC SHIFT < Clear Screen (IIP) CTRL Cursor Un (DOWN) ESC CTRL Down (LEFT) ESC CTRL + Cursor Left (RIGHT) ESC CTRL # Cursor Right (BACK S) ESC DELETE Backspace (DELETE) ESC CTRL DELETE CI. Delete character (INSERT) ESC CTRL INSERT 13 Insert character ESC SHIFT DELETE (DEL LINE) 53 Delete line (INS LINE) ESC SHIFT INSERT 0 Insert line (TAB) TAB key TAR

G

Clear tab

Set tab stop

Ring buzzer

ESCape key

SHIFT

{ F8 }

4

f7

Commodore PET/CBM/VIC/64/128/16/+4 When You When You Read: Press: See: Read: Press: See. SHIFT CLR/HOME COMMODORE {CLR} R 1 3 CLR/HOME COMMODORE {HOME} K 2 3 SHIFT † CRSR 1 COMMODORE {UP} E 3 3 † CRSR 1 COMMODORE {DOWN} E 4 3 SHIFT ← CRSR → COMMODORE {LEFT} E 5 3 ← CRSR → COMMODORE {RIGHT} E 6 3 CTRL 9 COMMODORE {RVS} E 7 3 CTRL COMMODORE {OFF} E 8 3 CTRL f1 {BLK} { F1 } CTRL 2 SHIFT {WHT} { F2 } CTRL 3 . f3 {RED} { F3 } CTRL 4 SHIFT f3 {CYN} { F4 } CTRL f5 {PUR} { F5 } CTRL 6 SHIFT {GRN} { F6 } CTRL {BLU} { F7 }

key (Atari logo key on 400/800 models).

Whenever more than two spaces appear in a row, they are listed in a special format. For example, {6 SPACES} means press the space bar six times. Our Commodore listings never leave a single space at the end of a line, instead moving it to the next printed line as {SPACE}.

Amiga program listings contain only one special character, the left arrow (+) symbol. This character marks the end of each program line. Wherever you see a left arrow, press RETURN or move the cursor off the line to enter that line into memory. Don't try to type in the left arrow symbol; it's there only as a marker to indicate where each program line ends.

The Automatic Proofreader

Type in the appropriate program listed below, then save it for future use. The Commodore Proofreader works on the Commodore 128, 64, Plus/4, 16, and VIC-20. Don't omit any lines, even if they contain unfamiliar commands or you think they don't apply to your computer. When you run the program, it installs a machine language program in memory and erases its BASIC portion automatically (so be sure to save several copies before running the program for the first time). If you're using a Commodore 128, Plus/4 or 16, do not use any GRAPHIC commands while the Proofreader is active. You should disable the Commodore Proofreader before running any other program. To do this, either turn the computer off and on or enter SYS 64738 (for the 64), SYS 65341 (128), SYS 64802 (VIC-20), or SYS 65526 (Plus/4 or 16). To reenable the Proofreader, reload the program and run it as usual. Unlike the original VIC/64 Proofreader, this version works the same with disk or tape.

On the Atari, run the Proofreader to activate it (the Proofreader remains active in memory as a machine language program); you must then enter NEW to erase the BASIC loader. Pressing SYSTEM RESET deactivates the Atari Proofreader; enter PRINT USR(1536) to reenable it.

The Apple Proofreader erases the BASIC portion of itself after you run it, leaving only the machine language portion in memory. It works with either DOS 3.3 or ProDOS. Disable the Apple Proofreader by pressing CTRL-RESET before running another BASIC program.

The IBM Proofreader is a BASIC program that simulates the IBM BASIC line editor, letting you enter, edit, list, save, and load programs that you type. Type RUN to activate. Be sure to leave Caps Lock on, except when typing lowercase characters.

Once the Proofreader is active, try typing in a line. As soon as you press RETURN, either a hexadecimal number (on the Apple) or a pair of letters (on the Commodore, Atari, or IBM) appears. The number or pair of letters is called a checksum.

Compare the value displayed on the screen by the Proofreader with the checksum printed in the program listing in the magazine. The checksum is given to the left of each line number. Just type in the program a line at a time (without the printed checksum), press RETURN or Enter, and compare the checksums. If they match, go on to the next line. If not, check your typing; you've made a mistake. Because of the checksum method used, do not type abbreviations, such as ? for PRINT. On the Atari and Apple Proofreaders, spaces are not counted as part of the checksum, so be sure you type the right number of spaces between quote marks. The Atari Proofreader does not check to see that you've typed the characters in the right order, so if characters are transposed, the checksum still matches the listing. The Commodore Proofreader catches transposition errors and ignores spaces unless they're enclosed in quotation marks. The IBM Proofreader detects errors in spacing and transposition.

IBM Proofreader Commands

Since the IBM Proofreader replaces the computer's normal BASIC line editor, it has to include many of the direct-mode IBM BASIC commands. The syntax is identical to IBM BASIC. Commands simulated are LIST, LLIST, NEW, FILES, SAVE, and LOAD. When listing your program, press any key (except Ctrl-Break) to stop the listing. If you enter NEW, the Proofreader prompts you to press Y to be especially sure you mean yes.

Two new commands are BASIC and CHECK. BASIC exits the Proofreader back to IBM BASIC, leaving the Proofreader in memory. CHECK works just like LIST, but shows the checksums along with the listing. After you have typed in a program, save it to disk. Then exit the Proofreader with the BASIC command, and load the program as usual (this replaces the Proofreader in memory). You can now run the program, but you may want to resave it to disk. This will shorten it on disk and make it load faster, but it can no longer be edited with the Proofreader. If you want to convert an existing BASIC program to Proofreader format, save it to disk with SAVE "filename", A.

Program 1: Atari Proofreader

By Charles Brannon, Program Editor

- 100 GRAPHICS 0 11Ø FOR I=1536 TO 1700:REA D A: POKE I, A: CK=CK+A: N EXT I
- 120 IF CK<>19072 THEN ? "E rror in DATA Statement Check Typing.": END
- 13Ø A=USR(1536)
- 14Ø ? :? "Automatic Proofr eader Now Activated."
- 15Ø END
- 160 DATA 104,160,0,185,26,
- 3,201,69,240,7 170 DATA 200,200,192,34,20
- 8,243,96,200,169,74 18Ø DATA 153,26,3,200,169, 6,153,26,3,162
- 19Ø DATA Ø,189,0,228,157,7 4,6,232,224,16 20Ø DATA 208,245,169,93,14
- 1,78,6,169,6,141
- 21Ø DATA 79,6,24,173,4,228 105,1,141,95
- 22Ø DATA 6,173,5,228,105,0
- ,141,96,6,169 23Ø DATA Ø,133,203,96,247,
- 238,125,241,93,6 240 DATA 244,241,115,241,1
- 24,241,76,205,238 25Ø DATA Ø, Ø, Ø, Ø, Ø, 32, 62, 2
- 46,8,201 260 DATA 155,240,13,201,32

- ,240,7,72,24,101 270 DATA 203,133,203,104,4 0,96,72,152,72,138 280 DATA 72,160,0,169,128, 145,88,200,192,40
- 29Ø DATA 208,249,165,203,7 4,74,74,74,24,105
- 300 DATA 161,160,3,145,88, 165,203,41,15,24
- 310 DATA 105,161,200,145,8
- 8,169,0,133,203,104 320 DATA 170,104,168,104,4

Program 2: IBM Proofreader

By Charles Brannon, Program Editor

- 10 'Automatic Proofreader Vers ion 3.0 (Lines 205, 206 adde d/190 deleted/470,490 chang ed from V2.Ø)
- 100 DIM L\$(500), LNUM(500): COLO R 0,7,7:KEY OFF: CLS: MAX=0: LNUM (Ø) =65536!
- 110 ON ERROR GOTO 120:KEY 15,C HR\$ (4) +CHR\$ (7Ø) : ON KEY (15) GOSUB 640: KEY (15) ON: GOT n 130
- 12Ø RESUME 13Ø
- 13Ø DEF SEG=&H4Ø: W=PEEK (&H4A)
- 14Ø ON ERROR GOTO 65Ø:PRINT:PR INT"Proofreader Ready.
- 150 LINE INPUT L\$:Y=CSRLIN-INT (LEN(L\$)/W)-1:LOCATE Y,1
- 160 DEF SEG=0:POKE 1050,30:POK E 1052,34:POKE 1054,0:POKE 1055,79:POKE 1056,13:POKE 1057,28:LINE INPUT L\$:DEF SEG: IF L\$="" THEN 150
- 170 IF LEFT\$(L\$,1)=" " THEN L\$ =MID\$(L\$,2):GOTO 170

- 180 IF VAL(LEFT\$(L\$,2))=0 AND MID\$(L\$,3,1)=" " THEN L\$=M ID\$(L\$,4)
- 200 IF ASC(L\$)>57 THEN 260 'no line number, therefore co mmand
- 205 BL=INSTR(L\$," "):IF BL=0 T HEN BL\$=L\$:GOTO 206 ELSE B L\$=LEFT\$(L\$,BL-1)
- 206 LNUM=VAL(BL\$):TEXT\$=MID\$(L \$,LEN(STR\$(LNUM))+1)
- 210 IF TEXT\$="" THEN GOSUB 540 :IF LNUM=LNUM(P) THEN GOSU B 560:GOTO 150 ELSE 150
- 22Ø CKSUM=Ø:FOR I=1 TO LEN(L\$)
 :CKSUM=(CKSUM+ASC(MID\$(L\$,
 I))*I) AND 255:NEXT:LOCATE
 Y,1:PRINT CHR\$(65+CKSUM/1
 6)+CHR\$(65+(CKSUM AND 15))
 +" "+L\$
- 23Ø GOSUB 54Ø:IF LNUM(P)=LNUM THEN L\$(P)=TEXT\$:GOTO 15Ø 'replace line
- 240 GOSUB 580:GOTO 150 'insert the line
- 260 TEXT\$="":FOR I=1 TO LEN(L\$):A=ASC(MID\$(L\$,I)):TEXT\$= TEXT\$+CHR\$(A+32*(A>96 AND A<123)):NEXT
- 27Ø DELIMITER=INSTR(TEXT\$," ")
 :COMMAND\$=TEXT\$:ARG\$="":IF
 DELIMITER THEN COMMAND\$=L
 EFT\$(TEXT\$,DELIMITER-1):AR
 G\$=MID\$(TEXT\$,DELIMITER+1)
 ELSE DELIMITER=INSTR(TEXT
 \$,CHR\$(34)):IF DELIMITER T
 HEN COMMAND\$=LEFT\$(TEXT\$,D
 ELIMITER-1):ARG\$=MID\$(TEXT\$,DELIMITER)
- 28Ø IF COMMAND\$<>"LIST" THEN 4 1Ø
- 290 OPEN "scrn:" FOR OUTPUT AS #1
- 300 IF ARG\$="" THEN FIRST=0:P= MAX-1:GOTO 340
- 310 DELIMITER=INSTR(ARG\$,"-"): IF DELIMITER=0 THEN LNUM=V AL(ARG\$):GOSUB 540:FIRST=P :GOTO 340
- 320 FIRST=VAL(LEFT\$(ARG\$,DELIM ITER)):LAST=VAL(MID\$(ARG\$, DELIMITER+1))
- 33Ø LNUM=FIRST:GOSUB 54Ø:FIRST =P:LNUM=LAST:GOSUB 54Ø:IF P=Ø THEN P=MAX-1
- 340 FOR X=FIRST TO P:N\$=MID\$(S TR\$(LNUM(X)),2)+" "
- 35Ø IF CKFLAG=Ø THEN A\$="":GOT O 37Ø
- 360 CKSUM=0:A\$=N\$+L\$(X):FOR I=
 1 TO LEN(A\$):CKSUM=(CKSUM+
 ASC(MID\$(A\$,I))*I) AND 255
 :NEXT:A\$=CHR\$(65+CKSUM/16)
 +CHR\$(65+(CKSUM AND 15))+"
- 370 PRINT #1, A\$+N\$+L\$(X)
- 38Ø IF INKEY\$<>"" THEN X=P
- 390 NEXT :CLOSE #1:CKFLAG=0
- 400 GOTO 130
- 410 IF COMMAND\$="LLIST" THEN O PEN "1pt1:" FOR OUTPUT AS #1:GOTO 300
- 420 IF COMMAND\$="CHECK" THEN C KFLAG=1:GOTO 290
- 430 IF COMMAND\$<>"SAVE" THEN 4
- 440 GOSUB 600: OPEN ARG\$ FOR OU TPUT AS #1: ARG\$="": GOTO 30 0
- 450 IF COMMAND\$<>"LOAD" THEN 4

- 46Ø GOSUB 6ØØ:OPEN ARG\$ FOR IN PUT AS #1:MAX=Ø:P=Ø
- 47Ø WHILE NOT EOF(1):LINE INPU T #1,L\$:BL=INSTR(L\$," "):B L\$=LEFT\$(L\$,BL-1):LNUM(P)= VAL(BL\$):L\$(P)=MID\$(L\$,LEN (STR\$(VAL(BL\$)))+1):P=P+1: WEND
- 48Ø MAX=P:CLOSE #1:GOTO 13Ø
- 490 IF COMMAND\$="NEW" THEN INP UT "Erase program - Are yo u sure";L\$:IF LEFT\$(L\$,1)="y" OR LEFT\$(L\$,1)="Y" THE N MAX=0:LNUM(0)=65536!:GOT O 130:ELSE 130
- 500 IF COMMAND\$="BASIC" THEN C OLOR 7,0,0:ON ERROR GOTO 0 :CLS:END
- 510 IF COMMAND\$<>"FILES" THEN 520
- 515 IF ARG\$="" THEN ARG\$="A:" ELSE SEL=1:GOSUB 600
- 517 FILES ARG\$: GOTO 130
- 520 PRINT"Syntax error":GOTO 1 30
- 54Ø P=Ø:WHILE LNUM>LNUM(P) AND P<MAX:P=P+1:WEND:RETURN
- 56Ø MAX=MAX-1:FOR X=P TO MAX:L NUM(X)=LNUM(X+1):L\$(X)=L\$(X+1):NEXT:RETURN
- 58Ø MAX=MAX+1:FOR X=MAX TO P+1 STEP -1:LNUM(X)=LNUM(X-1) :L\$(X)=L\$(X-1):NEXT:L\$(P)= TEXT\$:LNUM(P)=LNUM:RETURN
- 600 IF LEFT\$(ARG\$,1)<>CHR\$(34) THEN 520 ELSE ARG\$=MID\$(A RG\$,2)
- 610 IF RIGHT\$(ARG\$,1)=CHR\$(34) THEN ARG\$=LEFT\$(ARG\$,LEN(ARG\$)-1)
- 620 IF SEL=0 AND INSTR(ARG\$,".
 ")=0 THEN ARG\$=ARG\$+".BAS"
- 63Ø SEL=Ø:RETURN
- 640 CLOSE #1:CKFLAG=0:PRINT"St opped.":RETURN 150
- 450 PRINT "Error #"; ERR: RESUME 150

Program 3: Commodore Proofreader

By Philip Nelson, Assistant Editor

- 10 VEC=PEEK(772)+256*PEEK(773) :LO=43:HI=44
- 20 PRINT "AUTOMATIC PROOFREADE
 R FOR ";:IF VEC=42364 THEN
 {SPACE}PRINT "C-64"
- 30 IF VEC=50556 THEN PRINT "VI C-20"
- 40 IF VEC=35158 THEN GRAPHIC C LR:PRINT "PLUS/4 & 16"
- 50 IF VEC=17165 THEN LO=45:HI= 46:GRAPHIC CLR:PRINT"128"
- 6Ø SA=(PEEK(LO)+256*PEEK(HI))+
 6:ADR=SA
- 70 FOR J=0 TO 166:READ BYT:POK
 E ADR,BYT:ADR=ADR+1:CHK=CHK
 +BYT:NEXT
- 80 IF CHK <> 20570 THEN PRINT "* ERROR* CHECK TYPING IN DATA STATEMENTS": END
- 90 FOR J=1 TO 5:READ RF,LF,HF: RS=SA+RF:HB=INT(RS/256):LB= RS-(256*HB)
- 100 CHK=CHK+RF+LF+HF:POKE SA+L F,LB:POKE SA+HF,HB:NEXT
- 110 IF CHK <> 22054 THEN PRINT "
 ERROR RELOAD PROGRAM AND

- {SPACE}CHECK FINAL LINE":EN
- 120 POKE SA+149, PEEK(772): POKE SA+150, PEEK(773)
- 130 IF VEC=17165 THEN POKE SA+ 14,22:POKE SA+18,23:POKESA+ 29,224:POKESA+139,224
- 140 PRINT CHR\$(147); CHR\$(17); "PROOFREADER ACTIVE": SYS SA
- 150 POKE HI, PEEK(HI)+1:POKE (P EEK(LO)+256*PEEK(HI))-1,0:N FW
- 160 DATA 120,169,73,141,4,3,16 9,3,141,5,3
- 170 DATA 88,96,165,20,133,167, 165,21,133,168,169
- 180 DATA 0,141,0,255,162,31,18 1,199,157,227,3
- 190 DATA 202,16,248,169,19,32, 210,255,169,18,32
- 200 DATA 210,255,160,0,132,180 ,132,176,136,230,180
- 210 DATA 200,185,0,2,240,46,20 1,34,208,8,72
- 22Ø DATA 165,176,73,255,133,17
- 6,104,72,201,32,208 230 DATA 7,165,176,208,3,104,2
- Ø8,226,104,166,180 240 DATA 24,165,167,121,0,2,13
- 3,167,165,168,105 250 DATA 0,133,168,202,208,239
- ,240,202,165,167,69
- 260 DATA 168,72,41,15,168,185, 211,3,32,210,255
- 270 DATA 104,74,74,74,74,168,1 85,211,3,32,210
- 280 DATA 255,162,31,189,227,3, 149,199,202,16,248
- 290 DATA 169,146,32,210,255,76,86,137,65,66,67
- 300 DATA 68,69,70,71,72,74,75, 77,80,81,82,83,88
- 31Ø DATA 13,2,7,167,31,32,151, 116,117,151,128,129,167,136 ,137

Program 4: Apple Proofreader

By Tim Victor, Editorial Programmer

- 10 C = 0: FOR I = 768 TO 768 + 68: READ A:C = C + A: POKE I
- 20 IF C < > 7258 THEN PRINT "ER ROR IN PROOFREADER DATA STAT EMENTS": END
- 30 IF PEEK (190 * 256) < > 76 T HEN POKE 56,0: POKE 57,3: CA LL 1002: GOTO 50
- 40 PRINT CHR\$ (4); "IN#A\$300"
- 50 POKE 34,0: HOME : POKE 34,1: VTAB 2: PRINT "PROOFREADER INSTALLED"
- 60 NEW
- 100 DATA 216,32,27,253,201,141
- 110 DATA 208,60,138,72,169,0
- 120 DATA 72,189,255,1,201,160 130 DATA 240,8,104,10,125,255
- 140 DATA 1,105,0,72,202,208
- 150 DATA 238,104,170,41,15,9
- 160 DATA 48,201,58,144,2,233
- 170 DATA 57,141,1,4,138,74
- 180 DATA 74,74,74,41,15,9
- 190 DATA 48,201,58,144,2,233
- 200 DATA 57,141,0,4,104,170
- 210 DATA 169,141,96

Machine Language Entry Program For Commodore 64 And 128

Ottis Cowper, Technical Editor

"MLX" is a labor-saving utility that allows almost fail-safe entry of machine language programs. Included are versions for the Commodore 64 and 128.

Type in and save some copies of whichever version of MLX is appropriate for your computer (you'll want to use it to enter future ML programs from COM-PUTE!). Program 1 is for the Commodore 64, and Program 2 is for the 128 (128 MLX can also be used to enter Commodore 64 ML programs for use in 64 mode). When you're ready to enter an ML program, load and run MLX. It asks you for a starting address and an ending address. These addresses appear in the article accompanying the MLX-format program listing you're typing.

If you're unfamiliar with machine language, the addresses (and all other values you enter in MLX) may appear strange. Instead of the usual decimal numbers you're accustomed to, these numbers are in hexadecimal-a base 16 numbering system commonly used by ML programmers. Hexadecimal—hex for short-includes the numerals 0-9 and the letters A-F. But don't worryeven if you know nothing about ML or hex, you should have no trouble using MLX.

After you enter the starting and ending addresses, you'll be offered the option of clearing the workspace. Choose this option if you're starting to enter a new listing. If you're continuing a listing that's partially typed from a previous session, don't choose this option.

A functions menu will appear. The first option in the menu is ENTER DATA. If you're just starting to type in a program, pick this. Press the E key, and type the first number in the first line of the program listing. If you've already typed in part of a program, type the line number where you left off typing at the end of the previous session (be sure to load the partially completed program before you resume entry). In any case, make sure the address you enter corresponds to the address of a line in the listing you are entering. Otherwise, you'll be unable to enter the data correctly. If you pressed E by mistake, you can return to the command menu by pressing RE-TURN alone when asked for the address. (You can get back to the menu from most options by pressing RETURN with no other input.)

Entering A Listing

Once you're in Enter mode, MLX prints the address for each program line for you. You then type in all nine numbers on that line, beginning with the first twodigit number after the colon (:). Each line represents eight data bytes and a checksum. Although an MLX-format listing appears similar to the "hex dump" listings from a machine language monitor program, the extra checksum number on the end allows MLX to check your typing. (Commodore 128 users can enter the data from an MLX listing using the built-in monitor if the rightmost column of data is omitted, but we recommend against it. It's much easier to let MLX do the proofreading and error checking for

Figure 1: 64 MLX Keypad




Figure 2: 128 MLX Keypad

(F3)

(F1)

7	8	9	E (+)
4	5	6	F (-)
1	2	3	E N
(0	•	E N T E R

C

(F5)

D

When you enter a line, MLX recalculates the checksum from the eight bytes and the address and compares this value to the number from the ninth column. If the values match, you'll hear a bell tone, the data will be added to the workspace area, and the prompt for the next line of data will appear. But if MLX detects a typing error, you'll hear a low buzz and see an error message. The line will then be redisplayed for editing.

Invalid Characters Banned

Only a few keys are active while you're entering data, so you may have to unlearn some habits. You do not type spaces between the columns; MLX automatically inserts these for you. You do not press RETURN after typing the last number in a line; MLX automatically enters and checks the line after you

type the last digit.

Only the numerals 0-9 and the letters A-F can be typed in. If you press any other key (with some exceptions noted below), you'll hear a warning buzz. To simplify typing, 128 MLX redefines the function keys and + and keys on the numeric keypad so that you can enter data one-handed. In either case, the keypad is active only while entering data. Addresses must be entered with the normal letter and number keys. The figures below show the keypad configurations for each version.

MLX checks for transposed characters. If you're supposed to type in A0 and instead enter 0A, MLX will catch your mistake. There is one error that can slip past MLX: Because of the checksum formula used, MLX won't notice if you accidentally type FF in place of 00, and vice versa. And there's a very slim chance that you could garble a line and still end up with a combination of characters that adds up to the proper checksum. However, these mistakes should not occur if you take reasonable care while entering data.

Editing Features

To correct typing mistakes before finishing a line, use the INST/DEL key to delete the character to the left of the cursor. (The cursor-left key also deletes.) If you mess up a line really badly, press CLR/HOME to start the line over. The RETURN key is also active, but only before any data is typed on a line. Pressing RETURN at this point returns you to the command menu. After you

type a character of data, MLX disables RETURN until the cursor returns to the start of a line. Remember, you can press CLR/HOME to quickly get to a line number prompt.

More editing features are available when correcting lines in which MLX has detected an error. To make corrections in a line that MLX has redisplayed for editing, compare the line on the screen with the one printed in the listing, then move the cursor to the mistake and type the correct key. The cursor left and right keys provide the normal cursor controls. (The INST/ DEL key now works as an alternative cursor-left key.) You cannot move left beyond the first character in the line. If you try to move beyond the rightmost character, you'll reenter the line. During editing, RETURN is active; pressing it tells MLX to recheck the line. You can press the CLR/HOME key to clear the entire line if you want to start from scratch, or if you want to get to a line number prompt to use RETURN to get back to the menu.

Display Data

The second menu choice, DISPLAY DATA, examines memory and shows the contents in the same format as the program listing (including the checksum). When you press D, MLX asks you for a starting address. Be sure that the starting address you give corresponds to a line number in the listing. Otherwise, the checksum display will be meaningless. MLX displays program lines until it reaches the end of the program, at which point the menu is redisplayed. You can pause the display by pressing the space bar. (MLX finishes printing the current line before halting.) Press space again to restart the display. To break out of the display and get back to the menu before the ending address is reached, press RETURN.

Other Menu Options

Two more menu selections let you save programs and load them back into the computer. These are SAVE FILE and LOAD FILE; their operation is quite straightforward. When you press S or L, MLX asks you for the filename. You'll then be asked to press either D or T to select disk or tape.

You'll notice the disk drive starting and stopping several times during a load or save (save only for the 128 version). Don't panic; this is normal behavior. MLX opens and reads from or writes to the file instead of using the usual LOAD and SAVE commands (128 MLX makes use of BLOAD). Disk users should also note that the drive prefix 0: is automatically added to the filename (line 750 in 64 MLX), so this should not be included when entering the name. This also precludes the use of @ for Save-with-Replace, so remember to give each version you save a different name. The 128 version makes up for this by giving you the option of scratching the existing file if you want to reuse a filename.

Remember that MLX saves the entire workspace area from the starting address to the ending address, so the save or load may take longer than you might expect if you've entered only a small amount of data from a long listing. When saving a partially completed listing, make sure to note the address where you stopped typing so you'll know where to resume entry when you reload.

MLX reports the standard disk or tape error messages if any problems are detected during the save or load. (Tape users should bear in mind that Commodore computers are never able to detect errors during a save to tape.) MLX also has three special load error messages: INCORRECT STARTING ADDRESS, which means the file you're trying to load does not have the starting address you specified when you ran MLX; LOAD ENDED AT address, which means the file you're trying to load ends before the ending address you specified when you started MLX; and TRUNCATED AT ENDING AD-DRESS, which means the file you're trying to load extends beyond the ending address you specified when you started MLX. If you see one of these messages and feel certain that you've loaded the right file, exit and rerun MLX, being careful to enter the correct starting and ending addresses.

The 128 version also has a CATA-LOG DISK option so you can view the contents of the disk directory before

saving or loading.

The QUIT menu option has the obvious effect-it stops MLX and enters BASIC. The RUN/STOP key is disabled, so the Q option lets you exit the program without turning off the computer. (Of course, RUN/STOP-RES-TORE also gets you out.) You'll be asked for verification; press Y to exit to BASIC, or any other key to return to the menu. After quitting, you can type RUN again and reenter MLX without losing your data, as long as you don't use the clear workspace option.

The Finished Product

When you've finished typing all the data for an ML program and saved your work, you're ready to see the results. The instructions for loading and using the finished product vary from program to program. Some ML programs are designed to be loaded and run like BASIC programs, so all you need to type is LOAD "filename",8 for disk (DLOAD "filename" on the 128) or LOAD "filename" for tape, and then RUN. Such programs will usually have a starting address of 0801 for the 64 or 1C01 for the 128. Other programs must be reloaded to specific addresses with a command such as LOAD "filename", 8,1 for disk (BLOAD "filename" on the 128) or LOAD "filename", 1,1 for tape, then started with a SYS to a particular memory address. On the Commodore 64, the most common starting address for such programs is 49152, which corresponds to MLX address C000. In either case, you should always refer to the article which accompanies the ML listing for information on loading and running the program.

An Ounce Of Prevention

By the time you finish typing in the data for a long ML program, you may have several hours invested in the project. Don't take chances—use our "Automatic Proofreader" to type the new MLX, and then test your copy thoroughly before first using it to enter any significant amount of data. Make sure all the menu options work as they should. Enter fragments of the program starting at several different addresses, then use the Display option to verify that the data has been entered correctly. And be sure to test the Save and Load options several times to insure that you can recall your work from disk or tape. Don't let a simple typing error in the new MLX cost you several nights of hard work.

Program 1: MLX For Commodore 64

SS 10 REM VERSION 1.1: LINES 8 30,950 MODIFIED, LINES 4 85-487 ADDED

EK 100 POKE 56,50:CLR:DIM INS, I,J,A,B,A\$,B\$,A(7),N\$

DM 110 C4=48:C6=16:C7=7:Z2=2:Z 4=254:Z5=255:Z6=256:Z7= 127

CJ 120 FA=PEEK(45)+Z6*PEEK(46) :BS=PEEK (55)+Z6*PEEK (56):H\$="Ø123456789ABCDEF"

SB 130 R\$=CHR\$(13):L\$="{LEFT}" :S\$=" ":D\$=CHR\$(20):Z\$= CHR\$(Ø):T\$="{13 RIGHT}"

CQ 140 SD=54272:FOR I=SD TO SD +23:POKE I,Ø:NEXT:POKE (SPACE)SD+24,15:POKE 78

8,52 FC 150 PRINT"[CLR]"CHR\$(142)CH R\$(8):POKE 53280,15:POK

E 53281,15 EJ 160 PRINT T\$" {RED}{RVS} [2 SPACES] [8 0] {2 SPACES}"SPC(28)" {2 SPACES}{OFF}{BLU} ML X II {RED}{RVS} {2 SPACES}"SPC(28)" {12 SPACES}{BLU}" FR 170 PRINT"{3 DOWN}

[3 SPACES] COMPUTEI'S MA

- CHINE LANGUAGE EDITOR
- JB 180 PRINT"{BLK}STARTING ADD
 RESS[4]";:GOSUB300:SA=A
 D:GOSUB1040:IF F THEN18
- GF 190 PRINT" [BLK] [2 SPACES] EN
 DING ADDRESS [4]";:GOSUB
 300:EA=AD:GOSUB1030:IF
 {SPACE}F THEN190
- KR 200 INPUT"{3 DOWN}{BLK}CLEA R WORKSPACE [Y/N]&43";A \$:IF LEFT\$(A\$,1)<>"Y"TH EN220
- PG 210 PRINT" [2 DOWN] [BLU] WORK ING...";:FORI=BS TO BS+ EA-SA+7:POKE I,0:NEXT:P RINT"DONE"
- DR 220 PRINTTAB(10)"[2 DOWN]

 {BLK}{RVS} MLX COMMAND

 {SPACE}MENU {DOWN} [4]":

 PRINT T\$"{RVS}E{OFF}NTE

 R DATA"
- BD 230 PRINT T\$"{RVS}D{OFF}ISP LAY DATA":PRINT T\$" {RVS}L{OFF}OAD FILE"
- JS 240 PRINT T\$"[RVS]\$[OFF]AVE FILE":PRINT T\$"[RVS]Q {OFF}UIT{2 DOWN}{BLK}"
- JH 250 GET A\$:IF A\$=N\$ THEN250 HK 260 A=0:FOR I=1 TO 5:IF A\$= MID\$("EDLSQ",I,1)THEN A =1:I=5
- FD 270 NEXT:ON A GOTO420,610,6 90,700,280:GOSUB1060:GO
- EJ 280 PRINT" (RVS) QUIT ":INPU
 T" (DOWN) [4] ARE YOU SURE
 [Y/N]"; A\$:IF LEFT\$ (A\$,
 1) <> "Y"THEN 220
- EM 290 POKE SD+24,0:END JX 300 IN\$=N\$:AD=0:INPUTIN\$:IF
- LEN(IN\$) <> 4THENRETURN
 KF 310 B\$=IN\$:GOSUB320:AD=A:B\$
- =MID\$(IN\$,3):GOSUB320:A D=AD*256+A:RETURN PP 320 A=0:FOR J=1 TO 2:A\$=MID
- \$(B\$,J,1):B=ASC(A\$)-C4+ (A\$>"@")*C7:A=A*C6+B
- JA 330 IF B<0 OR B>15 THEN AD= 0:A=-1:J=2
- GX 340 NEXT: RETURN
- CH 350 B=INT(A/C6):PRINT MID\$(
 H\$,B+1,1);:B=A-B*C6:PRI
 NT MID\$(H\$,B+1,1);:RETU
 RN
- RR 360 A=INT(AD/Z6):GOSUB350:A =AD-A*Z6:GOSUB350:PRINT ":":
- BE 370 CK=INT(AD/Z6):CK=AD-Z4* CK+Z5*(CK>Z7):GOTO390
- PX 380 CK=CK*Z2+Z5*(CK>Z7)+A JC 390 CK=CK+Z5*(CK>Z5):RETURN
- QS 400 PRINT" [DOWN] STARTING AT [4]"; :GOSUB300: IF IN\$ <> N\$ THEN GOSUB1030: IF F [SPACE] THEN400
- EX 410 RETURN
- HD 420 PRINT" [RVS] ENTER DATA {SPACE}":GOSUB400:IF IN \$=N\$ THEN220
- JK 430 OPEN3,3:PRINT
- SK 440 POKE198,0:GOSUB360:IF F
 THEN PRINT IN\$:PRINT"
 {UP}{5 RIGHT}";
- GC 450 FOR I=0 TO 24 STEP 3:B\$ =S\$:FOR J=1 TO 2:IF F T HEN B\$=MID\$(IN\$,I+J,1)
- HA 460 PRINT" (RVS) "B\$L\$;:IF I < 24THEN PRINT" (OFF)";
- HD 470 GET AS: IF AS=N\$ THEN470

- FK 480 IF(A\$>"/"ANDA\$<":")OR(A \$>"@"ANDA\$<"G")THEN540
- GS 485 A=-(A\$="M")-2*(A\$=",")-3*(A\$=".")-4*(A\$=",")-5 *(A\$="J")-6*(A\$="K")
- FX 486 A=A-7*(A\$="L")-8*(A\$=":
 ")-9*(A\$="U")-10*(A\$="I
 ")-11*(A\$="O")-12*(A\$="
- CM 487 A=A-13*(A\$=S\$):IF A THE N A\$=MID\$("ABCD123E456F
- 0",A,1):GOTO 540 MP 490 IF A\$=R\$ AND((I=0)AND(J =1)OR F)THEN PRINT B\$;: J=2:NEXT:I=24:GOTO550
- KC 500 IF A\$="{HOME}" THEN PRI NT B\$:J=2:NEXT:I=24:NEX T:F=0:GOTO440
- MX 510 IF(A\$="{RIGHT}")ANDF TH ENPRINT B\$L\$;:GOTO540
- GK 520 IF A\$<>L\$ AND A\$<>D\$ OR ((I=0)AND(J=1))THEN GOS UB1060:GOTO470
- HG 530 A\$=L\$+S\$+L\$:PRINT B\$L\$; :J=2-J:IF J THEN PRINT {SPACE}L\$::I=I-3
- QS 540 PRINT A\$;:NEXT J:PRINT {SPACE}SS:
- PM 550 NEXT I:PRINT:PRINT"{UP} {5 RIGHT}";:INPUT#3,IN\$:IF IN\$=N\$ THEN CLOSE3: GOTO220
- QC 560 FOR I=1 TO 25 STEP3:B\$=
 MID\$(IN\$,I):GOSUB320:IF
 I<25 THEN GOSUB380:A(I
 /3)=A
- PK 570 NEXT:IF A<>CK THEN GOSU B1060:PRINT"{BLK}{RVS} {SPACE}ERROR: REENTER L INE [4]":F=1:GOTO440
- HJ 580 GOSUB1080:B=BS+AD-SA:FO R I=0 TO 7:POKE B+I,A(I):NEXT
- QQ 590 AD=AD+8:IF AD>EA THEN C LOSE3:PRINT"{DOWN}{BLU} ** END OF ENTRY **{BLK} {2 DOWN}":GOTO700
- GQ 600 F=0:GOTO440
- QA 610 PRINT"[CLR][DOWN][RVS]
 [SPACE]DISPLAY DATA ":G
 OSUB400:IF IN\$=N\$ THEN2
- KS 630 GOSUB360:B=BS+AD-SA:FOR I=BTO B+7:A=PEEK(I):GOS UB350:GOSUB380:PRINT S\$
- CC 640 NEXT:PRINT"{RVS}";:A=CK
 :GOSUB350:PRINT
- KH 650 F=1:AD=AD+8:IF AD>EA TH ENPRINT"{DOWN}{BLU}** E ND OF DATA **":GOTO220
- KC 660 GET A\$:IF A\$=R\$ THEN GO SUB1080:GOTO220
- EQ 670 IF A\$=S\$ THEN F=F+1:GOS UB1080
- AD 680 ONFGOTO630,660,630 CM 690 PRINT"[DOWN][RVS] LOAD [SPACE]DATA ":OP=1:GOTO
- 710
 PC 700 PRINT"[DOWN][RVS] SAVE
 [SPACE]FILE ":OP=0
- RX 710 IN\$=N\$:INPUT"{DOWN}FILE
 NAME [4]";IN\$:IF IN\$=N\$
 {SPACE}THEN220
- {SPACE}THEN22Ø
 PR 72Ø F=Ø:PRINT"{DOWN}{BLK}
 {RVS}T{OFF}APE OR {RVS}
 D{OFF}ISK: **E43**";

- FP 730 GET A\$:IF A\$="T"THEN PR INT"T{DOWN}":GOTO880
- HQ 740 IF A\$<>"D"THEN730" HH 750 PRINT"D[DOWN]":OPEN15,8 ,15,"I0:":B=EA-SA:IN\$=" 0:"+IN\$:IF OP THEN810"
- SQ 760 OPEN 1,8,8,IN\$+",P,W":G OSUB860:IF A THEN220
- FJ 770 AH=INT(SA/256):AL=SA-(A H*256):PRINT#1,CHR\$(AL) ;CHR\$(AH);
- PE 780 FOR I=0 TO B:PRINT#1,CH R\$(PEEK(BS+I));:IF ST T HEN800
- FC 790 NEXT:CLOSE1:CLOSE15:GOT
- GS 800 GOSUB1060:PRINT"{DOWN}
 {BLK}ERROR DURING SAVE:
 K4%":GOSUB860:GOTO220
- MA 810 OPEN 1,8,8,IN\$+",P,R":G OSUB860:IF A THEN220
- GE 820 GET#1,A\$,B\$:AD=ASC(A\$+Z \$)+256*ASC(B\$+Z\$):IF AD <>SA THEN F=1:GOTO850
- RX 830 FOR I=0 TO B:GET#1,A\$:P OKE BS+I,ASC(A\$+Z\$):IF(I <>B)AND ST THEN F=2:AD =I:I=B
- FA 840 NEXT:IF ST<>64 THEN F=3
 FQ 850 CLOSE1:CLOSE15:ON ABS(F
 >0)+1 GOTO960,970
- SA 860 INPUT#15,A,A\$:IF A THEN CLOSE1:CLOSE15:GOSUB10 60:PRINT"{RVS}ERROR: "A
- GQ 870 RETURN
- EJ 880 POKE183, PEEK(FA+2): POKE 187, PEEK(FA+3): POKE188, PEEK(FA+4): IFOP=0THEN92
- HJ 890 SYS 63466:IF(PEEK(783)A ND1)THEN GOSUB1060:PRIN T"[DOWN][RVS] FILE NOT {SPACE}FOUND ":GOTO690
- CS 900 AD=PEEK(829)+256*PEEK(8 30):IF AD<>SA THEN F=1: GOTO970
- SC 910 A=PEEK(831)+256*PEEK(83 2)-1:F=F-2*(A<EA)-3*(A> EA):AD=A-AD:GOTO930
- KM 920 A=SA:B=EA+1:GOSUB1010:P OKE780,3:SYS 63338
- JF 930 A=BS:B=BS+(EA-SA)+1:GOS UB1010:ON OP GOTO950:SY S 63591
- AE 940 GOSUB1080:PRINT"[BLU]**
 SAVE COMPLETED **":GOT
 O220
- XP 950 POKE147,0:SYS 63562:IF {SPACE}ST>0 THEN970
- FR 960 GOSUB1080:PRINT"{BLU}**
 LOAD COMPLETED **":GOT
- DP 970 GOSUB1060:PRINT"{BLK} {RVS}ERROR DURING LOAD: {DOWN} {4}":ON F GOSUB98 0,990,1000:GOTO220 PP 980 PRINT"INCORRECT STARTIN
- PP 980 PRINT"INCORRECT STARTIN
 G ADDRESS (";:GOSUB360:
 PRINT")":RETURN
- GR 990 PRINT"LOAD ENDED AT ";:
 AD=SA+AD:GOSUB360:PRINT
 D\$:RETURN
- FD 1000 PRINT"TRUNCATED AT END ING ADDRESS":RETURN
- RX 1010 AH=INT(A/256):AL=A-(AH *256):POKE193,AL:POKE1 94,AH
- FF 1020 AH=INT(B/256):AL=B-(AH *256):POKE174,AL:POKE1 75,AH:RETURN

- FX 1030 IF AD SA OR AD EA THEN 1050
- HA 1040 IF (AD>511 AND AD<40960)OR(AD>49151 AND AD<53 248) THEN GOSUBIØ80:F=0 : RETURN
- HC 1050 GOSUB1060:PRINT"[RVS] {SPACE}INVALID ADDRESS { DOWN } { BLK } ": F=1: RETU RN
- AR 1060 POKE SD+5,31:POKE SD+6 ,208:POKE SD,240:POKE {SPACE}SD+1,4:POKE SD+ 4,33
- DX 1070 FOR S=1 TO 100:NEXT:GO T01090
- PF 1080 POKE SD+5,8:POKE SD+6, 240:POKE SD, Ø:POKE SD+ 1,90:POKE SD+4,17
- AC 1090 FOR S=1 TO 100:NEXT:PO KE SD+4,0:POKE SD,0:PO KE SD+1,0:RETURN

Program 2: MLX For Commodore 128

- AE 100 TRAP 960: POKE 4627,128: DIM NLS, A(7)
- XP 110 Z2=2:Z4=254:Z5=255:Z6=2 56:Z7=127:BS=256*PEEK(4 627):EA=6528Ø
- FB 120 BE\$=CHR\$(7):RT\$=CHR\$(13):DL\$=CHR\$(20):SP\$=CHR\$ (32):LF\$=CHR\$(157)
- KE 130 DEF FNHB(A)=INT(A/256): DEF FNLB(A)=A-FNHB(A)*2 56: DEF FNAD(A)=PEEK(A)+ 256*PEEK(A+1)
- JB 140 KEY 1, "A": KEY 3, "B"; KEY 5, "C": KEY 7, "D": VOL 15 :IF RGR(Ø)=5 THEN FAST
- FJ 150 PRINT" [CLR] "CHR\$ (142); C HR\$(8):COLOR Ø,15:COLOR 4,15:COLOR 6,15 GQ 160 PRINT TAB(12)"{RED}
- [RVS] [2 SPACES] [9 @] [2 SPACES]"RT\$; TAB(12)" [RVS] [2 SPACES] [OFF] {BLU} 128 MLX {RED} {RVS} {2 SPACES} "RT\$; TAB (12)"[RVS][13 SPACES] [BLU]"
- FE 170 PRINT" [2 DOWN] {3 SPACES}COMPUTEI'S MA CHINE LANGUAGE EDITOR {2 DOWN}"
- DK 180 PRINT" [BLK] STARTING ADD RESS[4]";:GOSUB 260:IF (SPACE)AD THEN SA=AD:EL SE 180
- FH 190 PRINT" [BLK] [2 SPACES] EN DING ADDRESS [4]";: GOSUB 260:IF AD THEN EA=AD:E LSE 190
- MF 200 PRINT" [DOWN] [BLK] CLEAR {SPACE}WORKSPACE [Y/N]? E43":GETKEY AS:IF AS <> " Y" THEN 220
- QH 210 PRINT"{DOWN}{BLU}WORKIN G...";:BANK 0:FOR A=BS [SPACE]TO BS+(EA-SA)+7: POKE A, Ø: NEXT A: PRINT"D ONE"
- DC 220 PRINT TAB(10)"{DOWN} [BLK] [RVS] MLX COMMAND {SPACE}MENU [4]{DOWN}": PRINT TAB(13)"[RVS]E [OFF]NTER DATA "RT\$; TAB (13)"{RVS}D{OFF}ISPLAY D ATA"RTS; TAB(13)" [RVS]L [OFF]OAD FILE"

- HB 230 PRINT TAB(13)" [RVS]S {OFF}AVE FILE "RT\$; TAB(1 3) "{RVS}C{OFF}ATALOG DI SK"RT\$; TAB(13)" [RVS]Q [OFF]UIT[DOWN][BLK]"
- AP 240 GETKEY A\$: A=INSTR("EDLS CQ", A\$):ON A GOTO 340,5 50,640,650,930,940:GOSU B 950:GOTO 240
- SX 250 PRINT"STARTING AT";:GOS UB 260:IF(AD<>0)OR(A\$=N
- L\$)THEN RETURN: ELSE 250 BG 260 A\$=NL\$:INPUT A\$:IF LEN(A\$)=4 THEN AD=DEC(A\$)
- PP 270 IF AD=0 THEN BEGIN: IF A \$<>NL\$ THEN 300:ELSE RE TURN: BEND
- MA 280 IF AD SA OR AD EA THEN {SPACE}300
- PM 290 IF AD>511 AND AD<65280 [SPACE] THEN PRINT BES ; : RETURN
- SQ 300 GOSUB 950:PRINT" [RVS] I NVALID ADDRESS [DOWN] [BLK]":AD=Ø:RETURN
- RD 310 CK=FNHB(AD):CK=AD-Z4*CK +Z5*(CK>Z7):GOTO 33Ø
- DD 320 CK=CK*Z2+Z5*(CK>Z7)+A
- AH 330 CK=CK+Z5*(CK>Z5):RETURN QD 340 PRINT BES; "{RVS} ENTER [SPACE] DATA ": GOSUB 250 :IF A\$=NL\$ THEN 220
- JA 350 BANK 0:PRINT:F=0:OPEN 3
- BR 360 GOSUB 310:PRINT HEX\$(AD)+":";:IF F THEN PRINT {SPACE | L\$:PRINT" {UP} [5 RIGHT]"
- QA 370 FOR I=0 TO 24 STEP 3:B\$ =SP\$:FOR J=1 TO 2:IF F {SPACE}THEN B\$=MID\$(L\$,
- I+J,1) PS 380 PRINT"{RVS}"B\$+LF\$;:IF {SPACE}I<24 THEN PRINT" [OFF]";
- RC 390 GETKEY A\$:IF (A\$>"/" AN D A\$ < ":") OR (A\$ > "@" AND A\$ < "G") THEN 470
- AC 400 IF AS="+" THEN AS="E":G OTO 470
- QB 410 IF A\$="-" THEN A\$="F":G OTO 47Ø
- FB 420 IF A\$=RT\$ AND ((I=0) AN D (J=1) OR F) THEN PRIN T B\$;:J=2:NEXT:I=24:GOT 0 480
- RD 430 IF AS="{HOME}" THEN PRI NT B\$:J=2:NEXT:I=24:NEX T:F=0:GOTO 360
- XB 440 IF (A\$="{RIGHT}") AND F THEN PRINT B\$+LF\$;:GOT 0 470
- JP 450 IF A\$<>LF\$ AND A\$<>DL\$ [SPACE]OR ((I=0) AND (J =1)) THEN GOSUB 950:GOT 0 390
- PS 460 A\$=LF\$+SP\$+LF\$:PRINT B\$ +LF\$;:J=2-J:IF J THEN P RINT LF\$;:I=I-3
- GB 470 PRINT AS;:NEXT J:PRINT {SPACE}SP\$;
- HA 480 NEXT I:PRINT:PRINT" [UP] [5 RIGHT]";:L\$=" {27 SPACES}
- DP 490 FOR I=1 TO 25 STEP 3:GE T#3, A\$, B\$: IF A\$=SP\$ THE N I=25:NEXT:CLOSE 3:GOT 0 220
- BA 500 A\$=A\$+B\$:A=DEC(A\$):MID\$ (L\$,I,2)=A\$:IF I<25 THE N GOSUB 320:A(I/3)=A:GE T#3,A\$

- AR 510 NEXT I:IF A <> CK THEN GO SUB 950: PRINT: PRINT" {RVS} ERROR: REENTER LI NE ":F=1:GOTO 360
- DX 520 PRINT BES:B=BS+AD-SA:FO R I=Ø TO 7:POKE B+I,A(I):NEXT I
- XB 530 F=0:AD=AD+8:IF AD<=EA T HEN 360
- CA 540 CLOSE 3:PRINT"[DOWN] {BLU}** END OF ENTRY ** {BLK}{2 DOWN}":GOTO 650
- MC 550 PRINT BE\$; "{CLR} {DOWN} {RVS} DISPLAY DATA ":GO SUB 250:IF A\$=NL\$ THEN [SPACE] 220
- JF 560 BANK 0:PRINT" [DOWN] {BLU}PRESS: {RVS}SPACE [OFF] TO PAUSE, [RVS]RE TURN (OFF) TO BREAK [4] {DOWN}"
- XA 570 PRINT HEX\$(AD)+":";:GOS UB 310:B=BS+AD-SA
- DJ 580 FOR I=B TO B+7:A=PEEK(I):PRINT RIGHT\$ (HEX\$ (A), 2); SP\$;: GOSUB 320: NEXT [SPACE] I
- XB 590 PRINT" [RVS]"; RIGHT\$ (HEX \$(CK),2)
- GR 600 F=1:AD=AD+8:IF AD>EA TH EN PRINT" {BLU}** END OF DATA **":GOTO 220
- EB 610 GET AS: IF AS=RTS THEN P RINT BE\$:GOTO 220
- QK 620 IF A\$=SP\$ THEN F=F+1:PR INT BES;
- XS 630 ON F GOTO 570,610,570 RF 640 PRINT BE\$"{DOWN}{RVS} L OAD DATA ":OP=1:GOTO 66
- BP 650 PRINT BES" [DOWN] [RVS] S AVE FILE ":OP=0
- DM 660 F=0:F\$=NL\$:INPUT"FILENA MEE43"; FS:IF FS=NLS THE N 220
- RF 670 PRINT" [DOWN] [BLK] [RVS]T [OFF]APE OR [RVS]D[OFF] ISK: [4]";
- SQ 680 GETKEY AS:IF AS="T" THE N 850:ELSE IF A\$ <> "D" T **HEN 680**
- SP 690 PRINT"DISK{DOWN}":IF OP THEN 760
- EH 700 DOPEN#1, (F\$+", P"), W: IF {SPACE}DS THEN A\$=D\$:GO TO 740
- JH 710 BANK 0: POKE BS-2, FNLB (S A):POKE BS-1,FNHB(SA):PRINT"SAVING ";F\$:PRINT
- MC 720 FOR A=BS-2 TO BS+EA-SA: PRINT#1, CHR\$ (PEEK(A));: IF ST THEN AS="DISK WRI TE ERROR": GOTO 750
- GC 730 NEXT A:CLOSE 1:PRINT"
 {BLU}** SAVE COMPLETED {SPACE}WITHOUT ERRORS * *":GOTO 220
- RA 740 IF DS=63 THEN BEGIN:CLO SE 1:INPUT" [BLK] REPLACE EXISTING FILE [Y/N] 43 "; A\$:IF A\$="Y" THEN SCR ATCH(F\$):PRINT:GOTO 700 :ELSE PRINT " [BLK] ":GOTO 660:BEND
- GA 750 CLOSE 1:GOSUB 950:PRINT "[BLK][RVS] ERROR DURIN G SAVE: [4]":PRINT A\$:G OTO 220
- FD 760 DOPEN#1, (F\$+", P"): IF DS THEN A\$=DS\$:F=4:CLOSE [SPACE]1:GOTO 790

PX 770 GET#1,A\$,B\$:CLOSE 1:AD= ASC(A\$)+256*ASC(B\$):IF {SPACE}AD<>SA THEN F=1:

GOTO 790

KB 780 PRINT LOADING ";F\$:PRIN T:BLOAD(F\$),B0,P(BS):AD =SA+FNAD(174)-BS-1:F=-2 *(AD<EA)-3*(AD>EA)

RQ 790 IF F THEN 800:ELSE PRIN T"{BLU}** LOAD COMPLETE D WITHOUT ERRORS **":GO TO 220

ER 800 GOSUB 950:PRINT"{BLK}

{RVS} ERROR DURING LOAD
: [4]":ON F GOSUB 810,8
20,830,840:GOTO220

QJ 810 PRINT"INCORRECT STARTIN
G ADDRESS (";HEX\$(AD);"
)":RETURN

DP 820 PRINT"LOAD ENDED AT ";H EX\$(AD):RETURN

EB 830 PRINT"TRUNCATED AT ENDI NG ADDRESS ("HEX\$(EA)") ":RETURN

FP 840 PRINT"DISK ERROR ";A\$:R ETURN

KS 850 PRINT"TAPE":AD=POINTER(
F\$):BANK 1:A=PEEK(AD):A
L=PEEK(AD+1):AH=PEEK(AD
+2)

XX 860 BANK 15:SYS DEC("FF68"), 0,1:SYS DEC("FFBA"),1, 1,0:SYS DEC("FFBD"),A,A L,AH:SYS DEC("FF90"),12 8:IF OP THEN 890

FG 870 PRINT:A=SA:B=EA+1:GOSUB 920:SYS DEC("E919"),3: PRINT"SAVING ";F\$

AB 880 A=BS:B=BS+(EA-SA)+1:GOS
UB 920:SYS DEC("EA18"):
PRINT"[DOWN]{BLU}** TAP
E SAVE COMPLETED **":GO

CP 890 SYS DEC("E99A"):PRINT:I
F PEEK(2816)=5 THEN GOS
UB 950:PRINT"{DOWN}
{BLK}{RVS} FILE NOT FOU
ND ":GOTO 220

GQ 900 PRINT "LOADING ... {DOWN}
":AD=FNAD(2817):IF AD<>
SA THEN F=1:GOTO 800:EL
SE AD=FNAD(2819)-1:F=-2
(AD<EA)-3(AD>EA)

JD 910 A=BS:B=BS+(EA-SA)+1:GOS
UB 920:SYS DEC("E9FB"):
IF ST>0 THEN 800:ELSE 7

XB 92Ø POKE193,FNLB(A):POKE194 ,FNHB(A):POKE 174,FNLB(B):POKE 175,FNHB(B):RET URN

CP 930 CATALOG:PRINT"{DOWN}

{BLU}** PRESS ANY KEY F

OR MENU **":GETKEY A\$:G

OTO 220

MM 940 PRINT BE\$"{RVS} QUIT &43";RT\$;"ARE YOU SURE {SPACE}[Y/N]?":GETKEY A \$:IF A\$<>"Y" THEN 220:E LSE PRINT"{CLR}":BANK 1 5:END

JE 950 SOUND 1,500,10:RETURN AF 960 IF ER=14 AND EL=260 THE

N RESUME 300 MK 970 IF ER=14 AND EL=500 THE

MK 970 IF ER=14 AND EL=500 THE N RESUME NEXT

KJ 980 IF ER=4 AND EL=780 THEN F=4:A\$=DS\$:RESUME 800

DQ 990 IF ER=30 THEN RESUME: EL SE PRINT ERR\$(ER); "ERR OR IN LINE"; EL

Machine Language Entry Program For Apple Tim Victor, Editorial Programmer

To make it easier to enter machine language programs into your computer without typos, COMPUTE! is introducing its "MLX" entry program for the Apple II series. It's our best MLX yet. It runs on the II, II+, IIe, and IIc, and with either DOS 3.3 or ProDOS.

A machine language (ML) program is usually listed as a long series of numbers. It's hard to keep your place and even harder to avoid making mistakes as you type in the listing, since an incorrect line looks almost identical to a correct one. To make error-free entry easier, COMPUTE! generally lists ML programs for Commodore and Atari computers in a format designed to be typed in with a utility called "MLX." The MLX program uses a checksum system to catch typing errors almost as soon as they happen.

Apple MLX checks your typing on a line-by-line basis. It won't let you enter invalid characters or let you continue if there's a mistake in a line. It won't even let you enter a line or digit out of sequence. Best of all, you don't have to know anything about machine language to enter ML programs with MLX. Apple MLX makes typing ML programs almost foolproof.

Using Apple MLX

Type in and save some copies of Apple MLX on disk (you'll want to use MLX to enter future ML programs in COMPUTE!). It doesn't matter whether you type it in on a disk formatted for DOS 3.3 or ProDOS. Programs entered with Apple MLX, however, must be saved to a disk formatted with the same operating system as Apple MLX itself.

If you have an Apple IIe or IIc, make sure that the key marked CAPS LOCK is in the down position. Type RUN. You'll be asked for the starting and ending addresses of the ML program. These values vary for each program, so they're given at the beginning of the ML program listing and in the program's accompanying article. Find them and type them in.

Invalid Characters Banned

Apple MLX is fairly flexible about how you type in the numbers. You can put extra spaces between numbers or leave the spaces out entirely, compressing a line into 18 keypresses. Be careful not to put a space between two digits in the middle of a number. Apple MLX will

read two single-digit numbers instead of one two-digit number (F 6 means F and 6, not F6).

You can't enter an invalid character with Apple MLX. Only the numerals 0–9 and the letters A–F can be typed in. If you press any other key (with some exceptions noted below), nothing happens. This safeguards against entering extraneous characters. Even better, Apple MLX checks for transposed characters. If you're supposed to type in A0 and instead enter 0A, Apple MLX will catch your mistake.

The next thing you'll see is a menu asking you to select a function. The first is (E)NTER DATA. If you're just starting to type in a program, pick this. Press the E key, and the program asks for the address where you want to begin entering data. Type the first number in the first line of the program listing if you're just starting, or the line number where you left off if you've already typed in part of a program. Hit the RETURN key and begin entering the data.

Once you're in Enter mode, Apple MLX prints the address for each program line for you. You then type in all nine numbers on that line, beginning with the first two-digit number after the colon (:). Each line represents eight bytes and a checksum. When you enter a line and hit RETURN, Apple MLX recalculates the checksum from the eight bytes and the address. If you enter more or less than nine numbers, or the checksum doesn't exactly match, Apple MLX erases the line you just entered and prompts you again for the same line.

Apple MLX also checks to make sure you're typing in the right line. The address (the number to the left of the colon) is part of the checksum recalculation. If you accidentally skip a line and try to enter incorrect values, Apple MLX won't let you continue. Just make sure you enter the correct starting address; if you don't, you won't be able to enter any of the following lines. Apple MLX will stop you.

Editing Features

Apple MLX also includes some editing features. The left- and right-arrow keys allow you to back up and go forward on the line that you are entering, so you can retype data. Pressing the CONTROL (CTRL) and D keys at the same time (delete) removes the character under the

cursor, shortening the line by one character. Pressing CTRL-I (insert) puts a space under the cursor and shifts the rest of the line to the right, making the line one character longer. If the cursor is at the right end of the line, neither CTRL-D nor CTRL-I has any effect.

When you've entered the entire listing (up to the ending address that you specified earlier), Apple MLX automatically leaves Enter mode and redisplays the functions menu. If you want to leave Enter mode before then, press the RE-TURN key when Apple MLX prompts you with a new line address. (For instance, you may want to leave Enter mode to enter a program listing in more than one sitting; see below.)

Display Data

The second menu choice, (D)ISPLAY DATA, examines memory and shows the contents in the same format as the program listing. You can use it to check your work or to see how far you've gotten. When you press D, Apple MLX asks you for a starting address. Type in the address of the first line you want to see and hit RETURN. Apple MLX displays program lines until you press any key or until it reaches the end of the program.

Save And Load

Two more menu selections let you save programs on disk and load them back into the computer. These are (S)AVE FILE and (L)OAD FILE. When you press S or L, Apple MLX asks you for the filename. The first time you save an ML program, the name you assign will be the program's filename on the disk. If you press L and specify a filename that doesn't exist on the disk, you'll see a disk error message.

If you're not sure why a disk error has occurred, check the drive. Make sure there's a formatted disk in the drive and that it was formatted by the same operating system you're using for Apple MLX (ProDOS or DOS 3.3). If you're trying to save a file and see an error message, the disk might be full. Either save the file on another disk or quit Apple MLX (by pressing the Q key), delete an old file or two, then run Apple MLX again. Your typing should still be safe in memory.

Apple MLX: Machine Language Entry Program

For instructions on entering this program, please refer to "COMPUTEI's Guide to Typing In Programs" elsewhere in this issue.

80 100 N = 9: HOME : NORMAL : PR INT "APPLE MLX": POKE 34, 2: ONERR GOTO 610 CC 110 VTAB 1: HTAB 20: PRINT "S TART ADDRESS";: GOSUB 530 : IF A = Ø THEN PRINT CHR \$ (7): GOTO 110 80 12Ø S = A

E3 130 VTAB 2: HTAB 20: PRINT "E ND ADDRESS ";: GOSUB 530 : IF S > = A OR A = Ø THE N PRINT CHR\$ (7): GOTO 13 20 140 E = A 85 150 PRINT : PRINT "CHOOSE: (E) NTER DATA":: HTAB 22: PRI "(D) ISPLAY DATA": HTAB 8: PRINT "(L) DAD FILE (S) AVE FILE (Q) UIT": PRIN AE 160 GET A\$: FOR I = 1 TO 5: I F A\$ < > MID\$ ("EDLSQ", I, 1) THEN NEXT : GOTO 160 93 170 ON I GOTO 270,220,180,200 : POKE 34, Ø: END AF 180 INPUT "FILENAME: "; A\$: IF A\$ < > "" THEN PRINT CHR \$ (4); "BLOAD"; A\$; ", A"; S Al 190 GOTO 150 38 200 INPUT "FILENAME: ";A\$: IF A\$ < > "" THEN PRINT CHR \$ (4); "BSAVE"; A\$; ", A"; S; " ,L"; (E - S) + 1 92 21Ø GOTO 15Ø C2 22Ø GOSUB 59Ø: IF B = Ø THEN % 230 FOR B = B TO E STEP 8:L = 4:A = B: GOSUB 580: PRIN T A\$;": ";:L = 2 85 24Ø FOR F = Ø TO 7:V(F + 1) = PEEK (B + F): NEXT : GOS UB 560: V(9) = C F2 250 FOR F = 1 TO N:A = V(F): GOSUB 580: PRINT A\$" ";: NEXT : PRINT : IF PEEK (4 9152) < 128 THEN NEXT 94 260 POKE 49168,0: GOTO 150 CC 270 GOSUB 590: IF B = 0 THEN 150 48 280 FOR B = B TO E STEP 8 A6 29Ø HTAB 1:A = B:L = 4: GOSUB 58Ø: PRINT A\$;": ";: CAL L 64668:A\$ = "":P = Ø: GO SUB 330: IF L = Ø THEN 15 F9 300 GOSUB 470: IF F < > N THE N PRINT CHR\$ (7);: GOTO 2 27 310 IF N = 9 THEN GOSUB 560: IF C < > V(9) THEN PRINT CHR\$ (7);: GOTO 29Ø 72 32Ø FOR F = 1 TO 8: POKE B + F - 1,V(F): NEXT : PRINT : NEXT : GOTO 150 8E 33Ø IF LEN (A\$) = 33 THEN A\$ = 0\$:P = 0: PRINT CHR\$ (7 22 34Ø L = LEN (A\$):0\$ = A\$:0 = P:L\$ = "": IF P > Ø THEN L\$ = LEFT\$ (A\$,P) E# 350 R\$ = "": IF P < L - 1 THE N R\$ = RIGHT\$ (A\$,L - P -55 360 HTAB 7: PRINT L\$;: FLASH : IF P < L THEN PRINT MID \$ (A\$,P + 1,1);: NORMAL : PRINT R\$; 78 37Ø PRINT " ";: NORMAL E6 380 K = PEEK (49152): IF K < 128 THEN 38Ø 01 39Ø POKE 49168, Ø: K = K - 128 58 400 IF K = 13 THEN HTAB 7: PR INT A\$;" ";: RETURN

8A 41Ø IF K = 32 DR K > 47 AND K

CI 420 IF K = 4 THEN A\$ = L\$ + R

5F 43Ø IF K = 9 THEN A\$ = L\$ + "

#A 440 IF K = B THEN P = P - (P

+ R\$:P = P + 1

R\$

> Ø)

< 58 OR K > 64 AND K < 7 1 THEN A\$ = L\$ + CHR\$ (K)

" + MID\$ (A\$,P + 1,1) +

20 550 GOSUB 520:A = A * 16 + J: NEXT : RETURN 28 560 C = INT (B / 256):C = B -254 * C - 255 * (C > 127):C = C - 255 * (C > 255) 28 570 FOR F = 1 TO 8:C = C # 2 - 255 * (C > 127) + V(F): C = C - 255 * (C > 255): NEXT : RETURN DA 58Ø I = FRE (Ø):A\$ = "": FOR I = 1 TO L:T = INT (A / 1 6):A\$ = MID\$ ("Ø123456789 ABCDEF", A - 16 * T + 1,1) + A\$: A = T: NEXT : RETUR IF 590 PRINT "FROM ADDRESS ":: G OSUB 530: IF S > A OR E < A OR A = Ø THEN B = Ø: R **ETURN** 00 6000 B = S + 8 * INT ((A - S)/ 8): RETURN 86 610 PRINT "DISK ERROR": GOTO 150 All the programs in this issue are available on the ready-to-load COMPUTE! Disk. To order a one-year (four-disk) subscription, call toll free 800-247-5470 computer you are using.

93 450 IF K = 21 THEN P = P + (P

37 47Ø F = 1:D = Ø: FOR P = 1 TO

88 480 IF C\$ < > " " THEN GOSUB 520:V(F) = J + 16 * (D =

1) * V(F):D = D + 1

D = 2 THEN D = Ø:F = F +

5F 49Ø IF D > Ø AND C\$ = " " OR

88 500 NEXT : IF D = 0 THEN F =

85 520 J = ASC (C\$):J = J - 48 -

AB 53Ø A = Ø: INPUT A\$:A\$ = LEFT \$ (A\$,4): IF LEN (A\$) = Ø

6F 54Ø FOR P = 1 TO LEN (A\$):C\$ = MID\$ (A\$,P,1): IF C\$ <
"Ø" OR C\$ > "9" AND C\$ <

THEN RETURN

Ø: RETURN

7 * (J > 64): RETURN

"A" OR C\$ > "Z" THEN A =

LEN (A\$):C\$ = MID\$ (A\$,P ,1): IF F > N AND C\$ < >

< L)

90 46Ø GOTO 33Ø

17 51Ø RETURN

(in IA 800-532-1272). Please specify which

130 COMPUTEI May 1987

Classified

SOFTWARE

FANTASTIC DAILY NUMBER FORECASTER! Not a R/N Gen. Guaranteed! Str. Hits. C/64, Ap, IBM, Atari. 1 Drive. OH add 5% SASE for info. \$42.95 on Disk only to: Z-Way, PO Box 9017-C, Canton, OH 44711

COMMODORE: TRY BEFORE YOU BUY, Best selling games, utilities, educational, + classics and new releases. 100's of titles. Visa/MC. Free brochure. RENT-A-DISC, Frederick Bldg. #345, Hunt'n, WV 25701 (304) 529-3232

FREE APPLE SOFTWARE

Over 1000 Public Domain Programs on 50 diskettes. \$5 each plus \$1 for shipping per order. Send \$1 for catalog. Refundable with order. C&H ENTERPRISES

PO Box 29243, Memphis, TN 38127

TI-99/4A QUALITY SOFTWARE for Business, Home and Entertainment ** Bonus Software Offer! ** Send for FREE catalog to MICRO-BIZ HAWAII, BOX 1108, PEARL CITY, HI 96782

TI-99/4A Software/Hardware Bargains. Hard-to-find items. Huge Selection. Fast Service. Free Catalog. D.E.C., Box 690, Hicksville, NY 11801

TANDY 1000 PROGRAMS AND NEWSLETTER Send for free information on educational & entertainment programs & newsletter. Soda Pop Software, POB 653, Kenosha, WI 53141

APPLE PUBLIC DOMAIN SOFTWARE (almost free) Send \$2 for sample disk and catalog. Refundable with order. Disks cost \$2.50 and less. CALOKE IND., Box 18477, K.C., MO 64133

DISCOUNT SOFTWARE for most computers. FREE CATALOG. Sale: 5.25" DSDD Disks 25 for \$13.95 ppd. WMJ DATA SYSTEMS-C, 4 Butterfly Dr., Hauppauge, NY 11788

CHEAP SOFTWARE FOR PC/MS-DOS/PCjr... Games, Business, Educational and Utility Disk. For catalog write: Morning Star, P.O. Box 3095, Ann Arbor, MI 48106


FREE! PUBLIC DOMAIN SOFTWARE! MS-DOS, IBM & Compatibles - Save \$\$\$ @ \$3.50 per disk! Free flyer: AP-JP, Inc, P.O. Box 1155, W. Babylon, NY 11704

ATARI 8-BIT & ST! Best PD software for your Atari. 150+ disks total to choose from! Only \$5 each. Send SASE for catalog. Specify ST or 8-bit PLEASE! Gator-Ace Box 1215, Gainesville, FL 32602

INTERACTIVE TEXT GAMES - C64/128, Atari 8-bit. MEDIEVAL I, a mystic quest (C64/128 only) or LEGEND, an epic fantasy war. Each disk \$17.95 Ch/MO to: SPECTRUM VISUAL CONCEPTS, 1609 Royal Pl., Clementon, NJ 08021



\$\$ WIN \$\$ with our SPORTS



Handicapping
Software
THOROUGHBRED/HARNESS Handicapping, \$29.95, enhanced.
\$49.95, GREYHOUND HANDICAPPING, \$29.95, enhanced.
\$39.45, Mod 100/200, Color. Add \$2, post / handi. MC/VISA/CODs.
accepted. Free information. \$0FIWARE EXCHANGE, Box \$382.
CP, W. Bloomfield, MI 48033. Orders: 1-800-527-9467

ATTENTION T.I.99/4A OWNERS Over 1500 Accessories THE WORLD'S LARGEST COMPUTER ASSISTANCE GROUP

Now serving over 35,000 members worldwide with the best in technical assistance, service, and products for the Texas Instrument 99/4A. To become a member and receive newsletters, catalog, technical assistance and membership package, send \$10.00 for a ONE Year Membership to: 99/4A National Assist Group

National Headquarters P.O. Box 290812 Ft. Lauderdale, Florida 33329 Attention Membership Division For Information Call (305) 962-8846

IBM PUBLIC DOMAIN SOFTWARE \$3 PER DISK Send for free list. We have dbases/games/ spreadsheets/finance/educational/and more. For home or business. Disks are new DSDD. JDX/C P.O. Box 1561, Corona, CA 91718

FREE SOFTWARE for C64, C128, IBM & CPM send SASE for info (specify computer) to: PUBLIC DOMAIN USERS GROUP PO Box 1442-A1, Orange Park, FL 32067

THE GLEANER, A C64 GENEALOGY PROGRAM Grp sheets, ped charts, index, 25p manual, selective search. \$19.95 + \$2 p/h Kudzu Software, Box 993, Morrow, GA 30260

MUTUAL FUND PROGRAM (MFP) saves trouble and money by figuring lowest taxable capital gain on withdrawals. Keeps funds, bank accounts, IRA's, etc. all in one record. Disk and manual, C64:\$50, IBM PC:\$100. Bernhardt MFP Software, 8 Kings Ct., Great Neck, NY 11024

HEY AMIGO! PD software for AMIGA! Games, Graphics, Utilities, More! Over 50 disks available, only \$5.95 ea! SASE for cat. AMYWARE, POB 19474, Jacksonville, FL 32245

MAKE YOUR BASIC PROGRAMS COME TO LIFE! Speed-up your C64 programs 5-20 times using high-speed ML. Send program disk and \$15 check or m.o. to: Sean Applegate, 976 W. Foothill #517, Claremont, CA 91711

HOME & BUSINESS

Savings/Loans, Cost Schedule, Calculator Files: List, Search, Create, Read, Add Data. Calculating Files: Charge Account Budget/ Inventory, Check & Bank Statement/Bal Tally/Expenses, Auto, Phone, Payroll, Text-File, Invoice Records: Sales, Service, Payments, Returns. Sorts Files Editing, Instruction Manual, Help Access Basic Programmers can List Code. PC/MS-DOS IBM & Compatible 256K Min Calc-Data, Inc., Ver.CD1.0(C) Tamarind Dr., Hallandale, FL 33009 Orders 1-800-247-7893, 305-456-0417 COD/MO/Chs.Chk \$39.95 + \$5 s/h

HARDWARE

JOYSTICKS for all COMMODORE and ATARI computers. Super smooth and precise operation w/steel spring centering mechanism in handsome casing. Fully compatible but superior to standard Atari stick. Brand new, boxed w/warranty. \$6.95/ea postpaid or \$11.95/pair. Dealers/Groups: \$59/dozen. Send order to: 25th Century, POB 8042, Long Island, New York 11802

MISCELLANEOUS

SAFEWARE INSURES COMPUTERS against fire, theft, & power surges for as little as \$39. Call Safeware, The Insurance Agency Inc. at 800/848-3469, Columbus, Ohio.

BBS Numbers \$5 BBS Software! Order by modem (300 BAUD) 818-840-8066 or send \$5 to BBS-FUNPAK, Box 6055, Burbank, CA 91510 Multi-User Modem Party Line: 818-842-3322

VIDEO GAME CARTRIDGES FOR GAME-PLAYING MACHINES! ALL SYSTEMS! WE BUY & SELL, RETAIL & WHOLESALE. ALSO HAVE COMPUTER SOFTWARE. FREE PRICE LIST! PLEASANT VALLEY VIDEO, DEPT. G, 8141 PL VAL RD, CAMDEN, OH 45311 (513) 787-4707 (VOICE), (513) 787-3777 (BBS, MODEM)

** COMMODORE REPAIR ** C64:\$45, SX64:\$75, 1541:\$50, 1571:\$65 Will buy used units. Repairs warranted 30 days. Dave Taylor, 5106 Daventry Pl., Midland, TX 79705. (915) 683-8398

COMPUTE! Classified is a low-cost way to tell over 350,000 microcomputer owners about your product or service.

Rates: \$25 per line, minimum of four lines. Any or all of the first line set in capital letters at no charge. Add \$15 per line for boldface words, or \$50 for the entire ad set in boldface (any number of lines.) Inquire about display rates.

Terms: Prepayment is required. Check, money order, American Express, Visa, or MasterCard is accepted. Make checks payable to COMPUTE! Publications.

Form: Ads are subject to publisher's approval and must be either typed or legibly printed. One line equals 40 letters and spaces between words. Please underline words to be set in boldface.

General Information: Advertisers using post office box numbers in their ads must supply permanent address and telephone numbers. Ad will appear in next available issue after receipt.

Computers, P.O. Box 5406, Greensboro, NC 27403. To place an ad by phone, call Harry Blair at (919) 275-9809.

Notice: COMPUTE! Publications cannot be responsible for offers or claims of advertisers, but will attempt to screen out misleading or questionable copy.

Advertisers Index

Reader Service Number/Advertiser	Page
102 Abacus	29
103 Acorn of Indiana	57
104 Activision, Inc	. 15
105 ADAPSO	. 120
106 Air Force	1
107 The Avalon Hill Game Company	5
108 Blackship Computer Supply	. 93
Circle International Trading Ltd	. 113
C.O.M.B. Direct Marketing Corp	117
109 CompuServe	. 13
110 ComputAbility	8-119
111 Computer Book Club	83
112 Computer Direct	24-25
113 Computer Mail Order	10-11
114 Covox, Inc	93
115 Datalock Manufacturing Co	116
116 Dresselhaus	57
117 Electronic Arts	0
118 EPYX	IFC
119 EPYX	
	21

Reader Service Number/Advertiser	Page
120 Interstel Corp. 121 Lyco Computer Mindscape, Inc. NRI Schools 122 Precision Data Products 123 Precision Images 124 Pro-Tech-Tronics 125 Silicon Express 126 Software Discounters of America 127 subLOGIC Corporation 128 Video Technology Computers, Inc. 129 Wenger Corp.	32–38 5 11 5 10 18 18 BC
Classified Ads COMPUTE! Books' Amiga Selections COMPUTE! Books' Commodore 64 & 128 Selections COMPUTE! Disk Subscription COMPUTE! Subscription Mastering Microsoft Works	. 27

If you have any information about services which maintain a database of all currently available commercial software, please write to:

Database P.O. Box 5406 Greensboro, NC 27403

Copies of articles from this publication are now available from the UMI Article Clearinghouse.

For more information about the Clearinghouse, please fill out and mail back the coupon below.

UMIArticle Clearinghouse

I am interested in electronic		
☐ DIALOG/Dialorder ☐ OnTyme	☐ ITT Dia	lcom LL Subsystem
Other (please specify)		
☐ Please send me your curre system(s) I checked above	ent catalog and user	instructions for the
Name		
Title	The William Co.	Trace State Law I
Institution/Company		
Department		
Address	A CONTRACTOR OF THE PARTY OF TH	
City	State	Zip
Phone ()		
Mail to: University Microfilm		2106





TRY <u>COMPUTE!</u> EVERY MONTH—12 ISSUES—AT 33% OFF THE COVER PRICE.

Mr/Ms			
Street			
City	State	Zip	
☐ I prefer 24 iss☐ Bill Me ☐ C		at \$45.00	J5636

Foreign and Canadian, please add \$6 (U.S.) per year postage. Offer subject to change without notice.

BUSINESS REPLY MAIL

Idddlam Halalladlladdaddaddaladd

FIRST CLASS

PERMIT NO. 7478

DES MOINES, IA

POSTAGE WILL BE PAID BY ADDRESSEE

COMPUTE!

P.O. Box 10955 Des Moines, IA 50347-0955 NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES



RUSH POSTAGE-PAID CARD **FOR YOUR FREE CATALOG**

- COMPUTER ELECTRONICS training prepares you to service all computers as you build your own 16-bit IBM PC compatible computer. Total system program includes disk drive, test equipment, bundled software, and NRI Discovery Lab.
- TV/VIDEO/AUDIO SERVICING includes training with a state-of-the-art 27" high resolution broadcast stereo TV for learning troubleshooting and professional bench techniques.
- . SATELLITE ELECTRONICS training gives you the skills to service both consumer and commercial satellite earth station equipment as you assemble your own home satellite TV system.
- ROBOTICS training features remote-controlled, mobile, fully programmable robot you build, experiment with, and keep along with other test equipment.



Send me your free catalog CHECK on NRI Training in: ONE.

- □ Computer Electronics
 - TV/Video/Audio Servicing
- Robotics
- Satellite Electronics
- Digital Electronics Servicing
- Data Communications
- Electronic Design Technology
- Industrial Electronics
- Communications Electronics
- Basic Electronics
- **Building Construction and** Remodeling
- Automotive Servicing
- Small Engine Servicing
- Electrician
- Air Conditioning, Heating. and Refrigeration
- Locksmithing and Electronic Security
- Telephone Servicing
- Appliance Servicing
- Photography
- Bookkeeping and Accounting

Name (Please Print) Age Street City State Zip

For career courses approved under G.I. Bill Check for details.




BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 10008 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY ADDRESSEE

NRI Schools

McGraw Hill Continuing Education Center 3939 Wisconsin Avenue Washington, D.C. 20077-9265



COMPUTE!'s FREE Reader Information Service

Use these cards to request FREE information about the products c vertised in this issue. Clearly print or type your full name and addre Only one card should be used per person. Circle the numbers that correspond to the key number appearing in the advertisers index.

Send in the card and the advertisers will receive your inquiry. Although every effort is made to insure that only advertisers wishing to provide product information have reader service numbers, COMPUTE! cannot be responsible if advertisers do not provide literature to readers.

Please use these cards *only* for subscribing or for requesting product information. Editorial and customer service inquiries should be addressed to: COMPUTEI, P.O. Box 5406, Greensboro, NC 27403. Check the expiration date on the card to insure proper handling.

Use these cards and this address only for COMPUTEI's Reader Information Service. Do not send with payment in any form.

COMPUTE!

101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117
118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134
135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151
152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168
169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185
186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202
203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219
220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236
237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253

Pleas	se let us know. Do you plan to	
270	Apple	271
272	Atari	273
274	Commodore	275
276	IBM	277
278	TI-99/4A	279
280	Other(specify model)	281

Please print or type name and address.
Limit one card per person.

Name

Address

City

State/Province Zip

Country
Phone

Expiration Date 6/30/87

SUBSCRIBE TO COMPUTE!

For Fastest Service, Call Our **Toll-Free** US Order Line 800-247-5470

CO587

\$24.00	One	Year	US	Subscription
\$45.00	Two	Year	US	Subscription

Name				
Address				
City	St	Zip		
☐ Payment Enclosed Charge my: ☐ VISA		☐ American Express		

Please Include 7IP Code

Place Stamp Here

COMPUTE! Reader Service

P.O. Box 2141 Radnor, PA 19089



BUSINESS REPLY MAIL

FIRST CLASS

PERMIT NO. 7478


DES MOINES, IA

POSTAGE WILL BE PAID BY ADDRESSEE



Idddlam Halalladladdadadaladdadd

P.O. Box 10955 Des Moines, IA 50347-0955 NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES



Fly to Florida!

Scenery Disk # 7 covers the entire East Coast area from Philadelphia to Miami. The Florida coastline, from Cape Canaveral to Miami, is perfect for concentrated sight-seeing. Or fly to Washington DC, where scenery details include the Capitol Building, Pentagon, and Washington Monument. Whether seeking the intellectual challenge of Flight Simulator or the brute-force fun of Jet, you'll find this latest evolution of SubLOGIC scenery absolutely breath-taking!




Scenery Disks now available:

Areas 1-7 San Francisco 'STAR' Central Japan

See your dealer. SubLOGIC Scenery Disks are available individually for \$19.95. The six-disk Western U.S. set is available for \$99.95. For additional product ordering information or the name of the dealer nearest you, call







Rave Reviews

Apple IIe/IIc compatible

The Laser 128 is a smashing success.

"A Clear Winner" – A+ Magazine
"A Remarkably Compatible, Competent Performer" – InCider Magazine
"A Better Value" – Computer Shopper

The Laser 128 Apple-compatible computer is a successful hit with its audience. Industry publication reviews make it clear – the Laser 128 is a hot ticket. The Laser 128 is made to grow like an Apple IIe, designed to go like an Apple IIc and priced to go like a Commodore. And, only the Laser 128 has all these performance features: 128K RAM, built-in floppy disk drive, serial and parallel printer interfaces, mouse interface, modem interface, 80-column text, numeric keypad and an expansion slot. These leading features make the Laser 128 a headline performer with a style perfect for home, school or business use. Get the Laser 128 performing for you. Call or write for the name of your nearest Laser 128 dealer.

VIDEO TECHNOLOGY COMPUTERS, INC.