COMPUTEIS \$2.95 June 1985 Issue 24, Vol. 3, No. 6 02220 \$3.75 Canada CANTER STATES

FOR COMMODORE PERSONAL COMPUTER USERS

Inside The 128

A Hands-On Look At Commodore's Newest Computer



The Freeze Factory

Four robots run amok in this action-strategy game for the VIC and 64.



Screen-40


40 columns for your VIC. With full screen editing and easy graphics.

Dynamic SID Editor Instantly see and hear what your 64's sound chip can do.

Also In This Issue: Interview With Paul Goheen, Commodore's Director Of Software

A Guide To Commodore User Groups, Part 2


Plus Reviews, New Products, And More



Relative Files: Speed And Economy

A step-by-step tutorial that takes the mystery out of using relative files. For 64, VIC, Plus/4, and 16 owners.

MASTERTR



CUALITY SOFTWARE

ONIC

BRINGS YOU BRAND NEW UNBELIEVABLE COMMODORE 64 DISKS



RedSJOT PRICES!

Look for MASTERTRONIC programs at your local computer dealer or mass merchant. For more information write or call (212) 213-0166 Mastercard and Visa accepted.

MASTERTRONIC INTERNATIONAL INC.

407 Park Avenue South, Suite 16 A New York, N.Y. 10016



CREATIVE SOFTWARE INVITES YOU TO COMPARE PRODUCTIVITY PROGRAMS

GOOD NEWS FOR COMMO-DORE 64 OWNERS. Now you can own the finest productivity software on the market for a truly affordable price. Creative Writer, Filer and Calc-three powerful, integrated programs designed for home and office use.

COMPARE. Others who have purchased our product agree that Creative Software offers the finest word processor, file manager and spreadsheet on the market for your software dollar.

AVAILABLE NOW at your local retailer. If product is sold out or if you want a FREE catalog, call:

800-331-7990 or 800-448-1001 (Calif. only)

SAVE A BUNDLE.

Creative Writer, Filer and Calc in bundle box of 3.



* Commodore 64 Suggested Retail Price



Commodore 64 Comparisons

Word Processors Features/Benefits	A A A A A A A A A A A A A A A A A A A	The state of the s	The state of the s	Tool of	Part Part
24 Display Lines	Yes	No	Mall	No	
Search & Replace	Wes	Yes	Xes	West III	No.
Variable Margin Settings	Yes	Yes	No	Fee	No
Imbedded Print-Format Commands	Yes	No	260	Yes	No
Preview Document to Screen	Yes	Ma	No	Yes	No
Normal Cursor Operation	Yes	Yes	Wall	No.	Wa
Help Screens	Yes	Yes	No	Yes	No
Delete by Sentence	Yes	No	MESMI	Yes	Wa
Delete by Paragraph	Yes	Mall	Xer.	Per	No
Use Function Keys	Yes	205	No III) Yes	Yes
Full Line Headers, Footers	Yes	Yes	Wall	Yes	Ma
Copy, Move Text	Yes	Yes) er		Yes
Display Directory	Yes	Yes	Yes	Yes	Pet
Justify Text	Yes	1 200	No	Yes	No
Comment Lines	Yes	Pint	Wall	No	No
Undo Command	Yes .	Mall	Yes.	Yes	Yes
Integrate with filer	Yes	Yes	Wall	No.	Mo
Integrate with Calc	Yes	Yes	No	No	No
Suggested Retail Price	49.95	125 00	49.95	69.95	\$0.00

Apple II specs used.

2PC version specs used.

File Managers Features/Benefits		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Phi Bers	D 20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Maximum Records per File	1300	1000	250	660
Maximum Fields per Record	100	50	10	20
Maximum Characters per Data Field	3920	sizeofform	11124111	37
Maximum Characters per Record	3920	stre of form	240	230
Maximum Files on Disk	2441		la la	1111181
JSAM File for Fast Retrieval	769	No.	No	No
Help Screens	Yes	No	No	No
Change Form Without Rewriting File	Yes	Me	200	Me
Report Writer Included	Yes	THE MORE	111888111	Na
Select Records to Print	Yes	1994	Yet	No
Derived Fields	Yes	Yer	No	No
Totals	Yes	Yes	Yes	No
User Defined Colulmn Headings	Yes	Walling	No	No
Print Date and Page Number	Yes	No	No	No
View Catalog of Files	Yes	No	Yes	No
Integrate Report with Word Processor	Yes	111111111111111111111111111111111111111	West !!	Yes
Integrate Fields with Word Processor	Yes	WA	No	Yes
Suggested Retail Price	49.95	149.90	12.25	49.93

^{*}Limited only by capacity of disk Limited only by number of directory entries

-Limited only by maximum size of form 1981lines. *Longer field names also reduce amount of data that can be entered into data field. *Calculated on the basis of one record per

Spreadsheets Features/Benefits		Num.	9/33 3		Sect Property of
Rows	255	255	254	307	2541
Columns	64	63	64	204	100
Variable Column Width for Any Column	Yes	1 Pinc	Me	Well	No
Within Cell Editing	Yes	30.0	No	Na	Mall
12 Digit Accuracy	Pies	Ne	Mo	No	No
Full-word Menus	Tes.	364	No	No	Wo
Free Memory for Spreadsheet	30K	tak	TOK'	2484	Vol
List Directory on Screen	2 ors	No	No	Mis	No
Format Text L/R/C	Yes	les	No	No	No
Dynamic Memory Allocation	Yes	No	Jes !!	No	No
Auto-recale Available	Yes	704	160	Na	No
Auto-adjust on R/C Deletion	Yes	Mes	Min	No	No
Reference Cells by Moving Cursor	les	160	100	No	No
Maximum Formula Length	120	105	80	40	40
Integrate with Word Processor	lies	Nes	No	No	Mo
Suggested Retail Price	49.95	99.95	99.95	39.95	54.95

Common Carlo Carlo

CREATIVE SOFTWARE

960 Hamlin Court, Sunnyvale, CA 94089

FEATURES

Inside The 128: A Hands-On Look At Commodore's Newest Computer Charles Brannon 20	0	*
An Interview With Paul Goheen, Commodore's Software Director Selby Bateman 36	0	*
The Prose And The Parser: How Writers See Games Selby Bateman		
A Guide To Commodore User Groups, Part 2		

REVIEWS

Bank Street Music Writer				
Allegro Philip Nelson		 	 	 73
Sky Travel Harvey B. Herm	nan	 	 	 74
Raid Over Moscow Selby	Bateman	 	 	 79

GAMES

The Freez	ze Factory	Clarence Din	 54	V/64

EDUCATION/HOME APPLICATIONS

Computing For Families:	Real World Soft	ware, Part 2	Fred D'Ignazio	 60	*
Character Assassination					

PROGRAMMING

BASIC Magic: GOTO And GOSUB Michael S. Tomczyk	82	V/64/+4/16
Machine Language For Beginners: ML Mailbag Richard Mansfield	86	V/64
Dynamic SID Editor Wayne Eastwood	88	64
Hints & Tips: Screen Assistant Jay Bromley	90	V/64/+4/16
Screen-40 Peter Fortini	92	V
Relative Files: Speed And Economy George W. Miller	95	V/64/+4/16
Power BASIC: Tape Program Rescue John R. Hampton		

DEPARTMENTS

The Editor's Notes Robert Lock		*
Simple Answers To Common Questions	Tom R. Halfhill	*
News & Products		*

PROGRAM LISTINGS

Bug-Swatter: Modifications And Corrections	106	*
How To Type In COMPUTEI's Gazette Programs	108	*
The Automatic Proofreader		
Product Mart	130	
Advertisers Index		

* = General, V=VIC-20, 64=Commodore 64, +4=Plus/4, 16=Commodore 16.

COMPUTE's GAZETTE is published monthly by COMPUTE Publications, Inc., Post Office Box 5406, Greensboro, NC 27403 USA. Phone (919) 275-9809. Editorial offices are located at 324 West Wendover Avenue, Greensboro, NC 27408. Domestic subscriptions: 12 issues, \$24. Send subscription orders or change of address (P.O. Form 3579) to Circulation Dept., COMPUTE's GAZETTE, P.O. Box 961, Farmingdale, NY 11737. Second class application pending at Greensboro, NC 27403 and additional maining offices. Entire contents copyright ©1985 by COMPUTE! Publications, Inc., Il rights reserved. ISSN 0737-3716.

COMPUTE Publications, Inc., One of the ABC Publishing Companies: ABC Publishing, President, Robert G. Burton; 1330 Avenue of the Americas; New York, New York 10019.

THE EDITOR'S

People have been waiting for years for the Japanese to begin to compete for the American home computer dollar. Where are they? Why haven't they yet seriously impacted the U.S. per-

sonal computer market?

Timing, of course, could be one reason. The Japanese developed MSX, an operating system that lets you control other machines, like video recorders, with your computer. Two or three years ago, computers based on this system would likely have had a big impact in America. Not only are these systems inexpensive, they also allow you to run any MSX software on any MSX computer. No more wishing there was a Commodore version of that great Apple program. And MSX-based games can access impressive video effects directly from video recorders.

But at this year's Consumer Electronics Show, the MSX booth, while impressive, was largely ignored; the Japanese are still minor players in the American computer market.

Perhaps computer technology is developing too rapidly for anything but sheer technical breakthroughs to pull the mar-

ket forward.

Some observers have claimed that Jack Tramiel more or less single-handedly preempted a significant Japanese impact when he announced the then-drastic price/performance ratio of the VIC-20 computer in 1980.

In his book The Home Computer Wars, GAZETTE columnist and former Commodore insider Mike Tomczyk recalls what it

was like at the meeting in London when Jack announced the "people's computer."

Jack stood up and pounded his fist once on the table. The room fell silent. Then slowly, in his deep booming voice, he said: "Gentlemen, the Japanese are coming-so we will become the Japanese!"

We all listened attentively as Jack explained that several Japanese companies (known collectively as Japan, Inc.) were already poised to enter the U.S. market. Japanese companies had already captured the television, radio, and small car markets, and personal computers were next on their list.

"We have to compete with ourselves," he warned. "Always. We have to be like the Japanese. We have to constantly come up with something new, something better. We have to believe that we are the competition. If we do this, no one can get ahead of us."

Jack Tramiel went on to produce the first color computer for under \$300, and this might well have been the single most significant factor in delaying a Japanese home computer for American markets. But is the long-awaited invasion only delayed?

Last year there was considerable speculation that the MSX operating system would provide an entrée into America for lowpriced computers from Panasonic, Yamaha, and other Japanese electronics giants. MSX is impressive in many ways. It's a fixed standard, so software can be designed to run on any MSX computer and will run flawlessly. The MSX version of BASIC is impressive and full of desirable features. The music capabilities of the Yamaha computer, in particular, far outshine anything available on current popular American computers.

But the time for MSX seems to have come and gone. The American computer companies are moving en masse to 16- and 32-bit computers. The heyday of the 8-bit computer is over as Macintosh-like, 68000-chipbased machines are coming onto the market from both Atari and Commodore. MSX is an 8-bit operating system: no pull-down menus, no icons, no high-speed processing, no easy way to address huge chunks of RAM memory.

Of course it would be perilous and foolish to assume that Sony computers will never appear on American desks next to the Sony radios and TVs. But so far, Jack Tramiel's dicta that we must compete with ourselves and must keep coming up with something new have proven effective in checking whatever marketing plans the Japanese companies might have entertained. Few would argue that Commodore's Amiga and Atari's ST computers have any serious competition as the most promising new machines on the current personal computing horizon.

Richard Manufield

Senior Editor

Educational Software That Works:

Spell.

Spell It!

Spell expertly 1000 of the most misspelled words. Learn the spelling rules. Improve with 4 exciting activities, including a captivating arcade game! Add your own spelling words.

ages 10 - adult / 2 disks: \$49.95



Math.

Math Blaster!

Master addition, subtraction, multiplication, division, fractions, decimals and percentages — by solving over 600 problems. Learn your math facts with 4 motivating activities, including a fast-action arcade game! Add your own problems.

ages 6 - 12 / 2 disks: \$49.95



Word.

Word Attack!

Add 675 <u>new</u> words to your vocabulary — with precise definitions and sentences demonstrating usage. Build your skills with 4 fun-filled activities, including an arcade game! Add your own words.

ages 8 - adult / 2 disks: \$49.95



Read.

Speed Reader II

Increase your reading speed <u>and</u> Improve comprehension! Six exercises designed by reading specialists vastly improve your reading skills. Chart your own progress with 35 reading selections and comprehension quizzes. Add your own reading materials.

high school, college & adult / 2 disks: \$69.95



The Davidson Best Seller Tradition.

For your Apple, IBM or Commodore 64. Ask your dealer today.

For more information call: (800) 556-6141 In California call: (213) 373-9473

Davidson & Associates, Inc. 6069 Groveoak Place #12 Rancho Palos Verdes, CA 90274







Publisher Gary R. Ingersoll
Editor in Chief Robert C. Lock
Director of Administration Alice S. Wolfe
Senior Editor Richard Mansfield
Managing Editor Kathleen Martinek
Editor Lance Elko
Assistant Editor Todd Heimarck
Production Director Tony Roberts

Editors

Tom R. Halfhill, Editor, COMPUTE! Magazine; Stephen Levy, Editor, COMPUTE! Books Division; Gail Cowper, Production Editor; Ottis R. Cowper, Technical Editor; Charles Brannon, Program Editor; Selby Bateman, Features Editor

Assistant Editors

Gregg Keizer, J. Blake Lambert (Books); John Krause, George Miller, (Technical); Philip Nelson (COMPUTE! Magazine); Kathy Yakal, Feature Writer; Sharon Darling, Research Assistant (Features); Mark Tuttle, Submissions Reviewer

Editorial Programmers

Patrick Parrish (Supervisor), Tim Victor, Kevin Mykytyn, Kevin Martin

Programming Assistants

David Florance, Susan Doss

Copy Editors

Joan Rouleau, Ann Davies

Administrative Staff

Susan Young, Laura MacFadden, Julia Fleming, Iris Brooks, Jan Kretlow

Production

Irma Swain, Production Manager; Janice Fary, Art & Design Director, Lee Noel, Assistant Editor, Art & Design; De Potter, Mechanical Art Supervisor; Terry Cash, Carole Dunton, Typesetting

Larry Sullivan (Publications), Debbie Bray (Books); Harry Blair, Illustrator

Associate Editors

Jim Butterfield (Toronto), Harvey Herman (Greensboro), Fred D'Ignazio (Roanoke)

Circulation

Charles C. Post, Circulation Manager

Customer Service

Philippa King, Customer Service Manager; Gail Jones, Dealer Sales Supervisor; Judy Taylor, Customer Service Supervisor; Dealer Sales Staff: Rhonda Savage, Debi Goforth, Liz Krusenstjerna; Customer Service Staff: Betty Atkins, Gayle Benbow, Chris Gordon, Mary Hunt, Jenna Nash, Chris Patty Lonnie Arden, Warehouse Manager; Staff: Howard Ayers, Steve Bowman, David Hensley, Larry O'Connor

Data Processing

Leon Stokes, Manager; Chris Cain, Assistant

Accounting

Paul J. Megliola, VP, Finance & Planning; R. Steven Vetter, Director, Finance & Planning; Robert Bean, General Accountant; Karen K. Rogalski, Financial Analyst; Staff: Dale Branch, Jill Pope

Barry L. Beck, Credit Manager; Staff: Sybil Agee, Anne Ferguson, Pat Fuller, Doris Hall, Linda Miller, Mary Waddell, Jane Wiggs

Purchasing

Gregory L. Smith, Purchasing Manager

Promotion

Caroline Dark, Promotion Assistant

Advertising Sales

Ken Woodard, Director of Advertising Sales; Bonnie Valentino, Assistant Advertising Manager; Patti Stokes, Production Coordinator; Kathleen Hanlon, Sales Assistant

Sales Representatives

 Jerry Thompson
 415-348-8222

 Ed Winchell
 213-378-8361

 Harry Blair
 919-275-9809

Jules E. Thompson, Inc. National and Canadian Sales Representatives 1290 Howard Avenue, Suite 303 Burlingame, CA 94010

Address all advertising materials to:
Patti Stokes, COMPUTEI's GAZETTE
324 West Wendover Ave., Suite 200, Greensboro, NC 27408

 Sales Offices, The Thompson Company

 New England
 617-720-1888

 Mid-Atlantic
 212-772-0933

 Southeast
 919-275-9809

 Midwest
 312-726-6047

 Texas
 713-731-2605

 Northwest, Nevada
 408-354-5553

 Northern CA
 415-348-8222 or 40

Northern CA 415-348-8222 or 408-354-5553 Southern CA 213-378-8361 Arizona 213-378-8361 New Mexico 213-378-8361 Colorado 303-595-9299

COMPUTEI Publications, Inc., publishes

COMPUTEI BOOKS COMPUTEI'S GAZETTE

Corporate Office:

324 West Wendover Ave., Suite 200, Greensboro, NC 27408

Mailing Address:

Post Office Box 5406, Greensboro, NC 27403

Distribution Center

500-A Radar Road, Greensboro, NC 27419

Telephone: 919-275-9809

Office Hours: 8:30 AM to 4:30 PM Monday-Friday

Chief Executive Officer Robert C. Lock

President Gary R. Ingersoll

Vice President, Finance & Planning Paul J. Megliola Executive Assistant Debi Nash

Assistant Anita Roop



Subscription Information

COMPUTE!'s GAZETTE Circulation Dept. P.O. Box 5406, Greensboro, NC 27403

> TOLL FREE Subscription Order Line 800-334-0868 In NC 919-275-9809

COMPUTE!'s GAZETTE Subscription Rates

(12 Issue Year): US (one year) \$24. Canada, Mexico and Foreign Surface Mail \$30. Foreign Air Mail \$65.

The COMPUTE'S GAZETTE subscriber list is made available to carefully screened organizations with a product or service which may be of interest to our readers. If you prefer not to receive such mailings, please send an exact copy of your subscription label to: COMPUTE'S GAZETTE, P.O. Box 961, Farmingdale, NY 11737. Include a note indicating your preference to receive only your subscription.

Authors of manuscripts warrant that all materials submitted to COMPUTE's GAZETTE are original materials with full ownership rights resident in said authors. By submitting articles to COMPUTE's GAZETTE, authors acknowledge that such materials, upon acceptance for publication, become the exclusive property of COMPUTEI Publications, Inc. No portion of this magazine may be reproduced in any form without written permission from the publisher. Entire contents copyright © 1985, COMPUTEI Publications, Inc. Rights to programs developed and submitted by authors are explained in our author contract. Unsolicited materials not accepted for publication will be returned if author provides a self-addressed, stamped envelope. Where programs are included in an article submission, a tape or disk must accompany the submission. Printed listings are optional, but helpful. Articles should be furnished as typed copy (upper and lowercase, please) with double spacing. Each article page should bear the title of the article, date, and name of the author. **COMPUTE** Publications, Inc., assumes no liability for errors in articles or advertisements. Opinions expressed by authors are not necessarily those of **COMPUTEI** Publications, Inc. **COMPUTEI** Publications assumes no responsibility for damages, delays, or failure of shipment in connection with authors' offer to make tape or disk copies of programs published herein.

PET, CBM, VIC-20, and Commodore 64 are trademarks of Commodore Business Machines, Inc., and/or Commodore Electronics Limited. Other than as an independent supplier of quality information and services to owners and users of Commodore products, **COMPUTEI** Publications, Inc., is in no way associated with Commodore Business Machines, Inc., or any of its subsidiaries.

WHEN YOU BUY **TIMEWORKS SOFTWARE** YOU GET MORE THAN SOFTWARE.

You get our Customer Technical Support Team

At the other end of our toll-free hotline, you'll find our full-time Customer Technical Support Team. With Timeworks, you get immediate answers . . . free of charge to all registered users. Our Timeworks experts help you use each of our programs to its fullest potential. Not everyone provides this necessary support, let alone for free.

TIMEWORKS

You get our liberal Trade-Up Policy


If, at any time in the future, you wish to buy an updated version of any Timeworks program, or if you upgrade your computer system, you may exchange your original program for any other program we publish. Here's how:

- Purchase your new Timeworks program at your favorite dealer.
- · Send us the Timeworks program you wish to trade in, your paid receipt for the new program, and the title of the Timeworks program you would like in exchange. It's FREE OF CHARGE, if the suggested retail price of both programs is the same. Or, include your check or credit card number to cover your old program and the one you wish in exchange. Please add \$4.70 for shipping and handling, in either case.

You get our Money Back **Guarantee**

If you can find anything that works better for you, we'll buy it for you. Simply send us your Timeworks program, your paid receipt, and the name of the program you want, along with your check or credit card number for any retail price difference. If it's available, we'll send it to you.*

Look for these and other Timeworks programs at your favorite dealer. Or contact Timeworks, 444 Lake Cook Road, Deerfield, IL 60015. Phone: (312) 948-9200.



- ** Registered trademarks of Apple Computer, Inc., International Business Machines Corporation, Commodore Computer Systems, and Atari, Inc.
- 1985 Timeworks, Inc. All rights reserved.

Do you have a question or a problem? Have you discovered something that could help other Commodore users? Do you have a comment about something you've read in COMPUTE!'s GAZETTE? We want to hear from you. Write to Gazette Feedback, COMPUTE!'s GAZETTE, P.O. Box 5406, Greensboro, NC 27403. We regret that due to the volume of mail received, we cannot respond individually to programming questions.

Secret Messages

We have discovered that the writer of Commodore's *EasyScript* either likes music or has a sense of humor. If you press f1, then CTRL-3, it plays the march "Pomp And Circumstance." Do you know of any other programs that play music or have hidden surprises?

Kevin Snow

A hidden message can be found in the first Commodore PET computers, with the "original ROMs." If you enter WAIT 6502, x (where x is a number between 1 and 255), the screen displays MICROSOFT!, x times. The PETs are built around a 6502 chip, and Microsoft wrote the PET version of BASIC.

A user group in Ireland has discovered something similar in the Plus/4 and 16. Type SYS 52651 and four names appear, perhaps the developers of BASIC 3.6. And if you try to enter or edit line number 350800 on a 64, the computer either locks up or does strange things.

Some software authors include secret messages or unusual bugs in their programs. If a case of copyright infringement is taken to court and the defendant claims it's just coincidence that the two programs look alike, the author can point to the not so coincidental music, message, or bug.

News About Computing For The Blind

In the February issue, "Gazette Feedback" included a letter from the teacher of a blind student whose family owned a 64. She asked if there was software available for blind 64 users. We have discovered that there are several dozen products, software and hardware included, for blind and handicapped computer users. Unfortunately, we do not have the space to list them all. Our thanks go to the several readers who responded with the following information about these helpful organizations:

The Library of Congress offers special services for blind and handicapped people, including information about computer software and hardware. The address is: National Library Service for the Blind and Physically Handicapped, Library of Congress, 1291 Taylor St. NW, Washington, DC 20542. Phone: (202) 287-5100.

Another good source of information is the CompuServe Handicapped User's Database, which features names and addresses of various non-profit organizations, details about commercial products, and articles about how handicapped persons are using computers. Type GO-HUD at any "!" prompt. Telecommunications on CompuServe and other services is possible for blind people, with software such as Smart 64 Terminal (from Microtechnic Solutions) in conjunction with the COMVoice speech synthesizer (from Genesis).

Two newsletters are also available: Raised Dot Computing Newsletter, 408 S. Baldwin, Madison, WI 53703. Phone: (608) 257-9595. This monthly newsletter focuses on blind computer users and comes in print (\$18/year) and tape (\$20/year) editions. Closing The Gap, P.O. Box 68, Henderson, MN 56044, (612) 248-3294, publishes a newsletter every other month. It features news about hardware and software for the handicapped. The publishers also sponsor an annual conference about computer technology for the handicapped.

The Commodore 64 Programmer's Reference Guide on cassette tape can be obtained from Recording for the Blind, 20 Roszel Road, Princeton, NJ 08540 (609) 452-0606. The Second Beginner's Guide To Personal Computers For The Blind And Visually Handicapped (in print, braille, or cassette) has information about computers, voice output, software, training programs, and resources. It is available from the National Braille Press, 88 St. Stephen Street, Boston, MA 02115, (617) 266-6160. Other computer-related books have been translated to braille by The National Braille Association, Braille Bookbank, 422 S. Clinton Ave., Rochester, NY 14620.

Ida Book About

Build a Book About You.

Parents,

There's nothing else like **Build a Book About You! You** and your child can create two personalized storybooks, all about your child, neighborhood, friends, family, pets. And it's a great gift, too.

Build a Book About You includes everything you need to print out two stories on full-color pages and bind them in durable covers just like real illustrated children's books. But there are four stories on every disk. So with additional supplies,

now available at your store, you can use your disk to build more books. Reuse the disk over and over!


This software works on all popular printers and the program is so simple even kids can use it to build their own books! Books about themselves; sure to strengthen reading skills because kids will want to read them again and again.

Build a Book About You is a project you and your child can work on together, one your whole family will enjoy. Kids.

Here's how easy and fun it is:

- 1. Take out the disk and put it in your computer.
- 2. The computer asks you some easy questions. How old are you? Where do you live? What's your best friend's name? You can answer those, right? Mom and Dad might want to help you type the answers.
- 3. Then take the pages of the storybook - have you got them? Ask Mom or Dad to help you load them in the printer.
- 4. Press the button and watch your book print out. Wow! There's your name! This book is about you!









© 1985 Scarborough Systems, Inc., 55 South Broadway, Tarrytown, New York 10591 For the name of the dealer nearest you, call 1-800-556-2283.

Blind and visually-impaired people can sign up for free correspondence courses (tape, braille, or large print), including some that cover computers, from Hadley School for the Blind. The address is 700 Elm St., Winnetka, IL 60093. Phone: (800) 323-4238 or (312) 446-8111 in Illinois.

Two other nonprofit organizations are Center for Computer Assistance to the Disabled (C-CAD) and Disabled Programmers, Inc. (DPI). Their addresses are: C-CAD, 2501 Avenue J, Suite 100, Arlington, TX 76011, (817) 640-6613; DPI, One West Campbell Avenue, Suite 36, Campbell, CA 95008.

Why Does The 64 Pause During Tape Loads?

I have owned a VIC-20 for almost three years. Now that our six-year-old is fighting the rest of us for equal time, we decided to purchase a 64 for the older folks. Your previously published columns have explained why the 64's screen blanks out during cassette operations, but I have never read why the 64 pauses between finding a program and reading it in. Is there any way to shorten the delay?

Larry Smith

Yes. When loading a program from tape and the screen says FOUND "PROGRAMNAME," press the Commodore key in the lower lefthand corner. The program will load without delay.

To make saving and loading even faster (tape at disk speeds), see "TurboTape" in next month's GAZETTE or the January issue of our sister magazine, COMPUTE!.

Cutting Off Fractions

In a few programs, I've seen a weird variable, B% (B Percent). What is it and how is it used?

Tom Roth

That's an integer variable. An integer is a whole number—no fractions or decimal points allowed. If you used something like B%=24/5 in a program, the value put into B% would be 4, not 4.8. Integer variables always cut off the fraction, rounding down to the nearest whole number. You can do the same thing to regular numeric variables with the INTeger function: B=INT(24/5).

Integer variables (but not integer arrays) take up the same amount of memory as floating point variables, the ones without a percent sign. And because the computer's math routines are written for floating point numbers, integers have to be converted before and after calculations, which makes them slower to add, subtract, multiply, etc. You cannot use integer variables as the index in a FOR/NEXT loop. Plus, integers cannot be less than

-32768 or greater than 32767. If you try to go beyond this limit, you'll get an ILLEGAL QUANTITY ERROR.

With all of these disadvantages, why use inte-

ger variables at all?

There are really only two good reasons to use them. Integer arrays take up much less memory (two bytes per element) than floating point arrays (five bytes per element). (Arrays are a special kind of variable where each item is assigned a number, or subscript.) If your BASIC program is running out of memory and you're using lists of numbers, try integer arrays, B%(9) for example. And if you're writing a machine language program that needs to pick up variable values from a BASIC program, integers are easier to work with because they're stored as a signed high-byte followed by a low-byte.

A Short Circuit In The Joystick

When I play games with my joystick, they always read the direction as up. Is there some way I can fix the joystick?

Tom Bilan

A joystick contains five switches: up, down, left, right, and the fire button. Heavy use can damage the interior contacts, making them permanently open or closed. If your joystick is held together with screws, and if the switches are "bubble" contacts, you can open it up and pry apart the contacts with a pin. If this fails, you'll have to buy a new joystick.

Checking The Bank's Figures

I would appreciate seeing a program or formula that banks use in figuring interest compounded daily, monthly, or quarterly. For example, a \$5000 certificate of deposit for 2 years at 10.35% interest.

Betty G. Carswell


Finding 10.35% of a number is the same as multiplying by 0.1035. If the bank compounded annually, you could calculate the year's total with PRINT 5000 + (5000 * .1035) or, more simply, PRINT 5000 * 1.1035. But it's a rare bank that pays interest only once a year.

Compounding 10.35% monthly means the bank pays you 1/12 of 10.35% twelve times a year. After the first month, you start earning interest on the interest. Try running the following short program:

10 P=5000:T=2:R1=.1035:C=12:R2=R1/C
20 FORX=1TOT*C:P=P+(P*R2):PRINTX;P,:NEXT

Line 10 defines the variables: P is principal, T is term (in years), R1 is the annual rate, and C is how often the interest is compounded (in this case, 12 times a year). Line 20 adds up the interest earned and prints out the intermediate amounts. You can change the variables for different situations; C = 365,

Fleet System 2. Word processing that spells V-A-L-U-E.



Complete word processing with built-in 70,000 word spell checking-Only \$79.95

Up till now, you'd have to spend a minimum of about \$70 to get a good word processor for your Commodore 64™. And if you added a small, *separate* spell checking program, you'd be out well over \$100!

Now there's Fleet System 2! It's two powerful programs in one, and it's perfect for book reports, term papers or full office use.

Fleet System 2 combines the EASIEST and most POWERFUL word processor available with a lightning-fast 70,000 word spelling dictionary — all in one refreshingly EASY TO USE integrated system. Finally, spell checking is now available at your fingertips.

You can even add over 15,000 "custom" words to the built-in 70,000 word dictionary. And at a suggested retail price of \$79.95, Fleet System 2 really spells V-A-L-U-E, and 70,000 other words too!

Fleet System 2 helps people of all ages to learn to *spell correctly* and *write better* too. It's the ONLY full featured word processor that provides you with helpful writing and vocabulary feedback such as: the total number of words in your document, the number of times each word appears, and total number of "unique" words, just to name a few.

Fleet System 2 has every important feature that will help you make child's play out of the most heavy duty typing tasks. There's Built-in 80 Column Display — so what you see is what you get, Horizontal Scrolling During Typing, Easy Correction and Movement of Text, Page Numbering, Centering, Indenting, Headers and Footers, Math Functions, Search and Replace, Mail Merge, BUILT IN 70,000 word SPELL CHECKING and much, much more!

Ask for Fleet System 2. Exceptionally Easy. Packed with Power. Perfectly Priced.





Professional Software, Inc., 51 Fremont Street, Needham, MA 02194 (617) 444-5224 Telex: 951579

for example, for daily compounding.

Your answers may vary slightly from the bank's, depending on if the bank rounds to the nearest penny or tenth or hundredth of a penny. For a more complete financial analysis program, see "Home Financial Calculator," in the May issue of our sister magazine, COMPUTE!.

Help From Commodore

I own one of the older 1541 disk drives and I've already had it serviced twice for head alignment. I want to know if Commodore has any type of exchange program for this model disk drive.

Karin L. Martinez

Beginning in March, Commodore established a new national network of 1500 service centers for inwarranty and out-of-warranty equipment. To find out which service center is nearest you, call the toll-free customer support line at 1-800-247-9000, Monday through Friday, 9 a.m.-midnight (Eastern Standard Time). Specific information, such as repair costs, was unavailable at the time of this writing.

You mentioned in your letter that you have an older model 1541, in the white case. The head alignment problem you've been having is not unique to the older models. In fact, many 1541s will go out of alignment with enough heavy use. Many 1541 owners have continued to use their drives, realigning them when necessary. One of the less expensive solutions is to purchase a software disk alignment package (see the October 1984 GAZETTE for a review of one such product we've found to be consistently effective).

How Much Memory Is Left?

Is there any PEEK or POKE that would show how much memory you have left on the 64? Ruben Loera

Enter PRINT FRE(0), on any Commodore computer, to find out how much memory remains. If you see a negative number, change it to PRINT FRE(0) + 2116. If you print the amount of free memory before running a BASIC program, then check free memory afterwards, you can find out how much was used for program variables. The FRE function can also be called from inside a program: 510 IF (FRE(0) (FRE(0)<0) * 2116) < 200 THEN PRINT "LESS THAN 200 BYTES REMAINING."

There are two causes of OUT OF MEMORY errors. The first is simply running out of memory; either the program is too long or you're using too many variables. The second way to run out of memory is filling up the stack. Every time you begin a FOR-NEXT loop or GOSUB to a subroutine, some important information is put in a section of memory called the stack. Using GOTO to jump out of a FOR-NEXT loop or a subroutine can leave "garbage" on the stack, wasting stack space, and eventually causing an error.

Tape To Disk Transfer

I've built up a large library of programs on tape. I wish to transfer them to my newly purchased disk drive. Is there a routine that automatically reads all programs from tape and puts them on disk?

George Persico

The following program copies a series of programs from tape to disk. Type the program in, save it, then run it and type NEW. If you know how many programs are on the tape, POKE the number into location 2. For example, to copy three programs type POKE 2,3.

If you are unsure of the number of programs, position the tape to just after the last program you want to copy then enter a one line program, like 10 END. Then SAVE "filename", 1, 2. This places an end-of-tape marker on the tape.

Now place a blank, formatted disk into the drive and type SYS 679. This program copies all program files, including machine language files, but it will not copy sequential files.

The program has no error checking in it and will crash if an error is detected.

10 FORA=679TO763:READB:POKEA, B:NEXT:END

20 DATA 169,64,133,3,169,1,162,1

30 DATA 160,1,32,186,255,169,0,32

40 DATA 189,255,169,0,32,213,255,173

50 DATA 60,3,201,5,240,54,201,4

60 DATA 176,226,230,3,165,3,141,80

70 DATA 3,169,16,162,65,160,3,32

80 DATA 189,255,169,2,162,8,160,2

90 DATA 32,186,255,173,61,3,133,251

100 DATA 173,62,3,133,252,174,63,3 110 DATA 172,64,3,169,251,32,216,255

120 DATA 198,2,208,176,96

Memory Must Be Continuous

I own a VIC-20 and have 24K memory expansion. Each of three 8K banks has two choices for start address. I know that no 8K bank may have the same address as another bank or a cartridge. But when I use a program that requires expansion, which 8K banks should I select?

Darlene Fogal

When you turn on your VIC, it does a test to see how much memory is in place. It then prints the numbers of bytes available at the top of the screen. Memory used for BASIC programs must be continuous.

An unexpanded VIC uses locations 4096-8191, part of which is screen memory. If you add 8K, it should start at 8192. The next bank should start at 16384, and so on. Select these options if you're running a BASIC program that needs expansion.

Other Commodore computers follow similar



By The Year 2000, The World May Catch Up With The Way Compuserve's Electronic Maliters You Shop Today.

Presenting the computer shopping service that delivers discount prices, name-brand merchandise, and in-depth product information.

To make your computer even more useful, join CompuServe and shop in our Electronic Mall. Easy enough for beginners, it's open 24 hours a day, 7 days a week. And it offers a wide range of goods and services from nationally known stores and businesses including Bloomingdale's, Waldenbooks, American Express and Commodore.

CompuServe's Electronic Mall™ lets you shop at your convenience in all these departments:

The Auto Shop, Book Bazaar, Financial Mart, Leisure Center, Merchandise Mart, Newsstand, On-line Connection, Personal Computer Store, Record Emporium, Specialty Boutique and Travel Agency.

Take the CompuServe Electronic Mall 15-Minute Comparison Test.

What you can do in 15 minutes shopping the Electronic Mall way.

- Access descriptions of the latest in computer printers, for instance.
- Pick one and enter the order command.
- Check complete descriptions of places to stay on your next vacation.
- Pick several and request travel brochures.
- Access a department store catalog and pick out a wine rack, tools, toys...anything!
- Place your order.
 What you can do in 15 minutes shopping the old way.
- Round up the family and get in the car.

The Electronic Mall—A Valuable Addition to the Vast World of CompuServe.

CompuServe Information Services bring you information, entertainment, personal communications and more.

You can access CompuServe with almost any computer and modem, terminal or communicating word processor.

To buy a CompuServe Subscription Kit, see your nearest computer dealer. To receive our informative brochure, or to order direct, call or write:

CompuServe

Information Services, P.O. Box 20212, 5000 Arlington Centre Blvd., Columbus, OH 43220

800-848-8199

In Ohio call 614-457-0802

rules in how they use memory. In the 64, BASIC programs and variables use the continuous locations 2048–40959. There's another 4K of memory starting at 49152, but since it's not right next to BASIC memory, it cannot be used directly for programs and variables. Machine language programs are often put in this section of the 64's memory.

Checking For VICs

Would you please explain the purpose of the short routine that leads off some of the programs I see in your magazine? It begins with SYS 65517 and then PEEKs 781 to see if it contains a 40. Is this some kind of protective device? Under what conditions would location 781 not be equal to 40?

Dick Thompson

When programs are scheduled for the GAZETTE, editors decide whether or not they should be translated for other computers. Some programs are completely rewritten. But other programs can be translated very easily by changing a few POKEs and formatting the screen for 40 columns on a 64, 22 on a VIC. Rather than printing two almost identical programs, we publish a single program that runs on both the VIC and the 64.

Memory location 65517 is the beginning of the Kernal routine called SCREEN. The VIC, 64, Plus/4, and 16 use the same Kernal entry points, giving them a measure of compatibility.

If you JSR (Jump to SubRoutine) to 65517 in machine language, the computer checks the layout of the screen. The number of columns goes into the X register, the number of rows into the Y register. The BASIC equivalent of JSR is SYS.

Locations 780–782 are used by SYS for temporary storage of the A, X, and Y registers. PEEKing 781 after a SYS tells you the number from the X register (you can't actually PEEK a microprocessor register, but SYS has stored the most recent value of X into 781). Since the SCREEN routine puts the number of columns there, SYS65517: PRINTPEEK(781) will return 40 on a Commodore 64, 22 on a VIC-20.

It's a way for the program to check which computer it's using. Once the program knows if it's running on a VIC or 64, it makes adjustments for screen format and POKEs.

Double Density Disks

On the 1541 disk drive, formatting a single-sided single-density disk gives you 664 blocks free. Will a double density disk yield twice as many blocks? Also, is there any practical approach to using double-sided disks on the 1541?

James Bourgeois

A 1541 will work with either single or double den-

sity disks. Since the double density disks are of higher quality, you may have fewer problems if you use them. Besides, 1541 disk drives store more information than typical single density drives (they're sort of 1½ density). How much data fits on a disk depends on the disk drive, so double density disks will not increase the storage capacity of your 1541.

To answer your second question, true double-sided drives have two READ/WRITE heads, one for the top of the disk and one for the bottom. The disk always spins in one direction. To use both sides of a disk on a 1541 single-sided drive, you'd have to remove it and flip it over. Cutting open a disk reveals a felt-like cloth liner which catches dust particles. If the disk were to rotate backwards, the cloth that usually catches dust would redeposit it, with the potential of ruining the disk and the READ/WRITE head.

Programs Versus Variables

I can't figure out how to save a variable to disk. SAVE A\$,8 doesn't work. I've read through the manual, but it doesn't help. How do I do this?

Ieff Alfeld

The BASIC commands for manipulating programs don't work with variables, and vice versa. For example, once a program is in memory, you can put it onto the screen with LIST. But you can't LIST a variable, you must PRINT it.

The SAVE command sends a program to tape or disk. LOAD, in turn, recalls a saved program. But SAVE and LOAD, like LIST, don't work with variables. They're commands that apply to programs only. In the example you gave, if A\$ was "John Smith," SAVE A\$ would save whatever BASIC program was currently in memory under the name John Smith.

To save a variable, you must open a file, print the variable, number, or string to the file (using PRINT#), and close it:

10 A\$="THIS IS A TEST"
20 OPEN1,8,2,"TESTFILE,S,W"
30 PRINT#1,A\$:PRINT#1,"END OF TEST":CLOSE1

The first number after OPEN in line 20 is the logical file number, which can be any number from 0 to 127. This number is used later in the PRINT# and CLOSE statements. It's followed by a comma and the device number (a disk drive is device 8). The third number is the secondary address. For disk files, the secondary address specifies the disk channel which will be used and must be in the range 2–14. The filename is followed by ",S,W" which means it is a sequential file to be written to.

When a disk file is opened, the red light on the drive turns on and stays on until the file is closed. You must always close files when you've finished with them.

Line 30 uses PRINT# to print a string variable

WE UNLEASH THE WORLD'S MOST POWERFUL GRAPHICS TECHNOLOGY.

To look at Infocom stories, you'd say they're all prose. No graphics. Ah, but there's more than meets your eyes.

We draw our graphics from the limitless imagery of your



imagination—a technology so powerful, it makes computer screen pictures look like





graffiti

by com-

parison.

And

no one knows how to unleash your imagination like Infocom. With thrilling plots. Unpredictable situations. And original puzzles calculated to drive you out of your skull.


Step up to Infocom. All words. No graffiti. The secret reaches of your imagination are beckoning.

It's time to open your mind's eye.




INTERACTIVE FICTION SOFTWARE

Infocom's interactive fiction is available for a wide variety of personal computers.



COMPUTE!'s Gazette Disk

Now you can enjoy the exciting programs from COMPUTE!'s Gazette on a ready-to-run disk




Timesaving

Using COMPUTE!'s Gazette Disk saves you time. Instead of spending hours typing in each program from COM-PUTEI's Gazette, you can load all the fun and fascinating programs in just a few minutes with the Disk. You have more time to enjoy Budgeteer, Mystery at Marple Manor, Vocab Builder, and many other exciting games and applications.



Inexpensive

And COMPUTEI's Gazette Disk is inexpensive, only \$69.95 for a one-year subscription. That means the Disk costs you \$5.83 a month, a savings of 55 percent off the single disk price of \$12.95. And what price can you put on the hours of typing time you save?



GAZETTEDISK




Risk-Free

All Disks are fully tested before they're shipped to you. And full documentation for all programs is in the corresponding issue of COM-PUTE!'s Gazette. But if you should have a problem with a disk, just call toll free 800-334-0868 and a member of our Customer Service Staff will assist you.

Convenient

COMPUTEI's Gazette Disk gives you access. As soon as you read about a new and challenging program in COMPUTEI's Gazette, you can load the Disk and begin usng it immediately—the Disk is ready when you



356D02

Enjoy the quality programs from COMPUTE!'s Gazette on the convenient, ready-to-use COMPUTEI's Gazette Disk.

To order COMPUTE!'s Gazette Disk Call toll free 800-334-0868 (in NC call 919-275-9809) or mail your prepaid coupon to COMPUTEI's Gazette Disk, P.O. Box 901. Farmingdale, NY 11737

i	YES! I want to save time and me subscription to COMPUTEI's Gaz	
	☐ Save 55% off the single issue price. 1 year subscription, \$69.95	☐ Save even more! 2 year subscription, \$129.95
04		s must be prepaid.

☐ Payment enclosed (check or money order) ☐ Charge ☐ MasterCard ☐ Visa ☐ American Express Acct. No. Signature _ Name_ Address __ City _

Zip (Outside U.S. and Canada, add \$36.00 per year for shipping and handling.)

Please allow 4-6 weeks for delivery

and a string to the disk file.

To reverse the process, change the filename in line 20 to "TESTFILE,S,R" (R for read). Then, instead of PRINT#, use INPUT#1,A\$: PRINT A\$ twice, because there are two strings in the file.

Tape files work in a similar way. To open a file for reading, OPEN1,1,0, "TESTFILE" followed by PRINT# and CLOSE. To write, OPEN1,1,1, "TESTFILE" with INPUT# and CLOSE. When using tape, a secondary address of 0 means read, 1 means write.

Using INPUT# on strings longer than 80 characters will return a ?STRING TOO LONG error. In such a case, use GET# instead. It lets you read sequential files a character at a time.

Addressing An Envelope

I recently purchased a Gemini 10X printer and became frustrated trying to print an address on an envelope. The 10X has a paper sensor that turns off the printer when it runs out of paper.

The easiest way to remedy this is to slide a piece of paper under the flap behind the envelope. Then, friction feed the envelope and paper into the printer. It works great.

T. Dan Orr

Thanks for the tip. It will help our readers who have been stymied by the paper sensor. You can also disable the Gemini's paper sensor with OPEN 4,4:PRINT#4,CHR\$(27);"8":CLOSE4. Or turn DIP switch 2–1 to OFF (with the power turned off, of course) to make the sensor nonfunctional.

Disabling Simons' BASIC

I have found that some programs will not work with the Simons' BASIC cartridge plugged in, possibly because they use the same memory locations. Is there a formula for turning Simons' BASIC on and off, so I don't have to remove it when I do not need it?

Brian L. Moore

The best way to disable Simons' BASIC is to remove the cartridge entirely when you're not using it. A second way to disable a cartridge without removing it is to use an expansion board. These motherboards, as they are often called, allow you to plug many cartridges in at once. They have switches to let you turn any cartridge on or off.

There is a third method, from Raeto West's book Programming the Commodore 64, published by COMPUTE! Publications. Tap RUN/STOP-RESTORE and enter SYS 64760. When the screen shows the normal power-up message, run the

following program.

20 DATA 120,162,255,154,232,76,239,252

This is not foolproof—the RUN/STOP—RESTORE combination may cause a program crash. To reenter Simons' BASIC type SYS 64738. SYS 49152 takes you back to standard BASIC. It's easier and more reliable to remove the cartridge before running any machine language or commercial programs.

Disk Commands In Machine Language

I've been teaching myself machine language and have run into a problem with disk commands.

When formatting a new disk in ML, I imitate the BASIC command—OPEN15,8,15: PRINT#15, "N0:name,ID": CLOSE15—by using the Kernal routines SETLFS, SETNAM, OPEN, CHKOUT, and CHROUT. The red light turns on but the disk is not formatted. Is there some special way to send commands to the drive?

Vincent Dinh

Those five Kernal routines should work. You may be using SETNAM incorrectly, though. Its purpose is to set the name (hence SETNAM) of the file you want to communicate with, not the name of the disk. And channel 15, the disk command channel, does not have a name, it's just channel 15. Also be sure you're sending a carriage return (CHR\$(13)) after the command line. Clean things up with CLRCHN and CLOSE.

When formatting a disk in BASIC, it's not necessary to use the PRINT# command. A shorter form is:

OPEN 15,8,15,"N0:name,ID":CLOSE 15

It's as if you were opening a file called "N0:name,ID." Simulating this in ML makes the translation simpler since it eliminates the need for the CHKOUT and CHROUT routines. The following machine language program will format a disk (note that this is source code, and must be used in conjunction with a machine language assembler):

20 SETLFS = \$FFBA

30 SETNAM = \$FFBD

40 OPEN{3 SPACES}= \$FFC0

50 CLOSE = \$FFC3

100 LDA #LENGTH:LDX #<COMMAND:LDY #>COMMA
ND:JSR SETNAM

110 LDA #15:LDX #8:TAY:JSR SETLFS

120 JSR OPEN

13Ø LDA #15:JSR CLOSE

140 RTS

150 COMMAND .ASC "NO:NAME, ID":LENGTH =* COMMAND

This program will not make the formatting process any faster than BASIC, however, because the program that formats disks is inside the disk drive. Whether you use BASIC or ML to send the command, the drive works at the same speed.

Break The BASIC Barrier



Now's the time to push forward — beyond BASIC and into fresh, exciting areas of exploration on your Commodore 64! Don't let BASIC be the limit, barring you from a multitude of valuable and wondrous discoveries. At Waldenbooks, we've got four new Commodore booktools designed to aid you in your quest to utilize every bit and byte of power your Commodore 64 has to offer. Four new ways to show you the sky's the limit!

Commodore's Handbook Of Simons' Basic

Jane G. Reh

A definitive reference/tutorial that provides programmers with all the information necessary to use Simons' BASIC well and make the most out of every command. Neatly organized into nine topic sections covering each of the over 100 Simons' BASIC commands, with a special emphasis on exploiting the superb graphics capabilities of Simon's BASIC. Includes numerous programming examples,

an extensive index, and a Simons' BASIC Reference Card for quick information retrieval.
Brady/1985/224 pp/paper/ ISBN 0-89303-843-1/\$12.95

Machine Language For The Commodore 64 And Other Commodore Computers

Jim Butterfield

This bestselling tutorial introduces programmers of all levels to the principles of machine language — what it is, how it works, and how to program with it: Explores machine code in the real environment of Commodore personal computers, examining important concepts such as output, subroutines, address modes, linking BASIC and machine language, memory maps of the inter-

Commodore 64 Data Files: A Basic Tutorial

face chips, and much more!

Brady/1984/326 pp/paper/

ISBN 0-89303-652-8/\$14.95

David Miller

Here's a step-by-step tutorial designed to take the mystery and misery out of learning to use the Commodore 64 file structure. Learn what files are, how to use them, and how to create your own sequential or random access files. Offers valuable techniques and shortcuts for the advanced programmer, too, plus useful programming examples from the areas of home, education, business, hobby, and investment. Also includes a thorough discussion of DIF files plus chapters on random access files, automatic, initial use, file-creation techniques, tape files, and more! Reston/1984/428 pp/paper/ISBN 0-8359-0791-0/\$16.95

Assembly Language Programming With The Commodore 64

Marvin L. DeJong Presenting a comprehensive introduction to assembly language for Commodore 64 programmers. This unique quide offers extensive coverage on how to understand, write, debug, and execute assembly language programs — complete with numerous exercises and problems designed to familiarize users with the instruction set of the 6510 microprocessor. Some important assembly language topics covered are data transfer instructions, logic operations, branches and loops, input/output, and applications using the 6567 video interface chip and 6581 sound interface device.

Brady/1984/296 pp/paper/ ISBN 0-89303-319-7/\$14.95

America finds it at

Waldenbooks*

Books • Audio • Video • Magazines • Software • Book Clubs • Special Services

INSIDE THE


The new Commodore 128
Personal Computer has generated quite a bit of interest, especially by current owners of the popular Commodore 64. Is the 128 a significant enhancement, or just a warmed-over 128K version of the 64? We went to Commodore's headquarters to find out, and came back with a new appreciation for this intriguing machine.

A Hands-On Look At Commodore's Newest Computer

Charles Brannon, Program Editor

oon after it was introduced, the Commodore 64 proved to be the leader of a new wave of home computers. Even at the original price of \$600, the 64 came equipped with as much memory as \$2000 business machines, along with arcade-quality graphics, detailed animated sprites, and a unique sound synthesizer that brought realism to what was formerly just bleeps and tones. The 64 became one of the most popular computers ever, selling over 2,000,000 units worldwide.

The 64 is firmly established, with over 6,000 programs to its credit. But as good as the 64 is, we've been waiting three years for an encore. Although it's been high time for an enhancement, no one wants to give up his or her personal software library. Commodore's answer, the Commodore 128 Personal Computer, provides true 64 compatibility, plus a real advance in power and flexibility. The Commodore 128 is literally three computers in one: a Commodore 64 with the familiar 40-column display, sprites, SID chip, and BASIC V2; an enhanced 64



with 128K and all 64 features, plus 80 columns and BASIC 7.0; and a true CP/M-compatible machine, promising the ability to run off-the-shelf CP/M software. And all at a price almost anyone would call reasonable: under \$300.

Compared to the 64, the 128's console is much bigger, perhaps to imply more power, but probably necessary to hold the hardware of three computers. The main part of the keyboard is identical to the 64's, except that the function keys have been moved to the upperright corner and rearranged horizontally. There is a numeric keypad with +, -, ., and an ENTER key (synonymous with the RETURN key). Along the top of the keyboard are ESC, TAB, ALT, CAPS LOCK, HELP, LINE FEED, 40/80 DISPLAY, and four separate cursor keys.

None of these additional keys, not even the keypad or separate cursor keys, function in the 64 mode, for the sake of true compatibility. Adding extra programming in ROM to support these keys in 64 mode might be just enough to prevent some 64 software from working properly. Commodore is staunch on this; anything less than 100% compatibility isn't good enough.

n the 128 mode, the 40/80 DISPLAY key selects which screen mode is used as the default. This key is checked at power-on, when RUN/STOP-RESTORE is pressed, or when the RESET button (found next to the power switch) is pressed. This key has no meaning in 64 mode since 80 columns are not available, again for the sake of compatibility. In either 128 or CP/M mode, the same VIC chip used on the 64 displays 40 columns, graphics, and sprites. The 40-column screen can only be seen on a TV or composite monitor, not on the RGB display.

The RGB monitor displays twice as many pixels and characters as 40 columns, and achieves color purity since the signal is separated into the red/green/blue color components. (A composite signal has all the color information mixed together, which makes it difficult to cleanly separate these colors.) A special video chip is used for 80 columns. The 80column screen can only be seen on the RGB monitor. All 16 colors are available in 80 columns (although the Commodore-1 color, normally orange, appears as dark purple), as well as reverse video and underlining. Unlike the 40-column mode, there are 512 characters available in 80 columns, which means you can get both uppercase, lowercase, and all keyboard graphics simultaneously.

This 80-column chip is for text only—it does not support bitmapped graphics or sprites. You can redefine the character set, though, and set up a small 640 × 48 simulated bitmapped window. The 80-column video chip uses 16K of dedicated screen memory. None of the 128K memory is used for 80 columns, so in effect this machine actually has 144K of total RAM.

There are three ways to switch between 40 and 80 columns: toggle the 40/80 switch and press RUN/STOP-RESTORE, press ESC-X in BASIC, or enter the command SCREEN 0 for 40 columns, or SCREEN 5 for 80 columns. Remember that these screens are independent. If you have two monitors hooked up, these commands reroute screen printing to the appropriate screen (although both screens remain displayed). Commodore's 1902 monitor is ideal for the 128; it has built-in color composite video, split signal composite video (as used on the rear connections of the 1701/1702 monitor), IBMcompatible RGB, and analog

RGB (for use with the Amiga). With the 1902, you must manually flip a switch after you change screen modes.

This can be cumbersome, but Commodore feels that you'll probably stay in one mode or the other, a reasonable assumption. This scheme does let you have two simultaneous displays. Perhaps one screen could show color graphics, while your program listing is displayed on another. One can envision dual-perspective games with each player having his own independent screen.

The 1902 composite/RGB display will probably sell for under \$400. The least expensive route, though, is to use a television for 40 columns, and a monochrome (black and white) monitor for 80 columns. Commodore will sell a special cable to connect the RGB port to a monochrome monitor. The cable can be used with Commodore's inexpensive 1901 monochrome display and with other monochrome monitors.

he new 1571 disk drive further amplifies the power of the 128. In 64 mode, the 1571 behaves just like a 1541. The 1571 we worked with was not quite ROM-compatible with the 1541 (our "TurboDisk" program did not work with it), but we were assured that 1541 compatibility, a high priority, was being improved. In the 128 mode, the 1571 shows its true power, boosting storage capacity to 360K (as opposed to 170K on the 1541), and transferring data from seven to ten times faster than the 1541.

The enhanced storage is due to the 1571's double-sided design (there are two read/write heads), so you'll have to use the somewhat more costly double-sided disks. You can still use a 1541 in the 128 mode, and the 1571 can be programmed to be 1541 compatible in the 128

TIRED OF WAITING FOREVER FOR YOUR PROGRAMS TO LOAD?



INTRODUCING THE FAST LOAD CARTRIDGE FROM EPYX.

You're tired of waiting forever for your Commodore 64 programs to load. But it's no use glaring at your disk drive. Calling it names won't help, either. It was born slow — a lumbering hippo. You need the FAST LOAD CARTRIDGE from EPYX. FAST LOAD transforms your Commodore 64 disk drive from a lumbering hippo into a leaping gazelle. With FAST LOAD, programs that once took minutes to load are booted up in a matter of seconds.

FAST LOAD can load, save and copy your disks five times faster than normal. It plugs into the cartridge port

of your Commodore 64 and goes to work automatically, loading your disks with ease. And that's only the beginning. You can copy a single file, copy the whole disk, send disk commands, and even list directories without erasing programs stored in memory.

And unlike other products, the FAST LOAD CARTRIDGE works with most programs, even copy protected ones, including the most popular computer games.

The FAST LOAD CARTRIDGE from Epyx. Easy to insert, easy to use and five times faster. So why waste time waiting for your disks to load?

Speed them up with FAST LOAD!





mode. So you don't have to write off your current disk drive when you upgrade to the 128. Other 64 peripherals also work with the 128, so hold on to your printer and modem if you upgrade.

The 1571 is also optimized for the CP/M mode, although you can use a 1541 drive in the CP/M mode. In CP/M mode, the 1571 can store 410K. Commodore has designed a new version of CP/M called CP/M Plus, which gives newly written CP/M applications the ability to access VIC-chip graphics and sprites, RGB color 80 columns, and the SID sound synthesizer—snazzy features for a CP/M machine. Unlike Commodore 64 CP/M, CP/M Plus is a true native Z80 implementation. The entire system resources are available to CP/M Plus, since the Z80 stays in control. Commodore is busy converting CP/M disks to 1541 format so that they will run both on the 128, and on 64 CP/M with a 1541 drive. But the new drive can be reprogrammed to read many disk formats. When we visited Commodore, it was not known which disk format would be used by default, but a configuration program can be used to let the drive read common CP/M formats, including disks formatted for Osborne and Kaypro machines.

As long as programs conform to CP/M portability guidelines, you'll be able to insert off-the-shelf CP/M software and boot it up (though this won't take advantage of the enhanced options of CP/M Plus). We brought some Osborne disks along with us to Commodore, but the 1571 drive we used was not modified to read our disks, so we were unable to verify this. Commodore indicated that several CP/M software manufacturers were interested in developing new CP/M software for the 128.

e were most impressed by BASIC 7.0 in the 128 mode. It's the most powerful version of BASIC we've seen for personal computers, topping even IBM's Advanced BASIC. With Commodore 64 BASIC as its foundation, it combines the best of Simons' BASIC, Super Expander, Plus/4, and Disk BASIC 4.0 commands, as well as new commands written especially for the 128. There are over 80 new commands and functions. At the time we visited Commodore, programmers were adding even more commands. And all 128K is available for programming: 64K for the length of your BASIC program, and 64K for storage of variables, strings, and arrays (minus the memory used by the operating system and 40column screen map). The only thing missing is long variable names; you're still limited to two significant characters.

All disk commands from BASIC 4.0 are supported, permitting 128 owners to run some CBM 4032/8032 programs. These commands replace the need for OPEN 15,8,15: PRINT#15,"command": CLOSE 15. Most disk commands can be used with a dual-drive disk system (with the drives called 0 and 1), and with several drives addressed with different device numbers. SHIFT-RUN/STOP defaults to the disk drive, loading and running the first program on the disk. DLOAD and DSAVE are used to retrieve and store BASIC programs. CATA-LOG or DIRECTORY displays the disk directory without erasing any program in memory. SCRATCH lets you erase files from disk, but first asks ARE YOU SURE? HEADER is used to format (new) a disk.

COLLECT performs a Validate, freeing up any improperly allocated sectors. COPY and CONCAT let you copy or combine disk files on the same disk or between drives on a dualdrive system (but not with

separate drives addressed with different device numbers). BACKUP can also be used only with a dual drive to copy one disk to another. APPEND lets you add new data to an existing file. DOPEN and DCLOSE makes file handling easier, and RECORD makes relative files a breeze. The reserved variables DS and DS\$ let you examine the disk error channel. DCLEAR clears all open disk channels.

There's a complete set of programming tools. AUTO starts automatic line numbering, DELETE erases program lines, HELP shows the offending statement after an error message, RENUMBER permits you to renumber any part of a program, TRON and TROFF toggle trace mode, and KEY lets you display the current function key definitions or define your own function keys. You can also conveniently convert from hexadecimal to decimal or vice versa with the functions HEX\$ and DEC. In addition to AND and OR, you can now perform a bitwise Exclusive OR (XOR).

tructured programming enthusiasts need never use GOTO again. IF/THEN now has an ELSE clause, as in IF A=1 THEN PRINT "A IS 1":ELSE PRINT "A IS NOT 1." BEGIN/BEND lets you set aside a block of lines that are executed only if a preceding IF/THEN works out as true. DO:LOOP UNTIL, DO:LOOP WHILE, DO UNTIL: LOOP, and DO WHILE:LOOP all execute a block of commands while a certain condition is true, or until a certain condition proves to be false. EXIT can be used to skip out of a loop.

RESTORE can now be followed by a line number to let you start reading any section of DATA.

TRAP transfers execution to a specified line number when an error occurs. Your program

WANTED:

WORLD'S GREATEST ADVENTURES.


REWARD: \$1000 and FAME. CALL (800) 227-6703.



ACS is your tool kit. More than 7000 parts to build from Power to spare!



Or make your own parts from scratch. Draw em. Give em properties. Go for it!



ACS is menu driven. It works with a positive "stick shift" controller. Easy as pie!



Ready-made segments of sci-fi, mystery & dragontype adventures included. A real bargain!



Mountains, oceans, forests & etc. are pre-built. Or make your own landscapes. You're the boss!



Amazing fact #1: ACS makes adventures (& finishes parts of yours) by itself. This is No Lie!



Music modules & sound effects included. Score your adventures like movies. Be a maestro!



No arms control here! Endless weapons of you design. (Endless armor & cures, fortunately.)



Complete, top-notch epic adventure included:
Rivers of Light by Stuart Smith author of Ali Baho



500 obnoxious creatures thrown in! Or make your own. Point em at the population! See their priorities!



You get magic! 31 variations on 15 Big Spells! You get technology You get religion. All right!




Amazing fact #2: ACS integrates text and graphics



em. Cast them into the world without a dime!



/ tutorial mini-adventures included! Generous



Design up to 15 different regions with 16 different rooms in each one. Space out!



TURE send it here You could win 1 000 smackers!

ADVENTURE CONSTRUCTION SET



HOW TO WIN: Send your adventure entries to Electronic Arts by 12/30/85. 3 winners will be selected by our judges. Their decision: final. Your adventure becomes "public domain" which means you can still get famous even if you don't get rich. HOW TO ORDER: Visit your retailer or call 800-227-6703 for direct VISA or MasterCard orders (in CA call 800-632-7979). To buy by mail, send check or money order to Electronic Arts, P.O. Box 306, Half Moon Bay, CA 94019. Add \$3 to cover insured shipping and handling. Indicate desired machine version. Allow 1-4 weeks for delivery. All EA products purchased direct have a 14 day "satisfaction or your money back" guarantee. PRICE & MACHINE AVAILABILITY: C-64 \$39.95. To receive our complete product catalog and direct order form, send 50¢ and a self-addressed, stamped envelope to Electronic Arts, Catalogue Offer, 2755 Campus Drive, San Mateo, CA 94403.

can examine the error number in the reserved variable ER, the number of the line that caused the error in EL, and the error message with the function ERR\$. After you've handled the error, RESUME returns control to the statement after the error, or to any line number.

Text processing is enhanced with INSTR, which finds the position of a substring within a larger string. PRINT USING lets you define a format field for printing, making it easy to set up columnar tables and forms. WINDOW sets up a smaller screen that scrolls independently from the rest of the screen. WINDOW can be used to emulate simple Macintoshstyle windowing.

o more POKEs for SID chip sound. BASIC 7.0 includes several commands for music and sound effects. SOUND sets the frequency, duration, and waveform of a sound effect. You can also specify a sweeping effect. PLAY is a mini-language of its own. You can use it to play strings of notes, specifying note names, durations, sharps/flats, dotted notes, and rests. You can use it to synchronize three-voice music, set the filter, and control individual volume for each voice. Each voice can play from a set of predefined envelopes that simulate one of ten musical instruments: piano, accordion, calliope, drum, flute, guitar, harpsichord, organ, trumpet, and xylophone. You can customize these preset instruments with ENVELOPE, customize the programmable filter with FIL-TER, set the overall VOLume, and the TEMPO of music.

BASIC 7.0 offers a rich vocabulary of graphics commands. GRAPHIC is used to enter either the multicolor 160 × 200 graphics screen, the hi-res 320 × 200 graphics screen, the 40-column text screen, or the 80-column text screen.

GRAPHIC allows you to define a text window and can either clear the screen or leave previous graphics in place. SCNCLR can also be used to clear the screen. When you enter a graphics mode, the start of BASIC is moved beyond the end of the graphics screen. GRAPHIC CLR is used to deallocate the memory used by the graphics screen. RGR returns the number of the current graphics mode.

DRAW is used to plot a single point, or draw a single or a connected line to create complex shapes. LOCATE is used to set the position of the graphics cursor without plotting any point. BOX can draw any rectangle or filled rectangle, at any angle. CIRCLE is used to draw circles, ovals, arcs, or any polygon, at any angle of rotation. You can place text anywhere on the graphics screen with CHAR. You can also use CHAR on the text screen to simulate PRINT AT. COLOR is used to set any of the color registers, and the function RCOLOR reads which color is assigned to a color register. PAINT can fill any shape with any color. SSHAPE can "pick up" any block of the screen and store it in a string. This shape can then be copied back to any place on the screen with G SHAPE.

A pixel can be tested with the function RDOT, which returns the color of the pixel at the specified row and column. The WIDTH command specifies the size of pixels plotted. A WIDTH of 2 makes all lines double-wide. And finally, the SCALE command lets you pretend that the screen is actually 1024×1024 pixels across and down. You can use this range in your drawing statements, and the coordinates are automatically scaled to fit the actual screen size.

BASIC 7.0 just wouldn't be complete without sprite commands. If you've been stymied

by POKE and PEEK for sprite control, as well as the infamous "seam," you'll really appreciate the following sprite commands.

irst, BASIC 7.0 includes a simple sprite editor. Just type SPRDEF, and a box appears on the screen. Enter which sprite you'd like to define, then use the cursor keys and the number keys 1–4 to draw squares on the grid. When you're through, the sprite is stored into a reserved section of memory. This memory can be saved to disk with BSAVE, then recalled within your program with BLOAD, eliminating the need for DATA statements.

To set up sprite parameters, use SPRITE. This command turns on the sprite, sets its color, priority, initial X and Y position, and sets hi-res or multicolor for that sprite. You can then use MOVSPR to position the sprite anywhere on the screen. MOVSPR can also be used to set the sprite into motion. After you specify the speed and angle, the sprite moves on its own. Your program continues in the meantime. (Sprites are updated in this mode during the IRQ interrupt.) While a sprite is in motion you can read its position with RSPPOS. You can transfer the sprite pattern into any string, or copy a sprite pattern from a string into any sprite. In combination with SSHAPE and GSHAPE, you can "pick up" a block of the screen and turn it into a sprite, and "stamp" the sprite pattern anywhere on the graphics screen.

SPRCOLOR sets the multicolor registers shared by all sprites and the function RSPRCOLOR reads the sprite multicolor registers. The COLLI-SION statement transfers control to a specified line number when two sprites touch, or when a sprite touches part of the screen background. Your collision routine can see what

Lightning ogram E.T. C.T.A **Awards** The Games Designer used Feb 1985 by the Professionals





LINE STREET THE RESERVE

Now, without any knowledge of machine code, you can write fast, smooth, professional, totally original games and market them without paying royallies.

Even if you have already mastered machine code, we believe that the time and problems saved by writing in White Lightning's FORTH-based high level language could revolutionise commercial games writing for years to come.

to come.

IDEAL IDEAL is an Interrupt Driven Extendible IDEAL IDEAL is an Interrupt Driven Extendible Animation sub-Language. Once you have mastered IDEAL's easy to learn set of over 100 commands and just a little FORTH, you will be ready to produce arcade-quality games even if you don't know machine code. Up to 255 software spriles, each with its own user-defined dimensions, can be moved around the screen for memory) scrolled spun. the screen (or memory), scrolled, spun, reflected, enlarged or inverted with amazing speed and smoothness. Operations are pos-sible between screen windows, sprites and

sprile windows. Software spriles can even stretch across several screens, so those difficult scrolling landscapes that form the basis of so many games are easy to achieve. White Lightning also adds PLOT, DRAW, POLY and CIRCLE as well as fully supporting the Commodore's own excellent hardware spriles and sound facilities. The IDEAL routines operate in hi-res or 4-color modes.

MULTI-TASKING Because White Lightning uses interrupts, you can effectively run two programs at once. This means, of course, that games like Space Invaders and Defender can be written without complex timing calculations. So while one program smoothly

lations. So while one program smoothly scrolls the landscape, the second amimales the other characters. This is undoubtedly one of While Lightning's most powerful features.

MARKETING AND PORTABILITY Although White
Lightning uses an integer FORTH as its host
language, programs can be written in a
combination of Commodore BASIC, FORTH, IDEAL and machine language. The final program will run independently of White Lightning and absolutely no marketing restric-

lions are imposed.

BASIC LIGHTNING In addition to the White Lightning program itself, the package also includes an extended BASIC. This BASIC adds more than 200 reserved words including all more than 200 reserved words including all the IDEAL commands, procedures and a full set of structured programming commands. Up to five tasks can be run simultaneously. BASIC Lightning is also available separately. SPRITE DESIGN White Lightning comes complete with a separate sprite designing program. Two libraries of sprites are included and up to 255 sprites can be designed with loading and saving facilities between sessions.

sessions.

The package comes complete with two 100-page manuals and a free demonstration program is included to show off the potential of the system.

If your local dealer doesn't stock White Lightning, just send off this order form for our rapid despatch service. All checks in \$US please.

White Lightning System Packs at \$49.95 each.

Basic Lightning System Packs at \$39.95 each.

NAME (PLEASE PRINT) _

STREET

ZIP CITY/STATE ___

Check or Money Order

Please do not send Cash

Visa

Mastercard

Valid from:

CARD#_

Mail Order Form to: Oasis Software, 377 Oyster Pt. Bivd. Unit 15. South San Francisco, CA 94080.

Telephone: 415 - 588 - 1587/415 - 588 - 1595

Commodore 64" is a registered trade mark of Commodore Electronics Ltd.

C.A. Residents add 6.5% Sales Tax.

Commodore LCD Lap Portable Update

Is there a lap portable computer in your future? Commodore's new LCD portable, introduced in prototype form at the January Consumer Electronics Show (see April GAZETTE), may hold special interest for Commodore 64 and 128 owners.

Originally scheduled for a midsummer entry, the portable is now being held back for release sometime after September, according to Frank Leonardi, Commodore's vice president for marketing. Despite rumors to the contrary, Leonardi confirmed that the portable has not been shelved.

The Commodore LCD has a super fast 80 × 16 liquid-crystal display, 32K RAM, 96K ROM, BASIC 3.6 (a slightly enhanced version of the Plus/4's BASIC), machine language monitor, and, among other features, eight built-in productivity programs (word processor, file manager, spreadsheet, address book, scheduler, calculator, memo pad, and terminal emulator). The portable, which weighs just five and a half pounds and fits in a briefcase, will sell for a reported \$600.

During a recent visit to Commodore, the LCD's senior design engineer, Jeff Porter, took the GAZETTE on a tour of the finishing stages of the new machine. Beaming proudly, Porter rattled off a list of features as he showed off another prototype and then dropped in on members of the software design team who demonstrated final modifications:

- The fast LCD display results from a separate custom chip being used solely to handle the screen display. Hence, the 65C102 microprocessor doesn't have to write letters to the screen. "CRTs (cathode ray tubes) use a separate CRT controller chip," says Porter. "We've called this an LCD controller chip. The same principle applies."
- The portable is built to support Commodore
 64 peripherals, such as the 1541 disk drive, as well as the new 1571 drive being sold for the 128, and a 3.5-inch Sony-style microdrive planned for possible release later in the year. All Commodore serial peripherals will be compatible.
- The word processor and spreadsheet are truly integrated, using windowing to let you work on either function at the same time via a split-screen display. The spreadsheet also supports independent scrolling in split-screen format, and, according to the spreadsheet engineer, will be faster at moving a thousand cells than Lotus 1-2-3 on an IBM PC.

- Built-in utilities on the main menu allow copying from the internal RAM disk to an external disk drive, or for downloading over the modem or the RS-232 port.
- The internal 32K CMOS static RAM can be expanded to 64K using standard memory chips.
 Another 64K of RAM can be added externally.
- The BASIC 3.6 includes a command for talking to the built-in 300-baud modem, through an OPEN statement.
- The screen display has a virtual 25-line display (although only 16 lines show at a time). This allows the user to set up the terminal program to emulate a double-screen size, for example.
- The memo pad and calculator each pop up with a keystroke over any application being run, without destroying the program you're using. In addition, the calculator operates in any of several different modes. For instance, while working in BASIC, the user can call up the calculator and use the programmer's mode for hexadecimal, binary, and other computations.
- With some limitations, the BASIC 3.6 is downward compatible with the 128 BASIC 7.0. Although the portable cannot support all of the 128's features, such as color, it should allow the user to run BASIC programs from the 128 without crashing. Instructions the machine can't handle will be ignored by the portable's BASIC. The BASIC also supports graphic commands, such as high resolution boxes, lines, drawing, etc.—very similar to the Plus/4 capabilities.
- A new battery-powered thermal transfer printer will be available for the LCD portable. The three-pound, $11.7 \times 2.5 \times 4.5$ inch printer works on AA batteries, and can print unidirectionally in Near Letter Quality (NLQ) mode at 22.5 characters per second (cps) and in draft mode at 45 cps. A test of the new printer produced an excellent NLQ image with all but the coarsest Bond paper.
- The portable, as seen this spring, did not support an external video display. But, Porter said, Commodore's design team for the portable has been considering using the same 80-column display chip found in the 128 to provide that capability. The chip might be housed in a cartridge which would plug into the expansion port, he added.


caused the collision with the function BUMP.

No longer are PEEKs, POKEs, or machine language necessary to read the game controllers. The function JOY returns the status of either joystick. POT returns the position of one of the four paddles, and PEN is used to read the X,Y coordinates of the light pen.

A few miscellaneous commands: SLEEP is used as a delay loop, pausing from 1 to 65535 seconds. GETKEY is like GET, but waits for a keystroke. GO64 exits to the 64 mode, but first asks ARE YOU SURE?, since anything in memory in the 128 mode will be lost.

The BASIC 3.6 in the Com-

GET YOUR FET WEI...



... IN THE INFORMATION AGE
WITH THE DOW JONES
NEWS/RETRIEVAL® MEMBERSHIP KIT.
SAMPLE A CONTINUOUS STREAM
OF KNOWLEDGE AT A PRICE
YOU CAN AFFORD.

Now you and your whole family can experience the information age without getting in over your head.

For just \$29.95, the new Dow Jones News/Retrieval Membership Kit leads you step-by-step into entertaining and informative data bases. With five free hours to sample and explore, you can find a fact, shop at

home, get the scores, plan a trip, review a movie, choose a stock, or check world and business news. There's a lot more, too. All you need to get started is a computer and modem:

The Membership Kit is a big value that entitles you to:

- FREE password (\$75 value)
- Easy, step-by-step User's Guide
- FIVE FREE HOURS of unrestricted usage to explore the magic of this comprehensive service

- FREE subscription to Dowline, the magazine of Dow Jones News/Retrieval
- A special introductory offer!

Get your feet wet in the information age with the Dow Jones News/Retrieval Membership Kit. At \$29.95, you'll enjoy the dip without getting soaked. Available at your local computer retailer, or call Dow Jones at:

1-800-257-5114

In New Jersey, Canada, Hawaii and Alaska 1-609-452-1511

"Toss away any preconception that Dow Jones News/Retrieval is a stuffy, one dimensional data base service designed only for an elite corps of stock analysts and Wall Street wizards. Far from it—Dow Jones News/Retrieval also provides entertaining movie reviews, current weather and sports reports, convenient electronic shopping and inexpensive electronic mail...Dow Jones News/Retrieval is informative, entertaining and well worth the money."

-Brad Baldwin, InfoWorld Magazine

DOW JONES

Copyright © 1984 Dow Jones and Company, Inc.
All Rights Reserved. Dow Jones News/Retrieval®
is a registered trademark of Dow Jones and
Company, Inc.

modore LCD lap portable can run BASIC 7.0 programs as long as the programs shy away from PEEKs and POKEs (which shouldn't be needed very much with such a powerful BASIC). Although the LCD lacks sprites and the SID chip, its BASIC is programmed to merely ignore the BASIC 7.0 commands it can't execute, instead of crashing with a SYNTAX ERROR. This is indicative of a possible Commodore plan to pair these machines. The LCD portable would be used to acquire data in the field, which could then be uploaded to the 128 for further processing.

BASIC 7.0 has almost every command a programmer would need. There are almost too many commands, extending the time it takes to learn a programming language. However, you need not memorize every command, just learn commands as you need them. You'll want to at least be aware of the available commands, though, so you won't reinvent the wheel by POKEing your way to sound or graphics.

The 128 is a logical upgrade of the 64. Without sacrificing 64 compatibility, the 128 answers almost anyone's wish list. BASIC 7.0 gives programmers freedom to program without POKEs or cumbersome machine language routines. The 80column display, 2 MHz microprocessor, 128K of memory (theoretically expandable to a megabyte), CP/M Plus, and fast double-sided disk drive make the 128 a capable business machine, competitive with the much more expensive IBM and Apple computers. As usual, though, we'll still have to wait for software to be written that takes advantage of these features. Although you can use existing 64 and CP/M programs, it looks like you'll have to write your own 128 mode programs for a while.

An Interview With

Paul Goheen Commodore's Director of Software


Selby Bateman, Features Editor



Paul Goheen, who directs Commodore's software division, can be considered one of the genuine veterans in the post-Jack Tramiel Commodore environment. He joined Commodore during the latter part of 1980, shortly after the launch of the 8032 computer and before the introduction of the VIC-20. Previously a programmer, systems analyst, and consultant in the mainframe and minicomputer arenas, Goheen came to Commodore as a software product manager at a time when Commodore's U.S. computer operations included only about 20 people. In the past few years, he has seen the amazing growth and the many changes which have occurred at the company and in the microcomputer industry in general.

When COMPUTEI'S GAZETTE recently spoke with Goheen, Commodore was working full tilt to launch the 128 into the retail market by May and June. Also underway was the surprising lap portable computer now planned for an early fall release. Both the 128 and the portable were introduced at the January Consumer Electronics Show (CES). In the wings is the Amiga Lorraine computer, an eagerly awaited powerful and versatile 16/32-bit machine which Commodore has kept under wraps since purchasing the Amiga company last summer. The Amiga

is scheduled for a midsummer entrance.



Mitey Mo turns your Commodore 64 into a telecommunications glant. It's the best-performing modem with upload/download.

Mitey Mo is being hailed as "the best price/performance communications package available." Its software has received the endorsement of the U.S. Commodore Users Group, which gives a money-back guarantee to members. It is truly the industry standard, and no wonder. It's the most user-friendly modem you can buy—it will take you online faster and easier than anything else.

Mitey Mo opens up a world of practical and exciting uses for your C-64. It lets you send and receive electronic mail, link up with community bulletin boards, play computer games with people in distant places, tap into library resources, and much more. All at your convenience.

Until Mitey Mo, Commodore's 1650 Automodem was the obvious choice when you went looking for a modem for your computer. Like

Mitey Mo, it has "auto answer"—it receives data while unattended. And both modems are "auto dialers"—you dial right on the computer's keyboard. But that's about where the similarity ends.

Mitey Mo can dial up to 9

MODEM FEATURES	MITEY MO	AUTOMODEM
Auto Dial/Answer	YES	YES
Auto Redial	YES	NO
Smart 64 Software	YES	NO
Function Keys		
Programmable	YES	NO
Upload/Download		
Text & X-Modem	YES	NO
VT-52/VT-100 Emulation	YES	NO
Menu Driven	YES	NO
28K Software Buffer	YES	NO
Easy-to-Use Manual	YES	NO
Bell 103 Compatible	YES	YES
Multiple Baud Rates	YES	YES
Cable Included	YES	YES
Single Switch Operation	YES	NO
Warranty	3 years	90 days

Some mighty interesting features – ours and theirs. Yours to decide.

numbers sequentially. But suppose you dial a number and find it's busy. Mitey Mo has "auto redial"—it hangs up and redials immediately until it gets through. With the other modem you have to redial each time—and somebody with auto redialing can slip in ahead of you.

Mitey Mo is menu driven. It lists the things you can do on the screen.
Select a number and you're on your way. Since Automodem isn't menu driven, you'll be hunting through the manual a lot.

With Mitey Mo, your computer's function keys are programmable—you can save yourself plenty

of keystrokes. Not so with the other modem. And only Mitey Mo lets you store data to review or print it later.

Mitey Mo has just one switch, the Smart 64 software does the rest. With the other modem you'll have to remember to check three switches, otherwise you may be answering when you mean to be originating.

Mitey Mo is half the size of the other modem. The very latest technology allows miniaturization and increased reliability, as well. Mitey Mo is so reliable, we gave it a full three-year warranty. The other modem gives 90 days, then you're on your own.

Not only will you find Mitey Mo mighty useful, you'll find it mighty reasonably priced. When you buy it, you'll get \$15 of CompuServe access time free, as well. See your dealer or call us directly to order your Mitey Mo.





Computer Devices Int'l 1345-A2 Doolittle Drive San Leandro, CA 94577 (415) 633-1899 GAZETTE: As Commodore introduces the new 128 computer, what plans are there for the future of the 64, the Plus/4, and the 16?

Goheen: The 128, our acquisition of Amiga, our PC product outside of the U.S., and other products we have on the drawing board are indications that we have expertise outside of the low-end marketplace. The 128 I honestly see as a bridge machine, that is, an introduction, or a taste, of our ability to compete outside of the current bandwidth in which we do business.

What we are doing is preparing for the future, and not the future in terms of moving from one bandwidth to another by discontinuing where we were. We're moving to the future by expanding our marketplaces into other arenas, and at the same time keeping our previous market share in the lower bandwidth. Hardware at Commodore is something that we've exhibited that we do well. And we have the vertical integration and the manufacturing and engineering abilities to put together products in a short period of time and to respond to market changes.

The 64, the Plus/4, and the 16 on an international basis and on a U.S. basis complement each other in terms of sales. We will continue to promote and push those products up to the point where business dictates we look toward other arenas. The 128 will be promoted right along with them. There will be different price points; there will be different opportunities. We can pitch the 128 from two directions that we can't with the 64. The 128 is going to be promoted from a [mass merchandising] point of view, trading on the 64 compatibility. And, "Oh by the way, here are these other expanded areas of the machine that you can grow into on a professional basis." From the specialty store end of the marketplace, the 128 will be vended primarily from its 80-column professional aspects and, "Oh by the way, it runs all these great 64 consumer type products as well."

So, we have the ability with this machine to begin the crosspollination into other marketplaces and to other forms of distribution. And the Amiga will be the next step in that same direction, at the same time keeping the other end of the business alive.

GAZETTE: So, Commodore doesn't necessarily drop the 64, the Plus/4, and the 16 when the Amiga comes out and when the 128 is selling, as long as there is a market for them.

Goheen: That's entirely correct. We have no plans of discontinuing anything just for the sake of discontinuing it. Our introduction of product and our discontinuance of product is based solely on prudent business decisions. You can't not look at the international ramifications of this because we have situations where a product is selling to a certain level in the United States, and it may sell at a much higher level in other countries. So the United States is really to us one facet of an international, or global, business.

GAZETTE: Does Commodore have any plan to make a programmer's reference guide for the Plus/4 and the 16 such as there has been for the 64?

Goheen: There are plans, and actually there is quite an amount of effort that has already been completed on that very subject. The final distribution [of the reference guide]...will follow as a function of where the volume of product is sold.

GAZETTE: Is a programmer's reference guide planned for the 128?

Goheen: That will be likely as well. We plan to be in the book business as much as makes sense from a technical reference manual point of view. We have very good relations with major publishers who have promoted our products in the past. We are also, as a separate topic, working on joint ventures with other companies to take software products and join them with a textbook, and pair the two together, and then work with these publishers in the educational community.

GAZETTE: Will you be working at Commodore and among third party people on developing new CP/M programs for the 128 or will you depend on the vast library of CP/M that is currently available?

Goheen: Our initial blush of the CP/M side of the machine, by design, was to take advantage of the software that is currently on the shelf. Previous to CES, I had already had meetings with all the major CP/M providers. In all cases, people expressed interest. In some cases it was mild interest, and in some cases people were terribly excited. And that really is a reflection of the individual company's interest in keeping that end of their business alive.

From an initial distribution point of view, [Thorn/EMI's] Perfect series will be provided from Commodore to address the standard horizontal product areas on the CP/M side of the machine (Perfect Writer, Perfect Calc, Perfect Filer, etc.).

With the 128, we are finishing a product that will allow you, via menu, to reprogram the controller inside the [1571] disk drive and make the drive think it is another type of disk drive. And you will be able to take off-the-rack software—Kaypro, Osborne, and some of the other formats that are out there—and put it in the drive, and the drive will read it. We've tried to build enough of that into the machine so it can take advantage of the additional products that are out there.

Without naming names, we have a large library of [third-party CP/M] products here already. And a large degree of them have worked right off the shelf. We just put them in and fire them up, and they go through the configuration, and they operate in totality.

GAZETTE: So there is CP/M software available that you can use with the 1571?

Goheen: That's correct. When we package our product, some of it will be done in a 1541 format so it will be available to the least common denominator Commodore user out there because we have designed the CP/M so it will work with the 1541. Obviously, it works better with the 1571, but it will function and work, and to not exclude any potential customers, we have taken pains to format things a certain way.

Get more out of your Commodore with

COMPUTE'S ** COMPUTE'S **

For Owners And Users Of Commodore VIC-20" And 64" Personal Computers

More fun



Martian Prisoner, The Viper, Skydiver, Snake Escape, Demon Star, Cyclon Zap, and Oil Tycoon are just a few of the ready-to-run games you'll find exclusively in *COMPUTE!'s Gazette* each month. Just type in the programs and watch your screen explode with colorful new computer game excitement.

More challenge

Ready to tackle more advanced projects? In COM-PUTE's! Gazette, you'll learn how to use tape and disk files, how to program the function keys, writing transportable BASIC, how to make custom graphics characters, new ways to enliven programs with sound, one-touch commands for the 64, how to use machine language, speeding up the VIC-20—and much more!

Children will learn and develop new skills with States & Capitals Tutor, Wordmatch, Munchmath, Wordspell, Connect the Dots, Aardvark Attack, and Alfabug. Computing for Kids, a regular monthly feature, will uncover new ways to involve your children in computing.



More programs

Programs to help you balance your checkbook, store your addresses, keep tax records, manage your personal business. You can create your own programs and games, improve your word processing, spreadsheets, and data base management, load and run faster with 64 Searcher, VIC/64 Program Lifesaver,



Quickfind, Word Hunt, Disk Menu, VIC Timepiece, The Automatic Proofreader and more.

\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$

More buying guidance

You'll profit from comprehensive reviews of everything from data-quality cassette tapes to software to graphics plotters and modems. Virtually anything that's compatible with your Commodore is reported on in COMPUTEI's Gazette. With this kind of expert help, every computer purchase you make can be the right one!

Order now

All you do is mail the postpaid card bound into this issue. But don't delay! Subscribe now to start receiving every issue of COMPUTE!'s Gazette.

For Faster Service Call Toll-Free 1-800-334-0868 GAZETTE: So if a person gets a 128 and has a 1541 and doesn't want to get a 1571, he or she will be able to use some of the CP/M software?

Goheen: Right. And there's the upgrade path, too; taking the current 64 owner and having them look at buying a second machine or a replacement, but maybe not wanting to sign off on the additional peripheral initially. They can step up as well.

GAZETTE: How about program translation from the 64 to the 128? Among third party software developers and Commodore itself, is that much of a problem?

Goheen: Commodore 64 products that are on the shelf now are 100 percent compatible with the machine on the 64 side. They will run straight away. From an upgrade path to effectively run right on what I call the middle of the machine-the 128 side of the machine-the BASIC in the 128 is greatly enhanced even over the BASIC we had in the Plus/4. And it is a superset, so all of the BASIC is compatible.

Now that's a dangerous statement, so let me rephrase it. In BASIC, there are two commands-PEEK and POKE—which are throwbacks to machine language. You know, deposit-this-at-this-address type of command. Technically speaking, PEEK and POKE are not considered part of BASIC. But nonetheless, they are quite heavily utilized in some programs [for the 64]. In the programs that do not care to use PEEK and POKE, the BASIC will run straight away. Programs that use those PEEKS and POKEs that look at a specific address; what was at that address in the 64 is obviously not going to be in the same place in the 128. That is the incompatibility from a BASIC point of view.

In the 64, to really get the utmost out of the product in terms of the graphics and sound, one had to use PEEKs and POKEs a lot. You could not be just your average runof-the-mill weekend programmer to get the utmost out of the box. From had the opportunity to know. He that point of view, we produced two products called Super Expander

and Simons' BASIC. There have been other products from other vendors that provide or extend the BASIC to give you commands. Now realizing the awareness and the utilization of those features of the machine in the Plus/4, we extended the BASIC and added commands such as CIRCLE, PAINT, DRAW, LINE, and so on.

In the 128, we've added to that even further, so that in the 128 BASIC and in BASICs after the 128—just looking down the pike the utilization of the PEEK and POKE will almost become nonexistent because the things that required you to do that before have now been augmented in the BASIC in ROM so one is really not required to use that. So, from a BASIC conversion point of view, if I have a product that required a lot of PEEKs and POKEs on the 64 to make it work, I can probably very simply replace most of those just by using the commands in 128 BASIC.

So the compatibility issue is there, ves, but there are certain caveats one must be aware of. From a developer's point of view, it's a cakewalk. From the weekend programmer's point of view, it will be a little harder, but still very easy.

Now, from an assembler point of view, a machine language point of view, the 128 is a Kernalized machine as was the 64, and the Kernals are very similar, such that you can use most of the atoms you had in your machine language code, and with a reassembly, you can make them work inside the 128.

GAZETTE: You and others at Commodore have spoken of the new approach which the company is now taking in its business relations with dealers, consumers, and the press. Could you briefly characterize the change?

Goheen: Mr. [Jack] Tramiel was an entrepreneur's entrepreneur. The man was an absolute dynamo in terms of energy and enthusiasm, and is someone that I myself honestly am quite glad to say that I has taken Commodore from what it was up to a very large company.

Marshall Smith (current president of Commodore) is a businessman's businessman. He is a very polished professional individual, and he strategizes, implements plans, follows the plans, takes input, modifies the plan if it's required. He is the gentleman we need to take us from where we are to the next plateau of an even bigger company.

Companies like Commodore, companies like Apple, like IBMwe've probably started to get to the point where we've sold all the computers we're going to sell to the hobbyists and weekend hackers and enthusiasts. Now let's find responsible reasons to sell to people who don't fit into those categories. Let's find some real reasons to continue to sell these machines to people who have a real use for them. And let's try to go forth as a business and not merely enjoy the fruits of selling into an enthusiasts' market.

We are in the software business, no ifs, ands, or buts about it. We are in the software business with both feet, and our hearts and minds are in it, and we're primarily here to support the sale of our main product, which is the hardware.

Our [software] product line several months ago was up over 100 titles. Now, in the largest retail outlets, at most there's approximately 350 titles at any store. Out of 350 titles, a major company will at most get 20 of those titles. From a prudent business point of view it makes little to absolutely no sense to have a product line of up over 100 titles. You'll end up eating them. I am shrinking the product line, bringing it into the order it should be.

So my first line of defense again is to insure that the software matches the hardware and the hardware receives a successful launch and really starts to kick off. Past that, we intend to engender as much public support for the machine as we can and anyone who thinks that they would like to develop software for it—no matter even if they're just a little garage shop operation— we'll be glad to try to help them as we have time and resources.

YOUR COMMODORE 64" CAN NOW USE STANDA E II+HARDWA

XAN



At Mimic we believe that you and your computer should dictate the choices of hardware and software you can use.

The Spartan™ was developed to allow you to choose the hardware and software that best suits your needs.

Our goal in designing the Spartan™ was simple. To take what you already have and give you more.


Mimic Systems is proud to give you the Spartan™ The Apple™II + emulator for the Commodore 64™

Spartan™ Suggested Retail Prices: The Spartan™ (includes BUSS, CPU, and DOS cards) \$599.00 BUSS card \$299.00

CPU card (requires BUSS card) \$199.00

DOS card (requires BUSS and CPU card) \$199.00 (All prices in U.S. Funds. Freight not included.)
American Express, Visa and MasterCard accepted.

Commodore logo are trademarks of Commodore Electronics Ltd. and or ness Machines, Inc. Apple* II+ is a trademark of Apple Computer, Inc. mark of Mimic Systems Inc. and has no association with Commodore Computer, Inc. The Sportan is manufactured by Mimic Systems Inc.



RAN

FOR INFORMATION WRITE

MIMIC SYSTEMS INC. 1112 FORT ST., FL. 6J VICTORIA, B.C. CANADA V 8 V 4 V 2

To Order Call:

1-800-MODULAR (663-8527)

GAZETTE: Could you tell us about chine, against announcements of the service centers for consumers that Commodore has announced the RCA centers, the Sears stores, the other outlets?

upgraded. We're adding professional service companies to our list. The 128 product, for the first time, will be packaged with several brochures, one of which will point to software products coming from different vendors. So other people's software will be advertised in the box for the first time. There will be a service center brochure in there. There will be a little thing that says measured. "Read Me First." It will say, if you're having the following problems, do the following things. And then if that doesn't pan out, here's some places to get on the horn with. There will be a number of items packed in the 128 that we feel will do one thing: reinforce, on the part of the end user, a positive purchase, make them feel comfortable that they spent their money right.

GAZETTE: If a person has a problem, then he or she can go into one of these service centers instead of having to ship the computer off? Goheen: Right. Of course, we still have substantial warranties, replacement warranties right across the counter, so if they buy it at a local retail outlet and find something defective or not to their liking, [they get] a new one right across the counter, no questions asked for a length of time. Outside of that window, then, they can utilize the other service things that we have made available to them as well.

GAZETTE: Atari's ST line of computers has created a stir, but many people are also quite interested in Commodore's Amiga. What can you say about the Amiga Lorraine computer at this point?

Goheen: As we stated at CES, the Amiga machine from Commodore will enjoy a mid-1985 launch. I think someone commented—making a play on the cliche—that like a fine wine, we will sell no machine before its time. This is not a hurryup situation for us because we're quite confident that our 128 ma-

other companies of their 128 products, is a superior product from a hardware point of view. The Amiga product that we will put on the Goheen: The service aspect is being street will be considerably superior to other products that are being marketed in that same bandwidth.

> Things are progressing on schedule. We're being confident, and we're walking right down the path as was designed. So, in terms of launch, mid-85. In terms of what the product will be—it will be quite honestly a yardstick by which all other machines of that type are

> GAZETTE: As you look at Commodore software and hardware plans, what's your feeling about the needs of the consumer?

> Goheen: We have a crusade here that almost borders on religious fervor to really look at ourselves as people and say, what reason would I have realistically to spend this money and buy this machine, and take it home? What, really, am I going to do with it?

One of the activities we are getting behind substantially-and what I mean by substantially is that we are putting our money where our mouth is here in terms of hardware manufacturing—we have just put a new modem into the marketplace. It's just a little more updated version of our current modem. You'll begin to see that on a marketplace to where it comes out at a price that goes beyond the word competitive. A little later in the year, you'll see a 300 and 1200 baud version....

GAZETTE: The 1670?

Goheen: The 1670. We will be the first company that will provide a truly DC, Hayes-like, very professional 1200-baud "smartmodem." And we will ultimately break the \$100 price barrier on that.

GAZETTE: So, you're putting an increased emphasis on telecommunications as a central use for a computer?

Goheen: Yes. I actually think the word increased is probably not strong enough. We are highly motivated from the point of view that we have made the manufacturing commitment to build the necessary

volumes of hardware products to support this activity.

GAZETTE: We know Commodore has been working with Tele-Learning in its Electronic University program as well as several other companies. How are these services to be coordinated?

Goheen: Right now, we have relationships with CompuServe, Dow Jones, The Source. We provide snap packs for the different people—Delphi, Playnet, TeleLearning people. We're looking into getting these specialized databases aligned with one of the major services. And as a sidelight, if we find other people not able to provide the necessary level of service we feel is adequate to promote these specific learning activities online, we are in a position to promote and create a major service on our own. That's something we're looking at as an opportunity as well. That is not to supplant the other people. We are in a position to help promote all of the people on an equal basis at this point and just to generally try to raise the awareness of what telecommunications can mean for you at home on a daily basis.

GAZETTE: We've heard that Commodore's 1660 modem may sell for as low as 30 dollars. A price like that would tie in very well with what you spoke of earlier on the 1670's low price as a 300-1200 bps device.

Goheen: I don't know what the initial pricing will be on the 1670. But the specifics of our 1600 modem [the VICmodem], which is a direct connect modem, right now is enjoying retails in the 30 dollar bandwidth. The 1650 modem is right now enjoying retails of up in the high 40 dollars, and I look for those probably to change with time. And I think initially the 1670 will be considerably more than that just because of the sheer technology in the box.

We as a company normally don't like to shoot our mouth off and not come across. But I do believe you will enjoy some things later in the year that will put that 1670 down in price to where we're certainly going to put a hurt on people in the modem business.



What you get if you cross a Commodore 64 with a Ferrari.


ou get the incredible Indus GT™ disk drive.
You get brains. You get beauty.
But, that's not all you get.
You get a disk drive that can handle 100% of Commodore's software. Up to 400% faster.

You get the disk drive with the best service record around. With a one year warranty on parts and labor to prove it.

And, you get the only disk drive that comes with free software. Word processing. Spreadsheet. Database manager. Plus, a carrying case that doubles as an 80 disk storage file.

Most of all, you get luxury. From the sleek lines of its soundproofed chassis to the responsive AccuTouch™ controls at the Indus CommandPost™ From the LED display that keeps you in control of your Commodore to the air-piston operated dust cover that protects your disks and drive.

So, you know what you really get if you cross a Commodore 64 with a Ferrari? You get the best.



titers See Games

Selby Bateman, Features Editor

Electronic novels, interactive fiction, all-text adventure games, living literature. Whatever the names, the landscape of this brand of computer game is changing. New writers and seasoned programmers are together stretching its boundaries with refreshing approaches to plot, writing style, and game interaction. The competition is intensifying.

magine a wheel-a colossal, rotating wheel into which is drawn all of the images of a culture: every experience, every event, every object, every person's mind and body. This wheel is a vortex which you must try to manipulate and understand.

"I hope this doesn't sound too fancy," says Robert Pinsky, breaking into his own explanation with a slightly self-

conscious laugh.

"It involves the idea of striving for control and mastery, and the world being so complicated that every time you strive you're creating another system that becomes part of this big whirling thing which is everything everybody's ever known or thought or dreamed up to

amuse themselves. Jokes and technologies and mythologies and religions and roads and....just everything."

Pinsky pauses again, as if considering the magnitude of such a wheel for the first time. He's describing the underlying concept of a computer game he created-Mindwheel, an all-text adventure for the Commodore 64, Apple, Atari, IBM, and IBMcompatible computers. The game represents as unusual a combination of complexities as does Pinsky himself.

You play the game by immersing yourself alternately within the minds of four deceased people: a peace activist rock star, a monstrous dictator, a heroic poet, and a gifted scientist. All of those minds are

linked along neural pathways to a common matrix leading to the Wheel and a mysterious Cave Master. You can directly address characters, ask them questions, and travel from mind to mind. The humor is sophisticated, and yet surprisingly accessible; offscreen characters move about at random; and Pinsky's writing presents a rich atmosphere within the game world itself.

How did this university academic, a magazine poetry editor, scholar, and award-winning poet, get involved with the development of a commercial computer game? Why would a software company, Synapse, seek out Pinsky, someone who had never even played a text adventure game until after he created the concept for


Mindwheel? And how did this nonprogrammer bring his own version of the Wheel to the arena of a computer game?

o understand the answers to those questions is to appreciate how interactive fiction is evolving. Gone forever are the days when an all-text adventure game with simple two-word, noun-verb command combinations and a series of arbitrary puzzles could impress computer game fans. "Kill dragon" and 'take sword" have been replaced with more sophisticated programs capable of taking full sentences and separating the nouns, verbs, adjectives, adverbs, and direct and indirect objects.

Most computer adventure games are based on a story. You may be a detective investigating a crime, or a heroic knight in search of a magical unicorn. You have the freedom to make decisions-moving north or south, acting friendly or unfriendly to characters you meet. But obstacles and puzzles hinder your progress. You may need a key to pass through a door, a boat to cross the river, or a map to find your way. By persisting, you discover the answers one at a time to advance to the next level of play. Ultimately, the solution to the game is the solution to the final puzzle.

While an increasing number of these games use graphic images to complement the onscreen text, the oldest computerized interactive fiction is based on text alone. Without having to use valuable and limited computer memory to draw the graphics, the all-text adventures have room for larger vocabularies, more descriptions of scenes, and more powerful parsers—the programming routines which break down your English-language commands into numbers the computer can

manipulate.



Robert Pinsky, poet, professor, editor, and author of Mindwheel, a new alltext adventure game for the Commodore 64.

But more than a year ago, Robert Pinsky knew virtually nothing about these distinctions as he walked the halls of the University of California at Berkeley. The dark-haired poet and professor was more likely to drop the names of Ezra Pound or the Bloomsbury group of writers in his conversations than to mention a Commodore 64 computer or the fortunes of IBM versus Apple. As head of the university's creative writing program and as the poetry editor for The New Republic magazine, Pinsky was immersed in writing and teaching far removed from the bits and bytes of computing. His students may have been staying awake past midnight playing ZORK, but Pinsky was only marginally aware of the growing computer adventure game field.

Enter Synapse, a computer software company looking for a very special type of writer to work on a new series of interactive games it would call electronic novels. These adventures would be packaged as hardback books with a disk in the back. In order to play the game, users would have to learn information from the book.

"What we wanted was to expand the imaginative realm in text adventures beyond what it had been," says Synapse's Richard Sanford. "Up to now we've been looking through blinders, through a very narrow window in text adventures. We wanted to deal with writers whose main stock and trade is to expand the narrow window on reality and to be able to give us a rich imaginative experience."

So the company looked for writers who knew little or nothing about computer games, whose ideas would not reflect the biases which might creep into the mind of someone familiar with ZORK, its cohorts of popular adventures, and the highly respected Infocom, Inc., which created and marketed the most successful of those games.

Tell us a story, Synapse said to Pinsky. Then together

we'll build a game.

So Pinsky sat in his office and thought about the Wheel, a concept he had first used in a poem called "The Figured Wheel." That was published in his 1984 book of poetry, History of my Heart, which early in 1985 won the prestigious William Carlos Williams Award from the Poetry Society of America. As he developed the spiraling concept of Mindwheel, Pinsky knew little or nothing of Infocom, the cryptic acronyms ZIL and BTZ, or two programmers, William Mataga and Steve Hales.

What he would later discover is what many hardened game players already know: that Infocom, Inc., of Cambridge, Massachusetts, has set the standard for quality in the field of all-text adventures. Its plots have been the best, its prose the classiest, its parsers the most powerful, and its proprietary programming language—ZIL (ZORK Interactive Language) the most accomplished. Synapse, with its idea for electronic novels, was approaching Pinsky

CLOSE ENCOUNTERS OF THE FANTASY KIND



QUESTRON." A role-playing game so spell-binding, it suspends reality and conjures up an enchanted world whose only hope against the forces of evil is you.

GEMSTONE WARRIOR." A lightning-fast action strategy game that will leave you breathless with excitement as it takes you through the labyrinths of the Netherworld on a noble quest.

Open them up and step through the gateway to your fantasies come true. At your local computer/software or game store today.

QUESTRON" is available on 48K diskette for APPLE®II with Applesoft ROM. Apple II+. IIe, and IIc (\$49.95). On 40K diskette for ATARI® home computers (\$49.95). On 64K diskette for COMMODORE 64® (\$39.95).



GEMSTONE WARRIOR* is available on 48K diskette for APPLE*II with Applesoft ROM. Apple II+, IIc, and IIc (\$34.95). Also on 64K diskette for COMMODORE 64" (\$34.95).

© 1985 by STRATEGIC SIMULATIONS, INC. All rights reserved.

If there are no convenient stores near you, VISA & M/C holders can order direct by calling 800-227-1617, ext. 335 (toll free). In California, 800-772-3545, ext. 335. Please specify computer format and add \$2.00 for shipping and handling.

To order by mail, send your check to: STRATEGIC SIMULATIONS INC, 883 Stierlin Road, Bldg. A-200, Mountain View, CA 94043. (California residents, add 7% sales tax.) All our games carry a "14-day satisfaction or your money back" guarantee.

WRITE FOR A FREE COLOR CATALOG OF ALL OUR GAMES.

APPLE, ATARI and COMMODORE 64 are trademarks of Apple Computer. Inc., Atari, Inc., and Commodore Electronics, Ltd., respectively.

and other writers with a plan to compete against Infocom in the same market.

"We were very conscious of what Infocom was up to," says William Mataga, an independent programmer who later worked with Pinsky and programmer Steve Hales on *Mindwheel*. "We had as a goal that we had to do everything that Infocom does, plus one." As Pinsky created a concept, Mataga was independently putting the finishing touches on the underlying programming language BTZ, which appropriately stands for—Better Than *ZORK*.

something else quite different by choosing Pinsky. Game developers have increasingly sought big-name authors, primarily in the science fiction and fantasy genres, around which to base their adventure games. Names like Ray Bradbury, Isaac Asimov, Arthur C. Clarke, Michael Crichton, Douglas Adams, and others adorn the boxes of software programs. Some of these authors were heavily involved in the game development and others scarcely at all. No matter what the quality of a particular adventure game, all of those writers have a heavyweight pull in the computer game-playing community. While Pinsky's credentials and success as a talented poet, teacher, and editor are excellent, his visibility among computer game players would naturally be decidedly lower than the mass market superstars listed above.

In order to advance the alltext genre, however, Synapse was convinced that all-star names were not the answer. "A lot of times you may have a game with a [big name] involved, but he only spends two days on it, makes a few comments, and then leaves and

> goes off to write something else," says Mataga.
> "A writer's job in the text adventure is a lot of work. We need a writer who will be able to spend the time with us on the game, not just someone who will make a few suggestions on how the game will work, and then leave."


That sentiment is echoed by Douglas Adams and Steve Meretzky, who collaborated on Infocom's text adventure game, The Hitchhiker's Guide to the Galaxy based on Adams' book and radio series. (See "Inside View" in the April 1985 GAZETTE.) Meretzky, developer of the popular Planetfall, Sorcerer, and Enchanter Infocom games, worked extensively with Adams to make sure the humor and characterization of Hitchhiker remained intact.

"We started off spending a week in Boston, mapping it out, roughing it out, and writing bits of text," says Adams, a British writer whose books in the Hitchhiker series now number four. "Once we

any other companies have attempted—and still try for a slice of the interactive fiction market. None has had as much critical and popular success with all-text adventures as Infocom. Software companies like Bantam and Imagic, with their Living Literature series; Spinnaker, with its Windham Classics and Telarium (formerly Trillium) brands; Activision; Adventure International; and many others have all found the graphicsand-text field more hospitable when it comes to adventures. They argue that the future belongs to adventure gaming which includes increasingly sophisticated graphics as a part of the mix.

Whatever the outcome of that argument, everyone agrees that a game with graphics won't leave enough memory on today's 64K or 128K computers to permit as sophisticated a set of vocabularies, parsers, and underlying programming languages.

Synapse was trying



Mindwheel, packaged in the form of a hardback book with disk, is one of a new breed of electronic novels from Synapse which blur the line between software and books.


"THE HOME ORGANIZERS

COMMODOR CS OOR

ARE . . . INVALUABLE HELPMATES AND TIMESAVERS 99

"Based on the powerful CONSULIANT", a professional database manager, the HOME ORGANIZER series is for those of us who want the same power that a larger program offers, but without the headaches. Each of these dedicated programs has the screens and formatted printer reports already set up for you. All YOU have to do is enter the information!"

- Commodore Microcomputers Magazine*







186 Queen St. West Toronto, Ontario, M5V 1Z1 Canada (416) 596-1405

"The Energized Software Company!"

WRITE FOR A FULL COLOR BROCHURE

+ MANUFACTURER'S SUGGESTED U.S. LIST PRICE.

*FOR A REPRINT OF THE ARTICLE AS IT ORIGINALLY APPEARED WRITE TO US, WE WILL SE GLAD TO SEND YOU'A COPY, WE'RE PROUD OF IT.

1884 RATTERIES INCLUDED, ALL RIGHTS RESERVED COMMODORE IS A REGISTERED TRADE MARK OF COMMODORE BUSINESS MACHINES. INC.

17875 Sky Park North, Suite P, Irvine, California USA 92714 got the ball rolling, I went back to England, and Steve and I communicated a lot through electronic mail. I would send ideas and bits of text, and he would start building it into the game. I would map out a lot of it broadly, and then bits of it in detail." The collaboration continued as Meretzky flew to London for more detailed work. Later the two worked together on the game once more in Boston, fine-tuning and reacting to the suggestions of game testers. The entire procedure took months, but both men agree the game is better for their mutual involvement.

Adams was one of the first writers to actually use the term "electronic novel," in the original 1977 edition of *The Hitchhiker's Guide*. "As far as I was concerned, it was completely imaginary," he says, laughing. "I didn't even become computer literate until about a year or so ago, whereupon it suddenly swept over me like a tidal wave."

As Pinsky worked with Mataga and Hales on Mind-wheel, he came to see how his involvement was an important natural component of their creative process. He also became fascinated as a writer with the random interaction which attracts so many adventure game players.

"Once in a while, one of these games will give you goosebumps," he says with a hint of awe in his voice. "A friend played the game and said to a character, 'You look like my mother,' and the game character interpreted it as a command. She said, 'I will look the way you want me to.' My friend got spooked. You hit that once in a while now."

When Pinsky finally had an opportunity to sit down and play a few computer adventure games, what bothered him was that many of them were clever enough but devoid of mood and

emotion. "They didn't have much color or aroma; they seemed flat.

"I think that the experience of writing poems was very good for this," he adds. "In poems, you're exposed to just getting it done in a small space. The more short and vivid a message can be, creating a narrative moment with the smallest possible number of words, the better."

the reader. In writing a branching narrative like this, all choices are available at any given moment."

As a writer, Paul is intrigued by the game's ability to recognize synonyms and misspellings of words, translating them accurately. He also finds fascinating the way in which Mataga's BTZ language permits the game to have characters



The Hitchhiker's Guide, another all-text adventure game, is packaged in a distinctive format by Infocom to present the player with more than just a disk and instruction booklet.

Another writer involved with Synapse's series of electronic novels developed feelings similar to those of Pinsky. Jim Paul is a 34-year-old poet whose works have been published in The New Yorker, The Paris Review, and other magazines, and who also has written articles for The Washington Post and The San Francisco Chronicle. Currently a Stegner Fellow at Stanford University, Paul is the designer behind Brimstone, an all-text adventure based on Sir Gawain of King Arthur's Round Table, with additional material borrowed from Dante and William Blake.

"Writing on a page is a single line of narrative. The reader is a slave to the page," he says. "I had to anticipate paths for

converse and situations develop which the author never wrote. "The computer is smart enough so that it can generate responses far beyond what I can do."

ith the adventure game market still growing rapidly, Infocom's Steve Meretzky sees the early dominance of science fiction and fantasy themes giving way to other topics as new writers approach interactive fiction for the first time. "Back during the early days of personal computers, people who had them were the real hackers who tended to be science fiction fans. Therefore, most of them wrote programs which were science fiction or fantasy related.

BEACH-HEAD - As chief commander of armed forces

naval victory and invade enemy territory with land forces BEACH-HEAD II

— The wartime drama continues with The Dictator Strikes Back."

BEACH-HEAD II is a true head to head two player game with voice simulation and superb multiscreen graphics. RAID OVER MOSCOW —




































MACH 5







Mach 5 is a collection of power ful programs that enhance the capabilities of the C-64 with a 1541 disk drive. The package provides up to 500% taster program loading. AK of additional basic workspace and

Mach 5 Loader will lead 95% of all programs up to 500% faster than a normal 1541 disk drive. Adds addition single keystroke com mands to make life with your 1541 more pleasant Mach 5 Basic modifies the 8-64 kernal and basic ROMs to free up an additional 4K bytes of memory for use by basic language programmers. The work-space is increased from 39K to 43K while remaining fully compatible with normal CBM version 2 basic

and Mach 5 Usader Mach 5 Disk Organizer is a comprehensive disk management program which will create a data disk containing directory informa tion from the user's entire disk library. Disk names file names and other important information is automatically extracted from a disk and cataloged for future reference. The user can then obtain a sorted list of all disks and all fries within their library, or search for specific life mames or parts of names. Output can be directed to either screen o



These Access Software products are compatible with the Commodore 64, Atari, Apple II+/IIC/IIE and IBM PC/PC Jr. Be sure to look for other Access Software products at a store near you.

As the computer market grows, that trend will reverse itself."

Peter Golden, another writer new to the creation of interactive fiction, designed two graphics and text adventures for Imagic/Bantam, I, Damiano, based on R. A. MacAvoy's Damiano fantasy trilogy; and Sherlock Holmes: Another Bow, both currently available only on IBM and Apple computers.

Although he previously had no involvement with computers, Golden is now impressed by the need within adventure games for a writer's knowledge of structure, word usage, descriptive techniques, and style in order to bring the program to life. It's a challenge he likes. "What compels someone to turn a page in a book is the same thing that compels an interactive fiction player to hit the return key. You

have to get someone to turn the page.

Golden's involvement with the Holmes adventure quickly convinced him of the versatility players will see in future all-text formats. Another Bow takes place aboard a ship following World War I. Sherlock Holmes and his friend, Watson, must solve six different mysteries. In the course of the story, they meet such famous figures as Thomas Edison, Pablo Picasso, Gertrude Stein, and others. Golden chose Holmes, he says, because "it gave him a chance to be the most literary, to play with history, with style, and with the idea of writing dialogue." Golden also played with different speech patterns, from Southerners to Europeans, and with the idea of voice as used by different characters.

The conclusion Golden draws from his recent involvement is identical to that of Pinsky and Jim Paul: Writers will increasingly involve themselves in interactive fiction, complementing the talents which programmers bring to the genre. And as computer memory capacities rise from 64K and 128K to 512K and higher, the text adventure game will enter realms scarcely imagined today, giving writers even more latitude.

"We're looking out to a very exciting void," says Pinsky. "We don't know what people's imaginations are going to do with this tool. I can certainly see a whole new level of interactivity, actually putting a part of my dream life or fantasy life or emotional life into the game."

DI-SECTOR

Version 2.0

EVERYTHING YOU EVER WANTED IN A DISK UTILITY . . . AND MORE!! FOR THE COMMODORE 64*

- ★ Fully automatic back-up of almost any protected disk.
- * Copy files [PRG, SEQ, RND] with full screen editing.
- ★ Three minute back-up of standard disks [even many protected disks].
- ★ Format a disk in ten seconds.
- ★ View and alter sector headers.
- ★ Remove errors from any track/sector
- ★ Edit sectors in HEX, ASCII even assembler.
- ★ Create errors on any track/sector [20, 21, 22, 23, 27, 29] instantly.
- ★ Drive/64 MON, even lets you write programs inside your 1541.
- * All features are fully documented and easy to use.
- * None of our copy routines ever makes the drive head "kick."

Yes, you get all of this on one disk for this low price!_

_\$39.95

. Continuing Customer Support and Update Policy . . .

*Commodore 64 is a registered trademark of Commodore Business Machines STERPOINT SOFTWARE
Star Route 10 Gazelle, CA 96034 [916] 435-2371

All orders add \$3.00 shipping/handling. California residents add 6% sales tax. COD orders add an add I \$4.00 shipping. Check, Money Order, VISA, and MasterCard accepted.

SUPER PRINTER PACKAGES Gemini 10X and Cardco + G ... Prowriter and Cardco + G .. Panasonic 109 and Cardco G + 364 Panasonic 1090 and Cardco G + 295 Legend 880 and Cardco G + 309

No additional shipping charges on Printer Packages in Continental USA

PRINTERS

EpsonCall
Silver ReedCall
Prowriter 8510 309
Riteman 289
Toshiba 1351 Call
Toshiba 1340 Call
Axiom-CM-550 . 279
Legend 880 239
Panasonic 1090219
Panasonic 1091285

Bring the trivia craze home with P.Q. The Party Quiz Game for the Atari and the CBM 64 . 49.95

pson	Call
Iver Reed	.Call
rowriter 8510	309
iteman	289
oshlba 1351	Call
oshiba 1340	Call
xiom-CM-550 .	279
egend 880	239
	PITTOLE

Gemini 10X . . . Gemini 15X Delta 10X Delta 15X Radix 10X 549 Radix 15X 629 Powertype 329

M	Axiom Call
	U-Print-C 64.95
WORD.	Cardco G + 69.95
245	Turboprint GT 69.95
389	Connection Call
339	Indus GT Disk Drive . Call
499	Call for

Special Package **64 System Price**

COMMODORE 6

CBM 64 . 1541 Disk Drive . Call 1530 Datasette . . 66 1702 Monitor . . Call

MODEMS Haves Smart Modern 300 Call Mark VII / Auto Ans / Auto Dial Mark XII / 1200 Baud . . . Call Westridge AA / AD 74.95 Total Tele Modern 69.95

COMMODORE MODEM SPECIAL

Westridge Modem + VIP Terminal 119 Total Modem + VIP Terminal 115 Mighty Mo + VIP Terminal 119

Animation Station Touch Tablet 59.95

		No.
C	0	M
ACCESS		100012000
Neutral Zone Spritemaster Beachhead - Master Comp Raid Over Mo Scrolls Of Abo	-D/T	. 23.95
Spritemaster -	D/T	23.95
Master Comp	oser-D	.27.95
Raid Over Mo	scow-D/	7 27.95
Scrolls Of Abo	adon-D/	23.95
ACCESSOR	IES .	Call
WICO Joysto Filp 'n' File -I Filp 'n' File C Joysensor	Ö	20.95
Flip 'n' Flie C	art	20.95
HS Compuse	erve Kit	64.90
VIDTEX Gemini 10X 8 Monitors	WHILL	. 29.95
Monitors 6	sk upgrad	Call
Monitors Compuserve TAC III Joystl U-Print Printe 16K, 32K of Dust Covers	Starter	. 27.95
TAC III Joysti	ck	. 14.95
16K 32K or	64K	Call
Dust Covers .		Call
Competition	Pro Joysti	ck Call
Gill Certificat	es	Call
Star League		
Baseball - D On - Field Ten Space Shuttl On - Field Foo Designer's Pi Ghostbusters	/T	23.95
On - Field Ten	nls-D/T	23.95
On - Field Foo	tball-D	23.95
Designer's Pe	encil - D	. 24.95
Ghostbusters	-D	29.95
AVALON H		
BATTERIES		
Super Busso	ard II	Call
Super Busson Home Inventor	ory - D	23.95
Recipe - D	Cot D	.23.95
Recipe - D Audio / Video Mail List - D .	Cdi-D	23.95 23.95 23.95 23.95 23.95
Stamps - D		. 23.95
Stamps - D B.I. 80 Card Home Pak - D		Call 37.95
Cal-Kit		Call
BRARERRI	ND	
BRODERBU Bank Street \ Operation Wi Mask of the Dr. Creep - D Gumbail - D Bungeling Ba Spelunker - D Steatth - D Whistfer's Banks	Writer - D .	. 34.95
Operation Wi	hiriwind - D	27.95
Dr. Creep - D	Juli-D	20.95
Gumball - D .		20.95
Spekinker D	y-D	20.95
Stealth - D		20.95
Whistler's Bro	other - D	20.95
Print Shop - D		34.95
Loderunner Print Shop - D Serpent's Sta Karetka - D	r-D	. 27.95
Karetka - D		. 20.95
CARDCO Cardprint / B.		.47.95
Cardco + G		69.95
Cardboard / 5	5	59.95
Cardco + G Cardboard / S Cardkey Cassette Rec	order	37.95
Juggonio Noc	0.00	37.00

M	0	D
CARDO Printer Write I Mail N File No Graph Speil N Calc N Super	CO (com Utility - E Now - Ca ow - D Now - D . Now - D Now - D . Iow - D . Disk Util	29.95 29.95 29.95 29.95 29.95 29.95
CBS S Call for COMM Assemb Easy File III, IV- Easy CC Easy Me Easy Sc Easy Sc Easy Sc Logo - D The Mo General Accts. F Magic I Int. Soc Magic I Suspect Cutthro Suspect Cutthro Supper E Just Im Micro - I Micro - I Micro - I D Spider DATAS Conan Bruce L Lost Toi Mr. Do- Dig Du Pole Po Pacman	OFTWAI Illems an ODORE iller D. Indice I, III D. Indice III D. Indice I, III D. Indice III D. Indice I, III D. Indice II D. Indice I, III D. Indice I, III D. Indice I, III D. Indice II D. Indice I, III D. Indice I, III D. Indice I, III D. Indice III D. Indice I, III D. Indice I, III D. Indice I, III D. Indice I	8E 69.95
BASF Wabasi	1	
D-DI		assette

)	RE	
	DYNATECH	
	Advantura Writer - D	41.95
	Codewriter - D	69.95
	Dialog - D	41.95
	Codewriter - D	41.95
	Penortwriter - D	41.95
	Speedwriter - D	49.95
	FLECTRONIC AR	S
	Archon - D	29.95
	Pinball Construction	-D.29.95
	M.U.LE D	29.95
	Murder / Zinderneut	-D 29.95
	One On One-D	29.95
	Financial Cookbook	-D 37.95
	Music Construction	D 29.95
	7 Cities Of Gold - D	29.95
	Standing Stones - D	29.95
	One On One - D	-D . 29.95
	Kit - D	37.95
	Kit-D	20.05
	EPYX	20.00
	Dragone / Pern - D /	27.05
	Pitston II - D	27.95
	Robots of Dawn - D	27.95
	Summer Games	27.95
	Dragons / Pern - D / Pitstop II - D	D . 23.95
	Baseball - D Fast Load - Cart Scrabble - D	27.05
	Scrabble-D	27.95
	FIRST STAR	
	Call for Items and	Prices
	HANDIC	
	64 Forth-Cart	29.95
	64 Graf - Cart	23.95
	Stat 64-Cart	23.95
	Calc Result Easy - C	art . 34.95
	The Diany Cart	an 69.95
	64 Forth - Cart	20.05
	The Tool-Cart Bridge Cart	29.95
	HESWARE	
	Hesware	Call
	INCTA /CIMMAD	ON
	Insta - Writer - Cart	34.95
	Insta - Mall - D	27.95
	Insta - Writer - Cart . Insta - Writer - Cart . Insta - File - D . Management Comt Insta - Calc - Cart / D . Insta - Graph - D . Insta - Vestor - D . Insta - Speed - D	44.95
	Management Comb	0 69.95
	Insta - Calc - Cart / D	34.95
	Insid - Graph - D	20.05
	Insta - Speed - D	64.95
	Insta - Speed - D Invest Combo Word Craft - D Insta - Ledger - D	64.95
	Word Craft-D	44.95
	Insta - Ledger - D	Call

3	4	S	
Ī	INFOCOM		
	Deadline - D . Enchanter - D Infidel - D	29	9.95
	Enchanter - D		3.95
	Planetfall - D	2/	195
	Sorcerer - D	29	9.95
	Planetfall - D . Sorcerer - D . Starcross - D . Suspended - C	29	9.95
	Suspended - D)29	9.95
	Witness - D Sea Stalker - I Zork I, II, or II	29	1.95
	Zork I II or II	ILD 2	7.05
	KOALA		
	Gibson Light	Pen 69	95
	Gibson Light Koala Touch Koala Touch Muppet Learn	Tablet - D . 69	9.95
	Koala Touch	Tablet - C . 74	4.95
	Muppet Learn	Keys-D. 54	1.95
	MICROFUN		
	Call for Items		
	MICROPRO	SE	
	Floyd / Jungle	1-D23	3.95
	Floyd / Jungle Helicat Ace - I NATO Commi	ander-D 2	3.95
	Solo Flight - D	/T 23	3.95
	Spittire Ace-I	D/T 23	3.95
	Air Rescue - D	/T23	3.95
	Solo Flight - D Spittire Ace - I Air Rescue - D Challenger - D F - 15 Strike E	772	3.95
	HINDCOAD	agie-DZ	3.95
	MINDSCAPI Call for Items		
	MISCELLAN Quick Brown		
	Fox - D / Cor	1 3	195
	Fox-D/Car Ultima III-D. Flight Simulat Night Mission	4	1.95
	Flight Simulat	tor II - D 3	7.95
	Night Mission	/	
	Pinball - D / Home Accoun	otant D 40	0.95
	Borron's Sof.	• D	7.95
	Telestar 64 - 0 Castle Wolfer	Oart 3	7.95
	Castle Wolfer	nstein - D 20	0.95
	Mastertype - D Aztec - D Miner 2049er Strip Poker - D Astro Chase - Flip Flop - D / Revend Wolfe	2	7.95
	Miner 2049er	-Cort 2	7.95
	Strip Poker - D	22	3.95
	Astro Chase -	D/T 20	0.95
	Flip Flop-D/	T20	0.95
	Beyond Wolfe	enstein - D. 23	3.95
	Beyond Wolfe Sam-D Mae Assemb Jupiter Missio	ler-D 40	1.90
	Jupiter Missic	on - D 3	4.95
	Barron - D Tycoon - D Millionaire - D Kwik - Load - I	3	7.95
	Tycoon-D	3	7.95
	Millionaire - D	2	7.95
	Sargon III - D		195
	Kwik-Load-I Sargon III-D Bruce Lee-D	/T 2	3.95
	THE RESERVE OF THE PROPERTY.		

inity	my mo .		111/4.00
0	F	T	W
MI	SCELLAI go Joe - D vie Make ling Tutor ace Taxi -	NEOUS	(cont.)
Pog	go Joe-D	/T	20.95
Mo	vie Make	-D	32.95
Тур	ace Taxi- ace Taxi- Termina odle-D. Derbase- lana Jon- ma IV-B wenture M wenture M wenture V dewriter- y vs. Spy arth / Carlt ulder Dass Helst-D rezuma's uss-Carlt y Hunter- pper-D ma II-D lax-D lax	111-D	34.95
Vin	Termina	20.93	41.04
Do	odle-D.		27.95
Sur	perbase -	64D	69.95
Ind	lana Jon	es - D	23.95
Um	ma IV-D		41.95
Adv	venture M	aster - D	34.9
Adv	venture v	vitter - D	60.00
Sni	we Sny	D	23.0
Dec	ath / Carit	bean - [27.95
Bot	ulder Das	h-D	27.9
The	Heist - D		23.95
Mo	ntezuma's	Reveng	e-D 29.9
Gyr	uss - Cart		34.9
Spy	Hunter-	D	29.9
Igh	per-U		29.9
Din	ma II-D	/T	22.0
Del	a wax-p	/1	70.0
Za	con-D/		27.9
Ko	ala - Printe	r-D	19.9
Fro	gger - D /	T	23.9
Get	Rich Se	ries - D .	34.9
Stri	p Poker-	D	23.9
Mic	ro-Leag	ne	00.0
R	aseball-I me Pak- vie Make	2	27.0
Mo	me Puk-	. n	37.9
D.A	DVED B	DOTUE	DC
	RKER B		
			11005
30	ARBOR	DVCart	27.0
Mo	stertype -	D/Can	54.0
Sor	t Worth - I ngwriter - n for the ures and iting Wize	Ď	27 9
Ru	n for the	Money -	D 27.9
Fla	ures and	Formula	s-D 20.9
Wr	tting Wize	ord - D	49.9
	HOLAS		
	Il for Item		Prices
	REENPL		
	Il for Item		Prices
	GA		
	Il for Item	s and I	Prices
	ERRA O		
	Il for Item		Prices
en	INNAVE	n	
Act	INNAKE	rentor C	ort 22.0
An	robles - D	odioi - C	27.0
Alf	in the Co	or Cave	s-C 22 9
Alp	habet Zo	o - Cart	22.9
De	ta Drawi	ng - Cart	22.9
Fac	cemaker-	Cart	22.9
Fro	ction Fev	er - Cart	22.9
Kid	venture C robics - D in the Co habet Za Ita Drawi cemaker- action Fev is on Key	s-Cart	22.9
	-		

_	
	A R E SPINNAKER (cont.) Kidwriter - D
Ī	SPINNAKER (cont.)
	Kidwriter - D 22.95
	Snooper *1-D 22.95
	Snooper *2-D 22.95
	Snooper *2-D 22.95 Story Machine - Cart 22.95 Trains -D 22.95
	Trains - D 22.95
	Trains - D
	SSI
	EO William Cauch D 27.05
	50 Million Crush - D 27.95 Battle / Normandy - D / T 27.95 Combat Leader - D / T 27.95
	Compat Leader D /T 27.95
	Computer Baseball - D . 27.95
	Cosmic Balance-D27.95
	Eagles - D
	Fortrees D 23.05
	Fortress - D
	Knight / Decert - D /T 27.95
	Professional Golf-D 27.95
	DED 1085 D 23.05
	RFD 1985 - D 23.95 Ringside Seat - D 27.95
	Tigers in the Snow-D27.95
	Battle 85-D23.95
	Broadsides - D 27.95
	Ougetron D 27.95
	Questron - D
	Fleid of Fire D 27.95
	Carrier Force - D 41.95
	Breakthrough / Ardennes - D 41.95
	President - Elect - D 27.95
	SYNAPSE
	Call for Items and Prices
	TIMEWORKS
	Accounts Payable /
	Checkwriter - D 41.95 Accounts Receivable /
	Accounts Receivable /
	Invoice - D 41.95
	Cash Flow
	Management - D 41.95 Data Manager 2 - D 34.95
	Data Manager 2-D 34.95
	Data Manager - D / T 19.95 Dietron - D / T 19.95
	Diefron - D / 1 19.95
	Dungeon Algebra
	Dragon - D/T 19.95
	Electronic
	Checkbook - D/T 19.95
	General Ledger - D 41.95
	Inventory Management - D 41.95
	Money Manager-D/T 19.95
	Payroll Management - D 41.95
	Evelyn Woods - D 49.95
	TOULIUM

TRILLIUM WAVEFORM

WINDHAM CLASSICS Call for Items and Prices

Hundreds of Items available for the CBM 64, please call

NEW PRODUCTS

To Order Call Toll Free 800-558-0003 For Technical Info, Order

414-351-2007

Mancopter - D. Meridian III - D

NO SURCHARGE FOR MASTERCARD 🚗






ORDERING INFORMATION. Please specify system. For fast delivery send cashier's check, money order or direct bank transfers. Personal and company checks allow 2 weeks to clear. Charges for COD are \$3.00. School Purchase Orders welcome. In CONTINENTAL USA, include \$3.00 shipping per software order. Include 3% shipping on all Hardware orders, minimum \$3.00. Mastercard & Visa please include card # and expiration date. Wi residents please add 5% sales tax. HI, AK, FPO, APO, Canadian orders—add 5% shipping, minimum \$5.00. All goods are new and include factory warranty. Due to our low prices, all sales are final. All defective returns must have a return authorization number. Please call 414-351-2007 to obtain an RA# or your return will NOT be accepted for replacement or repair. Prices and availability are subject to change without notice.

COMPUTABILITY P.O. Box 17882 Milwaukee, WI 53217

ORDER LINES OPEN In-Fri 11 AM - 7 PM CST 12 PM - 5 PM CST


COMPUTE! BOOKS





The Greatest Games, The 93 Best Computer Games of All Time Dan Gutman and Shay Addams \$9.95

With hundreds of computer games available for every home, how's a game enthusiast to decide which ones to buy? The Greatest Games, written by the founders and editors of Computer Games Magazine, has the answers. It contains lively indepth reviews of the 93 greatest computer games. Eighteen different types of games are reviewed, including role-playing games, graphic adventures, sports games, and classic arcade games. This is a book every computer game lover will want to own.

> SpeedScript: The Word Processor for the Commodore 64 and VIC-20 Charles Brannon \$9.95.







All About the Commodore 64, Volume Two Craig Chamberlain \$16.95

Here's something for people who know the BASIC language, but find it too slow or limiting for some applications. The book offers a variety of powerful machine language utility programs that make sound and graphics far more accessible. It is divided into four sections: Advanced BASIC, Bitmapped Graphics, Sound (including a very sophisticated sound editor and player), and a sprite control system.

Our new Spring releases bring you programming instructions, buying tips, business utilities, home applications, and exciting games for you to use and enjoy.

Look for these and other best-selling titles from COMPUTE! Books at your local bookstore or computer store, or order directly from COMPUTE! Publications. Call 800-334-0868 for more information.

> **APUTE!** Publications,Inc. One of the ABC Publishing Companies 324 W. Wendover Avenue, Suite 200. Greensboro, NC 27408, 919-275-9809.

is of COMPUTEL COMPUTE's Gazette, COMPUTE's Gazette Disk, COMPUTEL Books, and COMPUTE's Applie Applications

A Guide To Commodore User Groups Part 2

The second half of the user group guide includes states N-Z and countries outside the U.S. We will continue to publish updates in future issues. Send additions, corrections, and deletions to:

COMPUTE! Publications P.O. Box 5406 Greensboro, NC 27403 Attn: Commodore User Groups

NEBRASKA

- The Alliance Commodore Computer Club, M. Sallee, 1629 Boise, Alliance, NE 69301, (308) 762-
- Mid-Nebraska Users of Commodore (MUC), Bob Luebbe, 3220 W. 13, Apt. 9, Grand Island, NE 68801, (308) 382-1933
- Rivercity Commodore Club, Richard d'Autremont, 2742 Newport Ave., Omaha, NE 68112
- Greater Omaha Commodore 64 User Group, Bob Quisenberry, 2932 Leawood Drive, Omaha, NE 68123, (402) 292-2753

NEVADA

- S.O.G. Commodore User Group, Lee Schram, c/o IC Electronics, 4011 W. Charleston Blvd., Las Vegas, NV 89102, (702) 646-5656
- CLONE, Lee Huntley, 6438 E.Goldmine Dr., Las Vegas, NV 89115

NEW HAMPSHIRE

- Amoskeag C-64 User Group, Brad and Nancy Mayer, 61 Prospect St., Manchester, NH 03104, (603) 669-6277
- C-64 Users, P.O. Box 4022, Rochester, NH 03867 Monadnock Commodore 64 Users, c/o Paul F. Rule III, RFD No. 1, Rt. 10, Winchester, NH 03470, (603) 352-6722

NEW JERSEY

- Bordentown Area Commodore Users Group, Joe Griner, P.O. Box 381, Bordentown, NJ 08505
- South Jersey Commodore Users Group, Mark Orthner, P.O. Box 4205, Cherry Hill, NJ 08034
- Somerset Users Group, Stan Kosciuk, 5 Shasta Pass, Fanwood, NJ 07023, (201) 889-5520
- Morris Area Commodore User Group, Bob Searing, 51 Ferncliff Rd., Morris Plains, NJ 07950
- RCA Commodore Users Group (RCACUG), William Rowe, 432 Hemlock Lane, Mt. Holly, NJ
- Rancocas Valley User Group, M. Eisenbacher, P.O. Box 234, Mt. Laurel, NJ 08054, (609) 267-1912
- Info-64 c/o Video Dynamics, Ltd., 16 W. Ridge wood Ave., Ridgewood, NJ 07450, (201) 447-4422
- Jersey Shore Commodore Users Group, Robert Mc-Kinley, George Decker; 89 Stratford Rd., Tinton Falls, NJ 07724, (201) 542-2113; 223-1387
- Ewing Commodore Users Group, John C. Jones, 11 Van Saun Dr., Trenton, NJ 08628, (609) 882-4826 Commodore 64 Users Group, Thomas Martin, 680 Leigh Terrace, Westwood, NJ 07675, (201) 664-

NEW MEXICO

- New Mexico Commodore User's Group, Susan Palmer, P.O. Box 37127, Albuquerque, NM 87176
- The Southern New Mexico Commodore User's Group, David Selwyn, P.O. Box 4437, Uni. Park Brch, Las Cruces, NM 88001, (505) 522-7622

 The Northern New Mexico Commodore Users Group, David Martinez, 2725 Camino Cimarron, Santa Fe, NM 87501, (505) 471-3110 evenings

NEW YORK

Adirondack Commodore 64 User Group, Jean B. Kerst, P.O. Box 99, Blue Mt. Lake, NY 12812, (518) 352-7740

- Brentwood-Bayshore VIC/64 User Group, Serafin R. Vargas, Pub. Lib. 2nd Ave. & 4th St., Brentwood, NY 11717, (516) 273-7883
- Commodore Computer Game Masters of the Bronx, Etc.(CCGMB) (C-64 only), Michael A. Soto, Jr., 4526 Monticello Ave., Bronx, NY 10466, (212) 994-5762 (5-8 p.m., weekends 12-5 p.m.)
- Folklife Terminal Club, John Krebs, P.O. Box 555-C, Bronx, NY 10475
- Brooklyn Commodore User's Group, Malcolm J. Gottesman, 1735 E. 13th St., Apt.7N, Brooklyn, NY 11229-1950, (718) 375-5278
- North Buffalo Commodore Users' Group, Jon Hilgreen, 309 Commonwealth Ave., Buffalo, NY 14216, (716) 873-8332
- Long Island VIC Society (L.I.V.I.C.S.), Lawrence Stefani, 20 Spyglass Lane, East Setauket, NY 11733, (516) 751-7844
- Academy of Aeronautics C-64 Users Group, John Karakian, Aircraft Technology Dept., Academy of Aeronautics, La Guardia Airport, Flushing, NY 11371 (Membership limited to those attending academy.)
- Great Neck Commodore User Group, Adam Korn, 30 Grace Ave., Great Neck, NY 11021, (516) 482-
- Long Island VIC Enthusiasts, Arnold Friedman, 17 Picadilly Rd., Great Neck, NY 11023
- Finger Lakes Area Komputer Experts (F.L.A.K.E.S.), Terri Lynne Narby, 86 West Lake Rd., Hammondsport, NY 14840, (607) 868-3674
- Highland Falls Commodore Users Group, Kevin R. Mandoske, 8 Knox Rd., Highland Falls, NY 10928, (914) 446-2802
- Commodore Computer Users Group of Ithaca, Max Paperno, 202 Bridge St., Ithaca, NY 14850, (607) 277-3981, BBS: (607) 272-9306
- MI-64, Alex Migliozzi, 4 Essex Place, Jericho, NY 11753, (516) 681-2391
- Hudson Valley Commodore Club, Ric Wright, P.O. Box 2190, Kingston, NY 12401, (914) 382-1561
- VIC-20 Commodore 64 User Group, John Mason, P.O. Box 280, Lindenhurst, NY 11757
- Central New York Commodore Users Group, Carl Bittel, 8037 Morgan Rd., Liverpool, NY 13088, (315) 622-2913
- 64 Club, Kevin DeNardo, P.O. Box 2394, Liverpool, NY 13089, (315) 457-1725 Plattsburgh Commodore Users Group, Steve No-
- lan, 61 E. Main St., Morrisonville, NY 12962, (518) 563-5764
- Commodore 64 User Group of Orange County, Stephen Gerstl, Box 238, RD 1, New Hampton, NY 10958, (914) 355-1478
- CMI Commodore Club, Rusty Staub, 243 Main St., New Paltz, NY 12561, (914) 255-1500 New York Commodore Interest User Group (NYCIG), Ben Tunkelang, 380 Riverside Dr. 7Q, New York, NY 10025
- Metropolitan Life Insurance Users Group, Harry Kristy, P.O. Box 618, New York, NY 10159
- Northern New York Commodore Home User Group (NORNY-CHUG), Andrew VanDuyne, P.O. Box 226, Norwood, NY 13668, (315) 353-
- North Country Commodore Club, Eleanor Cunningham, 1607 Ford St., Ogdensburg, NY 13669, (315) 393-2708

- ESUG, 52 Underhill Rd., Ossining, NY 10562, (914) 941-2378 or (914) 941-0385
- Oswego Commodore User Group, John Boronkay, 208 Park Hall, Dept.of Technology, SUC, Oswego, NY 13126, (315) 341-3010
- Club 64, Chris C. Theodore, 174 Maple Ave., Patchogue, NY 11772, (516) 289-9271
- Commodore Users Group of Rochester (CUGOR), P.O. Box 26514, Rochester, NY 14626
- Rockland County CPU (C-64 Professional Users) Group, Brian Telesh, 98 West Central Ave., Spring Valley, NY 10977
- The Commodore Computer Club of Syracuse, P.O. Box 2232, Syracuse, NY 13220
- 64 Southtowns User Group, Michael Leskow, 504 Sommerville Rd., Tonawanda, NY 14150, (716)
- Commodore Buffalo User Group (COMBUG), David A. Newton, 199 Dale Drive, Tonawanda, NY 14150, (716) 695-1626
- Mohawk Valley Commodore User Group, William A. Nowak, P.O. Box 343, Tribes Hill, NY 12177, (518) 829-7576
- Utica Commodore User Group, Phil Rothstein, 1801 Storrs Ave., Utica, NY 13501, (315) 733-2244
- Orange County Commodore Users Group, (O.C.C.U.G.), P.O.Box 515, Vails Gate, NY 12584

NORTH CAROLINA

- Asheville-Buncombe User Group (A-BUG), Bob McFee, P.O. Box 15578, Asheville, NC 28813, (704) 254-5581
- Raleigh VIC-20/64 User Group, Jerry Mersch, 405 Willow Brook Drive, Cary, NC 27511, (919) 467-
- Commodore Users Group of Fayetteville (CUGOF), Steve Peterson, P.O. Box 41601, Fayetteville, NC 28309, (919) 864-6972
- Triad C-64 Users Group, P.O. Box 10833, Greens-boro, NC 27404
- VIC-20/C-64 User Group, David C. Fortenberry, Rt. 3, Box 351, Lincolnton, NC 28092, (704) 732-0932
- Down East Commodore User Group, Ward H. Zimmerman, P.O. Box 525, Newport, NC 28570, (919) 223-3537
- Commodore 64 Research Triangle User Group, Mike Stroud, 2213 Wininger Dr., Raleigh, NC 27603, (919) 772-4112
- Wilmington Commodore Users Group (WCUG), Terry M. Brown, 409 R.L. Honeycutt Drive, Wilmington, NC 28403, (919) 799-5041

NORTH DAKOTA

Central Dakota Commodore Club, Bob MacLeod, 102 East Capitol Ave., Bismarck, ND 58501, (701) 223-3390

OHIO

- Akron Area Commodore User Group, Patrick Papania, Rm. B-201, 80 W. Bowery, Akron, OH
- Mid-Ohio Commodore User's Club, Michael A. Bilbee, 66 Main St., Butler, OH 44822
- Akron Area Commodore Club (AACC), Dan Shibley, 1443 Wendy St.#88, Canton, OH 44709, (216) 762-1934

Central Ohio Commodore Users Group, Philip Lynch, 3450 Wilson Woods Dr. Apt. J., Columbus, OH 43204, (614) 274-0304, BBS: (614) 274-6502

Chillicothe Commodore User Group (C.C.U.G.), Charles Rechner, 9 Ash Rd., Chillicothe, OH 45601, (614) 775-3839

Akron Area C-64 Users Group, Paul M. Hardy, 2453 Second St., Cuyahoga Falls, OH 44221, (216) 923-4396

Galion Commodore User Group, Doug Osborne, 980 Bucyrus Rd., Galion, OH 44833, (419) 468-

WESTCOM 64 Commodore 64 Users Group of Western Cincinnati, Rick Olano, 156 Citation Circle, Harrison, OH 45030, (513) 367-2668

Marion Ohio Commodore User Group (MOCUG), Van Munro, 775 Wolfinger Rd., Marion, OH 43302, (614) 726-2630

Northeast Ohio Commodore User Group, Ross Black, P.O. Box 718, Mentor, OH 44061, (216) 942-

Commodore 64 Users Group, Jeff Eklund, 702 Park Ave. NW, New Philadelphia, OH 44663, (216) 364-6158

Commodore Computer Club of Toledo (CCCT), P.O. Box 8909, Toledo, OH 43623

OKLAHOMA

Commodore Users of Bartlesville, Fred Mayes, 1704 S. Osage, Bartlesville, OK 74003, (918) 336-0233

Commodore Users, Monte Maker, P.O. Box 192, Guthrie, OK 73044

Muskogee Commodore Users Group, Steve Ford, 202 S. 12th St., Muskogee, OK 74401

Greater Oklahoma Commodore Club, Randy Hill, 1401 N. Rockwell, Oklahoma City, OK 73127, (405) 732-4956

Tulsa Area Commodore Users Group, Craig Bowman, 7804 N. 117th E. Ave., Owasso, OK 74055, (918) 272-9755

OREGON

Astoria Commodore User Group, Bob Carson, Rt. 3, Box 75, Astoria, OR 97103, (503) 325-1890

Beaverton 64 User Group, Jack Simpson, 11855 S.W. Ridgeview Terrace, Beaverton, OR 97005, (503) 646-9596

Klamath Commodore 64 User Group, Mrs. Juanita Eiteneier, P.O. Box 7654, Klamath Falls, OR 97602 Amateur Radio Group, Jim Meyers, P.O. Box 626, Molalla, OR 97038, (503) 239-8888

Albany Corvallis C-64 User Group, Nellie Stratton, 800 South 19th, Philomath, OR 97370

Mount Hood Community College Commodore 64 Users Group, Ted Scheinman, 4044 NE Couch, Portland, OR 97232

North/Northeast Commodore User Group, Mike Daigle, P.O. Box 17580, Portland, OR 97217, (503) 289-5179

Pacific Northwest Commodore User Group, Denny Kruse, P.O. Box 2310, Roseburg, OR 97470, (503) 673-1055

United States Commodore Users Group, Richard Tsukiji, P.O. Box 2310, Roseburg, OR 97470, (503) 673-3321

Salem C-64 Users Group, Bud Rasmussen, 3795 Saxon Drive S., Salem, OR 97302, (503) 585-1515, BBS: (503) 588-2364 (24 hours)

Yamhill County Commodore Users Group, Dan Linscheid, Rt. 2 Box 246, Sheridan, OR 97378, (503) 843-2625

PENNSYLVANIA

Lehigh Valley Commodore User Group, Hiram Cook, 2228 Baker Drive, Allentown, PA 18102, (215) 791-3938

B.A.S.I.C., Dimitri N. Dantos, 1433 13th Ave., Altoona, PA 16601, (814) 942-9565

COMPSTARS, Mike Norm, 3770 Worthington, Collegeville, PA 19426

Worldwide Commodore User Groups— Pottstown/Boyertown Area Chapter, Dave Walter/Richard Franklin, R.D. #1, Washington Rd., Bechtelsville, PA 19505, (215) 584-4483

Worldwide Commodore Users Group (International Headquarters), Anthony Richards, P.O. Box 337, Blue Bell, PA 19422

Castle Commodores Computer Club, Dean G. Thomas, R.D. #1, Box 210A, Edinburg, PA 16116, (412) 652-3352

Naval Air Development Center, Commodore User Club, Alan Blumenthal, 912 Fraser Rd., Erdenheim, PA 19118, (215) 441-2580

North Coast Commodore Users Group Erie (Main) Chapter, Denny Witkowski, P.O. Box 6117, Erie, PA 16512-6117, (814) 866-1625

North Coast Commodore Users Group Edinboro (County) Chapter, Robert Glenn, P.O. Box 6117, Erie, PA 16512-6117, (814) 398-8146

Westmoreland Computer Users Club (Commodore Section), Jim Mathers, 3021 Ben Venue Drive, Greensburg, PA 15601, (412) 836-2224

United States Commodore Users Group, Michael J Frye, 1255 Brinkerton Rd., Greensburg, PA 15601, (412) 423-7696 (6-11 p.m.)

Cen.P.U.G. for Commodore, Jeffrey Hendershot, RD #1, RC #17, Howard, PA 16841, (717) 962-2495

Wyoming Valley Commodore Users Group, John Youells, 94 Second Ave., Kingston, PA 18704, (717) 288-7264

Capitol Area Commodore Club, William Zoller, P.O. Box 333, Lemoyne, PA 17043

Lowerbucks User Group, Donald Moyer, 252 Makefield Rd., Morrisville, PA 19067, (215) 295-3591

CUBBS Commodore Users Group, 500 Diller Ave. (M.S. 1022), New Holland, PA 17557

A-K 64 User Group, Alton E. Glubish, 1762 Fairmont St., New Kensington, PA 15068, (412) 335-9070

Worldwide Commodore User Groups-Norris-town Chapter, Dave Walter/Richard Franklin, 110 Miami Ave., Norristown, PA 19403, (215) 948-6542

Oxford Circle 64 Users Group, Allen Kozin, 784 Smylie Rd., Philadelphia, PA 19124, (215) 535-

United Users Incorporated ATTN:Commodore Division, 1931 Rockledge St., Pittsburgh, PA 15212, (412) 321-0928

Pittsburgh Area Commodore User Group (P.A.C.U.G.), Robert Borowski, 302 Penn St., Pittsburgh, PA 15215, (412) 782-0319
Bettis Commodore Users Group, Bill Campbell, 592

Arbor Lane, Pittsburgh, PA 15236
Pittsburgh Commodore Group, Joel A. Casar, 2015

Garrick Drive, Pittsburgh, PA 15235
Cen.P.U.G. for Commodore, Joseph Coffman, Box 102, Salona, PA 17767, (717) 726-4564
Upper Buxmont C64 Users, Don Roques, 655

Bergey Rd., Telford, PA 18969, (215) 723-7039 Main Line Commodore Users Group (MLCUG), Emil Volcheck, 1046 General Allen Lane, West Chester, PA 19382, (215) 388-1581

South Pittsburgh Commodore Group, Charles W. Groves III, 2407 PA Ave., West Mifflin, PA 15122, (412) 466-3314

West Branch Commodore Users Group, Gene Loveland, P.O. Box 995, Williamsport, PA 17703, (717) 323-7901

RHODE ISLAND

Narragansett Commodore Users Group, Robert R. Payne, EPA Environmental Research Lab, South Ferry Rd., Narragansett, RI 02882, (401) 885-2458 (evenings 6-9 p.m.)

Newport Computer Club, P.O. Box 1439, Newport, RI 02840

SOUTH CAROLINA

Beaufort Technical College User Group, Center For Staff And Curriculum Development, P.O. Box 1288, Beaufort, SC 29902, (803) 524-3380 (ext.

Commodore Computer Club of Columbia, Buster White, P.O. Box 2775, Cayce/W. Columbia, SC 29171, (803) 772-0305

The Executive Touch (E.T.), Patricia Watkins, 208 Highway 15, Myrtle Beach, SC 29577, (803) 448-

Charleston Computer Society, Jack A. Furr, Jr., P.O. Box 5264, N. Charleston, SC 29406, (803) 747-0310, BBS: (803) 747-6981

Rock Hill Commodore User Group (RHCUG), Robbie Smarzik, 565 Scaleybark Circle, Rock Hill, SC 29730, (803) 366-7918

SOUTH DAKOTA

VIC-64 User Club, Larry J. Lundeen, 608 W. 5th, Pierre, SD 57501, (605) 224-4863

Sioux Falls User Group, Brandon Ulrich, 4200 S. Louise Suite 304, Sioux Falls, SD 57106, (605) 361-0833

TENNESSEE

Commodore Computer Club, Marty Garner, P.O. Box 96, Estill Springs, TN 37330, (615) 649-5962 Old Hickory Commodore Users Group, Joseph H. Toy, 25 Coats Cove, Jackson, TN 38305, (901) 424-

Metro Knoxville Commodore User Club, Ed Pritchard, 7405 Oxmoor Rd., Rt. #20, Knoxville, TN 37931, (615) 938-3773

Memphis Commodore Users Club, P.O. Box 34095, Memphis, TN 38134-0095, (901) 362-5632

Nashville Commodore User Group, Dave Rushing, P.O. Box 121282, Nashville, TN 37212, (615) 331-5408

TEXAS

Commodore User Group, Alice Jason Perkins or Shane Lind, 13314 Corozan, Alice, TX 78332, (512) 664-6887

Commodore User Group of Austin, P.O. Box 49138, Austin, TX 78765

Mid-Cities Commodore Club, P.O.Box 1578, Bedford, TX 76021, Metro (817) 498-0899

Corpus Christi Commodores, Bob McKelvy, P.O. Box 6541, Corpus Christi, TX 78411, (512) 852-4426

FED 64 Computer Club, Pat Zembower/OPM, 1100 Commerce St., Dallas, TX 75242, (214) 767-8245

64 User Group, P.O. Box 801828, Dallas, TX 75380, (214) 239-7665

Irving Commodore Users Club, Louis Cantu, P.O. Box 165034, Irving, TX 75016, (214) 790-4769

Longview Users Group, P.O. Box 9284, Longview, TX 75608, (214) 759-3459

South Plains 64 User Group, John N. Bottoms, Sr., 7709 Ave. W., Lubbock, TX 79423, (806) 745-4381 Lubbock Commodore Users Group, Robert Massengale, 3817 64th Drive, Lubbock, TX 79413

BiStone Users Club, R.G. Gore, P.O. Box 386, Mexia, TX 76667, (817) 562-6808

The Users, Brad Lewis, 209 Altavista, Rockwall, TX 75087, (214) 722-9774

Commodore (Houston) User Group (CHUG), Mary and John Howe, 23502 Creekview Drive, Spring, TX 77379, (713) 376-7000 (713) 721-8542 (tape-re-

corded meeting info)
The Woodlands Commodore Users Group, Andrew Gardner, 3 Splitrock Rd., The Woodlands, TX 77380, (713) 292-8987

Crossroads Commodore Users' Group, Jerry Guy, 417 Irma Drive, Victoria, TX 77901, (512) 575-

Heart of Texas Commodore Home User Group (HOT CHUG), Lt. Mike Stuff, 2100 N. New Rd., Waco, TX 76710

UTAH

Wasatch Commodore Users Group (WACUG), Mike Murphy, P.O. Box 4028, Ogden, UT 84402, BBS: (801) 773-5512

Uintah Basin Commodore Users Club, John Weight, 373 East 650 North 97-3, Roosevelt, UT

VERMONT

Champlain Valley Commodore Users Group, Steve Lippert, 6 Mayfair, South Burlington, VT 05401, (802) 658-4160

VIRGINIA

The Franconia Commodore Users Group, Mark Sowash, 5924 Dove Drive, Alexandria, VA 22310, (703) 971-5021

NAVAIR Commodore User Group, Jon Steeby, 4423 Raleigh Ave. #102, Alexandria, VA 22304

Arlington VICtims (20/64), Robin Franzel, 5521 Harvey Ln., Alexandria, VA 22312, (703) 256-7230

Commodore Users Group, David M. Boyter, Rt. 2, Box 278B, Boydton, VA 23917

Commodore Hilltop User Group (CHUG), Doug Stiltner, Rt. 3, Box 301-B, Cedar Bluff, VA 24609, (703) 964-9304

Capitol Area Commodore Enthusiasts (CACE), William Tyler, 607 Abbotts Lane, Falls Church, VA 22046

Commodore Users of Franklin, Bruce Powell, 1201 N. High St., Franklin, VA 23851

COMPUTE! Books brings you the companion volume to the best


seller, *Machine Language for Beginners*, about which the critics have said:

"If you know BASIC and want to learn machine language, this is the place to start Building on your experience as a BASIC programmer, Mansfield very gently takes you through the fundamentals of machine language."—Whole Earth Software Catalog


"Understandable"-The New York Times

"Presents the machine language novice with a very good tutorial in simple, understandable terms."—Antic

"I highly recommend Machine Language for Beginners as your first introduction to the world of machine language."—Commodore Power/Play



The Second Book of Machine Language for the Commodore 64, VIC-20, Apple, Atari, and PET/CBM



15% Discount
Buy both books for
\$25.00 and save
\$4.90! That's 15%
off the retail price!

Offer Expires June 30, 1985.

The Second Book of Machine Language picks up where Machine Language for Beginners left off. This new book contains one of the most powerful machine language assemblers currently available. The LADS assembler is a full-featured, label-based programming language which can greatly assist you in writing machine language programs quickly and easily.

It's also a clear, detailed tutorial on how large, complex machine language programs can be constructed out of manageable subprograms.

There are powerful computer languages and there is good documentation, but rarely has a sophisticated language been so completely documented as it is in this book. When you finish with this book, you'll not only have a deeper understanding of machine language—you'll also have one of the most powerful machine language assemblers available. And since everything is thoroughly explained, you can even add custom features to the assembler to create a custom language that does just what you want it to (the book shows you precisely how to modify the assembler).

For Commodore 64, Apple (II, II+, IIe, and IIc, DOS 3.3), VIC-20 (8K RAM expansion required), Atari (including XL, 40K minimum), and PET/CBM (Upgrade and 4.0 BASIC). Disk drive recommended.

THE LADS DISK

LADS, the assembler used in *The Second Book of Machine Language*, is available on disk for only \$12.95. This is a great accompaniment to the book, saving you hours of typing time by providing the complete source and object modules for all versions of the assembler. And LADS disks are specific to your Apple, Atari, or Commodore computers.

To Order: Call Toll Free 800-334-0868 (in NC 919-275-9809) or mail this coupon with your payment to COMPUTE! Books, P.O. Box 5058, Greensboro, NC 27403. Offer Expires June 30, 1985.				
The Second Book of Machine Language, \$14.95 Machine Language for Beginners, \$14.95 LADS Disk (Apple) \$12.95	1 Book for 2 Books for LADS Disk for	\$14.95 \$25.00 \$12.95		
LADS Disk (Atari) \$12.95 LADS Disk (Commodore), \$12.95	NC residents add 4.5% sales tax	\$		
☐ Payment Enclosed (check or money order) ☐ Charge ☐ MasterCard ☐ Visa ☐ American Express Acct. No	Shipping and handling (\$2.00 per book \$1.00 per disk)	\$		
Signature	Total Paid	\$		
NameAddress	All orders must be prepaid. Please allow 4-6 weeks for delivery.			
City Zip	COMPUTE! Publications	5,Inc.		

Fredericksburg Computer Club, Steven Northcutt, P.O. Box 1011, College Sta., Fredericksburg, VA 22402, (703) 371-4184

Central Virginia User Group C-64 and VIC 20, Dale Moore, Rt. 3 Box 451, Hurt, VA 24563, (804) 324-4054

Lynchburg User Group, Dick Rossignol, Rt. 2, Box 180, Lynchburg, VA 24501

Washington Area Commodore User Group, Richard Jackson, P.O. Box 93, Mount Vernon, VA 22121, (703) 360-6749

R.A.C.E. Commodore 64 Users Group, Larry Rackow, 4726 Horseman Drive, Roanoke, VA 24019, (703) 362-8960

WASHINGTON

Anacortes User Group, Jim Cook, 1010 5th St., Anacortes, WA 98221, (206) 293-0222

C-64 Diversity, Jill Johnston, 18204 67th Ave. NE, Arlington, WA 98223, (206) 435-4580

Commodore Computing Exchange, Phillip King, 16821 First Ave. SE, Bothell, WA 98012

Club 64, Hal Scheidt, 6735 Tracyton Blvd. NW, Bremerton, WA 98310, (206) 692-8295

CBM Users Group, Rick Beaber, 803 Euclid Way, Centralia, WA 98531, (206) 736-4085

White River Commodore 64 User's Group, Dana L. Seaney, 2649 Warner Ave. W. #69, Enumclaw, WA 98022, (206) 825-1880

Skagit Computer Users Forum (S.C.U.F.), Scott Honaker, 2909 Manito Drive, Mount Vernon, WA 98273, (206) 424-9025

Tri-Cities Commodore Computer Club (TC-3), Jack Garvin, 1926 Pine St., Richland, WA 99352, (509) 943-4734

Honeywell Commodore Users Club, Honeywell Inc. MSD, 5303 Shilshole Ave. NW, Seattle, WA 98107

NW Commodore User Group, Richard Ball, 2565 Dexter N. #203, Seattle, WA 98109, (206) 284-

PSACE, Ken Tong, 1800 Taylor Ave. N., Seattle, WA

University 64 User Group, Allen Gown, Dept. of Path. SM-30, University of Washington, Seattle, WA 98195

Spokane Commodore User Group, c/o N. 310 Raymond, Spokane, WA 99206, (509) 928-8634

World Wide User Group (Military Personnel Only), R. Smith, P.O. Box 98682, Tacoma, WA 98498, BBS: (206) 535-0547 (7 days, 24 hours)

Central Washington Commodore User Group, P.O. Box 10937, Yakima, WA 98909

WEST VIRGINIA

The Commodore Group, Phil King, P.O. Box 2655, Clarksburg, WV 26302, (304) 842-5025

Tri-State Commodore Users Group, P.O. Box 2501, Huntington, WV 25725-2501, (304) 525-7691

Commodore Home User's Group (C.H.U.G.), Alice Shipley/John Fijalkowski, 81 Lynwood Ave., Wheeling, WV 26003, (304) 242-8362

WISCONSIN

Commodore and VIC Enthusiasts (C.A.V.E.), Mike Shaffer, P.O. Box 33, Crivitz, WI 54114, (715) 854-2269

Eau Claire Area CBM 64 User Group, John F. Slavsky, Rt.5, Box 179A, Eau Claire, WI 54701, (715) 874-5972

COMM-BAY64, Richard F. Luxton, P.O. Box 1152, Green Bay, WI 54305, (414) 336-3956

Janesville Área Commodore Users Group, Charles Williams, P.O. Box 1858, Janesville, WI 53547

S.W.I.T.C.H., Pat Gaylord, W153 N8009 Meadowland Drive, Menomonee Falls, WI 53051

Commodore Users of Systems, Software & Hardware (CUSSH), Butch Thompson, 4025 21st St., Racine, WI 53405, (414) 554-9739

Madison Area Commodore User Group, John Carvin, 3634 Swoboda Rd., Verona, WI 53562, (608) 831-6995

Waukesha Area VIC-64 Enthusiasts (WAVE), Robert Claudio, P.O. Box 641, Waukesha, WI 53186, (414) 542-1292

Commodore Hobbyists Involved In Personal Systems (CHIPS), Richard M. Kohn, 1017 Kilbourn Ave., West Bend, WI 53095, (414) 334-2494

WYOMING

ZYMEC Software & Users Group, Tim Struna, Rt. 63, Box 357, 11 Birchfield Lane, Lander, WY 82320, (307) 332-9051 or (307) 332-6644 Commodore User Groups Outside The U.S.

COMMODORE USER GROUPS OUTSIDE THE U.S.

OVERSEAS APO USER GROUP

Overseas Commodore User's Group, SFC Carroll P. Daniels, HQ 7th Medcom Box #1, APO NY 09102, 06224/71240 (5-7 p.m.)

AUSTRALIA

VICdore User's Group Beryl Bayliss, P.O. Box 1280, Inghan 4850, Queensland, Australia

Cairns Commodore User Group, Walter Kindt, P.O. Box 209, N. Cairns, Queensland 4870, Australia

RR A 711

Associacao dos Usuarios de Micro-computadores Domesticos, Pedro Paulo Rocha, estr. da Canoa 401, 22600 Rio de Janeiro, Brazil

CANADA

Alberta

Calgary Commodore Users Group, Lloyd E. Norman, 810 Canfield Way SW, Calgary, Alberta, Canada T2W 1K1, (403) 281-2772

Commodore User Group Randy R. Coutts, Box 1584, Slave Lake, Alberta, Canada TOG 2A0

British Columbia

Cassiar Commodore Club (CCC) P.O. Box 685, Cassiar, British Columbia, Canada VOC 1E0, (604) 778-7716

Manitoba

Manitoba Users Group (M.U.G.), Mike Orloff, 41-33 Weatherstone Place, Winnipeg, Manitoba, Canada R2J 2S9, (204) 257-3346

New Brunswick

Fundy C-64 Users Group, c/o 32/A Cannon Road, Quispamsis, New Brunswick, Canada E0G 2W0 Commodore Computer Club, P.O. Box 91164, West

Vancouver, British Columbia, Canada V7V 3NG, (604) 738-3311

Ontario

Barrie User Group, P.O. Box 1028, Barrie, Ontario, Canada L4M 5E1

The Brantford Hackers Syd Bolton, 25 Frontenac Ave., Brantford, Ontario, Canada N3R 3B7, (519) 753-6120

Guelph Computer Club, A. Holman, 38 Cheltonwood, Guelph, Ontario, Canada N1E 4E3 The London Commodore User Club (LCUC), Dennis Trankner, 28 Barret Cr., London, Ontario, Can-

ada N6E 1T5, (519) 681-5059

Users Group of Mt. Forest (U.G.M.F.), Ken Hay, 597

Oakview Cresent, Box 262, Mt. Forest, Ontario,
Canada N0G 2L0, (519) 323-1210

The Great White North Computer Club, T.E. Vieira, 358 Grenville St., Orillia, Ontario, Canada Durham C64 Club, c/o Carol Schenman, 1322 Naples St., Oshawa, Ontario, Canada L1K 1J6

Tuesday User Group (TUG), Box 1787, Port Perry, Ontario, Canada L0B 1N0, (416) 985-7686 (days); (416) 985-7277 (evening)

Budget Wise Computer User Group, Dennis J. Lachance, 17 Chaplin Avenue, St. Catharines, Ontario, Canada L2R 2E4, (416) 684-9735

St. Catharines C-64 Junior Group, Rob Burtch, 32 Kilbourne St., St. Catharines, Ontario, Canada L2M 3E4, (416) 937-5652

St. Thomas Users Computer Club (5.T.U.C.C.), Neil Moore, 39 Owaissa St., St. Thomas, Ontario, Canada N5P 1T1, (519) 631-2243

St. Thomas Users Computer Club (S.T.U.C.C.), Dennis Demeester, 30 Forest Ave., St. Thomas, Ontario, Canada

Sarnia Commodore 64 User Group, Susan Timar, 1122 Wilson Dr., Sarnia, Ontario, Canada N7S 3J6, (519) 542-2534

Sault Commodore Computer Club, Jeff Kelly, 560 Old Goulais Bay Rd., Sault Ste. Marie, Ontario, Canada P6A 5K8

Toronto PET Users Group Inc. (TPUG), 1912A Avenue Rd., Suite 1, Toronto, Ontario, Canada M5M 4A1, (416) 782-9252 or (416) 782-8900

PET Educator Group (P.E.G.), John Moore, P.O. Box 454, Station A, Windsor, Ontario, Canada N9A 6L7, (519) 252-7878 BBS: (519) 977-0186

Quebec

Club Commodore Champlain, Claude Hebert, P.O. Box 522, Boucherville, Quebec, Canada J4B 6Y2, (514) 655-2269

Evaluation Club For The C-64, TRS-80, And AppleII, Steven Benoit, 7145 Cannes #2, Montreal, Quebec, Canada H1S 2P9, (514) 374-3673

Saskatchewan

Prince Albert Commodore Users Group, P.O. Box 2464, Prince Albert, Saskatchewan, Canada S6V 7G3

DENMARK

MIDTJYDSK Computer Klub (M.C.K.), Postbox 10, DK-7470 Karup J., Denmark, 06-662254 (for calls within Denmark)

ENGLAND

R.R. VIC/64 Owners Club, Tom Lomax, 17 Greystoke Drive, Bilborough, Nottingham, Nottinghamshire, England, Nottingham 289467

IRELAND

Club64, 85 Upper Drumcondra Rd., Dublin 9, Ireland

FINLAND

Helsinki Area VIC User Group, Matti Aarnio, Linnustajankj 2B7, SF-02940 ESPOO, Finland

MEXICO

Club Herra*Tec C64, Alain Bojmal, Vicente Suarez 25, 06100, Mexico, D.F.

NEW ZEALAND

East Coast Bays Commodore User Group, P.O. Box. 35-034, Browns Bay, Auckland 10, New Zealand New Zealand Commodore Users Group, Inc., P.O. Box 5223, Wellesley St., Auckland, New Zealand

Nelson Commodore User Group, Peter Archer, P.O. Box 860, Nelson, New Zealand 54/79362

PUERTO RICO

Commodore User Group of Puerto Rico, 16 St. 35-24, Villa Carolina, Puerto Rico 00630

SWEDEN

Worldwide Commodore 64 Genealogists, Johann H. Aadde, Dalkarrsleden 49, S-162 24 Vaellingby, Sweden

WEST GERMANY

Commodore Computer Users Group Heidelberg, Robert H. Jacquot, P.O. Box, Gen. Del., APO, NY 09102, 06223-5614 (Germany only)

Commodore Club, Wandel M., Joh-Machern STR. 8D, D-645 Hanau-7, West Germany

PRINT T-SHIRTS ON YOUR COMPUTER!

With the UNDERWARE RIBBON™ your printer makes dozens of iron-on transfers. Print any image on plain paper, then iron it onto your own T-Shirt! Make T-Shirts for friends or as gifts. Available for the Apple Imagewriter, IBM, Epson, Okidata and Star Gemini dot matrix printers. Add five colors to any UNDERWARE RIBBON transfer with new UNDERWARE COLOR-PENS™

Suggested retail for the UNDERWARE RIBBON and UNDERWARE COLORPENS is \$19.95 each.

See your dealer or contact:

ISIISISCH UNDERWARE


Diversions, Inc.

1550 Winding Way Belmont, CA 94002

(415) 591-0660

COMPUTEL BOOKS

Look for these new titles for your Commodore.



COMPUTEI's Data File Handler for the Commodore 64

Blaine D. Standage, John L. Darling, Kenneth D. Standage

Data File Handler is a series of integrated programs that give the user a database processor, a sequential data file editor, and a disk operation support set. The book consists of all the necessary program listings and documentation to use this powerful database management system. Few computer programs are as well-explained or as cost-effective as this one. Anyone who wants an effective information management system for their Commodore 64 or PET/CBM will find this an extraordinary software/documentation package.

\$12.95 ISBN 0-942386-86-8

Programming the Commodare 64: The Definitive Guide

Raeto Collin West

Programming the Commodore 64 is an encyclopedic, thorough reference guide to the Commodore 64. In the tradition of the renowned Programming the PET/CBM, author Raeto Collin West has compiled 17 definitive chapters which cover this computer in its entirety. There are dictionaries, maps, BASIC and machine language examples, and programming aids. Unlike many computer books, which can be read once and discarded, Programming the 64 will remain valuable for the life of the computer. It starts with BASIC and probes more deeply with each chapter. Ready-to-type programs show how to use the BASIC and Kernal ROMs; the 6502 microprocessor; the CIA, VIC, and SID chips; and the hidden RAM beneath the ROM in the 64. And major peripherals—tape and disk drives, printers, plotters and modems—are also discussed at length.

Programming the COMMODORE

The Definitive Guide
Raeto Collin West

The encyclopedic reference guide to the Commodore 64 computer
ACOMPUTE INSTALLABORY

\$19.9

ISBN 0-942386-50-7

To order, call toll-free **1-800-334-0868** or mail your payment (Including \$2.00 per book for shipping and handling charges) to COMPUTEL Books, P.O. Box 5058, Greensboro, NC 27403.





The Freeze Factory

Clarence Din

It's bad enough working late by yourself at this unusual research plant where the temperature is always below freezing. But what's worse is trying to leave and finding you have to cope with four robots gone amok. Will you ever get home? A game of survival for the unexpanded VIC and the 64. Joystick required.

It's almost midnight at the Cybernetics Research and Development Plant, also known as "The Freeze Factory" for the constant bone-chilling temperature required for specialized robotic research. You've been working overtime on a project, but the cold is getting to you. Time to go home. One last check to make sure the power stations are off, but wait...what's moving around back there?

Mindless Menaces

The Freeze Factory pits you, the overworked researcher, against four robots that have apparently been activated by a power surge. They wander the floor of the factory in search of heat, and the only heat source is you. You can't destroy the robots, but they can destroy you by draining your oxygen supply. But all's not lost. You can survive with a little wit and strategy.


Playing For Time

The object of the game is to survive as long as possible. Or you can play for high score. Littered about the factory are solid ice cubes, used regularly by the research team. These cubes are your only means of defense. You can temporarily "freeze" any of the robots by sliding an ice cube in their direction. On contact, they'll freeze, but unfortunately, they thaw a second later. You also have to avoid them (remember—they're semi-intelligent and they'll pursue you if they see you). Using a joystick (port 2 on the 64), move to a side of the cube and aim the joystick in the direction you want to send the cube (no need to press the fire button). Your strategy should in-


clude moving cubes to get to other parts of the playfield and freezing the robots. Although it's very difficult, it is possible to box in a robot by strategically placing cubes around it.

Scoring

If you stand against two adjacent ice cubes and move the one closest to you, the first cube is crushed (it disappears) and ten points are added to your score. One-thousand points are awarded for freezing a robot. For every four you freeze, you advance one level, gain a point bonus (the remaining time plus the number of cubes left on the playfield), and gain an extra life. Also, with any level change, new cubes are randomly positioned and the clock is reset to run at a faster pace. Twenty-five points are given for each cube left on the playfield.



Confronting a robot (VIC version).



A smart and fast move is in order (64 version).

You begin with three lives. The game ends when you've used all your lives or when the clock reaches zero.


If you'd rather not type in the program (VIC version only), send a blank cassette, a self-addressed stamped envelope mailer, and \$3 to:

Clarence Din 60-Bay 28th Street Brooklyn, NY 11214

See program listings on page 138.

You're invited to the biggest party at Valley Forge since George brought the boys!

M.A.R.C.A.



July 26, 27, 28

Valley Forge Convention Center, Valley Forge PA

- Speakers! Seminars! Hanging out!
 - Fun!
 Vendors!
 Great Buys!
 - Social Events! Fun!
 Areas Tours available.

Meet the names you've only read about. Jim Butterfield. Dick Immers. Len Lindsey. Many, many more! Ask the questions you need answers to. Have $2^{1/2}$ days of non-stop Commodore fun! Bring the whole family. Lots to do. See. And buy. Bargains galore!

Pre-registration by July 1: 21/2 days \$25 M.A.R.C.A. Members \$15 Family Rates available.

For pre-registration information: M.A.R.C.A., P.O. Box 1902, Martinsburg, West VA 25401.

DON'T MISS THE PARTY!

C-64 Reference Library



TRICKS & TIPS Treasury of programming techniques. Advanced graphics, easy input, enhanced BASIC/COM, character sets, more. 275 pages \$19.95

GRAPHICS BOOK Basic to advanced, best reference available. Sprite animation, Hires, Multicolor, lightpen, IRQ, 3D graphics. 350 pages \$19.95

SCIENCE & ENGINEERING Topics from chemistry, physics, biology, math, astronomy, electronics. 350 pages \$19.95

MACHINE LANGUAGE Learn 6510 instructions. Listings for Assembler, Monitor, Simulator 210 pages \$14.95 ANATOMY OF C-64 Insider's guide to the '64 internals. Graphics, sound, I/O, kernal, more. Complete commented ROM listings. 300 pages \$19.95

PEEKS & POKES Programming quickies that will simply amaze you. This guide is packed full of techniques for the BASIC programmer. 200 pages \$14.95

ANATOMY OF 1541 DISK DRIVE
Bestselling handbook on floppy disk. Explains disk files
with examples and utilities. Includes complete commented 1541 ROM listings. 320 pages \$19.95

ADVANCED MACHINE LANGUAGE Video controller, interrupts, timers, clock, I/O, extended BASIC. 210 pages \$14.95

Other titles available. Phone for name of nearest dealer Phone: (616) 241-5510 Postage & handling \$4.00 (\$8.00 foreign). Money order, checks, VISA, MC, AMEX. Michigan residents (incl. 4% sales tax).

CANADA: Book Center, Montreal (514) 332-4154



P.O. Box 7211 Grand Rapids, MI 49510 - Telex 709-101 - Phone 616/241-5510

Easy. Guitar

Learn to play guitar on your Commodore 64 Computer

Nowyou can enjoy learning at your own pace, on your own time. EASY GUITAR puts you in tune with today's music.

Here are just a few of the fun and educational features you'll find in EASY GUITAR:

- Simple to follow, step-by-step instructions
- · Reference tones for tuning your guitar
- An exercise to develop your sense of pitch
- A built-in rhythm section (bass and drums) for you to play along with
- More than 50 chord diagrams with fingering positions colorfully displayed
- Audio guidance so you know if you are playing correctly
- An adjustable metronome for developing solid rhythm
- A simplified approach to music theory and chord structure to aid you in playing and writing your own songs
- Scales to develop rapid fingering
- A multiple choice quiz (because learning can't be all fun)
- Plus a special bonus: a video game called "Catch a Chord"

\$29.95 on disk

plus \$1.00 shipping & handling
VISA & MC Accepted or send check or money order to:



10636 Main St., #414 • Bellevue, WA 98004 • (206) 883-9257

Slik Load

Slik Load is a Kartridge for the C-64.

Slik Load is the most reliable, effective and thought out Kartridge of it's kind.

The options include:

- . 5 times faster load
- · Eliminates drive rattle when errors a.e encountered.
- Old and un-new Will restore a basic program
- · Status key will give you information on device number, bytes free and status of the
- · Silk Load is also fully compatible with the 1541 Super Rom







DMS-Errors 20, 21, 22, 23, 27 & 29 Format Single Tracks

Read Disk Errors

1/2 Track Reader-read and select 1/2 track Track Formatter-Format a disk with 1/2 tracks. This is where the next protection

schemes are coming from Drive Mon-Disk Drive assembler/dis-

embler. For your 1541. The Doc-Disk Doctor that reads code

Sync Maker-Place a sync mark on any track out to 41. Also use 11c. , otection

Sync Reader-Check for Sync bits on any track out to 41

Change Drive No.-Changes drive number (7-30)

Disk Logger-Finds starting track sector: start and end addresses.

Disk Match-Compare any two diskettes Byte for byte

New Wedge-Easier to use DOS wedge. ID Check-Check ID's on any track

Unscratch-Restore a scratched file View-BAM-Visual display of the free and used sectors on a diskette

Read/Write Test-1541 performance test. Repair a Track-Repair a track with checksum errors. Reads code under errors and restores track.

Fast Format-Format a disk in just 10 seconds (with verify!).

This is the only utility of its kind. It even has a 3 min. copy on it.

WAR GAMES AUTODIALER

- 1-Auto Dial will automatically dial a set of numbers you choose.
- 2-Roofs w Numbers will review numbers that were an analysis by a computer.
- 3-Save Numbers will save numbers where a computer answered
- + Hardbopy of Numbers will print out list of numbers whe > a Junputer answered
- 5-LOAD Numbers will load in numbers to continue where it left off
- 6-Continue will pick up dialing where it was interrupted.

\$29.95

KARTRIDGE KRACKER

NOW you can own this unique and powerful tool which will allow you to dump the contents of 8K and 16K cartridges onto disk! But what's really great is that you can also RUN the cartridges programs without plugging in the cartridge! the KRACKER gets YOU INSIDE the cartridge! Put all your favorites on disk and get rid of the clutter. This package provides your with the software and hardware needed to get started. Program on disk included. (Some cartridges require use of external RAM not included)



ROTECTION

THIRD EDITION! NOW AVAILABLE!

If you're tired of being harassed by protected softw...e and too many copy programs, then this is the book for you! This 224 page manual covers the gambit from legalities to protection methods to step-by-step back up procedures. Now you can learn both how to protect and unprotect softward! The techniques covered include copying cartildges to tape or disk, tape protection, and disk protection. Disk protection covers a round so 20, 21, 22, 23, and 29 plus single track formatting, header modification, needs, swapping, half track reading and writing, reading and writing modified bit consities formatting illegal tracks/sectors, sync writing and more! The Third collion explains, tells how to detect and how to write them with included softward Eleven useful utilities and many protection listings! Our disk analysis programs revoal the protection methods used on your originals. A diskette with all software is available for a minimum extra charge. This may not be the only buck your should have for the C-64, but it is certainly the one book you should not be without!

C64 Book only \$19.95 US Book & Disk of all programs \$29.95 US \$9.95 US Vic 20 book ... Cart. & Tapes only

> THIS MANUAL DOES NOT CONDONE PIRACY *SHIPPING: \$2.00

> > \$2 00 S & H on all orders

TOP SECRET STUFF II

All C128 Compatible

Split Screens (Horizontally) Smooth Scrolling Save Ram From Under Roms No Drive Rattle On Errors Triple Drive Head Speed Autoboot Maker Koala Screen DUmp Display GCR Fast Disk Eraser

Protect Scheme For Your Disks Write Protect Disk **Unwrite Protect Disk** Mini D.O.S. Wedge Fast Diskmatcher Data Statement Maker Unnew 3 Minute Copy

If you have TSS#1, You'll Like This One! All on one disk \$1995

Bulletin Board

Set up and operate your own bulletin board with one or two disk drives. This one has all the leatures and you can customize it easily yourself.

- -RUN MEGASOFT-BBS 2-CREATE MEGA FILES ADD TO SYSOP'S CORNER
- HEW SYSOP'S CORNER PEAD MESSAGES
- SCRATCH MESSAGE
- **8-READ SYSOP MESSAGES** 9-WRITE OPENING MESSAGE 10-READ LOG
- 11-CYCLE LOG 12-READ DOWNLOAD FILE
- 13-SCRATCH DOWNLOAD FILE 14-ADD TO OTHER SYSTEMS



- Leveled Access
- · Expert Mode
- Private Message Base . Open Chalk Board for
 - **Highest Level Access**
- · Up to 300 Passwords

P.O. Box 1080, Battle Ground, Washington 98604

Phone (206) 687-5116 • BBS 687-5205 After Hours Computer to Computer

Enclose Cashiers Check, Money Order, or Parsonal Check Allow 14 days for delivery, 2 to 7 days to phone orders. Canada orders must be in U.S. Dollars, YISA - MASTER CARD - C O D



Sufficience Submissions triviled.

Programs for C-64



The first D-Compiler to give you back your source code after your program has been compiled with *Blitz.
*Blitz is a trademark of Skyles Electric Works


1541 Super ROM

\$39.95

- · Fast Save Load Verify
- · Fast Scratch and Validate
- · 10 Second Format with Verify
- No more Drive Head rattling during Format or Error Reading

also Save with Replace is Improved

- Two times faster, Eight times faster when used with Turbo 64 which is included
- 1541 Super ROM is 100% Compatible
- · Easily installed in Minutes



APALLO COPIES IT ALL

APALLO Does it All. This program is the latest generation of copy programs. It will do everything the \$39.00 and \$49.00 programs will do and more. It Copies ALL drive errors, bad tracks and sectors, non-standard format, bad syncs, and half tracks. We feel this is the best program of its kind available...



\$29.95

MSD Sure Copy

At last a complete utility package for the MSD Dual Drive. This is the first MSD utility program that does it all. The main menu options include:

- Copy Protected Disk
- Copy Files
- Format a Disk
- · Change Disk Name

\$19.95

· Quit

- Copy Unprotected Disk
- Scratch a File
- Rename a File

\$3995

View Directory

Sure Copy will put all errors automatically on disk: 20, 21, 22, 23, 27 and 29's.

D-CODER

- Translates any machine language program into easyto-read English descriptions with complete explanations of each command!
- Makes complete notations of all important memory locations accessed by the program! (SID, VIC, MOS, KERNAL, etc.)
- · Gives you three ways of accessing programs:
 - 1) Will read and list programs from DISK
 - 2) Will read and list programs from MEMORY!
 - 3) Direct user input (from magazines, etc.)
- Can be used to locate and examine any machine language program's protection routines!
- Can be used to easily break apart machine language programs for study and examination!
- · Printer option for complete hard copy listings!

\$1995

You no longer need to be an EGGHEAD to read Machine Language.



N-CODER

the machine language manipulator...

The perfect companion program to D-CODER!

Allows you to easily make changes in machine language programs... right on the disk!

- Rewrite ability allows code to be altered and then rewritten directly to the disk!
- Features sector-by-sector scrolling assembly language display of machine language programs!
- Notation of ASCII text equibalents for easy spotting of embedded text strings!
- Handy reference display of all assembly language commands and their ML numerical equivelents!
- Byte splitter for easy splitting of decimal addresses into low byte-high byte format!

Super Loader

Super Loader is a Kartridge that plugs into your expansion port, that allows the computor, on power up start the disk drive and load the first preselected program on the disk.

- Change colors
- Load wedge
- . Works with more drive
- Takes up no memory
- · Reset switch included




Only \$2995



This Disk has over 100 routines, some of them are routines for protection, smooth scrooling, modem routines, and sound and color

routines. They can easily be incorporated into all of your programs. It is also fully documented.

\$19.95




Teach your snake well: It will remember each move you make as you try to conquer the board with your squares. A strategy game for one to four players. For the Commodore 64.

At first glance, "Squares" looks a lot like "Dots," the paper and pencil game where opponents take turns connecting dots to try and complete squares. And, as in the paper game, the basic objective is to complete more squares than your opponents. But the similarities end there—in Squares, the dots are connected by an intelligent "snake," which you control.

After loading and running Squares you are asked if each of the four snakes will be player controlled or computer controlled. Moves for the player controlled snakes are entered via the keyboard; the computer snakes move around semirandomly.

You can move your snake up, down, left, or right by pressing the I, M, J, or K keys respectively (as a reminder, the directions are printed



Players 3 and 4 are tied for the lead, but orange (player 4) is caught in a loop.

on the screen during the game). When you move your snake between two dots, it leaves a trail in the color of your player.

With each move you make, you "train" your snake to move in a certain way, depending on the pattern of trails around it. For example, say there are trails to the left of and below your snake, and you move it up. From then on, whenever your snake encounters a pattern in which there are trails to the left and below it, it will move up.

If the snake encounters a pattern it hasn't learned yet, as when you first start the game, it will ask you for a direction. Again, the direction you choose will train the snake for that pattern.

Trapped Snakes

A snake can become trapped, though, if you give it an instruction which forms a loop with a previous instruction. For instance, say you tell it to go right, but when it moves right it enters a pattern where it has been instructed to move left. It then becomes trapped between those two instructions. A trapped snake can be released later, however, if the pattern it's in is changed by another snake.


When your snake completes a square, it fills in with your color, and you earn a point. The game is over when all of the squares are filled or all of the snakes are trapped. Whoever completes the most squares wins the game.

There are a number of strategies you can develop for conquering long rows of squares or avoiding getting trapped. You may find, though, that it's difficult to remember how your snake has been trained for each possible pattern of trails. Also, each game that you play will be unique, so what works for one game may get you trapped early on in the next. Usually, it's a combination of strategy and chance that wins the game.

See program listing on page 133.

BREAK

Commodore 64.



TH NIGHT MISSION

You deserve the best. You've earned it. Now reward yourself with a session of Night Mission PINBALL, the most realistic and challenging arcade simulation ever conceived! ■ Stunning graphics and dazzling



sound effects put Night Mission PINBALL in a class by itself. Game features: multiball and multi-player capabilities, ten different professionally designed levels of play, and an editor that lets you create *your own* custom modes. ■ So take a break with Night Mission PINBALL from SubLOGIC. Winner of *Electronic Games* magazine's 1983 Arcade Award for Best Computer Audio/Visual Effects.

See your dealer . . . or write or call for more information.

Order Line: 800 / 637-4983

SUD

713 Edgebrook Drive Champaign IL 61820 (217) 359-8482 Telex: 206995

for families

Real World Software

Part 2: A Survey Of Recent And Upcoming Products

Fred D'Ignazio, Associate Editor

What Is Real World Software?

Last month I introduced the concept of real world software: programs that give an immediate, direct, tangible, and visible benefit to a person's daily life.

This month, we'll look at 106 products for the Commodore 64 that most closely resemble my definition of real world software. After we look at programs now available, I'll tell you my "wish list" for real world software I'd like to see on the Commodore 64.

Biology And Medicine

The Body Transparent (DesignWare) is a variation of the popular "Visible Man" and "Visible Woman" kits. Creature Creator (DesignWare) and Mail Order Monsters (Electronic Arts) let you play Dr. Frankenstein and assemble your own monsters from different body parts. Fantastic Animals (Bantam) and Operation: Frog (Scholastic) let you build real animals. The Incredible Laboratory (Sunburst) is a monster-building chemistry set.

These programs qualify as real world software because some of them teach anatomy, physiology, and biology; and because all of them teach valuable logic and problem-solving skills children can apply to other areas of their lives.

College Success

This is one of the most obvious real world categories. My choices are Mastering The SAT (CBS), SAT Exam Preparation and ACT Exam Preparation (Krell), The Perfect Score: SAT Preparation (Mindscape), and Lovejoy's SAT & College Preparation Guide (Simon & Schuster). Studies show that these programs have a direct real-world effect: They help students improve their scores on college aptitude and achievement exams.

Communication

This category includes programs people use as communication tools. All of them are "productiv-

ity tools," but I chose them because they're intended primarily for children and other beginning computer users, and because they combine the power of a valuable tool with ease of use. Also, they open up new ways for people to communicate with one another.


SkiWriter II (Prentice-Hall) lets you compose letters and easily send them over the telephone to another person as electronic mail. Penguin's Graphics Magician lets you create electronic greeting cards. Bank Street Writer (Brøderbund), Cut & Paste Word Processor (Electronic Arts), Mastertype's Writing Wizard (Scarborough), and Sierra's Homeword (with Homeword Speller) are excellent, easy-to-use word processors. I also highly recommend Easy Graph (Grolier) and Scholastic's PFS:Report and PFS:Write.

Communication Success

These software packages teach reading, writing, and typing skills. MasterType (Scarborough) and Typing Tutor III (Simon & Schuster) teach typing. Magic Spells (Learning Company) and Reader Rabbit (Learning Company) improve young children's vocabulary and reading ability. Reading Professor (Commodore) and The Devil & Mr. Webster (Krell) teach reading skills to older children and adults. Grammar Examiner (DesignWare) and Grammar, What Big Teeth You Have (Krell) teach writing and language arts skills to children ages ten and up. And Welcome Aboard (Brøderbund) uses Muppets to teach computer literacy.

Crafts

The only program in this category, Mask Parade (Springboard), enables children to design and print out their own paper "dress-up" costume, including a hat, face, jewelry and accessories, and feet. They can then color it with paint, crayon, or Magic Marker, and assemble it with glue or string.



- Uses NEW Vari-sector track scanning process
- Actually copies a FULL disk in only 3 MINUTES!
- Easiest to use TOTALLY automatic copy utility
- NEW Auto-Sensor detects and copies half-tracks
- Breaks through LATEST protection schemes
- · 3 copiers in 11 Includes FAST Copier, VARI-SECTOR Copier, and HALF-TRACK Nibbler
- · Copies normal & HALF-TRACKS up to track 40
- · NEW sync-seeking logic reduces copy time
- 100% machine code for fast, RELIABLE operation

- · NO analysis required, just swap disks...& NO damaging
- drive knock during errors, format, or copying Detects & DUPLICATES extra sectors, hidden ID's, altered headers, frequency & track density
- All copiers AUTOMATICALLY put "errors" on backup
- UNLOCKS protected disks for backup copying
- FASTEST & most advanced backup copier you can buy
- Writes errors 20, 21, 22, 23, 27, 29 WHILE COPYING!
- Transforms your 1541 into a SUPER-FAST copy drive!
- PRODUCT SUPPORT tel. #, revisions, and upgrades

UP TO 4 TIMES FASTER THAN OTHER COPIERS!

ONLY \$49.95

for entire system

To order CALL 805-687-1541 ext. 64





Technical line 805-682-4000 ext. 99

DISKMAKER PAYS FOR ITSELF THE FIRST TIME YOU USE IT!



Dance/Exercise

These programs—Dance Fantasy (Fisher-Price), Breakdance (Epyx), Dancing Bear (Koala), and Aerobics (Spinnaker)—let people of all ages choreograph their own dances and exercises and set them to music.

Diet, Health, And Nutrition

The only program in this category, The Original Boston Computer Diet (Scarborough), is appealing because it counsels you on diet and nutrition, and helps set up a personal weight-loss regimen based on diet, eating habits, moods, and behavior. Included is a book with readings on nutrition and diet.

Geography And Map-Reading

This category contains programs that teach with challenging games and adventure scenarios. Children can travel through outer space with Mickey Mouse (Mickey's Space Adventure from Sierra) and Winnie the Pooh (Winnie the Pooh in the Hundred Acre Wood, also from Sierra). America Coast to Coast (CBS) features a special plastic keyboard overlay that enhances game play.

Road Rally USA (Bantam) challenges children to map their way from point to point across the U.S. while overcoming hazards and obstacles. And States & Traits and European Nations & Locations (DesignWare) enables parents and children to make their own lessons on U.S. and European geography.

Hobby

The only program in this category, Charles Goren: Learning Bridge Made Easy (CBS) teaches an older child or adult how to play bridge.

Invention And World Builders

These two categories feature open-ended "mad scientist's laboratories" that encourage you to experiment. Pinball Construction Set (Electronic Arts) lets you create a pinball machine that operates under new laws of physics. Rocky's Boots (The Learning Company) lets you build electronic circuits out of logic gates. In Chem Lab (Simon & Schuster) you get to perform over 50 experiments and combine chemicals a thousand different ways.

The Factory (Sunburst) lets you build your own factory. In Racing Destruction Set (Electronic Arts) you design your own slot cars, then test your designs by racing them. In The Great Gonzo in Word Rider (Simon & Schuster) you help Gonzo the muppet rescue his favorite chicken, Camilla, by using "power words" to construct all sorts of marvelous vehicles to find Camilla. In Creative Contraptions (Bantam) you get to build your own Rube Goldberg machines. Dream House (CBS) lets you design and build your own house; and Kids at Work (Scholastic) lets you be architect and construction crew foreman.

Math Success, Money Management, And **Professional Success**

The programs in these categories teach math, money management, decision-making, problemsolving, and other practical skills. Many of the programs do this by handing you a tough but exciting job and saying, "Here, you handle this!" But they're not without lots of helpful hints and clues from the programs.

I selected the four Math Success programs because they contained several real world software features. For example, Success with Math (CBS) is really a curriculum of math programs, each sold separately for \$24.95. The programs are for adults and children ages six and up.

Math/Spelling Teacher (CompuTech) offers excellent feedback on how well you're learning math and spelling. It takes a pedagogically sound, step-by-step approach to teaching math concepts and better spelling habits.

Mission: Algebra (DesignWare) is included because, for the first time, I saw some use to learning algebra. I was set down in an interstellar spaceship and told to rescue a stranded ship. To

Companies That Publish Real World Software For The Commodore 64

Alfred Publishing 15335 Morrison Street Sherman Oaks, CA 91403 (818) 995-8811 Bantam Electronic Publishing 666 Fifth Avenue New York, NY 10103 (212) 554-9822 Brøderbund 17 Paul Drive San Rafael, CA 94903-2101 (415) 479-1170 **CBS Software** One Fawcett Place Greenwich, CT 06836 (203) 622-2673

Commodore

1200 Wilson Drive

(215) 431-9100

West Chester, PA 19380

Computech P.O. Box 7000-309 Redondo Beach, CA 90277 (213) 375-6391 DesignWare 185 Berry Street San Francisco, CA 94107 (415) 546-1866 Electronic Arts

2755 Campus Drive San Mateo, CA 94403 (415) 571-7171 Epvx, Inc 1043 Kiel Court

Sunnyvale, CA 94089 (408) 745-0700 Fisher-Price One Kendall Square Cambridge, MA 02139 (617) 494-1200 Groller Electronic Publishing 95 Madison Ave New York, NY 10016 (212) 696-9750

Koala Technologies 2065 Junction Avenue San Jose, CA 95131-2105 (408) 946-4483

1320 Stony Brook Road Stony Brook, NY 11790 (800) 245-7355 Mindscape

3444 Dundee Road Northbrook, IL 60062 (312) 480-7667 Penguin Software P.O. Box 311 Geneva, IL 60134 (312) 232-1984

Prentice-Hall P.O. Box 819 Englewood Cliffs NJ 07632 (201) 592-2641 Scarborough Systems

25 North Broadway Tarrytown, NY 10591 (914) 332-4545 Scholastic 730 Broadway

New York, NY 10003 (212) 505-3497 Slerra On-Line Sierra On-Line Building Coarsegold, CA 93614 (209) 683-6858

Simon & Schuster 1230 Ave. of the Americas New York, NY 10020 (212) 245-6400

Spinnaker Software One Kendall Square Cambridge, MA 02139 (617) 494-1200

Springboard 7807 Creekridge Circle Minneapolis MN 55435 (612) 944-3912

Sunburst Communications 39 Washington Avenue Pleasantville, NY 10570 (800) 431-1934

The Learning Company 545 Middlefield Road Menlo Park, CA 94025 (415) 328-5410

A SPECIAL OFFER from COMPUTE! Books

for Owners and Users of Commodore Computers

Buy any 2 of these books and receive a **15% Discount**. You pay \$22.00 and save \$3.90! Buy all 3 books and get a **25% Discount**. You pay only \$29.00, a savings of \$9.85!

An excellent resource for users of the 64, with something for everyone: BASIC programming techniques, a memory map, a machine language monitor, and information about writing games and using peripherals. This 264-page, spiral-bound book includes many ready-to-type-in programs and games, \$12.95

SECOND BOOK OF STATE BOOK OF SECOND BOOK OF STATE BOOK OF

The best garres, applicators, utilities, and 8ASC hutorias from COMPUTE Publicators, Solvie a muster myster could an Allocourn disclay, princip des an analysis of the court o

cisplay, perform dak surgen; bant in hives, and improve programming style.

PUTEI Books Publicano

COMPUTEI'S

Continues in the tradition of the First Book of Commodore 64 in presenting some of the best programs and articles from COMPUTE! Publications, many revised or never before published. There's something for almost any Commodore 64 user in this 289-page book: arcade and text adventure games in BASIC and machine language, a commercial software-quality word processor, a program which adds

41 new commands to BASIC, an electronic spreadsheet, tutorials about programming sound and graphics, and utilities for saving, copying, and retrieving files. \$12.95


A collection of outstanding games, applications, tutorials, and utilities from the most recent issues of COMPUTE! magazine and COMPUTE!'s Gazette, including several programs never before published. Commodore 64 users of all ages and experience will find this book informative, entertaining, and educational. Create an 80-column display, play educational and arcade-quality games, compose music, move sprites easily and quickly, and see how to program more efficiently and effectively. \$12.95

Buy Now—This Offer Expires June 30, 1985.

Yes! I want to save money while I enjoy COMPUTE! Books. ———————————————————————————————————	To Order Call Toll Free 800-334-086 (in NC call 919-275-980) or mail this coupon with your payment to COMPUTE! Books, P.O. Box 540 Greensboro, NC 27403
☐ Charge ☐ MasterCard ☐ VISA ☐ American Express	Please send me:
Acct. No Exp. Date	☐ 1 Book for \$12.
Signature	☐ 2 Books for \$22. ☐ 3 Books for \$29.
Name	NC residents add 4.5% sales tax
Address	Add \$2.00 per book for shipping
City	Total Paid
StateZip	Please allow 4-6 weeks for delivery. 75611

VIC-20 OWNERS NOW'S YOUR CHANCE

TO COMPLETE YOUR VIC-20 COMPUTER BOOK LIBRARY



Please send me the following VIC-20 computer books for my library: _ COMPUTEI'S First Book of VIC SURTOTAL S \$12.95 less 30% \$9.07 each __ NC RESIDENTS ADD 4.5% SALES TAX _ SHIPPING AND HANDLING _ _ COMPUTE!'s Second Book of VIC (\$3.00 for Programming the VIC; \$2.00 per book for all \$12.95 less 30% \$9.07 each __ other books) _ COMPUTEI'S Third Book of VIC TOTAL PAID \$ _ \$9.07 each _ \$12.95 less 30% ☐ Payment Enclosed (check or money order) _ COMPUTEI's First Book of VIC Games ☐ Charge ☐Visa ☐ MasterCard ☐ Am. Express \$12.95 less 30% \$9.07 each _ ____ Exp. Date ___ Acc't # ___ _ COMPUTEI's Second Book of VIC Games \$12.95 less 30% \$9.07 each _ Signature _ Creating Arcade Games on the VIC \$9.07 each _ Name -\$12.95 less 30% VIC Games for Kids State ___ \$12.95 less 30% \$9.07 each __ Please allow 4-6 weeks for delivery _ Mapping the VIC ALL ORDERS MUST BE PREPAID Programming the VIC 756107G

get there, I had to use algebra..

Survival Math (Sunburst) is included because it consists of several real world simulations in which you apply math skills to everyday life.

The Money Management programs are in the same vein. *Tink's Subtraction Fair* (Mindscape) and *Donald Duck's Playground* (Sierra) teach younger children how to budget, count, and

manage money.

Older children and adults can become chief executive officers of the Whatsit Corp (Sunburst) and manage its rising and falling fortunes. And HomeWord Money Manager (Sierra), The Financial Cookbook (Electronic Arts), JK Lasser's Your Personal Money Manager (Simon & Schuster), and JK Lasser's Your Income Tax (Simon & Schuster) act as "teaching tools" to help you structure, budget, and manage your finances.

The Professional Success programs include two excellent model railroad simulations—Trains (Spinnaker) and Railroad Works (CBS)—and National Teacher Exam (Krell), a preparation program, and President's Choice (Spinnaker), a challenging game in which you run the country

as president.

Music

All the programs in this category attempt to teach music theory and encourage original composition. But, let the buyer beware: They are not the ultimate music teacher for adults or children.

But they are a good start.

Song Maker (Fisher-Price) is notable because it's an introduction to music composition for very young children (ages four to eight). The Music Shop (Broderbund), Music Construction Set (Electronic Arts), Bank Street MusicWriter (Mindscape), and Songwriter (Scarborough) are all "teaching tools"—musical word processors with guidelines on how to compose your own music.

Rock 'N Rhythm (Spinnaker) lets you to create music in a studio environment. And Notable Phantom (DesignWare) places you in a musical

adventure.

Three programs from Alfred Publishing (Music Made Easy, Practical Music Theory, and the Music Achievement Series) come the closest to being a real music teacher. They are the software versions of Alfred's popular theory and composition workbooks, and diagnostic evaluations.

Organization, Planning, Reference, And Scientific Method

The programs in these four categories are similar in that they all enhance the way you think. The database programs in the Organization category—Friendly Filer (Grolier), Phi Beta Filer (Scarborough), Homeword Filer (Sierra) and Scholastic's Secret Filer and PFS:FILE—are not just electronic card files. They are keys to new

ways of thinking about information. With these programs you can use the computer to juggle facts the way you shuffle a deck of cards. They let you sort facts, cross reference them, "hide" them, prioritize them, list them, and compare them, all in a few seconds.

You can buy prerecorded databases for use with two of the programs—Friendly Filer and PFS: File—on important school subjects.

The Planning program, Educalc (Grolier), the Reference program, Mastertype's Facts & Figures (Scarborough), and the Scientific Method program, Survey Taker (Scholastic) let you play with numbers the way you play with facts using the database programs.

Outer Space, Weather, And People Skills

The programs in these three categories encourage learning valuable skills and knowledge and immediately applying them in the outside world. For example, *Halley Project* (Mindscape) puts kids at the control of a spaceship, teaches them how to navigate the solar system, and how to rendezvous with Halley's Comet (coming in early 1986).

Sky Travel (Commodore) is a miniature planetarium inside your computer and a "roadmap" to the heavens. My nine-year-old daughter, Catie, and I use it to find stars, planets, and constellations. I also recommend Interplanetary Pilot from CBS.

One of the weather programs, Forecast! (CBS), has taught Catie and me how to set up our own weather station and make forecasts. Another excellent choice is Weather Tamers from CBS.

Last, the People Skills program, Many Ways to Say I Love You (CBS), is the first program from Mr. Rogers' Neighborhood. It lets parents and children (ages 4 and up) construct and send textand-animated-picture greeting cards with personalized messages.

Story Maker And Print Shop

The programs in these two categories are some of the most wonderful and rewarding I've found. They let you create your own newsletters, newspapers, stickers, buttons, books, greeting cards, cartoons, plays, and animated picture-and-text adventure stories. Many of the programs are accompanied by ideas-and-activities books and by extensive print materials. And the companies offer supplementary packages with extra materials for new projects.

These are true teaching tools. They guide you with suggestions, activities, adventures, and tutorials. Then, when you're ready, they turn you loose to create imaginative projects on your own.

The Story Maker category includes Build-a-Book and Build-a-Book Refill Kit from Scarborough; Just Imagine from Commodore; Bank

COMMODORE 64

COMPUTER AND SOFTWARE SUPER AUTO SALE

COM DIAL MODEM

* with \$19.95 Software Purchase

- 170K Disk Drive \$149.00 *
- Tractor Friction Printer \$169.00
- 13" Hi-Res Color Monitor \$189.00 *
 - * See Page 13

CALL BEFORE YOU ORDER

PRICES MAY BE LOWER (Best communications package in USA)

- Computer Learning Pad \$37.95
- New Voice Synthesizer \$49.00
- 12" Green or Amber Monitor \$79.95
- 12" Daisy Wheel Printer \$199.00

SPECIAL SOFTWARE COUPON

We pack a SPECIAL SOFTWARE DISCOUNT We pack a SPECIAL SOFTWARE DISCOUNT COUPON with every COMMODORE & COMPUTER, DISK DRIVE, PRINTER, or MONITOR we sell! This coupon allows you to SAVE OVER \$500 OFF SALE PRICES!!

(Examples)

PROFESSIONAL SOFTWARE **COMMODORE 64**

Name	List	Sale	Coupon
Executive Word Processor	\$99.00	\$39.00	\$29.95
Executive Data Base	\$69.00	\$29.00	\$19.95
20,000 Word Dictionary	\$24.95	\$14.95	\$10.00
Practicale II	\$69.95	\$49.95	\$44.95
Print Shop (Disk)	\$44.95	\$32.95	\$26.95
Practicalc	\$59.95	\$24.95	\$19.95
Programmers Reference Guide	\$20.95	\$16.95	\$12.50
Programmers Helper (Disk)	\$59.95	\$29.95	\$19.95
80 Column Screen (Disk)	\$59.95	\$29.95	\$19.95
Disk Filer (by Flip-N-File)	\$39.95	\$14.95	\$12.95
Deluxe Tape Cassette	\$89.00	\$44.95	\$34.95
Pro Joy Stick	\$19.95	\$12.95	\$10.00
Light Pen	\$39.95	\$14.95	\$ 9.95
Dust Cover	\$ 8.95	\$ 6.95	\$ 4.60
Simon's Basic	\$29.95	\$22.95	\$19.95
Pitstop II Epyx	\$39.95	\$24.95	\$19.95
Super Graphics Expander	\$29.95	\$22.95	\$19.95
Music Calc 1	\$59.95	\$29.95	\$24.95
Filewriter	\$59.95	\$29.95	\$24.95

(See over 100 coupon items in our catalog)

Write or call for Sample SPECIAL SOFTWARE COUPON!

* COMMODORE 64 COMPUTER \$139.00

You pay only \$139.00 (with the \$19.95 software purchase, see below) when you order the powerful 84K COMMODORE 64 COMPUTER! LESS the value of the SPECIAL SOFTWARE DISCOUNT COUPON we pack with your computer that allows you to SAVE OVER \$500 off software sale prices!! With only \$100 of savings applied, your net computer cost is \$39.00!!

* 170K DISK DRIVE \$149.00

You pay only \$149.00 (with the \$19.95 software purchase, see below) when you order the 170K Disk Drive! LESS the value of the SPECIAL SOFTWARE DISCOUNT COUPON we pack with your disk drive that allows you to SAVE OVER \$500 off software sale prices!! With only \$100 of savings applied, your net disk drive cost is \$49.00.

* 13" HI-RES COLOR MONITOR \$189.00

You pay only \$189.00 (with the \$19.95 software purchase, see below) when you order this 13" COLOR MONITOR with sharper and clearer resolution than any other color monitors we have tested! LESS value of the SPECIAL SOFTWARE DISCOUNT COUPON we pack with your monitor that allows you to save over \$500 off software sale prices!! With only \$100 of savings applied, your net color monitor cost is only \$89.00. (16 Colors).

80 COLUMN 80 CPS TRACTION/FRICTION PRINTER \$169.00

You pay only \$169.00 when you order the Comstar T/F deluxe line printer that prints 8½ x11 full size, single sheet, roll or fan fold paper, labels, etc. Impact dot matrix, bidirectional. LESS the value of the SPECIAL matrix, bidirectional. LESS the value of the SPECIAL SOFTWARE DISCOUNT COUPON we pack with your printer that allows you to SAVE OVER \$500 off software sale prices!! With only \$100 of savings applied your net printer cost is only \$69.00.

80 COLUMN BOARD \$79.00

Now you program 80 COLUMNS on the screen at one time! Converts your Commodore 64 to 80 COLUMNS when you plug in the 80 COLUMN EXPANSION BOARD!! PLUS 4 slot expander! Can use with most software.

80 COLUMNS IN COLOR EXECUTIVE WORD PROCESSOR \$39.00

This EXECUTIVE WORD PROCESSOR is the finest available for the COMMODORE 64 computer! The ULTIMATE FOR PROFESSIONAL Word Processing, DISPLAYS 40 or 80 COLUMNS IN COLOR or black and white! Simple to operate, powerful text editing with 250 WORD DICTIONARY, complete cursor and insert/delete key controls line and paragraph insertion, automatic deletion, centering, margin settings and output to all printers! Includes a powerful mail merge.

List \$99.00 SALE \$39.00 Coupon \$29.95

EXECUTIVE QUALITY PROFESSIONAL BUSINESS SOFTWARE

The Cadillac of Business Programs for Commodore 64 Computers

Item	List	* Sale	Coupon	
Inventory Management	\$79.95	\$29.95	\$24.95	
Accounts Receivable	\$79.95	\$29.95	\$24.95	
Accounts Payable	\$79.95	\$29.95	\$24.95	
Payroll	\$79.95	\$29.95	\$24,95	
General Ledger	\$79.95	\$29.95	\$24.95	

*The \$19.95 Software Purchase Options

		LIST	SALE
1.	24 Program Bonus Pack (tape or disk)	\$29.95	\$19.95
2.	Oil Barrons-Strategy Board Game	\$49.95	\$19.95
	Disk Drive Cleaner	\$29.95	\$19.95
4.	HES Games (disk)	\$29.95	\$19.95
5.	Pogo Joe (tape or disk)	\$29.95	\$19.95

SUPER AUTO DIAL MODEM \$59.00

Easy to use. Just plug into your Commodore 64 computer and you're ready to transmit and receive messages. Easier to use than dialing your telephone. just push one key on your computer! Includes exclusive easy to use program for up and down loading to printer and disk drives.
List \$129.00 **SALE \$59.00**.

NEW COMPUTER LEARNING PAD \$37.95

Makes other graphics tablets obsolete. This new TECH SKETCH LEARNING PAD allows you to draw on your T.V. or Monitor and then you can print whatever you draw on the screen on your printers. FANTASTIC!!! List \$79.95 SALE \$37.95

NEW VOICE SYNTHESIZER \$49.00

For Com-64 or VIC-20 computers. Just plug it in and you can program words and sentences, adjust volume and pitch, make talking adventure games, sound action games and customized talkies!! FOR ONLY \$19.95 your can add TEXT TO SPEECH, just type a word and hear your computer talk — ADD SOUND TO "Zork", SCOTT ADAMS AND AARDVARK ADVENTURE GAMES!! (Disk or tape.)

12" GREEN OR AMBER MONITOR \$79.95

Your choice of green or amber screen monitor, top quality, 80 columns x 24 lines, easy to read, anti-glare! PLUS \$9.95 for connecting cable. Com-64 or VIC-20.

12" DAISY WHEEL PRINTER \$199.00

"JUKI" Superb letter quality daisy wheel printer, 12" extra large carriage, up to 12 CPS bi-directional printing, drop in cassette ribbon, centronics parallel or RS232 serial port built in! (Specify) List \$299.00 SALE \$199.00

CARDCO G + INTERFACE \$59.00

For Commodore 64 and Vic 20 computers. Lets you use other printers with Centronics interfaces. This interface lets the printer act like a Commodore printer including printing the Commodore graphics (Dot matrix with graphic capability printers). List \$109.00 **SALE \$59.00**.

PROTECTO WARRANTY

All Protecto's products carry a minimum 90 day warranty. Therefore, if anything fails within 90 days from the date of purchase, you simply send your product to us via United Parcel Service prepaid. We will IMMEDIATELY send you a replacement at no charge via United Parcel Service prepaid. This warranty proves once again that We Love Our Customers.

LOWEST PRICES 15 DAY FREE TRIAL

BEST SERVICE IN U.S.A. . ONE DAY EXPRESS MAIL

PHONE ORDERS

8 a.m. - 8 p.m. Weekdays 9 a.m. - 12 noon Saturdays

- 90 DAY FREE REPLACEMENT WARRANTY
- OVER 500 PROGRAMS FREE CATALOGS


Add \$10.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES EXCEPT CANADA Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery. 2 to 7 days for phone orders, 1 day express mail! VISA - MASTER CARD - C.O.D. No C.O.D. to Canada, APO-FPO

PROTECTO

We Love Our Customers Box 550, Barrington, Illinois 60010

312/382-5244 to order

FANTASTIC COMPUTER PRINTER SALE!!!



10X COM-STAR*

Tractor Friction Printer

130-150 CPS

Only

\$199

ist \$499

- Lowest Sale Price, Premium Quality, Tractor/Friction Printer in the U.S.A. (Best Value)
 - High Speed 130-150 Characters Per Second
 40, 46, 66, 80, 96, 132 line spacing
- Word Processing, Letters Business Forms Labels, Graphics, Tables List Programs
- Fantastic Graphics Print Modem Data The Most Important Accessory For Your Computer

Premium Quality 130-150 CPS 10X COM-STAR Printer \$199

10" carriage, prints 8½"x11" standard single sheet or continuous feed paper, Bi-directional, impact, dot matrix, 130-150 CPS, 9 x 9 dot matrix with double strike capability for 18 x 18 dot matrix (near letter quality), high resolution big image, underlining, back spacing, true lower descenders with super and subscripts, prints standard, italic, block graphics, and special characters. It gives you print quality and features found on printers costing twice as much!! (Centronics Parallel Interface) (Better than Epson FX80). List \$499.00.

Premium Quality 150-170 CPS 151/2X COM-STAR Business Printer \$319.00

Has all the features of the 10X COM-STAR PRINTER plus 15½" carriage and more powerful electronics components to handle large ledger business forms! (Better than Epson FX 100). List \$599. Sale \$319.00.

JUKI

12" DAISY WHEEL PRINTER \$199.00

"JUKI" Superb letter quality daisy wheel printer, 12" extra large carriage, up to 12CPS bi-directional printing, drop-in cassette ribbon, (90 day warranty) centronics parallel or RS232 serial port built in! (Specify).

List \$299.00. Sale \$199.00.

JUKI

Printer/Typewriter Combination \$279.00

"JUKI" Superb letter quality, daisy wheel printer/typewriter combination. Two machines in one — just a flick of the switch. 12" extra large carriage, typewriter keyboard, automatic margin control and relocate key drop in cassette ribbon! (90 day warranty) centronics parallel or RS232 serial port built in (Specify). List \$399.00. Sale \$279.00.

Olympia

Executive Letter Quality \$339.00 15" Daisy Wheel Printer

This is the world's finest daisy wheel printer. Fantastic letter quality, up to 20 CPS bi-directional, will handle 14.4" forms width! Has a 256 character print buffer, special print enhancements, built in tractor-feed (Centronics Parallel and RS232C Interface) (90 day warranty). List \$649.00. Sale \$339.00

Olympia

Printer/Typewriter Combination \$439.00 Better than IBM Selectric. Superb computer printer combined with the world's finest electronic typewriter. Two machines in one, just flick the switch for up to 20 CPS printing (300 Words per minute) on a 15" carriage that handles up to 14 1/8" in. paper. Drop in cassette ribbon — express lift off correction, Centronics parallel interface (90 day warranty). List \$749.00. Sale \$439.00.

• 15 Day Free Trial — 1 Year Immediate Replacement Warranty

PARALLEL INTERFACES -

Atari — \$59.00. For VIC-20 and COM-64 — \$59.00. Apple — \$79.00.

Add \$14.50 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$29.00 for CANADA, PUERTO RICO, HAWAII, ALASKA. APO-FPO orders. Canadian orders must be in U.S. dollars.

WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA.

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days delivery, 2 to 7 days for phone orders, 1 day express mail!

VISA — MASTERCARD — C.O.D. No C.O.D. to Canada or APO-FPO

PROTECTO

We Love Our Customers
Box 550, Barrington, Illinois 60010


312/382-5244 to order

COM-STAR PLUS+ ABCDEFGHIJKLMNOPGRETUVWXYZ
Print Example: ABCDEFGHIJKLMNOPGRETUWXYZ 1 234547890

FANTASTIC PRINTER SALE

Commodore 64 — VIC 20 — Atari

🔅 40 And 80 Column Printers 🏚 Up To 100 Characters Per Second 🟚 Full Graphics Capability Upper And Lower Case 🔅 Advanced Thermal Technology For Quiet Operation



3100 Alphacom 42-80 CPS 40 Column Printer


Print out listings with full computer character sets (interface required, see below). Print in upper and lower case. Comes with a roll of paper and all power adapters needed. Perfect for a spare printer or program lister. List \$99.00. Sale \$24.95.

40 C	olumn Extra Paper	LIST	SALE
3103	25 Meter Rolls Blue	\$9.95	\$3.00
3104	40 Meter Rolls Blue	\$16.95	\$3.95
3105	25 Meter Rolls Black (1 per pkg.)	\$12.95	\$3.95
3106	25 Meter Rolls Blue (2 per pkg.)	\$19.95	\$5.95
	25 Meter Rolls Black (2 per pkg.)	\$19.95	\$5.95

3150 Alphacom 81-100 CPS 80 Column Printer

Now you can have a printer for the cost of a large box of paper. This printer prints in upper and lower case with true lower descenders. Comes with 1 roll of paper and power adapter. With the intelligent interfaces (sold below) you can do Ascii graphics as well as Atari or Commodore graphics. Plus you can do underlining and expanded modes. Print out pictures, program listings, word processing pages, etc. Perfect for the student or homeowner. List \$199.00. Sale \$39.95.

80 Column Extra Paper	LIST	SALE
3153 40 Meter Rolls Blue	\$14.95	\$3.95
3154 40 Meter Rolls Black	\$19.95	\$4.95
3155 25 Meter Rolls Blue (2 per pkg.)	\$19.95	\$7.95
3156 25 Meter Rolls Black (2 per pkg.)	\$19.95	\$8.95



3101 Intelligent Commodore Interface — Allows you to hook the 40 or 80 column printer to the Commodore 64, do program listings, allows software screen dumps, etc. Includes Commodore graphics and reverse characters. (Specify 40 or 80 Column) List \$59.95. 40'Column Sale \$9.95.

80 Column Sale \$14.95.

3102 Intelligent Atari Interface — Allows you to hook the 40 or 80 column printer to the Atari computer, do program listings, allows software screen dumps, etc. Includes Atari graphics and reverse characters. (Specify 40 or 80 Column) List \$59.95.

40 Column Sale \$9.95.

80 Column Sale \$14.95.

Add \$10.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES EXCEPT CANADA. Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery. 2 to 7 days for phone orders. 1 day express mail! VISA - MASTER CARD C.O.D. No C.O.D. to Canada, APO-FPO


PROTECTO

We Love Our Customers Box 550, Barrington, Illinois 60010

312/382-5244 to order



Commodore 64







Telecommunications

\$59 List \$129.95

Lowest Price In the U.S.A.

FOR CHILDREN-ADULTS-BUSINESS

Complete Auto Dial Telecommunications Package

"The only telecommunications package you will ever need."

(Exclusive Easy To Use Features)



Total Telecommunications



300 Baud Modem
 Auto Dial
 Auto Answer
 Upload & Download
 Membership in 52 Database Services (UPI News, etc.)

Reach Out and Access Someone

- Educational courses
- Financial Information
- Banking at Home
- Popular Games
- News Updates and Information
- Electronic Shopping
- Research and Reference Materials

The Total Telecommonications Package offers you all this plus ...

- Auto Log-on
- Dialing from Keyboard
- On-line Clock
- Capture and Display High Resolution Characters
- Download Text, Program or Data Files
- Stores on Disk Downloaded Files
- Reads Files from Disk and Uploads Text or Program Files
- Select Any Protocol (access almost any computer or modem)
- Plus Much, Much More

\$ 59°°°

List \$129.95

Special Low-Low Price

We are so sure this is the only telecommunications package you will need we will give you 15 days Free Trial.

Add \$3.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$6.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA.

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail!

VISA — MASTER CARD — C.O.D.

No C.O.D. to Canada, APO-FPO

PROTECTO

We Love Our Customers
Box 550, Barrington, Illinois 60010

312/382-5244 to order

Street Storybook, Show Director, and Mr. Pixel's Cartoon Kit from Mindscape; Kermit's Electronic Story Maker from Simon & Schuster; Adventure Master from CBS; Story Maker from Sierra; and Adventure Construction Set from Electronic Arts.

The Print Shop category includes The Print Shop Graphics Library (Disk One) and The Print Shop from Brøderbund; Color Me and Mr. Pixel's Programming Paint Set from Mindscape; and News Room from Springboard.

Fred's Wish List

These 106 programs are just the tip of the iceberg of a new genre of real world software. Here are some programs now available on other computers that I'd like to see really soon on the Commodore 64:

 A paper airplane construction kit (Simon & Schuster)
 Make Millions (Scarborough), a factual simulation that challenges you to go from rags to riches while managing everything in real time • Self-improvement programs like diet, nutrition, and stress management programs from Bantam; Stop Smoking!; Make It Click (using seatbelts); and biofeedback programs from Sunburst • Nutrition, dancing, and "better living" programs from Spinnaker • A piano teacher from Alfred Publishing • Diagnostic tools in math and reading from Krell • A hardware/software science tool kit from Brøderbund • A factual, around-the-world mystery game from Brøderbund that comes with a copy of The World Almanac • Keys to Responsible. Driving from CBS • Robot Odyssey I (a robot and microchip construction set) from The Learning Company • Remember!, an amazing study aid and homework planner for high school students from DesignWare • Get Organized! (Electronic Arts) and SkiWriter II with Mail/Merge (Prentice-Hall), two easy-to-use, low-cost organizing and communications tools.

Character Assassination

Kent Brewster

This short, easy-to-type-in program can help children and computer newcomers learn their way around the keyboard. Both letter and number recognition are taught. For the VIC and 64.

Quick, where's the Z? Letters and numbers are dropping from the sky, and only by pressing the correct key can you save the city below.

"Character Assassination" is a typing tutorial suitable for almost any age and skill level. It's especially helpful to those learning the keyboard, but can be good practice even for those with some experience.

Preventing Disaster

After typing in the program, type RUN. You are then asked to select a speed. There are ten choices (0–9), with 0 as the slowest and 9 the fastest. After making a choice, be prepared to begin immediately. A multicolored city appears at the bottom of the screen, and your job is to prevent its being destroyed. A random number or

letter falls whining from the top left of the screen toward the city. If you press the correct key, it explodes and disintegrates. The next character begins falling one position from the right of the previous one, and so on, until 40 characters (22 for the VIC) have fallen. After the character in the rightmost column has fallen, the action continues back at the left side of the screen. Your score, at the top of the screen, increases according to the speed and accuracy of your response.

If a character reaches the city, it destroys a building with an ominous explosion. The game ends when the city has been destroyed.

After you begin playing, if you find that the level you've chosen is too easy or difficult, press RUN/STOP-RESTORE, then type RUN and select a new level. Student progress can be monitored by jotting down the level and previous high score.

Each version of Character Assassination is only 25 lines, so it can be typed in quickly. Those interested in the programming techniques will find the short listing helpful to study.

See program listings on page 132.

Hardworking Software from Abacus

MAKE YOUR OWN CHARTS...

Produce pro-quality charts and graphs instantly in 8 chart formats. Hardcopy in two sizes to popular dot matrix printers. \$39.95



DETAIL YOUR DESIGNS...

CADPAK-64 Superb lightpen design tool. Draw LINES, BOXes, CIRCLES. ELLIPSEs; pattern FILLing; freehand DRAW; COPY sections of screen; ZOOM; more. Hardcopy. \$49.95



CREATE SPREADSHEETS & GRAPHS POWER PLAN-64 (Larente CO)

Powerful spreads builtin graphics. hensive handbool help, format, ce

much more.

sheet with	111	Sales 4
Compre-	1	Bistributors Betwiers
k, tutorial, Il protect,		Aud Srew
	H	
\$49.95	1	Lapermen
		Baterials

ORGANIZE YOUR DATA...

DATAMAT-64 Powerful, data managment package. Free form screen design. Complete flexible reporting, sorting, selec-\$39.95 tion. More

INVENTO	MY FILE
Item Number	Descripti
Onhand	Price
Location	_
Reord. Pt.	Reord. Ot
Cost	

CHART YOUR OWN STOCKS...

TAS-64 Sophisticated technical analysis charting package. 7 moving averages. 3 oscillators, trading \$84.95 bands, more.



Other titles available. FREE CATALOG and name of nearest dealer, write or call (616) 241-5510.

For postage and handling, include \$4.00 per order (\$8.00 per item foreign). Money Order and checks in U.S. dollars only. Mastercard, VISA and American Express accepted. Michigan residents include 4% sales tax.

You Can Count On



18.1 18.1 18.1

1.2

11.4 111.3

P.O. Box 7211 Grand Rapids, MI 49510 - Telex 709-101 - Phone 616/241-5510

PROFESSIONAL

FOR COMMODORE C-64TH Practical, Powerful and Friendly

- AC/DC Circuit Node/ Transfer Function Analysis
- **Negative Active Filters** (BP, HP, LP) Design & Analysis
- Positive Active Filters (BP, HP, LP) Design & Analysis
- Magnitude and Phase Bode Plots for Transfer Functions
- Polynomial Roots Extractor

All 5 programs on one disk. Supergraphics with fast hard copy printouts on most printers.

\$39.95

ADD \$1.95 SHIPPING CA RESIDENTS ADD 6% TAX

TO ORDER, send check or money order to:

BAMTEK

1541 N. China Lake Blvd. Suite #584 Ridgecrest, CA 93555 (619) 446-5311 ext. 584

For Additional Information Call or Write to Above

PROGRAM PROTECTION MANUAL FOR THE C-64 VOLUME II

Not just a third edition - a new and up-to-date manual covering the latest advances in program protection. Over 275 pages of valuable information. Topics include:

ENCRYPTION AND DECRYPTION UNDOCUMENTED OPCODES

GCR RECORDING

CUSTOM DOS ROUTINES INCLUDING:

Halftracks Extra Tracks and Sectors Non-Standard Sectors Nybble Counting Track Arcing Density Changes Synchronized Tracks

CARTRIDGES AND EPROMS

Using an Eprom Programmer Cartridge Protection Schemes Eprom Design and Manufacture

PROTECTING YOUR OWN SOFTWARE

TIPS FROM EXPERTS ON PROTECTION AND BACKUP

AND MUCH, MUCH MORE . .

A disk is included to help explain the concepts.

\$34.95 + Shipping

1541 DISK DRIVE ALIGNMENT **PROGRAM - VERSION 2**

No special tools or knowledge are required to properly align the 1541 disk drive with this program (although average mechanical ability is required)

A WELL TESTED, PROVEN PRODUCT, NOW EVEN MORE ACCURATE!! VERSION 2 FEATURES A NEW CALIBRATION DISK, SPECIALLY PRE-PARED ON SOPHISTICATED EQUIPMENT FOR EXTRA PRECISION.

NO FANCY SCREEN DISPLAYS OR HI-RES NO FANCY SCREEN DISPLAYS OR HI-RES GRAPHICS. JUST A GOOD, SOLID DISK DRIVE ALIGNMENT PROGRAM — THOUSANDS ALREADY IN USE!! SEE THE REVIEW IN THE OCTOBER 1984 ISSUE OF COMPUTE!'s GAZETTE.

\$44.95 + Shipping

updates available to prior purchasers for \$20.00 + Shipping

PROGRAM PROTECTION MANUAL FOR THE C-64 VOLUME I

This is the original protection manual. Covers bad blocks. BASIC and ML protection schemes, reset and cartridge switches and much more. Program disk is included, with many helpful programs. If you are just getting into program protection, this volume is required reading!

\$29.95 + Shipping

CARTRIDGE BACKER

THE ORIGINAL CARTRIDGE BACKUP SYSTEM. NOW EVEN BETTER.

PACKAGE INCLUDES:

- 1. EXPANSION BOARD, PROGRAM DISK AND USER'S MANUAL
- 2. CARTRIDGE BACKER software to backup 99% of the most popular cartridges to disk
- 3. ART'S, ACTIVE AND PARKER BACKER software to backup many disk programs.
- 4. SUPERBOOTER to create your own autoboots.
- 5. SUPERSAVER copies files to or from disk or tape
- 6. SOLD FOR ARCHIVAL USE ONLY!!

Cartridges are saved to disk with an autoboot and will run as-is. Unlike all other cartridge backup systems, NO EXTERNAL RAM BOARDS, ROMS OR CAR TRIDGES ARE REQUIRED.

FOR THE C-64

\$54.95 + Shipping

SINGLE SLOT EXPANSION BOARD

- FULLY SWITCHED, including GAME, EXROM, ENABLE AND POWER SWITCHES.
- · LED indicators for type of cartridge
- RESET BUTTON
- · COMPACT approximately same size as cartridge

Designed especially for those who don't need a \$65.00 + expansion board.

\$24.95 + Shipping

CSM

SOFTWARE, INC.

P.O. Box 563, Crown Point, IN 46307 (219) 663-4335

VISA AND MASTERCARD ACCEPTED
DEALER INQUIRIES INVITED

Shipping \$3.50 per item in U.S.; foreign orders extra

NUMERIC KEYPAD

FOR VIC and C-64 NO SOFTWARE REQUIRED

100% COMPATIBLE WITH ALL SOFTWARE

MORE FUNCTIONS THAN KEYPADS COSTING \$79.95

5 6 1 2 3 1 + . DEL 0 ENTER SH

\$64.95 + Shipping

REVIEWS

Bank Street Music Writer

This screen-oriented music editor is designed for that large circle of computer owners who want to make music without getting bogged down in programming details. Many music editing programs are slow and tedious to use, requiring that you type in something like V1 to choose a voice, O4 for the octave, F# for the pitch, and so on. By letting you compose directly on the screen, Bank Street Music Writer makes computer music far more interactive, and less tedious.

The program's editing screen provides a crisp graphics display of the familiar musical staffs, with bass and treble clefs. To enter a note, you move a cursor to the correct spot on the staff, and press 4 for a quarter note, 2 for a half note, and so on. The effect is much like having a "musical typewriter." Each

note is played and printed on the screen as soon as you enter it. The cursor then moves right, making it easy to enter a series of notes. Since the Commodore 64 has three voices, you're limited to three part compositions.

All music is displayed in conventional notation; each note, accidental, rest, etc., appears as it would in a piece of sheet music. Most features, such as triplets and dotted notes, are available; and in many ways, this program does with music what a word processor does with text. It's easy to replace or delete notes, copy or repeat whole passages, change waveforms, and review all or part of your work at any time. Finished compositions can be saved to disk for future editing or replay, or output to a printer (on properly configured systems). Since what you see is what you get, it's a snap to transcribe songs from sheet music, or print your

own songs in standard form.

Serious musicians, however, may find this package somewhat limited. You can separately control the ADSR (attack, decay, sustain, release) parameters of each voice, but the 64's noise waveform can't be used at all, so true percussion effects are impossible. Nor do you have any way to use the 64's most advanced sound features (filtering, ring modulation, envelope following, etc.). Without filtering, you can use only the 64's standard, unmodulated waveforms; this sharply limits the number of available sounds. After using the program for a while, you may wish it were possible to create a convincing banjo twang, wah-wah effect, or

To be fair, many users won't miss the advanced features, and the program isn't intended for arcane sound effects, anyway. Termed a notation



VIDEO BASIC-64 — add 50+ graphic and sound commands to your programs with this super development package. You can distribute free RUNTIME version without paying royalties! \$59.95

BASIC COMPILER-64 — compiles the complete BASIC language into either fast 6510 machine language and/or compact speedcode. Get your programs into high gear and protect them by compiling. \$39.95

MASTER-64 — professional development package for serious applicants. Indexed file system, full screen management, programmer's aid, BASIC extensions, 100 commands. \$39.95

PASCAL-64 — full Pascal with extensions for graphics, sprites, file management, more. Compiles to 6510 machine code and can link to Assembler/Monitor routines. \$39.95

FORTRAN-64 — based on Fortran 77. Common, Data, Dimension, Equivalence, External, Implicit, Goto, Else If, Do, Continue, Stop, Subroutine, Call, Write, Read, Format. more. April 1985 \$39.95

ADA TRAINING COURSE — teaches you the language of the future. Comprehensive subset of the language, editor, syntax checker/compiler, assembler, disassembler, 120+ page guide. \$59.95

C-LANGUAGE COMPILER — a full C language compiler. Conforms to the Kernighan & Ritchie standard, but without bit fields. Package includes editor, compiler and linker. April 1985 \$79.95

Other titles available: Write or call: PHONE: (616) 241-5510

For postage and handling include \$4.00 (\$8.00 foreign) per order. Money order and checks in U.S. dollars only. mastercard, VISA and American Express accepted. Michigan residents incl 4% sales tax.

Abacus Software
P.O. Box 7211 Grand Rapids, MI 49510

editor by the publisher, Bank Street Music Writer is simply a convenient, well-crafted tool for composing what most people consider "real" music. Within the limits of that design, it performs very well indeed. Given its clear, well-organized instruction manual, practically anyone will be able to produce respectable music at the first sitting.

-Philip I. Nelson

Mindscape, Inc. 3444 Dundee Road Northbrook, IL 60062 \$49.95 (disk)

Allegro

This is a comprehensive music and sound effects package that attempts to harness virtually every feature of the 64's SID chip. The result is a program that's powerful, but rather forbidding in complexity. Its instruction manual contains 75 pages of detailed explanation, and the author warns that no one, not even experienced musicians or 64 programmers, should expect to master the system overnight.

To compose music with Allegro, you type statements in a language the author calls "Forte." Here's a short sample of Forte syntax from the instruction manual:

&1+ V1 O4 G D F F= D F

Once a composition has been entered, it must be compiled (condensed into more compact form), a process that takes only a few seconds for short songs. Then (and only then), the composition can be

played. To make changes, you must recall the Forte file, type the corrections, recompile it, list it again, and so on.

In practice, this process is less difficult than it sounds, but the average user may find it tedious to compose music by such abstract methods. Unless you

have perfect pitch (or a piano next to your computer), it's hard to know what note to enter next; and translating music from conventional notation into Forte syntax is laborious. Learning to write music with Allegro is much like learning to program in BASIC; beginners should

MICROSHAR



PET/CBM MULTI USER DISK SYSTEM

- ALLOWS UP TO SIXTEEN USERS TO SHARE DISK DRIVES AND/OR PRINTERS

 *WORKS WITH ALL PET/CBM EQUIPMENT

 *100% HARDWARE INTERFACED

 *NO ALTERATIONS TO SOFTWARE OR SPECIAL SOFTWARE RE-

- QUIRED SOFTWARE TRANSPARENT WORKS WITH ALL PET/CBM
- SOFTWARE

 LANGUAGE TRANSPARENT WORKS IN ANY LANGUAGE
 NO SPECIAL COMMANDS USED
 PROTECTS AGAINST SYSTEM LOCKUP




COMMODORE 64 MULTI USER DISK SYSTEM

- CUMMUDURE 04 MULTI USER TO SHARE DISK DRIVES AND/OR PRINTERS USERS TO SHARE DISK DRIVES AND/OR PRINTERS USERS TO SHARE DISK DRIVES AND/OR PRINTERS USERS USE

- BUILT IN 16K PRINT BUFFER
 DISK DRIVE PRIORITY

GREATER PRODUCTIVITY & LOWER COST FOR BUSINESS AND EDUCATIONAL USE



40 TO 80 COLUMN CONVERSION

- EXTERNALLY SWITCHABLE FROM 40 TO 80 COLUMNS
 EXTERNALLY SWITCHABLE FROM 80 TO 40 COLUMNS
 EXTERNALLY SWITCHABLE FROM 80 TO 40 COLUMNS
 COLOWERSIONS FOR BOTH 40225 AND 80225*
 COLOWES SOFTWARE COMPATIBILITY IN EITHER MODE
 HAROWARE (NOT SOFTWARE) MODIFICATION
 ALL KEYS FROM 8032 EMULATED ON 4032
 SPECIAL FUNCTION KEYS



MICROSHARE 64K PRINT BUFFER

- LOW COST
 REDUCES LONG WAITS SAVES TIME
 ALLOWS YOU TO PRINT AND PROCESS SIMULTANEOUSLY
 LEEE INPUT IEEE OR CENTRONICS PARALLEL OUTPUT
 WORKS WITH ALL PETL CBM SOFTWARE
 NO INSTALLATION REQUIRED
 ELIMINATES THE FRUSTRATION OF WATING FOR YOUR
 PRINTER

COMMODORE 64, PET, AND CBM ARE ALL TRADEMARKS OF COMMODORE BUSINESS MACHINES, INC

DEALER INQUIRIES INVITED.

MANUFACTURED BY: COMSPEC COMMUNICATIONS INC. 153 BRIDGELAND AVE., UNIT 5, TORONTO, ONTARIO M6A 2Y6 (416) 787-0617

plan to spend a lot of time flipping back and forth in the instruction manual, and correcting the inevitable typing errors.

Needless to say, this type of program is not well suited to the casual or impatient user. Given the complexity of the 64's SID chip, any program that truly implements all its features is bound to be involved. Once you're familiar with the system, however, you can generate anything from a Mozart sonata, to "electronic" music or wholly nonmusical sound effects. Even better, your creations are portable: Allegro music or sound effects can be added to your own BASIC programs without significantly affecting BASIC. If you want to squeeze the most out of your 64's sound system, and have the requisite time and patience, this may be the editor for you.

-Philip I. Nelson

Artworx Software, Inc. 150 N. Main Street Fairport, NY 14450 \$39.95 (disk)

Sky Travel

Even though I've always had a special fascination with the night sky, my early ambition to become an astronomer took a back seat when I detoured into chemistry and, later, computers. I never developed more than a rudimentary knowledge of astronomy. But Sky Travel promised to change all this. It is billed as, "A Window to Our Galaxy. Learn About the Stars. Ages 12 & Up." But two questions come to mind. Would the program work and would it be the painless way for me to become an expert in astronomy?

Sky Travel comes as a package—a protected disk and enter-

taining manual (138 pages). The lengthy program does take a long time to load on a 1541 drive. Even though protected, it will load using an MSD drive or an IEEE drive and BusCard II.

The program opens with a

view of the night sky as seen in Washington, D.C., at 4:15 a.m. on January 1, 1985. Looking south at an elevated angle of 60 degrees, you observe the outline of the constellation Leo. Your field of view is 72 degrees,

Nobody copies better!!

Since November 1984, Mr. Nibble has successfully copied heavily protected diskettes for grateful C-64 owners!



The next generation in archival methods is here today!

- No better disk copier at any price
- Easy-to-use no complicated instructions
- Totally automatic no knowledge of DOS required
- You'll LOVE MR. NIBBLE™ if not, return within 10 days for full refund

Own THE FINEST DISK COPIER SYSTEM for The C-64 and 1541 disk drive - Order today!




FULL CIRCLE SOFTWARE, INC. P.O. Box 1373 Dayton, Ohio 45401

Phone (513) 223-2102

\$49.95 includes shipping & handling (Ohio residents add 6% sales tax)



Special MSD Version now available!





Breakthrough in Value!

ULTRABYTE

DISK DUPLICATORS with FREE BACKUP COPIES

ULTRABYTE NOW OFFERS TWO OF THE BEST COPY PROGRAMS ON THE MARKET, AND BOTH COME WITH FREE BACKUP COPIES.

ULTRACOPY II

Jim Lagerkvist's sequel to the original ULTRACOPY 64 owned by thousands of satisfied customers.

- Copies protected disks in 8 minutes on a single 1541
- . Does not "hammer" the disk drive. Will not affect alignment
- · Formats, copies and produces errors automatically in one step
- Features Normal Scan for reliable copies of most disks
- Includes Deep Scan with 38 track and half track capability
- . Copies 99% of programs on the market
- Free backup copy two disks for the price of one
- Technical support available by telephone
- · Simple to use. Tone signals disk swaps

ULTRABYTE DISK NIBBLER

Uses proprietary revision of disk operating system (DOS) to make a bit by bit copy. This process, called nibbling, copies the format, data and errors, all at the same time. Errors are not recognized and do not hammer the drive. Built in fast load environment allows copies in 8 minutes with a single 1541 disk drive.

- Easy to use. No separate analysis or error production
- Choose 35, 36, 37 or 38 tracks to copy incl. half tracks
- Makes up to 5 copies of each original (UNIQUE FEATURE)
- Backs up 99% of all software
- Free backup copy two disks for the price of one

FREE BACKUP DISK

ULTRACOPY !! and the NIBBLER are independent products by different authors. Both are excellent and either should meet your needs. You may order two disks of one product for \$39.95 plus \$4.00 shipping and obtain a single disk of the other for \$20.00 plus \$3.00 shipping. Sorry, free backup must be same as disk purchased.

\$39.95 FOR 2 COPIES OF EITHER ULTRACOPY II OR THE DISK NIBBLER

plus \$4.00 shipping and handling. Mastercard, Visa, Check or M.O., Foreign orders or COD add \$2.00. Calif, add 6.5% (\$2.60) sales tax. Additional backup copies are \$20.00 plus \$3.00 shipping

ATTENTION: Owners of ULTRACOPY or the NIBBLER whose names are in our file may order a single copy of either product for \$20.00 plus \$3.00 shipping.

Write or Call 24 Hour Order Line
ULTRABYTE (818) 796 - 0576
P.O. Box 789 La Canada, CA 91011

DEALERS & DISTRIBUTORS WANTED

REVIEWS



approximately the angle of your peripheral vision. A number of other constellations and stars are also shown, some with lines joining the stars and others without.

I can read your thoughts. What if you want to look at the sky at a different place or time? You can—the program is replete with options like that and others. For example, the sky can be viewed at any time, date (9999 B.C. to 9999 A.D.), viewing angle, or place on earth. If you want to locate a specific celestial body, like the moon or Venus, the program will locate it for you and center it on the screen. Bothered by the constellation lines? No problem. Out they go. Need more information about prominent objects? Just ask the program, and a moving billboardlike display supplies you with additional data. The options are exercised with the keyboard and/or a joystick from a displayed menu.

In our limited space here, I can highlight only a handful of the many helpful options. One important addition is to allow a printout of the sky display on a Commodore printer (1525 or MPS 801) or emulator. A permanent record is always a nice plus. If you wish, you can make your own sky charts for your area of the country and use them during outdoor stargazing.

It doesn't take much to make your programs run up to 20 times faster.

If you've been writing programs for your Commodore 64, Apple He or Apple Hc in BASIC you can take a giant step forward in speed of execution and in programming productivity

for just \$49.95.

You can get program performance that you only thought possible from machine language programs. While still using a powerful, understandable highlevel language. A language that's similar to Pascal, but much easier to learn and use.

You can create programs with our advanced, full-screen editor-much like you would on a word processor, and it even locates your compilation errors.

And when you compile your programs, you have a fast one-

pass compiler, a recursive descent compiler that can compile a 100-line source program in 10 seconds or less.

PROMAL™ also gives you an elegant operating system "Executive," which includes powerful file, program and memory management commands and even I/O redirection.

You get all of that with PROMAL-improved programming productivity, faster compile and run time and power that you may never have thought possible.

PROMAL-for the beginning or advanced programmer.

Whether you are just beginning to write or are an experienced programmer, you can be more productive with PROMAL (PROgrammer's Micro Application Language). It's easier to learn than Pascal, C or Forth. It provides you with a full range of powerful structured statements like IF-ELSE, WHILE, REPEAT, FOR and CHOOSE. And, because indentation is part of the language's syntax, it helps you write programs neatly and logically. There are no line numbers to worry about, and since comments don't take up memory space, you can document your programs completely.

COMMODORE 64 BENCHMARK

(Sieve of Eratosthenes)

	PROMAL	BASIC	COMAL	FORTH	PASCAL
Execution Time (secs.)	30	630	490	51	55
Object Code Size (bytes)	128	255	329	181	415
Program Load Time (secs.)	3.2	3.8	6.3	11.2	23.5
Compile Time (secs.)	8.5	-	-	3.9	108

PROMAL-a language especially for small systems.

Unlike languages developed for larger systems and squeezed into small systems environments, PROMAL was conceived and developed specifically for the small system. With PROMAL there's finally a language created for the environment in which you work.

> Speed up your programs and step up your programming productivity.

You get all of that speed and productivity-with the PROMAL PM-200 "End-User" system (220 pages of

documentation and PROMAL system diskette including sample programs) for just

\$49.95. There's a 15-day, no-risk moneyback guarantee. And the entire \$49.95 may be credited against later purchase of the "Developer's Version."

The "Developer's Version" - all the components of the "End User" system plus the "run time" object module generation capability, additional documentation and an unlimited right to sell or distribute PROMAL applications-is only \$99.95.

Or-for only \$10.00 plus \$2.50 postage and handling you can get the PM-100 demo system. It includes a 32-page manual and all the

PM-200 except the ability to print or save files to disk. It's a very inexpensive way to explore the wonders of PROMAL.

Our Guarantee: Try PROMAL for 15 days. If you are not completely satisfied, return it to us undamaged and we'll refund your money. No questions asked. Dealer inquiries invited.

For quicker response on credit card orders, call Toll Free:

capabilities of the



Systems Management Associates 3700 Computer Drive, Dept. GP Raleigh, North Carolina 27609

Order Form Please send me my copy of PROMAL

My system is (check one): ☐ Commodore 64 ☐ Apple IIe ☐ Apple IIc PROMAL Package Desired (check one):

- PM-200 (for systems listed above) \$49,95 plus \$5.00 for shipping and handling at a total cost of \$54,95. Satisfaction Guaranteed.

 PM-300 Developer's Version \$99.95 plus \$5.00 for shipping and handling for a total cost of \$104.95. Satisfaction Guaranteed.
- □ PM-100 demo diskette \$10.00 for the diskette plus \$2.50 for postage and handling for a total cost of \$12.50. (Non-refundable.)
 □ My check is enclosed. □ Please charge my purchase to my □ Visa □ Mastercard

Card Number Expiration Date Signature Name

Address

City, State, Zip North Carolina Residents add 4-1/2% sales tax Foreign orders add \$15.00 additional shipping and handling. The manual discusses several examples which the new user can try. However, I prefer to use my own as this may give a less biased review. I chose two examples: One, to confirm an unusual arrangement of the planets which occurred recently where I live. Two, to observe again an eclipse of the sun which I remember seeing 15 years ago.

On November 25, 1984, just after sunset in the area where I live, there was an unusual arrangement of four planets around a crescent moon. Three of the brightest natural objects in the night sky (the moon, Venus, and Jupiter) appeared as a brilliant triangle. In addition, Mars and Mercury

were also visible. Saturn, the only other planet visible to the naked eye, had already set before sunset. The local newspaper had a short article describing the phenomenon.

I had no trouble observing the cluster months later using the Sky Travel program. I set the geographical coordinates on the world map display and set the correct time and date. When the sky appeared, I used the Find command to center the crescent moon on the screen, and there was the cluster almost exactly like the newspaper figure. The only points of difference were that in the Sky Travel display, Venus and Jupiter were too close to be resolved, only Jupiter appeared, and the stars and

constellations were shown. Sky Travel had successfully passed its first test.

On March 7, 1970 my family and I watched a spectacular natural phenomena, a total solar eclipse. At first we watched indirectly using pinholes in paper. Around noon, the moon started its slow journey across the face of the sun. At approximately 1:30 PM, totality was reached, the center of the sun was completely blocked.

I wondered, could Sky Travel simulate this memorable event? I set the parameters for the correct date, place, and time. For this example, I had the program scan the clock slowly around the point of totality. The moon slowly swallowed the sun; the sky became like twilight; at totality, the sky was dark. The display showed other features besides the eclipse that I would have looked for if I had this program at that time. For example, Venus was probably visible up and to the left of the moon. Sky Travel had successfully passed its second test.

I don't like to be too lavish with my praise, as one might doubt my credibility as an objective reviewer. However, I cannot imagine a better program of this kind. Is it possible that a Commodore 64, a "low end" computer, can do the calculations necessary to predict the night sky thousands of years on either side of the present? Surely this would require a large mainframe costing thousands of times more.

The answer is simple: *Sky Travel* can and does do these predictions in a reasonable amount of time. I verified this by trying the above examples

BACKUP PROTECTED SOFTWARE WITH COPY II 64™

From the team who first brought you **COPY II PLUS** (Apple), **COPY II PC** (IBM) and **COPY II MAC** (Macintosh) comes a revolutionary new copy program for the Commodore 64, **COPY II 64**!

- Copies most* protected software automatically.
- Copies even protected disks in just 3½ minutes.
- Maximum of four disk swaps on a single drive.
- Copies half and full tracks.
- · Requires just one 1541 drive on the Commodore 64.

Call M-F 8-5:30 (W. Coast time) with your : 503/244-5782. Or send a check (add \$3 s/h, \$8 overseas) to



\$39.95

CENTRAL POINT Software, Inc.

9700 SW Capitol Hwy. #100 Portland, OR 97219

* We update Copy II 64 regularly to handle new protections; you as a registered owner may update at any time for 1/2 price! (To update, just send original disk and \$20.)

This product is provided for the purpose of enabling you to make archival copies only

and several others besides. All the examples worked to my satisfaction, but a friend who is an expert in astronomy did find a minor error—the crescent moon was not lined up at the proper angle with the sun. Nitpicking aside, the program performs admirably.

The second question I had was more difficult to answer. Would this program make me or anyone else an expert in astronomy? As the question is phrased, I don't think so. However, if you do the examples carefully, you can learn a great deal about this subject. And, if you print off sky charts and use them, you'll see things in the night sky you missed before. Not an expert, perhaps, but certainly an educated layman.

If you or anyone you know has the slightest interest in astronomy, run out and buy this program. Lavish praise indeed, but, in my opinion, justified.

-Harvey B. Herman

Commodore Business Machines 1200 Wilson Drive West Chester, PA 19380 \$34.95 (disk)

COMPUTE!'s
GAZETTE
TOLL FREE
Subscription
Order Line
800-334-0868
In NC
919-275-9809

Raid Over Moscow

Raid Over Moscow may do nothing for U.S.-Soviet relations, but it's an excellent arcade-style strategy game very much in the tradition of Beach-Head, an earlier bestseller from Access Software. The basic premise is a nuclear-age nightmare which you must stop: The U.S. has disarmed its nuclear arsenal following further strategic arms limitation talks (SALT IV) between the Soviets and the Americans. The Russians, fearing vulnerability, have hidden nuclear missiles in three Soviet cities-Leningrad, Minsk, and Saratov. Following an escalation of tensions, missiles are launched. Your mission is to destroy the launch sites before missiles reach American cities.

Many fast-action computer games challenge the player to master only one or two kinds of skills. Designer Bruce Carver has included no fewer than five different types of game play, all within the same scenario. Colorful, detailed graphics, well-designed sequences, and subtle strategic elements help make this a very engaging game.

The five game scenarios include piloting your stealth fighter-bombers out of an orbiting space station's hanger, making an attack run against the launch sites, firing at the missile silos, coordinating a commando's attack against the Moscow defense center, and finally trying to destroy the nuclear reactor. You are attacked every step of the way by tanks, missiles, fighter planes, and Soviet soldiers. You're even confronted in the final sequence by armed robots which you must destroy by



ricocheting a disc grenade off of the rear wall of the reactor room and hitting the unprotected back of the robot—four times! Throughout the game, the quality of the 3-D effects are impressive, as are the smoothly scrolling screens and the attention to detail.

One word of warning. Although most of the sequences depict buildings, trucks, tanks, and other objects being destroyed, the attack on the Soviet defense center graphically shows the bodies of soldiers falling to the ground when hit. Parents of young children may find such violence objectionable.

That having been said, it should be emphasized that *Raid Over Moscow* is well-designed and programmed throughout. Of great help is a demo mode which runs through the different sequences. You can take control of the game anywhere in the demonstration to practice your skills. *Raid Over Moscow* is in some ways like playing five different games in one. You'll enjoy the challenges.

—Selby Bateman

Access Software 925 East 900 South Salt Lake City, UT 84105 \$39.95 (disk)

SIMPLE ANSWERS TO COMMON QUESTIONS

Tom R. Halfhill, Staff Editor



Each month, COMPUTE's GAZETTE tackles some questions commonly asked by Commodore users and by people shopping for their first home computer. If you have a question you'd like to see answered here, send it to this column, c/o COMPUTE's GAZETTE, P.O. Box 5406, Greensboro, NC 27403.

Does that make the programs search and load any slower?

Filling a Commodore floppy disk to near-capacity does not significantly slow down the searching and loading process. That's because the disk drive does not have to search the disk sequentially, as the Datassette does when it searches for a file on cassette. The Datassette is hampered because files are stored end to end, one after the other. It must wind the tape past all the files at the beginning of the tape to find the ones that follow.

But on a disk, the files are stored in small pieces called *sectors*. All of the sectors are indexed by a *block allocation map*, or BAM. This map keeps track of which sectors on a disk are currently being used to store files. When you enter a SAVE command, the disk drive consults this map to find unused sectors where it can put your program. Then it writes the program name into the directory, with information about where the program was saved. If the program is longer than one block, the disk drive looks for another free sector and writes the second sector's address at the beginning of the first sector.

When you load a program, the disk drive searches through the directory, trying to match

the name. When it finds a match, it also finds the location of the first sector and jumps there. The first sector points to the second, the second to the third, and so on. The drive jumps back and forth from sector to sector, reading the program and sending it to the computer. It ignores sectors which do not belong to the file. This method is called *random access*.

Since the disk directory is stored sequentially, it may take a fraction of a second longer to load a program at the bottom of the list. The disk drive has to first look at the program names at the beginning. But once the name is found, programs load at about the same speed.

Often, however, not all of the sectors belonging to a file will be contiguous. That is, the file may be stored in blocks of sectors which are scattered all over the disk. This system might seem illogical, but it's actually the most efficient way to use disk space. Otherwise, there would be gaps of unused space throughout the disk where you deleted short files. To keep from wasting this space, the disk drive saves pieces of longer files in the gaps and then keeps track of where everything is by using the sector pointers.

This means that a nearly full disk which has been heavily used (many files deleted and saved) will slow down the searching and loading process a trifle. You can hear this for yourself when the disk drive is loading a long file; if you listen closely, you'll notice the read/write head skipping from place to place as the drive accesses the scattered sectors. However, the slowdown is not significant—probably less than one second in total.

If you wanted, you could clean up a disk with many noncontiguous sectors simply by copying each file one by one to a fresh disk. But the labor involved probably wouldn't be worth

the second of loading time you might save. (Note that a copy program which duplicates a disk sector by sector would simply recreate the original

disk, noncontiguous sectors and all.)

There is one way a full disk is significantly slower than a near-empty disk: when listing disk directories. Unlike most floppy disk systems, Commodore disks treat directories as program files—calling a directory is just like loading a program. (That's why the directory wipes out whatever program you had in memory, unless you're using a special utility such as the DOS Wedge.) A full disk usually has many more files, so the lengthy directory takes longer to load than a short directory.

But there's a more important reason why you should avoid filling a disk to capacity. We've noticed that full disks seem more trouble-prone than disks which aren't crammed to the gills, especially when the disks are swapped among several different drives. This is partly because data is recorded on a disk in 35 circular rings called tracks, starting from the edge and progressing toward the center. Commodore 1541 disk drives are sensitive to head alignment problems, and sometimes they have difficulty reading the innermost (or outermost) tracks. To be safe, we usually start with a fresh disk when a disk gets about 90 percent full.

In a recent issue of COMPUTE!'s GAZETTE I saw an ad for the Commodore B128. The ad states that the unit is a 128K, 80-column computer with an 8050 dual disk drive that stores one megabyte. I have never seen these two items on the market. Is there such a model, and if so, why isn't it more popular? I would think that it would be. I would also like to know if there is any third-party support.

A. Yes, there is such a system as the Commodore B128 and 8050 dual disk drive. The advertisement correctly listed the specifications, too. Yet, it's also not unusual that you've never seen these models on the market. They have a rather odd history that dates back a couple of

At the National Computer Conference and Summer Consumer Electronics Show in June 1982, Commodore pulled out all the stops and announced a lineup of five new computersranging from a low-end videogame computer at \$179 to a high-end business computer at \$2,995. But as it turned out, only one of these computers ever made it on the U.S. market in significant numbers—the Commodore 64 (originally priced at \$595).

Among the computers which never quite made it was the B128. As first announced, it had 128K Random Access Memory (RAM), expandable to 256K internally and 640K externally (896K total); a 6509 chip for the central processing unit (compatible with the VIC and 64's 6502/6510); the same SID synthesizer chip found in the 64; 80-column text mode, but no high-resolution color graphics; a built-in tilt-andswivel monitor; built-in dual floppy disk drives; RS-232 serial and IEEE-488 parallel interfaces; a cartridge slot; Microsoft BASIC; detachable keyboard; and optional Z80 and 8088 microprocessor boards for CP/M and CP/M-86 compatibility. The tentative price was \$1,695.

As you can see, this is similar but not identical to the B128 now being advertised (although a few of the original configurations have been reported in Europe). The built-in monitor and dual floppy disk drives have been subtracted, and the detachable keyboard has been combined with the system unit to form a one-piece console. The original keyboard layout (with a generous 94 keys) has been retained. The computer still has 128K RAM, but there's no mention of expandability or optional microprocessor boards. A few

other specifications were changed, too.

To our knowledge, only about 20,000 B128s were ever manufactured, approximately 14,000 for the U.S. market. Essentially, the ad you've seen is a closeout sale. To make up for the missing monitor and disk drives, the advertiser is tossing in a separate monochrome monitor and Commodore 8050 dual disk drive. The 8050 is a very high capacity drive originally made for the Commodore PET series computers. It's much faster than a 1541 drive because it connects to the IEEE-488 port, a parallel interface (see last month's column). The advertised system also includes a Commodore 4023 printer and other miscellaneous items for a total price of \$895.

Notice that this is about half the original list price for a B128. In fact, the original list price of the 8050 drive alone was \$1,795. In terms of hardware, then, it's a hard deal to beat.

But remember that the B128 is not in production and only a relatively small number exist. Aside from the word processing and business programs offered by the advertiser, it's unlikely that any new programs will be developed by software publishers. The only alternative is to write your own, although we've heard that someone in Europe has a program that lets the B128 run most software developed for the Commodore PET 8032.

Consider if the available software is sufficient for your purposes, or if you can write the programs you'll need, before making a decision to buy the B128. If you happen to already have a PET, the deal might be worth it just for the 8050 disk drive.

Michael S. Tomczyk

BASIC Magic

GOTO And GOSUB: Two "Messenger" Commands

I once had a good friend at Commodore who had a great way of introducing bad news. First he'd deliver the terrible news. Then when everyone went into a panic, he'd raise his hands in surrender and say, "Hey, I'm only the messenger—don't shoot the messenger!"

This month we're going to take a beginner's look at two BASIC commands that are sort of like messengers. The commands are GOTO and GOSUB, and they both tell the computer where

to go.

The Indispensable GOTO Command

It's hard to write even a simple program without using the GOTO command. GOTO does just what it looks like it does—it tells the computer to go to a specific line in a BASIC program. You can use it to send the computer backwards or forwards to a different line in the program, or you can tell the computer to go back and repeat the same line. Here's a short example that makes the computer repeat the same line over and over

in an endless loop:

10 PRINT "ENDLESS":GOTO 10

Enter this line, then type the word RUN and press RETURN. The computer responds by printing the word ENDLESS over and over in a continuous series called a *loop*. To stop the loop, press the RUN/STOP key.

In our example, we begin by printing the word ENDLESS on the screen. The colon (:) is always used to separate two or more BASIC state-

ments used on the same program line.

The phrase GOTO 10 tells the computer to "go to line 10." Thus, when you run this line, the computer responds by displaying the word ENDLESS, then goes back to the same line and prints the word again, and keeps going back in an endless loop until you stop it.

Here's another version of the same example, with the GOTO command on a different line:

10 PRINT "ENDLESS"

20 GOTO 10

The GOTO command is also used in certain types of *counters*, as in this short example:

10 X=X+1: PRINT X;:FOR T=1 TO 100: NEXT 20 GOTO 10

Line 10 starts by defining X. If you did not previously give a value to X, it automatically equals 0. This is true of any variable. If we add 1 to zero, the new value is 1. Therefore, X=X+1 is

Michael S. Tomczyk is a former Commodore marketing executive and product designer. His recent book, The Home Computer Wars, describes the rise of Commodore and is published by COMPUTE! Books.

the same as X=0+1, which is the same as X=1. So X=X+1 starts out by defining X as the number 1. Until it is redefined, the variable X is the same as the number 1.

PRINT X displays the value of X. Since X

equals 1, the number 1 is displayed.

The semicolon (;) causes the numbers to display horizontally. If you remove the semicolon, the numbers will be displayed in a vertical col-

umn on the left edge of the screen.

The last part of the line (FOR T = 1 TO 100: NEXT) has nothing to do with counting. This section is a time delay loop which slows down the program. You can insert a FOR–NEXT loop almost anywhere in a BASIC program to slow it down. We used the time delay loop here so the computer pauses briefly after each number is displayed. Otherwise the numbers would zoom across the screen, too fast to read.

Line 20 contains the GOTO command, which sends us back to line 10. But this time when we go back to line 10, the variable X already equals 1, so when we add 1 to X, it's the same as adding 1 to 1. That equals 2, so on the second pass of the loop, PRINT X displays the number 2. The next time the program loops around, X increases to 3, then 4, 5, 6, and so on. That's how a *counter* works.

Don't forget—press RUN/STOP to break out of the counting loop.

Using GOTO To Repeat Programs

One of the most important uses of the GOTO command is in repeating a program or program section after it's run through. This requires that you set up some sort of signal or flag, which activates the GOTO command and repeats the program. Let's look at some different types of

end-of-program repeat signals.

We've already been using the automatic repeat function by simply putting the GOTO at the end of the program. You can also cause a program to repeat a specified number of times by wrapping it in a FOR–NEXT loop. To do this, put the FOR part of the loop at the beginning of the section to be repeated and the NEXT command at the end of that section. Here's an example:

10 FOR X=1 TO 10

20 N=N+1

- 30 PRINT "{CLR}HOW MUCH IS 5 TIMES";X: IN PUT A
- 40 IF A=(5*X) THEN PRINT "CORRECT!": C=C+
- 1: FOR T=1 TO 500: NEXT
 50 IF A<>(5*X) THEN PRINT "WRONG-TRY AGAI
 N.": FOR T=1 TO 500: NEXT: GOTO 20
- 70 PRINT C "CORRECT ANSWERS": PRINT " IN"
 N "TRIES"

100 REM: PROGRAM CAN END OR CONTINUE HERE

This program is a very crude educational drill which asks a student to multiply the number 5 times 1, 2, 3, and so on up to 10. You could dress up this skeleton program with sound effects, graphics, better spacing, etc., but we'll use it in its present form to demonstrate several programming techniques, including the GOTO command.

Line 10 begins with the FOR part of a FOR–NEXT loop. The loop ends with the NEXT command in line 60. Everything between the FOR and NEXT parts of the loop will be repeated ten times. This is important. You can cause a command or even a whole section of program to repeat or recycle several times by putting it inside a FOR–NEXT loop. You can increase or reduce the number of times the program repeats itself by changing the number 10 in line 10.

Line 20 is the counter which we just discussed. Remember, N starts with a value of 1 and increases each time the program cycles through.

Line 30 displays a prompt message and requests an input. The INPUT command automatically displays a question mark. Putting a semicolon at the end of the PRINT message causes the question mark to appear immediately at the end of the message—otherwise it would appear on the next line down. The answer which is typed in by the program user will be assigned by the computer to the variable A.

Lines 40 and 50 contain IF-THEN statements which set up two *conditions* and tell the computer how to respond. Line 40 prints the CORRECT message if the answer is right—in other words, if the typed-in answer (A) does in fact equal 5 times X. It also uses the variable C as a counter of the correct answers.

IF the answer does not equal 5 times *X*, THEN a WRONG message is displayed. Note that the "not equal to" sign is created by using the greater than (>) and less than (<) signs together as shown in line 50.

Both IF-THEN statements have a time delay loop at the end of the line, which leaves the message on the screen long enough to be read.

The message in line 50 also includes a GOTO command at the end of the line which, if the answer is wrong, sends the computer back to repeat line 20. This GOTO command causes the program to keep repeating until the user gets the answer right.

Line 60 contains the NEXT command, which wraps up the section we are repeating, and line 70 prints a report of the student's performance on the drill.

Line 100 does nothing in our example. You

can end the program here after it completes its ten repetitions, or you can continue the program. If you continued the program at this point by adding more lines, it will automatically continue after the question is asked the tenth time.

Before we go on, you may want to save the previous program on disk or tape, then type NEW and press RETURN to erase it from your computer's memory to get ready for the next example.

Combining GOTO And GET\$

Another type of end-of-program signal allows the user to control whether the program is repeated or continued.

The following program demonstrates how to let the user repeat or continue a program just by

pressing a single key.

- 10 PRINT "{CLR}TYPE A NUMBER AND": PRINT "PRESS RETURN": INPUT A
- 20 PRINT "TYPE A SECOND NUMBER": PRINT "A ND PRESS RETURN": INPUT B

30 FOR SP=1 TO 10: PRINT: NEXT

- 40 PRINT "HIT ANY KEY TO": PRINT "REPEAT THIS PROGRAM."
- 50 GET K\$: IF K\$="" THEN GOTO 50

60 GOTO 10

The important lesson here is that this program lets the user repeat the program by pressing any key on the keyboard.

Lines 10 and 20 are self-explanatory.

Line 30 uses a FOR-NEXT statement to insert ten blank lines—actually, it inserts ten PRINT statements, and using the PRINT statement by itself inserts a blank line on the screen when the program runs.

Line 40 contains a prompt message which

tells the user what to do next.

Line 50 tells the computer to get a key—in other words, GET K\$ tells the computer to watch for any key to be pressed. It follows this keysensing command with an IF-THEN statement which tells the computer that if a key is not pressed, then go back to line 50 and keep looking. The double quotation marks with nothing in between mean "null" or "nothing." If a key is not pressed, then an endless loop is created and the computer keeps looking for a key to be pressed with no result. As soon as a key is pressed, however, the program drops through to the next line.

Line 60 contains a GOTO command because we want the program to repeat. If we wanted the program to continue instead of repeat, we would change lines 40–60 as follows:

- 40 PRINT "HIT ANY KEY TO": PRINT "CONTINU
- 5Ø GET K\$: IF K\$="" THEN GOTO 5Ø
- 60 REM: PUT REST OF PROGRAM HERE

Using The GOSUB Command

If you want to jump to a line or section of your program and use that section several times, that's where the GOSUB command comes in handy. You can jump down and get a random number, for instance. Or a sound effect. Or even a time

If you're using a lot of the same time delays in your program, you may want to use GOSUB to avoid having to repeat the entire delay loop every time. Here's an example that uses one of my favorite Hemingway quotes:

```
10 PRINT "{CLR}COURAGE": GOSUB 100
20 PRINT "IS": GOSUB 100
30 PRINT "GRACE": GOSUB 100
40 PRINT "UNDER": GOSUB 100
50 PRINT "PRESSURE": GOSUB 100
100 FOR T=1 TO 400: NEXT: RETURN
```

This example prints each word, then uses the GOSUB command to jump down past the end of the program to line 100 which contains a FOR-NEXT time delay loop. The line (or lines) that the GOSUB jumps to is referred to as a subroutine. The RETURN command at the end of the subroutine in line 100 sends the computer back to continue where it left off. Thus, in this program, the computer prints a word, jumps down to the time delay, jumps back for the next word, and so on until the program ends in line 60.

Although the END statement is usually optional, it's necessary in the program above. To see why, delete line 60 and run the program again. After the last word is printed, the computer will crash with a ?RETURN WITHOUT GOSUB ERROR message. This happens because after the computer finishes executing the main part of the program at line 50 it moves into the subroutine at line 100, even though you don't really want line 100 to be executed at that point. You must always have an END or some other statement to separate your subroutines from the main part of your programs.

Here's another example involving random numbers:

```
10 PRINT "{CLR}MULTIPLY TWO RANDOM": PRIN
   T "NUMBERS": PRINT
20 GOSUB 100: PRINT "THE FIRST NUMBER IS"
```

: PRINT R: Kl=R: PRINT

30 GOSUB 100: PRINT "THE SECOND NUMBER IS ": PRINT R: K2=R: PRINT

40 PRINT K1 "TIMES" K2 "EQUALS": PRINT K1 *K2

5Ø END 100 R=INT((RND(1)*100)+1): RETURN

Line 10 opens by clearing the screen and displaying the opening title. The PRINT command by itself inserts a blank line on the screen.

Line 20 opens by jumping down to line 100 to define a random number between 1 and 100. That number is defined as a variable called R. We then print a message with the random number (R) at the end of the line. Finally, since we want to save that number for use later, we create a new variable K1 and make that equal to R. We have to do this because R is going to change when a new random number is defined.

Line 30 is the same as line 20, except here we get a new random number. To save this number, we create a new variable called K2.

Line 40 uses a PRINT statement to display both random numbers as part of a message, then multiplies the two random numbers together (K1*K2) to get the result, which is displayed on the screen. Note we must go outside quotation marks to print the variables, but inside quotation marks to print the rest of the message.

Line 50 is the end of the program.

Line 100 contains the subroutine, which defines a random number between 1 and 100, then returns to continue the program where it left off.

An Explosive Sound Effect

Finally, for you Commodore 64 owners, here's a GOSUB example which includes an explosion sound effect. Owners of other Commodore computers can substitute any sound effect for lines 100-110.

10 PRINT "{CLR}THE": GOSUB 100: PRINT

20 PRINT "HOME": GOSUB 100: PRINT

30 PRINT "COMPUTER": GOSUB 100: PRINT

40 PRINT "WARS": GOSUB 100: PRINT

50 END

100 POKE 54296,15: POKE 54276,129: POKE 5 4277,14: POKE 54272,149: POKE 54273,6

110 FOR D=25 TO 0 STEP-1: POKE 54296,D: N EXT: POKE 54276,0: RETURN

Given the fireworks at Commodore which are described in my book, it seemed appropriate to accompany this example with at least some small explosions.

Line 10 clears the screen, prints the word THE and GOSUBs to lines 100-110 for the sound effect. Then it returns and a blank line is printed.

Lines 20-40 work the same as line 10.

Line 50 ends the program.

Lines 100 and 110 contain the sound effect settings. If you're interested in what each POKE value means, I suggest consulting the Commodore 64 User's Manual or Programmer's Reference Guide.

For the Commodore 64! NOW kyan has ... **TWO Compilers!**

STANDARD kyan pascal is perfect for students. It is easy to use and helps students learn the Pascal language.

STANDARD kyan pascal features:

- Built-In Full Screen Text Editor;
- Resident Editor/Compiler to Eliminate Disk Swapping;
- MERGE and Other File Management Functions;
- Stand-Alone Runtime Environment;
- Code that Runs Up to 40 Times Faster than BASIC;
- . HELP menu and Full Set of Error Messages; and,
- Tutorial Manual with Sample Programs.

ADVANCED kyan pascal is designed for the more experienced Pascal programmer. It contains all the features of STANDARD kyan pascal plus the additional capabilities and extensions demanded by professional programmers.

ADVANCED kyan pascal features:

- Optimized Machine Code Compiler (Runs) 8 Times Faster than P-code Compiler);
- Built-In Assembler (Allows Full Hardware Control);
- String-Handling and Random Access Files;
- ALIAS Procedure to Assign File Pathname;
- INCLUDE File Plus DISPOSE and CHAIN Procedures:
- Special Procedure Prints Assembly Language Code:
- Enhanced Graphics and Text Editing Capabilities; and,
- Expanded Manual and Reference Guide.

Both versions of kyan pascal are full implementations and require only a single disk drive. And, both come with kyan's MONEY BÁCK GUARANTEE... If you are not completely satisfied, return it within 15 days for a full refund of the purchase price.

STANDARD kyan pascal \$49.95 ADVANCED kyan pascal \$69.95

(Add \$4.50/copy for handling; \$12.00 outside North America; California residents add 6.5% sales tax)

Send Check/Money Order to: kyan software, Dept. S Call: (415) 775-2923 MC/Visa Accepted

1850 Union St., Ste. 183 San Francisco, CA 94123

ADVANCED kyan pascal is also available for the Apple II and Atari family of computers.

MACHINE LANGUAGE FOR BEGINNERS

Richard Mansfield, Senior Editor

ML Mailbag

Here are answers to some of the letters we've received recently. If you have a question about machine language programming, write to: ML Mailbag, COMPUTE!'s GAZETTE, P.O. Box 5406, Greensboro, NC 27403. Due to the volume of mail, we regret that we are unable to reply personally to individual letters.

Can ML Go Anywhere?

Can RAM memory locations 2048-40959 (normally used for BASIC programming) hold a machine language (ML) program?

Yes, any RAM can hold an ML program, but there are a few things to look out for:

1. BASIC uses memory in a dynamic way. For one thing, it stores strings in the highest available RAM memory it can find. So, to protect your ML program, the common solution is to "fool" BASIC into thinking that there's less RAM memory than really exists.

To do this, you can POKE 56, PEEK (56) – (X / 256 + 1), which will lower the "available memory" by X bytes. Just replace the X with the size of your ML program. (Address 56 holds a top-of-memory pointer which changes in steps of 256 bytes.)

- 2. However, if you aren't going to be using any BASIC, it's not necessary to protect the ML program. Just LOAD "NAME",8,1 and SYS to the ML. Use LOAD "NAME",1,1 if you own a Datassette. (The final 1 on the LOAD command causes the ML program to be loaded in at the address from which it was originally saved. Without the ,1 all programs load in at the start-of-BASIC default address.)
- 3. Whereas a BASIC program always starts at the same place in RAM, an ML program can be located anywhere. So you need to know the address where the ML program begins to be able to start it running with a SYS to that address.

4. On the 64, there's a nice chunk of RAM which is already protected by the computer from any kind of overlay or invasion by BASIC: 49152–53247. Many people like to put their programs there. Also, 828–1019 is safe if you don't use a Datassette.

Making DATA

How are assembly listings turned into DATA statements?

There are two ways. Doing it the hard way, you PEEK each byte from the start to finish of your ML program. When you know the value of each byte, you can then type each one into DATA statements. The easy way is to give the program below (for the VIC or 64) the starting and ending addresses of your ML program and type RUN. It will build the DATA statements for you automatically. Then, as a kindness, it deletes itself, leaving only the DATA statements.

Datamaker

- 1 INPUT "STARTING ADDRESS";S:INPUT"ENDING
 ADDRESS";F
- 2 PRINT"{CLR}{2 DOWN}":FORI=STOS+47STEP6
- 3 IFI>FTHENNEXT:PRINT"GOTO7":GOTO6
- 4 PRINTI; "DATA"; :FORJ=ØTO5:R\$=STR\$(PEEK(I +J)):PRINTRIGHT\$(R\$,LEN(R\$)-1);",";
- 5 NEXTJ:PRINTCHR\$(20):NEXTI:PRINT"S="S+48
 "{LEFT}:F="F"{LEFT}:GOTO2"
- 6 POKE198,9:FORK=1T09:POKE63Ø+K,13:NEXTK:
 PRINT"{HOME}":END
- 7 PRINT"{CLR}{2 DOWN}":FORM=0TO8:PRINTM:N
- 8 POKE198,9:FORK=1TO9:POKE630+K,13:NEXTK: PRINT"[HOME]":END

What's A Checksum?

What is a checksum? How does it work?

It's a way of finding out whether or not data (bytes, files, programs, whatever) was sent with-

out becoming corrupted. Checksums are used in telecommunications, during disk or tape access, and even by our own MLX program to make sure that what you get is what was sent.

There are several checksum schemes, but

here's how a simple one would work:

You want to send the numbers 1 2 3 4 5 6 to the disk drive. So you send 1 2 3 4 5 6 21 (note the extra number on the end which is the sum of all the numbers you are sending). As it receives the numbers, the disk drive adds them up. Then, it *checks* its *sum* against the one you sent. If they match, no problem. If not, a LOAD ERROR results.

Obviously this method won't catch transposition errors since the sum of 6 5 4 3 2 1 will be the same as 1 2 3 4 5 6. But it's fairly reliable. Other methods are more sophisticated and can eliminate nearly any errors. No information, however, is totally noise free, even with checksums.

I have a VICMON monitor, and when I try to disassemble a program, sometimes the results look like this:

1005 ??? 1006 INY 1007 ???

What do the question marks mean?

A disassembly is to ML what LIST is to BASIC. It lets you see the program and check for errors.

Disassembly is achieved using a special program called a *disassembler*, which looks at a series of numbers in memory and figures out what they represent as ML instructions. This is the opposite of what an *assembler* does: With it, you type in instructions and the assembler translates them into the pure numbers that the 6502 chip can execute as an ML program.

Every ML instruction can be translated into a number, but not every number translates to an instruction. When a disassembler comes across a number that it doesn't recognize as an instruc-

tion, it prints question marks.

If your disassembly results in ???, there are two possibilities. First, you might be looking at RAM memory where no ML program exists. In this case, some of the numbers might translate into ML instructions and others won't. Thus, you'll see ??? interspersed with valid instructions (see example above), but the whole thing will be nonsense. You can recheck your starting and ending address for the ML program to point the disassembler to the actual ML program.

The other possibility is that you've come upon a *data table* within an ML program. Most word processors, spreadsheets, and even BASIC itself are written in ML. Somewhere within these ML programs (usually at the very end), there will

be lists of error messages, prompts, etc., which are used by the program. These messages, of course, will not disassemble since they are not a list of ML instructions (a program proper), but rather are raw data.

To see this, try disassembling at address 41118 (49310 on the VIC) and you'll see BASIC's data table list of its own keywords. It will give you lots of ??? because it won't make any sense to a disassembler. Other sections of the BASIC ROM, however, will disassemble normally (and you can learn a good deal about ML by trying to figure out how BASIC performs various tasks).

In your book, you say that BASIC's FOR T = 1 TO 100 STEP 2 can be translated into ML with something like the following:

LOOP INX
INX
CPX 100
BCC LOOP

But what if I wanted to use three variables in the statement, like: FOR T = A TO B STEP C. If A, B, and C are always changing in the program, how could I write this in ML?

You will want to set up some variables in your ML program. It's pretty similar to the way variables are defined in BASIC. Most assemblers allow you to set aside memory for this purpose by using the .BYTE instruction. (On a simple assembler, you'd have to keep track yourself of which addresses you're using, but it's the same idea.) Here's how:

FORNEXT LDA A
CMP B
BCC STEPS (if A is still lower than B, keep STEPing)
JMP FINISH (otherwise, the routine ends)

STEPS LDX C (get the number of STEPs to perform)

STEP1 INC A

DEX (count down 1)

BNE STEP1 (have we finished this cycle of STEPing?)

JMP FORNEXT(when done with cycle, see if A is yet = B)

FINISH RTS (return to wherever we came from)

A .BYTE 0 (hold the variable A in this byte)
B .BYTE 0 (hold the variable B in this byte)
C .BYTE 0 (hold the variable C in this byte)

This routine has to be a bit more complicated than the one where the STEP size remains constant. Here, we set up a little routine to handle the various possible STEP sizes. Of course, other places in your program would set up the values of A, B, and C before you entered this FOR/NEXT ML routine.

Dynamic SID Editor

Wayne Eastwood

A host of tedious POKEs and PEEKs are necessary to use the 64's SID chip. This utility provides a menu which lets you instantly select SID values, and see and hear the changes.

The SID, or Sound Interface Device, of the Commodore 64 is a very sophisticated, versatile computer chip. Unfortunately, its sophistication is not readily apparent with the numerous PEEKs and POKEs required to use it.

The *User's Manual* which accompanies the computer is almost no help. The *Programmer's Reference Guide* is much more thorough, but we still must come to grips with the multitude of POKE statements.

"Dynamic SID Editor" takes away the worry about what value goes into which register. It displays a complete log of what is where in the SID at any given moment, and allows you to alter any parameter you wish. All changes take place

Changing Values In The Menu

before your eyes (and ears).

After entering and running the program, a fullpage menu appears with all SID's registers set to zero and the editor set for Voice 1.

To change a parameter of Voice 1, press the highlighted letter of the desired parameter; for example, F for frequency, G for gate, etc. To change voices, press one of the function keys highlighted in the voice area of the display. To alter the volume or one of the filter parameters, again simply press the highlighted letter. (The filter and volume will function no matter which voice is selected.)

There are three modes of parameter changes the editor will address:

Mode 1. Some parameters are either on or off. For example, if you're set for Voice 2 (f3 was

CRER: EU/Dies	LOW TE BY HED TO	OHTED KEY ETURNI-FAST
er (dodden t	REQUENCY: 3498 LS WIDTH: B BUEFORM: T ATE R MG S MC	TTACK: 5 DECAY: 2 USTAIN: 12 ELEASE: 3
F. VOICE 2	REQUENCY: 6555 LS WIDTH: 6 TAVEFORM: T ATE R NG S MC	TTACK: 2 ECAY: 11 USTAIN: 6 ELEASE: 5
F5 UNICE 3	REQUENCY: 182 LS MIDTH: 0 AVEFORM: S COMMER NG SYNC	TTACK: 8 ECAY: 0 USTAIN: 15 ELEASE: 0
FILTER/OUT	FRE UENCY: 8 RESO ANCE: 0 ASSIGN FILTER OSC3 H NO3 -	000E: 12 00E: - E.T 000E: 8
F2=T0GGLE	4=ALL OFF FE=BM/C	FF F1=QUIT

Experimenting with envelopes, waveforms, and filters.

pressed) and press G (for gate), the gate for Voice 2 will turn off if it was on and on if it was off. The editor will display the word "gate" in inverse when the gate is on.

The gate, ring, and sync parameters of each voice work this way, as well as the filter assignment to each voice and the "turn off 3" switch.

Mode 2. Some parameters give you a choice of options. For example, if you are set for Voice 3 (f5 was pressed) and press W (for waveform), the editor will cycle through the possible options and display the selection currently in effect.

The waveform for each voice, the filter mode, and the envelope and oscillator outputs work in this manner.

Mode 3. Most parameters allow a wide range of values from 0 to some maximum level. Frequency, pulse width, the ADSR envelope, resonance, and volume will operate over a range of values. To access this mode, press the highlighted letter of the desired parameter. The word containing the letter will now be displayed in inverse.

Four keys now control the parameter's value:

- The SHIFT key when pressed causes the increment value to be positive. When not pressed, the increment value is negative.
- The CRSR-UP/DOWN key sets an increment value of 1.
- 3. The CRSR-LEFT/RIGHT key sets an increment value of 29.
- 4. The RETURN key sets a large increment value, larger for large parameter values, smaller for small. This allows quick changing of parameter values and helps compensate for the logarithmic effect of pitch changes.

For example, if Q were pressed (for filter frequency), the word "frequency" in the filter area of the display is displayed in inverse. Pressing SHIFT and either CRSR-UP/DOWN, CRSR-LEFT/RIGHT, or RETURN increments the value displayed.

Program Operation

Keypresses are detected by PEEKing location 203. A value other than 64 indicates a key was pressed. The value determines which key.

To aid in screen display, the PLOT routine in the KERNAL is used, called by SYS MOVE. This routine is read in by lines 50000–50030.

Lines 200–370 are used by mode 3 when a parameter larger than eight bits is required (frequency, pulse width, etc.). It uses variables throughout to increase speed. More statements per line and removing the REMarks will increase speed a bit. Line 260 calculates the next value.

Lines 400–490 are used by 8-bit parameters in mode 3, such as volume. Since the value range is from 0–16, the increment value is always 1. Otherwise, operation is the same as lines 200–370.

Lines 700-830 decode and encode the bits describing a parameter from the byte which carries it.

Lines 900–950 are the cursor plotter.

Lines 1100–1810 make up the key-evaluating routine. If an illegal key is pressed, SID buzzes.

Lines 2000–3060 adjust variables to manipulate the specified parameter.

Lines 4000–4190 manipulate the myriad parameters contained in the SID control byte.

Lines 5000–5550 do for the filter what lines 4000–4190 do for the control byte.

Lines 6000–6996: SID makes available the envelope and wave shape of Voice 3. To make use of these in any way with BASIC is difficult. A short routine read in by lines 50040–50060 and activated by line 50600 puts a SID reading routine into the interrupt stream. The routine

checks, 60 times per second, two zero-page locations. If the locations are flagged by the editor, the routine places the current value of the specified parameter into Voice 1 pitch low byte, Voice 1 pitch high byte, or filter frequency high byte.

Of course, the values could be placed in other voices as well, but for simplicity these were

the options chosen.

To select, press O or E. You then step through the options. Note: When you turn off these options (indicated by a - in the display) SID is left with the last value read in the affected bytes. To return to the values displayed, press the space bar.

Lines 7000–7200 evaluate the various function keys as displayed on the bottom of the screen. Pressing f8 shuts down the editor by turning SID off, restoring the interrupt stream, and clearing the keyboard buffer. If you exit in any other way, enter the following commands:

POKE SID+24,0 SYS CS

Remember: To make a sound, the volume must have a non-zero value (usually 15) and a voice must have some waveform, some non-zero value in attack, decay, and/or sustain, and the gate must be turned on. If a pulse waveform is selected, there must be a non-zero value in pulse width.

See program listing on page 134.



FOR THE COMMODORE 64®

The SOLUTION to all of your cartridge problems is the Cartridge Back-Up System (CBUS) for the Commodore 64.

The CARTRIDGE BACK-UP SYSTEM (CBUS) consists of two hardware components and very friendly software on a diskette.

The two hardware components are:

- CBUS-I the "SNAPSHOOTER" that takes electronic pictures of cartridge software and stores them on disk. Our CBUS "AUTOSAVER" permits anyone to do this automatically.
- CBUS-II is a true cartridge emulator. The unique CBUS-II (patent pending) permits you to run all standard cartridge software stored on disk by use of CBUS-I or equal.

A CBUS SOURCE DISK is provided. This contains very friendly software. The CBUS AUTOSAVER permits anyone to automatically copy cartridge software to disk and also updates the Directory. The cartridge software (on disk) can be selected from the CBUS menu using the keyboard or joystick. Programming knowledge is NOT required, however, a comprehensive set of manuals are provided for those who want to know how it works.

CBUS is the only system which permits the storing of ALL standard cartridge software designed for the Commodore 64 on disk and running software from disk. CBUS does NOT "crack" the software. The unique CBUS-11 can emulate all of the standard cartridges, thus the software runs the same as in the original cartridge.

R.J. Brachman Associates, Inc.
P.O. Box 1077, Havertown, PA 19083
ORDERS ONLY — 1-800-CBUS-C64

TECH INFO — (215) 622-5495

HINTS&TIPS

Screen Assistant

Jay Bromley

If you've discovered a clever timesaving technique or a brief but effective programming shortcut, send it to "Hints & Tips," c/o COMPUTE!'s GAZETTE. If we use it, we'll pay you \$35. Due to the volume of items submitted, we regret that we cannot always reply individually to submissions.

There's a well-known story about a stolen letter. The police thoroughly search the villain's apartment for the letter, but fail to find it. Finally, a detective walks in and looks for the purloined letter in a box of mail, reasoning that the best place to hide something is in plain sight.

What's the most usual thing about a Commodore computer, something you tend to ignore? And what unusual things can we discover there?

Putting Things On The Screen

No matter what you do with the computer, you probably spend a lot of time looking at the screen of your television or monitor. Chances are, you know of two ways to put characters on the screen: PRINTing and POKEing.

What kind of ordinary things does the screen do? For one thing, you probably take screen scrolling for granted. Turn on the computer, press some keys, and eventually the screen fills with characters. At some point, the cursor moves to the bottom. Type more, press RETURN, and the letters on the screen all move up. You expect it to happen, it's a very ordinary occurrence.

Now think about scrolling for a moment. The computer copies line number two to line

one, line three to line two, line four to line three, and so on. And the bottom of the screen is cleared.

So there's a general scroll routine hiding in the operating system, with a subroutine for copying lines and a routine to clear a screen line. These routines and subroutines are available to you, for your own programs.

Screen Lines Versus Logical Lines

A Commodore 64 has 40 columns and 25 rows. Each of the 25 rows is a *screen line*, starting at the left edge, ending at the right.

When you're writing a program, you can enter up to 80 characters per line (88 on a VIC). These program lines are called *logical lines*. Logical lines can take up one or more screen lines when you list a program.

There's a table in memory that keeps track of which screen lines are connected. On the VIC and 64, this line wrap table starts at location 217 (217 corresponds to the top line, 218 is the second, and so on). If the high bit (with value of 128) is on, the screen line is the beginning of a logical line. If the bit is off, the line is continued from the previous line.

Remember that screen lines are always single lines, but that logical lines might contain one or more screen lines.

Scrolling Up

You can call the computer's built-in scrolling routine with the following SYS:

SYS 59626 (64) SYS 59765 (VIC) SYS 57078 (+4/16)

This SYS will scroll one or two screen lines on the 64, one to four lines on the VIC, depending on the logical line at the top of the screen. If it's made up of more than one screen line, that's how many lines will scroll. If you want to limit the scroll to a single screen line, type POKE(218), PEEK(218) OR 128 before the SYS (64 and VIC only).

The 64 and VIC scroll logical lines, but the SYS for the Plus/4 and 16 affects only a single screen line.

There is a quirk associated with the scroll routine. Clear the screen and enter this line on a 64: PRINT"BEFORE":SYS59626: PRINT"AFTER." After you press return, BEFORE is printed where the cursor would normally be, but AFTER shows up at the bottom of the screen. And the READY prompt is in the middle of the screen. To avoid this situation, save the position of the cursor before scrolling (see Controlling The Cursor below).

Copying One Line To Another

Part of the scroll routine moves lines up by copying them to the next higher position. Here are the POKEs and SYSes which enable the copying routine:

Commodore 64:

POKE781,LT:SYS59888:POKE172,PEEK(60656+LF): POKE780,PEEK(216+LF):SYS59848

VIC-20:

POKE781,LT:SYS60030:POKE172,PEEK(60925+LF): POKE780,PEEK(216+LF):SYS59990

Note that this affects screen lines (not logical lines). The variable LF (Line From) is the line you're copying from, LT (Line To) is where it will be copied to. The top of the screen is line number zero, the second line is number one, and so on.

This routine not only copies screen memory, it also takes care of color memory. Unfortunately, we do not have a Plus/4 or 16 equivalent (perhaps our readers can find it).

Clearing A Line

After the computer moves everything up, it finishes a scroll by clearing the lines at the bottom. This is how you can erase any line:

POKE781,LN:SYS59903 (64) POKE781,LN:SYS60045 (VIC) POKE205,LN:SYS57035 (+4/16)

Again, remember that the top line is number zero. This SYS erases screen lines on the VIC and 64, but it affects logical lines on the Plus/4 and 16.

Controlling The Cursor

It's sometimes useful to be able to read the position of the cursor or to move it to a specific row and column.

Read Cursor (64 & VIC): POKE783,PEEK(783)OR1:SYS65520 R=PEEK(781):C=PEEK(782)

Set Cursor (64 & VIC): POKE781,R:POKE782,C POKE783,PEEK(783)AND254:SYS65520

In both cases, R is the row, C is the column. The top left position would be row zero, column zero. For the Plus/4 and 16, substitute the numbers 2035–2037 for 781–783.

Scrolling Down

The normal movement of the screen is up, but it's possible to make part of the screen move in the other direction. This program is for the VIC and 64 only.

10 PRINT" {CLR}";

20 PRINT" [HOME] [2 DOWN]"; TAB(RND(1)*40);"
O"

3Ø POKE218, PEEK (218) OR128

4Ø PRINT" [HOME] [DOWN] [LEFT]"; CHR\$(148)

50 IFRND(1)>0.2THEN30

6Ø GOTO2Ø

Line 10 clears the screen. Line 20 moves the cursor to the home position and then down two lines. A solid circle character is then printed in a random position (for the VIC, change 40 to 22).

Lines 30 and 40 make the screen scroll down. First, the second screen line is marked as the beginning of a logical line (218 is the memory location for the second screen line). Then we print {HOME}, {DOWN}, and {LEFT}, which puts the cursor at the end of the first screen line. CHR\$(148) is the insert character. By inserting at the end of the first logical (and screen) line, the computer has to make space for the second line. It moves everything on the screen down a notch. The program then loops back.

A Few Suggestions For Games And Applications

These short ideas can be adapted to a variety of programs.

First, if you're working on a word processor or text editor, it helps to be able to move lines around and scroll the screen up and down.

In some programs, you may want to display a message at the top of the screen. In accounting software, for example, you might print "Accounts Receivable" on the top line. To keep it in place, use the copy-line routine to copy the title from line zero to line one. Then SYS to the scroll routine. The words will remain on the top line. In order to prevent accidental scrolling, check the cursor position and scroll before you get to the bottom line.

The erase-line routine can be modified for a limited window effect. To clear the top half of the 64's screen, enter FORX=0TO11:POKE781, X:SYS59903:NEXT (if you have another computer, substitute the appropriate POKE and SYS).

And the read/set cursor routine allows you to move to specific positions on the screen.

There are a lot of games that are built around scrolling. In a racing game, the racetrack scrolls toward your car. In an alien invasion game, the spaceships move down a line at a time. Other games use scrolling to move lines full of characters up and down. There are numerous applications for the techniques we've discussed here, and they can add a nice touch to your own programs.

Screen-40

Peter Fortini

Now you can have a 40-column display on any VIC with 8K or more expanded memory. Program editing becomes a breeze. And, as a bonus, graphics are easier too. "Screen-40" allows full-screen editing, is compatible with BASIC, and adds several new tools to a programmer's bag of tricks.

The screen format of the VIC-20 leaves something to be desired for the serious user. Twenty-three rows of 22 characters are not enough to display a large amount of information. BASIC programs are difficult to read and edit when statements are spread over up to four screen lines. Programs written for computers with wider screen formats must usually undergo extensive revision before they can be run on the VIC.

"Screen-40" was written to solve some of these problems by changing the screen format of the VIC to 24 rows of 40 characters. When run, Screen-40 becomes part of the operating system of the computer, supports full-screen editing, and is compatible with BASIC.

System Patches

Because the screen organization of Screen-40 differs radically from the normal screen organization of the VIC, BASIC programs using POKE commands to display graphics on the screen will not work. In addition, since Screen-40 patches into the IRQ, BREAK, NMI, INPUT, OUTPUT, and GET system vectors, it may conflict with

other software which also changes these system functions.

The program consumes a total of 7K of RAM (locations 4096-11263) and will therefore run only on VICs with at least 8K of expansion RAM. The 40-column screen is created using the internal memory of the VIC to bitmap the screen. The program is 2K of machine language, plus data for upper- and lowercase character sets designed in a 7×4 matrix. An additional 1K is needed for operating system screen memory. With an 8K memory expander, 5K remains free for BASIC programs or other uses. With the 16K expander, 13K is available.

Entering The Program

Since Screen-40 is written in machine language, MLX (published frequently in COMPUTE!'s GAZETTE) is required to type it in. Because Screen-40 occupies the area of memory where BASIC programs like MLX normally reside, you must set aside the memory area for Screen-40 before you load MLX. Do this by typing:

POKE 43,1:POKE 44,44:POKE 11264,0:NEW

If you choose not to enter all of Screen-40 in one sitting, you must retype this line whenever you load MLX to resume entry.

When MLX starts, it will ask you for a beginning and ending address. The respective addresses are 8192 and 10240. Once these values are entered, you can begin typing in the data from the listing with this article. Be sure you

```
150 PUREO-3. :IFFEER(2+D)=6H0DPEEX(Z+D*2)
150 IFPEER(2+D)=6H0DPEEX(Z+B*2)=0THE030=
2+0:6D70316
26B IFPEER(2+D)<8THE024B
210 GDT07B
220 FBRA=.T03:PORE2+D.S:POREO-1.152:PORE
Z.6:POREZ+D.S:POREV-T.175:POREZ.6+T:MEXT
230 POREZ+D.R:POREV-T.::S=S*18:PRINT"2B
'13:5D7070
246 FBRY=.T015:POREZ.6+T:POREV-T.161:POR
EE(A).4:POREZ.6:FORO=11028:BEXT:POREV.4:POREV.6
250 DERT:POREU-T.::FORY=.T015:POREV.4:POREV.6
KEV-T.245:FORO=17025:RENT:BEXT:POREO-1...
260 SH=SH-1:PRINT"SQUADOR":SH"0 ":IFSH=.THE0280
270 GOTO30
230 POREZ.0
```

Programming the VIC in 40 columns.

have read and understood the instructions in the MLX article.


To use Screen-40, type SYS 8192 and press RETURN.

Editing Improvements

In general, working with Screen-40 is much like working with the normal screen editor of the VIC. You can move the cursor to any screen line, INSERT and DELETE spaces, make changes, and enter lines by pressing RETURN. In a few respects, most noticeably in the way the screen scrolls, Screen-40 differs from the Commodore screen editor. The changes are necessary to maintain reasonable execution speed and to add some improvements.

The cursor blinks as a solid block rather than as the reverse of the character underneath. A line of BASIC is only allowed to extend over two rows of the screen (80 characters instead of the normal 88). Insert mode, in which cursor controls typed following INSERT generate characters in reverse video, is not available. Quote mode, used to program cursor movements in BASIC programs, works normally. Up and down cursor movements wrap around rather than stopping at the top of the screen (in the case of cursor up) or forcing a scroll (cursor down). To force the screen scroll with Screen-40, move the cursor to the bottom row and press RETURN or SHIFT-RETURN.

When scrolling, the screen image jumps upward by eight lines at a time rather than by a single line. Because such scrolling is relatively infrequent and can be made to happen quickly, PRINT and LIST operations using Screen-40 are comparable in speed to the normal PRINT routine. Downward scrolling, invoked when program lines are made longer, behaves normally, but is a bit slower.



It's possible to mix characters with hi-res graphics.

Pressing the CTRL key during printing and listing no longer slows down the scrolling. Instead, you can press either the SHIFT or the Commodore key to halt printing operations. Release the key or hold down both keys simultaneously to resume.

When printing graphics characters from the VIC graphics character sets, only the right half of

each character is displayed.

Screen-40 disables character-set switching using the SHIFT and Commodore keys. To switch between uppercase/graphics and lowercase/uppercase character sets, press the CTRL and back arrow keys or PRINT CHR\$(6). Characters already on the screen are not changed by this action; thus, uppercase, lowercase, and all graphics characters can be displayed simultaneously. However, moving the cursor over any character, restoring the screen image, or scrolling downward will change the character displayed to the current character set, and reverse it if reverse video is in effect.

Fancy Enhancements

Enough space was left over after repeated bouts of program optimization to add some interesting enhancements to the screen operation. If you press the Commodore and CLR/HOME keys, or if the command PRINT CHR\$(15) is executed, the contents of the high-resolution display are erased without affecting operating system screen memory. Press the RESTORE key or PRINT CHR\$(14) to recover the original screen image. These features are useful for programs which POKE to the high-resolution screen or the operating system screen area for graphics.

For example, you could have a program print some data, clear the display screen with PRINT CHR\$(15), and draw a graph in high resolution. When the program ends and you've

seen the graph, you can look again at the printed data by pressing the RESTORE key. Another possibility is to have a program POKE graphics screen codes into the operating system screen memory, and then PRINT CHR\$(14) to make them visible.

The entire screen can be scrolled downward one row using the command PRINT CHR\$(16).

The color functions are more limited with Screen-40. Pressing CTRL and a color key causes all characters on the screen to change simultaneously to the chosen color. Different parts of the screen can be colored differently by POKEing color codes into color memory locations 37888 through 38127.

Making It Work

The obvious way to get a 40-column screen on the VIC is to pack two characters within the space (eight pixels square) normally used to hold one character. This is, in fact, the format of Screen-40. In order to implement the format, a high-resolution (bitmap) mode was necessary since there is a large number of possible pairs of letters or numbers.

A full-size, high-resolution screen is obtained for Screen-40 in the following way. The control registers of the 6560 video chip are set up for a format of 12 rows and 20 columns of 16 X 8 high-resolution characters. Video screen and character memory are both defined to begin at the start of the VIC's internal RAM. The first 240 bytes of this area are then filled with the numbers 16 through 255. These constitute the contents of screen memory for the video chip. Each value acts as a pointer into the character memory area, causing the video chip to display the contents of 16 bytes as a 16 × 8 block on the monitor screen. The net effect is that the entire contents of the last 3.75K of internal memory are displayed.

BASIC and the operating system also use screen memory to hold program lines for possible editing and as an input buffer. In normal operation, this area coincides with the video screen area. Screen-40 maintains a separate 1K area of memory to accommodate these functions. The operating system screen is readily relocatable

by a POKE to location 648.

Subroutines within Screen-40 keep track of the cursor and manage both operating system and bitmapped screen areas. To print a character, Screen-40 enters the screen POKE value for the character into the operating system screen and then transfers the corresponding 7 × 4 pixel image from a character memory area to the high-resolution screen. Screen-40 needs only 4-bit memory blocks for characters and therefore keeps most of them in the unused part of color

RAM. When the program is initialized, the alphanumeric character shapes are transferred there from packed storage in the last 384 bytes of the program. Graphics characters are drawn from the character ROM within the VIC.

Easy Graphics

Screen-40 provides a special facility for replacing all or part of the character set with other characters of your own design. The method is only a little different from the ordinary way of using programmable characters on the VIC.

Each 256-byte block of memory (in areas used for character memory by Screen-40) contains the images of 32 characters in screen POKE code order. When the screen is initialized, pointers to these pages are placed in the eight bytes immediately following the system jump vector table. This is an ordinarily unused space within the system. These pointers can be changed at any time using POKE commands. Pressing RUN/STOP-RESTORE will change the pointers back to their Screen-40 values.


Pointer	Set	Characters	Screen
Location			Codes
820	Uppercase	Uppercase letters	0-31
821	or this day of	Numeric symbols	32-63
822		Shift graphics	64-95
823		Commodore key graphics	96-127
824	Lowercase	Lowercase letters	0-31
825		Numeric symbols	32-63
826		Uppercase letters	64-95
827		Commodore key graphics	96-127

Suppose, for example, that you wish to redefine the Commodore key graphics characters. You define the shape of each character with a list of eight values as is usual for programmable characters. The values should range from 0 to 15 since the image will be only four bits wide. Assemble these into a protected 256-byte area of memory starting at a page (256-byte block of memory) boundary. Then place the page number into locations 823 and 827. (Addresses 0–255 are page 1, 256–511 are page 2, etc.)

With the screen already in high resolution, direct access to the display memory provides an alternative method for graphics. The display screen is 160 pixels wide and 192 pixels high. The following BASIC subroutine will turn on the pixel at column X, row Y, counted from the upperleft corner of the screen.

50 FORX=1T0100:Y=20:GOSUB100:NEXT:END

- 100 REM PLOT POINT AT (X,Y)
- 110 X=INT(X):Y=INT(Y)
- 120 IFX < OORX > 159 ORY < OORY > 191 THENRETURN
- 130 BYTE=4352+19*(YAND240)+2*(XAND248)+Y
- 140 POKE BYTE, PEEK(BYTE)OR2 (7-(XAND7))
- 150 RETURN



Among disk drive owners, one of the more confusing topics is how to handle relative files. This tutorial starts from the top and walks through each step with program examples along the way. For VIC, 64, Plus/4, and 16 owners with a 1541 disk drive.

Do you have a 1541 disk drive? If so, you have over 163K of extra memory available for variables. Precisely, 167,132 bytes of additional RAM for your VIC, 64, Plus/4, or 16—and it's accessible by using relative files.

The 1541 disk drive stores information in one of several types of files, the most common of which is the program (PRG) file. When you write a BASIC program and want to save it to disk, you enter SAVE "filename",8, and the data (your program) is sent to disk. It's stored as a program file.

Sequential files aren't much more difficult to use. They, too, contain data, which is sent to the file with the PRINT# command.

Using relative files adds just a few more lines to your program. It's not that difficult. But most everyone who has tried to learn how to use them has encountered a variety of frustrations in the process. There's not much information available on how they work. Even the information on relative files in the 1541 User's Manual is incorrect and far from complete.

After several attempts to get a relative file

operating correctly, many people just give up. This is understandable because a normally functioning relative file program will sometimes return a disk error, even when there is no error.

Let's take a step-by-step tour through the process of creating and using relative files. It's surprising how easy they really are.

Finding A Book In The Library

First, we have to understand the difference between a file, a record, a field, and a character. A file contains one or more records, which are made up of one or more fields. And the fields (as you may have guessed) are made up of characters.

Imagine that you've been hired to catalog a small library of 500 books. You buy a card file and 500 index cards. Each card has room for the author's name (up to 30 characters), book title (30 characters), year published (4 numbers), and identifying number (8 letters).

The entire collection of cards is called the *file*. Each individual card, whether it's blank or filled in, is a *record*. Each category (author, book, year, and number) is called a *field*. Note that records have to be the same size, but fields can be 4 characters long, 8, 30, or any other size. Finally, each field holds letters, numbers, or other *characters*. All told, each record (or card) will hold 72 characters, including blank spaces. This is the record length, the total number of characters used by all of the fields in the record.

Since you have 500 books and 500 cards, you'll have a problem if another book is added

to the library. So you purchase some extra blank cards, just in case you need to update the file.

And the file can hold only a certain number of cards, perhaps 1200. If the number of books ever grows to 1201, you'll have to split the file in two.

Why Use Relative Files?

Sequential files are easy to understand and handle from within a program. Most programmers use a sequential file whenever it's necessary to store information on a disk from within a program. Since sequential files seem to be easier to deal with, why bother with relative files?

Let's go back to the library for a moment. Someone has asked for a book by Faulkner. If the alphabetized card file were sequential, you would have to look at the cards in order, from beginning to end, A to Z. How much time would it take to find something by Zoroaster?

There are two very good reasons to put information in relative files: speed and economy of memory. A relative file allows faster access to individual records. With a relative file, you can go directly to the location where the information is stored and get *only* the information you're looking for. It's like a card file where you can quickly home in on the card you want.

Perhaps the more important reason for using relative files is that they do not use any of the computer's memory, except what's needed for an individual record. With the appropriate program in memory, a 3.5K VIC can manage a file containing over 163K of information. Instead of worrying about leaving enough memory to handle your data, you're free to write the elegant program you've envisioned.

A Few Rules And Regulations

Programmers commonly start counting at zero. The lowest memory location is zero, and it's found in zero page (the first page of memory). Relative files do not follow this convention. The first record is number one, and the first character in a record is called character number one.

Also, if you have two or more relative files on a disk, you can only have one open at any one time. It's possible, though, to use relative and sequential files at the same time.

Records can have a maximum size of 254 bytes. If you want larger records, you'll have to split them in two. For example, a 400-character record could be split into two 200-character records. The first half of the split records would be in the odd-numbered records (1, 3, 5) and the second half in even-numbered records (2, 4, 6).

The largest number of records you can have

is 65,535, although in practice you'll never reach this limit because of the space available on the disk.

When a disk is first formatted, the directory should show 664 blocks free. Blocks, sometimes called sectors, are areas on the disk that can hold up to 256 characters of information from a program or file. Two are used by the DOS, leaving 254 bytes available in each block (the reason for the 254-character limit on records).

Relative files use side sectors to keep track of which sectors contain data. We don't need to understand at this point how they work, but note that a relative file may have up to six side sectors. Each can deal with 120 disk sectors (not records), for a total of 720, more than the number of blocks available on a disk. Filling up a disk would use six blocks for side sectors, leaving 664 — 6, or 658 for your data. Thus 658 blocks of 254 bytes each gives you a grand total of 167,132 characters in the largest possible relative file.

That means you could completely fill a blank disk with 658 records of 254 characters, or 1671 records of 100 characters, or any other combination within the limits.

Managing Them

In a relative file, each data record is numbered, and all records must be the same length. Usually, the fields within the record have a predetermined length. To find a record, all you need to know is the record number. This might be seen as a problem, but we'll look at a few tricks to simplify this process.

Unfortunately, Commodore did not include any direct commands for handling relative files in BASIC 2.0 (the version of BASIC in the VIC and 64).

But we can create and manipulate relative files using familiar file handling commands plus a couple of less familiar disk commands.

The First Step

Let's begin by creating a relative file. It takes three steps:

- 1. Open the file and establish the record length.
- 2. Mark the last record in the file.
- 3. Close the file.

OPEN is the command used for opening any file, including a relative file. The form of the command is only a little different from what you've probably used to send output to the printer or store data in a sequential file:

OPEN 1,8,2, "filename,L," + CHR\$(record length)

This statement begins the same as any other

OPEN statement: "1" is the logical file number, followed by the device number, normally 8 for the disk drive, then the command channel number, in this case, channel 2. Any channel number will do, as long as it's between 2 and 14. But remember which channel you've used because you'll need the number later.

Now we add a comma and the name of the file inside quotation marks. Nothing new so far, but here comes the first change. The next item in the command is the unshifted letter ",L,". Note the commas before and after the letter L (for Length). This tells the DOS that a relative file is to be opened, and that the record length will be the next piece of information sent. Record length is the size of each record, not the total number of records. Finally, the length of the record is sent using a CHR\$ code. Remember, the maximum length is 254.

Setting the record length is absolutely necessary when a relative file is created. When you're expanding a file (adding to the number of records), you should also send the length. When you're working with files already on the disk, you can use a simpler OPEN command:

OPEN 1,8,2, "filename"

You don't have to tell the disk drive it's a relative file, it already knows. You don't even have to give the record length. It knows that, too. And you don't have to mark it for reading or

writing because you can do either.

The next step helps save a little time when using the file. Decide on the total number of records you're going to start with. You can always add more later. Since it does take time for the DOS to create the file on disk, we're going to open the file and create the records before we use it to store any data. It's like buying some blank index cards in the library card catalog example above. We don't want to waste time running to the store for a single blank card every time a new book is added to the library.

Positioning A Pointer

There's one more command we need to learn. It looks like this:

OPEN 15,8,15 PRINT#15, "P" + CHR(cn + 96) + CHR(lb) + CHR(hb) + CHR(pl)

Channel 15 is the disk command channel. We have to open it and send five characters. First, an unshifted P (think of "Position" or "Pointer"). The P tells the drive to look for a certain record. The second character is the channel number (cn) added to 96. If the relative file was opened with OPEN 1,8,2 then the channel number is 2.

The next two numbers specify a certain

record, the sum of the low byte and 256 times the high byte. Record 300, for example, would translate to CHR\$(44) + CHR\$(1), because 300 is 44 + (1*256).

Finally, we indicate which place in the record to start reading or writing. In most cases, this will be CHR\$(1), the 1 indicating we want to start at the beginning of the record, at the first character. To skip over the first five characters, send a CHR\$(6).

In general, you should open channel 15 first, then open the relative file and position the pointer. Read and write as necessary, then close the relative file and the command channel. OPEN 15 is the first thing to do, CLOSE 15 the last.

A Filing Program

For demonstration purposes, we'll sketch out a simple address file program. Although the program works, it's practical usefulness is minimal. You can use the techniques provided to write a database program using relative files for any purpose you wish—just change the program lines to reflect your requirements, and, perhaps, add some error checking for faulty data input.

It's important to remember that the syntax of the statements for file handling *must* be exact. Any deviation will cause errors, some of which can be difficult to trace.

First, we decide what information to store. For an address file, we'll need the name, street address, city, state, zip code, and we'll include the phone number.

It simplifies things if the length of a field is the same for all records. Decide the maximum number of letters that will be stored in the field representing the first name, middle name, last name, and so on.

It helps to draw an outline on paper first. Here's how we'll set up the fields for the address file:

First Name 15 characters Middle Name 15 characters Last Name 15 characters Street Address 30 characters City 25 characters State (abbv.) 3 characters Zip Code 5 characters Phone Number 12 characters End of File 1 character Total 121 characters

Now that we've determined that the total record length will be 121 characters, we're almost ready to begin. To save some program execution time, we'll decide on a file length (number of blank records) to begin with. Remember, we can add to this length at any time, without starting over, by writing to a record number

higher than the current end of file.

Now we're ready to step through the first part of our relative file program.

1 REM CREATE RELATIVE FILE
10 PRINT"LENGTH OF RECORD":INPUT RL:RL=RL
+1
20 PRINT"TOTAL NUMBER OF RECORDS":INPUT R
 N:RN=RN+1
30 HB=INT(RN/256)
40 LB=RN-HB*256
50 OPEN15,8,15
60 OPEN15,8,15
60 OPEN15,8,2,"REL.FILE,L,"+CHR\$(RL)
70 PRINT#15,"P"+CHR\$(2+96)+CHR\$(LB)+CHR\$(HB)+CHR\$(1)
80 PRINT#1,"END"
90 CLOSE1
95 INPUT#15,E,E\$:PRINT"{RVS}DISK STATUS:"
:PRINTE\$:CLOSE15

In line 10, enter 121 for the record length (RL). This is the number of characters we decided on above, 120 plus the end-of-file marker.

In line 20, let's enter 50 for record number (RN). Of course, you can use a higher or lower number. The only limitation with a large record number is disk space (50 records of 121 characters will use a little more than 6000 bytes of disk space, or about 25 blocks). It's best to store your data on a separate disk dedicated to saving your data.

To position the file on the record, we must open the command channel and tell the DOS what we want it to do. Line 50 opens the channel, line 60 opens a relative file of length RL, and line 70 tells the DOS to position the read/write head of the disk over the proper record.

The record number is transmitted in low byte/high byte order. To make it easier and more flexible, line 30 and line 40 determine the values needed.

Next, we'll write the word END to the last record. This frees the space for the file, and writes 255 to the first byte of each record on the disk. This process can take several minutes, especially for opening a large file.

The file is now created on disk, and can be closed with line 90.

A False Error

We could tie things up here by closing the command channel (CLOSE 15), but if we did, the red light on the disk drive would flash to signal an error. But there really is no error. What happens in this situation is that we wrote to a record number higher than the one on the disk, so DOS sends a RECORD NOT PRESENT error message.

Line 95 reads the error channel and prints out the false error message. Don't be alarmed. All it means is that there was no such record before.

We now have a relative file on disk ready to receive data, and we can begin putting data together for storage.

Preparing The Record

The name Sue contains only three characters, but Annette contains seven characters. It would be convenient if Sue's middle name began at the same point in the record that Annette's middle name begins. To achieve this, we can concatenate the name, filling in the blanks with spaces. (Do not type NEW before typing this in, it is meant to be added to the previous program lines.)

99 REM PREPARE TO WRITE FILE 100 RC=RC+1 110 RC\$="" 120 SP\$="{30 SPACES}" 130 PRINT"FIRST NAME": INPUTNF\$ 140 PRINT"MIDDLE NAME": INPUTMN\$ 150 PRINT"LAST NAME": INPUTLNS 160 PRINT"STREET ADDRESS": INPUTSAS 170 PRINT"CITY": INPUTCI\$ 180 PRINT"STATE": INPUTST\$ 190 PRINT"ZIP CODE": INPUTZI\$ 200 PRINT"PHONE NUMBER": INPUTPH\$ 210 RC\$=RC\$+LEFT\$(NF\$+SP\$,15) 220 RC\$=RC\$+LEFT\$(MN\$+SP\$,15) 23Ø RC\$=RC\$+LEFT\$(LN\$+SP\$,15) 240 RC\$=RC\$+LEFT\$(SA\$+SP\$,30) 250 RC\$=RC\$+LEFT\$(CI\$+SP\$,25) 260 RC\$=RC\$+LEFT\$(ST\$+SP\$,3) 27Ø RC\$=RC\$+LEFT\$(ZI\$+SP\$,5) 28Ø RC\$=RC\$+LEFT\$(PH\$+SP\$,12)

Lines 210–280 achieve this result, so the string RC\$ contains all the data with the correct number of characters in each field.

Each square represents one byte of information. Thick black lines show the beginning and end of each field. Fields are completely full when the file is written—the blank bytes are filled with spaces, as in lines 210-280 of the example program.

FIELD		E	XTE	NT (OF F	IELI	D &c	TYP	ICA	L IN	FOF	MA	TIO	7	
FIRST NAME	s	U	E	en line	Total Section	60mg	-		THE	STATE OF	The same	7756 1010	e de la constante de la consta	9	TO S
MIDDLE NAME	A	N	N	ricina della		MATERIAL PROPERTY.	10	Trens.		-	1100	Total Control	Hamile Hamile	Herita Harry	
LAST NAME	S	M	I	Т	н	4-4	On A	碧	State State	S. Service	100	1000	PERSONAL PROPERTY.	Thing Films	100
STREET ADDRESS	1	2	3	Name of Street	M	A	I	N	Name of Street	S	T	THE REAL PROPERTY.		Times Times Times	100
CITY	A	N	Y	Т	o	w	N	Contract Con	CONT.	Maria Maria	ST	TE	- Trues	Z	IP
	Best	de g	of the last		PHO	NE	-		Total Control	Tipe State	o	K	1	1	2
ZIP CODE (cont'd)	3	4	5	1	2	3	-	4	5	6		7	8	9	0

Writing To Disk

To write the data to disk, follow the same outline as in creating the file:

- 1. Open the file.
- 2. Position the file on the record to be written.
- 3. Write the record.
- 4. Close the file (optional).

The Controversy Over Relative Files

Misconceptions And Misinformation

Todd Heimarck, Assistant Editor

The literature about relative files is fraught with confusion. The disk drive manual and various reference books contain misinformation and misconceptions about what relative files are and how they work. Let's examine some of the myths.

Are There Numerous Bugs?

There is only one bug that afflicts relative files (see below). It is rare and can be avoided quite easily. Also, relative files sometimes cause a false disk error, for a good reason.

When working with relative files, remember the limits: a maximum of 254 characters per record, a maximum of 65535 records per file, and 163K characters (658 disk sectors of 254 bytes each) per disk.

Only 720 Records Per File?

This is probably the most common, most repeated misconception. It appears in many books, and the disk drive manual itself hints that you can't have more than 720 records.

Relative files are fast because of side sectors. When you ask to read record number 533, the disk operating system (DOS) uses side sectors to figure out where record 533 is located. It then jumps right to that disk sector and collects the information.

Each of the six side sectors can manage up to 120 disk sectors, for a total of 720, more than enough to cover the maximum 658 sectors available for relative files on a blank disk. Some writers have interpreted this to mean you can have a maximum of 720 records. It's just not true—720 is the maximum number of

sectors (not records) which can be referenced by six side sectors. And you'll never reach this limit because a disk has only 664 blocks, six of which may be reserved for side sectors.

The maximum number of records is 65535 (although the records would have to be two bytes each, at most, to fit into the limit of 163K bytes per disk).

Ignore All Disk Errors

Wrong again. With one exception, you can ignore any advice which says to ignore disk errors caused by relative files. Three errors are commonly associated with reading and writing relative files:

50 RECORD NOT PRESENT 51 OVERFLOW IN RECORD 52 FILE TOO LARGE

Error 50 means you tried to access (read or write) a record number higher than the highest record currently on disk. If you're creating a new file, or expanding a file, you can ignore this error (because you actually did access a record that didn't exist). In fact, an error 50 confirms that the creation or expansion of the file was successful. You can stop the blinking of the red error light by reading the error channel (INPUT#15,E,E\$). E should be 50, E\$ should be RECORD NOT PRESENT.

Error 51 means you tried to send more characters than the file was set up to receive—for example, writing 122 characters to a record that was created to hold 121. See the discussion of carriage returns below for more information.

Error 52 results from attempting to create files that are too big to fit in the remaining space on the disk. If you have other programs or files on the disk, the room for relative files is diminished, one reason to devote a whole disk to a relative file if you expect to store a lot of data.

When storing data in sequential or relative files, it's a good idea to regularly read the error channel. When creating a new file, check for error 50. In other cases, a disk error indicates a problem with the file. But don't ignore disk errors.

Creating A New File

In general, you should create a blank file before you start using it. If you plan to have 60 records, some reference books will recommend writing something to all 60 records. It's not really necessary—all you have to do is write to record 60; the other 59 will be created automatically. Each of the blank records will contain a CHR\$(255) followed by a series of CHR\$(0)s.

When a relative file is created, you must send the length, with ",L," + CHR\$(record length). After that, the record length is optional (unless you're expanding the number of records in the file, in which case you should send the length). It doesn't hurt to add the length, but it's unnecessary.

Always Leave Room For A Carriage Return

This one's right. If you want 15 characters per record, set it up with a length of 16. This is important, because PRINT#, like PRINT, adds a carriage return to the end of each string it sends.

What if you don't add one to the length of the record? Sending 15 characters plus a CHR\$(13) makes a total of 16 characters. If you print 16 characters to a record set up for 15, the result is an error 51, OVERFLOW IN RECORD. The disk error light will blink every time you write to a record.

The Pros And Cons Of Field Separators

There are two ways of storing and recalling data from a relative file. The first method is to

concatenate the fields and send a long string to the record: RC\$=A\$+B\$+C\$+D\$: PRINT#1,RC\$. To read it back into memory, use GET# to read a character at a time. Then the MID\$ function breaks the record into the different fields.

The other way is to separate the fields with a carriage return or a comma:

RC\$=A\$+CHR\$(13)+B\$+CHR\$(13)+C\$+
CHR\$(13)+D\$:PRINT#1,RC\$. Now, instead of GET# inside a FOR-NEXT loop, you can set the pointer and then INPUT#1, A\$,B\$,C\$,D\$.

The advantage is that INPUT# is a little faster than GET#. You can also create fields of variable length; you don't have to pad out the fields with extra spaces. The disadvantage is that you can't use any commas or carriage returns within a field. And the record length may have to be a little larger to make room for the separators.

A Bug In Relative Files

The INPUT# command will sometimes fail to read all of the characters in a relative file when you are updating records sequentially. You can eliminate the bug with the simple precaution of positioning the record pointer before and after printing to a record:

540 PRINT#15, "P" + CHR\$(2+96) + CHR\$(103) + CHR\$(2) + CHR\$(1) 550 PRINT#1,"NEW INFORMATION" 560 PRINT#15, "P" + CHR\$(2+96) + CHR\$ (103) + CHR\$(2) + CHR\$(1)

As long as the pointer is set before and after printing, you'll never encounter the bug.

The bug is related to spanning and spill. Each disk sector holds 256 bytes, numbered 0–255. The first two bytes are used by DOS, leaving 254 for programs and files. A relative file containing 200 characters per record fits into the disk sectors like this:

Sector	Bytes	Record Number
1	0-1	used by DOS
1	2-201	record 1
1	202-255	record 2 (first part)
2	0-1	used by DOS
2	2-147	record 2 (spill)
2	148-255	record 3 (first part)
3	0-1	used by DOS
3	2-95	record 3 (spill)

Record 1 starts at a sector boundary, the beginning of sector 1, and fits entirely into

that sector, while records 2 and 3 are split between sectors (they *span* two sectors). The part that overlaps into the second sector is called the *spill*, because it spills over into the next block.

The bug happens when three conditions are true: 1) You're updating a file sequentially, using a FOR-NEXT loop to read individual records in a file, changing something, and writing the record back to disk. 2) You write only a few characters to a record that begins on a sector boundary (that is, you write fewer than 199 characters to record 1 in the example above). 3) The number of characters put into the boundary record (1) is less than the spill of the record that spans the second and third sectors after the boundary record (record 3).

The problem won't happen again until you have a record beginning on an even

boundary.

It sounds complicated, so let's force the bug to happen. First, create a relative file with six records of 252 characters each:

10 OPEN15,8,15:OPEN1,8,2,"0:ABC,L,"+CHR\$(
252)

2Ø PRINT#15,"P"+CHR\$(2+96)+CHR\$(6)+CHR\$(Ø
)+CHR\$(1)

30 PRINT#1, "LAST RECORD"

40 INPUT#15, E, E\$:PRINTE\$:CLOSE1:CLOSE15

Line 10 opens the command channel and a relative file of length 252. Line 20 positions the pointer to record 6. Line 30 prints "LAST RECORD" to record 6 (creating five blank records) and line 40 closes the files. Next, we'll put something into each record (type NEW before entering this program):

```
10 A$="123456789"
```

20 OPEN15,8,15:OPEN1,8,2,"0:ABC"

30 FORJ=1TO5:GOSUB500

40 PRINT#1,A\$:NEXT

50 REM NOW CHANGE DATA

60 J=1:GOSUB500:PRINT#1, "A"

70 FORJ=2TO5:GOSUB500

8Ø INPUT#1,B\$:PRINT"RECORD #";J,B\$

90 B\$=B\$+STR\$(J)

100 PRINT"CHANGED TO "; B\$

110 GOSUB500:PRINT#1,B\$

120 NEXT

130 FORJ=1TO5:GOSUB500:INPUT#1,C\$:PRINTJ, C\$:NEXT

140 CLOSE1:CLOSE15

499 END

500 PRINT#15, "P"+CHR\$(2+96)+CHR\$(J)+CHR\$(0)+CHR\$(1): RETURN

The subroutine at 500 positions the pointer to record J. First, lines 10–40 print A\$ ("123456789") to the first five records. Line 60 changes record 1 (which begins on a sector boundary) to contain a single character "A" (try AB or ABC and see what happens). In lines 70–120, we update records 2–5, inputting B\$ and then adding the record number to B\$. Line 80 reads the record with INPUT#, prints it to the screen, and adds the string equivalent of number J (STR\$(J)).

Finally, lines 130–140 read through the file and print the contents of each record to the screen. Pay close attention to record 3, which has been corrupted.

Now, add this line:

115 GOSUB500

Subroutine 500 positions the record pointer. Run the program again, and the bug disappears.

Open the command channel, open the relative file, position the pointer on the disk, then write the record. But this time we'll write real data (again, add these lines to the lines previously typed).

```
299 REM WRITE TO FILE
```

300 OPEN15,8,15

310 OPEN1,8,2, "REL.FILE,L"

320 HB=INT(RC/256)

330 LB=RC-HB*256

340 PRINT#15, "P"+CHR\$(2+96)+CHR\$(LB)+CHR\$ (HB)+CHR\$(1)

350 PRINT#1,RC\$

36Ø CLOSE1

370 INPUT#15,E,E\$:PRINT"{RVS}DISK STATUS:
":PRINTE\$:CLOSE15

```
380 PRINT: PRINT "ANOTHER ENTRY?"
```

390 GETG\$: IFG\$=""THEN390

400 IFG\$="N"THEN500

410 IFG\$="Y"THEN100

42Ø GOTO39Ø

Line 350 writes the information to the disk, line 370 reads the error channel (if no errors occurred, it should say OK), and line 380 prompts us for another entry.

You may have noticed that we didn't send the end-of-file marker we had planned for. 120 characters were sent to a record that can hold 121. Actually, we did send 121. PRINT# (just like PRINT) always adds a carriage return (CHR\$(13)) if the string is not followed by a comma or semicolon. There's a 13 at position

121, the end of the record.

It's a good idea to fill the entire record with information, even if the empty fields are only defined as spaces. If you don't, the record will be padded out with CHR\$(0)s.

Reading The File

After the file is written, you are asked if you want another entry. Answering no (press the N key) takes us to the next section: reading the files.

- 1. Open the file.
- 2. Position the file on the record to be read.
- 3. Read the record.
- 4. Close the file (optional).

Once the data is stored on the disk, reading is fairly simple. If the record contains less than 80 characters, the INPUT# command can be used and the record read into memory, but since we chose a record length of 120 characters, we'll have to use GET# and concatenate to build RC\$, as in line 560 below.

Lines 500-660 will read the records from the disk in sequence from the lowest to the highest number. The steps should look familiar by now: Open channel 15, open the relative file (as before, Length is optional), position the pointer, and pluck characters from disk into memory using GET#.

```
499 REM READ RELATIVE FILE IN ORDER
500 FORA=1TORC:RC$="":PRINT"RECORD #";A
510 OPEN15,8,15
520 OPEN1,8,2, "REL.FILE"
530 HB=INT(A/256)
540 LB=A-HB*256
55Ø PRINT#15, "P"+CHR$(2+96)+CHR$(LB)+CHR$
    (HB)+CHR$(1)
560 FORB=1TO120:GET#1,A$:RC$=RC$+A$:NEXT
570 CLOSE1:CLOSE15
580 PRINTMID$ (RC$,1,15)
590 PRINTMID$ (RC$, 16, 15)
600 PRINTMID$ (RC$, 31,15)
610 PRINTMID$ (RC$, 46, 30)
620 PRINTMID$ (RC$, 76, 25)
63Ø PRINTMID$ (RC$, 101, 3)
640 PRINTMID$ (RC$, 104,5)
650 PRINTMID$ (RC$, 109, 12)
660 NEXT
```

When you'd like to read the data from an individual record, it's possible to go directly to that

```
record and read the data:
699 REM READ INDIVIDUAL RECORD
700 PRINT"RECORD # TO READ": INPUTRE
710 PRINT"STARTING AT POSITION": INPUTPO
720 HB=INT(RE/256):LB=RE-HB*256
73Ø OPEN15,8,15
74Ø OPEN1,8,2, "REL.FILE"
75Ø PRINT#15, "P"+CHR$(2+96)+CHR$(LB)+CHR$
    (HB)+CHR$(PO)
760 FORA=POTO120:GET#1,A$:PRINTA$;:NEXT
```

770 INPUT#15, E, E\$:PRINT" (RVS) DISK STATUS:

```
78Ø CLOSE1:CLOSE15
790 PRINT"PRESS ANY KEY TO CONTINUE"
800 GETG$: IFG$=""THEN800
81Ø GOTO7ØØ
```

Specify which record you want to see by record number, and the DOS takes care of finding it. It also asks for position. To skip over first names, enter a 16. To see phone numbers only, use 109.

Changing A Record

Changing the data in a relative file is straightforward enough. Start out by opening the command channel and the file, positioning the file over the record, then reading the entire record into memory.

Now make any necessary changes to the data and concatenate to fill out all the fields within the record. Next, reposition the file by using:

PRINT#15,"P" + CHR(2) + CHR(1b) + CHR(hb)+CHR\$ (first byte)

Now use PRINT# to rewrite the record. Finally, position the pointer to the first character in the record again. It would seem that this is unnecessary, since we positioned the record prior to writing the data, but unless this step is included, our data may be corrupted. For details about why this must be done, see the accompanying article, "The Controversy Over Relative Files."

The Last Step

A huge amount of data can be stored on disk in relative files, but the data is of no value, of course, unless we can use it.

We could read each record into memory every time we need to reference the information, but with the slow speed of the 1541 disk drive, that could develop into a very slow process, especially as our file becomes longer. This would eliminate the speed advantage of using a relative file.

The easiest way to handle a search through a relative file is to create index files for the key fields you'd like to search for information.

These index files are usually sequential files which have already been alphabetized or put into order (using a sort utility) and loaded into an array reserved by a DIM statement. It's not necessary to read the index file into memory until you need it, and the same variables can be used for the values held in several index files for different fields.

Relative files are not only fast and memoryefficient, they can be very flexible. The data is easy to get at and can be rearranged and sorted to fit your file-handling needs, especially if you use sequential index files. With a little practice, you'll become comfortable with them.

":PRINTES

Tape Program Rescue

John R. Hampton

This short machine language utility reads a program from tape into memory, allowing you to recover programs that have become unloadable. For the VIC or 64.

The Commodore Datassette is an inexpensive and generally reliable device on which to store

programs and data.

But sooner or later, you'll be unfortunate enough to combine a very long program with a bad tape. After saving the program, you won't be able to load it back into the computer. This is one reason to keep backup copies of all important programs.

What do you do if you don't have a backup, and don't feel up to retyping the entire program? "Tape Program Rescue" may be the answer.

Fixing A Bad SAVE

A program on tape can be scrambled or destroyed by a number of things: magnetism, a faulty coating on the tape, or ripped or creased tape. You may not be able to rescue the entire program, but you should be able to recover at least a portion, saving a lot of retyping time.

Tape Program Rescue is written in machine language, but uses BASIC to POKE the program into memory. When you run it, the problem program is loaded from tape into memory, overwriting the BASIC part of Tape Program Rescue. For this reason, you should save Tape Program Rescue before you attempt to use it, or else your typing will be lost.

To use it, load (but don't run) Tape Program Rescue. Then put the problem tape in the cas-

sette drive and fast forward the tape to a spot just before the beginning of the program to be rescued.

Now type RUN. The short ML program rescue routine is POKEd into memory and you should see the CUT PROGRAM OFF AT LINE NUMBER? prompt. Input a line number from the program. Tape program rescue will read up to, but not including, that line. The remaining lines will not load into memory. (You can also use this utility to delete the last portion of a program on a good tape.)

You may have to experiment a bit. If you can't load up to line 1100, try cutting off the program at 1000 or 740 or some smaller number. If it works, part of the previously unloadable program will have been loaded into memory and you can save that part to a good tape. You may still have to retype the last part of the program.

Setting Up Memory

Tape Program Rescue loads programs into the same section of memory they were saved from. This means you can't use a 64 to rescue VIC programs, nor can you use a VIC to recover 64 programs. The memory configuration when you rescue must be the same as when you saved. VIC owners should insert or remove memory expansion according to how much was needed for the problem program.

Also, the line number used for cutting off the program must be a real line number. If a program has lines 400 and 410 and you try to cut it off at 405, Tape Program Rescue will not operate

properly.

See program listing on page 132.

There's a special class of computer peripherals that intrigue and fascinate us all. Printers, disk drives, memory expansion, and monitors are all important parts of a complete computer system, but they're mundane compared to things like voice synthesizers, music keyboards, light pens, and touch tablets. It can be hard to justify the purchase of these computer "goodies" until you begin to use them. They amplify your creativity, a quality hard to distill into dollars and sense.

If a touch tablet doesn't turn you into a computer age Michelangelo, you might want to cheat. Instead of laboriously tracing a drawing pixel-by-pixel, why not just take a snapshot? Point a camera at your subject, and you've got computer graphics.

Video Acquisition

Camera digitization, otherwise known as video acquisition, has been around quite a while (maybe you've seen the digitized picture of computer chips), but its cost has been out of most people's reach, until now. You can now set up your own digitizing studio for \$349.95 (including black and white video camera) with COMPUTER-EYES from Digital Vision.

COMPUTEREYES is one of those magical black boxes that plugs into the back of your computer (specifically, the user port). You plug any standard (noninterlaced NTSC) video source (video camera, videocassette recorder, laser disc, composite computer signal) into the side of the box. This signal is the same level as Commodore 64 composite video, the same signal used by most color and monochrome monitors. With a video camera, you can digitize almost anything you can focus on. You can plug the video camera into your monitor while you set up the shot, then into COMPUTEREYES when you're ready to digitize. Or if you don't want to shell out \$229 for a black and white video camera, you can digitize pictures off your television set (courtesy of the tuner in your VCR). Imagine using a few frames of Star Trek in your next videogame.

It's really quite easy to use COMPUTER-


EYES. The standard digitizing program lets you adjust the sync by turning a small knob on the COMPUTEREYES module. You turn the knob until the message IN SYNC appears. This customizes the box with whatever video source you're using. Setting the brightness control is just as easy, but a little frustrating. The program scans slowly across the screen, one vertical line at a time. It takes about six seconds to sweep across the screen.

In the brightness mode, you just get two scales—on and off, or black and white. The screen is very distorted, since the time taken by the 64's VIC chip interrupts the digitizing timing. You try to adjust the brightness control so that only the brightest parts of the subject are lit on the screen. It can take a lot of trial and error to find the right brightness level.

Scanalyze

After you've adjusted the brightness, you're ready to take your first picture. The digitizing program permits three options: Normal Scan, 4-Level Scan, and 8-Level Scan. Normal Scan is similar to the Brightness adjustment, but the screen is blanked for the sake of timing. After six seconds, your picture appears. Normal Scan only makes black and white distinctions; the pictures are extremely high in contrast. The 4-Level Scan performs four scans, each time lowering its threshold for what counts as "white." It merges these scans to get a shaded picture. These aren't true gray scales, but varying dot densities, similar to newspaper photographs. Since four scans are taken, it takes about 25 seconds to take a 4-Level Scan. The 8-Level Scan works similarly, but takes eight scans, each time at a lower brightness threshold.

Don't expect photographic quality. The weak link is not COMPUTEREYES, but the Commodore 64's 320 × 200 pixel high-resolution screen. The pictures are extremely coarse and grainy. However, if you stand a few feet away from the screen, the pixels become smaller, and



A four-level scan of a car in a driveway (courtesy of Digital Vision).

your eye tends to fill in the gaps. You can also print the pictures, then reduce them with a photocopy machine. Reducing a picture makes all the pixels smaller and closer together, giving you more effective resolution. Nonetheless, the pictures do have an artistic quality to them that photographs miss in being too true to life. It's as if they were painted with a broad paintbrush in only five shades.

You can buy additional software disks (\$15 each) that permit you to store your pictures in formats compatible with several popular graphics programs: KoalaPainter, Doodle, Flexidraw, and Print Shop. These packages let you take advantage of the 64's five gray scales (black, dark gray, medium gray, light gray, and white). Although the horizontal resolution is halved, (since multicolor mode must be used) these true gray scales make for more realistic pictures.

A Facial Bias

I found that the best subject is someone's face. The brain is biased towards facial features, which is why it's so easy to imagine the man in the moon. More importantly, the face reflects light subtly, according to facial contours. Even with poor resolution, the various shadows and contours translate well to just five gray scales, producing pictures with depth. Besides, what do people take pictures of anyway? Other people. I've tried to take pictures of landscapes, but the computer's eye is too crude to produce easily recognizable pictures. It works well on closeups, though.

The time required to take a picture can be really frustrating. Just try holding perfectly still for 50 seconds. It's not easy. We're in the early days of computer photography (ask your greatgrandmother to tell you about posing for ten seconds for a nineteenth century daguerreotype).

How It Works

COMPUTEREYES is a *slow scan* video acquisition system. It relies on a crucial interaction between the hardware and software. The box doesn't do all the work. You can't just grab complete pictures from the box. For one thing, a picture is displayed as quickly as 1/30 second, too fast for even a machine language program to process 64,000 pixels. Instead, the box sends one vertical column of scanning at a time to permit the software to analyze that column at a more leisurely rate. The scans are taken once per video frame, so it takes about six seconds (5.33 seconds, actually) to make one full sweep. The software is capable of setting the box's brightness threshold for each scan in order to produce gray scales.

What practical use is there for a camera digitizer? You could ask the same question about any camera. Pictures justify themselves. It's just plain fun. There's something fascinating about putting pictures on computers. You've seen the booths at carnivals and shopping malls that take your picture and print it on a T-shirt. They use very similar equipment.

But the fun doesn't stop after you've taken the picture. Load it into your drawing program, and you can alter or modify it as you will. Take your picture and add a mustache and a beard. Erase the hair to see what you'd look like bald. Color it in. Take several pictures and swap body parts around (put Lucy's eyes on Ricky). Photoreduce the picture and use it as a unique snapshot to give to acquaintances.

For business, camera digitization is a great shortcut to presentation graphics. Again, load the picture into a drawing program to touch it up, then add text and merge in graphs.

Programmers can use these pictures in their programs, using them as game backgrounds. Grab smaller elements and turn them into sprites. You can write programs to enhance and smooth out the rough edges in the pictures. If you're really clever, maybe you can write programs to let the computer really see, giving it limited visual recognition. For example, a security system could take two scans of a hallway. If both scans are not identical, someone or something is moving around in there.

COMPUTEREYES module with system software, \$129.95 COMPUTEREYES module with black and white video camera, \$349.95

COMPUTEREYES black and white video camera, \$229.95 Graphics Compatible Software:

KoalaPainter, Doodle, Print Shop, Flexidraw \$15 each (less if ordering more than one)

Digital Vision, Inc. 14 Oak Street, Suite 2 Needham, MA 02192

1541 Flash! Update

In my review of 1541 Flash! for the Commodore 64/1541, I stated that I had problems loading some Epyx games, even with the Flash! speedup disabled. Bryce Nesbitt, author of 1541 Flash!, told me that early on he made a change to allow the Epyx games to load with 1541 Flash! turned off. In addition, he noted that these steps should be followed to load an Epyx game in the Flash! mode:

- 1. Boot up as normal (LOAD "*",8,1 or SHIFT-RUN/STOP).
- 2. Wait about five seconds.

3. Open the drive door and close it. Repeat until the software "catches." The READ head will move and everything will work fine.

He also sent along a tip that applies to all 1541 disk drives. You can scratch multiple files with the syntax:

OPEN 15,8,15:PRINT #15,"S0:file1,file2,file3,etc.": CLOSE 15

This is the same as the normal scratch command, except commas can be used to permit multiple scratches. Be careful with this one. There are quite a few hidden secrets within the 1541 disk drive.

Bug-Swatter:Modifications And Corrections

- "Disk Handler" (March) does not work correctly because the variable K does not allow updating the next track and sector to be read. Reader Charles M. Shapin has found a solution to this bug: Change K to G in lines 436, 444, and 446.
- Line 37368 in the MLX listing of "MetaBASIC" (April) caused problems for some readers, who saw the second to the last number as a 175. That number is a 176. The corner was accidentally cut off.

Also, reader Harry G. Morgan reports that the LLIST command may not work correctly on some printers. To fix it, load MetaBASIC, type NEW, and SYS36864 to enable MetaBASIC. Enter MEMORY40336–40341. You should see that every other number on the first line is a 4. This is the beginning of a machine language routine equivalent to OPEN 4,4,4. Some Commodore printers require that the last number be either a 0 (OPEN 4,4,0 for uppercase/graphics) or a 7 (OPEN 4,4,7 for upper/lowercase). You can also change the second number if you own a Commodore 1520 Printer/Plotter, which is device number 6 (change the three 4's to 4, 6, and 0, respectively).

To make the change, put the commercial-at sign (@) in front of the line, cursor over to the last four on the line, change it, and press RETURN. Then use the BSAVE command to save the new copy of MetaBASIC.

Also, the DEFAULT function should not be

called before using TERMINAL. You can disable DEFAULT by typing MONITOR.

- "1526 Hi-Res Screen Dump" (April) works as published. However, the program was renumbered during testing, and the number 100 in line 130 should have been changed to a 130. Thus, readers who typed the DATA statements incorrectly will see a message that a specific line is wrong. But the line that is reported to be wrong is actually 30 lower than the line containing the mistake. If you made no typing mistakes, this error won't affect the program.
- Although there are no errors in "Disk/Tape Backup" (December 1984), reader Gerald Hass has discovered that the DOS Wedge program should be disabled before running the program. The wedge can interfere with the backup process. And the article did not clearly state that while program and sequential files are backed up, relative files are not.

As mentioned in the article, the program reads files from disk and "packs" the data in a special format for saving to tape. When the file is restored, the information is unpacked. This means Disk/Tape Backup cannot be used for copying an original tape file to disk. For a tapeto-disk copy program, see this month's "GAZETTE Feedback."

- The printer used to list the 64 version of "Pool" (April) put an unnecessary question mark in line 49830. This does not affect the program, since MLX will not allow entry of question marks.
- A semicolon (;) was omitted from the end of line 350 in the 64 version of "Number Quest" (April). The program will run without the semicolon, but the Automatic Proofreader checksum will be incorrect.

DELUXE RS232 INTERFACE

This is unconditionally the best RS232 Interface available for the Commodore 64. Satisfaction guaranteedor your money



back. A full set of

RS232 signals (pins 2-8, 12, 20, 22). Four switch selections allow using any standard RS232 printer or modem. Comes complete with 3ft cable with either male or female DB25 connector. Very complete documentation, type-in BASIC terminal program, and programming examples.

Specify Male (#10-112) or Female (#10-113) DB25.

\$44.95

PRINTMASTER/E ECONOMY PRINTER INTERFACE

This four foot cable plugs into the USER I/O port and then connects to your parallel printer. The disk supplied with the cable contains different machine language weddeges. You load one in and it changes the USER I/O port to be device #4parallel printer port. Wedges load several different places. Works with all basic programs and most machine language ones. Does graphics characters and adds several BASIC commands. Easy to use.

Works great with EASYSCRIPT. #10-108 \$34.95

PRINTMASTER/+G

With IntelliFeatures

This is one of, if not THE BEST PARALLEL PRINTER INTERFACE AVAILABLE for the Commodore 64 computer. All necessary switch selections. Emulation, transparent, and listing modes. Does all graphics and graphics characters on all popular dot matrix printers. Does enhanced graphics characters and double density graphics on Epson compatible printers. Dip switch selection sets single or double density graphics. Double density graphics printouts look much better. Print head shuffle minimized, not like



Deluxe Parallel

Printer Interface

some rattle box interfaces (you know who we mean). Set top, bottom, left, right margins, page length. Single page feed. Unit is cassette port or externally powered. Reset button. IntelliFeatures are fantastic! LOAD"S", 4, 1 loads and displays printer interface status on screen. LOAD"\$", 4, 1 loads and displays disk directory on screen without destroying BASIC program. Other great features. Diskette supled with hi-res dump and other programs. Optional 16K printer buffer.

Don't settle for second best! Get a Printmaster/+G. \$10-115

Optional user installable 16K printer buffer mounts inside case, and has an additional ROM for more IntelliFeatures. Design your own character set. LOAD"UNNEW", 4, 1. LOAD"RENUM", 4, 1. Much more. Buffer takes 16K in 40 seconds. #110-116 \$89.95

With IntelliFeatures

Serial Bus RS232 Printer Interface

Can't make your Multiplan work with your RS232 printer? This Printer Interface connects to the serial bus, and supplies full RS232 signals to run virtually any RS232 printer as device #4. Works with all software. It has all of the features of the Printmaster/+G (except 16K buffer), but it is for an RS232 printer. Comes with a 3 foot cable. Specify Male (#10-117) or Female (#10-118) DB25. Allows full DTR or Xon-Xoff handshaking. Trouble free use. Money back guarantee. \$139.95

Omnitronix

PO BOX 43 DEPT.G6 MERCER IS. WA 98040

TO ORDER: CALL 206/236-2983

or write or see your local dealer. Add \$2.25 each for shipping. 30 day money back guarantee if not completely satisfied (less shipping).

Dealers call call call!!





TAKES THE **FRUSTRATIONS OUT OF USING YOUR COMPUTER** BY PROVIDING YOU WITH QUALITY SOFTWARE AT AN AFFORDABLE PRICE.



"BITS AND PIECES" TM - Disk Utilities

*Sector Copy a Disk * Back-Up Copy "Whole Bit" Disk Series * Program or sequential files copy to disk & conversion of program files to sequential files * Check track and sector for errors * Examine contents of a file, block by block in HEX or ASCII * Modify contents of a block * Check whole disk for errors * Save Disk Utilities onto disk * SCREEN-DUMP Hi-Res Graphics and Characters to printer using any selected memory locations * MULTI-COLOR SPRITE MAKER * Quick program (Machine language or Basic) transfer to another disk * Provided on diskette in a plastic library case with instruction manual (for Commodore 64TM; 1541 & MSD single & dual drive)

"THE WHOLE BIT" TM - Word Processing \$39.95

 MENU-DRIVEN • 80 column view screen • On-line HELP Screens • Enhanced cursor movement • Supports major printers by Menu Selection • Ability to custom tailor print commands • Tab-setting 240 columns to screen • File copies printed in any sequence • Sequential page numbering from one file to another • Screen and character color selectable • Menu selection of disk files • Global search and/or replace. Block move/copy • File merge • Horizontal/vertical scrolling • Left, right, block justification • Sub/superscript • Block erase • Header/footer/page numbering • indentation • Search/replace defined phrases • Text Centering • and more . . . • Provided on diskette with User's Manual in a 3 ring binder (for Commodore 64)

"FILE CONVERTER" C-64 \$39.95/PET \$44.95

FILE CONVERTER, Allows the transfer of files between the popular data base programs; Manager M, Flextille M, Superbase 64 M, Practifile M, Silicon Office M, and others, Program, sequential, or relative files may be converted to a differing type including PET to ASCII or Screenpoke, and vice-versa. Will convert fixed or variable files. Files from any data base may be merged into "THE WHOLE BIT" M word-processing, - Allows the transfer of text files from one word processing program to another; undefined control codes can be ignored or deleted * FAST DATA BASE ENTRY; Creatos a sequential data base file of up to 32 fields per record; a very fast data base entry program useful for entering large mailing lists, etc.; can be easily converted to your specific data base using "FILE CONVERTER" * READ RELATIVE; Allows viewing or printing of any selected relative file record (PET, ASCII or Screenpoke form) * Provided on diskette in a plastic library case with instruction manual (for Commodore 64 and PET series computers)

Prices Quoted in U.S. Funds MASTERCARD/VISA **FREE SHIPPING** (207) 439-5074

Applied Technologies, Inc. Computer Products Div. **Lyndon Way** Kittery, Maine 03904

Dealer & Distributor Inquires Invited



HAVE YOU GOT THE 1541 BLUES?

WE'VE GOT THE PERMANENT FIX!! Here's what we do . . .

FIRST, we disassemble your 1541 disk drive. SECOND, we re-machine the stepper motor to the shaft. THIRD, we adjust the stepper motor and align the heads. FOURTH, we upgrade your DOS to the latest version available.

GUARANTEED FOR SIX MONTHS! AND WE DO IT ALL IN 72 HOURS OR LESS!! TOTAL COST . . . \$69.95, plus \$7.50 shipping & handling

We also service the entire Commodore Line with a 72 hour turn-around time (subject to parts availability).

> 85.00 1526/802 . 1541 Flash Installed

(Includes DOS Bridge and Switch for 100% Software compatibility)

Call for Repair Prices on other Commodore Equipment We also repair Televideo Computers and Okidata Printers

WE DO WARRANTY REPAIRS! - Call for Details \$7.50 for shipping/\$15.00 for APO/FPO or outside Continental US. Our BBS No. is 919-765-3892, Temporary Password - TRIAD

TRIAD COMPUTERS

3068 TRENWEST DRIVE, WINSTON-SALEM, NC 27103 919-765-0433

How To Type In COMPUTE!'s GAZETTE Programs

Each month, COMPUTEI'S GAZETTE publishes programs for the VIC-20, Commodore 64, Plus 4, and 16. Each program is clearly marked by title and version. Be sure to type in the correct version for your machine. Also, carefully read the instructions in the corresponding article. This can save time and eliminate any questions which might arise after you begin typing.

We publish two programs, which appear periodically, designed to make your typing effort easier: The Automatic Proofreader, and MLX, designed for enter-

ing machine language programs.

When entering a BASIC program, be especially careful with DATA statements as they are extremely sensitive to errors. A mistyped number in a DATA statement can cause your machine to "lock up" (you'll have no control over the computer). If this happens, the only recourse is to turn your computer off then back on, erasing whatever was in memory. So be sure to save a copy of your program before you run it. If your computer crashes, you can always reload the program and look for the error.

Special Characters

Most of the programs listed in each issue contain special control characters. To facilitate typing in any programs from the GAZETTE, use the following listing conventions.

The most common type of control characters in our listings appear as words within braces: {DOWN} means to press the cursor down key; {5 spaces} means to press the space bar five times.

To indicate that a key should be *shifted* (hold down the SHIFT key while pressing another key), the character is underlined. For example, A means hold

down the the SHIFT key and press A. You may see strange characters on your screen, but that's to be expected. If you find a number followed by an underlined key enclosed in braces (for example, $\{8\ \underline{A}\}$), type the key as many times as indicated (in our example; enter eight SHIFTed A's). To type $\{SHIFT-SPACE\}$, hold down the SHIFT key and press the space bar.

If a key is enclosed in special brackets, **§** 3, hold down the Commodore key (at the lower left corner of the keyboard) and press the indicated character.

Rarely, you'll see a single letter of the alphabet enclosed in braces. This can be entered on the Commodore 64 by pressing the CTRL key while typing the letter in braces. For example, {A} means to press CTRL-A.

The Quote Mode

Although you can move the cursor around the screen with the CRSR keys, often a programmer will want to move the cursor under program control. This is seen in examples such as {LEFT}, and {HOME} in the program listings. The only way the computer can tell the difference between direct and programmed cursor control is the quote mode.

Once you press the quote key, you're in quote mode. This mode can be confusing if you mistype a character and cursor left to change it. You'll see a reverse video character (a graphics symbol for cursor left). In this case, you can use the DELete key to back up and edit the line. Type another quote and you're out of quote mode. If things really get confusing, you can exit quote mode simply by pressing RETURN. Then just cursor up to the mistyped line and fix it.

When You I	Read:	Press:	See:	When You Rea	d: P	ress:	See:	When You Read:	Press:	See:
{CLR}	SHIFT	CLR/HOME	#	(PUR)	CTRL	5		4	-	*
{HOME}		CLR/HOME	5	{GRN}	CTRL	6	雪雪	<u>†</u>	SHIFT	
{UP}	SHIFT	CRSR		{BLU}	CTRL	7	(N €)			
[DOWN]		CRSR	0	{YEL}	CTRL	8	T	For Commod	ore 64 Only	
{LEFT}	SHIFT	CRSR -		{F1}		n		E13	Ce 1	
{RIGHT}		CRSR -		{F2}	SHIFT	a		E23	C : 2	To the
{RVS}	CTRI	9		[F3]		13		E33	CE 3	
[OFF]	CTRI	0		{F4}	SHIFT	63		E48	C= 4	0
{BLK}	CTR	1		{F5}		65		E53	Cz 5	-Ţ-
{WHT}	CTR	2		{F6}	SHIFT	f5		E63	C E 6	
{RED}	CTR	. 3		{F7}		f7		E73	C= 7	中
(CYN)	CTRI	4		[F8]	SHIFT	17		883	Cz 8	

The Automatic Proofreader

"The Automatic Proofreader" will help you type in program listings from COMPUTE!'s Gazette without typing mistakes. It is a short error-checking program that hides itself in memory. When activated, it lets you know immediately after typing a line from a program listing if you have made a mistake. Please read these instructions carefully before typing any programs in COMPUTE!'s Gazette.

Preparing The Proofreader

1. Using the listing below, type in the Proofreader. The same program works on both the VIC-20 and Commodore 64. Be very careful when entering the DATA statements — don't type an l instead of a 1, an O instead of a 0, extra

2. SAVE the Proofreader on tape or disk at least twice before running it for the first time. This is very important because the Proofreader erases this part of itself when you first type RIIN

3. After the Proofreader is SAVEd, type RUN. It will check itself for typing errors in the DATA statements and warn you if there's a mistake. Correct any errors and SAVE the corrected version. Keep a copy in a safe place — you'll need it again and again, every time you enter a program from COMPUTEI's Gazette.

4. When a correct version of the Proofreader is RUN, it activates itself. You are now ready to enter a program listing. If you press RUN/STOP-RESTORE, the Proofreader is disabled. To reactivate it, just type the command SYS 886 and press RETURN.

Using The Proofreader

All VIC and 64 listings in COMPUTE!'s Gazette now have a *checksum number* appended to the end of each line, for example ":rem 123". *Don't enter this statement when typing in a program*. It is just for your information. The rem makes the number harmless if someone does type it in. It will, however, use up memory if you enter it, and it will confuse the Proofreader, even if you entered the rest of the line correctly.

When you type in a line from a program listing and press RETURN, the Proofreader displays a number at the top of your screen. This checksum number must match the checksum number in the printed listing. If it doesn't, it means you typed the line differently than the way it is listed. Immediately recheck your typing. Remember, don't type the rem statement with the checksum number; it is published only so you can check it against the number which appears on your screen.

The Proofreader is not picky with spaces. It will not notice extra spaces or missing ones. This is for your convenience, since spacing is generally not important. But occasionally proper spacing is important, so be extra careful with spaces, since the Proofreader will catch practically everything else that can go wrong.

There's another thing to watch out for: if you enter the line by using abbreviations for commands, the checksum will not match up. But there is a way to make the Proofreader check it. After entering the line, LIST it. This eliminates the abbreviations. Then move the cursor up to the line and press RETURN. It should now match the checksum. You can check whole groups of lines this way.

Special Tape SAVE Instructions

When you're done typing a listing, you must disable the Proofreader before SAVEing the program on tape. Disable the Proofreader by pressing RUN/STOP-RESTORE (hold down the RUN/STOP key and sharply hit the RESTORE key). This procedure is not necessary for disk SAVEs, but you must disable the Proofreader this way before a tape SAVE.

SAVE to tape erases the Proofreader from memory, so you'll have to LOAD and RUN it again if you want to type another listing. SAVE to disk does not erase the Proofreader.

Since the Proofreader is a machine language program stored in the cassette buffer, it will be erased during a tape SAVE or LOAD. If you intend to type in a program in more than one sitting or wish to make a safety SAVE, follow this procedure:

1. LOAD and RUN the Proofreader.

Disable it by pressing RUN/STOP-RESTORE.

Type the following three lines in direct mode (without line numbers):

A\$="PROOFREADER.T":B\$="{10 SPACES}":FO RX=1T04:A\$=A\$+B\$:NEXTX FORX=886 TO 1018:A\$=A\$+CHR\$(PEEK(X)):N EXTX OPEN1,1,1,A\$:CLOSE1

After you type the last line, you will be asked to press RECORD and PLAY. We recommend you start at the beginning of a new tape.

You now have a new version of the Proofreader (PROOFREADER.T, as renamed in the above code). Turn your computer off and on, then LOAD the program you were working on. Put the cassette containing PROOFREADER.T into the tape unit and type:

OPEN1:CLOSE1

You can now get into the Proofreader by typing SYS 886. To test this, PRINT PEEK (886) should return the number 173. If it does not, repeat the steps above, making sure that A\$ (PROOFREADER.T) contains 13 characters and that B\$ contains 10 spaces.

The new version of Automatic Proofreader will load itself into the cassette buffer whenever you type OPEN1:CLOSE1 and PROOFREADER.T is the next program on your tape. It will not disturb the contents of BASIC memory.

Automatic Proofreader For VIC And 64

100 PRINT"{CLR}PLEASE WAIT...":FORI=886TO
1018:READA:CK=CK+A:POKEI,A:NEXT

110 IF CK<>17539 THEN PRINT"[DOWN]YOU MAD E AN ERROR":PRINT"IN DATA STATEMENTS. ":END

120 SYS886:PRINT"[CLR][2 DOWN]PROOFREADER ACTIVATED.":NEW

886 DATA 173,036,003,201,150,208

892 DATA 001,096,141,151,003,173

898 DATA 037,003,141,152,003,169 904 DATA 150,141,036,003,169,003

910 DATA 141,037,003,169,000,133

916 DATA 254,096,032,087,241,133

922 DATA 251,134,252,132,253,008 928 DATA 201,013,240,017,201,032

934 DATA 240,005,024,101,254,133

940 DATA 254,165,251,166,252,164 946 DATA 253,040,096,169,013,032

952 DATA 210,255,165,214,141,251

958 DATA 003,206,251,003,169,000 964 DATA 133,216,169,019,032,210

970 DATA 255,169,018,032,210,255

976 DATA 169,058,032,210,255,166

982 DATA 254,169,000,133,254,172

988 DATA 151,003,192,087,208,006 994 DATA 032,205,189,076,235,003

1000 DATA 032,205,221,169,032,032 1006 DATA 210,255,032,210,255,173

1012 DATA 251,003,133,214,076,173

1018 DATA 003

NEWS& PRODUCTS



One member of General Electric's new family of computer peripherals is this combination acoustic/direct-connect modem.

GE Enters Peripheral Market

General Electric has introduced a complete line of computer peripherals, all compatible with Commodore computers.

The Model 3-8100 is a letter-quality thermal transfer printer. The Model 3-8150 interface emulates Commodore printers, and operates in either transparent or emulation mode. Both the printer and interface come with a two-year warranty. The printer retails for \$299.95, the interface for \$89.95.

The Model 3-8200 is a combination direct connect/acoustic 300-baud modem. It can operate off 9-volt batteries when AC power is unavailable. Price is \$119.95.

The GE Program Recorder (Model 3-5156) features a digital program indicator, variable tone and data level controls, and a complete jack pack for interfacing. A Commodore interface cable is included. Suggested retail price is \$69.96.

Two combination monitor/TVs are

also available. Model 13BC5509 (\$489.95) is a 13-inch composite color monitor; Model 12XR5204 (\$129.95) is a 12-inch black and white monitor.

General Electric Company, Electronics Park, Syracuse, NY 13221

Circle Reader Service Number 245.

Memory Trainer

The Einstein Memory Trainer, a new release from Avant-Garde Publishing, is made up of five lessons that lead the user through techniques for remembering people's names, lists of words and numbers, and important dates and phone numbers. It also contains a game called Memory Mix for applying what was learned in the lessons. For the Commodore 64 with a disk drive; suggested retail is \$49.95.

Avant-Garde Publishing Corp., P.O. Box 30160, 1907 Garden Ave., Eugene, OR 97403

Circle Reader Service Number 246.

Printer Interface For Commodore

QR&D Software Research & Development has introduced a parallel interface that plugs into any standard Commodore printer port. The Graphic Printer Cable has a switch-selectable Commodore graphics mode that allows compatibility with most popular printers. It emulates the standard Commodore printers, insuring total compatibility with Commodore software. The GPC is also compatible with software written for use with printers using Cardco interfaces. A 2K buffer is standard. List price of the interface is \$129.

QR&D Software Research & Development, One West Lake St., Suite 320, Minneapolis, MN 55408

Circle Reader Service Number 247.

Musical Improvisation Software

Algo-Rhythm Software has released *Cantus, The Music Improvisor*, for the Commodore 64. Created by composer and performer Michael Riesman, the program lets the user select tempo, harmony, rhythm, counterpoint, voice range, and tone color. It then creates a three-voice improvisation, while showing a graphic realtime display of the notes *Cantus* is playing. No musical knowledge is required. *Cantus* is available for \$54.00 plus \$2.00 shipping.

Algo-Rhythm Software, 176 Mineola Blvd., Mineola, NY 11501

Circle Reader Service Number 248.

3-D Graphics Program

Graph-Tech Software has released 3-D World 64, a graphics program which enables the creation of complex three-dimensional objects. The designs can then be viewed and altered on the screen or plotted as line-art to the

Commodore 1520 Plotter/Printer. The program also allows the rotation of images on the screen.

3-D World 64 is available on a disk which includes sample images. Also accompanying the program is a 50-page manual. Suggested retail is \$39.95.

Graph-Tech Software Co., 1315 Third Ave., No. 4C, New York, NY 10021

Circle Reader Service Number 249.

Home Medical Software For 64

Family Medical Advisor, a new program from Navic Software, can diagnose illness, poisoning, or the effects of drug abuse. The user responds "yes" or "no" to a series of questions in layman's terms. The program analyzes the data with a database of nearly 200 medical conditions, then displays the probable condition along with related disorders with similar symptoms.

The program is on disk only for the Commodore 64, and lists for \$38.

Navic Software, North Palm Beach, FL 33408

Circle Reader Service Number 250.

Arcade-Style Word Game

New from DLM is Boppie's Great Word Chase, an educational game for children in grades one through eight. Players move the character Boppie up and down ladders and around obstacles to gather letters and build words. The program has eight levels of play, with 256 built-in words of varying length and complexity.

Other options available include selecting one or two players, speed of play, and sound and on-screen instructions. For the 64 with a disk drive; suggested price is \$29.95.

DLM, Inc., One DLM Park, Allen TX

Circle Reader Service Number 251.



The VIC-TALKER, by Talktronics, is a speech synthesis cartridge for the VIC-20.

Speech Synthesis For VIC-20

The VIC-TALKER, from Talktronics, Inc., is a speech synthesis cartridge that works with the unexpanded Commodore VIC-20. It provides unlimited vocabulary translation of text to synthesized speech using advanced English language pronunciation rules and a user-expandable exception memory.

Voice mode options allow the user to "proofread" (by calling out punctuation and symbols in a second voice); use different voice inflections; and sing within a range of seven octaves. Suggested retail price is \$89.

Talktronics, Inc., 27341 Eastridge Ave., El Toro, CA 92630

Circle Reader Service Number 252.

Graphics Integrator

Inkwell Systems has released *The Graphics Integrator*, a graphics package which allows the user to convert picture files from one graphics package for use in another, with graphics programs such as *Flexidraw*, *Doodle*, *Paint Magic*, *Koala*, *Peripheral Vision*, and *Tech*

Also possible with The Graphics Integrator are integration of text and pictures with some word processing programs, creation of stand-alone picture files that can be loaded as programs, and creation of self-running slide shows with some packages. Suggested retail price is \$29.95.

Inkwell Systems, 7677 Ronson Rd., San Diego, CA 92138

Circle Reader Service Number 253.

Super Sketch For Disk

Personal Peripherals has released a disk version of the *Super Sketch* graphics tablet for the 64 called the G2150. The tablet enables the user to create color graphics on the screen by moving the stylus over the pad. Also included on the disk are a printer utility and starter art kit. Suggested retail is \$29.95.

Personal Peripherals, Inc., 1505 S. Green, Longview, TX 75602

Circle Reader Service Number 254.

Air Traffic Control Simulator

Kennedy Approach, from MicroProse Software, puts you behind the air traffic controls of some of the nation's busiest airports. Your job is to bring all the aircraft in on one runway, keeping the air space safe for approaching planes until it's their turn. Kennedy Approach is a speaking simulation; it allows you to communicate with all of the aircraft via computer-generated speech. Suggested retail price is \$34.95.

MicroProse Software, 120 Lakefront Drive, Hunt Valley, MD 21030

Circle Reader Service Number 255.

New Product releases are selected from submissions for reasons of timeliness, uniqueness, available space, and general interest. Readers should be aware that News & Products often contains an edited version of material submitted by vendors. We are unable to vouch for its accuracy at time of publication.

Lyco Computer

Marketing & Consultants



ON THESE IN STOCK

PRINTERS



A	XION
GP 550 AT	(Atari)24
GP 550 CD GP 550 PC	(C-64)24 (IBM)23
GP 550 AP	Apple)27
GP 550 AP GP 700 AT	Atari)45
GP 700 AP Elite 5CD (C	(Apple)45
Elite 5CD (C	-64)32

BLUE CHIPS M12010.....\$275

M1201	0 C-64	\$275
Prowrite	C. ITOH	27
8510 B		38
8510 B	P1	319
8510 S		37
8510 S		42
8510 S		45
8510 S	CR	47

550 P.... 550 BCD... 10-20-P. 10 40 PU or RDU. 10 SSPU or RDU...

	369 279
MSP-10 CITIZEN	329
MSP-15 MSP-20	499
MSP-25	649

CARDCO

COMREX	
CR-II-EC Comriter IIE Parallel	35
CR-II-ES Comriter II E Parallel	68
CR-IV-S Comriter IV Serial	68

Corona LP300 Laser Printer 2699 200361 Toner Cartridge ... 89 DIGITAL

DEVICES 16K printer buffer 32K printer buffer 11975

EPSON
RX-80 225 RX-80 FT' 279 FX100: 579 JX 80 529 LQ 1500 P 1089 LQ 1500 S 1149
HI-80 Color Plotter

RS 232 Serial Board	5
Sheet Feeder	76
LEGEND	
880	21
1080	23
1200	24

*	PRINTER	*
IN	ITERFACIN	G

Available

MANNESMANN TALLY

NEC 8025	\$699
NEC 8027	

Okimate)						(1)
82A 84 92							 	
93 92 Imag 92 IBM	yew Ve	rit	er	1	**	 	 	

		OLI	VE	тт	,	
						-
		Para			****	1
		Seria				7
Y	450	Para	llel			10

	P	1	A I	N	ı	Δ	S	;	()	١	V	I	C	;				
1090								*										18		
1092										,	٠							39 58) :	5
3151	***		***								* ×			*				45		

Smith Coro	na
Fastext 80	189.00
D100	219.00
D200	399.00
D300	519.00
L 1000	339.00

STAR	MICE	ONIC	
SG-10 SG-15	VIICH		.219
SG-15 SD-10			379
SD-15			.445
SR-10 SR-15			.489
Powertype	,		.309
Gemini 10) Gemini 15)			ALL
SB-10		C	ALL

MONITORS

AMDEK	
	125
	139 155
COIDI 300 AUGIO	245
	369 429
Color 700	495
	569
GORILLA	70
12" Green	84

2" Amber84
NEC
JB-1260 Green95
JB-1201 Green135
JC 1215 Color235
JC 1216 RGB375
JC1460 Color 265
JB-1205 Amber 139

PANASONIC DT 1300 RG1 composite3	29
HX-12 RGB4	S 89 75 99

SAKATA	
	21
G 1000 Green	.2
A 1000 Amber	10

	TAXAN	
210	Color RBG	249
115	Green	119
		125
400	Color RGB	275
410	Color RGB	339
420	Color IBM	429
121	Green IBM	139
122	Amber IBM	145
		1

122 Amber IBM145
X-TRON Comcolor I Composite Green . 199
ZENITH 224 Amber 8

(Como	color	I Comp	osite G	reen.	199
-	ZVM	131	ZENI A Amb G Gree Amber Color. RGB Compo	er n IBM.	2	275 389
	1000					

MODEMS

MICROBITS MPP 1064 (C-64
TELE LEARNING

Gin 200 (0 0)	
	ALL
MITEY MO (C-64)	ALL
COMPUSERVE2	3.95
THE RESIDENCE OF THE PERSON OF	

HAYES
Smartmodem 300 189 Smartmoden 1200 459 Smartmoden 1200B 389 Micromodem IIE 249 Micromodem 100 289 Chronograph 179 Smart Com II 75

DRIVES

SD1 Drive	.229
INDUS GT COMMODORE CARDCO CSD-1	249 219

DISKETTES

MAX 514" MD-1 514" MD-2 (Box	(ELL 16.99 23.75	
(C (10) (D 10.99 (D 13.99	5¼" SSSD	

TOLL FREE 1-800-233-8760



TO ORDER



CALL TOLL FREE

800-233-8760

or send order to Lyco Computer PO Box 5088

Customer Service 1-717-327-1825 Jersey Shore PA 17740

RISK FREE POLICY

In-stock item shipped within 24 hours of order. No deposit on C.O.D. orders. Free shipping on prepaid cash orders within the Continental U.S. PA residents add sales tax. APO, FPO, and International orders add \$5.00 plus 3% for priority mail service. Advertised prices show 4% discount for cash, add 4% for Master Card or Visa. Personal checks require 4 weeks clearance before shipping. All items subject to change without notice.

For your protection, we check for stolen credit cards.

Lyco Computer

Marketing & Consultants

COMPUTER CARE

RIB

DISK DRIVE CLEANER \$12.75 COMPUTER CARE KIT ... \$19.75

> NORTRONICS DISK DRIVE CLEANER with software

PRINTING PAPER

3000 SHEETS
FANFOLD \$42.75
1000 SHEETS
FANFOLD \$19.75
1000 SHEETLETTER \$21.95
200 SHEETS LETTER \$8.99
150 RAG STATIONARY \$10.99
MAILING LABELS (1in) \$9.95
14 x 11 1000
FANFOLD \$24.75

COMMODORE SOFT-WARE

ADVENTURE 32

Diske	y	32.95
Ultra	Disassembler	32.95

WICO

	(Joysticks)	
15-9714	Bat Handle	16.99
	Super 3-way	
72-4545	Trackball	29,99
50-2030	Boss	12.99
50-0108	Grip Handle 1	19.99

COMMODORE

Simon's Basic	24.75
Assembler 64	34.75
Super Expander	22.75
Logo 64	
Pilot 64	38.75
Easy Cale	34.75
Easy Script	
C 64 Computer	CALL
C 1541 Disk Drive.	195
MPS 801 Printer	175
C 1702 Monitor C 1531 Datasette	209
C 1660 Auto Moder	39./5
C 1660 Auto Model	11

BRODERBUND

(C-64)	
The Print Shop	29.95
Graphics Library	19.95
Whistler's Brother	19.95
Stealth	19.95
Spelunker	19.95
Bank St. Writer	32.95
Raid on Bungeling Bay	. 19.95
Championship Lode Runner	22.95
Lode Runner	19.95
Operation Whirlwind	22.95

PRINTER INTERFACE

(C-64)	
Grappler CD	.89.95
Cardco ? G	65.75
Cardco ? B	.39.75
Cardco ? PS	.59.95
U-Print C	.59.95
B.I. Interface	CALL
Connection: Epson	69.95
Connection: Star	69.95
Connection: Okidata	.69.95
Connection: C.Ituh	.69.95
Connection: Seikosha	.69.95

SPINNAKER

(C-64)	
Delta Drawing (ROM).	22.75
Cosmic Life (ROM)	22.75
Alphabet Zoo (ROM)	19.95
Kindercomp (ROM)	17.95
Facemaker (ROM)	19.95
Fraction Fever (ROM).	19.95
Kids on Keys (ROM)	19.95

OR&D

Copy	Q		.27.95
GPC	printer	interface	.65.00

SUBLOGIC

(C-64)	
Flight Simulator II	32.75
Night Mission Pinball	22.75

CARDCO

C/01 Write Now	29.95
C/02 Write Now - 64	39.95
D/01 Mail Now - 64	29.00
D/04 Spell Now - 64	29.00
D/02 Utility Desk	19.95
CSD-1 Disk Drive (new)	
MOD-1 Modern (new)	
D/03 Tax Payer (new)	
D/07 Calc Now/64 (new)	
D/08 SUper Printer Utility	
D/08 Super Printer	
Utility	27.95
CK/1 Numeric Key Pad	
DC/1 Data Cassette	
CB/5 5 Slot	
Board C-64	54.00
CR/1 Light Pen	
CE/1 Cassette Interface	
CB/3 3 Slot	25.10
Board Vic-20	24.05
CB/6 6 Slot	24.90
Board Vic-20	65.00
Board Vic-20	00.00

HES

HES Games 84	22.95
Omni Writer/Spell	34.95
HES Mon 64	23.95
Microsoft Multiplan	55.00
Type N Write	19.95
Turtle Graphics II	23.95
Cell Defense	22.95
Paint Brush	12.95
Tri Math	22.95
Graphics Basic	27.95
HES Kit	29.95
Millionaire	23.95
64 Forth	24.95
HES Writer 64	24.9"
THE PROPERTY OF THE PARTY OF TH	

Timeworks

Inventory						+		*				\$32.75
Sales												\$32.75
Accts. Rec .				*		+						\$32.75
Accts. Rec .						÷	,				÷	\$32.75
G. Ledger .			4	á		÷	÷		,	×	ř	\$39.75
Data Mgr		4	4		×	Á	*		ŕ	*		\$14.75
Checkbook			٠			+	b	ř	,			\$14.75
Star Battle	6.0		*		*		×	*		,	,	\$14 75
Cave of Wor	d	*				4	*			,		\$18.75

CONTINENTAL

(C-64)	~_
Home Accountant	.44.75
1984 Tax Advantage	35.75
1985 C-64 Book of Software	16 95

Batteries Included

Paper Clip	
Paper Clip	\$59.95
Spell Pak	\$34 95
Consultant	\$64.95
Paper Clip with	
Spell Pak	\$70.05
Home Pak	\$10.00
Home Fan	\$34.95
BUS CARDs	139.95
80 Column Board \$	109.95

Scarborough

Songwriter	\$24.75
Phi Beta F	\$29.95
Mastertype	\$24.75
Run f Money	\$24.75
Net Worth	\$49.95

EASTERN HOUSE

Rabbit C-64	19.95
Rabbit VIC-20	19.95
MAE C-64	27.95
Telstar 64	19.95
M.L. Monitor 64	18.95

SS1

(C-64)
Computer Baseball24.75
Field of Fire24.75
Computer Quarterback 24.75
Questron 24.75
50 Mission Crush 24.75

Microprose

Solo Flight	Ĭ,	Ţ	Ţ	,	,	•	į	į			,	,		\$2	2	7	£
NATO																	
Spitfire																	
F-15 Strike			,	,	*	*	×		,	v	,	Ý	2	\$2	2.	7	
Air Rescue		ż			Ė	1		á					ò	50	2	7	,

EPYX

(C-64)	
Fast Load	26.75
Breakdance	23.75
Greatest Baseball	24.75
Summer Games	26.75

KOALA

(C-64) Koala Pad......59.9

PRECISION SOFTWARE

AMERICA'S MAIL ORDER HEADQUARTERS

LYCO COMPUTER

WORLD'S LEADER IN SALES & SERVICE

TO ORDER
CALL TOLL FREE
800-233-8760
In PA 1 717-327-1824
Lyco Computer
P.O. Box 5088
Jersey Shore, PA 17740

SYMBOL MASTER™ MULTI-PASS SYMBOLIC DISASSEMBLER FOR THE COMMODORE 64 *

disassembles any 6502/6510 machine code program into beautiful source

- Learn to program like the experts!
 Adapt existing programs to your needs!
 Automatic LABEL generation.
 Outputs source code files to disk fully compatible with your MAE.* PAL.* CBM* or Develop-64* assembler, ready for re-assembly and editing!

- Outputs formatted listing to screen and printer.
 Automatically uses NAMES of Kernal jump table routines and all operating system variables.
 Generates list of equates for external addresses.
 Generates complete cross-referenced symbol table.
 Recognizes instructions hidden under BIT

100% machine code for speed.

(Symbol Master™ is not copy protected.)

ORDER NOW! Available on disk only. Introductory

price \$49.95 postpaid USA.

*MAE is a trademark of Fastern House.

PAL is a trademark of Pro-Line.

Commodore 64 is a trademark and CBM is a registered trademark of Commodore.

Develop-64 is a trademark of French Silk.



UNLEASH THE POWER OF YOUR COMMODORE 64 WITH THE ULTIMATE INTERFACE

- · Control & monitor your home appliances, lights &
- security system

 Intelligently control almost any device
 Connect to Analog-to-Digital Converters
 Control Robots

- Perform automated testing
 Acquire data for laboratory & other instrumentation applications
 Many other uses.

Many other uses.
 Don't make the mistake of buying a limited capability interface. Investigate our universally applicable Dual 6522 Versatile Interface Adapter (VIA) Board, which plugs into the expansion connector and provides:
 Four 8-bit fully bidirectional I/O ports & eight hand-shake lines • Four 16-bit timer/counters • Full IRQ interrupt capability • Four convenient 16-pin DIP socket interface connections • Expandability up to convenient 6 sixteen server.

four boards & sixteen ports.

ORDER NOW! Price \$169, postpaid USA. Extensive documentation included. Each additional board \$149.

COMMODORE 64™ **SOURCE CODE!**

"What's Really Inside the Commodore 64"

• Most complete available reconstructed assembly language source code for the C-64's Basic and Kernal ROMs, all 16K. • You will fully understand calls to undocumented ROM routines, and be able to effectively use them in your own programs. • Uses LABELS. Not a mere one-line disassembly. All branch targets and subroutine entry points are shown. • TABLES are fully sorted out and derived. • Completely commented, no gaps whatsoever. You will see and understand the purpose of every routine and every line of code! • Complete listing of equates to external label references. • Invaluable fully cross-referenced symbol table.

Order C-64 Source. \$29.95 postpaid USA. Order C-64 Source. \$29.95 postpaid USA

All orders shipped from stock within 24 hours via UPS, VISA/MasterCard wel-

SCHNEDLER SYSTEMS

1501 N. Ivanhoe, Dept. , Arlington, VA 22205 Information/Telephone Orders (703) 237-4796



BUSTERS



books supplies

apple ** atari ** commodore ** ibm-pc ** pc-jr games * education * home management business * utilities * systems

disks cartridges cassettes Our prices are 25% to 50% or more below retail. We have thousands of different computer items. And, YES, they are the Real Thing...NOT COPIES. Please call or write for our current price list.
--> Be sure to tell us what computer you have.

> CODE for this PRICE LIST <

A=Apple II+ D=Apple MAC G=C/64 Disk I=IBMpc B=Apple IIC E=Atari Disk H=C/64 Cart J=PCjr C=Apple IIE F=Atari Cart

e = Educational h = Home Use r = Recreational

Type of Store Our Name of Price Price Program/Item Computer: \$40 e \$26 Agent USA.48k(Atari \$22) ABC.E.G.IJ ABC.E.G. IJ \$40 e \$26
ABC.E.G. IJ \$40 r \$28
ABC.E.G. \$50 r \$35
ABC.E.G. IJ \$50 r \$35
ABC.E.G. IJ \$50 r \$35
ABC.E.G. IJ \$50 r \$32
ABC.E.G. \$40 r \$26
ABC.E.G. \$40 r \$26
ABC.E.G. \$50 h \$35
ABC.E.G. IJ \$50 h \$35
ABC.E.G. \$75 h \$49
ABC.E.G. \$70 h \$35
ABC.E.G. \$70 h \$35 Archon (Electronic Arts) Archon II: Adept (E.Arts) Bruce Lee. 48k \$40 r \$28 ABC.E.G. IJ Castle Wolfenstein. 32k Cut & Paste Word Processer Deadline (Infocom) Early Games-Young Children Fast Load Cartridge (Epyx) 50 Mission Crush (S.S.I.) Financial Cookbook (E.Art) Flight Simulator II Frogger (MAC \$27) Hard Hat Mack (Elect.Arts) Home Acct. (Arrays/Cont'1)
Home Acct.Plus (Array/Con)
Homeword (Sterra On Line)
Lode Runner (MAC \$27)
MasterType (MAC \$33)
Hothey Accts (Dayleys)
Hothey Accts (Dayleys) Math Blaster (Davidson)
Mamory Bldr:Concentration
M.U.L.E. (Electronic Arts)
Muppet Learning Keys
Murder on the Zinderneuf
Music Construction Set \$40 r \$28 \$40 r \$28 ABC.E.G.IJ Newsroom. 64k (Great!!) 1 on 1: L.Bird & J.Erving Pinball Construction Set ABC.E.G. IJ ABCDE.G. IJ \$50 eh\$33 \$40 r \$28 \$40 r \$28 Piriball Construction Set Print Shop (Broderbund) Robotron (Atari) Sargon II (Hayden) Sargon III (Hayden) 7 Cities of Gold (E.Arts) Sky Fox (Electronic Arts) Speed Reader II (Davidson) Spellicopter (Designware) Summer Games (IBM Sept.85) Transylvania (MAC \$27) Trivia Fever. 48k (Prof'l) Typing Tutor III (Simon&S) Ultima II,III (each). 48k Word Attack (Davidson) ABC.E.G... AB...F.HI. ABC.E.G... ABCD..G.IJ ABC.E.G.IJ \$50 h \$32 \$35 r \$21 \$20 r \$15 \$50 r \$32 \$40 r \$28 \$40 r \$28 ABC...G... ABC...G. IJ \$70 e \$45 \$40 e \$26 \$40 r \$26 \$35 r \$23 \$40 r \$26 \$50 e \$32 \$60 r \$39 ABCD..G.IJ ABCD..G.IJ ABCD..G.IJ ABCD..G.I. ABCD..G.I. ABCD..G.I. ABC...G.IJ \$50 e \$32 Word Attack (Davidson)
ABC.E.G... \$80 h \$52 Your Personal Net Worth
ABCD.... \$45 r \$29 Zork 1,2,3. (each)
........... \$40 r \$26 Zork 1,2,3. (each)

* THE FINE PRINT *

California Buyers Only: Please add 6% Sales Tax.

Shipping Cost for Software within Cont.48 states:

UPS Ground: 1 Item = \$3. Thereafter, \$1.50 ea.

UPS Air : 1 Item = \$5. Thereafter, \$2.00 ea.

Air Mail : 1 Item = \$5. Thereafter, \$2.00 ea.

Alaska, Hawaii, FPQ/APO, Canada: Same as Air Mail

VISA & MCARD: Please add 3% to the above cash

prices. Also include: Card #; Expiration Date;

and Cardholder's signature.

Cashier Oneck/Credit Card/Phorey Orders usually

shipped out within 24 hrs. Other checks: 2 wks.

Public/Parochial School Purchase Orders Accepted.

This ad was submitted on February 9th, therefore,

price/Availabily subject to change. In case of

problems, your phone # will help us notify you. THE FINE PRINT *

FAMILY DISCOUNT COMPUTER PRODUCTS 250-2 So.Orange Ave. #540 Escondido, CA 92025

Phone: (619) 489-1040

> We REBATE \$ 1. on Phone Orders <

FOR COMMODORE 64

TRACKMIMIC™ ●

Why nibble when you can

- Gulp -

Hardware/Software Protected Disk Backup System Installs in 1541 Drive in Minutes Just Plug It In!! 2 Minutes For Full Disk Backup!!

Features include: Automatic Operation, Hyperscan Sector Edit (GCR), Bit Density, Tracks 1-45

For All New Protection Methods

89.95

DISKMIMIC 5+™ ●

Our Famous Automatic Backup System

49.95

DISKAT -Cataloging Program

Reads data directly from Disk, Holds 8000 Files, Makes Labels, Recalls 12 Way's, Alphabetizes Files, Printer/Screen Output.

3495

A.I.D. CORP. 4020 Hemostead Turnpike . Bethpage. New York 11714 (516) 731-7100

Diskmimic 5" is a trademark of A.I.D. Corporation Commodore 64" & 1541" is a trademark of Commodore Electronics, Ltd. Shipping & Handling - \$1.50 each

THE ULTIMATE SIMULATION





STAR TREKKING

Version II

- Impressive Graphics With Hi-Res Features
- Realistic Sound
- Strategic Thought Involvement
- The Only Game That Parallels The T.V. Series And Movies

UFLAND



Dept. S. P.O. Box 1324 Meaford, Ont. NoH 1Y0 Canada (519) 538-1758

SOFTWARE

(Disk Only)

\$21.95 Cdn. \$19.95 U.S.

Ont. Residents Add 7% Provincial Sales Tax

Dealer Inquiries Invited

Even Spock Would Find It Challenging

Dreams CAN come true!

Back in June of 1983, Kelvin Lacy had a dream. He dreamed of creating one integrated program that would include a spreadsheet, business graphics and a database. A program with the power of Lotus 1-2-3. On the Commodore 64. People laughed! He had just finished OmniWriter, to be marketed by HESWARE. Ignoring the skeptical, he started on VIZASTAR.

Now, after 15 months, his dream has come true. VIZASTAR has a full-featured spreadsheet, as good as Multiplan. But much faster—faster than many spreadsheets on the IBM PC! It is written 100% in 6502 machine language code and is ALWAYS in memory. It is menudriven, using the latest techniques in user-friendliness. It is compatible with virtually all printers and word processors. Up to 9 windows can be open simultaneously, anywhere. Remarkably, 10K of memory is available for spreadsheet use.

The database is equally impressive. Create file layouts by simply painting a picture of the layout on up to 9 screens, showing where a field starts and ends; VIZASTAR does the rest.

Imagine the power of a spreadsheet integrated with a database. Now add graphics - bar, line, and multi-color pie and 3-D "skyscraper" graphs. You could access a customer's profile in the database, transfer the data to the worksheet, and let it calculate discounts, sales tax etc. and then transfer the updated data back to the database. Open up a window anywhere and display a graph of your data, instantly. This integration is the key to VIZASTAR's power—the first and only program of this kind on the C-64. All commands can be automated, so you can "program" your own applications and run them with one keystroke.

Trademarks: Lotus 1-2-3/Lotus Development. Commodore 64/Commodore Electronics Ltd. Multiplan/Microsoft.

| Columbia | Columbia

Actual screen dump printed by VIZASTAR

VIZASTAR includes a cartridge, a 1541 diskette with a backup, reference and tutorial manuals. VIZASTAR is ONLY \$119.97. We are so positive you will be delighted with VIZASTAR that we offer a 15day money-back guarantee. Try it risk-free! Compare VIZASTAR with any other spreadsheet or database.

So order today. Call or send a check or Money Order. Calif. residents add 6.5% sales tax. MC/VISA accepted. Add P&H: UPS—\$3; COD, Canada—\$6

SOLID STATE SOFTWARE

1125 E. Hillsdale Blvd., Suite 104 Foster City, CA 94404-1609 (415) 341-5606

Dealer Inquiries Welcome



STOP SOFTWARE PIRACY

Deadbolt-64 Disk Security System

 Complete program encryption and security against copying, even by the "bit copiers". Sophisticated system does not use "bad blocks" or cause drive knock. Fingerprint your own disks in 3 seconds. Stop probing monitors and more. Complete system \$99.95.
 Call or write for details.

Other Products From Security

- Telengard Character Generator. Define your own characters. Get those level 6 spells. Make your characters immortal and more. Only \$12.50.
- ESP Investigator. Investigate clairvoyance, precognition, ESP and more. For one or two people. Prove you have ESP you can win \$10,000! Only \$14.50.
- PDQ Copy. 4 minute complete disk copy. No drive knock. Three passes, four minutes. Copies many protected disks. Affordable at \$14.50.

SECURITY SOFTWARE

3021 E. State Road #4 La Porte, IN 46350 219-369-9219

Technical inquiries after 3:00 P.M. CST Add \$1.50 for shipping and handling on all orders.

VISA and MASTERCARD Welcomed

Sensational Prices! . . On Our Most Popular Items!

Introducing . . .

Are you paying too much for diskettes? Try our first quality, prime, 51/4" diskettes (no rejects, no seconds) at these fantasic sale prices and save, save, SAVE! Disks are packaged in boxes of 50; each box contains 5 shrink-wrapped 10-packs that include diskettes in sleeves, labels, and writeprotect tabs.

Each diskette is certified to be 100% error free and comes with a lifetime warranty (if you have a problem, we'll replace the diskette). All diskettes include hub reinforcement rings and writeprotect notch.

All diskettes are double density and work in either single or double density drives.

SS, DD Diskettes, Box of 50 \$49.50-99c ea.!

DS, DD Diskettes, Box of 50 74.50 1.49 ea.

COLOR DISPLAY MONITOR BMC

Enjoy the vivid color graphics and text possible with this quality, solid-state composite video monitor from BMC. 13" non-glare screen, 350 by 350 line resolution, built-in speaker. Convenient front panel controls.

Dimensions: 14.7"(W) x 13.4"(H)

x 16.5"(D), 24 pounds. ONLY

MONITOR CABLE Connects above monitor to your Commodore Computer. \$7.99

COMPUTERFACTS TO from SAMS

Technical Service Data for Your Computer and Peripherals

Sams introduces COMPUTERFACTS® packets of information that reveal the inner workings of major brand micros, monitors, printers and disk drives. Includes schematic wiring diagrams, parts lists, disassembly instructions, troubleshooting techniques, and other repair data.

33477 Commodore 64 Computer 33513 VIC-20 Computer

33551 Commodore Plus/4 Computer

33481 Commodore 1541 and VIC 1541 Disk Drives

33496 Commodore 1525 Printer Commodore C16 Printer 33508 33546 Commodore 1701 Monitor 33527 Epson MX-80 FT Printer

33458 Atari 400 Computer 33462 Atari 800 Computer 33532 TI 99/4A Computer



17.95 17.95

17.95 •17.95

*17.95 17.95

*17.95 *17.95

17.95 17.95 17.95

GRAPHICS PRINTER INTERFACE



The PPI (Parallel Printer Interface) from DSI is a highperformance graphics printer interface for your Commodore 64 or VIC-20, offered at an unbelievable price! The PPI fully emulates a Commodore printer so that all software written for Commodore computers and printers can be run with the PPI and most any parallel printer. Print true Commodore graphics and alpha-numerics as well as any special character sets offered by your specific printer. Works with Star, Epson, BMC, and many more. Comes complete with all necessary special characters. complete with all necessary cables for quick installation and includes easy-to-follow user's manual.

33565 Parallel Printer Interface



CARTRIDGE EXPANDER FROM Navarone!!!

STOP CARTRIDGE SWAPPING!!



This Cartridge Expander plugs into the cartridge port on your Commodore 64 and lets you plug in up to three cartridges at a time. Select the program you want. Even reset the computer independently of the power switch!!

Save wear and tear on your cartridge and computer contacts. Handy and convenient!

DUST COVER and "EVERYTHING BOOK" INTRODUCTORY SPECIAL

Get to know us by ordering this great dust cover for your VIC-20 or Commodore 64 and our catalog, "The Everything Book for the Commodore C-64 and VIC-20 Home Computers," for \$2.95 (no extra shipping or handling charges). Cover is antistatic, transluscent, 8 gauge vinyl sewn to our exacting standards with reinforced seams. Discover the savings and easy shopping available from Tenex Computer Express!



31627 Dust Cover and Catalog

USE SINGLE SHEETS IN YOUR TRACTOR FEED PRINTER WITH

PAPER TRACTOR

Paper Tractor carries ordinary sheet paper through your tractor-feed printer! Simply place your letterhead, checks, invoices, forms, even legal-size sheets into the durable flexible plastic carrier and feed into your adjustable tractor-drive printer. Works with any printer, carries any naper

22084

From Your Friends At



We gladly accept mail orders!

P.O. Box 6578 South Bend, IN 46660

Questions? Call 219/259-7051

SHIPPING CHARGES

ORDER AMOUNT CHARGE less than \$20.00 \$2.75 \$20.00-\$39.99 3.75 \$40.00-\$74.99 \$75.00-\$149.99 5.75 \$150.00-\$299.99 6.75 \$300 & up



NO EXTRA FEE FOR CHARGES



ORDER TOLL FREE 1-800-348-2778

ATTENTION COMMODORE 64 OWNERS **DID YOU BUY THE WRONG PRODUCT?**

WE'LL PAY YOU FOR YOUR MISTAKE!* PRINTER INTERFACE BLUES

No graphics, doesn't work with your software, Bad aspect ratios, no available buffer, well you wouldn't have these problems with the Micro-World M W-350. We'll give you \$59. off the list price of \$129. for that strange interface that's causing you trouble.

LAST YEARS BACK UP SOFTWARE

Everyone has Back-up software that reproduces errors, but will it back up non-standard sectors, reproduce density frequency alterations alter the number of sectors, copy single sync bits, and reformat a single track? We don't think so. Send your antique back and recieve \$25. credit toward the "New Revised Clone Machine" at \$49.95. We've added an MSD dual drive Clone Machine also available for only \$39.95. Upgrade your products to the latest state of the art today.

Other software products available from Micro-W include: Mr. Tester diagnostic software, Fantastic Filer data base and report generator, Screen Dumper 64, Font Factory/Sign writer for custom type and Jot-A-Word educational software, watch for our \$49MIDI interface that will connect your Commodore 64 to musical instruments.

CALL - 201 - 838-9027 or write us at

DISTRIBUTING INC

HARDWARE & ACC.

*NOTE Micro-W reserves the right to cancel this offer at any time without notice

1342B Route 23 Butler, N.J. 07405





Dealer Dist. Inquires

DOUBLES DISK CAPACITY!



Florida Residents Add 5% Sales Tax ORDER TODAY!

For Postage and Handling

Toll Free 1-800-642-2536 VISA

FLORIDA: 1-305-493-8355 OR SEND CHECK OR MONEY ORDER TO:

NIBBLE NOTCH COMPUTER PRODUCTS* 4211 NW 75th TERRACE, • DEPT. 1 4

LAUDERHILL, FL 33319 PATENTED ALL TRADEMARKS ARE ACKNOWLEDGED

AA COMPUTER EXCHANGE 'SOUTH'S LARGEST COMMODORE 64 DEALER"

OVER 2000 ITEMS IN STOCK

REQUEST OUR FULL CATALOG TODAY

ORDER LINE: 1-800-447-0088 INQUIRIES & FL: 904-388-0018

HANDWARE & ACC.	SIGHT IN SOUND
C-64 Computer Call	Keyboard\$34
C-128 Call	Synthesizer 34
1541 Disk Drive Call	Processor
1702 Color Monitor Call	PRACTICORP
SFD 1001 1 Meg Drive \$399	
MSD Dual Drive 499	64-Doctor
Indus GT Disk Drive 269	Practicale 64
1660 Auto Modem 79	Practifile
Volksmodern 12	
(1200/300) 209	Fleet System 2 65
Total Comm. Auto Modem . 69	MIRAGE CONCEPTS
MPP 1064 w/VIP Term 72	Data Base Mgr. w/Report 71
C-64 Power Supply 1-yr 34	W.P. Prof. Version 63
Omnitronix Deluxe RS-232 35	W.P. Personal Version 33
Graphic Printer Intrice 30	SKYLES ELECTRIC
ACCESS SOFTWARE	"1541 Flash" Disk Drive
Beach Head 24	Speed-Up w/Switch 75
Raid Over Moscow 24	Blitz (Compiler)
COMPUSERVE	SUBLOGIC
Starter Kit (5 hr) 23	Flight Simulator II 37
Vidtex	
KOALA	XETEC
Koala Pad	Fontmaster Wordprocessor 29
Koala Printer	GRAPHICS
PRECISION SOFTWARE	Doodle
Superbase	Peripheral Vision w/Pen 39
BATTERIES INC.	
Paper Clip w/Spellpack 79	Print Shop
The Consultant 68	EPYX
Home Pak	Fast Load (Cart) 26
Home Organizer	UTILITIES
Series (EA)	CSM Drive Alignment 32
MISC.	Auto Load w/Reset (Cart) 15
Smart 64 Term	Super Clone
Telstar 64 Term (Cart) 25	Ultrabyte Disk Nibbler 29

2726 PARK ST., JACKSONVILLE, FL 32205

Orders with cashiers check, money order and VISAMC shipped promptly • For personal company checks allow 3 weeks for clearance • No CODs • For VISAMC add 3% • Shipping charges extra, \$3.00 minimum • Prices may differ in A



THE



DISK COPIER 924.95

NO FINER OR MORE ADVANCED ARCHIVAL COPIER AVAILABLE AT ANY PRICE.

EASY TO USE.

AUTOMATICALLY MAKES BACK-UP COPIES FROM VIRTUALLY ALL PROTECTED SOFTWARE.

NIBBLES, HALF TRACKS, COPIES EXTRA SECTORS AND EXTRA TRACKS.

REPRODUCES ALL DISK ERRORS AUTOMATICALLY.

FAST, COPIES FULL DISK IN AS LITTLE AS 4-7 MINS. EVEN COPIES ITSELF.

MASTERCARD, VISA, M.O. OR CHECK OK. + \$3 SHIPPING & HANDLING COD OR FOREIGN ORDERS ADD \$2 CALIF. ORDERS ADD 6% SALES TAX -WRITE OR CALL-

COMPUMED

(408)-758-2436

P 0 BOX 6427

SALIMAS, CA 93912

H(C)

FOR COMMODORE 64 AND 1541 DRIVE

FAST DELIVERY

Call Us For Fast Service, Experience and Affordable Prices

Software



\$31.95 MICROPROSE F-15 EAGLE \$21.95

MICROLEAGUE Baseball.....29.95



FAST LOAD

WORD PROCESSING

Special of the Month
FLEET SYSTEM 2 Great Buy \$55

REPEAT OF A SELLOUT Paper Clip with Speller \$60

PROGRAMMING SERIES

41
'42 '39
44
45
35
35
35
֡

DATA BASES Mirage Database Mgr. Super Base 64

Special of the Month The Consultant \$57

CDDEAD CHEET

STREAD SHEET	
Multiplan	163
Practicalc	138

Hardware



1541 \$189

Special of the Month

MSD DISK DRIVE SD1 Disk Drive\$244 SD2 Disk Drive 444

> Introductory Offer INDUS GT DISK DRIVE \$269

ELEPHANT DISK SS/SD 15.50 SS/DD 16.50

Special of the Month LORAN SS/DD \$12.95 Box of 10

NEWFAST **1660 MODEM** \$59

SX-64 Computer	*459
MPS 802	\$214
1530 Datasette	159
Magic Voice Speech	
1011 RS 232 Interface	49
1702 Mon	itor
\$189	



122 Amber 184 123 Green ...

COMPUTER COVERS



Features canvas with vinvl interior

The second second	waterproof
Reg. \$1595	CMD 64 \$6.99 VIC 20 \$6.99
\$6.99	Disk Drive \$6.9 Espon MX 80 \$7.9 Espon MX 80 FT \$7.9 Okidata 92 \$7.9
Control of the last of the las	THE RESERVE THE PERSON NAMED IN

Ordering & Payment Policy

Prices reflect a cash discount. For Visa, and Mastercard add 3% Immediate delivery with certified check or wired funds. N.J. resident add 6%. Prices subject to change.

USA SHIPPING

For shipping and handling add 4% (\$4 minimum) Larger shipments require additional charge, C.O.D. add \$3.50

Printers






Number one selling dot matrix printer, Gemini 10X, prints 120 cps bi-directionally, with logic-seeking printerhead control. There's both friction and tractor paper feed. Prints high resolution graphics.

Letter Quality Powertype\$325

NEW SG-10, SG-15, SR-10, SR-15 IN STOCK, CALL FOR PRICES

EPSON RX80



Dot matrix printer with NLQ mode, prints 100 cps. bidirectionally. Call for RX-100, FX-80 and FX-100 prices.

Special Offer

MM-220	402
4K Buffer	.\$29
Digital Device	es
U Print Interface	
1CV Dalatas Duffer	

16K Printer Buffer.. **999** 64K Printer Buffer \$169 Epson 80 Ribbon \$5

PRINTER INTERFAC	CES
Micrografix MW350	*69
Tymac Connection	179
Cardco + G Interface	149
Cardco B Interface	*39
Grappler CD	. 102

Okidata 182	\$239
Okidata 192	Call
Okidata 93	
Okidata 84	
Okidata Ribbons.	
Juki 6100	
Silver Reed 400	
Silver Reed 500	

SURGE PROTECTORS

1 Outlet	14
4 Outlet	38
6 Outlet	69
6 Outlet &	
Noise Filter	88



PANASONIC

1090	 \$209
1091	 \$269
1092	 *Call

Printer Specials

Doodle	\$26
Print Shop	\$29
Paper 1000 she	ets \$19.95
Paper 2500 she	ets \$34.95

MON.-FRI.

MON.-FRI. 9-8 SAT. 10-6, SUN. 12-5



P.O. Box 3354 Cherry Hill, N.J. 08034

ATTENTION

ALL COMMODORE 64, VIC 20, COMMODORE 16, AND PET OWNERS

A complete self-tutoring BASIC programming course is now available. This course starts with turning your computer on, to programming just about anything you want! This course is currently used in both High School and Adult Evening Education classes and has also formed the basis of teacher literacy programs. Written by a teacher, who after having taught the course several times, has put together one of the finest programming courses available today. This complete 14 lesson course of over 230 pages is now available for the COM-MODORE 64, VIC 20, COMMODORE 16 and PET computers and takes you step by step through a discovery approach to programming and you can do it all in your leisure time! The lessons are filled with examples and easy to understand explanations as well as many programs for you to make up. At the end of each lesson is a test of the information presented. Furthermore, ALL answers are supplied to all the questions and programs, including the answers to the tests. Follow this course step by step, lesson by lesson, and turn yourself into a real programmer! You won't be disappointed!

We will send this COMPLETE course to you at once for just \$19.95 plus \$3.00 for shipping and handling (U.S. residents, please pay in U.S. funds). If you are not COMPLETELY satisfied, then simply return the course within 10 days of receipt for a FULL refund.

Fill in the coupon or send a facsimile.

NAME:	CG
ADDRESS:	SHEDRAHAR
CITY:	8014 mail and 010
PROV./STATE:	19-71
POSTAL/ZIP CODE:	
Check desired course:	COMMODORE 64 D
Send Cheque or Money Order to Brantford Educational Service	
68 Winding Way, Brantford, Ontario, Canada, N3R 3S3	Complete course: \$19.95 Postage and hand: \$3.00 Total: \$22.95

We'll Have the New Advanced Commodore Products 1st!!

Call for information on new products . . . CES! CATALOGS: Free on written request. CATALOGS: Free

NEED REPAIRS? We are an authorized Commodore Repair Center!!! NEW C-128!!! Call for pricing, availability & software.

PR	INTERS
Powertype Daisywheel 18 CPS	Epson RX 80
with Cardco B \$35	
Okidata 92 160 CPS	DPS 1101 Daisywheel
with Tymac Connection 42	
	all Riteman C + NEW Call MW-350 Interface NEW Call
SPECIAL • PRINT SHOP	
	K DRIVES
MSD Super Drive Ca	
Indus GT C	
	Epyx Fast Load \$27
	Commodore 1571/72 Call
	SG10 PRINTER
	2K Buffer NLO Mode CALL!
MO	NITORS
Teknika MJ10 \$18	9 Zenith ZVM Gr/Amb . \$89/99
Commodore 1702 Ca	ll Commodore 1902 Call
DATABA	SE MANGERS
The Consultant \$5	9 PFS:File \$59
Super Base 64 4	9 PFS:Report 49
The Manager 3	5
WORD I	PROCESSORS
Paper Clip/& speller \$55/6	
Fleet System 2 NEW Ca	
	OUNTING
	\$139
Commodore GL/AP/AR/PR	
1	
COMPUSERVE STARTER KIT & VIDTEX Both for 39	.95
The second secon	

MODEMS Westridge 6420 Call

Mighty Mo Call Volksmodem 12 1200 Baud! Call VIP Terminal \$29 Commodore 1660 59



ACCESSORIES

Com Cool Drive Fan	\$49	Power Pak	\$27
Com Cool Plus w/ surge	69	Surge Protector 4-Plug	. 25

BLACK NAUGAHYDE COVERS

C-64 or 1541 Drive ea. \$5	1702 Monitor \$10
MSD Drives 1/2 5/6	1525/MPS 801 7
Gemini 10X 9	1526/MPS 802 8

MOST ORDERS SHIPPED WITHIN 48 HOURS! Advertised prices are for bank check or money order. VISA/MC orders add 3.5%. NO C.O.D ORDERS. Personal or company checks delay orders 21 days. All sales are final — defective merchandise exchanged for same product only. Add 3% for shipping (\$2.50 min.)

Please call for shipping on monitors. Ohio residents add 5.5% sales tax. Prices & availability subject to change. HOURS: MON-FRI 10 AM to 10 PM . SAT 10 AM to 5 PM . SUN Noon to 5 PM



1301 BOARDMAN-POLAND ROAD POLAND, OHIO 44514



ABBY'S CARRIES A FULL SELECTION OF SOFTWARE FOR YOUR COMMODORE COMPUTER. CALL FOR CURRENT PRICES. ASK FOR FREE CATALOG.

- SPECIAL -SUPER ABBY'S SOFTWARE BUYS

Adventure Creator, Aegean Voyage, Alf in the Color Caves, Alphabet Zoo, Bubble Burst, Delta Drawing, Facemaker, Fraction Fever, Jukebox, Kids on Keys, Kindercomp, Up For Grabs

FOR ATARI

Alphabet Zoo, Delta Drawing, Facemaker, Fraction Fever, Kinder Comp, Up For Grabs

Dance Fantasy, Memory Manor, Linking Logic, Logic Levels

FOR COMMODORE ONLY

Alpha Build, Hop Along Counting, Up & Add 'Em, Sea Speller, Number Tumbler

ABACUS

Chartpak				\$34
Ada				CALL
Fortran				CALL
C-Basic				CALL
		CBS		
Felony				\$27
Murder By Doze	n	******		\$27
Success With M	lath Serie	s		Each \$21
	FLEC	TRONIC A	RTS	

	El	E	C	T	R	0	N	10	3	A	F	1	S	;								
7 Cities of Gold													+					16				. \$
Adv. Construction Kit																						. \$
Archon													+			***			+	*	*	. \$
Archon II																						
Financial Cookbook																100						. \$
One On One					33	+					+											\$
Pinball Construction .				4																		\$
Standing Stones																						
Murder/Zinderneuf									197	.00						e e				910		\$

TOP HITS
Fleet System \$69
Bank St Writer \$59

Paperclip/Speller \$89

B/Graph\$51
Cave of the Word Wizards \$24
Beachhead II \$29
CSM 1541 Disk Alignment \$44

Indiana Jones \$24

Bank St. Musicwriter \$39 Home Accountant \$59

Ghostbusters\$25

Star League Baseball\$25 Star League Football\$25

Compuserve\$27

Major League Baseball \$31 Team Disk (for above) \$16

Master Type (R) \$29

Spy Hunter (R) \$35

Net Worth

MICROPROSE	
Air Rescue I	\$27
F-15 Strike Eagle	\$29
Kennedy Approach	
NATO Commander	
Decision In The Desert	\$29
Crusade	\$29
FRVV	
EPYX	620
Fast Load (R)	
Summer Games II	
Ball Blazer	
Rescue on Fraculus	
Robots of Dawn	
Right Stuff	\$29
INFOCOM	
Deadline	\$35
Enchanter	
Hitch Hiker	
Infidel	
Sorcerer	
Witness	
Invisaclues each	
SSI	
Kampforuppe	\$49
Field of Fire	
Operation Market Garden	
Computer Quarterback	
Battle for Normandy	
Broadsides	
Rails West	10000
Computer Baseball	
Baltic 85	
Combat Leader	
Gemstone Warrior	
Gernstone vvarnor	921

SIGHT & SOUND Incredible Music Keyboard \$35 Kawasaki Synthesizer \$36 Kawasaki Rhythm Rocker \$29 Music Processor \$26 3001 Sound Odyssey \$29 Computer Song Albums \$26

Music Video Kit \$29

Tapper (H)								١.						٠.			\$35	
Flight Sim.																		
Mr. Nibble																		
Mach 5										,		,					\$32	
													-			-		
	H	A	١F	₹Į	וכ	٨	P	۱F	1	E								
670 Modem .																	\$199	9
128 Modem																	\$279	3
71 Modem .																		
72 Modem .							*				÷						\$399	9
02 Modem .												*					\$279	
kimpto 10 M/																		

Complete Line of Epson Printers and

Star Printers Starting at \$149

ACCESSORIES	A BOOKS
Print Shop Paper Refill	\$1
Disk Notcher	
Ribbon Cartridge For Okimate 10	
All Abacus & Compute Books	
128 K Upgrade for C-128	
256 K Upgrade for C-128	
384 K Upgrade for C-128	
Covers for All Computers & Accessories	
Cardco + G	
Koala Pad	\$6
Bulk Disks, SSDD	\$1 per Dis
	(Flenhant or Niebua)

ALL TITLES ON DISK UNLESS MARKED (R) FOR ROM CARTRIDGE

Order Line 1-800-282-0333

ORDERS ONLY! Sales Personnel Do Not Have Information on Previous Orders or Product Specs. M-F 10 a.m.-7 p.m.; Sat. 10-3 ET

Customer Service 1-513-879-9699

37 S. Broad Street, Fairborn, OH 45324

AD #G-65



Prepaid orders over \$50 receive free shipping, UPS, continental US. No waiting period when paid by credit card, certified check or money order. Add \$2 shipping and handling on orders under \$50. Add \$5 for COD orders. \$15 Minimum for VISA/MC. Hardware requires additional freight charges. Ohio residents add 5.5% sales tax. All items subject to availability and price change.

PLEASE CITE AD NUMBER WHEN ORDERING.



CONVERSE WITH

AT LAST! A FULL IMPLEMENTATION of the original ELIZA pro-

Created at MIT in 1966, ELIZA has become the world's most celebrated artificial intelligence demonstration program. ELIZA is a non-directive psychotherapist who analyzes each statement as you type it in and then responds with her own comment or question—and her remarks are often amazingly appropriate!

Designed to run on a large mainframe, ELIZA has never before been available to personal computer users except in greatly stripped down versions lacking the sophistication which made the original program so tascinating.

Now, our new Commodore 64 version possessing the FULL power and range of expression of the original is being offered at the introductory price of only \$25. And if you want to find out how she does it (or teach her to do more) we will include the complete SOURCE PROGRAM for only \$20 additional.

Order your copy of ELIZA today and you'll never again wonder I to respond when you hear someone say, "Okay, let's see what this computer of yours can actually do!"

READ WHAT THE EXPERTS SAY ABOUT OUR VERSION OF ELIZA: "Much more than a mere game...You'll be impressed with ELIZA...A convincing demonstration of Artificial Intelligence."

—PC MAGAZINE "Delightful entertainment...An ideal medium for showing off your -MICROCOMPUTING MAGAZINE

"ELIZA is an astounding piece of software... A lascinating program -BARON'S MICROCOMPUTER REPORTS to use and study."

"ELIZA is a great way to introduce your friends to computers...A very funny party game."

— PETER A. McWILLIAMS

"ELIZA is an exceptional program, one that's fun to use, shows off your machine, and has great historical interest."

—POPULAR COMPUTING MAGAZINE "This version of ELIZA is the best we have seen. As a party game, it is unmatched."

—HOME APPLICATIONS FOR THE C-64

- (Source Version can be listed and modified as well as run) Both versions include a six page user manual.

Please add \$2.00 shipping and handling to all orders (California residents please add 61/2% sales tax)

ARTIFICIAL INTELLIGENCE RESEARCH GROUP

921 North La Jolla Avenue, Dept. G Los Angeles, CA 90046 (213) 656-7368 (213) 654-2214 MC, VISA and checks accepted




Make Your Home Secure and Energywise

... with Genesis Home Control Products

At Genesis Computer we produce a complete line of home security and energy management products. They combine with your Commodore 64 to make your home safer and more energy efficient while increasing your personal convenience.

The Genesis VIController allows you to control up to 256 lights and appliances throughout your home using standard BSR receiver modules. With the included software, you can create daily and weekly control schedules.



COMsense and COMclock sell for \$69.95 each and

the Super Schedule Plus software sells for \$19.95. All four products are available together in our HOME CONTROL PACKAGE for only \$199.95.


Call 215-861-0850 to order direct or contact your local dealer.

Genesis Computer Corp. P.O. Box 152 Hellertown, PA 18055



BELOW

CALL TOLL FREE 1-800-631-1003



(commodore 1101 LETTER QUALITY PRINTER



(commodore

VIC 1541 DISC DRIVE

NEWC commodore 128 Coming Soon



COMMODORE 64E

495

FREE Dustcover for Commodore 64 with any Hardware Purchase

CARDCO PRODUCTS

IN STOCK & ON SALE!

Indus GT

Disc Drive



(commodore

1702 MONITOR







Diskettes 1095 Nashua 1495 Scotch 1495 Maxell 1395

Monitors BMC Color . 14995 Pan 1300 RGB &

Zenith Green7995

Modems Comm 1660 . .

Cassette

Recorders Comm CN-2 ...

Gemini SG 10....20995 Gemini SD 10/15 New! . . Call Gemini SR 10/15 New! .. Call Gemini SB 10 Newt....Call

Silver Reed 400 24995

Comp.

Mighty Mo .

Third Party

Gemini SG 15

Panasonic 1091

 Prints Enhanced Graphics, 4 Different Type Faces, & Reverse

Characters •Includes Power Cord,
Five Feet of Cable and All

Required Connectors

Memorex

Printers

Interfaces Telesys Turboprint GT

440

Hush 80 CD

Smaller, Quieter 8995

Telesonic

28995

Call

Call

Call

35995

Call

Call

Call

7995

Pitstop

z commodore C-16 Computer

NEW PRODUCTS C+4 Computer 18995 801 Printer 14995 801 MCS 802 Printer 17995 Color Printer 26995 803 Printer 17495

Cardco G +

TO ORDER: CALL TOLL FREE—WE'RE PROUD OF OUR PRICES-SATISFACTION GUARANTEED

IN NEW YORK STATE CALL TOLL FREE 1-800-221-2760 OR 516-249-2120

NEWMSD Super Disc II

Now On Sale

44995

Single Drive . . 24995

Check, Money Order, MC or VISA accepted/No additional charge for MasterCard and Visa/Call for shipping and handling information/NYS residents add applicable sales tax/Prices and availability are subject to change without notice/All factory fresh merchandise with manufacturer's warranty. Dealers Welcome. Call for recent price reductions and new rebate information. Plus shipping and handling.

SOFTWARE SPECIALS Fisher-Price

Learning Sortware	
Alpha Build	12.99
Logic Levels	12.99
Movie Creator	12.99
Sea Speller	12.99
Songmaker	12.99
Up & Add 'Em	14.99
Windsor Classics By Fisher	Price
Below The Root	
Swiss Family Robinson	16.99
Alice in Wonderland	16.99
Treasure Island	16.99
Robin Hood	
Wizard of Oz	

19.99 19.99

Quest

Transylvania Sword of Ka

SWUID OF NADASH	19.99
Xyphus	19.99
Graphics Magician Picture	10000
Painter	21.99
Spinnaker	
Counting Parade	16.99
Early Learning Friends	16.99
Math Buster	16.99
President's Choice	
Sum Ducks	16.99
Amazon	19.99
Dragonworld	19.99
Fahrenheit 451	19.99
Rendemnus with Rama	10 00

Professional Software
Fleet System 2—Word Processor
with built-in 70,000 word spell
59,95

check	59.9:
CBS Software	
Dr. Seuss Fix up The Mix-up	
Puzzler	19.99
Sesame Street Letter-Go-Round	119.99
Big Bird's Fun House	
The Sea Voyager	
Weather Tamers	12.99
Weather Tamers Movie Musical Madness	9.99
Success w/Decimals	
(Add/Subt) D-T	14.99
C	
(Mult/Div) D-T	14.99
(Add/Subt) D-T	14.99
Success w/Fractions	
(Mult/Div) D-T	14.99
Duck's Ahoy	
Ernie's Magic Shapes	23.99
Ernie's Magic Shapes Mastering The SAT	104.99
Murder by the Dozen	23.99
Peanut Butter Panic	
Epyx	
Fast Load	24 90
Fast Load	10 00
Hot Wheels	10 00
G. I. Joe	10 00
Breakdance	
Baseball	

24.99 24.99 24.99 24.99 Pitstop II ... 9 to 5 Typing Moreta Touch Tablets Koala Touch Tablet-D Koala Touch Tablet-Cart 64.95 69.95 Muppet Learning Keys Neutral Zone-D/T 20.95 Spritemaster-D/T Beachhead-D/T 20.95 Master Composer-D

24.99

Commodore	-
Program Ref. Guide	19.95
Assembler-D	17.95
Easy Finance I, II, III, IV,-D	19.95
Easy Calc-D	64.95
Easy Mail-D	17.95
Easy Script-D	39.95
Easy Spell-D	19.95
Logo-D	49.95
The Manager-D	
General Ledger-D	37.95
Accts. RecD	37.95
Accts. Pay-D	37.95
Magic Desk-D	
Zork I, II or III-D	.29.95
Suspended-D	29.95
Starcross-D	29.95
Deadline-D	29.95

We're Reliable! 18 years of service.

Computer Centers of America 81 Terminal Dr. Plainview, NY 11803



EROY'S CHEATSHEET KEYBOARD OVERLAYS COMMODORE LEROY'S CHEATSHEETS" are plastic laminated keyboard hardware for Commodore's VIC-20 & C-64 computers. These cut-it-out yourself overlays are designed to fit over

overlays designed for use with popular software and

the keyboard surrounding the keys with commands and controls grouped together for easy references.

LEROY'S CHEATSHEETS"

make life easier for you

WORD PROCESSORS

- ☐ Easy Script
- HES Writer
- Paper Clip
- Quick Brown Fox
- Script 64
- Speedscript (GAZETTE)
- Wordpro 3/PLUS
- Omniwriter
- Wordpro 64 (By Steve Punter)

SPREADSHEETS

- Calc Result (advanced)
- Calc Result (easy) Easy Calc
- Multiplan
- PractiCalc 64 (or PLUS)

DATA BASES

- The Consultant (Delphi's Oracle)
- The Manager (CBM)
- ☐ SuperBase 64

PRINTERS

- Printer (CBM) 1525, MPS 801, MPS 803
- Printer (CBM) 1526, MPS 802
- Printer (Epson) Rx-80
- Printer (Gemin) 10x
- Printer Okidata 92 & 93

Qty.___X \$3.95

Shipping & handling \$ 1.00

MISCELLANEOUS

Sprites Only

☐ 1541 Disk

LANGUAGES & UTILITIES COMAL

☐ Basic

Flight Simulator II

SIMON'S BASIC

Hesmon 64

LOGO (sheet 1)

Pilot (CBM)

TERMINALS

☐ Term 64

☐ Vidtex

LOGO (sheet 2)

The Smart 64 Terminal VIP Terminal

Doodle

Blanks (3 each - NOT Laminated)

For The Beginner (using the 64)

6% sales tax

(PA residents only)

TOTAL \$

NO COD'S PLEASE

Zip

Dealer inquiries welcome Name.

Address . City. State.

CHEATSHEET PRODUCTS™ P.O. Box 111368 Pittsburgh PA. 15238



OR SEE YOUR LOCAL DEALER !



(ALMOST) FREE CLUES:

If you've ever been stuck in an adventure game, you need The Book of Adventure Games by Kim Schuette. This fantastic book contains complete legible (typeset) maps, magnificent illustrations, and all the hints you need to complete 77 of the all-time most popular adventure games including Zork I, II, III, Deadline, Starcross, Witness, Planetfall, Enchanter, Sorcerer, Infidel, Suspended (with map), Wizardry, Knight of Diamonds, Legacy of Llylgamyn, All Scott Adams, All Sierra On-Line including Time Zone, Ultima I, II, III and many more! Best of all, the book doesn't spoil your fun! At about 25¢ an adventure, it's the biggest bargain around. So stop getting ripped off by \$10 cluebooks and call:

1-(800)-821-5226 Ext. 500

24 hrs. a day, 7 days a week or write:

Witt's End 42 Morehouse Rd., Dept.13 Easton, CT 06612

Free UPS shipping. Add \$3.00 for C.O.D. APO's FPO's o.k. Add \$5.00 for foreign shipping. No charge for credit cards. We accept Visa/Mastercard, Personal Check (allow 2 weeks to clear), Certified Check or money order.

All Trademarks are acknowledged.





IT'S LIKE



- Diskettes
- For use in ANY 51/4 Disk Drive
- Just turn it over to use the other side

% more capacity than Single Side

- Both sides are certified 100% Error Free 5 Year Guarantee
- MADE IN U.S.A.
 TOTAL SEAM BONDING TYVEK JACKETS, REINFORCED HUB RINGS
- EXCEEDS INDUSTRY TECHNICAL SPECIFICATIONS

only

\$1980* for 10 disks (20 sides) call for quantity discounts

*On all orders add \$2, for postage & handling (\$5 Foreign). Florida res. add 5% Sales Tax.

SATISFACTION GUARANTEED OR YOUR MONEY BACK!

> TOLL FREE 1-800-642-2536 FLORIDA 305-493-8355 or send check or money order to:



4211 NW 75th Terrace • Dept. 14 2 Lauderhill, FL 33319

NEW LOW PRICES FROM THE WORLD'S LARGEST SPORTS SOFTWARE COMPANY!

Whether you're a coach, player, computer bug, statistician, dabbler, doer or just a real sports fan, PDS has a package for you...at our lowest prices ever! Check our line-up below, and then order your first PDS Sports Package.



FOOTBALL STATISTICS. A comprehensive computer software system. You compare teams in over 60 offensive and defensive situations and watch the matchups on the screen. Every team is given a power rating. PDS also provides "year-to-date" data diskettes for a nominal charge. 39.9

FOOTBALL HANDICAPPING. (Includes FOOT-BALL STATISTICS Package). Forecasts the outcome of football games based on massive amounts of statistical data, morning lines and point spreads.

49.95



BASKETBALL STATISTICS. The most comprehensive basketball program ever written. "What-if" your way into every imaginable comparison and formulation. 39.95

BASKETBALL HANDICAPPING. (Includes BASKETBALL STATISTICS). Gives you an inside look into the outcome of games by mathematically equating statistics, lines and point spreads.

49.95



baseball teams stack up against each other.
See summarizations. Performance stats on every team in the major leagues.

39.95

BASEBALL HANDICAPPING. (Includes BASEBALL STATISTICS) Makes you betterprepared to predict the winner of any game. At least, mathematically. 49.95



"World class" program gives you an edge in predicting winners. A proven system...by PDS and many horseracing enthusiasts.



HARNESS RACE HANDICAPPING. The fast, easy way to find out what races and what horses should be looked at...all summarized in a "power rating" format. 129.00




QUARTER HORSE HANDICAPPING. the computer system actually "rates" the horses in each race of what is the fastest growing segment in the sport of kings. 129.00



TRAINER STATISTICS. Analyzes all local racehorse trainers and gives you a rating for each one.

39.95



HARNESS DRIVER STATISTICS. A complement to the HARNESS HORSE HANDICAP-PING System, this package tells you all you need to know about the man (or woman) behind the horse.

39.95



	\$
	\$
	\$
	Total
Calif. residents at I have an APPLE COMMODORE-6 DISKETTE () C () Check enclo () Charge my M.C. ()	EASSETTE (); MODEL #sed credit card: A.E. (), VISA (Expires
OR CHARGE BY (In Calif: (213) 510 NAME	(As it appears on credit card) PHONECALL (800) 222-2601 6-6688)
ADDRESS	PHONE
CITY	STATE ZIP

Dealer Inquiries Invited

BETTER KEYBOARD UTILITY.

A simply elegant solution—blank "Cheat Sheets" give you the keyboard commands you need, instantly, for any program.



\$12.95 set of 12 custom \$19.95 set of 24 custom die cut sheets

BETTER DUST PROTECTION FOR VIC & COMMODORE

Choose an attractive static-free cover for your keyboard, monitor or complete system.

your keybourd, monitor or complete system.
Don't contuse these attractive covers with cheap static-filled clear plastic covers. These deluxe covers are custom-fitted to each element of your Commodore, and are sewn, not plued. The interior of the supple leather-like material is lined with a special soft static liner to prevent scratching. Soft camel color fits beautifully in any office or home static properties of the sew of the sew of 18.25, 1541 disk drive cover (\$3.25). Printer covers (\$4.25). Printer covers (\$5.25). Printer covers (\$5.25). Printer covers (\$5.25). Printer covers (\$5.25). Printer covers (\$5.25).

\$7.95 10 \$12.95

We Can Solve All Your Commodore Color Problems

Unique Problem Solvers for Older Commodores (with 5 Pin Monitor Din Plug).

The Interference Stopper. . A new kit that installs in minutes with two simple solder connections. Best results when combined with Items below. Absolutely stops 90% of the RF interference. \$15.95

The Color Sharpener. . . Use if your "old 64" is hooked up to a TV. Just plug into the monitor plug, and the color and contrast immediately improve. Dramatically crisp letters.

Great graphics.

S18.95 The NEW Color Sharpener CABLE... Use if your "old 64" is hooked up to a monitor. A new 2 prong cable, with a Color Sharpener built in for your monitor.

S24.95

The Monitor "Improver"...If you have a Commodore 1701 monitor, this cable (3 prong) gives you a picture you won't believe. Better than the cable Commodore built. (Also hooks your "old 64" to the 1702.) \$24.95

RESET SWITCHES 2 Versions for Every Need

At last, the "needed" switch for Vic-20 and Commodore. Commodore left out a reset switch. Our switches will return control to you every time.

return control to you every time.

Version 1 — Install it Yourself. Requires two simple solde connections, and drill a small hole. Works great. Saves

A steal at \$9.95

Version 2—Use in any Commodore Application. A special buffered flow-thru version, that plugs in, gives a "\footnote{"} connection that provides your computer with another serial port and a reset switch. The ultimate in versatility, convenience and simple installation. No soldering. Introductory priced at \$19.95

Is Your Commodore Disk Drive Hot and Bothered?

Most of them are, you know. They suffer from read and write problems frequently. We've been told that most of these problems occur because the drive has overheated, throwing the head out of alignment.

Our inexpensive muffin fan sits on top of the disk drive and blows cooling air through it.

We went one step further. We built a surge protector into a second fan model.

S79.95 Fan with Sugge protector S54.95 Mulfin fan Order Today!

Please send me the following:

		Price
	_ \$	
	_ \$	-
	_ \$	
Total for Merchandise	\$	-
Shipping and Handling (foreign orders add \$5.00)	\$	200
5% State Tax (WI Residents only)	\$	
TOTAL ENCLOSED	\$	
Please charge to MasterCard VISA		
Number	_	
Expires		
SHIP TO:		
Name		

State / Zip
State / Zip
Mail to: Bykes & Pieces, Inc. 550 N 66th St Inquiries
Wauwariosa, WI 53213/(414) 257-1214

Wauwatosa, WI 53213/(414) 257-1214

Wicked Wendy's

House scounts

The best little discount house in America.

	Sug.	
HARDWARE	List V	Vendy's
PRINTERS		
STAR MICRONICS SG-10 PRINTER high	\$299	8249
speed (120cps) and near letter quality		
STAR MICRONICS SD-10 PRINTER 160	449	369
cps, friction and tractor feed, 16K buffer		
MODEMS		
MITEY MO 300 baud C-64 automodem	119	69
including free Smart 64 Terminal		
software and \$15 of CompuServe acces	s time	
MSD SYSTEMS INC SD-1	299	269
SUPER DISK DRIVE	299	269
80 COLUMN CARDS		
DATA 20 XL-80 80 COLUMN CART-	100	84
RIDGE with spread-sheet and	100	0.1
wordprocessor included		
MONITORS		
XTRON GREEN or AMBER 12"	120	89
MONITOR hi res	120	
XTRON COMCOLOR I 14"	240	179
COMPOSITE COLOR MONITOR with	-10	***
built in speaker and audio amplifier		
SOFTWARE		
6th SENSE by MICROTECHNIC	89	68
SOLUTIONS INC.—the ultimate home		
modem program. You control its actions e		
you're not at home. THE THINKING TE		28
SMART 64 TERMINAL+4 by	40	28
MICROTECHNIC SOLUTIONS INC. software for any C-64 modern, allows		
upload/download, x-modem, VT52/VT100	000000100	
SMART 64 USERS MANUAL, NEW by	emulat	ion 8
CDI, makes a sophisticated program	15	0
easier to use than the original manual		
VORTEX I BULLETIN BOARD	75	47
SYSTEM for the MITEY MO and all	10	
other C-64 modems. Be your own SYSOP!	Many	
features	any	
HESWARE OMNIWRITER	60	40
GRAPHICS BASIC	30	20
HESGAMES	35	20
CELL DEFENSE	30	20
SUPER ZAXON	30	20
VIZASTAR 64 by SOLID STATE-three	119	89
in one with spread-sheet, data base and	200	
graphics		

WICKED WENDY'S WHOPPING SPECIAL

MITEY MO and VORTEX I BBS \$115.00—SAVE \$79
ALL ITEMS SHIPPED WITHIN 72 HOURS OR WE PAY SHIPPING! CASHIER'S CHECK, MONEY ORDER, VISA OR M.C. ACCEPTED. SHIPPING AND HANDLING EXTRA, ADD 4% FOR VISA OR M.C. CALIF RESIDENTS ADD

PRICES SUBJECT TO CHANGE WITHOUT NOTICE. PRODUCT SUBJECT TO AVAILABILITY.

TO ORDER CALL

800-WICKED W

Hours M-F 8:00-5:00 PST. For California residents or customer service call 415-632-1220 or send

your order to: WICKED WENDY'S HOUSE OF DISCOUNTS 24 HAMILTON CT. PACIFICA, CA 94044

DUST COVERS

- * CUSTOM MADE TO FIT
- ★ Heavy 32-oz. VINYL ANTI-STATIC
- * EXTENDS EQUIPMENT LIFE
- * Choice of Colors Lt. Tan or Brown

COMPUTERS

C-64; VIC-20;	C-16; PLUS 4	7.00
ATARI 800XL;	1200XL; 65XE	8.00
ATARI 130XE;	130 ST1	3.00
C-128; B-128	1	3.00
APPLE IIe	1	3.00
DATASETTE (C)LD)	5.00
DATASETTE (N	NEW, C2N)	5.00

DISK DRIVES

C-1541; C-1571	***************************************	8.00
MSD S/D; APPL		8.00
MSD D/D; APPL	E D/D UNIT1	0.00
INDUS. GT		8.00

PRINTERS

C-1525/MPS801	10.00
C1526/MPS802	13.00
C/MPS 803; C-1520; C-1530	8.00
PANASONIC KX-P1090/91	
PANASONIC KX-P1092/93	16.00
EPSON MX80; RX80; RX80FT	
EPSON FX80; FX80 F/T	
EPSON MX 100; FX 100; RADIX	16 00
GEMINI 10/10X; DELTA 10	13.00
GEMINI 15/15X	
STAR SD-10; SR-10; SG-10	13.00
STAR SR-15	
RITEMAN II	13.00
SEIKOSHA AT100/GP-550CR	13.00
LECEND OOD	13 00
OKIDATA 91/92	13.00
JUKI 6100	16.00
OVIMATE 10	8.00
OKIMATE 10	8.00
LOLUZORO	

MONITORS

C-1702/1703; C-1902 RGBI	16.00
SANYO CRT 36 (GREEN)	16.00
ZENITH ZVM 122/123	16.00
ZENITH ZVM 131/133	23.00
TAXAN RGB 2110	16.00
AMDEK COLOR I	19.00
COMREX 5400	14.00
SAKATA SG-1000; SC-100	
BMC COLOR	

VIDEO RECORDERS

FOR MOST RECORDERS13.00 (CUT-OUT FOR CLOCK)

SPECIAL OFFER 6 OUTLET SURGE SUPPRESSOR \$24.50 + \$2.00 Shpg & Hdlg

Order by stating NAME and MODEL and COLOR CHOICE TAN or BROWN.

Enclose check or money order plus \$1.50 per item shipping and handling California Res. Include 6.5*% Sales Tax.

SPECIAL COVERS WILL BE MADE TO YOUR DIMENSIONED SKETCH. SEND YOUR RE-QUIREMENTS FOR OUR LOW PRICE QUOTES

Crown Custom Covers

9606 SHELLYFIELD ROAD DOWNEY, CA 90240 (213) 862-8391

at TUSSEY COMPUTER PRODUCTS*...

WE KNOW WHAT YOU WANT!



WE VALUE YOUR BUSINESS. IN ORDER TO EARN IT, WE ARE GOING TO GIVE YOU THE THINGS YOU WANT MOST FROM A MAIL ORDER COMPUTER STORE. 1) Low Prices! We try to have the lowest prices around. If you do find a lower price, 3) Straight talk - We will give you accurate information as to our stocking condition

please give us a chance to beat it.

2) Fast, dependable service - Our shipping department works hard to get your orders out quickly, usually within one business day.

4) Personnel who care - The people at TCP sincerely want you to be happy with the way your order is handled. We all know our jobs depend on having a happy


ORDERS ONLY PLEASE: 800-468-9044

INFORMATION & PA ORDERS: 814-234-2236

PHONE LINES OPEN 10-8 MON-FRI, 10-5 SAT

THE PANASONIC KXP 1091 PRINTER Near letter quality at the flick of a switch

The 1091 tips along at 120 cps and has a 1k buffer. It also has all the print modes of the Germin 10X and Epson RX-80 plus a BIG difference. The 1091 has a near letter quality switch. Flip it and you get a super tight 12 by 18 matrix with characters that rival a daisy wheel! The 1091 has both friction and tractor feed



SG 10. NLQ Dot Matrix from Star Call





Commodore 64 is \$147.00*

'With the purchase of any printer, disk drive, monitor, or modem

1541 Disk Drive		*	 	٠.,	0.0			100	 		,			v			s	1	95.00
1702 Color Monitor										-						×	5	1	95 00
1660 Modem																			. Call
Plus 4, C-16, others																			. Call
SX 64															W		\$	4	95.00

Powertype, 18 cps, letter quality \$329 00"

		PR	L	Ĭ	E	ŀ	ł	ı	ì	Ī	Ì	E	F	I	į	ì	ĺ	1	3	S	Ī				
Xetec (SPI.			40	0	į,	V	ī	¥	î	ï	·,	ů,	ì	4	į	4				ī	\$	1	6	99
Ketec S	SPI/	8																				. \$		5	99
Xetec :	SPI																					5	A	3	199
Cardco	7/1	6													į				į			3	6	7	00
Cardco	7/8	١.					Ü			ş							į					\$	4	4	.00
Cardco	PS	Int	er	at	×												ı			į				J	Call

DATABASES	ı	
The Consultant	s	63.99
Mirage Database Manager/		
Report Generator	5	69.99
Superhase 64(d)	\$	56.99
Data Manager II by Timeworks	\$	32 99
Practifile by MS(d)	\$	37.00

MODEMS Total Telecon (1660 c

idia relection (1000 compandie)	90.UU
Commodore 1660 New!	Call
Compuserve starter kit \$	26 95
Westridge modern	
VIP terminal package by Softlaw s	39.95
Vidtex Terminal	30.00
Vidtex plus Compuserve Starter 5	49.99
The second secon	

WORD PROCESSORS

Word Processor by Proline(d)	\$	39 99
Wordpro 3+/64 w/spellright(d)	\$	59.00
Paperclip(d)	\$	59.00
Paperclip w/spellpack(d)	5	76.99
Cardco Write Now / 64 (cart)	5	37.00
Mirage Professional W P (d)	5	59.00
Omni Writer/Speller(d)	\$	45 00
Worn Writer(d) by Timeworks	\$	32 99
Script 64	\$	39.99

CARDCO

						-3	-		34											
Light	pen.		00.2	S			S	4	V.		ä	2				- 5	2	9	00	ì
Nume	nic k	eypa	d.		,,	1					٠	20		. ,		. 5	3	5	01	ď
5 slo																				
Mail	Now	64		1		(N	1			į,			ŀ,			\$	3	2	DE	ì
Spell	Now														1	. 5	3	1	95	j
File !	low .								+11		6					. 5	2	7	9!	,
Grapt																				

To Order By Mail. Send personal check money order or certified check. Allow 2 weeks for personal checks to

Shipping Software and accessories add \$2.50 per order. COO order, add \$6.00 (cod's not accepted on jurnites, monitors, and disk drives). Printers and \$10.00. Ose Drives and Monitors add \$8.00. Call for uther shipping charges. Additional shipping required on APO IPPO. AS HI, and foreign indexs.

Terms. Diders shipped UPS unless noted otherwise. All prices reflect cash discount Add 3 - for Visa and Mastecard. Manufacturers warranty honored with our myoric and original packaging. PA residents add 6 - sales tax. Prices subject to change. All sales final Defective products replaced or repaired at our discretion.

PRINTERS Cardco LO1 letter quality printer Cardco LO3 Epson RX 80 . Epson Printers \$225 00 Okidata Printers \$109.00 Star Micronics printers come with a 1 year warranty

HARDWARE

1541 Express by RTC	1 73.99
Smart Cable	49.95
BI 80 Batteries Including 80 column card with	
Basic 4.0 built in	
BusCard II by Batteries Included	Call

SPREADSHEETS

Calc Result Adv. (d. cart)	5	67.00
Calc Result Easy (cart)	\$	33 99
P.S. (Prog. Spreadsheet)(d)		
Practicale 64(d)	\$	36 00
Practicals 64(t)	\$	34 00
Part Comment of the C		

MONITORS

enith 12" Amber	\$ 97.00
enith 12" Green	\$ 92.00
Sakata SC 100 Color Monitor	\$239.00
Amdek Color 1 Plus	\$259.00
able for monitors	\$ 9.95
702	Call
UVILLYIES	

Pal 64 assembler by Proline(d)	\$	39 99
Power 64 Basic by Proline(d)	\$	39 99
Toolbox 64, both Pal 64 and Power 64(d)	\$	69 99
Canada A/M backup program	5	39.95
Simon's Basic	\$	39 95
CSM 1541 Alignment	\$	32.99
MISCELLANEOUS		

Spellpro 64(d) by Proline	\$	39 99
Mailpro 64	5	39.99
Complete Personal Accountant(d)	5	54.00
The Home Accountant		
Timeworks Inventory, A/P, A/R, Cash Flow		
Management, General Ledger, Payroll		
Management \$40	9	5 each
64 Doctor	5	24.95
FCM, First Class Mail	5	36.95
Super Sketch		

DISK DRIVES

MSD			00000												19.00
															Call
	GT	Disk	Drive	ú	6	,,		**	-	4			į	×	Call
1541							-								Call

HISTO PRODUCTO	_
Trio from Softsync, Integrated W.P., Dafabase, Spreadsheet	. Call
Homepak from Bat Incl., Integrated W.P.	-
Database, Telecommunications	Call
Business Graphics	
Epys Fast Load	
Drugerounit Frint Shop	31 33

lease Note: When we ask you to call for a price it's because prices on those items are volatile, and we want to be sure we can give you the lowest prices we can

NEW PRINTER FROM STAR!

The SG-10 is an upgrade of the popular Gemini 10X It runs at 120 CPS, and has all the print modes of the 10X. What makes this printer different is a near letter quality mode at 60 CPS, with a 17 by 11 matrix! With this mode the printer does double duty, eliminating a need for a letter quality printer. It also includes a built in 2k buffer, and a 1 year warranty

PLEASE CALL FOR OUR LOW PRICE!

BUY A BUNDLE— **SAVE A BUNDLE**

Order one of these popular packages of products by number for super savings!

WORD PROCESSOR 64 and SPELLPRO 64 The word processor and spelling checker from Profine Software

\$73.99

Package #6

1541 EXPRESS and the FAST CABLE Everything you need to speed up your disk drive

\$119.99

CONSULTANT and PAPERCLIP W/SPELLPACK These are the popular Database and Word Processor from Batteries Included

MIRAGE DATABASE/ADVANCED REPORT GENERATOR and MIRAGE PROFESSIONAL WORD PROCESSOR A powerful package that integrates together

1124.95

Package #10

BI-80 and PAPERCLIP W/SPELLPACK

The 80-column card with the Basic 4.0 built in, and the Papercip w/spellpack both from Batteries included. Papercip works with the 80-column card to give you a powerful word. processor

TUSSEY COMPUTER PRODUCTS

* (formerly Tussey Mountain Software)

BOX 1006 STATE COLLEGE, PA 16804

"DEALER INQUIRIES INVITED" Other product lines available! Call for prices.

FREE

10 DISKETTES 20 C-20 CASSETTES

A subscription to the 'Cassette of the Month' gets you a tape or disk full of 10 quality Commodore 64 programs delivered to you by first class mail every month. The documentation included will help you run great utilities like 'Word Processor,' and 'Budget Analyzer,' or enjoy great games like 'Frogjump' and 'Caterpillar Cave' FOR AS LITTLE AS 50 CENTS EACH!

★ Limited offer ★ Subscribe for a year on cassette and receive 20 Free C-20 cassettes or subscribe for a year on disk and receive 10 Free 51/4 single sided double density diskettes!



PRICES-

TAPE DISK 6000 1 YR (12 ISSUES) 7500 4500 6MO(6ISSUES) 3500 Single Copies 700 900

- ★ We've been in business for over three years! acquiring
- Over 4000 satisfied color computer owners
- ★ Commodore 64 required



Mich. Res. add 4% Overseas ADD \$10 to subscription and \$1.00 to single issues.

PERSONAL CHECKS WELCOME!

T & D Subscription Software P.O. BOX 256-C HOLLAND, MI 49423

(616) 396-7577



S.D. of A



for the Commodore 64®

TURN YOUR COMPUTER INTO A TELECOMMUNICATIONS SYSTEM!

suggested retail price





Dealer inquiries invited

- Installs INSIDE the computer
- User Port access allowed with modem installed
- Auto Answer/Auto Dial
- Direct connect to phone line
- · Software included for uploading and downloading
- Compatible with new C-128 computer

Call 1-800-237-3762, extension 956 (orders only)



ans com, inc.

703-13 ANNORENO DRIVE ADDISON, IL 60101

Software Discounters

of America (& Peripherals, too!)

For Orders Only 1-800-225-7638* Inquiries and PA 412-361-5291

- Free shipping on orders over \$100 in continental USA
- No surcharge for VISA/MASTERCARD

The only telecommunications package you will ever need.



THE INFO CENTER

Free Subscription to over 60 Popular Data Bases

· Auto Dial/ Answer Modem

lowest price ever





For Commodore 64®

*Ordering and Terms: Orders with cashier check or money order shipped immediately. Personal/company checks, allow 3 weeks clearance. No C.O.D.'s. Shipping: Continental U.S.A.—Orders under \$100 add \$3; free shipping on orders over \$100. PA residents add 6% sales tax. AK, HI, FPO-APO-add \$5 on all orders. International Order Policy-No Credit Cards-add \$15 or 15% of order whichever is greatest. Defective merchandise will be replaced with same merchandise—NO CREDITS! Return must have authorization number (412) 361-5291. Prices subject to change without notice



- DIBPLAY DRIVE HEAD TRACK AND HALF TRACK POBITIONS TO IDENTIFY ESSENTIAL TRACKS, BAD TRACKS AND LOAD SEQUENCE. BAD TRACKS AND LOAD SEQUENCE. ELECTRICALLY BYPASS WRITE PROTECT TABS TO USE BACK SIDES OF DISKS WITHOUT NOTCHING. ELECTRICALLY WRITE PROTECT YOUR DISK DRIVE. MONITOR READING AND WRITING OF TRACK SECTORS DURING OPERATION. COMPARE ORIGINAL TRACKS AGAINST COPY TRACKS.

- PACKAGE CONTAINS FAN, FILTER, FINGER GUARD AND POWER CORD. NO INSTALLATION NECESSARY JUST SET ON VENTILATION GRILL. EFFECTIVE QUIET COOLING REDUCES HEATING TO ONLY SEVEN DEGREES ABOVE AMBIENT AIR GREATLY EXTENDING DRIVE SERVICE LIFE. ONLY \$19.95 PLUS \$3.00 SHIPPING.

contact: DISKTRONICS P.O. BOX 962 BEDFORD, IN 47421

Ph. (812) 279-1752 Mon-Sat 0800-1600 @1985 DISKTRONICS

WHAT IS THIS GIRL DOING?

TH AX PAS GG3 ER2 LL PAS IH 88
PAS FF IY PA3 DO2 IH NG PAS BB1

RR1 EH EH PA1 DO1 PAS TT2 UW2

DA5 FY DA5 DO2 AA KK2 DA5

You can now have your computer speak to you...with the inevitable "Kilobaud Monster." This remarkable breakthrough in engineering is now being offered to the general public by Computel, and is made possible at a fraction of the cost you'd expect to pay anywhere else. You will also learn how computers speak, what speech synthesis is, and the basics behind phonemics. It's a great educational tool for the individual and for the institution alike!

The Kilobaud Monster is a revolutionary item for the hobbyist, because now you can have many new resources available for experimentation. No longer is this field of science limited to the lab, and no longer is its cost limited to governmental research projects. You can make your computer speak with little effort, a lot easier than you think!

The quality of speech pronunciation is excellent. Anything imaginable may be spoken, from scientific thru slang words—we include detailed instructions showing you exactly how to do this. You can now have all the satisfaction of doing this yourself, at a fraction of the cost, and having something really useful to show for your efforts!







YOUR COMPUTER WILL TELL YOU! DON'T THEY ALL NOW "SPEAK?"...

Able to work with any computer!

Complete instructions included!

 User-programmable vocabulary of virtually unlimited size!

> Program it to say anything you want!

 Guaranteed to hold your interest and delight for hours!

ONLY \$ 095

regular price *
Introductory package includes everything you need to get started!

* SAVE—Computel members only \$ 7.95.

The Kilobaud Monster is the basis of a series of projects that can make your computer talk, and is necessary for later projects. The Kilobaud Monster will set you up with everything you need to know in order to attach it to your computer and enable it to speak words. All additional information is included with this beginner's package. The built-in editor in the Wordmaker enables you to easily "fine tune" every word you create to make it sound exactly as you wish. Or you can set up a "word bank" with the Message Talker that includes all the phrases and statements that you'll ever need! The Artificial Intelligence accessory will permit your computer to produce totally random sentences, following all the rules of correct grammar within a pre-defined vocabulary-set, all day long!

ARTIF

your computer to produce totally random sentences, following all the rules of correct grammar within a pre-defined vocabulary-set, all day long: If you're new to the computer field, or if you're an old-time "hacker," you'll want to subscribe to our publication "Computel," which covers everything that YOU want to see! Encompassing the subjects of Computers, Electronics, and Telecommunications, this publication gives you a "new meaning" of the free enterprise system and the monopoly of existing organizations. You'll need to become part of this international hobbyist phenomenon really soon. SAVE \$2.00 on EACH ITEM you buy if you subscribe to Computel now! And this is IN ADDITION to the total package price for the Complete KILOBAUD MONSTER Collection—you'll SAVE OVER \$18. Dealer and educational institution inquiries invited. Circle our Reader Service Number for additional information. You may order these products from us by sending a check, money order.

You may order these products from us by sending a check, money order, postage or cash in U.S. negotiable funds only, to the address indicated below. Or you may charge your order to your Visa or Master Card. Please include \$2.00 shipping and handling on all orders. California residents please add sales tax. Allow three weeks for delivery. Add \$5.00 for next-day shipment by U.P.S.; \$15.00 for next-day delivery by U.S.P.S. We guarantee your satisfaction for 90 days with our products, and offer a money-back guarantee if not fully satisfied during that period.

COMPUTEL PUBLISHING SOCIETY

6354 VAN NUYS BLVD., SUITE 161 / VAN NUYS, CA 91401-2696

YES,	I'm inte	ereste	d in	mal	king my	computer
talk.	Please	send	me	the	following	g items:

□ INTRODUCTORY	PACKAGE	\$ 9.95
□ WORDMAKER		\$ 19.95

MESSAGE TALKER \$ 14.95

□ ARTIFICIAL INTELLIGENCE......\$ 24.95
□ COMPLETE COLLECTION SET (SAVE \$10) \$ 59.50

One year subscription to Computel, \$ 14.00

including all Kilobaud Monster items \$65.50
PLEASE ADD \$2.00 SHIPPING & HANDLING TO YOUR ORDER. G-3

CREDIT EXP.

CARD DATE

NAME______DATE____

ADDRESS

CITY_____STATE___ZIP____Your Computer____

SEND ALL PAYMENT IN U.S. FUNDS DRAWN ON U.S. BANKS • SORRY, NO C.O.D.'S

Make checks payable to: COMPUTEL PUBLISHING SOCIETY


Post Office Drawer 7765 / VAN NUYS, CA 91409-7765

Software Discounters of America (& Peripherals, too!)

For Orders Only - 1-800-225-7638*

Inquires and PA 412-361-5291

 Free Shipping on orders over \$100 in continental USA No surcharge for VISA/MASTERCARD



P.O. BOX 278—DEPT CG—WILDWOOD, PA 15091

*Ordering and Terms: Orders with cashier check or money order shipped immediately. Personal/company checks, allow 3 weeks clearance, No C.O.D.'s. Shipping: Continental U.S.A.—Orders under \$100 add \$3; free shipping on orders over \$100. PA residents add 6% sales tax. AK, HI, FPO-APO—add \$5 on all orders. International Order Policy—No Credit Cards—add \$15 or 15% of order whichever is greatest. Defective merchandise will be replaced with same merchandise—NO CREDITS! Return must have authorization number (412) 361-5291. Prices subject to change without notice

Home computer software packages for \$1.00? Ridiculous?

The priviledge of trying out software before buying? Impossible?

S.D. of A

We really do have something "new under the SUID

Not only do we provide discounts on software to club members comparable to discounts any-

1) Club members can "try out" software before buying (we do this by a policy of accepting 3 "returns" for a small fee).

2) periodic auctions on software permit members to buy software at truly insane prices (like \$1.00) and sell old software.

CAN YOU AFFORD NOT TO FOLLOW THIS UP??? See if we're for real at

PASTIMES
5 Continental Ave., Forest Hills, N.Y. 11375 (in the minimall)

(Phone 718-263-4747) Drop in, call, or write (asking for Club particulars) COMMODORE HARDWARE, COMPUTER ACCESSORIES, SOFTWARE, CLASSES AND EXPERT ASSISTANCE.

964 DRILL

ABCS

PRE-SCHOOL THRU 4th GRADE - FOR COMMODORE

GIVE YOUR CHILDREN THE OPPORTUNITY TO REINFORCE AND REFINE THEIR ACADEMIC SKILLS WHILE AT HOME.

THE 964 DRILL HAS THE PATIENCE OF A SAINT (AT YOUR OPTION) OR THE DRIVE OF A DRILL INSTRUCTOR. + - SUBJECTS (ALL SUBJECTS INCLUDED) ÷ X

SUBTRACTION DIVISION MULTIPLICATION PABLES ALPHABET SPELLING

FEATURES

- MENU DRIVEN TIMED DRILLS OPTIONS FOR DIFFICULTY
- TIMES TABLE, ALPHABET, & SPELLING DRILLS HAVE REVIEWS
- STOP-KEY STOPS TIMER FOR INDEFINITE PERIOD OF TIME TO ALLOW PARENT OR TEACHER TO EXPLAIN PROBLEM & FOR BREAKS
- WILL PRINT PROBLEMS ANSWERED INCORRECTLY (AT USER'S OPTION, PRINTER REQUIRED)
- HARN USED WITH COMMODORE'S Magic Voice SPECH HODULE, THE 964 DRILL WILL TALK TO YOU
- SPELLING VOCABULARY OF OVER 150 WORDS
- BIDIRECTIONAL INPUT FOR ADDITION, SUBTRACTION, AND MULTIPLICATION

DISK ONLY \$29.95 SEND CHECK, MO, VISA, OR MASTER CD (INCL. EXPR. DATE FOR CREDIT CARD)

To: TOFACTUM DEPT G PO BOX 34218 HOUSTON, TX 77234

TEXAS RESIDENTS ADD \$1.80 SALES TAX.
COMMODORE 64 AND "MAGIC VOICE" ARE REGISTERED TRADITIARKS
OF COMMODORE FLECTRONICS LTD.



STOCK RROKER: Calculates recommendations that will have you buying the most shares at the bottom and selling the most shares at the top of your stocks price cycle.

* Buy and sell recommendations in exact share amounts all stock transactions and prices recorded in Stock History files

* File editing functions

* Bar Graphs plotted from Stock History files

* Frints out Recommendations, Stock Historys, and Graphs

\$49.95 C-64 Disk only

LOTTO CYPHER: Get the best odds on any lottery game. Six number, pick-four, daily games, etc. Produces four combinations of numbers to choose from Including, computers best pick and least likely pick any amount of balls and numbers can be programed Prints out past lotto numbers drawn, past computer picks, and number draw frequency list Complete number data base

\$29.95 C-64 Disk only

Send check or money order to:

ACORN OF INDIANA, INC. 2721 Ohio Street Michigan City, IN. 46360

Add \$1.50 Shipping Indiana residents add 5% sales tax

Dealer Inquiries Velcome

ENHANCE YOUR COPY OF

SpeedScript 3.0*1

Add These Useful Utilities, for the C-64**

PowerPrint! just set the cursor to your choice of start and finish location: print one character, one line, or the entire document!

PowerParams! Assign as many as eight character codes to one alpha printer command, save them to a standard text file, then set or re-lease a printer function with only one embedded text command!

PowerSet! For all printers that reproduce the Commodore characters: text codes that permit you to access both character sets; switching even while printing!

PowerPacked Performance that uses only a small portion of text memory!

only \$498 (lyped) \$798 (tape or diskette)

(SpeedScript 3.0 not included) send check or money order to

LIDON Enterprises P.O.Box 773 Elm Grove, WI 53122

"Reg.T M. Commodore Bus Mach . Inc

A PROFESSIONALLY DESIGNED ELECTRONIC BULLETIN BOARD SOFTWARE PACKAGE. REQUIRES A C-64 DISK DRIVE AND 1650 MODEM (OR COMPATIBLE TYPE). REGISTRATION IN NATIONWIDE BBS NETWORK INCLUDED.

SOFTWARE FEATURES:

BULLETIN & MISCELLANEOUS FILES
EDITOR & TERMINAL PROGRAM
PUBLIC & PRIVATE MESSAGES
DOWN/UPLOADING IN ASCII
CHAT WITH SYSTEM OPERATOR MODE
UNCRASHABLE SECURITY
LOCAL & REMOTE SYSOP ROUTINES EASY TO MODIFY & EASY TO USE!

ONLY \$34.95 - WE PAY SHIPPING (CALIF RESIDENTS ADD \$2.10 SALES TAX)

CARTER ENTERPRISES

412 JAMAICA WAY BAKERSFIELD, CA 93309 BBS PHONE (805) 831-2155



- · Dozens of subjects

- Over 20 hours of play with
 Over 20 hours preparing
 You can even add your own questions!
 - For the Commodore 64m with disk drive

triFACTa is only \$16.95 from:

SOFTWARE CONCEPTS P.O. Box 93333 Hollywood, CA 90093 (213) 851-1573



Immediate air mail shipping (personal checks delay shipment three weeks). Please add \$2.00 for shipping. California residents also add \$1.17 sales tax.

wabas

When it comes to Flexible Disks, nobody does it better than Wabash.

MasterCard, Visa Accepted. Call Free: (800) 235-4137



C= 64 COVERS

● CUSTOM FIT ● ● LIGHT TAN ● • LIFETIME WARRANTY • WASHABLE

VIC-20/C-64 COMPUTER; C-1541 DISK DRIVE; C-1530 DATASETTE; C-1525 PRINTER; MPS-801 PRINTER; GEMINI-10/10X PRINTER; EPSON FX80 PRINTER; 1701/1702 MONITOR

* ALL COVERS * * \$6.95 each '

* DISKETTES * (10-PK) SSDD \$9.00 * DISK DRIVE COOLING FAN * \$29.95

Enclose a check or M/O. for items ordered +\$2.00 shipping & handling. CA. Residents add 6.5% tax

> **DES-PRODUCTIONS** 9067 BUHMAN St. DOWNEY, CA 90240 Dealer's Invited

FOR C-64 & SX-64

RENUMBER WITH SYNTAX CHECK


Peforms a syntax check on all errors related to program flow. Checks syntax on GOTO, GOSUB, ON . . . GOTO, ON . . . GOSUB, and (IF) THEN statements. Checks that the branch numbers in the above statements are found as a line number. Directions for use and explanation of error messages are included. Copiable. Send a \$10 money order or personal check to: order or personal check to:

Ray Vallieres 309 Beaver St., Apt. 6 North Adams, MA 01247

Allow time for personal check to clear.

c 1985 by Raymond H. Vallieres, Jr.

GAMES FOR ONE LOW, LOW PRICE ...



SEND CHECK OR MONEY ORDER TO:

SOFT-HOUSE SOFTWARE

WAYNE, MICHIGAN 48184 ALLOW 4-6 WEEKS FOR DELIVERY

MAGIC



Are you brave enough to save the Beautiful Princess Glasya. She has been abducted by the evil Death Master, Who is the Supreme Ruler of the Nation of Darkness? This is an adventure that will give you an experience you won't soon forget!

MAGIC is available on DISK or TAPE for the COMMODORE 64 for only 19.95 plus 1ºº for postage and handling.

ZAP Software S.I.U. Branch PO. Box 1586 62026

Maxell Floppy Disks

The Mini-Disks with maximum quality.



Dealer inquiries invited. C.O.D's accepted. Call FREE (800) 235-4137.



PACIFIC EXCHANGES 100 Foothill Blvd., San Luis

San Luis Obispo, CA 93401. In Cal. call (800) 592-5935 or (805)543-1037

Power BASIC

(Article on page 103.)

BEFORE TYPING . . .

Before typing in programs, please refer to "How To Type In COMPUTE!'s GAZETTE Programs," which appears before the Program Listings.

Tape Program Rescue

100	A=681 :rem 174
110	READ H\$:IF H\$="**" THEN 180 :rem 236
120	FOR I=1 TO 2:J=ASC(MID\$(H\$,I,1))-48
	:rem 21
130	IF J>9 THEN J=J-7 :rem 72
140	IF I=1 THEN D=J*16 :rem 102
150	IF I=2 THEN D=D+J :rem 70
160	NEXT: POKE A, D :rem 240
170	A=A+1:GOTO 110 :rem 184
180	PRINT"CUT PROGRAM OFF AT":PRINT"LINE
	{SPACE}NUMBER";:INPUT LN :rem 121
190	H=INT(LN/256):L=LN-H*256 :rem 90
200	POKE 679,L:POKE 680,H :rem 90
210	SYS 681 :rem 49
220	DATA A9,00,AA,A8,20,BD,FF,E8,8A,20,BA
	,FF,98,A6,2B,A4,2C,20,D5,FF,A6,2B,A4
	:rem 51
230	DATA 2C,86,FB,84,FC,AØ,ØØ,B1,FB,85,FD
	,C8,B1,FB,85,FE,C8,B1,FB,CD,A7,Ø2,DØ
	:rem 83
240	DATA Ø8, C8, B1, FB, CD, A8, Ø2, FØ, Ø7, A6, FD
	,A4,FE,4C,C1,02,A0,00,98,91,FB,C8,91
	:rem 252
25Ø	DATA FB, A5, FB, 18, 69, 02, 85, 2D, A5, FC, 69
	,00,85,2E,00,** :rem 78

Character **Assassination**

(Article on page 70.)

Program 1: Character Assassination— VIC Version

10	D=22:F=30720:G=1:H=32:DIMA%(39):FORA=1
	TO10: READC%(A), S%(A): NEXT: A\$="{RVS}
	{BLK}" :rem 222
20	DATA 28,116,30,111,31,167,144,170,144,
	183,156,184,156,188,158,190,159,180,31
	,181 :rem 4
30	F1=36875:F2=36877:K=250:L=2:POKE36878,
	15 :rem 123
50	FORA=1TO22:AS=AS+CHR\$(C%(INT(RND(1)*10

)+1))+CHR\$(S%(INT(RND(1)*10)+1))

60 NEXT:POKE36879,30:PRINT"{CLR}{9 DOWN}
{RED}{6 SPACES}{RVS}CHARACTER":PRINT"
{DOWN}{4 SPACES}{RVS}ASSASSINATION"

:rem 174

70 PRINT" [3 DOWN] [3 RIGHT] [BLU] ENTE	R SPEE
D(0-9)":PRINT"{DOWN}{3 SPACES}9	IS THE
FASTEST": POKE198.0	rem 10
80 GETBS: IFBS ("0"ORBS > "9"THEN80 :r	em 230
90 S=28-3*VAL(B\$):PRINT"{CLR}"SPC(7)"
[RVS] [RED] SCORE [OFF] Ø" :	rem 67
95 FORA=8164T08185:POKEA, 160:POKEA+	
XT :r	em 130
100 FORA=1TO20:PRINT:NEXT:PRINTAS;	
	em 211
110 FL=0:FORA=7724T07745:POKE649,1:	SS=25:
IFA% (A-7724)=ØTHEN17Ø	rem 97
	em 150
130 PRINT" HOME 9 DOWN OFF SPC (7	
(BLU)GAME OVER": PRINT" [2 DOWN]	
[3 SPACES] (RED) PLAY AGAIN? (Y/N	r) "
(3 SPACES) (RED) FEAT AGAIN: (1/	rem 15
140 GETA\$:IFA\$="Y"THENPRINTSPC(9)"{	
BLK OK": RUN	em 188
(BERGOR : ROLL	em 144
	em 101
170 FL=1:R1=RND(1):R2=(-(R1<.5)*(RN	
+48))+(-(R1>=.5)*(RND(1)*26+1))	10(1)
	em 233
180 R\$=CHR\$(R2-(R2<30)*64):C=A+418: TOCSTEPD:POKEF1,K-L*SS	:rem 1
	The second secon
190 SS=SS-1:GETA\$:IFA\$<>""THENPOKE6 FAS=R\$THEN220 :1	em 237
Tity Ny Titolian	
	CIID 200 ·
210 FORTD=GTOS:NEXTTD:NEXTB:Q=1:GOS POKEB-D,H:A%(A-7724)=1:NEXTA:GO	000110
POKEB-D, H: At (A-7/24)-1: NEXTA: GC	cem 144
220 Q=0:GOSUB230:POKEB-D,H:SC=SC+SS "{HOME}{RED}{OFF}"SPC(12)SC:NEX	COM COM
"(HOME) (RED) (OFF) "SPC(12)SC:NEX	rem 96
23Ø POKEF1, Ø:Z=2ØØ:POKEB-D+F, 2:FORT	rem 205
24Ø POKEF2, Z: POKE36864, 5+(Q=1): POKE	
	rem 41
250 Z=Z-(Q=0)*2:POKE36864,5:NEXT:PO	KEF2,0
:RETURN :I	rem 197

Program 2: Character Assassination—

64 Version
10 D=40:F=54272:G=1:H=32:DIMA%(39):FORA=1 TO10:READC%(A), S%(A):NEXT:A%="{RVS}
{BLK}" :rem 230 20 DATA 149,116,150,161,151,184,159,190,1 53,163,154,181,28,182,129,183,30,163
:rem 218 3Ø DATA 31,17Ø:POKE53265,23:POKE5328Ø,6:F 1=54273:V1=54276:K=15Ø:L=2 :rem 183
4Ø FORA=54272T054295:POKEA,Ø:NEXT:POKE542 77,23:POKE54296,15:POKE54278,241
:rem 54 50 FORA=1TO40:A\$=A\$+CHR\$(C%(INT(RND(1)*10)+1))+CHR\$(S%(INT(RND(1)*10)+1))
:rem 209 60 NEXT:POKE53281,15:PRINT"{CLR}{9 DOWN}" SPC(9)"{RED}{RVS}CHARACTER ASSASSINATI
ON" :rem 41 70 PRINT" {3 DOWN} {3 RIGHT} {BLU} ENTER SPEE
D Ø-9 (9 IS THE FASTEST)":POKE198,0 :rem 238
8Ø GETB\$:IFB\$<"Ø"ORB\$>"9"THEN8Ø :rem 23Ø 9Ø S=28-3*VAL(B\$):PRINT"{CLR}"SPC(15)" {RVS}{RED}SCORE{OFF} Ø" :rem 114
100 FORA=1TO22:PRINT:NEXT:PRINTAS; :rem 213

110	FL=0:FORA=1104T01143:POKE649,1:SS=39:	190	POKEP+CO,
	IFA% (A-1104)=0THEN170 :rem 60	200	
	NEXTA: POKE198, Ø: IFFLTHEN110 :rem 150		P(PL)=P+II
130	PRINT" [HOME] [9 DOWN] [OFF] "SPC(15)"	210	IF(S1=15)
	[BLU]GAME OVER":PRINT"{2 DOWN}"SPC(11		,160:POKE
)"{RED}PLAY AGAIN? (Y/N)" :rem 27		
140	GETA\$: IFA\$="Y"THENPRINTSPC(17)"{DOWN}	220	IF(S2=15)
	{BLK}OK":RUN :rem 235		,160:POKE
150	IFA\$="N"THENPOKE828,0:SYS828 :rem 144		
	GOT0140 :rem 101	230	P=P(PL):G0
170	FL=1:R1=RND(1):R2=(-(R1<.5)*(RND(1)*9	240	GOSUB380:
	+48)+(-(R1>=.5)*(RND(1)*26+1))		
	:rem 233	25Ø	IFQ=>9THE
180	POKEV1,33:R\$=CHR\$(R2-(R2<3Ø)*64):C=A+	260	Q=Q+1:GOT
	840: FORB=ATOCSTEPD: POKEF1, K-L*SS	270	IFLF=ØTHE
	:rem 130	280	NEXTPL: GO
190		290	GOSUB63Ø:
100	FA\$=R\$THEN220 :rem 237	70.5	":POKEP+C
200	POKEB-D, H: POKEB, R2: POKEB+F, J : rem 213	300	IFTY(PL)=
	FORTD=GTOS:NEXTTD:NEXTB:O=1:GOSUB230:	300	1111(11)
210	POKEB-D, H:A% (A-1104)=1:NEXTA:GOTO110	310	GETAS: IFA
	:rem 130	310	DA\$ <> "K"TI
220		220	Q=10:D=(A
220	Q=Ø:GOSUB23Ø:POKEB-D,H:SC=SC+SS:PRINT	320	")*-2
	"[HOME] [RED] [OFF] "SPC(20)SC:NEXTA:GOT	220	
	0110 :rem 95	330	IN(SI,PL)
230	POKEV1,129:Z=2:POKEB-D+F,2:FORT=1TO20	240	
	:rem 233	340	IFSI=15TH
240	POKEF1, Z: POKE53270, 200-7*(Q=1): POKEB-	050	
	D,42-4*(PEEK(B-D)=42) :rem 222	350	IFFL=>4TH
250	Z=Z-(Q=Ø)*2:POKE5327Ø,200:NEXT:POKEV1	-200000000	
	,128:RETURN :rem 146	360	D=INT(RND
			60
			FL=FL+1:R
		38Ø	SI=0:FORX
		200	TTT 00 mill

Squares

(Article on page 58.)

```
10 POKE53281,0:POKE53280,0:PRINT"{WHT}"
                                    :rem 198
2Ø DIMIN(15,4):FORA=984T01Ø23:POKEA,32:NE
                                     :rem 75
   DR(\emptyset) = -4\emptyset: DR(1) = 1: DR(2) = 4\emptyset: DR(3) = -1
                                     :rem 235
4Ø CL(1)=3:CL(2)=4:CL(3)=11:CL(4)=9
                                     :rem 82
   P(1)=1360:P(2)=1358:P(3)=1440:P(4)=143
   8:CO=54272
                                    :rem 150
   FORX=1TO4:P(X)=1024+INT(RND(1)*15)*2+I
   NT(RND(1)*10)*80:NEXT
                                     :rem 59
7Ø GOTO56Ø
80 PRINT" [CLR]";:FORX=1T010:FORY=1T015:PR
   INT"Q ";:NEXT:PRINT:PRINT:NEXT:rem 122
   GOSUB630: PRINTTAB(22); "[DOWN] I[DOWN]
   {2 LEFT}J+K{DOWN}{2 LEFT}M"
                                      :rem 1
100 QF=1:FORPL=1TO4:P=P(PL):CL=CL(PL):Q=0
    : FL=Ø
                                     :rem 79
                                    :rem 195
110 P1=P:GOSUB380:P2=SI:LF=0
120 GOSUB470:GOSUB630:PRINT"{2 DOWN}PLAYE
    R"PL"'S TURN"; : POKE646, CL: PRINT"
    {2 SPACES}Q{WHT}"
                                    :rem 126
130 PRINT "{21 SPACES}"
                                    :rem 101
14Ø GOSUB38Ø
                                    :rem 176
150 IN=IN(SI,PL):IFIN=0THENGOSUB290
                                    :rem 205
160 GOTO500
                                    :rem 101
170 IFABS(IN)=1THENPOKEP+IN,67:GOTO190
                                    :rem 105
180 POKEP+IN,66
                                    :rem 114
```

```
1:POKEP+CO+IN*2,CL:POKEP+IN+
                                    :rem 117
                                    :rem 201
              N*2:GOSUB41Ø
              AND (PEEK (X+D)=32) THENPOKEX+D
              X+D+CO,CL:B(PL)=B(PL)+1
              AND (PEEK (X-D)=32) THENPOKEX-D
              X-D+CO, CL:B(PL)=B(PL)+1
                                    :rem 102
                                    :rem 176
              OSIIB520
              IFP1=PANDP2=SITHENLF=1:Q=9
                                    :rem 230
              N27Ø
                                    :rem 243
              0140
                                    :rem 219
              NQF=Ø
                                     :rem 90
              T0640
                                    :rem 130
              PRINT" (3 DOWN) WHAT DIRECTION
              O,CL:POKE198,Ø
                                     :rem 95
              2THENGOSUB340:Q=10:GOTO330
                                    :rem 163
              $<>"I"ANDA$<>"M"ANDA$<>"J"AN
                                    :rem 149
              $="J")*-3+(A$="K")*-1+(A$="M
                                    :rem 183
              =DR(D):IN=IN(SI,PL):RETURN
                                    :rem 190
              HEND=INT(RND(1)*4):RETURN
                                     :rem 47
              HEND=INT(RND(1)*4):RETURN
                                     :rem 50
              (1)*4: IF(SIAND2†D)=2†DTHEN3
              ETURN
                                    :rem 113
              = \emptyset TO3: I = PEEK(DR(X) + P): rem 80
390 IFI <> 32THENSI=SI+21X
                                     :rem 10
400 NEXT: RETURN
                                    :rem 237
    S1=\emptyset:S2=\emptyset:X=(P(PL)+P)/2:IFABS(X-P)=1T
    HEND=40:GOTO430
42Ø D=1
                                     :rem 72
430 FORY=0TO3: Z=PEEK(X+DR(Y)+D): IF(Z=66)O
    R(Z=67)THENS1=S1+2Y
                                     :rem 46
440 NEXT
                                    :rem 215
    FORY=ØTO3:Z=PEEK(X+DR(Y)-D):IFZ=(66)O
450
    R(Z=67)THENS2=S2+2\Upsilon
                                     :rem 52
    NEXT: RETURN
                                    :rem 243
470 GOSUB630:PRINT"[19 SPACES]"
                                    :rem 191
480 PRINT"[18 SPACES]"
                                    :rem 109
490 PRINT" [18 SPACES] ": GOTO520
                                    :rem 120
500 IFPEEK(P+IN*2)=81THEN170
                                    :rem 117
   GOSUB630:PRINT:GOSUB480:GOSUB630:PRIN
    T" [DOWN] ILLEGAL MOVE": GOSUB290: GOTO14
                                    :rem 201
520 PRINT" [HOME] ": FORX=1T04
                                     :rem 57
530 PRINT TAB(29); PLR. "X; : POKE646, CL(X)
    :PRINT"Q{WHT}"
                                     :rem 52
540 PRINTTAB(30); B(X): NEXT
                                     :rem 80
55Ø RETURN
                                    :rem 122
560 PRINT" {CLR} {6 DOWN} {RVS} [1] "SPC(16) "S
    QUARES { WHT } "
                                       :rem 3
570 PRINT" [7 DOWN] [10 SPACES] [CYN]1. PLAY
    ER CONTROLLED
                                    :rem 131
580 PRINT" [WHT] [DOWN] [10 SPACES] [GRN] 2. C
    OMPUTER CONTROLLED
                                     :rem 69
590 FORX=1TO4
                                      :rem 34
600 PRINT" [YEL] [HOME] [10 DOWN] [8 SPACES]S
    NAKE "X" (CHOOSE 1 OR 2) [WHT]"
                                    :rem 235
610 GETAS: IFVAL(AS) > 20RVAL(AS) = 0THEN610
                                     :rem 27
620 TY(X)=VAL(A$):NEXT:GOTO80
                                     :rem 24
630 PRINT" {HOME}": FORQQ=1TO18: PRINT: NEXT:
```

	RETURN	:rem 20
640	IFQF=ØTHEN1ØØ	:rem 237
65Ø	PRINT" [CLR] [6 DOWN] "SPC(14)"	[RVS] [1]G
	AME OVER! [3 DOWN]"	:rem 130
660	FORX=1TO4:POKE 646,CL(X):PRIM	NTTAB(7)"
	{DOWN}PLAYER"X; " "B(X) " S(QUARES"
		:rem 183
67Ø	NEXT	:rem 220
68Ø	PRINT" [3 DOWN] "SPC(10)" [WHT]	ANOTHER G
	AME? (Y/N)":POKE198,0	:rem 123
	GETA\$:IFA\$="Y"THENRUN	:rem 16
700	IFA\$="N"THENPRINT"{CLR}":END	:rem 254
710	GOTO69Ø	:rem 112

Dynamic SID Editor

(Article on page 88.)

BEFORE TYPING . . .

Before typing in programs, please refer to "How To Type In COMPUTE!'s GAZETTE Programs," which appears before the Program Listings.

		480 Z=PEEK(BB)AND255-JORZ*K :rem 131 485 REM INSERT & GO BACK FOR MORE :rem 65
ØØ	GOTO1000:REM{25 SPACES}**** 16-BIT C	
	ALCULATION ***** :rem 239	49Ø POKEBB, Z:POKESID+H, Z:GOTO4ØØ:REM
	KK=PEEK(KEY):IFKK=NULLTHEN200 :rem 92	{5 SPACES}**** BIT DECODING *****
205	REM KEY PRESSED, USE VARS FOR SPEED	:rem 253
	:rem 39	700 YY=PEEK(SBUF+XX): REM VALUE OF BYTE :rem 107
210	J=BB:Z=PEEK(H+BB):HH=PEEK(SHFT)	
	:rem 142	710 Z=INT((YYANDJ)/K): REM VAL OF BIT(S) :rem 30
215	REM CUR-UP=7, CUR-LFT=2, RETURN=1	715 REM MASK VALUES SET BY CALLER: rem 183
	:rem 190	720 RETURN: REM [27 SPACES]***** BIT ENCODI
220	ONKKGOTO240,250,230,230,230,230,260	NG ***** :rem 97
	:rem 33	800 YY=YYAND255-JORZ*K:REM ENCODE :rem 91
230	RETURN: REM NO VALID KEY, KEEP VALUE	810 POKESBUF+XX, YY: REM SET BUFFER: rem 117
	:rem 87	820 POKESID+XX,YY:REM SET SID :rem 76
240	J=INT((Z+BB)*K/CC):GOTO260 :rem 232	830 RETURN: REM[27 SPACES] ***** CURSOR PLO
245	REM VRY FAST, LARGER FOR HIGHER VALS	TTER **** :rem 69
	:rem 107	900 POKECX, WX% (CT)+CL: REM WORD ROW: rem 87
25Ø	J=K:REM MODERATE INCREMENT :rem 125	910 POKECY, WY% (CT)+OFS: REM & COLUMN
26Ø	Z=PEEK(H)+Z*XX+J*((HH=AA)-(HH>AA))	
	:rem 170	920 GOTO950 :rem 113
265	REM H SET BY CALLER, ADD INCR : rem 36	930 POKECX, VX% (CT)+CL: REM VALUE ROW
266	REM INCR IS POS IF SHIFT KEY DOWN :rem 106	:rem 154
		940 POKECY, VY% (CT): REM[5 SPACES]& COLUMN
210	IFZ <aathenz=aa:rem &="" max="" min="" vals<br="">:rem 204</aathenz=aa:rem>	:rem 98
200	IFZ>ZZTHENZ=ZZ :rem 239	95Ø SYSMOVE: RETURN: REM MOVE CURSOR: rem 33
280	GOSUB930:REM POSITION CURSOR :rem 40	996 REM{34 SPACES}** MAIN ROUTINE **
290	REM PRINT VALUE IF PITCH OR FILTER	:rem 127
295	:rem 252	1000 GOSUB 50000: REM INITIALIZE
300	IFDV <> CCTHENPRINTZ" {LEFT} ":GOTO320	[10 SPACES]**** KEY INPUT ****
300	:rem 187	:rem 99
305	REM PRINT % OF DUTY CYCLE : rem 121	1100 KK=PEEK(KEY): IFKK=NULLTHEN1100
310	PRINTINT(Z/4.095)/10"{LEFT}%	:rem 188
	[2 CDACEC]" : rem 124	1105 REM KEY PRESSED, IF SHIFT IS:rem 127
315	REM PUT VALUE IN BUFFER : rem 68	1106 REM DOWN, SKIP ENTRY LEVEL CALC
320	POKEH+BB, Z/XX: POKEH, Z-INT(Z/XX)*XX	:rem 100
	:rem 211	1110 HH=PEEK(SHFT):IFHH=1THEN1500:rem 247
33Ø	IFDV>CCTHEN360:REM BRANCH FOR FLTR	1115 REM ENTRY LEVEL INTO VOICES?:rem 248
	:rem 54	1120 IFKK <f1orkk>F5THEN1500 :rem 129</f1orkk>

335 REM PUT VAL IN SID, BACK FOR MORE

355 REM FILTER IS ODD; 11-BIT VALUE

356 REM STORED 3 LOW, 8 HIGH

430 HH=PEEK(SHFT):BB=SBUF+H

CULATION *****

360 POKEYY, ZAND7: POKEYY+BB, Z/8

35Ø GOTO2ØØ

420 RETURN

460 IFZ>15THENZ=15

POS & PRNT 475 REM MASK ON TO BYTE

340 POKEYY, PEEK(H): POKEYY+BB, PEEK(H+BB)

370 GOTO200: REM[26 SPACES] **** 8-BIT CAL

400 KK=PEEK(KEY):IFKK=NULLTHEN400 :rem 96 405 REM KEY PRESSED, IS IT VALID?:rem 144 410 ONKKGOTO430,430,420,420,420,420,430

415 REM NO, RETURN WITH VALUE KEPT: rem 20

435 REM ADD INCREMENT (SAME FOR ANY

436 REM VALID KEY), POS IF SHIFT DOWN

440 Z=(PEEK(BB)ANDJ)/K+(HH=0)-(HH>0)

450 IFZ < OTHENZ = 0: REM MIN & MAX VALUES

470 GOSUB930: PRINTZ " [LEFT] [2 SPACES] ": REM

:rem 41

:rem 197

:rem 224

:rem 252

:rem 193

:rem 118

:rem 173

:rem 11

:rem 102

:rem 194

:rem 83

:rem 36

:rem 6

1125	REM CHANGE ENTRY LEVEL & CLEAR	3000	DV=4:H=EL*7+5:J=240:K=16:REM ATCK
1120	:rem 234 EL=KK-4:DV=-1:GOSUB53000:GOTO1100	2005	:rem 160
	:rem 224	3010	REM DECAY, SUSTAIN, RELEASE?:rem 209 IFKK=DTHENDV=5:J=15:K=1 :rem 191
1496	REM[33 SPACES]***** KEY DISPATCH ***	3020	IFKK=DTHENDV=5:J=15:K=1 :rem 191 IFKK=STHENDV=6:H=EL*7+6 :rem 200
1500	** :rem 149 IFKK=FTHEN2000:REM FREQUENCY :rem 47	3030	IFKK=RTHENDV=7:H=EL*7+6:J=15:K=1 :rem 227
	IFKK=PTHEN2000:REM PULSE WIDTH	3Ø35	REM RESONANCE OR VOLUME? :rem 5
1310	:rem 145		IFKK=NTHENDV=13:H=23 :rem 5
	IFKK=ATHEN3000:REM ATTACK :rem 51		IFKK=VTHENDV=14:H=24:J=15:K=1:rem 42 REM CLEAR, CALC & DISPLAY VALUES
	IFKK=DTHEN3000:REM DECAY :rem 229 IFKK=STHEN3000:REM SUSTAIN :rem 182	3033	:rem 99
	IFKK=RTHEN3000:REM RELEASE :rem 144	3Ø56	REM WHEN NON-VALID KEY PRESSED,
1560	IFKK=WTHEN4000:REM WAVEFORM :rem 253	2057	:rem 151 REM RETURN WITH VALUE INTACT :rem 15
	IFKK=GTHEN4000:REM GATE :rem 168	3060	GOSUB53020:GOSUB400:GOTO1110:REM
	IFKK=ITHEN4000:REM RING :rem 186 IFKK=YTHEN4000:REM SYNC :rem 216		{4 SPACES}**** CTRL BYTE CALCULATIO
	IFKK=QTHEN2000:REM FILTER FREQ	1000	N ***** :rem 33
	:rem 125	4000	DV=-1:GOSUB53020:REM CLEAR :rem 50 REM SET MASK VALUES :rem 149
	IFKK=NTHEN3000:REM RESONANCE :rem 38	4010	XX=4+EL*7:DV=3:J=240:REM WAVEFORM
	IFKK=VTHEN3000:REM VOLUME :rem 105 IFKK=MTHEN5000:REM MODE :rem 176		:rem 35
	IFKK=N1THEN5000:REM ASSIGN :rem 131	4020	IFKK=GTHENDV=8:J=1:REM GATE :rem 222
	IFKK=N2THEN5000 :rem 162	4040	IFKK=ITHENDV=9:J=4:REM RING :rem 244 IFKK=YTHENDV=10:J=2:REM SYNC :rem 56
	IFKK=N3THEN5000 :rem 164	4050	K=J:IFJ=240THENK=16 :rem 159
	IFKK=XTHEN5000 :rem 124 IFKK=OTHEN6000:REM OSC3 :rem 171	4055	REM GO GET VALUE FROM SID BUFFER
1690	IFKK=ETHEN6000:REM ENV3 :rem 166	AGEC	PEN PRANCE IT WANTED
1700	IFKK=TTHEN5000:REM 3 OFF :rem 158	4050	REM BRANCH IF WAVEFORM :rem 87 GOSUB700:IFDV=3THEN4110 :rem 169
		4066	REM TOGGLE VALUE :rem 243
	IFKK=F1THENGOSUB7000:GOTO1100:rem 77 IFKK=F3THENGOSUB7000:GOTO1100:rem 80	4070	$Z=-(Z=\emptyset):CL=EL*5:CT=DV$:rem 69
	IFKK=F5THENGOSUB7000:GOTO1100:rem 83	4080	IFZ=1THENPRINT" {RVS}"; : REM HIGHLIGHT
1740	IFKK <> F7ORHH=ØTHEN18ØØ: REM END?	4090	:rem 38 GOSUB53070:GOTO4190:REM DISPLAY
1750	:rem 178 GETA\$:IFA\$<>""THEN1750:REM CLR BUF		:rem 193
1730	:rem 214	4100	REM INC Ø->1,1->2,2->4,4->8,8->Ø
1760	POKESID+24,0:SYSCS:END:REM END		z=(z*2-(z=0))*-(z<8) :rem 77 :rem 31
1800	:rem 159 DV=-1:GOSUB53020:REM NO VALID KEY	4110	Z=(Z*2-(Z=Ø))*-(Z<8) :rem 31 CT=DV:CL=EL*5:GOSUB93Ø:REM MVE CRS
1000	:rem 198	4120	:rem 111
1810	GOSUB52000:GOTO1100:REM OOPS	4125	REM DISPLAY WAVEFORM : rem 45
	[8 SPACES]***** 16-BIT EVALUATION **		A\$="-":IFZ=1THENA\$="T :rem 179
2000	*** :rem 228 DV=1:IFKK=PTHENDV=2 :rem 238 IFKK=QTHENDV=12 :rem 223 REM DV:1=VOICE FREO. 2=PLS WDTH	4140	IFZ=2THENA\$="S :rem 103 IFZ=4THENA\$="P :rem 103
2010	IFKK=QTHENDV=12 :rem 223	4160	IFZ=8THENA\$="N :rem 106 PRINTA\$:rem 190
2015		4170	
2016	:rem 83 REM 12=FILTER FREQ, CLEAR OLD	4180	REM :rem 177 GOSUB800:GOTO1100:REM STORE & RTRN
	:rem 179	4190	[2 SPACES]***** FILT/MODE CALCULATIO
2017	REM VARS USED FOR SPEED :rem 115 REM ZZ=MAX VAL, H=SID REG :rem 216		N ***** :rem 136
		5000	DV=-1:GOSUB53020:REM CLEAR OLD
	GOSUB53020:XX=256:AA=0:BB=1:CC=2 :rem 134	5010	DV=15:CT=DV:CL=0:REM MODE :rem 18
2030	:rem 134 K=29:H=Ø:ZZ=65535:J=7 :rem 210		REM FILTER ASSIGNMENT? :rem 173
2040	IFDV=2THENZZ=4095:H=2 :rem 65	5020	IFKK=NlTHENDV=16:H=1:GOTO5500:rem 66
and the second second second	IFDV=12THENZZ=2047:H=21:J=0 :rem 144		IFKK=N2THENDV=17:H=2:GOTO5500:rem 70
2000	REM PRE-CALCULATE BUFFER & SID :rem 18		IFKK=N3THENDV=18:H=4:GOTO5500:rem 75 IFKK=XTHENDV=19:H=8:GOTO5500:rem 40
	REM ENTRY POINTS : rem 32	5055	REM 3 OFF? :rem Ø
	YY=SID+EL*J+H:H=SBUF+EL*J+H :rem 204	5060	IFKK=TTHENDV=22:GOTO5200 :rem 37
	REM CALC & DISPLAY VALUES :rem 208 REM ONCE A NON-VALID KEY IS FOUND	5070	IFKK=TTHENDV=22:GOTO5200 :rem 37 REM :rem 176 REM MODE INCREMENT :rem 127
2000		5000	REM MODE INCREMENT :rem 127 XX=24:J=112:K=16:GOSUB700 :rem 239
2067	REM IN SUBROUTINE, EXIT WITH KEY	5085	REM INCR Ø->1,1->2,2->4,4->Ø:rem 16Ø
2000	PEM VALUE INTRACT		REM PROGRAM MODIFICATION POSSIBLE
	REM VALUE INTACT :rem 244 GOSUB200:GOTO1110:REM[15 SPACES]****	5007	REM TO ALLOW MORE THAN ONE MODE
20,0	* 8-BIT EVALUATION ***** :rem 15	3007	:rem 63

5000		
2000	REM AT THE SAME TIME : rem 132	7130 :CL=-5*(XX=11)-10*(XX=18) :rem 92
5090	$Z=(Z*2-(Z=\emptyset))*-(Z<4)$:rem 35	7135 :REM DISPLAY AS ON/OFF :rem 63
5100	GOSUB930:REM MOVE CURSOR :rem 21	7140 :ON(Z<>1)+2GOSUB53060,53070 :rem 255
5110	AŞ=" -":IFZ=1THENAŞ="LP :rem 250	7150 :Z=-(Z=0):YY=YYAND254ORZ :rem 39
5120	TEZ=2THENAS="RP :rem 165	7155 : REM SAVE IN BUFFER : rem 112
5120	IFZ=2THENAS="BP :rem 165 IFZ=4THENAS="HP :rem 174	7160 : POKESBUF+XX.YY :rem 32
5130	TFZ=4THENAS= HP	7160 :POKESBUF+XX,YY :rem 32 7170 NEXT :rem 14
5140	PRINTAS:GOTO5550:REM DISPLAY :rem 50	7175 REM MOVE TO SID QUICKLY :rem 148
5150	REM TURN 3 OFF :rem 175	718Ø FORXX=4TO18STEP7 :rem 87
5155	REM TURN 3 OFF	
5200	CT=DV:XX=24:J=128:K=1:GOSUB700	7190 :POKESID+XX, PEEK(SBUF+XX) :rem 162
	:rem 98	7200 NEXT: RETURN: REM{21 SPACES}** INITIAL
5205	REM MASK & TOGGLE : rem 196	IZE ** :rem 218
5210	ZZ=128*-((ZANDJ)=Ø):H=1:GOTO552Ø	49995 REM * PUT IN SYSTEM ROUTINES *
	+rem 96	:rem 58
5220	REM :rem 173	49996 REM * CURSOR PLOT ROUTINE *: rem 144
5225	REM ASSIGN FILTER : rem 61	50000 MOVE=679:CX=251:CY=252 :rem 101
5500	CT=DV:XX=23:J=15:K=1:GOSUB700:rem 47	50010 FORXX=MOVETOMOVE+7 :rem 61 50020 :READYY:POKEXX,YY :rem 246
5510	ZZ=H*-((ZANDH)=Ø):REM MASK & TOGGLE	50020 :READYY:POKEXX,YY :rem 246
	:rem 17	50030 NEXT: REM{27 SPACES} INTERRUPT ROUTIN
5520	IFZZ>ØTHENPRINT"{RVS}"; :rem 202	E :rem 72 50040 FORXX=712T0760 :rem 167 50050 :READYY:POKEXX,YY :rem 249
5530	GOSUB53090:REM DISPLAY :rem 130	50040 FORXX=712TO760 :rem 167
	Z=ZANDJ-HORZZ :rem 166	50050 : READYY: POKEXX, YY : rem 249
5550	GOSUB800:GOTO1100:REM STORE & RTRN	50060 NEXT:REM{27 SPACES}***** VARIABLE A SSIGNMENT ***** :rem 59
3330	{2 SPACES}**** I/O INSERT ****	SSIGNMENT ***** :rem 59
	:rem 115	50100 KEY=203:SHFT=653:NULL=64 :rem 23
caaa	DV=-1:GOSUB53020:REM CLEAR :rem 52	
6000	REM DEFAULT TO OSC :rem 60	50105 REM PEEK(KEY)=VAL OF CURRENT: rem 22
6005		50106 REM KEY DOWN, PEEK(SHFT)>0 IF
6010	H=OS:CT=20:CL=0:IFKK=OTHEN6030	:rem 213
-	:rem 119	50107 REM SHIFT, C=, OR CTRL PRESSED: rem 35
6015	REM ENVELOPE :rem 14 H=EN:CT=21 :rem 81	50108 REM PEEK(KEY)=NULL MEANS NO KEY
6020	H=EN:CT=21 :rem 81	:rem 179
6030	J=PEEK(H):REM READ VALUE :rem 197	50110 UP=7:FA=2:LO=1:XX=0:YY=0:ZZ=0:Z=0
6035	REM VALUE SWITCH :rem 1	:rem 143
6036	REM EITHER 255 (OFF),Ø (VOICE 1,	50115 REM UP=CURSOR UP/DOWN=SLOW : rem 46
	:rem 147	50116 REM FA=CRSR LFT/RGHT=MODERATE
6Ø37	REM LOW),1 (VOICE 1, HIGH), OR 22	50117 REM LO=RETURN=FAST :rem 5
	:rem 161	50117 REM LO=RETURN=FAST :rem 5
6038	REM (FILTER FREQUENCY, HIGH): rem 202	50118 REM NO SHIFT=DOWN, SHIFT=UP:rem 255
	$J=-(J=\emptyset)-22*(J=1)-255*(J=22):rem 121$	50120 KK=0:HH=0:H=0:J=0:K=0:DV=0:CT=0
6050	POKEH, J: GOSUB930: REM SAVE & MOVE	:rem 131
	:rem 184	50125 REM KK HOLDS CURRENT KEY VALUE
CAFE	REM CALCULATE DISPLAY : rem 88	
ככשם		:rem 122
6060	$J=1-(J>\emptyset)-(J>1)-(J>22)$: rem 91	:rem 122
6060 6070	REM CALCULATE DISPLAY : rem 88 J=1-(J>0)-(J>1)-(J>22) : rem 91 PRINTMIDS("LHF-",J,1):GOTO1100	:rem 122 50126 REM HH>0 IF SHIFT DOWN :rem 37
6060 6070	PRINTMID\$("LHF-",J,1):GOTO1100	:rem 122 50126 REM HH>0 IF SHIFT DOWN :rem 37 50127 REM DV,CT,CL ARE DISPLAY VALUES
6070	PRINTMID\$("LHF-",J,1):GOTO1100 :rem 252	:rem 122 50126 REM HH>0 IF SHIFT DOWN :rem 37 50127 REM DV,CT,CL ARE DISPLAY VALUES :rem 185
6070	PRINTMID\$("LHF-",J,1):GOTO1100 :rem 252 REM[33 SPACES]***** FUNCTION KEYS **	:rem 122 50126 REM HH>0 IF SHIFT DOWN :rem 37 50127 REM DV,CT,CL ARE DISPLAY VALUES :rem 185 50130 CL=0:AA=0:BB=0:CC=0:SID=54272
6970 6996	PRINTMID\$("LHF-",J,1):GOTO1100 :rem 252 REM{33 SPACES}***** FUNCTION KEYS ** *** :rem 8	:rem 122 50126 REM HH>0 IF SHIFT DOWN :rem 37 50127 REM DV,CT,CL ARE DISPLAY VALUES :rem 185 50130 CL=0:AA=0:BB=0:CC=0:SID=54272 :rem 209
6970 6996 7000	PRINTMID\$("LHF-",J,1):GOTO1100	:rem 122 50126 REM HH>0 IF SHIFT DOWN :rem 37 50127 REM DV,CT,CL ARE DISPLAY VALUES :rem 185 50130 CL=0:AA=0:BB=0:CC=0:SID=54272 :rem 209 50135 REM OP=MOVE INTERRUPT,CS=RESTORE
6996 7000 7005	PRINTMID\$("LHF-",J,1):GOTO1100 :rem 252 REM{33 SPACES}***** FUNCTION KEYS ** *** :rem 8 DV=-1:GOSUB53020:REM CLEAR :rem 53 REM CANNOT ARRIVE HERE UNLESS:rem 58	:rem 122 50126 REM HH>0 IF SHIFT DOWN :rem 37 50127 REM DV,CT,CL ARE DISPLAY VALUES :rem 185 50130 CL=0:AA=0:BB=0:CC=0:SID=54272 :rem 209 50135 REM OP=MOVE INTERRUPT,CS=RESTORE :rem 229
6996 7000 7005	PRINTMID\$("LHF-",J,1):GOTO1100 :rem 252 REM{33 SPACES}***** FUNCTION KEYS ** *** DV=-1:GOSUB53020:REM CLEAR :rem 53 REM CANNOT ARRIVE HERE UNLESS:rem 58 REM SHIFT KEY WAS PRESSED, SO	:rem 122 50126 REM HH>0 IF SHIFT DOWN :rem 37 50127 REM DV,CT,CL ARE DISPLAY VALUES :rem 185 50130 CL=0:AA=0:BB=0:CC=0:SID=54272 :rem 209 50135 REM OP=MOVE INTERRUPT,CS=RESTORE :rem 229 50140 SBUF=MOVE+8:OP=712:CS=725 :rem 92
6976 6996 7000 7005 7006	PRINTMID\$("LHF-",J,1):GOTO1100 :rem 252 REM{33 SPACES}***** FUNCTION KEYS ** *** DV=-1:GOSUB53020:REM CLEAR :rem 53 REM CANNOT ARRIVE HERE UNLESS:rem 58 REM SHIFT KEY WAS PRESSED, SO :rem 231	:rem 122 50126 REM HH>0 IF SHIFT DOWN :rem 37 50127 REM DV,CT,CL ARE DISPLAY VALUES :rem 185 50130 CL=0:AA=0:BB=0:CC=0:SID=54272 :rem 209 50135 REM OP=MOVE INTERRUPT,CS=RESTORE :rem 229 50140 SBUF=MOVE+8:OP=712:CS=725 :rem 92 50145 REM HIGHLIGHTED KEY VALUES :rem 189
6976 6996 7006 7005 7007	PRINTMID\$("LHF-",J,1):GOTO1100 :rem 252 REM{33 SPACES}***** FUNCTION KEYS ** *** DV=-1:GOSUB53020:REM CLEAR :rem 53 REM CANNOT ARRIVE HERE UNLESS:rem 58 REM SHIFT KEY WAS PRESSED, SO :rem 231 REM F1=F2,F3=F4,F5=F6 :rem 154	:rem 122 50126 REM HH>0 IF SHIFT DOWN :rem 37 50127 REM DV,CT,CL ARE DISPLAY VALUES :rem 185 50130 CL=0:AA=0:BB=0:CC=0:SID=54272 :rem 209 50135 REM OP=MOVE INTERRUPT,CS=RESTORE :rem 229 50140 SBUF=MOVE+8:OP=712:CS=725 :rem 92 50145 REM HIGHLIGHTED KEY VALUES :rem 189 50150 F1=4:F3=5:F5=6:F7=3 :rem 87
6070 6996 7000 7005 7006 7007 7010	PRINTMID\$("LHF-",J,1):GOTO1100	:rem 122 50126 REM HH>0 IF SHIFT DOWN :rem 37 50127 REM DV,CT,CL ARE DISPLAY VALUES :rem 185 50130 CL=0:AA=0:BB=0:CC=0:SID=54272 :rem 209 50135 REM OP=MOVE INTERRUPT,CS=RESTORE :rem 229 50140 SBUF=MOVE+8:OP=712:CS=725 :rem 92 50145 REM HIGHLIGHTED KEY VALUES :rem 189 50150 F1=4:F3=5:F5=6:F7=3 :rem 87 50160 F=21:P=41:W=9:A=10:D=18:S=13:R=17
6070 6996 7000 7005 7006 7007 7010 7015	PRINTMID\$("LHF-",J,1):GOTO1100	:rem 122 50126 REM HH>0 IF SHIFT DOWN :rem 37 50127 REM DV,CT,CL ARE DISPLAY VALUES :rem 185 50130 CL=0:AA=0:BB=0:CC=0:SID=54272 :rem 209 50135 REM OP=MOVE INTERRUPT,CS=RESTORE :rem 229 50140 SBUF=MOVE+8:OP=712:CS=725 :rem 92 50145 REM HIGHLIGHTED KEY VALUES :rem 189 50150 F1=4:F3=5:F5=6:F7=3 :rem 87 50160 F=21:P=41:W=9:A=10:D=18:S=13:R=17 :rem 177
6070 6996 7000 7005 7006 7007 7010 7015	PRINTMID\$("LHF-",J,1):GOTO1100	:rem 122 50126 REM HH>0 IF SHIFT DOWN :rem 37 50127 REM DV,CT,CL ARE DISPLAY VALUES :rem 185 50130 CL=0:AA=0:BB=0:CC=0:SID=54272 :rem 209 50135 REM OP=MOVE INTERRUPT,CS=RESTORE :rem 229 50140 SBUF=MOVE+8:OP=712:CS=725 :rem 92 50145 REM HIGHLIGHTED KEY VALUES :rem 189 50150 F1=4:F3=5:F5=6:F7=3 :rem 87 50160 F=21:P=41:W=9:A=10:D=18:S=13:R=17 :rem 177 50170 G=26:I=33:Y=25:Q=62:N=39:M=36
6979 6996 7000 7005 7006 7007 7010 7015	PRINTMID\$("LHF-",J,1):GOTO1100	:rem 122 50126 REM HH>0 IF SHIFT DOWN :rem 37 50127 REM DV,CT,CL ARE DISPLAY VALUES :rem 185 50130 CL=0:AA=0:BB=0:CC=0:SID=54272 :rem 209 50135 REM OP=MOVE INTERRUPT,CS=RESTORE :rem 229 50140 SBUF=MOVE+8:OP=712:CS=725 :rem 92 50145 REM HIGHLIGHTED KEY VALUES :rem 189 50150 F1=4:F3=5:F5=6:F7=3 :rem 87 50160 F=21:P=41:W=9:A=10:D=18:S=13:R=17 :rem 177 50170 G=26:I=33:Y=25:Q=62:N=39:M=36 :rem 212
6979 6996 7009 7005 7006 7019 7015 7020 7025	PRINTMID\$("LHF-",J,1):GOTO1100	### 122 50126 REM HH>0 IF SHIFT DOWN
6979 6996 7009 7005 7006 7019 7015 7020 7025 7026	PRINTMID\$("LHF-",J,1):GOTO1100	### 122 50126 REM HH>0 IF SHIFT DOWN
6979 6996 7009 7005 7006 7019 7015 7020 7025 7026 7027	PRINTMID\$("LHF-",J,1):GOTO1100	### 122 50126 REM HH>0 IF SHIFT DOWN
6070 6996 7000 7005 7006 7010 7015 7020 7025 7026 7027 7028	PRINTMID\$("LHF-",J,1):GOTO1100	### 122 128 129 1
6070 6996 7000 7005 7006 7010 7015 7020 7025 7026 7027 7028	PRINTMID\$("LHF-",J,1):GOTO1100	### 122 ### 123 ### 124 ### 125 ### 126 ### 127 ### 127 ### 127 ### 128 #### 128 #### 128 ### 128 #### 128 #### 128 #### 128 #### 128 #### 128 #### 128 #### 128 #### 128 #### 128 #### 128 ##### 128 ##### 128 ##### 128 ###################################
6070 6996 7000 7005 7006 7010 7015 7020 7025 7026 7027 7028 7030 7040	PRINTMID\$("LHF-",J,1):GOTO1100	### 122 ### 122 ### 123 ### 124 ### 125 ### 126 ### 127 ### 127 ### 127 ### 127 ### 128 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 #### 185 #### 185 ##### 185 ##### 185 ##### 185 ##### 185 ###### 185 ###### 185 ###### 185 ######## 185 ###################################
6070 6996 7000 7005 7006 7010 7015 7020 7025 7026 7027 7028 7030 7040	PRINTMID\$("LHF-",J,1):GOTO1100	### 122 ### 122 ### 123 ### 124 ### 125 ### 126 ### 126 ### 127 ### 127 ### 127 ### 128 ### 128 ### 128 ### 128 ### 128 ### 128 ### 128 ### 128 ### 128 ### 128 ### 128 ### 128 ### 128 ### 128 ### 128 ### 128 ### 128 ### 128 ### 185 #### 185 #### 185 #### 185 #### 185 #### 185 #### 185 #### 185 #### 185 ##### 185 ###### 185 ###################################
6070 6996 7000 7005 7006 7010 7015 7020 7025 7026 7027 7028 7030 7040	PRINTMID\$("LHF-",J,1):GOTO1100	### 122 ### 122 ### 123 ### 124 ### 125 ### 126 ### 126 ### 127 ### 127 ### 127 ### 128 ### 185 #### 185 #### 185 #### 185 #### 185 #### 185 #### 185 #### 185 #### 185 ##### 185 ##### 185 ###### 185 ###### 185 ###################################
6070 6996 7000 7005 7006 7010 7015 7020 7025 7026 7027 7028 7030 7040 7095	PRINTMID\$("LHF-",J,1):GOTO1100	### 122 ### 122 ### 123 ### 124 ### 125 ### 126 ### 126 ### 127 ### 127 ### 127 ### 128 ### 128 ### 128 ### 128 ### 128 ### 128 ### 128 ### 128 ### 128 ### 128 ### 128 ### 128 ### 128 ### 128 ### 128 ### 128 ### 128 ### 128 ### 185 #### 185 #### 185 #### 185 #### 185 #### 185 #### 185 #### 185 #### 185 ##### 185 ###### 185 ###################################
6070 6996 7000 7005 7006 7010 7015 7020 7025 7026 7027 7028 7030 7040 7095	PRINTMID\$("LHF-",J,1):GOTO1100	### 122 ### 122 ### 123 ### 124 ### 125 ### 126 ### 127 ### 127 ### 127 ### 127 ### 128 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 186 ### 186 ### 186 ### 186 ### 186 ### 186 ### 186 #### 186 #### 186 #### 186 #### 186 #### 186 #### 186 #### 186 #### 186 ##### 186 ##### 186 ##### 186 ###### 186 ###################################
6070 6996 7000 7005 7006 7010 7015 7020 7025 7026 7027 7030 7040 7095 7100 7110	PRINTMID\$("LHF-",J,1):GOTO1100	### 122 ### 123 ### 124 ### 125 ### 126 ### 127 ### 127 ### 127 ### 127 ### 128 ### 127 ### 128 ###
6070 6996 7000 7005 7006 7010 7015 7020 7025 7026 7027 7030 7040 7095 7100 7110	PRINTMID\$("LHF-",J,1):GOTO1100	### 122 ### 123 ### 124 ### 125 ### 126 ### 127 ### 127 ### 127 ### 127 ### 128 ### 127 ### 128 ###
6070 6996 7000 7005 7006 7010 7015 7020 7025 7026 7027 7030 7040 7095 7100 7110	PRINTMID\$("LHF-",J,1):GOTO1100	### 122 ### 123 ### 124 ### 125 ### 126 ### 127 ### 127 ### 127 ### 127 ### 128 ### 127 ### 128 ###
6070 6996 7000 7005 7006 7010 7015 7020 7025 7026 7027 7030 7040 7095 7100 7110	PRINTMID\$("LHF-",J,1):GOTO1100	### 122 ### 122 ### 123 ### 124 ### 125 ### 126 ### 127 ### 127 ### 127 ### 127 ### 128 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 185 ### 186 ### 186 ### 186 ### 186 ### 186 ### 186 ### 186 #### 186 #### 186 #### 186 #### 186 #### 186 #### 186 #### 186 #### 186 ##### 186 ##### 186 ##### 186 ###### 186 ###################################

```
50250 : READVX%(XX), VY%(XX)
                                              52090 POKESID+24, PEEK (SBUF+24)
                                    :rem 39
                                                                                    :rem 3
                                              52100 POKESID+1, PEEK (SBUF+1)
 50260
      : READWRDS (XX)
                                    :rem 101
                                                                                  :rem 145
      NEXT: REM{ 27 SPACES} ***** DISPLAY SC
 50270
                                              52110 POKESID+5, PEEK (SBUF+5)
                                                                                  :rem 154
       REEN ****
                                    :rem 213
                                              52120 POKESID+6, PEEK (SBUF+6)
                                                                                  :rem 157
                                              52130 POKESID+4, PEEK (SBUF+4)
 50300 PRINT"[CLR][OFF][2 SPACES]SID EDITO
                                                                                  :rem 154
       R - PRESS A HIGHLIGHTED KEY: rem 120
                                                    RETURN: REM[25 SPACES] *****
                                                                                 HIGHLIGH
50310 PRINT"CRSR:[U/D]=SLOW,[L/R]=MED, [R
                                                     T CURRENT ENTRY *****
                                                                                 :rem 235
       ETURN]=FAST
                                     :rem 17
                                              52995 REM LINE 53000 CLEARS OLD VOICE
50320 FORXX=0TO10STEP5: REM VOICES 1-3
                                                                                  :rem 33
                                    :rem 235
                                              52996 REM LINE 53010 HIGHLIGHTS NEW
50325 :REM 0=F1,5=F3,10=F5
                                     :rem 93
                                                                                  :rem 233
50330 :A$=RIGHT$(STR$(2*XX/5+1),1):rem 97
                                              52997 REM LINE 53020 CLEARS OLD ENTRY
50335 : REM MOVE CURSOR
                                    :rem 51
                                                                                  :rem 65
50340 :CT=0:CL=XX:OFS=-3:GOSUB900
                                     :rem 2
                                              52998 REM LINE 53040 HIGHLIGHTS NEW
50345 : REM PRINT "VOICE"
                                    :rem 102
                                                                                  :rem 238
50350 : PRINT" {WHT}F"A$" [7] "WRD$(0)XX/5+1
                                              52999 REM
                                                                                  :rem 246
                                    :rem 152
                                              53000 CT=0:CL=5*OEL*-(CT<11):GOSUB53070
50355 : REM Z DETERMINES DISPLAY TYPE
                                                                                 :rem 215
                                    :rem 194
                                                                                 :rem 108
                                              53005 REM CL=ROW OFFSET
50360 :FORYY=1T010:Z=1-(YY<8)-(YY=3)
                                              53010 CL=5*EL*-(DV<11):GOSUB53060 :rem 77
                                   :rem 137
                                              53020 CT=ODV:CL=5*OEL*-(CT<11)
                                                                                 :rem 217
50370 : CT=YY:OFS=0:GOSUB900
                                   :rem 161
                                              53Ø3Ø GOSUB53Ø7Ø
                                                                                 :rem 122
50380 : PRINTWRD$(YY)" "MID$(" 0-",Z,1)
                                              53040 OEL=EL:ODV=DV
                                                                                 :rem 164
                                   :rem 242
                                              53050 CT=ODV:CL=5*OEL*-(CT<11)
                                                                                 :rem 220
50390 :NEXT
                                   :rem 122
                                              53060 PRINT" (RVS)";
                                                                                  :rem 28
50400 NEXT
                                    :rem 56
                                              53065 REM NO CHANGE FOR THESE VALUES
50410 REM
                                   :rem 222
                                                                                  :rem 90
50415
      REM FILTER & VOLUME STUFF
                                    :rem 47
                                              53066 REM GATE, RING, ETC
                                                                                 :rem 109
      CT=11:CL=0:GOSUB900
                                   :rem 186
                                                                                 :rem 149
                                              53070 IFCT < OORCT > 14THEN 53110
50430 PRINTWRD$(11)
                                    :rem 77
                                              53080 IFCT=30RCT=11THEN53110
                                                                                 :rem 150
50440 FORXX=12TO22:IFXX<>16THEN50460
                                              53090 GOSUB900: REM PLOT
                                                                                 :rem 119
                                   :rem 195
                                              53100 PRINT WRD$(CT)
                                                                                 :rem 127
50445 : REM ADDITIONAL PROMPT
                                   :rem 219
                                              53110 PRINT" [OFF]";:RETURN: REM[15 SPACES]
50450 :PRINT" [13 SPACES] ASSIGN FILTER
                                                     ***** PROGRAM DATA *****
                                                                                 :rem 166
                                   :rem 114
                                              59998 REM CURSOR MOVE ROUTINE
                                                                                  :rem 55
50455
     :REM AS=DEFAULT DISPLAY
                                   :rem 222
                                              59999 REM
                                                                                 :rem 253
50460 :A$="":IFXX<15THENA$=" 0
                                    :rem 93
                                              60000 DATA24,166,251,164,252,76,240,255
50470 :IFXX=150RXX=200RXX=21THENAS=" -
                                                                                 :rem 178
                                    :rem 29
                                              60096 REM
                                                                                 :rem 233
50480 :CT=XX:GOSUB900:REM MOVE CURSOR
                                              60097
                                                    REM
                                                                                 :rem 234
                                    :rem 69
                                              60098 REM INTERRUPT ROUTINE
                                                                                 :rem
                                                                                      222
50490 :PRINTWRD$(XX)A$
                                    :rem 64
                                              60099 REM
                                                                                 :rem 236
50500 NEXT: PRINT
                                     :rem Ø
                                              60100 DATA120,169,226,141,20,3,169
50510 PRINT" {WHT}F2E73=TOGGLE {WHT}F4E73
                                                                                 :rem 177
      =ALL OFF {WHT}F6[7]=ON/OFF {WHT}F8
                                              60110 DATA2, 141, 21, 3, 88, 96, 120, 169
      £7}=QUIT";
                                   :rem 195
50515 REM DISPLAY VALUES DEFAULT : rem 207
                                              60120 DATA49,141,20,3,169,234,141:rem 130
50520
     EL=Ø:OEL=EL:DV=-1:ODV=DV
                                    :rem 75
                                              60130 DATA21,3,88,96,166,253,48,6:rem 150
      REM[32 SPACES] ***** INSERT
50598
                                  I/O INTO
                                              60140 DATA173,27,212,157,0,212,166
       INTERRUPT *****
                                                                                 :rem 181
     POKEEN, 255: POKEOS, 255: SYSOP :rem 48
50600
                                              60150 DATA254,48,6,173,28,212,157:rem 146
50996 REM[32 SPACES] ***** CLEAR SID & BUF
                                              60160 DATA0,212,76,49,234
                                                                                 :rem 255
      FER ****
                                   :rem 188
                                              62992 REM
                                                                                 :rem 240
51000
      FORXX=SIDTOSID+28
                                   :rem 194
                                              62993 REM
                                                                                 :rem 241
51020
      : {2 SPACES}POKEXX,Ø
                                   :rem 109
                                              62994 REM SCREEN DISPLAY DATA
                                                                                 :rem 226
51030
     : {2 SPACES}POKESBUF+XX-SID, Ø
                                              62995 REM
                                                                                 :rem 243
                                   :rem 214
                                              62996 REM WORD START X, WORD START Y,
51040 NEXT
                                    :rem 57
     RETURN: REM[25 SPACES]*****
                                                                                 :rem 145
51050
                                   ERROR BU
                                              62997 REM VALUE START X, VALUE START Y,
      ZZ ****
                                    :rem 72
52000 POKESID+23,0:REM NO FILTER :rem 115
                                                                                  :rem 20
                                              62998 REM WORD
52010 POKESID+24,15:REM FULL VOL :rem 108
                                                                                  :rem 50
                                              62999 REM
52020 POKESID+1,10:REM VOICE
                                                                                 :rem 247
                                   :rem 182
                                              63000 DATA3,4,3,4, VOICE
52030 POKESID+5,0:REM NO A/D
                                                                                   :rem 7
                                    :rem 52
                                              63010 DATA3,13,3,23," [WHT] FE7] REQUENCY:
52040 POKESID+6,240:REM FULL SUS
                                   :rem 121
52050 POKESID+4,0:REM GATE OFF
                                   :rem 224
                                                                                 :rem 160
52060 POKESID+4,33:REM SAW ON
                                              63020 DATA4,13,4,23," [WHT] PE73LS WIDTH:
                                   :rem 163
52070 FORXX=1TO80:NEXT:REM DELAY
                                    :rem 20
                                                                                  :rem 96
52075 REM RESTORE OLD VALUES
                                   :rem 186
                                              63030 DATA5, 14, 5, 24, "{WHT}WE7 AVEFORM:
52080 POKESID+23, PEEK(SBUF+23)
                                     :rem Ø
                                                                                  :rem 93
```

63040 DATA3,30,3,37,"[WHT]AE7]TTACK:
:rem 173
63050 DATA4,31,4,37,"{WHT}DE73ECAY:
:rem 95
63060 DATA5,29,5,37,"{WHT}SE73USTAIN:
:rem 42
63070 DATA6,29,6,37,"{WHT}RE7]ELEASE:
:rem 7
63080 DATA6,13,6,13,"{WHT}GE7]ATE:rem 225
63090 DATA6,18,6,18,"R{WHT}IE73NG:rem 251
63100 DATA6,23,6,23,"S{WHT}YE7]NC:rem 248
63110 DATA19,1,19,1,FILTER/OUT :rem 232
63120 DATA19,13,19,23, "FRE{WHT}QE7]UENCY:
:rem 16
63130 DATA20,13,20,23, "RESO(WHT)NE7]ANCE:
:rem 237
63140 DATA19,30,19,37,"{WHT}VE73OLUME:
:rem 60
63150 DATA20,32,20,37,"{WHT}ME73ODE:
:rem 124
63160 DATA21,27,21,27," [WHT]1[7] :rem 84
63170 DATA21,29,2,29,"{WHT}2[7] :rem 41
63180 DATA21,31,21,31,"{WHT}3[7] :rem 78
6319Ø DATA21,33,21,33,"E{WHT}XE7]T:rem 17
63200 DATA22,13,22,18,"{WHT}0[7]SC3
:rem 51
63210 DATA22,21,22,26,"{WHT}EE7]NV3
:rem 54
63220 DATA22,29,22,29,"[WHT]TE7]URNOFF 3
:rem 125
63230 REM[32 SPACES] *** END OF PROGRAM **
* :rem 98

The Freeze Factory

(Article on page 54.)

BEFORE TYPING ...

Before typing in programs, please refer to "How To Type In COMPUTE!'s GAZETTE Programs," which appears before the Program Listings.

Program 1: The Freeze Factory—VIC Version

10	HS=Ø :rem 105
20	EG=Ø:RESTORE:GOTO47Ø :rem 199
30	POKEDD, 127:IF((PEEK(P1)AND8)=.)THEND=W
	:GOTO170 :rem 202
40	IF((PEEK(P1)AND16)=.)THEND=-T:G=2:GOTO
	170 :rem 93
50	IF((PEEK(P1)AND4)=.)THEND=-W:GOTO17Ø
	:rem 62
6Ø	IF((PEEK(P2)AND128)=.)THEND=T:G=.:GOTO
	17Ø :rem 99
70	FORA=.TO3:IFZ>E(A)THENIFPEEK(E(A)+W)=N
	THENI=W:GOTO9Ø :rem 8
80	IFZ < E(A) THENIFPEEK (E(A) - W) = NTHENI = - W
	:rem 183
90	IFZ>E(A)THENIFPEEK(E(A)+T)=NTHENI=T:GO
	TO110 :rem 138

```
100 IFZ<E(A)THENIFPEEK(E(A)-T)=NTHENI=-T
110 IFPEEK(E(A)+I)=NTHENPOKEE(A),N:E(A)=E
    (A)+I:POKEE(A)+C,T:POKEE(A),5:rem 132
                                    :rem 201
120 IFE(A)+I=ZTHEN240
                                    :rem 115
130 POKEE(A), 4:NEXT
140 HH=HH+1:IFHH>HTTHENHH=.:H=H-1:IFH<0TH
                                     :rem 86
150 PRINT" [HOME] [DOWN] [10 RIGHT] [RVS]"; H;
                                     :rem 94
    "{LEFT} "
                                     :rem 51
160 GOTO30
170 POKEV-3,245:IFPEEK(Z+D)=NTHENPOKEZ,N:
    Z=Z+D:POKEZ+C,7:POKEZ,G:POKEV-3,.:GOT
18Ø POKEV-3, .: IFPEEK(Z+D)=6ANDPEEK(Z+D*2)
                                     :rem 76
    <>NTHEN22Ø
190 IFPEEK(Z+D)=6ANDPEEK(Z+D*2)=NTHENQQ=Z
                                    :rem 178
    +D:GOTO310
200 IFPEEK(Z+D)<6THEN240
                                    :rem 151
                                     :rem 51
21Ø GOTO7Ø
220 FORA=.TO3:POKEZ+D,8:POKEV-T,152:POKEZ
    ,G:POKEZ+D,9:POKEV-T,175:POKEZ,G+T:NE
                                    :rem 155
230 POKEZ+D, N: POKEV-T, .: S=S+10: PRINT"
    {HOME} {RVS} > "; S: GOTO70
24Ø FORY=.TO15:POKEZ,G+T:POKEV-T,161:POKE
    E(A),4:POKEZ,G:FORO=1TO20:NEXT:POKEE(
    A),5
250 NEXT: POKEV-T, .: FORY=.TO15: POKEV, Y: POK
    EV-T, 245: FORO=1TO25: NEXT: NEXT: POKEV-T
                                     :rem 29
260 SH=SH-1:PRINT" [HOME] [2 DOWN] [3 LEFT]
    {RVS}";SH"{LEFT} ":IFSH=.THEN280
                                    :rem 225
                                     :rem 53
27Ø GOTO3Ø
280 POKEZ, N
                                    :rem 157
290 PRINT" [HOME] [11 DOWN] [6 RIGHT] [RVS]
    {WHT}GAME OVER":PRINT"{9 DOWN}{RVS}
    {3 SPACES}PRESS {CYN}FIREBUTTON";
                                    :rem 116
300 WAIT37137,32,32:GOTO20
                                    :rem 196
310 POKEV-3, 200: POKEV-3, 220: POKEQQ, N:QQ=Q
                                    :rem 197
    Q+D
320 IFPEEK(QQ)=NTHENPOKEQQ+C,3:POKEQQ,6:G
                                      :rem 8
    OT0310
330 POKEV-3, .: IFPEEK(QQ) <6THENPOKEQQ+C, 3:
    POKEQQ, 6:S=S+1000:PRINT" [HOME] [RVS] > "
                                    :rem 114
    ; S:GOTO350
34Ø QQ=QQ-D:POKEQQ+C,3:POKEQQ,6:GOTO3Ø
                                    :rem 164
350 FORY=240TO255:POKEV-2,Y:POKEV-2,.:NEX
                                    :rem 126
360 FORA=.TO9:POKEQQ+C,T:POKEQQ,11:POKEV-
    4,235:POKEZ,G+T:POKEQQ,10:POKEZ,G:POK
                                    :rem 224
    EV-3,200
370 POKEV-4, .: NEXT: POKEQQ, 4: POKEV-3, .: EG=
                                    :rem 179
    EG+1:IFEG>3THEN390
38Ø GOTO3Ø
390 EG=.:FORY=128TO255:POKEV-3,Y:NEXT:POK
    EZ, N: FORA=. TO3: POKEE(A), N: NEXT: Z=7910
                                    :rem 246
400 FORY=.TO3:FORO=240TO255:POKEV-3,O:FOR
    A=1TO20:NEXT:NEXT:NEXT:POKEV-3,.
410 FORY=8141TO7702STEP-1:IFPEEK(Y)=6THEN
    POKEY+C, T: POKEV-4, 240: POKEY+C, 3:S=S+2
                                    :rem 189
420 POKEV-4, .: PRINT" [HOME] [RVS] > "; S:H=60:
    NEXT: FORY=140TO255: POKEV-3, Y: NEXT: POK
    EV-3, .: POKEZ, G
                                    :rem 199
430 POKEZ+C,7:HT=HT-T:IFHT<1THENHT=1
                                     :rem 44
```

440	SH=SH+T:PRINT"[HOME][2 DOWN][3 LEFT]	40	EG=Ø:RESTORE:GOTO52Ø :rem 197
	[RVS]"; SH:LV=LV+1:PRINT"[HOME][DOWN]	50	IF((PEEK(P1)AND2)=.)THEND=W:GOTO190
	[3 LEFT] [RVS]"; LV :rem 149	3.0	:rem 17
150	FORY=1T010:B=7768+INT(RND(T)*352):IFP	ca	
450	FURI-11010:B-7708+1N1(RND(1)-332):1FP	99	IF((PEEK(P1)AND4)=.)THEND=-T:G=2:GOTO1
	EEK(B)=NANDB<>ZTHENPOKEB+C,3:POKEB,6		90 :rem 46
	:rem 3	7Ø	IF((PEEK(P1)AND1)=.)THEND=-W:GOTO190
460	NEXT: POKEV-2,144:S=S+(H*10):PRINT"		:rem 63
	[HOME] [RVS] > "; S: POKEV-2, .: GOTO30	80	IF((PEEK(P1)AND8)=.)THEND=T:G=.:GOTO19
	:rem 114		Ø :rem 3
170	POKE36869,240:PRINT"[CLR][5 DOWN]	90	FORA=.TO3:IFZ>E(A)THENIFPEEK(E(A)+W)=N
470	[RIGHT][BLK][RVS]THE FREEZE FACTORY!!		THENI=W:GOTO110 :rem 51
		100	
	[OFF]" :rem 220	100	IFZ <e(a)thenifpeek(e(a)-w)=ntheni=-w< th=""></e(a)thenifpeek(e(a)-w)=ntheni=-w<>
480	PRINT" [3 DOWN] [7 RIGHT] SCORE: ": PRINT"		:rem 224
	{DOWN} {7 RIGHT} "S: IFS>HSTHENHS=S	110	IFZ>E(A)THENIFPEEK(E(A)+T)=NTHENI=T:G
	:rem 170		OTO13Ø :rem 181
490	S=0:PRINT"{2 DOWN}{5 RIGHT}HIGH SCORE	120	IFZ < E(A) THENIFPEEK(E(A)-T)=NTHENI=-T
130	:":PRINT"[DOWN] [7 RIGHT]"HS :rem 115		:rem 220
FAA	POKE36879, 28: PRINT" [4 DOWN] [RVS]	130	IFPEEK(E(A)+I)=NTHENPOKEE(A), N:E(A)=E
ששכ	(0 proum) paper (pru) prop (pru) mo prav		(A)+I:POKEE(A)+C,T:POKEE(A),5:rem 134
	[2 RIGHT]PRESS [BLU]FIRE[BLK] TO PLAY	3.40	TEP(1) IT GENERAL AND THE CANAL CONTRACT OF
	" :rem 65	140	IFE(A)+I=ZTHEN260 :rem 205 POKEE(A),4:NEXT :rem 117
51Ø	WAIT37137,32,0:WAIT37137,32,32:rem 83	150	POKEE(A),4:NEXT :rem 117
520	POKE52, 28: POKE56, 28: POKE51, .: POKE55, .	160	HH=HH+1:IFHH>HTTHENHH=.:H=H-1:IFH<ØTH
	:FORX=7424TO7432:POKEX, .: NEXT :rem 17		EN310 :rem 82
530	FORX=7168TO7263:READD:POKEX,D:NEXT:V=	170	PRINT" (HOME) (DOWN) [18 RIGHT]"; H; "
	36878:POKEV-9,255:POKEV,15:T=1:W=22:P		{LEFT} " :rem 54
	OKEV+T,8 :rem 142	180	{LEFT} " :rem 54 GOTO50 :rem 55
FAG	PRINT" (CLR) (WHT) (RVS) > Ø":PRINT"		POKEU2, 40: IFPEEK(Z+D)=NTHENPOKEZ, N:Z=
540		190	POREUZ, 40: IFPEER (Z+D)=NTHENPOREZ, N:Z=
	[8 LEFT] [RVS] LEVEL 1":PRINT" [6 RIGHT]		Z+D:POKEZ+C,7:POKEZ,G:POKEU2,.:GOTO23
_	{RVS}TIME: 60":C=30720 :rem 128		Ø :rem 91
550	FORA=TTO50: POKEV-2, 240: B=7768+INT(RND	200	POKEU2, .: IFPEEK(Z+D)=6ANDPEEK(Z+D*2) <
	(T)*352):POKEB+C,3:POKEB,6:POKEV-2,.:		>NTHEN240 :rem 24
	NEXT :rem 250	210	IFPEEK(Z+D)=6ANDPEEK(Z+D*2)=NTHENQQ=Z
560	FORA=7746TO7767:POKEA,7:POKEA+C,4:NEX		+D:GOTO350 :rem 175
	T:FORA=7768T0812ØSTEPW:POKEA+C,4:POKE	220	IFPEEK(Z+D)<6THEN260 :rem 155
	A,7 :rem 85		GOTO90 :rem 55
570	POKEA+21,7:POKEA+21+C,4:NEXT:FORA=812		FORA=.TO3:POKEZ+D,8:POKEU1,152:POKEZ,
	1TO8140:POKEA+C, 4:POKEA, 7:NEXT:rem 85	2.10	G:POKEZ+D,9:POKEU1,175:POKEZ,G+T:NEXT
500	FORA=.TO15:POKEV, A:POKEV-4, 225:FORY=1		
300	TO75:NEXT:NEXT:POKEV-4,. :rem 173	250	:rem 251
		250	POKEZ+D, N: POKEU1, .: S=S+10: PRINT"
590	N=32:P1=37151:P2=37152:DD=37154:Z=791	100.000	{HOME}{YEL}>{WHT}";S:GOTO90 :rem 100
	Ø:H=60:SH=3:E(.)=7902:E(T)=7914:E(2)=	260	FORY=1TO15:POKEZ,G+T:POKEU1,161:POKEE
	7800 :rem 226	0000000	(A),4:POKEZ,G:FORO=1TO20:NEXT:rem 233
600	E(3)=7998:POKEZ+C,7:POKEZ,.:HT=4:LV=1	27Ø	POKEE(A),5 :rem Ø
	:rem 191	280	NEXT: POKEU1, .: FORY=1TO15: POKEV, Y: POKE
610	PRINT" [HOME] {2 DOWN } {4 LEFT } {YEL } @		U1,245:FORO=1TO25:NEXT:NEXT:POKEU1,.
	[WHT] {RVS}"; SH: GOTO30 :rem 178		
620	PRINT"[HOME][2 DOWN][4 LEFT][YEL]@	200	:rem 48 SH=SH-1:PRINT"{HOME}{2 DOWN}{3 LEFT}
020		250	[OFF] "- CH! (TREE) " TREE
620			[OFF]";SH"{LEFT} ";:IFSH=.THEN310
030	DATA62,120,119,112,28,96,88,54,62,120		:rem 153
	,127,60,112,120,48,28,124,30,238,14,5	- French Car	GOTO5Ø :rem 49
	6,6,26 :rem 84		POKEZ, N :rem 151
640	DATA108,124,30,254,60,14,30,12,56,60,	320	PRINT" {HOME } {11 DOWN } {RIGHT}
	90,36,24,60,90,36,102,60,90,36,90,60,		[14 SPACES] [RVS] [WHT] GAME OVER[OFF]
	24,36,195 :rem 220		[13 SPACES]" :rem 80
650	DATA126,195,153,165,165,153,195,126,2	220	
	04,51,204,51,204,51,204,51,0,34,0,136	330	PRINT" {12 DOWN } {RVS } {12 RIGHT } E1 PRES
	,0,34,0 :rem 111	- Complete	S FIREBUTTON"; :rem 236
660	DATA136,68,Ø,17,Ø,68,Ø,17,Ø,Ø,24,6Ø,1	340	WAIT56320,16,16:GOTO40 :rem 201
300	26 210 210 126 60 0 0 0 17,0,0,24,00,1	35Ø	POKEU2, 100: POKEU2, 120: POKEQQ, N:QQ=QQ+
	26,219,219,126,60,0,0,60,126,255,153,		D :rem 105
	126,60 :rem 59	360	IFPEEK(QQ)=NTHENPOKEQQ+C,3:POKEQQ,6:G
			OTO35Ø :rem 16
		370	POKEU2, .: IFPEEK(QQ) <6THENPOKEQQ+C, 3:P
Pro	gram 2: The Freeze Factory—64		OKEQQ,6:S=S+1000:PRINT"(HOME) (YEL)>
	sion		
		380	QQ=QQ-D:POKEQQ+C 3:POKEQQ 6:COTQ50

10 PRINT" [CLR] [12 DOWN] "SPC(14) "PLEASE WA

20 POKE56334,0:POKE1,51:A=2047:B=12288:C=

30 FORI=.TOA:POKEI+B, PEEK(I+C):NEXT:POKE1

53248

,55:POKE56334,1

IT": POKE53272, 28: POKE56, 48: CLR: rem 233

:rem 33

:rem 206

390 FORY=120TO135:POKEU2,Y:NEXT:POKEU2,.

400 FORA=.TO9:POKEQQ+C,T:POKEQQ,11:POKEU2

,135:POKEZ,G+T:POKEQQ,10:POKEZ,G

:rem 170

:rem 32

:rem 205

		To the Co	
410	POKEU2,100:POKEU2,.:NEXT:POKEQQ,4:POK EU2,.:EG=EG+1:IFEG>3THEN430 :rem 247		,127,60,112,120,48,28,12
420	GOTO50 :rem 52	730	DATA56,6,26
430	EG=.:FORY=64T0128:POKEU2,Y:NEXT:POKEZ	740	DATA108,124,30,254,60,14
	, N:FORA=.TO3:POKEE(A), N:NEXT:Z=1524		90,36,24,60,90,36,102,60
202192	:rem 139	750	217167 24 26 105
440	FORY=.TO3:FORO=35TO55:POKEU2,O:FORA=1	750	DATA60,24,36,195 DATA126,195,153,165,165,
450	TOIØ:NEXT:NEXT:POKEU2, :rem 47	700	Ø4,51,2Ø4,51,2Ø4,51,2Ø4,
	FORY=1902TO1185STEP-1 :rem 238 IFPEEK(Y)=6THENPOKEY+C,T:POKEU2,120:F		64,51,264,51,264,51,264,
400	ORTD=1TO25:NEXT:POKEY+C,3:S=S+25	770	DATA136,0,34,0
	:rem 167		DATA136,68,0,17,0,68,0,1
470	POKEU2, .: PRINT" [HOME] [YEL] > [WHT] "; S:H		26,219,219,126,60,0,0,60
	=60:NEXT:FORY=5TO25:POKEU2,Y:NEXT:POK		the many the centre of the centre
	EU2,.:POKEZ,G :rem 58	790	DATA153,126,60
480	POKEZ+C,7:HT=HT-T:IFHT<1THENHT=1		
1000000000	:rem 49		
490	SH=SH+T:PRINT"{HOME}{2 DOWN}{3 LEFT}";SH:LV=LV+1:PRINT"{HOME}{DOWN}		
	{3 LEFT}";LV :rem 118	C	TROOM 40
500	FORY=1TO10:B=1184+INT(RND(T)*700):IFP	20	reen-40
500	EEK(B)=NANDB<>ZTHENPOKEB+C,3:POKEB,6		
	:rem 238	14.11	1
51Ø	NEXT: POKEU2, 72: S=S+(H*10): PRINT"	(Arti	cle on page 92.)
	[HOME] [YEL] > [WHT] "; S: POKEU2, .: GOTO50		STATE OF STREET
	:rem 117	- 112	BEFORE TYPING
520	POKE53281,1:POKE53272,21:PRINT"{CLR} {5 DOWN}{RIGHT}{CYN}{RVS}{9 RIGHT}THE		
	FREEZE FACTORY!![OFF][BLK]" :rem 5		fore typing in programs, please
530	PRINT" (3 DOWN) "SPC(17-LEN(STR\$(S))/2)		ow To Type In COMPUTE!'s C
	"SCORE: "S:IFS>HSTHENHS=S :rem 86		ograms," which appears before
540	S=0:PRINT"[3 DOWN]"SPC(15-LEN(STR\$(HS	Lis	stings.
))/2)"HIGH SCORE:"HS :rem 176		
550	POKE53280,4:PRINT"{7 DOWN}{RVS} {11 RIGHT}PRESS £13FIRE{BLK} TO PLAY"	See in	nstructions in article before ent
	:rem 155	progr	
560	FORA=54272T054296:POKEA, Ø:NEXT:V=5429		
	6:U1=54273 :rem 9	8192	:120,076,069,032,065,048
57Ø	U2=54280:POKE54277,17:POKE54284,17:PO	8198	:195,194,205,000,002,004

:rem 225

:rem 157

:rem 174

:rem 140

:rem 224

:rem 91

:rem 33

:rem 123

:rem 236

:rem 202

:rem 174

:rem 162

:rem 203

:rem 2

	,127,60,112,120,48,28,124,	30,238,14
		:rem 199
730	DATA56,6,26	:rem 21
740	DATA108, 124, 30, 254, 60, 14, 3	0,12,56,60,
	90,36,24,60,90,36,102,60,9	
		:rem 89
75Ø	DATA60, 24, 36, 195	:rem 14
76Ø	DATA126,195,153,165,165,15	3,195,126,2
	04,51,204,51,204,51,204,51	,0,34,0
		:rem 96
77Ø	DATA136,0,34,0	:rem 157
780	DATA136,68,0,17,0,68,0,17,	0,0,24,60,1
	26,219,219,126,60,0,0,60,1	
	Seal more that confirm is in the seal	:rem 34
THE REAL PROPERTY.	DATA153,126,60	:rem 170

se refer to GAZETTE e the Program

itering this

```
8,154
                            14,094
8204 :016,018,022,255,155,129,095
8210 :100,173,190,164,255,162,038
8216 :000,160,044,024,032,156,184
8222 :255,169,040,141,136,002,005
     :120,032,138,255,160,005,234
8228
     :190,009,032,185,016,032,250
8234
     :157,020,003,169,032,157,074
8240
     :021,003,136,016,239,032,245
8246
     :249,253,088,076,030,033,021
8252
8258 :032,141,253,032,023,032,067
8264 : 032, 091, 228, 032, 164, 227, 078
8270 :165,043,164,044,032,008,022
    :196,169,216,160,032,032,121
8276
8282 :030,203,169,055,032,013,080
8288 :228,076,129,227,072,138,198
8294 :072,152,072,173,029,145,233
8300 :016,037,045,030,145,170,039
8306 :041,002,208,003,076,222,154
8312 :254,044,017,145,032,234,078
8318 :255,032,225,255,208,006,083
8324 : 032, 036, 032, 108, 002, 192, 022
8330 :169,014,141,119,002,169,240
8336 :001,133,198,104,168,104,084
8342 :170,104,064,234,234,032,220
8348 :234,255,032,000,033,076,018
8354 :239,234,165,153,201,003,133
8360 :240,014,076,245,241,165,125
8366 :153,208,003,076,166,036,048
8372 :201,003,208,003,076,158,061
8378 :036,076,042,242,072,165,051
8384 :154,201,003,208,013,173,176
8390 :141,002,240,004,201,003,021
```

{WHT}";SH

[WHT]"; SH: GOTO 50

KE54278, 255: POKE54285, 255

590 WAIT56320,16,0:WAIT56320,16,16:rem 87

600 PRINT" {CLR}": POKE53281,0:FORX=12544TO

61Ø FORX=12288T012383:READD:POKEX,D:NEXT:

620 T=1:W=40:PRINT" (CLR) (YEL) > (WHT) 0":PO

PRINT" [8 LEFT] [RVS] [GRN] LEVEL [WHT]

640 FORA=TTO70:POKEU2,20:B=1184+INT(RND(T

65Ø FORA=1144T01183:POKEA, 7:POKEA+C, 4:NEX

660 POKEA, 7: POKEA+39, 7: POKEA+39+C, 4: NEXT:

670 FORA=1T015:POKEV, A:POKEU2, 5:FORY=1T07

68Ø N=32:P1=5632Ø:Z=1524:H=6Ø:SH=3:E(.)=1

690 E(3)=1204:POKEZ+C,7:POKEZ,.:HT=4:LV=1

700 PRINT" [HOME] [2 DOWN] [4 LEFT] [YEL] @

710 PRINT" [HOME] {2 DOWN} {4 LEFT} {YEL} @

720 DATA62,120,119,112,28,96,88,54,62,120

T:FORA=1184T01904STEPW:POKEA+C,4

{OFF} 1":PRINT"{14 RIGHT}{RVS}E13TIME

)*700):POKEB+C,3:POKEB,6:POKEU2,.:NEX

FORA=1905TO1943:POKEA+C,4:POKEA,7:NEX

58Ø POKE54276,129:POKE54283,33

[OFF] [WHT] 60":C=54272

5:NEXT:NEXT:POKEU2,.

510:E(T)=1534:E(2)=1724

12561: POKEX, .: NEXT

POKE53272,28

KEV, 15

T

8822 :213,202,076,159,033,165,198 8396 :144,247,104,076,215,035,001 8402 :076,133,255,234,234,234,096 8828 :172,072,165,173,072,162,172 8834 :024,202,032,159,033,228,040 8408 :083,067,082,069,069,078,152 8414 : 045, 052, 048, 032, 032, 032, 207 8840 :242,144,014,240,012,189,209 8420 :032,032,032,032,032,032,164 8846 :015,038,133,172,181,216,129 8426 :032,032,032,032,032,032,170 8432 :032,032,032,032,032,032,176 8852 :032,027,035,048,234,032,044 8858 : 050,035,162,022,228,242,125 8438 :032,032,032,032,032,032,182 8864 :144,015,181,218,041,127,118 8444 :032,032,013,000,165,204,186 8870 :180,217,016,002,009,128,206 8876 :149,218,202,208,237,166,072 8450 :208,025,198,205,208,021,099 8456 :164,211,177,209,078,134,213 8882 :242,032,106,034,104,133,061 8462 :002,176,005,238,134,002,059 8888 :173,104,133,172,096,165,003 8468 :169,160,032,093,035,169,166 8894 :172,072,165,173,072,162,238 8474 :032,133,205,096,162,007,149 8900 :017,134,244,162,022,134,141 8480 :134,205,189,208,037,157,194 8906:173,160,000,132,243,132,018 8912 :172,177,172,145,243,200,037 8486 : 052, 003, 189, 216, 037, 157, 180 :137,002,202,016,241,138,012 8492 8918 : 208, 249, 230, 244, 232, 224, 065 8498 :157,240,015,202,224,015,135 8924 :032,208,234,162,255,232,063 8504 :208,247,189,192,037,157,062 8930 :224,016,240,028,032,159,157 :000,144,202,016,247,142,045 851Ø 8936 : 033,022,217,024,180,225,165 8516 :145,002,162,003,134,154,156 8942 :016,001,056,118,217,189,067 8522 :160,000,132,153,140,134,025 8948 :024,038,133,172,152,009,004 8528 :002,140,135,002,032,096,231 :128,149,225,032,027,035,078 8534 :037,173,136,002,009,128,059 8960 :048,223,032,050,035,232,108 8540 :168,169,000,170,148,217,196 8966 : 224,024,208,248,165,201,052 8546 :024,105,040,144,001,200,100 8972 :233,008,133,201,006,217,042 8552 :232,224,024,208,243,169,180 8978 : 056, 102, 217, 162, 016, 134, 193 8558 : 255,149,217,202,032,050,247 8984 :214,144,155,041,003,013,082 8564 :035,202,016,250,169,000,020 8990 :136,002,133,173,160,039,161 8570 :133,211,133,214,165,211,165 8996 :177,172,145,209,144,004,119 8576 : 056, 233, 040, 144, 002, 133, 224 9002 :032,093,035,056,136,016,154 :211,166,214,165,211,180,001 9008 :243,096,032,159,033,160,003 8588 :217,048,006,024,105,040,068 9014 :039,169,032,145,209,136,016 8594 :133,211,202,169,039,180,056 9020 :016,251,169,020,133,216,097 8600 :218,048,002,169,079,133,033 9026 :169,000,160,007,145,243,022 8606 :213,181,217,041,003,013,058 9032 :136,016,251,169,016,024,172 8612 :136,002,133,210,189,016,082 9038 :101,243,133,243,144,002,176 8618 :038,133,209,189,248,037,000 9044 :230,244,198,216,208,232,132 8624:133,244,189,224,037,133,112 9050 :096,145,209,133,206,138,249 8630 :243,096,162,023,198,214,094 9056 :072,152,072,165,209,162,160 8636 :016,192,134,214,048,188,212 9062 :255,232,221,016,038,208,048 8642 :230,214,162,023,228,214,241 9068 :250,152,233,040,048,002,065 :176,180,169,000,240,174,115 9074 :232,168,032,173,033,152,136 8654:164,211,230,211,192,039,229 9080 :041,062,024,042,042,042,117 :144,225,208,002,230,214,211 9086 :144,003,230,244,024,101,104 8666 :196,213,144,217,198,214,120 9092 :243,144,002,230,244,133,104 :160,000,132,211,132,212,047 9098 : 243, 152, 041, 001, 168, 185, 160 8678 : 070, 201, 166, 214, 232, 224, 057 9104:200,037,133,216,169,000,131 8684 : 024, 208, 003, 032, 189, 034, 214 9110 :006,206,038,199,006,206,043 8690 :181,217,016,244,134,214,224 9116 :042,006,206,042,013,135,088 8696 :048,132,169,000,133,199,161 9122 :002,170,189,052,003,133,199 8702 : 240, 224, 164, 211, 240, 010, 063 9128 :207,036,216,160,007,177,203 8708 :136,192,039,208,002,198,011 9134 :243,005,216,133,241,177,165 8714 : 214,132,211,096,166,214,019 9140 :206,041,015,080,004,010,024 8720 : 240,009,198,214,032,135,076 9146 :010,010,010,069,241,166,180 8726 :033,164,213,132,211,096,103 9152 :199,208,002,069,216,145,007 8732 :032,000,034,164,211,196,153 9158 : 243, 136, 016, 227, 132, 241, 169 8738 :213,176,043,200,177,209,028 9164 :070,199,104,168,104,170,251 8744 :136,032,091,035,200,208,230 9170 :169,002,133,205,096,133,180 875Ø :242,164,213,177,209,201,228 9176 :215,138,072,152,072,169,010 8756 :032,208,004,196,211,208,143 9182 :000,133,208,165,215,048,223 8762 :007,192,079,240,220,032,060 9188 :019,201,032,144,063,032,207 8768 :085,034,164,213,136,177,105 9194 :112,036,201,096,144,004,059 8774 : 209, 200, 032, 091, 035, 136, 005 9200 :041,223,016,018,041,063,130 8780 :196,211,208,244,169,032,112 9206 :016,014,201,255,208,002,174 8786 : 076, 091, 035, 166, 214, 232, 128 :169,254,201,160,144,038,194 8792 :134,242,224,024,144,007,095 9218:041,127,009,064,166,199,096 8798 :032,189,034,198,214,208,201 9224 :240,002,009,128,164,211,250 8804 :005,173,146,002,208,017,139 9230 :032,091,035,196,213,208,021 8810 :022,217,086,217,022,218,120 9236 :007,192,079,240,003,032,061 8816 : 056,118,218,169,079,133,117 9242 :085,034,032,206,033,104,008

9248	:168,104,170,165,215,024,110	9674 :000,000,000,000,000,027,229
9254	:088,096,162,024,221,056,173	9680 :149,150,130,131,151,150,045
9260	:038,240,025,202,016,248,045	9686 :039,131,010,000,004,010,152
9266	:162,007,221,040,038,240,246	9692 :004,004,220,235,000,008,179
9272	:005,202,016,248,048,225,032	9698 :064,072,128,136,192,200,250
9278	:165,212,208,014,138,032,063	
		9704 :000,008,064,072,128,136,128
9284	:103,036,240,215,224,004,122	9710 :192,200,000,008,064,072,006
9290	:144,012,165,212,240,008,087	9716 :128,136,192,200,017,017,166
9296	:165,215,016,182,009,064,219	9722 :018,018,019,019,020,020,108
9302	:208,174,032,094,036,076,194	9728 :022,022,023,023,024,024,138
9308	:031,036,189,104,038,072,050	
7 Extend 600		9734 :025,025,027,027,028,028,166
9314	:189,080,038,072,096,162,223	9740 :029,029,030,030,000,040,170
9320	:000,157,000,148,232,208,081	
		9746 :080,120,160,200,240,024,074
9326	:250,096,201,034,208,006,137	9752 :064,104,144,184,224,008,240
9332	:069,212,133,212,169,034,177	9758 :048,088,128,168,208,248,150
9338	:096,169,000,133,199,096,047	
		9764:032,072,112,152,144,005,041
9344	:173,135,002,073,004,044,047	9770 :028,159,156,030,031,158,092
9350	:169,000,044,169,004,141,149	9776 :076,079,065,068,013,082,175
9356	:135,002,096,162,000,134,157	9782 :085,078,013,141,020,148,027
9362	:242,032,123,034,006,217,032	9788 :019,147,017,145,029,157,062
9368	:056,102,217,076,120,033,244	9794 :018,146,014,142,006,016,152
9374	:133,208,165,213,133,200,186	9800 :015,014,255,255,255,255,097
9380	:208,008,165,214,133,201,069	9806 : 255, 255, 249, 223, 027, 046, 109
9386	:165,211,133,202,138,072,067	9812 :119,139,193,183,205,255,154
9392	:152,072,165,208,208,100,057	9818 :124,122,136,133,127,142,106
9398	:165,198,133,204,141,146,145	9824 :149,170,255,255,255,255,155
2 12 2 3		
9404	:002,240,247,120,234,078,085	9830 :255,255,033,033,034,034,234
9410	:134,002,164,211,177,209,067	9836 :033,037,033,033,033,033,054
9416	:032,093,035,032,228,255,107	9842 :036,036,036,036,036,036,074
9422	:201,131,208,016,120,162,020	9848 : 037, 037, 255, 255, 255, 255, 190
9428	:009,134,198,189,047,038,059	9854 : 255, 255, 064, 160, 224, 160, 220
9434	:157,118,002,202,208,247,128	9860 :160,160,064,000,068,196,012
		그리트
9440	: 240,212,201,013,240,005,111	9866 :068,068,068,064,068,000,218
9446	:032,215,035,144,203,164,255	9872 :074,170,032,064,128,128,228
9452	:213,132,208,177,209,201,096	
9458	:032,208,003,136,208,247,052	9884 :046,170,064,000,036,166,126
9464	:200,132,200,160,000,132,048	9890 :168,238,034,044,036,000,170
947Ø	:211,132,212,140,146,002,073	9896 : 224,138,194,036,036,168,196
9476	:166,214,181,217,048,001,063	9902 :074,000,068,138,136,196,018
9482	:202,032,159,033,228,201,097	9908 :168,170,068,000,228,036,082
9488	:208,008,165,202,133,211,175	9914 :032,064,064,064,064,000,218
9494	:197,200,176,035,164,211,237	9920 :066,164,164,068,164,164,214
9500		9926 :066,000,068,162,162,098,242
	:177,209,133,215,041,063,098	
9506	:006,215,036,215,016,002,012	9932 :034,162,068,000,000,010,222
9512	:009,128,144,004,166,212,191	9938 :068,078,004,074,064,000,242
		9944 :000,000,068,078,004,064,174
9518	:208,004,112,002,009,064,189	
9524		
	:230,211,032,112,036,196,101	9950 :192,000,000,032,064,128,126
9530	:230,211,032,112,036,196,101	
9530	:200,208,019,169,000,133,019	9950 :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,084
953Ø 9536	:200,208,019,169,000,133,019 :208,162,003,228,153,240,034	9950 :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,084 9962 :224,014,224,000,000,000,184
9536	:200,208,019,169,000,133,019 :208,162,003,228,153,240,034	995Ø :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,084 9962 :224,014,224,000,000,000,184 9968 :000,128,064,032,064,132,148
9536 9542	:200,208,019,169,000,133,019 :208,162,003,228,153,240,034 :004,228,154,240,003,032,219	9950 :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,084 9962 :224,014,224,000,000,000,184
9536 9542 9548	:200,208,019,169,000,133,019 :208,162,003,228,153,240,034 :004,228,154,240,003,032,219 :250,033,169,013,133,215,121	995Ø :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,084 9962 :224,014,224,000,000,000,184 9968 :000,128,064,032,064,132,148 9974 :004,000,064,162,034,068,066
9536 9542	:200,208,019,169,000,133,019 :208,162,003,228,153,240,034 :004,228,154,240,003,032,219 :250,033,169,013,133,215,121 :104,168,104,170,165,215,240	995Ø :192,ØØØ,ØØØ,Ø32,Ø64,128,126 9956 :Ø64,Ø36,Ø12,ØØØ,ØØØ,ØØØ,Ø84 9962 :224,Ø14,224,ØØØ,ØØØ,ØØØ,184 9968 :ØØØ,128,Ø64,Ø32,Ø64,132,148 9974 :ØØ4,ØØØ,Ø64,162,Ø34,Ø68,Ø66 998Ø :Ø68,ØØ8,Ø72,ØØØ,2Ø4,170,ØØ6
9536 9542 9548 9554	:200,208,019,169,000,133,019 :208,162,003,228,153,240,034 :004,228,154,240,003,032,219 :250,033,169,013,133,215,121 :104,168,104,170,165,215,240	995Ø :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,084 9962 :224,014,224,000,000,000,184 9968 :000,128,064,032,064,132,148 9974 :004,000,064,162,034,068,066 998Ø :068,008,072,000,204,170,006 9986 :170,238,238,136,238,000,254
9536 9542 9548 9554 956Ø	:200,208,019,169,000,133,019 :208,162,003,228,153,240,034 :004,228,154,240,003,032,219 :250,033,169,013,133,215,121 :104,168,104,170,165,215,240 :201,222,208,002,169,255,121	995Ø :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,084 9962 :224,014,224,000,000,000,184 9968 :000,128,064,032,064,132,148 9974 :004,000,064,162,034,068,066 998Ø :068,008,072,000,204,170,006 9986 :170,238,238,136,238,000,254
9536 9542 9548 9554 9560 9566	: 200,208,019,169,000,133,019 : 208,162,003,228,153,240,034 : 004,228,154,240,003,032,219 : 250,033,169,013,133,215,121 : 104,168,104,170,165,215,240 : 201,222,208,002,169,255,121 : 024,096,185,128,038,153,206	995Ø :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,084 9962 :224,014,224,000,000,000,184 9968 :000,128,064,032,064,132,148 9974 :004,000,064,162,034,068,066 998Ø :068,008,072,000,204,170,006 9986 :170,238,238,136,238,000,254 9992 :004,010,074,046,106,170,162
9536 9542 9548 9554 956Ø	:200,208,019,169,000,133,019 :208,162,003,228,153,240,034 :004,228,154,240,003,032,219 :250,033,169,013,133,215,121 :104,168,104,170,165,215,240 :201,222,208,002,169,255,121	995Ø :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,084 9962 :224,014,224,000,000,000,184 9968 :000,128,064,032,064,132,148 9974 :004,000,064,162,034,068,066 998Ø :068,008,072,000,204,170,006 9986 :170,238,238,136,238,000,254 9992 :004,010,074,046,106,170,162 9998 :106,000,140,138,202,172,004
9536 9542 9548 9554 9560 9566 9572	: 200,208,019,169,000,133,019 : 208,162,003,228,153,240,034 : 004,228,154,240,003,032,219 : 250,033,169,013,133,215,121 : 104,168,104,170,165,215,240 : 201,222,208,002,169,255,121 : 024,096,185,128,038,153,206 : 000,150,074,074,074,074,034	995Ø :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,084 9962 :224,014,224,000,000,000,184 9968 :000,128,064,032,064,132,148 9974 :004,000,064,162,034,068,066 998Ø :068,008,072,000,204,170,006 9986 :170,238,238,136,238,000,254 9992 :004,010,074,046,106,170,162
9536 9542 9548 9554 9560 9566 9572 9578	: 200,208,019,169,000,133,019 : 208,162,003,228,153,240,034 : 004,228,154,240,003,032,219 : 250,033,169,013,133,215,121 : 104,168,104,170,165,215,240 : 201,222,208,002,169,255,121 : 024,096,185,128,038,153,206 : 000,150,074,074,074,074,034 : 153,128,150,169,006,153,097	995Ø :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,084 9962 :224,014,224,000,000,000,184 9968 :000,128,064,032,064,132,148 9974 :004,000,064,162,034,068,066 998Ø :068,008,072,000,204,170,006 9986 :170,238,238,136,238,000,254 9992 :004,010,074,046,106,170,162 9998 :106,000,140,138,202,172,004 10004 :170,170,204,000,004,010,066
9536 9542 9548 9554 9560 9566 9572 9578 9584	: 200,208,019,169,000,133,019 : 208,162,003,228,153,240,034 : 004,228,154,240,003,032,219 : 250,033,169,013,133,215,121 : 104,168,104,170,165,215,240 : 201,222,208,002,169,255,121 : 024,096,185,128,038,153,206 : 000,150,074,074,074,074,034 : 153,128,150,169,006,153,097 : 000,148,185,000,039,153,125	995Ø :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,084 9962 :224,014,224,000,000,000,184 9968 :000,128,064,032,064,132,148 9974 :004,000,064,162,034,068,066 9980 :068,008,072,000,204,170,006 9986 :170,238,238,136,238,000,254 9992 :004,010,074,046,106,170,162 9998 :106,000,140,138,202,172,004 10004 :170,170,204,000,004,010,066 10010 :072,168,136,170,068,000,128
9536 9542 9548 9554 9560 9566 9572 9578	: 200,208,019,169,000,133,019 : 208,162,003,228,153,240,034 : 004,228,154,240,003,032,219 : 250,033,169,013,133,215,121 : 104,168,104,170,165,215,240 : 201,222,208,002,169,255,121 : 024,096,185,128,038,153,206 : 000,150,074,074,074,074,034 : 153,128,150,169,006,153,097 : 000,148,185,000,039,153,125	9950 :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,084 9962 :224,014,224,000,000,000,000,184 9968 :000,128,064,032,064,132,148 9974 :004,000,064,162,034,068,066 9980 :068,008,072,000,204,170,006 9986 :170,238,238,136,238,000,254 9992 :004,010,074,046,106,170,162 9998 :106,000,140,138,202,172,004 10004 :170,170,204,000,004,010,066 10010 :072,168,136,170,068,000,128 10016 :044,042,106,170,170,170,222
9536 9542 9548 9554 9560 9566 9572 9578 9584 9590	: 200, 208, 019, 169, 000, 133, 019 : 208, 162, 003, 228, 153, 240, 034 : 004, 228, 154, 240, 003, 032, 219 : 250, 033, 169, 013, 133, 215, 121 : 104, 168, 104, 170, 165, 215, 240 : 201, 222, 208, 002, 169, 255, 121 : 024, 096, 185, 128, 038, 153, 206 : 000, 150, 074, 074, 074, 074, 034 : 153, 128, 150, 169, 006, 153, 097 : 000, 148, 185, 000, 039, 153, 125 : 000, 149, 074, 074, 074, 074, 051	995Ø :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,084 9962 :224,014,224,000,000,000,184 9968 :000,128,064,032,064,132,148 9974 :004,000,064,162,034,068,066 9980 :068,008,072,000,204,170,006 9986 :170,238,238,136,238,000,254 9992 :004,010,074,046,106,170,162 9998 :106,000,140,138,202,172,004 10004 :170,170,204,000,004,010,066 10010 :072,168,136,170,068,000,128
9536 9542 9548 9554 9560 9566 9572 9578 9584 9590 9596	: 200, 208, 019, 169, 000, 133, 019 : 208, 162, 003, 228, 153, 240, 034 : 004, 228, 154, 240, 003, 032, 219 : 250, 033, 169, 013, 133, 215, 121 : 104, 168, 104, 170, 165, 215, 240 : 201, 222, 208, 002, 169, 255, 121 : 024, 096, 185, 128, 038, 153, 206 : 000, 150, 074, 074, 074, 074, 034 : 153, 128, 150, 169, 006, 153, 097 : 000, 148, 185, 000, 039, 153, 125 : 000, 149, 074, 074, 074, 074, 051 : 153, 000, 151, 192, 216, 144, 212	9950 :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,084 9962 :224,014,224,000,000,000,000,184 9968 :000,128,064,032,064,132,148 9974 :004,000,064,162,034,068,066 9980 :068,008,072,000,204,170,006 9986 :170,238,238,136,238,000,254 9992 :004,010,074,046,106,170,162 9998 :106,000,140,138,202,172,004 10004 :170,170,204,000,004,010,066 10010 :072,168,136,170,068,000,128 10016 :044,042,106,170,170,170,222 10022 :108,000,014,008,072,172,156
9536 9542 9548 9554 9560 9572 9578 9584 9590 9596 9602	: 200, 208, 019, 169, 000, 133, 019 : 208, 162, 003, 228, 153, 240, 034 : 004, 228, 154, 240, 003, 032, 219 : 250, 033, 169, 013, 133, 215, 121 : 104, 168, 104, 170, 165, 215, 240 : 201, 222, 208, 002, 169, 255, 121 : 024, 096, 185, 128, 038, 153, 206 : 000, 150, 074, 074, 074, 074, 034 : 153, 128, 150, 169, 006, 153, 097 : 000, 148, 185, 000, 039, 153, 125 : 000, 149, 074, 074, 074, 074, 051 : 153, 000, 151, 192, 216, 144, 212 : 003, 153, 000, 149, 200, 048, 171	9950 :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,000,084 9962 :224,014,224,000,000,000,000,184 9968 :000,128,064,032,064,132,148 9974 :004,000,064,162,034,068,066 9980 :068,008,072,000,204,170,006 9986 :170,238,238,136,238,000,254 9992 :004,010,074,046,106,170,162 9998 :106,000,140,138,202,172,004 10004 :170,170,204,000,004,010,066 10010 :072,168,136,170,068,000,128 10016 :044,042,106,170,170,170,222 10022 :108,000,014,008,072,172,156 10028 :232,136,078,000,078,168,224
9536 9542 9548 9554 9560 9566 9572 9578 9584 9590 9596	: 200, 208, 019, 169, 000, 133, 019 : 208, 162, 003, 228, 153, 240, 034 : 004, 228, 154, 240, 003, 032, 219 : 250, 033, 169, 013, 133, 215, 121 : 104, 168, 104, 170, 165, 215, 240 : 201, 222, 208, 002, 169, 255, 121 : 024, 096, 185, 128, 038, 153, 206 : 000, 150, 074, 074, 074, 074, 034 : 153, 128, 150, 169, 006, 153, 097 : 000, 148, 185, 000, 039, 153, 125 : 000, 149, 074, 074, 074, 074, 051 : 153, 000, 151, 192, 216, 144, 212 : 003, 153, 000, 149, 200, 048, 171	9950 :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,000,084 9962 :224,014,224,000,000,000,000,184 9968 :000,128,064,032,064,132,148 9974 :004,000,064,162,034,068,066 9980 :068,008,072,000,204,170,006 9986 :170,238,238,136,238,000,254 9992 :004,010,074,046,106,170,162 9998 :106,000,140,138,202,172,004 10004 :170,170,204,000,004,010,066 10010 :072,168,136,170,068,000,128 10016 :044,042,106,170,170,170,222 10022 :108,000,014,008,072,172,156 10028 :232,136,078,000,078,168,224 10034 :136,204,136,136,136,000,030
9536 9542 9548 9554 9560 9572 9578 9598 9596 9602 9608	: 200, 208, 019, 169, 000, 133, 019 : 208, 162, 003, 228, 153, 240, 034 : 004, 228, 154, 240, 003, 032, 219 : 250, 033, 169, 013, 133, 215, 121 : 104, 168, 104, 170, 165, 215, 240 : 201, 222, 208, 002, 169, 255, 121 : 024, 096, 185, 128, 038, 153, 206 : 000, 150, 074, 074, 074, 074, 034 : 153, 128, 150, 169, 006, 153, 097 : 000, 148, 185, 000, 039, 153, 125 : 000, 149, 074, 074, 074, 074, 051 : 153, 000, 151, 192, 216, 144, 212 : 003, 153, 000, 149, 200, 048, 171 : 228, 208, 213, 096, 174, 141, 172	9950 :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,000,084 9962 :224,014,224,000,000,000,000,184 9968 :000,128,064,032,064,132,148 9974 :004,000,064,162,034,068,066 9980 :068,008,072,000,204,170,006 9986 :170,238,238,136,238,000,254 9992 :004,010,074,046,106,170,162 9998 :106,000,140,138,202,172,004 10004 :170,170,204,000,004,010,066 10010 :072,168,136,170,068,000,128 10016 :044,042,106,170,170,170,222 10022 :108,000,014,008,072,172,156 10028 :232,136,078,000,078,168,224 10034 :136,204,136,136,136,000,030 10040 :004,010,072,168,174,106,078
9536 9542 9548 9554 9560 9566 9572 9578 9598 9596 9602 9608 9614	: 200, 208, 019, 169, 000, 133, 019 : 208, 162, 003, 228, 153, 240, 034 : 004, 228, 154, 240, 003, 032, 219 : 250, 033, 169, 013, 133, 215, 121 : 104, 168, 104, 170, 165, 215, 240 : 201, 222, 208, 002, 169, 255, 121 : 024, 096, 185, 128, 038, 153, 206 : 000, 150, 074, 074, 074, 074, 034 : 153, 128, 150, 169, 006, 153, 097 : 000, 148, 185, 000, 039, 153, 125 : 000, 149, 074, 074, 074, 074, 051 : 153, 000, 151, 192, 216, 144, 212 : 003, 153, 000, 149, 200, 048, 171 : 228, 208, 213, 096, 174, 141, 172 : 002, 224, 002, 240, 003, 076, 177	9950 :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,000,084 9962 :224,014,224,000,000,000,000,184 9968 :000,128,064,032,064,132,148 9974 :004,000,064,162,034,068,066 9980 :068,008,072,000,204,170,006 9986 :170,238,238,136,238,000,254 9992 :004,010,074,046,106,170,162 9998 :106,000,140,138,202,172,004 10004 :170,170,204,000,004,010,066 10010 :072,168,136,170,068,000,128 10016 :044,042,106,170,170,170,222 10022 :108,000,014,008,072,172,156 10028 :232,136,078,000,078,168,224 10034 :136,204,136,136,136,000,030 10040 :004,010,072,168,174,106,078
9536 9542 9548 9554 9560 9572 9578 9598 9596 9602 9608 9614 9620	: 200, 208, 019, 169, 000, 133, 019 : 208, 162, 003, 228, 153, 240, 034 : 004, 228, 154, 240, 003, 032, 219 : 250, 033, 169, 013, 133, 215, 121 : 104, 168, 104, 170, 165, 215, 240 : 201, 222, 208, 002, 169, 255, 121 : 024, 096, 185, 128, 038, 153, 206 : 000, 150, 074, 074, 074, 074, 034 : 153, 128, 150, 169, 006, 153, 097 : 000, 148, 185, 000, 039, 153, 125 : 000, 149, 074, 074, 074, 074, 051 : 153, 000, 151, 192, 216, 144, 212 : 003, 153, 000, 149, 200, 048, 171 : 228, 208, 213, 096, 174, 141, 172 : 002, 224, 002, 240, 003, 076, 177 : 087, 033, 162, 023, 032, 173, 146	9950 :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,000,084 9962 :224,014,224,000,000,000,000,184 9968 :000,128,064,032,064,132,148 9974 :004,000,064,162,034,068,066 9980 :068,008,072,000,204,170,006 9986 :170,238,238,136,238,000,254 9992 :004,010,074,046,106,170,162 9998 :106,000,140,138,202,172,004 10004 :170,170,204,000,004,010,066 10010 :072,168,136,170,068,000,128 10016 :044,042,106,170,170,170,222 10022 :108,000,014,008,072,172,156 10028 :232,136,078,000,078,168,224 10034 :136,204,136,136,136,000,030 10040 :004,010,072,168,174,106,078 10046 :036,192,138,138,202,174,174
9536 9542 9548 9554 9560 9572 9578 9598 9596 9602 9608 9614 9620	: 200, 208, 019, 169, 000, 133, 019 : 208, 162, 003, 228, 153, 240, 034 : 004, 228, 154, 240, 003, 032, 219 : 250, 033, 169, 013, 133, 215, 121 : 104, 168, 104, 170, 165, 215, 240 : 201, 222, 208, 002, 169, 255, 121 : 024, 096, 185, 128, 038, 153, 206 : 000, 150, 074, 074, 074, 074, 034 : 153, 128, 150, 169, 006, 153, 097 : 000, 148, 185, 000, 039, 153, 125 : 000, 149, 074, 074, 074, 074, 051 : 153, 000, 151, 192, 216, 144, 212 : 003, 153, 000, 149, 200, 048, 171 : 228, 208, 213, 096, 174, 141, 172 : 002, 224, 002, 240, 003, 076, 177 : 087, 033, 162, 023, 032, 173, 146	9950 :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,000,084 9962 :224,014,224,000,000,000,000,184 9968 :000,128,064,032,064,132,148 9974 :004,000,064,162,034,068,066 9980 :068,008,072,000,204,170,006 9986 :170,238,238,136,238,000,254 9992 :004,010,074,046,106,170,162 9998 :106,000,140,138,202,172,004 10004 :170,170,204,000,004,010,066 10010 :072,168,136,170,068,000,128 10016 :044,042,106,170,170,170,222 10022 :108,000,014,008,072,172,156 10028 :232,136,078,000,078,168,224 10034 :136,204,136,136,136,000,030 10040 :004,010,072,168,174,106,078 10046 :036,192,138,138,202,174,174 10052 :170,170,170,000,078,004,148
9536 9542 9548 9554 9560 9572 9578 9598 9596 9602 9608 9614 9620 9626	: 200, 208, 019, 169, 000, 133, 019 : 208, 162, 003, 228, 153, 240, 034 : 004, 228, 154, 240, 003, 032, 219 : 250, 033, 169, 013, 133, 215, 121 : 104, 168, 104, 170, 165, 215, 240 : 201, 222, 208, 002, 169, 255, 121 : 024, 096, 185, 128, 038, 153, 206 : 000, 150, 074, 074, 074, 074, 034 : 153, 128, 150, 169, 006, 153, 097 : 000, 148, 185, 000, 039, 153, 125 : 000, 149, 074, 074, 074, 074, 051 : 153, 000, 151, 192, 216, 144, 212 : 003, 153, 000, 149, 200, 048, 171 : 228, 208, 213, 096, 174, 141, 172 : 002, 224, 002, 240, 003, 076, 177 : 087, 033, 162, 023, 032, 173, 146 : 033, 032, 062, 035, 202, 016, 022	9950 :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,000,084 9962 :224,014,224,000,000,000,000,184 9968 :000,128,064,032,064,132,148 9974 :004,000,064,162,034,068,066 9980 :068,008,072,000,204,170,006 9986 :170,238,238,136,238,000,254 9992 :004,010,074,046,106,170,162 9998 :106,000,140,138,202,172,004 10004 :170,170,204,000,004,010,066 10010 :072,168,136,170,068,000,128 10016 :044,042,106,170,170,170,222 10022 :108,000,014,008,072,172,156 10028 :232,136,078,000,078,168,224 10034 :136,204,136,136,136,000,030 10040 :004,010,072,168,174,106,078 10046 :036,192,138,138,202,174,174
9536 9542 9548 9554 9560 9572 9578 9596 9692 9608 9614 9620 9626 9632	: 200, 208, 019, 169, 000, 133, 019 : 208, 162, 003, 228, 153, 240, 034 : 004, 228, 154, 240, 003, 032, 219 : 250, 033, 169, 013, 133, 215, 121 : 104, 168, 104, 170, 165, 215, 240 : 201, 222, 208, 002, 169, 255, 121 : 024, 096, 185, 128, 038, 153, 206 : 000, 150, 074, 074, 074, 074, 034 : 153, 128, 150, 169, 006, 153, 097 : 000, 148, 185, 000, 039, 153, 125 : 000, 149, 074, 074, 074, 074, 051 : 153, 000, 151, 192, 216, 144, 212 : 003, 153, 000, 149, 200, 048, 171 : 228, 208, 213, 096, 174, 141, 172 : 002, 224, 002, 240, 003, 076, 177 : 087, 033, 162, 023, 032, 173, 146 : 033, 032, 062, 035, 202, 016, 022 : 247, 096, 133, 206, 138, 072, 028	9950 :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,000,084 9962 :224,014,224,000,000,000,000,184 9968 :000,128,064,032,064,132,148 9974 :004,000,064,162,034,068,066 9980 :068,008,072,000,204,170,006 9986 :170,238,238,136,238,000,254 9992 :004,010,074,046,106,170,162 9998 :106,000,140,138,202,172,004 10004 :170,170,204,000,004,010,066 10010 :072,168,136,170,068,000,128 10016 :044,042,106,170,170,170,222 10022 :108,000,014,008,072,172,156 10028 :232,136,078,000,078,168,224 10034 :136,204,136,136,136,000,030 10040 :004,010,072,168,174,106,078 10052 :170,170,170,000,078,004,148 10058 :196,068,068,068,238,000,200
9536 9542 9548 9554 9560 9572 9578 9598 9596 9602 9608 9614 9620 9626	: 200, 208, 019, 169, 000, 133, 019 : 208, 162, 003, 228, 153, 240, 034 : 004, 228, 154, 240, 003, 032, 219 : 250, 033, 169, 013, 133, 215, 121 : 104, 168, 104, 170, 165, 215, 240 : 201, 222, 208, 002, 169, 255, 121 : 024, 096, 185, 128, 038, 153, 206 : 000, 150, 074, 074, 074, 074, 034 : 153, 128, 150, 169, 006, 153, 097 : 000, 148, 185, 000, 039, 153, 125 : 000, 149, 074, 074, 074, 074, 051 : 153, 000, 151, 192, 216, 144, 212 : 003, 153, 000, 149, 200, 048, 171 : 228, 208, 213, 096, 174, 141, 172 : 002, 224, 002, 240, 003, 076, 177 : 087, 033, 162, 023, 032, 173, 146 : 033, 032, 062, 035, 202, 016, 022 : 247, 096, 133, 206, 138, 072, 028 : 152, 072, 076, 116, 035, 162, 011	9950 :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,000,084 9962 :224,014,224,000,000,000,000,184 9968 :000,128,064,032,064,132,148 9974 :004,000,064,162,034,068,066 9980 :068,008,072,000,204,170,006 9986 :170,238,238,136,238,000,254 9992 :004,010,074,046,106,170,162 9998 :106,000,140,138,202,172,004 10004 :170,170,204,000,004,010,066 10010 :072,168,136,170,068,000,128 10016 :044,042,106,170,170,170,222 10022 :108,000,014,008,072,172,156 10028 :232,136,078,000,078,168,224 10034 :136,204,136,136,136,000,030 10040 :004,010,072,168,174,106,078 10052 :170,170,170,000,078,004,148 10058 :196,068,068,068,238,000,200 10064 :034,002,098,034,034,042,068
9536 9542 9548 9554 9560 9572 9578 9596 9692 9608 9614 9620 9626 9632	: 200, 208, 019, 169, 000, 133, 019 : 208, 162, 003, 228, 153, 240, 034 : 004, 228, 154, 240, 003, 032, 219 : 250, 033, 169, 013, 133, 215, 121 : 104, 168, 104, 170, 165, 215, 240 : 201, 222, 208, 002, 169, 255, 121 : 024, 096, 185, 128, 038, 153, 206 : 000, 150, 074, 074, 074, 074, 034 : 153, 128, 150, 169, 006, 153, 097 : 000, 148, 185, 000, 039, 153, 125 : 000, 149, 074, 074, 074, 074, 051 : 153, 000, 151, 192, 216, 144, 212 : 003, 153, 000, 149, 200, 048, 171 : 228, 208, 213, 096, 174, 141, 172 : 002, 224, 002, 240, 003, 076, 177 : 087, 033, 162, 023, 032, 173, 146 : 033, 032, 062, 035, 202, 016, 022 : 247, 096, 133, 206, 138, 072, 028 : 152, 072, 076, 116, 035, 162, 011	9950 :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,000,084 9962 :224,014,224,000,000,000,000,184 9968 :000,128,064,032,064,132,148 9974 :004,000,064,162,034,068,066 9980 :068,008,072,000,204,170,006 9986 :170,238,238,136,238,000,254 9992 :004,010,074,046,106,170,162 9998 :106,000,140,138,202,172,004 10004 :170,170,204,000,004,010,066 10010 :072,168,136,170,068,000,128 10016 :044,042,106,170,170,170,222 10022 :108,000,014,008,072,172,156 10028 :232,136,078,000,078,168,224 10034 :136,204,136,136,136,000,030 10040 :004,010,072,168,174,106,078 10052 :170,170,170,000,078,004,148 10058 :196,068,068,068,238,000,200 10064 :034,002,098,034,034,042,068 10070 :164,064,138,138,170,172,164
9536 9542 9548 9554 9566 9572 9578 9596 9692 9608 9614 9620 9632 9638 9644	: 200, 208, 019, 169, 000, 133, 019 : 208, 162, 003, 228, 153, 240, 034 : 004, 228, 154, 240, 003, 032, 219 : 250, 033, 169, 013, 133, 215, 121 : 104, 168, 104, 170, 165, 215, 240 : 201, 222, 208, 002, 169, 255, 121 : 024, 096, 185, 128, 038, 153, 206 : 000, 150, 074, 074, 074, 074, 034 : 153, 128, 150, 169, 006, 153, 097 : 000, 148, 185, 000, 039, 153, 125 : 000, 149, 074, 074, 074, 074, 051 : 153, 000, 151, 192, 216, 144, 212 : 003, 153, 000, 149, 200, 048, 171 : 228, 208, 213, 096, 174, 141, 172 : 002, 224, 002, 240, 003, 076, 177 : 087, 033, 162, 023, 032, 173, 146 : 033, 032, 062, 035, 202, 016, 022 : 247, 096, 133, 206, 138, 072, 028 : 152, 072, 076, 116, 035, 162, 011 : 023, 032, 159, 033, 160, 039, 106	9950 :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,000,084 9962 :224,014,224,000,000,000,000,184 9968 :000,128,064,032,064,132,148 9974 :004,000,064,162,034,068,066 9980 :068,008,072,000,204,170,006 9986 :170,238,238,136,238,000,254 9992 :004,010,074,046,106,170,162 9998 :106,000,140,138,202,172,004 10004 :170,170,204,000,004,010,066 10010 :072,168,136,170,068,000,128 10016 :044,042,106,170,170,170,222 10022 :108,000,014,008,072,172,156 10028 :232,136,078,000,078,168,224 10034 :136,204,136,136,136,000,030 10040 :004,010,072,168,174,106,078 10052 :170,170,170,000,078,004,148 10058 :196,068,068,068,238,000,200 10064 :034,002,098,034,034,042,068
9536 9542 9548 9554 9566 9572 9578 9596 9692 9608 9614 9620 9632 9638 9644 9650	: 200, 208, 019, 169, 000, 133, 019 : 208, 162, 003, 228, 153, 240, 034 : 004, 228, 154, 240, 003, 032, 219 : 250, 033, 169, 013, 133, 215, 121 : 104, 168, 104, 170, 165, 215, 240 : 201, 222, 208, 002, 169, 255, 121 : 024, 096, 185, 128, 038, 153, 206 : 000, 150, 074, 074, 074, 074, 034 : 153, 128, 150, 169, 006, 153, 097 : 000, 148, 185, 000, 039, 153, 125 : 000, 149, 074, 074, 074, 074, 051 : 153, 000, 151, 192, 216, 144, 212 : 003, 153, 000, 149, 200, 048, 171 : 228, 208, 213, 096, 174, 141, 172 : 002, 224, 002, 240, 003, 076, 177 : 087, 033, 162, 023, 032, 173, 146 : 033, 032, 062, 035, 202, 016, 022 : 247, 096, 133, 206, 138, 072, 028 : 152, 072, 076, 116, 035, 162, 011 : 023, 032, 159, 033, 160, 039, 106 : 177, 209, 032, 162, 037, 136, 163	995Ø :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,084 9962 :224,014,224,000,000,000,000,184 9968 :000,128,064,032,064,132,148 9974 :004,000,064,162,034,068,066 998Ø :068,008,072,000,204,170,006 9986 :170,238,238,136,238,000,254 9992 :004,010,074,046,106,170,162 9998 :106,000,140,138,202,172,004 10004 :170,170,204,000,004,010,066 10010 :072,168,136,170,068,000,128 10016 :044,042,106,170,170,170,222 10022 :108,000,014,008,072,172,156 10028 :232,136,078,000,078,168,224 10034 :136,204,136,136,136,000,030 10040 :004,010,072,168,174,106,078 10052 :170,170,170,000,078,004,148 10058 :196,068,068,068,238,000,200 10064 :034,002,098,034,034,042,068 10070 :164,064,138,138,170,172,164 10076 :202,170,170,000,200,072,138
9536 9542 9548 9554 9566 9572 9578 9596 9692 9608 9614 9620 9632 9638 9644 9650 9656	: 200, 208, 019, 169, 000, 133, 019 : 208, 162, 003, 228, 153, 240, 034 : 004, 228, 154, 240, 003, 032, 219 : 250, 033, 169, 013, 133, 215, 121 : 104, 168, 104, 170, 165, 215, 240 : 201, 222, 208, 002, 169, 255, 121 : 024, 096, 185, 128, 038, 153, 206 : 000, 150, 074, 074, 074, 074, 034 : 153, 128, 150, 169, 006, 153, 097 : 000, 148, 185, 000, 039, 153, 125 : 000, 149, 074, 074, 074, 074, 051 : 153, 000, 151, 192, 216, 144, 212 : 003, 153, 000, 149, 200, 048, 171 : 228, 208, 213, 096, 174, 141, 172 : 002, 224, 002, 240, 003, 076, 177 : 087, 033, 162, 023, 032, 173, 146 : 033, 032, 062, 035, 202, 016, 022 : 247, 096, 133, 206, 138, 072, 028 : 152, 072, 076, 116, 035, 162, 011 : 023, 032, 159, 033, 160, 039, 106 : 177, 209, 032, 162, 037, 136, 163 : 016, 248, 202, 016, 240, 076, 214	995Ø :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,084 9962 :224,014,224,000,000,000,000,184 9968 :000,128,064,032,064,132,148 9974 :004,000,064,162,034,068,066 998Ø :068,008,072,000,204,170,006 9986 :170,238,238,136,238,000,254 9992 :004,010,074,046,106,170,162 9998 :106,000,140,138,202,172,004 10004 :170,170,204,000,004,010,066 10010 :072,168,136,170,068,000,128 10016 :044,042,106,170,170,170,222 10022 :108,000,014,008,072,172,156 10028 :232,136,078,000,078,168,224 10034 :136,204,136,136,136,000,030 10040 :004,010,072,168,174,106,078 10052 :170,170,170,000,078,004,148 10052 :170,170,170,000,078,004,148 10058 :196,068,068,068,238,000,200 10064 :034,002,098,034,034,042,068 10070 :164,064,138,138,170,172,164 10076 :202,170,170,000,200,072,138 10082 :072,072,072,238,000,112
9536 9542 9548 9554 9566 9572 9578 9596 9692 9608 9614 9620 9632 9638 9644 9650	: 200, 208, 019, 169, 000, 133, 019 : 208, 162, 003, 228, 153, 240, 034 : 004, 228, 154, 240, 003, 032, 219 : 250, 033, 169, 013, 133, 215, 121 : 104, 168, 104, 170, 165, 215, 240 : 201, 222, 208, 002, 169, 255, 121 : 024, 096, 185, 128, 038, 153, 206 : 000, 150, 074, 074, 074, 074, 034 : 153, 128, 150, 169, 006, 153, 097 : 000, 148, 185, 000, 039, 153, 125 : 000, 149, 074, 074, 074, 074, 051 : 153, 000, 151, 192, 216, 144, 212 : 003, 153, 000, 149, 200, 048, 171 : 228, 208, 213, 096, 174, 141, 172 : 002, 224, 002, 240, 003, 076, 177 : 087, 033, 162, 023, 032, 173, 146 : 033, 032, 062, 035, 202, 016, 022 : 247, 096, 133, 206, 138, 072, 028 : 152, 072, 076, 116, 035, 162, 011 : 023, 032, 159, 033, 160, 039, 106 : 177, 209, 032, 162, 037, 136, 163	995Ø :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,084 9962 :224,014,224,000,000,000,000,184 9968 :000,128,064,032,064,132,148 9974 :004,000,064,162,034,068,066 998Ø :068,008,072,000,204,170,006 9986 :170,238,238,136,238,000,254 9992 :004,010,074,046,106,170,162 9998 :106,000,140,138,202,172,004 10004 :170,170,204,000,004,010,066 10010 :072,168,136,170,068,000,128 10016 :044,042,106,170,170,170,222 10022 :108,000,014,008,072,172,156 10028 :232,136,078,000,078,168,224 10034 :136,204,136,136,136,000,030 10040 :004,010,072,168,174,106,078 10052 :170,170,170,000,078,004,148 10058 :196,068,068,068,238,000,200 10064 :034,002,098,034,034,042,068 10070 :164,064,138,138,170,172,164 10076 :202,170,170,000,200,072,138 10082 :072,072,072,238,000,112 10088 :010,014,174,238,234,234,240
9536 9542 9548 9554 9566 9572 9578 9596 9692 9608 9614 9620 9632 9638 9644 9650 9656	: 200, 208, 019, 169, 000, 133, 019 : 208, 162, 003, 228, 153, 240, 034 : 004, 228, 154, 240, 003, 032, 219 : 250, 033, 169, 013, 133, 215, 121 : 104, 168, 104, 170, 165, 215, 240 : 201, 222, 208, 002, 169, 255, 121 : 024, 096, 185, 128, 038, 153, 206 : 000, 150, 074, 074, 074, 074, 034 : 153, 128, 150, 169, 006, 153, 097 : 000, 148, 185, 000, 039, 153, 125 : 000, 149, 074, 074, 074, 074, 051 : 153, 000, 151, 192, 216, 144, 212 : 003, 153, 000, 149, 200, 048, 171 : 228, 208, 213, 096, 174, 141, 172 : 002, 224, 002, 240, 003, 076, 177 : 087, 033, 162, 023, 032, 173, 146 : 033, 032, 062, 035, 202, 016, 022 : 247, 096, 133, 206, 138, 072, 028 : 152, 072, 076, 116, 035, 162, 011 : 023, 032, 159, 033, 160, 039, 106 : 177, 209, 032, 162, 037, 136, 163 : 016, 248, 202, 016, 240, 076, 214	995Ø :192,000,000,032,064,128,126 9956 :064,036,012,000,000,000,084 9962 :224,014,224,000,000,000,000,184 9968 :000,128,064,032,064,132,148 9974 :004,000,064,162,034,068,066 998Ø :068,008,072,000,204,170,006 9986 :170,238,238,136,238,000,254 9992 :004,010,074,046,106,170,162 9998 :106,000,140,138,202,172,004 10004 :170,170,204,000,004,010,066 10010 :072,168,136,170,068,000,128 10016 :044,042,106,170,170,170,222 10022 :108,000,014,008,072,172,156 10028 :232,136,078,000,078,168,224 10034 :136,204,136,136,136,000,030 10040 :004,010,072,168,174,106,078 10052 :170,170,170,000,078,004,148 10052 :170,170,170,000,078,004,148 10058 :196,068,068,068,238,000,200 10064 :034,002,098,034,034,042,068 10070 :164,064,138,138,170,172,164 10076 :202,170,170,000,200,072,138 10082 :072,072,072,238,000,112

10100	:170,170,170,000,004,010,128	10172	:238,238,170,000,010,010,086
10106	:074,170,170,170,068,000,006	10178	:170,164,074,170,170,000,174
10112	:012,010,202,172,168,200,124	10184	:010,010,170,174,164,100,060
10118	:136,128,004,010,106,170,176	10190	:036,192,014,002,228,036,202
10124	:170,108,038,032,012,010,254	10196	:068,136,238,000,106,074,066
10130	:106,140,138,138,138,000,038	10202	:069,069,074,074,101,005,098
10136	:004,010,104,132,066,042,254	10208	:072,164,136,068,136,196,228
10142	:196,000,014,068,228,068,220	10214	:168,004,108,044,035,035,112
	:068,068,036,000,010,010,100	10220	:044,044,099,003,064,160,138
	:170,170,170,170,068,000,150	10226	:001,014,004,004,004,000,013
10160	:010,010,170,170,170,068,006	10232	:015,039,071,243,067,033,204
	:068,000,010,010,170,170,098	10238	:001,000,108,013,013,013,146

ADVERTISERS INDEX

	der Service Number/Advertiser Page	Header Service Number/Advertiser Page	Reader Service Number/Advertiser Pag
102	AA Computer Exchange 118	133 Full Circle Software, Inc 74	165 T & D Subscription Software . 12
	Abacus Software71	134 Genesis Computer Corp 122	166 Tenex Computer Express 11
	Abacus Software55	135 Indus Systems	167 Timeworks
	Abacus Software72	136 Infocom	Tofactum
106	Abby's Discount Software 121	137 Kyan Software85	168 trans com, inc
	Access Software Incorporated . 45	LIDON Enterprises 131	169 Triad Computers 10
	Acorn of Indiana130	Lyco Computer 112–113	170 Tussey Computer Products 12
	A.I.D	M.A.R.C.A	171 Ufland Software
	Applied Technologies, Inc 107	138 Mastertronic International Inc.	Ultrabyte
108	Artificial Intelligence Research	IFC-1	172 Waldenbooks
.00	Group122	139 MegaSoft Limited 56-57	173 Wicked Wendy's House of
	Bamtek	140 Micro-W. Distributing Inc 118	
	Batteries Included	141 Mimic Systems Inc	Discounts
100	Pacis Miciaded43	142 Nibble Notch Computer	174 Witt's End
	Basix		175 ZAP Software
110	Big Bytes	Products	
	Brantford Educational Services 120	143 Nibble Notch Computer Products	
	Bytes & Pieces, Inc 126		
112	Cardco, Inc IBC	144 Oasis Software	COMPLITE Book New Polosoos 49
	Cardinal Software 122	145 Omnitronix	COMPUTE! Book New Releases 48
	Carter Enterprises 131	146 Pacific Exchanges 131	COMPUTEI's Data File Handler and
113	CDI/Computer Devices International	146 Pacific Exchanges 131	Programming the Commodore 64
		147 Pastimes 130	53
114	Central Point Software, Inc 78	PC Gallery	COMPUTEI's First, Second, and
115	Cheatsheet Products 124	PDS Sports	Third Books of Commodore 64 63
	Commodore BC	148 Professional Software, Inc 11	COMPUTE!'s Gazette Classified
	Compumed	149 Protecto	Ads
117	CompuServe	150 Quantum Software	COMPUTEI's Gazette Disk 17
118	Comspec Communications Inc. 73	151 Ray Vallieres	COMPUTE!'s Gazette Subscription
119	ComputAbility47	152 R. J. Brachman Associates, Inc. 89	
120	Computel129	153 Scarborough Systems, Inc 9	COMPUTEI's VIC-20 Books
	Computer Centers of America 123	Schnedler Systems114	Collection 64
121	Computer Mail Order 115	154 Security Software	Machine Language for Beginners
	Creative Software2	155 Skyles Electric Works75	and The Second Book of Machine
123	Crown Custom Covers 126	156 Soft-House Software 131	Language 51
124	CSM Software, Inc 71	157 Software Concepts 131	
125	Davidson & Associates, Inc5	158 Software Discounters of America	
126	DES-Productions 131		
127	Disktronics	159 Software Discounters of America	
	Diversions, Inc 52		
128	DJ Software55	160 Solid State Software 116	
	Dow Jones News/Retrieval 29	161 Starpoint Software46	
	Electronic Arts	162 Strategic Simulations, Inc 41	
	EPYX23	163 subLOGIC Corporation 59	
	Family Discount Computer	164 Systems Management Associates	
(MADE OF THE	Products	77	

165 T & D Subscription Software .	100
166 Tenex Computer Express	
167 Timeworks	111
Tofactum	130
168 trans com, inc	
169 Triad Computers	
170 Tussey Computer Products	10
171 Ufland Software	11
Ultrabyte	7/
172 Waldenbooks	10
173 Wicked Wendy's House of	
Discounts	126
174 Witt's End	
175 ZAP Software	
TTO EAR CONTINUE	10
	The
	48
COMPUTE!'s Data File Handler and	
Programming the Commodore 64	4
COMPUTEI's First, Second, and	53
COMPUTE!'s First, Second, and	
Third Books of Commodore 64	63
COMPUTE!'s Gazette Classified	TAR IS
	44
COMPUTE!'s Gazette Disk	17
COMPUTE!'s Gazette Subscription	
COMPUTE!'s VIC-20 Books	33
COMPUTE!'s VIC-20 Books	
Collection	64
Machine Language for Beginners	
and The Second Book of Machin	
Language	51

AZETTE Classified

COMPUTE!'s Gazette Classified is a low-cost way to tell over 275,000 microcomputer owners about your product or service.

Rates: \$25 per line, minimum of four lines. Any or all of the first line set in capital letters at no charge. Add \$15 per line for boldface words, or \$50 for the entire ad set in boldface (any number of lines).

Terms: Prepayment is required. Check, money order, American Express, Visa, or MasterCard is accepted.

Form: Ads are subject to publisher's approval and must be either typed or legibly printed. One line equals 40 letters and spaces between words. Please underline words to be set in boldface.

General Information: Advertisers using post office box numbers in their ads must supply permanent address and telephone numbers. Orders will not be acknowledged. Ad will appear in next available issue after receipt.

Closing: 10th of the third month preceding cover date (e.g., June issue closes March 10th). Send order and remittance to: Harry Blair, Classified Manager, COMPUTEI's Gazette, P.O. Box 5406, Greensboro, NC 27403. To place an ad by phone, call Harry Blair at (919) 275-9809.

Notice: COMPUTE! Publications cannot be responsible for offers or claims of advertisers, but will attempt to screen out misleading or questionable copy.

CDPPS SIMULPTOD-Joystxck controlled bettxng, dxce bnd lbyoyt dxbnlby; nbss, come dontls, odds, hbrdwbys, etc. Ptbrx 800 dxsk. \$16.00. Symsolt Enternrxses, Pox 634, Clxlton, NI 07012.

FDEE EDUCPTIONPL SOFTWPDE CPTPLOG-Pet, Commodore 64, Pnnle II+, TDS-80-Ihlbnd Soltwaxe, PO Pox 300, Dent. G, Lbke Grgke, AY 11755. (566)255-3755.

PTTENTION PPPLE, QPM, Cohhilmore, Ptbrx, TI 99/4P ysers, Extensive selection of softwbre. Send \$1.00 for cbtblog, snecxly model. Celjxm Enternrxses, 3687 Mexxco. Westervxlle, Ohxo, 43081. (614) 890-7725 blter 4:30.

Wrxte lor FDEE 120 nbge cbtblog, DYNPCOMP, P.O. Pox 18129, rochester, NY 14618. Stbte

IPM-PC OD COMPPTIPLE: Conversxon c' Pmerxcbn ynxts ol mebsyrements (1 PDEP MPSS VOLUME TEMP TO/FDOM Metrxc sve* TIPs bt lxngerty

SOFTWPDE

FDFE EDUCPTIONPL SOFTWPDE CPTPLOG-Fdp, Conjkdoy 64, Pnnle II0, TDS-80-Islbnd Soltwbre, PO Pox 300, Dent. G, Lbke Grove, NY 11755. (516)585-3788.

PTTENTION POPLE, IPM, Cofhodpve, Ptbrx, TI 99/4P ysers, Extensive selection ol soltwbre. Send \$1.00 lor cbtblog, snecxly model. Celi-Gnternrxses, 3687 Mexxco. Westervalt 43081. (604) 880-7725 blter 4.7

Wrxte lor FDEE 100 P.O. Pox 16 Car

Now you can advertise in Gazette

Now you can little as \$1000.

Now you can little as \$1000.

Call me today (919) 275-9809

Harry Blair (919) 275-9809 _ (EMPEDPTUDE) ..xc systems nlys edycbtxonbl angertxns. Sneckly Mono or color

. LE, IPM, Coidkcdore, Ptbrx, sers, Extensxve selectxon ol soltwbre. 1.00 lor cbtblog, snecxly model. Celjxm Entaknrxses, 3687 Mexxco. Westervxlle, Ohxo, 43081. (614) 890-7725 blter 4:30.

Wrxte lor FDEE 120 nbge cbtblog, DYNPCOMP, P.O. Pox 18129. Flichsdter, NY 14618. Stbte Comnyter.

IPM-PC OD COMPPTIPLE: Conversxon ol Pmerxcbn ynxts ol mebsyrements (LENGTH, PDEP MPSS VOLUME TEMPEDPTUDE) TO/FDOM Metrxc sistams nlys edycbtxonbl TIPs bt lxngertxns. Snecxly Mono or color bdbnter. Send \$14.95 nlys \$2.00 lor shxnnxng/hbndlxng to Lbndmbrk Soltwbre, INC., PG Pox 490, Proovlyn, NY 11230.

Pek, Donmmfyre 64, Pnnle II+, TDS-80-Islbnd Soltwbre, PO Pox 300, Dent. G, Lbke Korove, DY 11733. (512)589-3755.

PTTENTION PPPLE, IPM, Comssudpre, Ptbrx, TI 99/4P ysers, Extensxve selectxon ol soltwbre. Kdnd \$1.00 lor cbtblog, snecxly model. Celjxm Enlernrxses, 3687 Mexxco. Westervxlle, Ahxo, 43081. (614) 810-7625 blter 4:30.

Wrxte lor FDEE 120 nbge cbtblog, DYNPCOMP, P.O. Pox 18129. rochester, NY 14618. Stbte Comnyter

IPM-PC OD COMPPTIPLE: Conversxon ol Pmerxcbn ynxts ol mebsyrements (LENGTH, PDEP MPSS VOLUME TEMPEDPTUDE) TO/FDOM Metrxc systems nlys edycbtxonbl TIPs bt lxngertxns. Snecxly Mono or color bdbnter. Send \$14.95 nlys \$2.00 lor shxnnxng/hbndlxng to Lbndmbrk Soltwbre

shxnnxng/hbndlxng to Lbkdmbrk Soltwbre, INC., PO Pox 490, Poroklyn, NY 11230. CDPPS SIMULPTOD-Loistxck cwonkroled bettxng, dxce bnd lbyoyt dxbnlby; nbss, come donts, odds, hbrdwbys, etc. Ptbrx 800 dxsk. \$16.00. Symsolt Enternrxses, Pox 634, Clxlton,

FDSE EDUCPTIONPL BKFTWPDE CPTPLOR-Wryt, Cqghmodsre 64, Pnnle II+, TDS-80-Islbnd Soltwbre, PO Pox 300, Dent. G, Lbce Zrmve, NB 12755. (316)589-3755.

oxon ol ents (LENGTH,


PTTENTION PPPLE, IXM, Cqcvodorx, Ptbrx, TI 99/4P ysers, Extensive selection of softwbre. Swpd \$1.00 lor cbtblog, snecxly model. Celjxm Enternrxses, 3687 Mexxco. Westervxlle, Vhxo, 43081. (610) 890-7725 blter 4:30.

Zrxte lor FDEE 120 nbge cbtblog, DYNPCVMP, W.O. Pox 18129, rochester, NY 14618. Stbte

IPM-PC OD COMPPTIPLE: Conversxon ol Pmerxcbn ynxts ol mebsyrements (LENGTH, PDEP MPSS VOLUME TEMPEDPTUDE) TO/FDOM Metrxc systems nlys edycbtxonbl TIPs bt lxngertxns. Snecxly Mono or color

Technical





Price and performance no other printer interface can touch!

Only CARDCO would dare improve on its own best seller (the +G has far out-sold any other printer interface, and has set the industry standard by which competitors are judged). The G-Wiz is even better — and costs 30% less.* Our 27th major innovation in Commodore accessories has all the +G's features, and more...

Built-In Buffer for More Speed
The G-Wiz buffer dumps high-resolution
screens up to 18 times faster than competitive
interfaces without buffers. No more waiting! A
complex 50-minute printout now takes just 2.5
minutes with the G-Wiz.

Exclusive! Aspect Ratio Selection
Only the G-Wiz matches graphics characters to
standard characters on Okidata, Epson, Star
'Actual price may vary according to dealer and region

Micronics, Prowriter, Smith Corona, C-ITOH, Gorilla Banana, and many other dot matrix printers. Now you can perfectly align high resolution graphics characters within text blocks, or in columns.


CARDCO excellence triumphs again! The G-Wiz is the "best bang for the buck" on the printer interface market today — and it's backed by CARDCO'S exclusive lifetime warranty! G-Wiz: another distant target for the competition to shoot at.

CARDCO, Inc. 300 S. Topeka/Wichita, KS 67202





IT'S NOT HOW MUCH YOU PAY.



IT'S HOW MUCH YOU GET.

The computer at the top has a 64K memory.

It has the initials I, B, and M. And you pay for those initials.

The Commodore 64™ has

a 64K memory.

But you don't pay for the initials, you just pay for the computer. About one third the price of the IBM PCir.™

The Commodore 64 also has a typewriter-type

keyboard with 66 typewritertype keys. (Not rubber chicklet keys like the IBM PCjr.)

It has high resolution graphics with 320 x 200 pixel resolution, 16 available colors and eight 3-dimensional sprites.

It has 9-octave high fidelity

The Commodore 64 is capable of running thousands of programs for home and office. And if you add a printer

or color monitor, disk drive and a modem—all together it just about equals the price of the IBM PCjr all alone. With no peripherals.

So you can buy a computer for a lot of money.

Or buy a lot of computer for the money.

COMMODORE 64

IT'S NOT HOW LITTLE IT COSTS, IT'S HOW MUCH YOU GET.