

£3.25 DM.18 Jommodoro DISK. USER.

STAR PLOTTER

Printer Utilities in Space!!!

IE DISK

FLIGHT SIM II - PATCH

DISK ECONOMISER

GEO GRAB

FILE UTILITIES

6510+ HEADER CREATOR

PRINTER

GRAPHIC DESIGNER

GEOPOUND

COMPUTER AIDED STUDY



mistress of the dark

Hour upon hour of addictive entertainment

Totally icon-driven for ease of play Turbo disk loading guaran-

tees fast graphical access An Award Winning game

A SUPERB FANTASY ROLE-PLAYING GAME WITH OUTSTANDING GRAPHICS AND GAMEPLAY

supplied on 3 double-sided disks

Hundreds of locations in and around Elviras Haunted Hand to hand real time

Monsters

Over 1 Megabyte of game code Includes instructions and secret spell book for mixing spells and potions







CASTLE ARMOURY

AWESOME OUALITY: THE BEST FRP EVER SEEN ON THE CBM 64

ELVIRA rescues you from the Jailers cell and sends you on an unforgettable mission to great great grandmother EMELDA. On your travels in and around the HAUNTED CASTLE you will come across some of the most weird and...



....EVIL monsters and beings you have ever encountered. From UNDEAD KNIGHTS to the CATACOMB BEAST, WEREWOLVES to a VAMPIRE. and of course wicked EMELDA herself, this is the challenge that you will play AGAIN AND AGAIN!







THE BLACKSMITHS FORGI For information about the Elvira Fan Club: 14755 Ventura Blvd.,

#1-710, Sherman Oaks, CA 91403, USA DESIGNED BY HORROR SOFT LTD





me design © Horror Soft Ltd. Game and all other mate Elvira image © 1990 Queen 'B' Productions. Game design © Horror Soft Ltd. Game and all othe © Flair Software Ltd. Elvira and Mistress of the Dark are the Trademarks of Queen 'B' Prod Available from your local dealer or direct from Flair Software Ltd, The Smithy Side, 7 Belle Villas, Ponteland, Newcastle Upon Tyne. NE20 9BD Priced £24.99



Volume 4 Number 12 OCTOBER 1991

Design characters with the aid of this splendid little

FLIGHT SIM II - PATCH C128 owners can now run this classic game in C128		program. 2 GEOPOUND
mode.	5	So you want to print the pound sign with a GEOS printer driver?
STAR PLOTTER		COMPUTER AIDED STUDY
Get your STAR LC-10 to emulate a high-res printer.	6	Improve your spelling, and you don't even have to buy dictionary!!!
DISK ECONOMISER		
If you got those disk storage problems, we've got the answer!	14	
GEO GRAB		
Do you want to convert Geowrite USR files to Sequential files? Of course you do, you lucky people!	16	IN THE MAGAZINE
FILE UTILITIES		BACK ISSUES
The last of the programs in the FILE MENU series.	17	Your chance to catch up on all the dynamic CDU's you've missed.
6510+ HEADER CREATOR		,

21 MARKET PLACE

Designer: Helen Saunders
Technical Gibber; John Simpson
Program Evaluatur;
Paul Crowder
Advertisement Managuer: Cass Gilroy
Display Sales: Deborah Curran
Publisher: Hannain Wastinbusion Ltd.
Winner Money, 1700 (London Ltd.
Winner Money, 1700 (London Rose)

Norbury, London SW16 4DH.

Tel:081 679 1899, Fax: 081 679 8907

Group Editor: Rik Henderson

A 6510+ header creation utility.

ON THE

DISK

Subscription Rates

UK £39,00
Europe £45,00
Middle East £45,00
Middle East £45,00
Far East £50,20
Rest of World £46,00
Airmail rates on request
Contact: Select Subscriptions, Tel; (0442) 876661

Printed By: Gibbons Barford Print

Commodare Disk User is a morthly magazine published on the 3nd finday of every morth. Alphavine Publications Limited. 20. Potters.

Lane, Klin Tarm, Milton Keynes, MKII. 3HF. Belephone: 109008 569819 FAX: 109008 200229. For advertising ring (199008 569819 Opinions serieses and neisiens are the opinions of the reviewers and not necessarily those of the magazine. While every effort is made to thoroughly where knoppures published was cannot be held responsible for any errors that of our errors that of the magazine.

The contents of this publication including all articles, designs, drawings and programs and all copyright and other intellectual property rights therein belong to Aphanie Publications timited. All rights contented by the law of copyright and other intellectual property rights and by vistue of international copyright corrections, are specifically reserved to Aphanie Publications trimled and any applications of the content o

1991 ISSN 0953-0614

EDITORS COMMENT

And so ends an era, the mighty Paul Eves has finally decided that - although it pained him to do so - it's time for him to seek pastures new. But, you're wondering, what does this mean for CDI and yourself?

Firstly, it means that I shall be taking hold of the editorship of this title, and although one CDU reader wrote a while back saying that "if Rik ever gets hold of CDU, it'll be a dissater", it's a) not a dissater, and b) we can offer you a better title from now on. Secondly, I think I'd better fist my credentialsyou wouldn't want a complete stranger exercising a dictatorlike grip on the magazine now, would you?

Having previously worked on Computer Gamesweek, Amstrad Computer User, and Amstrad PC, I took over Your Commodore when it still contained serious content. Since which time I've edited YC and Your Amiga, and now I'm here.

I think I'll end with a "good luck" message to Paul, and I'm sure I speak for the magazine and it's following when I say, "a jolly good job you've done!" Catch you soon! Rik Henderson

DISK INSTRUCTIONS

Although we do everything possible to ensure that CDU is compatible with all C64 and C128 computers, one point we must make clear is this. The use of Fast Loaders, 'Cartifugés or alternative operating systems such as 'Dolphin DOS', may not guarantee that your disk will function properly. If you experience problems and you have one of the above, then we suggest you disable controlled. Getting the programs up and munning shall controlled. Getting the programs up and munning with the property of the property in the drive and enter the command in the drive and enter the command.

LOAD"MENU" 8

Once the disk menu has loaded you will be able to start any of the programs simply by selecting the desired one from the list. It is possible for some programs to alter the computers memory so that you will not be able to LOAD programs from the menu correctly until you reset them machine. We therefore suggest that you turn your computer off and then on again, before loading each program.

HOW TO COPY CDU FILES

You are welcome to make as many of your own copies of CDU programs as you want, as long as you do not pass

them on to other people, or worse, sell them for profit. For people who want to make legitimate copies, we have provided a very simple machine code file copier. To use it, simply select the item FILE COPIER from the main

DISK FAILURE

If for any reason the disk with your copy of CDU will not work on your system then please carefully re-read the operating instructions in the magazine. If you still

- 1. If you are a subscriber, return it
 - 5, River Park Es
 - rkhamsted
 - 1HI Telephone: 0442 8766
- 2. If you bought it from a newsagent
- CDU Replacements
- COPYTEC SOFTWARE SOL
- Riverside Business Centr
- High Wycomb
- HP11 2

Within eight weeks of publication date disks are replaced free.

After eight weeks a replacement olse can be supplied from COPYTEC SOFTWARE SOLUTIONS for a service charge of £1.00. Return the faulty disk with a cheque or postal order made out to COPYTEC SOFTWARE SOLUTIONS and clearly state the issue of CDU that you require. No documentation will be supplied.

Please use appropriate packaging, cardboard stiffener at least, when returning disk. Do not send back your magazine, only the disk please.

NOTE: Do not send your disks back to the above address if a program that does not appear to work. Only if the DISK is faulty. Program faults should be sent to: BUG FINDERS, CDU, Alphavite Publications Ltd, Unit 20, Potters Lane, Kiln Farm, Milton Keynes, MK11 3HF. Thank you.

FLIGHT SIM II - PATCH

Got a C128? Got a copy of FLIGHT SIM II? Let GLENN DAVIES show you how to run this classic on your C128

FIIGHT SIMULATOR II is a classic program and certainly the most authentic flight simulator for the Commodore 64/128. It was, however, written almost 8 years ago, before the Commodore 128 was available. Newer games such as STEALTH MISSION and PROJECT - STEALTH FIGHTR take advantage of the Commodore 128's extra speed capability. FIIGHT SIMULATOR II does not - until now.

This program enhances the frame rate (that is, the rate a which the 30 display is refershed of F52. The aircraft becomes more easy to control in areas of dense scenery, and on approach and landing. The frame rate is enhanced by roughly 20-25%, which may not sound like much, but it is enough to rates difference. By the way, the program still minutes to fly a certain distance on the original version - it still tables 10 minutes to fly a certain distance on the original version - it still tables 10 minutes to get there now.

REQUIREMENTS

To use the program, you need a C128 (obviously), a disk copy of FLIGHT SIMULATOR II (this may work on the relatively rare tape version – but I haven't tried it), and a freeze cartridge which allows you to alter the program with a machine code receiter.

- If you own an Action Replay cartridge with the multiload parameter facility then read PART A. If you don't know whether your cartridge has this facility, check the manual or freeze any program and check for P - PARAMETERS on the menu that appears.
- If you own any other cartridge which has a machine code monitor then read PART B. Owners of Action Replay cartridges without the parameter facility should also read this section.
- All users should read PART C, as this describes how to use the program.

PART A

Load the file "FS2-PARAMETER" from the CDU disk. Have a disk ready, Run the program and follow the on screen promps. This program saves a file "P900" to disk. Reset the computer with NORMAL RESET and load FS2. Once you are on the runway at MBCS FELD, press the freeze button. Interest the disk with "P900" on it. Press "P" and enter P900 as the parameter name. The parameter will load and you can restart FS2.

PART R

Load the file "FSZ-FILES" from the CDU disk. Have a disk ready, Run the program and follow the on Scatter of the FSZ-FILES. This program saves eight files to disk, named "1" to "8". Reset the computer and load FSZ. Once you have not the runway at MEIGS FIELD, press the freeze button on your cartridge, Using the machine record emonitor on your cartridge, load each of the eight files in trum, making sure you load all eight; theke you cartifyer manual for how to load blocks of data. You may now restart FSZ.

* ATTENTION ACTION REPLAY OWNERS!

You will be unable to load files "1" and "3" using the above method, although all other files will load correctly. Load the other files as described above then type the following:

L "1",8,D000 (return) to load file "1"

T D000 D088 0150 (return) to put the data in the correct place

L "3",8,D000 (return) to load file "3"

T D000 D02A 03A0 (return) to put the data in the correct place

Tou may now restait 132.

PART C

You will notice that the instrument panel border colour now extends to the top of the 3D viewing area. Press RESTORE to switch between "normal" and "fast" modes, The position of the split between border colours at the top of the 3D viewing area indicates the mode you are in. In "fast" mode the split is further to the left. "Fast" mode is disabled after any scenery load or use of the editor. To re-enable "fast" mode, press RESTORE.

If you wish, you can change the modification so that you do not have to re-enable it by no enable to re-enable it by no that you are seen to re-enable it by no enable to scenery load. After you have loaded all the files, or the scenery load. After you have loaded all the files, or the parameter, enter the machine code monitor on your cartridge. Load the files "FS2-PATCH" and "FS2



Use a STAR LC-10 or compatible printer to simulate a high-resolution plotter! D.H.FABER

This article describes a series of programs that enable the use of simple BASIC commands to simulate a plotter with a resolution of better than 200 dpj. on a 5TAR LE-10. Other printers with a graphic mode of 240°216 dpj. can oppose the programs of the programs it is described how to use this "PLOTTER" from their programs.

A QUICK INTRO

Nowadays, following the widespread penetration of PCs, centronics printers have become rather cheap. Since these printers can be easily connected to a C64 some types are even available with a builst in Commodore-type serial interface! many new C64 users have purchased such a printer and "old hants" may have replaced their such a type. This program uses the abilities of the processor in the program uses the abilities of the processor. The program uses the abilities of the processor in the proces

When designing a program like this one, one is immediately confronted with a prime choice given a printer that can transport the paper in reverse direction it would, in principle, be possible to write a BASIC settension that executes plot commands 'on-line'. The disadvantage of such a method is of course that many printers cannot move the paper backwards; also, if features more complex than the ability to plot a line between two points are required, e.g. the plotting of characters, the extension tends to become rather large, leaving less space for your own programs.

A DIFFERENT APPROACH

I therefore opted for a different approach: a short lies han 118 BASI extension allows the creation on disk of a sequential plotfile. In a later stage a more complex program turns this file into a plot on the printer, drawn line-by-line. This way you have maximum memory space available in you oven programs and you can use printers available in you oven programs and you can use printers is faster, eliminating many unnecessary movements of the printhead.

AN IMPORTANT REMARK

Inese programs make extensive use of floating-point routines in the BASIC and KERNAL ROW, however, Commodore did not define vectors for these routines and the possibility cannot be entirely ruled out that versions of the C64 are in existence on which these programs won't! (they were written for the 64-mode of an old C128). Also, if the presence of a cartridge causes problems you should remove!

OTTER

programs. However, there is no test for the maximum xvalue, if too large a value is used it will produce weird plots. It is also possible to define a new origin, but the old limitations remain: if e.g. the new origin is at x=2, y=3 then in the new coordinate system x-values can range down to -2, the new y ranges from -3 to +5.

Some printers, e.g. the STAR LC-15, can handle paper of a larger width than the standard 10 inches; the programs can use these printers as well, however, the additional width is not used (the size of the internal buffer used limits the useable area to 8 inches).

On the disk (of course you made a safety copy!) you'll find the following files:

TABLE1		
	TYPE	BLOCKS
SIMPLEX64	Р	4
COMPLEX64	P	3
DUPLEX64	P	9
COMPLEX/CHRMAKEI	R P	31
COMPLEX64.PDEF	S	1
DISPLAYCHARS	P	8
COMPLEX64/PDEF	Р	11
COMPLEX64/2	P	58
COMPLEX64.CR	S	10
FIGURE1	S	4
FIGURE2	S	4
FIGURE3	S	5
TARLEA	5	11

In the article many files are discussed in detail, if not referred to, a file is used by one or more of the others.

GENERAL INFORMATION

Before describing the new BASIC commands we will first discuss some important items. First, the coordinate system to be used. If you take a look at figures 2 and 3 with large open arrow is the direction in which the paper the origin is defined as the leftmost position of the printed on top of the page, the V-coordinate can have values from 0 to 8 inch, the X-coordinate ranges from 0 to wer 150 inch in case of 12 inch page length the plot can be over 12 pages longs! If you try to plot amphing part of the plot is ignored without jamming the plot

SIMPLEX64 - NEW BASIC COMMANDS

On the disk you'll find a small file (4 blocks) named SIMPLEX6; this is the BASIC extension, loading from \$C000 (49152) to \$C273 (50035) fall other memory is free for your own use). The recommended procedure to copy this file of the state of the state

1 N=N+1 : IF N=1 THEN LOAD"SIMPLEX64",8,1 2 SYS 49152

The extension is active from line 3 onwards. It operates in an old fashioned manner: all new commands start with the '8' sign and are not tokenised. This implies that they are either to be first on a new BASIC line, or else are to be proceeded by a colon("!') also if it would not be required by normal syntax rules such as in:

999 IF I>0 THEN:@PLOT X.Y.P.


In table 2 you'll find a summary of the new BASIC commands, remember that as for ordinary BASIC statements all parameters may be variables, constants or expressions!

TABLE 2

@OPENPLOT (filenumber)
@SCALE (factor)
@ITALIC (angle)
@PLOT X,YPEN,[,DASH]
@ELLIPS X,YPEN,XO,YO,ROT [,SA][,SB]
@SYMBOL X,YPEN,H,W,ROT,(arglist)
@OPENPLOT (filenumber)

You should open the sequential plotfile yourself, this instruction tells the extension which logical filenumber to use (should you forget this then a "PLOT FILE NOT OPEN" error will follow on the first attempt to use one of the plot commands). A logical continuation of the earlier example would be:

3 OPEN2,8,2,"TESTPLOT,S,W" 4 @OPENPLOT 2 Remember that you have to close the plotfile yourself (CLOSE2). Although the new commands work in both 'direct' and 'program' mode you should not mix the two: the OS refuses to write to a file in program mode! if it was oneened in direct mode!



THE NEW COMMANDS

@SCALE (factor)

Normally, the program assumes inches (factor = 1). You may define a new unit of length using the @SCALE command, if you prefer centimetres the following instruction will do:

999 @SCALE 1/2.54

The obvious place for this command is immediately following the @OPENPLOT command but it is not forbidden to give it in some other place or to change scale more than once.

@ITALIC (angle)

This command is relevant only if you plot characters using the @SYMBOL instruction (see below). The current value of 'value' determines the 'skewness' of the characters, 'Angle' is given in degrees, allowable values are from 0 (normal characters) to 60 (very italic writing). You may change this value as often as you like.

@PLOT X,Y,PEN [,DASH]

This is the most fundamental new BASIC command, it moves the printhead in a straight line from the previous plot position to the specified new co-ordinates [X,Y]. This may be done with 'pen up' (nothing on paper!) or with




FIGURE 2

FIGURE 1: SYMBOLS

'pen down': three different 'pens' (=line widths) are available. You may also plot a dotted line with a single instruction

like previous position is pool at the start or the program, else the latest coordinates used in a @PLOT instruction (coordinates used in between in 25YMBOL - or @ELLIPS commands do not effect this value). Forgetting the optional DASH parameter for the moment, the allowable latest of DSN administrations are within the start of the program of the control of the

PEN=0:

pen up, no line pen down, a line is drawn with a width of 1, 3 or 5 dots respectively

It should be noted that for, PEN=2 or 3, the actual line width can vary by 10% depending on the direction of the line to be drawn. This is due to the unequal resolution in X- and Y- direction.

You can use the DASH parameter to draw a dotted line (equal lengths for dots and spaces, unit of lengths as defined by @SCALE command). The actual length may defined by @SCALE command). The actual length may differ slightly from the value you specify and also varies with the direction of the line. Also, the maximum length of dots and spaces is limited to up to 1.1 inches [2.8 cm]. Alternatively, you may draw a dotted line yourself, using a series of @PCIOT instructions. This additional only on works for all values of PEN, although it does not make sense to use it with PEN=0.

An additional option is invoked by using PFN=0.33+256. The effect is as for PFN=0-3 but in addition the coordinates (XY) are used from now on as origin of the plot condinates (XY) are used from now on as origin of the plot lines drawn - with PFN=2 or 3 - can be drawn only partially since part of the line width is outside the printable area. The BPTOT command requires very few the printable area. The BPTOT command requires very lew

@ELLIPS X,Y,PEN,X0,Y0,ROT (,SA)(,SB)

With this command you can plot CIRCLES or ELLIPSES, complete or in part. The coordinates (X,Y) are the focus of a circle or the midpoint of the ELLIPSE. X0 and Y0 are

the lengths of half the major axis (or, if equal, the radius of a circle), ROT (in RADIANS) is the angle by which an ELLIPSE is rotated with respect to the axis of the coordinate system (irrelevant in case of a circle). From figure 3 you will see that the rotation (RHO) is defined positive for a counter-Cockwise rotation.

which is defined on the points of a 7*7 grid. These symbols are meant to mark e.g., discrete points on a curve that is to be plotted. They are usually used with an ITALIC angle of zero and equal values for H and W as in;

999 @SYMBOL X,Y,2,.5,.5,0,CHR\$(1)

(since the statement does not end with a semicolon the delimeter CHR\$(13) is added implicitly),

parameters SA and SB these are taken to be zero and the complete ELLIPSE or circle is plotted. You may use SA and SB to define the start and end values of a segment (in RADIANS). Compare LAMBDA in figure 3. Notice that a value of e.g. 45 degrees is in general not halfway 0 and 90 degrees, this is only true in the case of a circle.

you omit the

FIGURE 3

You select the desired line width by using PEN=1-3, the redefinition of the origin by means of PEN=256+(1-3) also works although it is of little use here. You could plot an ELLIPSE yourself.

plot an ELIPSE yourself; using a series of 8H/LOT commands, by writing down the parameter equations and calculate the coordinates for succeeding values of the parameter. The ELIPSE is then succeeding values of the parameter. The ELIPSE is the cacuracy depends on the number of steps the accuracy depends on the number of steps the the method in this program plots an ELIPSE with maximum accuracy for the given printer resolution. The price to pay is time; a large number of floating point

of an ELLIPSE requires little space in the plot file.

@SYMBOL X,Y,PEN,H,W,ROT,(arglist)

This command enables you to plot alphanumeric string, starting on any coordinates and under the angle you choose. X and Y define the origin of the string (two choose. X and Y define the origin of the string (two possibilities, see below). PEN the line width (again, PEN-PEN-X256 redefines the origin). H and W are the line width (again, PEN-PEN-X256 redefines the origin). H and W are the together with the current value of 'angle' (may be changed by an @ITALIC instruction) they determine the shape of the characters, ROT is the angle with respect to the X-axis for plotting the string, compare figure 2. ARCLIST is the string to be plotted (variables, expressions implicitly) by ChRSI II. Talke 3 shows the symbols four are available by default. There are two types which differ in the way the origin is defined:

CENTRED SYMBOLS - These are CHR\$(1)-CHR\$(12). The origin (X,Y) is defined in the centre of the symbol (the fat dot in the middle of the right symbol in figure 1)

NORMAL CHARACTERS - For all other symbols the origin is defined at the bottom-left of a grid of 7.7 lines (see "A" in ingure 1). Note that the ingure 1 is not that the are not used and the actual width of the character is 2/3 W (the space between two characters is 1/3 W). The space between two characters is 1/3 W). The Character is 1/3 W). The Character is 2/3 W (the space between two characters is 1/3 W). The character is 2/3 W (the space between two characters is 1/3 W). The space is the space between two characters is 1/3 W). The character is 2/3 W (the space is 1/3 W). The character is 2/3 W (th

and 97-149 are the important characters from Commodore's Business mode, they contain all normal and most 'shifted' characters (table 3). The following are some examples:

991 @SYMBOL X,Y,PEN,H,W,ROT,A\$ 992 @SYMBOL X,Y,PEN,H,W,ROT,A\$+"abcd" 993 I=2:@SYMBOL X,Y,PEN,H,W,ROT,I

In general this command operates like a PRINT or PRINT# instruction (but you may not use control characters), it has roughly the same possibilities and limitations.

The @SYMBOX command is a complex instruction which in the plot program - requires quite a few floating point calculations. Also, each command requires, apart from the length of the string to be plotted, an 'overhead' of 14 bytes. Therefore, the @SYMBOX command is not meant to plot pages and pages of text but rather to plot legends accompanying graphics etc. If you do not like the form the plotted of the plot

@KILL

This command disables the extension, the vectors for interpreting the Basic text are restored to their default values. Also the values of the latest co-ordinates and origin are reset to [0,0] and the italic-angle is set to zero. You can use this to start a new plot "from scratch": 6 CLOSE2 7 @KILL : SYS49152 : REM

RESTART

R OPEN 2.8.2." NEWPLOT.S.W"

8 OPEN2,8,2,"NEWPLOT,S,W 9 @OPENPLOT2

10

Note that the value of the scale factor (@SCALE) is not reset!

TIP

As explained previously you can choose from three line widths. For PRN-3 the width is at least 0.02 inch (0.5mm) for a line parallel to the X-axis (lines parallel to the Y-axis are a little wider due to the louding in A-direction). Should you want to plot even fatter lines with an offset of 0.0.2 inch, fatter ELLIPSEs and characters may be obtained in a similar exercise.

STRUCTURE OF THE PLOTFILE

If your intention is only to use the BASIC extension you may skip this part. It is possible to create the plotfile 'manually'; when writing assembler programs this is the only way but even from BASIC this SIMPLEX64 cannot co-exist with another indispensable BASIC extension for in the matter mode of a C128). Note that features like SCALE and the redefinition of the BASIC extension, in the 'manual'

method the origin is fixed at [0,0] and the co-ordinates are given in plotter-increments! You'll find a summary in table 4, a further discussion follows below

For all file entries the first five bytes are:

byte 1 : code byte: bits 6 & 7 determine the value of PEN, bits 0-5 are unique to the instruction

is given as a 16-bit unsigned integer (note: high byte first!). This method explains the maximum plot length (up to 12 pages, see SIMPLEX64: NEW BASIC COMMANDS). bytes 4.5: idem the Y-co-prdinate, in sters of 1/240

oytes 4,5 : idem the Y-co-ordinate, in steps of 1/24 inch.

.

: X in plotter steps (1/216 inch): this number

STARPLOTTER:

available symbols

but for shifted +-CB*1
these are all printable
normal and shifted keys
in Commodore's business

ASCII 192-223 same as 96-127, others blank TABLE 3

sixth byte may follow:

- DASH, the length of dots and spaces in a dotted line (in plotter steps). Since the plotter step varies from 1/216 tO 1/240 inch it is best to assume an average step of 1/220 inch and take a deviation of up to 10% for cranted.

The PLOT instruction uses a Bresenham algorithm to draw a straight line; in view of the unsigned 16 bit integers used, this method is both fast and efficient in the

ELLIPS:

: 1024*X0 as unsigned 16-bit integer (X0 i inches); this is a memory saving way to store X0 with still high enough precision

COMPLEX64 / printer settings

Wserport/Centr. address: Sec .

Sim. 9-pin Epson 888 888 888 888 888

Printer codes (zero if not available): graphics 240 dpi.: paper n/216 forw.: hor pos (1/60 in): paper n/216 back.:

> byte val. top pin 128 881

> > 8K ? (u/n)

FIGURE 4

(remember: high byte first!).

: idem 1024*Y0. bytes 8,9

bytes 10-14: rotation (radians), in the shape of a 5-byte

Depending on the value of the code byte there may

bytes 15-19 : starting angle (radians), 5-byte floating

bytes 20-24 : end angle (radians), idem.

: 1024*W (width, compare Y0 in ELLIPS). the ITALIC angle (degrees) to be used for

this string. Values may range from 0 to 60

Next there follows a string, terminated by CHR\$(13); the maximum length is 255 symbols or characters.

print plot file on epson-type printer

blank filename terminates program !

plot file (seq): device number paper length double strike return to top

FIGURE 5

As far as the maximum size of the plot file is concerned; it is solely limited by the type of drive you use, for the 1541/71/81 this is up to PLOTTING THE FILES) can be handle files of any size but if they exceed the available buffer size (up to 40K) the time required to complete

COMPLEX64 - PLOTTING THE FILES.

In power-up condition you LOAD and RUN COMPLEX64 as a BASIC program, First however, we must discuss the sequential file

in PLOT MENU, if the file is not found you first have to work your way through the printer menu described in PRINTER CONFIGURATION. The file supplied on the disk is for a STAR LC-10 with a commercial centronics user port cable. If you work with another configuration you should scratch this file first; the very first time you use COMPLEX64 you then have to enter the relevant data for your own printer.

PRINTER CONFIGURATION.

Figure 4 shows a screen dump from the menu screen (the data shown are for a STAR LC-10); on the monitor it is evident which data to enter as the relevant part of the screen is 'highlighted'. A short description:

- The first choice is between a centronics - user port cable or a serial interface (key "u" or "s" respectively). In case of a serial interface you should also define the device number a secondary address (you require a linear appropriate secondary address).

- Next you can define a string of up to five bytes (it is used up to the first zero byte). This string is sent only once at the very beginning of the plot program behaving like an 8-pin Epson type (consult your printer's manual!).

- Next the printer codes are defined for the (only four) printer instructions the program uses. Of these, the first two are absolutely essential (define the graphic mode and move the paper forward by n/216 inch). The third code, used to define the but the plot can be made without it. Also the fourth code (used to move the paper backwards) is not absolutely essential (see PLOT MENU). All codes are used up to the first zero byte, if the very first byte is zero this implies that your printer does not

- For STAR and EPSON printers in graphic mode the dot pattern is defined by adding the values 1, 2, 4,, 128 for the corresponding pins. Here the 'top' pin corresponds with the value 128. However, some printers have this sequence reversed i.e. the top pin corresponds

- Finally, if you are satisfied key "y" to save the new settings on disk or "n" to do it all over again.

A final note concerns the setting of the dip switches in handle the printer. The one exception is if your printer cannot define the start position in steps of 1/60 inch. In the printer must not automatically add a line feed (LF) to the carriage return, usually a dip switch is used to select

PLOT MENU

Figure 5 shows a screen dump of the menu screen, on the monitor the relevant entries are immediately apparent by 'highlighting'. The line beneath the header ("blank file name...") is used as a status/message line. A description

- 1) The name of the plot file and the device number need
- 2) The paper length, normally 12 inches, is relevant only in conjunction with the 'return to top' option. If the latter is off ('n') then a correct paper length ensures that the paper is spooled to the top of the first new page.

- 3) If the 'double strike' option is on ('v') then each line is
- 4) You can select the 'return to top' option only if your printer is able to move the paper backwards (specified draw plots which require over 40K (the buffer size). careful programming could create several smaller files less execution time than the complete file would.
- 5) Finally, (not shown in figure 5), in the status line you are asked if the plot should be sent to the plotter (key instructions (ELLIPSE, SYMBOL) that require quite seconds per instruction for each line; if you plan to to divert the byte stream to disk. These are packed. sequential file named SSF.01 (or a higher number for the next file in the same run). Using a separate having to wait for lengthy calculations in between the lines! Do not get mixed up between normal plot files and the SSF files, they are not mutually interchangeable, Also, when writing the SSF files you can choose between two device numbers. Note that if the SSF file is sent to the same drive as the plotfile is read from, they are of necessity on the same disk.

COMPLEX64 - char. designer

(Mouse / stick in any port)



button / fire toggles pen up / down

PEN: ASCII=0 (\$88) CENTERED FIGURE 6

- A) A possible message in the status line is 'Plot file error'. The program has found an unexpected byte in the plot file.
- Prior to showing the menu screen, the character set you may create your own
- C) The available buffer amounts to around 40K bytes. Files exceeding approx 160

requires the complete file to be processed as indicated by the PASS value in the status line). Alternatively, you may create smaller files and 'overlay' these if your printer has the ability to move the paper backwards (see above). However, even the normal buffer size allows the use of over 8000 simple PLOT instructions.

DUPLEX64

This is the program that plots the SSF files. In power-up condition it is loaded and started as a Basic program. The menu screen is similar to that of COMPLEVAG but you need only specify the file name and device number, the other options were selected in the COMPLEVAG fun which created the SSF file. This program does not require files for printer, or character definitions, these are all incorporated in the SSF file. Although an SSF file is a handled much quicker than an order SEF file this, it is handled much quicker than an order SEF file the it is to be printed on the printer type that was specified in the receition of the SSF file. i.e. in a run of COMPLEVAG.

COMPLEX/CHRMAKER - DESIGNING CHARACTERS

As discussed previously, you may plot symbols and characters which are defined in the sequential file COMPLEX64.CR. You may change some of the symbols or even create a new set yourself. As usual, in power up condition it is loaded and started as a Basic program (figure 6 shows how the screen will look).

You can control the program with a mouse (Commodore 1351 - in proportional mode) or by a joystick in either port. (The keyboard is not to be used). You can 'CLICK' on one of the icons by pressing either the mouse buttons or the fire button on the joystick. Note that the area in which you can mowe around it tightly controlled to options that make sense in any particular stage of the program.

At first the cursor is restricted to the rightmost part of the screen (initially it is situated between the "UP" and "DOWN" icons. If starting from scratch the work area will be empty. (Apart from a gridd, if you plan to design a completely new set of symbols, this is fine, esbe click on the LOAD "Fill E'on. Using the "UP" and "DOWN" corns the LOAD "Fill E'on. Using the "UP" and "DOWN" corns in the LOAD "Fill E'on. Using the "UP" and "DOWN" icons. In the LOAD "Fill E'on. Using the "UP" and "DOWN" icons in the LOAD "Fill E'on. Using the "UP" and "DOWN" icons. In the LOAD "If I con. Using the "UP" and "DOWN" icon. Up and

When on the left half of the screen there are two

PLOT FILE ENTRIES



TABLE 4

possibilities, either the PRN is 'UP' or it is 'DOWN'. If meaning of the three icons : CLEAR, RESTORE'S and RPPLACE will be obvious. You can draw a line by positioning the cursor on a gind point and then push the button. There are two ways to continue, clicking on the same position again creates a dot. Moving to another point and clicking there results in a line; the PRN remains down and you may continue the figure or else you may click again and enter 'PRN UP' state and continue the symbol elsewhere on the grid.

If the maximum number of points that can be used in any symbol (around 16) is used, it is shown on the screen and you cannot click other than on one of the three icons in the left half of the screen.

PLOTTING THE CHARACTER SET

If you have created your own set of symbols you may want a table of symbols similar to table 3. To this end the Basic program DISPLAYCHARS is included on the disk. You should (ONEC only) load and run this program, creating the sequential plot file CHARDISPLAY the Basic program requires much less disk space, therefore it is included on the disk instead of the plot file you actually need.

Plotting this file in COMPLEX64 results in a table similar to table 3, displaying the current symbols defined in the file COMPLEX64.CR.

OTHER FILES ON DISK

Also on the disk are the sequential plot files "FIGURE!", "FIGURE2", "FIGURE3" and "TABLE4". If you plot these using COMPLEX64 you will obtain the same illustrations as printed with this article. You might use these as a test until having written some plot applications yourself.

DISK ECONOMISER

Another utility for saving disk storage space appears, this time by courtesy of - SIMON COLLIS

This program is designed to fill up the nooks and cramies on those disks - to ensure that you have disks full of programs, and leave not a block free. Why? Because by filling the disk, you ensure that you use less disks (makes sense really, doesn't it?) and therefore SAVE MONEY. Once you've loaded DISK ECONOMISER (either through the CDU MENU, or by typing LOAD 'PIDISK ECONOMISER.'? Is followed by RUNI you enter the main menu, which will show you the following options:

- B BLOCK SEARCH
- R READ DIRECTORY TO MEMORY
- M MANUAL ENTRY TO MEMORY
 L LIST FILES IN MEMORY
- D DELETE FILES FROM MEMORY
- C CLEAR ALL FILES
 P PRINTER
- @ DOS COMMANDS X EXIT TO BASIC

BLOCK SEARCH

Allows you to enter the number of blocks that you wish to search the memory for, By default I have set this to 664 (the size of an empty 1541 disk), but you can set it to any size you want, to allow for partially filled disks, 1581 drives (3160 blocks), and so on. The maximum unmber of blocks you can search for is 1500 blocks to complete the search Comprise enough blocks to complete the search Comprise enough blocks to

FULL DISK SEARCH

Allows you to search for the number of blocks that you specified in BLOCK SEARCH. Disk Economiser is all machine-code and searches at a very high speed over 10,000 combinations of files per second, although it has also been streamlined to reject combinations which would be too many or too few very quickly.

READ DIRECTORY TO MEMORY

Allows you to put a disk in the drive, and then presents a menu of the directory, with the cursor at the end of the first filename. Zero blocks boot and directory separators (provided they are shown as being zero blocks long) are ignored (but shown for completeness).

When the cursor is on a filename, press "Y" to enter the file into memory (along with the diskname and disk identity of the disk that it came from) and "N" to ignore it. After pressing one of the keys, there will be a small delay before the next filename is displayed. Even the type of program is kept.

NB: when using this option, insert the disk into the drive BEFORE you press the letter, or the program will crash.

MANUAL ENTRY TO MEMORY

Allows you to enter the name of a file, and the length in blocks. It shows up in all listings with file-type "MAN", and the disk-name/identity shows up as "MANUAL ENTRY". Press RETURN on an empty filename to leave this mode and return to the menu.

LIST FILES IN MEMORY

Will fist the files the program has in memory so far. Disk Economiser can hold up to 256 files, but you shouldn't usually need so many, incidentally, it also takes you houldn't to soft through 256 files, so if you ceed to fill the tempory, be prepared for a long wait. It's preferable to have a book to read leg. "War and Posce" but Disk Economiser has been set up to try and find a combination as fast as possible, so please be patient—the borgest I sper waiting was about a minute, with 256 files in memory, so it's not that slow, for perhaps: Sport the Dog't instead?

DELETE FILES FROM MEMORY

Pretends to be a dos wedge, but with the scratch command built in. The "*" and "?" wildcards are interpreted correctly, and every file selected is brought up

CLEAR ALL FILES

Is a much faster way of clearing all the files than using the above. It doesn't ask for confirmation at all, and the it (although I usually find I never make these sort of errors until someone warns me about them, so perhaps I

PRINTER

Centronics (or, indeed, no printer). If a printer is selected, arrangement will be sent to the printer as specified by the menu, complete with block lengths, filenames, file types, disk names and disk identities.

DOS COMMANDS

provided CBM-DOS supports it. The disk error is read back, so turn the drive off and on again, rather than type

TIMEWORKS SOFTWARE

BOOKS FOR THE C64 AND 128 C64 Machine Language £8.95 ° C64 Tricks & Tips C84 Peeks & Pokes 63.95 £3.95 * Tricks & Tips C128 £9.95 * Maths Tutor for C64 Micro Wars on C64 £5.95 Power Plays on C64 Official C64 Ref. Quid GEOS Tricks & Tips GEOS Inside & Out £12.95 * Anatomy of 1541 (1st Ed) 63.95 C64 Troubleshooting & Regain \$14.95

Anatomy of C64

£12.95 *

D FOR SALE

£12.95 * * add £1 for optional disk

Science & Engineering

COBOL-64 & COBOL-128	£19.95	Pascal-64	\$14.5
ADA-64	£12.95	Assembler/Monitor 64	94.9
Zoom Pascal	£4.95	UltraBASIC-64	£4.9
Oxford BASIC	£12.95	Swiftcalc-64	\$14.5
The Artist	£4.95	The Musician	24.5
Disk Drive Manager	24.95	Bredens Basic	29.5
The Newsroom	£14.95	Certificate Maker	\$14.5
Printshop	£29.95	Wordwriter 6	£34.5
Super C-84	£34.95	Super C-128	£34.5
Fortran-64	£29.95	Superscript-64	\$19.5
Macro Assembler	£14.95	Assembler Tutor	29.5
Future Finance	£9.95	Easy File	£14.5
Simons Basic Extension	19.95	Petspeed-64	\$123

Post-free in UK. Overseas add £1 per order. Cheques payable to DTBS Add 25% to book prices for airmail outside Europe Access & Visa Accented

Full list and product descriptions available on receipt of SAE DTBS

18 Norwich Avenue, Rochdale, Lancs, OL11 5.IZ

Tel/Fax: 0706 524304

EXIT TO BASIC

Well, that's the menu finished, now for a few notes, Everything, except during a search, don't worry about the after the seek time (slower flashing) has finished, add with 30 files (again, add 15 seconds for seek time (when the list is taken from memory and processed for faster

Disk Economiser is programmed to automatically use the drive it was loaded from when it is first run. If this you want to use the program with a different drive than you loaded it from, type POKE2145, <drive-number> before

If you decide to change drive number while using the program, type "X" to return to BASIC, use the POKE above, and type SYS2066. Of course, the POKE can be didn't really need to tell you that, did I? No, of course I King Henry VIII is dead, for example ... or perhaps that EVES no longer reigns over CDU, sorry!! or maybe ...

CLASSIFIED COUPON

ALL CLASSIFIED ADVERTISEMENTS MUST BE PRE-PAID. CDU CLASSIFIED DEPARTMENT, ALPHAVITE

20 POTTERS LANE KILN FARM MILTON KEYNES MK11 3HE RATES:Lineage 58p per word (+VAT). Semi-display: £11.50 (+VAT) per single

CARD NO.

EXP. DATE:.... 500

Daytime Tel No.

SOFTWARE SPECIAL OFFERS

GE Igrab

J. O'DONNELL shows you how to convert Geowrite USR files to Sequential files

This program enables you to export GEOWRITE files to other word processors or view the USR files without booting GEOS. It is fast, smooth and efficient. Written entirely in machine code, it offers high speed, smooth scrolling and user friendly routines.

GEOGRAB V2 will read a GEOWRITE USR file and convert it into a SEQ file that will load straight into PAPERCLIP III, SUPERSCRIPT, B. B. WRITER and SEQ file with a straight into SEQ file without a theory superscript. B. B. WRITER and SEQ file without a theory superscript. B. B. WRITER and SEQ file without a theory superscript. B. B. WRITER and SEQ file without a theory superscript. B. B. WRITER and SEQ file without the file will except for carriage returns. This means that the file will maintain its original paragraphs but lose any other thinds of the seq file with the seq file with the seq file will maintain to original paragraphs but lose any other seq file with the seq file will be set to see that the seq file will be set to see that the seq file will be set to see the seq file will be set to see that the seq file will be set to see that the seq file will be set to see that the seq file will be set to see that the seq file will be set to see the seq file will be set to see that the seq file will be set to see that the seq file will be set to see that the seq file will be set to see that the seq file will be set to see that the seq file will be set to see that the seq file will be set to see that the seq file will be set to see the seq file will be set to see that the seq file will be set to see that the seq file will be set to see that the seq file will be set to see that the seq file will be set to see the seq file will be set to seq file will be set t

HOW TO USE GEOGRAB

To use the program, select it from the CDU menu or type; LOAD"GEOGRAB V2",8 <RETURN>. When the load is complete, type RUN <RETURN>.

The title screen has a four choice menu

1. LOAD

Load a GEOWRITE USR file. Follow the screen prompts and you can't go wrong. When entering the filename you may use upper or lower case or both. During the load the drive light will flicker a little, this is normal. If several files are to be converted they may be done in succession. Each new load will overwrite the previous one.

2. VIEW.

You can view the file currently held in memory. Press V and the file will scroll up the screen (smoothly) and stop when the end is reached. Press SHIFT to pause the scroll

3. WRITE.

Write the text into a sequential file using the same name that was used during the load. Again, just follow the prompt. You should have a destination disk at hand.

4. DIRECTORY.

View the directory of the disk currently in the drive. As the screen is in lowercase mode, the GEOS directories

interfere with any file in memory.

TECHNICALITIES OF GEOGRAP

GEOGRAB V2 is written entirely in machine code. The heart of the program is a BLOCK READ direct access routine. This routine is used extensively to access the GEOWRITE disk.

First the directory is read one block at a time and tested for USR files. Each USR entry is compared against the given illename until the desired file is found, along with the pointer to the first block of the file. The first block is followed by the state of the \$900 and \$\$fF\$ respectively, indicating the end of the index. One block can hold 127 entries and so it is unlikely that a further block would be needed. Bytes 3 & 4 hold the track and sector of the first block in page one.

The pointer to the first block of page one is read, each successive block holds a link to the next in bytes 1 & 2. When the first byte is a zero then this is the last block in the page and the second byte indicates how many relevant bytes remain to be read from the block. We can now go back to the index and get the pointer to the first block of page two. If the first byte of the pointer is a zero block of page two. If the first byte of the pointer is a zero and of the document.

GEOCRAB V2 runs in basic RAM starting at 50901 and ending at 500E, 5000 to 50EFF is used as an input buffer for each block read from the disk. After the first block of the file is read, the index block, it is translated to \$1000 for easy access during the remainder of the process. All other blocks are processed in the input buffer at \$0F00. The BASIC interpreter is flipped out obcuments. This is 49K, and should be large enough to cater for the longest files.

The sequential write routine is a standard procedure using Kernal ROM routines. Every effort has been taken to ensure that the finished file contains only PET ASCII text characters, giving a high degree of compatibility with nonular word processors.

FILES UTILITIES

We bring you JOHN CAMPBELLs' final three programs that make up the FILE MENU suite of programs

This month we bring to you FILE DIFFER, FILE LISTER and FILE CROSSREF. To finish up with, we have also included a simple demonstration program for putting all the previous ten parts of this utility into practice. I am sure that many new users of the Basic language will find this suite of programs an invaluable aid to their learning skills.

FILE DIFFER

The File Differ program allows the Basic programmer to compare two versions of a Basic program to determine how they differ. The utility compares the two disk files you indicate and produces a report showing the lines from each file which contain differences. Sections of the two files which are dentical are not reported. This capability is useful to a programmer to determine what caused a working an authority of the contained to the programmer to the contained to stop working in a subsequent very compared to the programmer to the contained to the programmer to the contained to the programmer to the contained to the stop working in a subsequent very contained to the programmer to the contained to the co

When you select the File Differ utility from the Menu, it is loaded and run. The utility first asks you to supply the names of the two existing Basic files which you wish to compare:

NAME OF INPUT FILE?

You enter the name of the disk file where the first program is stored and press the RETURN key. (Note, the order in which you specify the two files does not matter; the report will show the same differences.)

Next, the utility asks for the second file to be compared:

NAME OF SECOND INPUT FILE?

You enter the name of the second program file and press the RETURN key.

Now the utility asks you to specify whether you wish the differences to be displayed on the screen or printed on the printer:

OUTPUT TO SCREEN OR PRINTER (S OR P)?

1

You enter S and RETURN to have the differences displayed on the screen, or P and RETURN to have the differences sent to the printer.

Finally, File Differ asks you to indicate whether line numbers should be compared, along with the Basic line, or whether just the Basic lines themselves should be compared, ignoring line numbers:

COMPARE LINE NUMBERS (Y OR N)?

You enter Y (for Yes) and RETURN if you wish to have the line numbers compared, otherwise you enter N (for No) and RETURN. (Note, even when you elect not to compare line numbers, functionally identical files may still show differences due to GOTOs and GOSUBs referencing different line numbers.)

Once you have entered all the information, File Differ begins he work. The utility reads a line from each input file, and compares them character for character. If they are compared to the character for character, if they are the character for character, if they are they are stored away, and again if the lines are different, they are stored away, and again compared with the new line from the first line from the first low now lines are read. The new line from the scord file, along own with every line is stored away from the second file, along comparisons continue to show differences, the old lines are stored away and new lines read.

When identical lines are finally found, the differences found to that point are reported, either to the screen or printer, depending on which you indicated. The different interestored from the isser large printed, followed by the lines stored from the second file, with a short row of asterisks to sprante them. In addition, a long row of asterisks is printed to separate hiss section of differences followed immediately by a long row for vice versal, it indicates either a set of lines were deleted from one file or a set of lines was inserted into the other file.

When an end-of-file is encountered in one of the input files, the currently-stored difference lines are output, along with the remaining lines in the other input file.

There are four possible error messages you may get from File Differ.

1. ERROR-FILE NOT FOUND

File Differ could not find the original file which you want to merge with another. You need to check the spelling of the file name, and make sure that file is on the disk. Then run the program again with the correct file name.

2. ERROR—EXCEEDED SIZE OF ARRAY

File Differ ran out of space while storing differences. If this error occurs, it is safe to assume that the two input files are sufficiently different to be considered unrelated to each other.

3 NO DIFFERENCES FOUND

File Differ found no differences between the two input files. Functionally, they are identical. (If you elected to compare line numbers as well, the two files are absolutely identical.)

4. ERROR—FILE MENU NOT FOUND

This error occurs when you elect to load the File Menu after completing execution of the utility, but it is not found on the disk. You are prompted again to enter your choice, which gives you the opportunity to insert the proper disk into the drive before responding.

FILE CROSSREF

The FILE CROSSREF program allows the Basic programmer to obtain a cross reference of all variables found in a program and the lines where each is used. The utility also indicates in which lines a variable is set by printing an "=" after the line number. In addition, FILE (ROSSREF produces a cross reference of subroutine calls occurs. This report allows the programmer to identify everywhere a variable is used but never set, and everywhere a variable is set but never used. In most cases, these conditions are errors to be corrected. This report can be used as well to identify mistyped or misspelled variables, it also allows the programmer to locate all occurrences of a particular variable, in order to locate all occurrences of a particular variable, in order to locate all occurrences of a particular variable, in order to have been removed for conflicting purposes.

When you select the FILE CROSSREF utility from the Menu, it is loaded and run. The utility first asks you to supply the name of the Basic file for which you want to obtain a cross reference:

NAME OF INPUT FILE?

You enter the name of the disk file where your program is stored and press the RETURN key.

Next, the utility asks you to specify whether the cross reference is to be displayed on the screen or printed on your printer:

OUTPUT TO SCREEN OR PRINTER (S OR P)?

You enter S and RETURN to have the cross reference displayed on the screen, or P and RETURN to have the it sent to the printer (make sure the printer is ready).

Once you have entered that information, FILE CROSSREI begins its work. The utility reads your program file line-by-line, updating the display screen each time to let you know how many lines it has found. It identifies the variable names and/or function names in the line, and each variable reames. A single properties the street of the properties of the

ON THE DISK-

variable name record if it exists, or a new record is created. Subroutine (GOSUB) records are handled analogously, where the line number called by the GOSUB identifies the record.

After the whole program file has been read, a report is displayed on the screen or printed on the printer, depending on which you selected. This report first list each variable in alphabetical order, along with all the lines in which that variable occurred. An "a" character next to the line number serves to indicate the variable was set in that line of the program. Then the report list each subroutine in numerical corder, along with the lines cat subroutine in numerical corder, along with the lines called in the program, a notice to that effect is displayed/printed.

There are three possible error messages you may get from FILE CROSSREE.

1. FRROR—FILE NOT FOUND

FILE CROSSREF could not find the original file from which you want to extract lines. You need to check the spelling of the file name, and make sure that file is on the disk. Then run the program again with the correct file name.

2. ERROR-NO MEMORY TO COMPLETE XREF

FILE CROSSREF is designed to optimize its use of memory such that programs with many lines and programs with many variables are handled equally well. If you get his entry, your program exceeded the capacity (and the capacity can be calculated as GNV14/SCO14/SU, where V is the number of different subroutines, and L is the number of different subroutines. All the number of the number of different subroutines, and L is the number of different subroutines. All the number of the number of different subroutines where each variety of the number of the number of different subroutines. All the number of the nu

3. ERROR—FILE MENU NOT FOUND

This error occurs when you elect to load the FILE MENU after completing execution of the utility, but it is not found on the disk. You are prompted again to enter your choice, which gives you the opportunity to insert the proper disk into the drive before responding.

FILE LISTER

The FILE USTER program allows the Basic programmer to list a program to the screen or printer. This capability allows the programmer to obtain a listing of the file previously extracted, renumbered, merged, or produced from a search and replace, without having to exit the FILE UTILITIES, load the file, List it, and reload the File Utility menu.

When you select the FILE LISTER utility from the Menu, it

is loaded and run. The utility first asks you to supply the name of the Basic file to be listed:

NAME OF INPUT FILE?

You enter the name of the disk file where your program is stored and press the RETURN key.

Next, the utility asks you to specify whether the lines are to be displayed on the screen or printed on your printer:

OUTPUT TO SCREEN OR PRINTER (S OR P)?

You enter S and RETURN to have the lines displayed on the screen, or P and RETURN to have the lines sent to the printer (make sure the printer is ready).

Once you have entered all the information, FILE LISTER begins its work. The utility reads your program file and translates the Basic keyword tokens into their ASCII string equivalents. It then displays the listing on the screen or sends it to the printer, deepending on what you indicated.

There are two error messages you may get from FILE

1. ERROR—FILE NOT FOUND

FILE LISTER could not find the file to be listed. You need to check the spelling of the file name, and make sure that file is on the disk. Then run the program again with the correct file name.

2. ERROR—FILE MENU NOT FOUND

This error occurs when you elect to load the FILE MENU after completing execution of the utility, but it is not found on the disk. You are prompted again to enter your choice, which gives you the opportunity to insert the proper disk into the drive before responding.

FILE UTILITIES DEMO

This write-up describes a demonstration which can be run in under fifteen minutes to illustrate how the FIE UTILITIES may be used together in developing Basic programs. For the demonstration a file called DEMO FIE has been included on the disk, You as the programmer wish to rearrange some lines in the program and change the message output at the end of the run. The demonstration will use the different utilities to make demonstration will use the different utilities to make most expedient thing to do is edit the file directly. The real power of the FIE UTILITIES comes in their use with programs which are so large as to make manual editing difficult and ernosprone.

 Start the demonstration by loading TEST FILE from disk and running it. You will see the following output on the computer screen:

A= 0

- A= 1 A= 2 A= 3 A- 4
- A= 4 A= 5 A= 6
- A= 8 A= 9
- Now load and run FILE MENU, and select item 9 9. FILE LISTER, to get a hard copy of the DEMO FILE.
 - List DEMO FILE to Printer. (You may want to do a printer form feed after each transmission to the printer in this demonstration.)
 - b. Return to FILE MENU.
- Select item 2 FILE EXTRACTOR, to extract the subroutine to be moved.
 - Input from DEMO FILE, output to DEMO EXTR.
 Extract lines 1000 to 1500.
 - c. Return to FILE MENU.
- Select item 3 FILE DELETER, to delete the subroutine to be moved (plus the GOTO ahead of it).
 - a. Input from DEMO FILE, output to DEMO DELE.
 - b. Delete lines 500 to 1500. c. Return to FILE MENU.
- Select item 1 FILE RENUMBER, to renumber the file after the subroutine was deleted.
 - a. Renumber file DEMO DELE, output to DEMO
 - Start renumbering from line 100 with increment 10 between lines
 - c. Return to FILE MENU.
- Select item 4 FILE MERGER, to merge the subroutine back into the renumbered file.
 - Merge files DEMO RENU and DEMO EXTR, output to DEMO MERG.
 - Return to FILE MEN
- Select item 11 DISK COMMAND.
- a. Enter "\$0:DEMO*", to get a directory of all the
 - demo files created so far.
 - Select output to go to printer.
 Type RETURN to get back to the menu.
- 8. Select item 5 FILE SEARCHER, to find all instances

of the string "FND" in the DEMO files

- a. Search files DEMO* for string END.
- Select output to go to printer.
 All demo files listed in the directory in the previous step are searched.
 Note that only the END strings in REM statements.
 - and string constants enclosed in quotes are displayed, not the END statement since it is a Basic token.
- d. Return to FILE MENU.
- Select item 6 FILE REPLACER, to replace the "END" strings in the merged file.
 - a. Replace string in DEMO MERG, output to DEMO
 - b. Find string "END" and replace with string
 - c. Return to FILE MENU.
- Select item 7 FILE DIFFER, to check how the new file has changed from the original file.
 - Compare DEMO PERI to DEMO EII
 - b. Do not compare line numbers
 - c. Select output to go to printer.
 d. Return to FILE MENU.
- 11. Select item 8 FILE CROSSREF, to obtain a cross
 - reference listing of the new file.
 - Enter input file DEMO REPL.
 Select output to go to printer.
 Return to FILE MENU.
- 12. Select item 9 FILE LISTER, to obtain listings of the
 - List DEMO EVER share in the state
 - a. List DEMO EXTR, then Repeat utility.
 - LIST DEMO DELE, then Repeat utility.
 List DEMO RENUL then Repeat utility.
 - c. List DEMO RENU, then Repeat utility
 d. List DEMO MERG, then Repeat utility
- e. List DEMO REPL, then Quit.
- Verify the program still works by loading and running DEMO REPL, and comparing the output to the original file:
 - A= 0 A= 1 A= 2 A= 3

DEMO files

- A= 5 A= 6
- A= 7 A= 8
- COMPLETION OF TEST

6510 HEADER CREATOR

GLENN DAVIES brings you a 6510+ Header File Creation Utility

The Header Create utility takes a symbol file from the 5510+a sembler seaved with STMANE), and produces a file of EQUate statements which can be included in other programs. Incidentally, the name "Header Create" is taken from the language "C" which allows "header files" of "function prototypes." the definition of a function and the programs to be "moduled" into programs, so that the programs of the produced in the programs of the file of the properties of the properties of the functions does not have to be continually recompiled.

What is the point of doing this ? "Good" programming practice fall tests according to the Dept. of Computation at the university I attend requires the use of "structural decomposition". This nasty sounding term simply means that the program is broken down into component parts, the program is broken down into component parts, that the program is broken down into component parts, the program is broken down into component parts, and the program is broken down into continuous control of the programs of the program is a series of module with the LIB statement. White say they are program easies to understand, but also prevents you program easies to understand, but also prevents you would a routine to all the programs when you wound a routine to all the programs are series of modules onto only the programs are series of modules not only makes the program easier to understand, but also prevents you may not a routine to all the programs are series of the programs are series of the programs. The programs are programs are programs are programs are programs as a program and the programs are programs. The programs are programs are programs are programs are programs are programs are programs. The programs are programs are programs are programs are programs are programs. The programs are programs are programs are programs are programs are programs. The programs are programs are programs are programs are programs are programs. The programs are programs are programs are programs are programs are programs. The programs are programs are programs are programs are programs are programs. The programs are programs are programs are programs are programs are programs. The programs are programs are programs are programs are programs are programs. The programs are programs are programs are programs are programs are programs. The programs are programs are programs are programs are programs are programs. The programs are programs are programs are programs are programs are programs. The programs are programs are programs are programs are pr

MODULES GALORE

When programs are written as a series of modules surve to be reassembled with each other if the symbols lalo known as abeled are to be accessible to all modules. This presents two main problems. Birstly, re-assembling the modules, two main problems. Birstly, re-assembling the modules two main problems. Birstly, re-assembling the modules two main problems. Birstly, re-assembling the modules is read character by character. Even if you have a fast DOS built-in, there is no speed improvement. It may be possible to use the CHAIN command to speed things up, but this would require changing the source code of each module to link the next part (Also, I have experienced that the long object if the produced contains all the symbols from all the modules. Duplication of symbols means re-assembling the whole file again. Also, a large symbol table is produced, in which many symbols may be simply loops internal to a particular module.

THE ANSWER

Header Create provides a simple solution to these problems. It takes the symbol file from a module for program), and converts them into a file of EQUate statements, which may be MERGED into another program, or accessed using LIB. This 'header file' is much shorter than the complete source code for the module, and thus reduces the time taken to assemble the program.

A limited local symbol facility is provided by Header Create. Header Create can "mask out" symbols which conform to a particular pattern matching scheme, chosen by the user. For example, the user might choose to mask out all those symbols beginning with the letter "s", in which case the masking string is "s". Modules can be written in such a way that all the symbols which are not required by other modules begin with a particular letter equired by other modules to the symbols which are not set in the symbol south of the s

USING HEADER CREATE

1) Write your program or module using the 6510+ assembler, If you wish to include the limited local symbol facility, choose a letter or string of characters which designate a symbol as being internal to the module. All the internal symbols should begin with this letter or string. For example, if the letter "\$" is choosen:

"printstring" is a global symbol

"xprintstring" is an internal symbol

ON THE DISK

2) Assemble your module, and save the object file. Don't forget that when you run programs which use this module, you will need to load the object file, since the EQUates file consists only of symbols and hexadecimal values.

3)Save the symbol table using SYMSAVE. For example:

SYMSAVE "modulename sym

If you prefer, you can decide not to save this file, as Header Create can work just as well on the table in memory. In this case ignore the next step only, and load Header Create now (whilst 6510+ and your source file are still in memory) by typing:

LOAD "HEADER CREATE",8

and typing RUN when this has loaded. Another file will load and the READY prompt will appear.

4) (If you have just loaded the utility into 6510+, go on to the next part and ignore this part). Reset your computer using the on/off switch or a reset switch if you have one. Action Replay users can use Fastload if they wish. Load Hoader Grate by Exprise.

LOAD "HEADER CREATE",8

and then typing RUN when this has loaded. Another file will load and the READY prompt will appear.

5) Start the utility by typing

SYS 5121

or, if you are using Fastload, or are in 6510+, you can type:

SYS \$C800

This is purely a matter of personal preference.

6i Type the name of the symbol file you saved carlier. If you did not save a file and have loaded Header Create into 6510+, simply press RETURN to indicate that the symbol file is already in memory. The symbol file will assembly a sasembling your module - you should test this on your system, bowever. The symbol file will load from disk. If a loading error occurs, the program will inform you, and you can try again.

71 Enter the masking string. This is the string which decides which symbols will be included in the header file. If you simply press RETURN at this point, all the symbols will be included. To exclude some symbols, type a string. When a symbol is encountered which matches the string, it will be left out of the header file. The masking string is similar in concept to the pattern saying the similar in concept to the pattern are not so that the simple symbol some symbol will be ignored, or you can use pattern matching characters to make a "mask". All the symbols

which fit this "mask" will be ignored. The following examples should help to

Aask		Effect

SK Ellec

art Ignores only the symbol "start".

Ignores all symbols beginning with "x", regardless of what comes after the "*". The "*" means "match with everything remaining".

a7b Ignores all symbols which begin with
"a" and end with "b" and have a single
character in-between. The "?" character
means "this character automatically
matches any other single character',

8) Enter the first line number. The header file will look like a BASIC program, and so has line numbers. The use can choose where the line numbers begin. The line number is always incremented by 10. The user must make sure that there are enough line numbers remaining to fit in all the EQUates. A starting line number of 64000 is a pretty bad choice!

9) After a short pause, the utility will ask for the name of the header file which will be sent to disk. Type any valid filename. If the save is unsuccessful, the utility elts you try again. If you simply type RETURN, the utility will not save the file to disk and you will be returned to BASIC.

10) The header file just saved out to disk also exists in memory as a BASIC program and can be listed just like any other program. You can save further copies of this by typing:

SAVE "filename",8

11) The Header Create utility still exists in memory and can be restarted by typing in one of the SYS statements listed previously. The original symbol table loaded also still exists in memory. To re-use this table, simply type RETURN when asked for the loading filename.

12) To use the header file just created you can either merge it into another 6510+ assembler program, or include it as a LIB statement in the program. Either way, be sure to place the file or it's LIB statement at the top of your program, or the program may not assemble properly. Don't forget to load the module object file when you want In our your program is not assemble.

There is a simple example of the use of Header Create on the disk:

1) Load and run 6510+

2) Load the file "PRIMM.SRC" from the CDU disk. This is the module we are going to use. The origin is set to SC100. You can relocate the code anywhere, but the example which follows assumes that the object code for this module will be at \$C100.

 Assemble the module. There is no need to save the resultant object code, since this is already included on the CDU disk as "PRIMM.OBJ".

 Save the symbol table to a spare disk by using SYMSAVE "PRIMM.SYM".

5) Load and run the Header Create utility.

 Create the header file from "PRIMM.SYM". The masking string is x*. The save filename is "PRIMM.H".
 Save this file to the spare disk.

7) If you aren't in 6510+ already, load and run it again.

8) Load the file "TEST.SRC" from the CDU disk and assemble it. Note that the assembler asks for the disk containing "PRIMM.H" if you have not already inserted it

9) Load the file "PRIMM.OBJ" from the CDU disk using the monitor (L "PRIMM.OBJ" 08).

10) We can now test the program by typing SYS START (return). The program should display a suitable message. The PRIMM module simply displays a string of characters terminated by a 0. For more details on usage, please examine the source listings.

This method of program development does take a little happens when you don't use them!

more thought, and there is certainly a little more messing about with disk files. However, I believe the results are worth the effort - who knows, after a while you may develop your own standard library of routines which you use in many different programs.

TECHNICAL DETAILS

The utility occupies the area from SC000 to SCC25. The actual utility starts at SC800. The rest of the program space is occupied by a series of standard i/o routines written by myself and included as at IB file as described earlier. The maximum length of a symbol is 40 earlier. The maximum length of a symbol is 40 character, although a symbol that is so long is highly unlikely. If you write programs with 40 character symbols, see a reputable psxchairtist now!

A note to Action Replay Fastload users: you can load the program from disk by pressing F3 to display the disk directory, placing the cursor over the filename and pressing F1, which will load and run the program. You will still need to use the SYS statement to start the utility.

Anyone who is interested in learning more about structured programming techniques may lind the several books and articles by Michael Jackson (no, not that Michael Jackson!) useful. Most books on software engineering should include large sections on structured techniques, filled with dark warnings about what happens when you don't use them!

PRINTER GRAPHIC DESIGNER

User defined characters for your printer as shown by M.R.MEDHURST

This utility is for designing characters for bit image printing mode (chrS(B)). The characters can be up 7 does high and 38 dots wide. The program is controlled by either a 1351 mouse or joystick in port if or the keyboard, keysleft arrow/ctrl/1/2 and space. It is very easy to use just by moving the pointer around the screen and clicking onto icons various mems will pop up.

USING THE PROGRAM

The overlapping rectangles bring up the options menu


where you can;

LOAD a graphic already saved. (all graphics are prefixed with PGD, this is shown on the load/save menu and does not need to be type in). When loading images the usual wildcards can be used eg: *?

SAVE a graphic that you have designed. Again all graphics are prefixed with PGD. So do not type this in.

COLOURS This option bring up the colour menu where the screen, border, plot

ON THE DISK



DI DI

DUSTBIN The dustbin icon is to end the program after

printer followed by the data printed by th programsfor example

100 open 4.4 : rem open a channel to the

printer

20 for j=1 to 38: mode rem set up a loop to read

20 for j=1 to 38: rem set up a loop to reac the data

130 read d: rem read data 140 print#4,chr\$(d);: rem print data to printer don't miss out :

150 next: rem loop 160 print#4,chr\$(15): rem switch off bit imag

200 data 128,etc,etc,

GEOPOUND

J. O'DONNEL brings you another GEOS utility that will be greatly accepted - it enables you to convert GEOS printer drivers to print the POUND SIGN

For many years GEOS users throughout Britain have been unable to print a Pound sign, particularly when using NLQ. For some unknown reason, the creators of GEOS deemed it necessary to reject that character during a keyboard scan. Maybe CHR\$/92) is reserved by the GEOS operating system, Idon't know.

Many users have got around the problem with a bit of judicious flicking of DIP switches. But if your printer is like mine that work help. I have an EPSON CK-80, which is only marginally more flexible than an MPS-801. The answer for me is in the software, a wedge into the printer driver to be more precise.

THE PROGRAM

GEOPOUND will give your printer driver the ability to print Pounds (I wish!). This is based on the assumption that under normal circumstances, outside GEOS, your printer will translate CHRS(92) into a British Pound.

To do this you must follow a few simple steps, but first let me make one important point. The conversion process must be carried out on a spare disk as it involves direct access of the disk and WILL corrupt the BAM. DO USE A SPARE DISK.

Step 1. Boot GEOS to the Desktop.

Step 2. Take a spare disk and format it.

Step 3. Copy your printer driver onto the blank disk. Step 4. Ouit GFOS.

Step 5. Load GEOPOUND.

Type LOAD"GEOPOUND",8 <RETURN>. When the load is complete type RUN <RETURN>. The screen offers two options, Convert and Directory. The Directory is there for your peace of mind, you can check which disk is in the drive. Convert does the work.

Step 6. Press C to begin the process.

Step 7. Enter the name of your printer driver.
Step 8. Put spare disk in the drive and press a key.

That takes care of the conversion. When the menu reappears the job is done. Check the directory and you will see your printer driver with "UK" appended to the filename. Now copy this file noto your Geowrite work disk.

A LITTLE REMINDER

Let me remind you about GEOS and printer drivers. When first booted, GEOS takes the first printer driver in the directory as the default driver. This is the driver that appears at the foot of the desktop. When you attempt to print a file from within Geowrite, GEOS looks for that driver on your work disk. If it can't be found then the printing is aborted.

This means that if the driver on your boot disk is MPS-801 and the driver on your work disk is MPS-801 UK then it won't work. Both filenames must match. The suffix "UK" is for user recognition only. Once copied to the work disk, rename the new driver to match the original and your in business.

To enable you to differentiate between the old and new drivers, I would advise you to make a comment in the INFO box accessed via the Desktop.

But all this doesn't bring the Pound key to life! So we don't use the Pound key, we use the 6 or hash as it is known. To facilitate this, a new fort is included on the disk, this is called CRM UK. Use CRM UK in place of the COMMODORE front normally used for NLQ. To get a "POUND" press "#" and if it you are using CRM UK a POUND will appear on screen. The new printer driver can also be used with CEOCALC but. "I'm arfaid you will have to settle for the #" on screen.

What did GEOPOUND do to your driver? Well in order to get a pound out you must put a pound in. This is achieved by inserting a wedge into the driver to trap all #'s and replace them with pounds's

GEOS printer drivers load into memory at \$7900. Armed with this information we can set a program counter (PC) to load the driver in. When the load is complete the end address of the program is in the PC. Increment the counter and we have the start address of our wedge.

TECHNO BITS

A disassembly of a printer driver reveals that all output is a byte of the made via SFRA. This is the Kennal ROM routine that outputs a byte to the serial bus. Load the accumulator with the character and then ISR SFRAB. If we scan memory from \$57900 to the address in our PC, for all occurrences of \$AB SFR and replace them with the address in our PC. Then the wedge is made. Now install the trap and save the whole lot back to disk.

The trap is a simple comparison routine.

CMP #\$23 ; is it a # BNE output ; if not go to output

LDA #\$5C ; get a pound output IMP \$FFA8 ; output to printer

The loading and saving of the USR file is carried out by the DOS using the structure of a separential file. But there is one block missing here, the sidesector carrying the icon and file information. Using direct access techniques, the link to this block is re-established and the original file removed from the directory. This works fine, but it doesn't update the BAM and this is why a spare disk should be used.

COMPUTE AIDED ST

All that glitters is not Gold - All home computers are not just toys - PAUL TRAYNOR

Regardless of what your subject is I guarantee there will always be a part which your computer can play in aiding your study. The aim of this article is to prove this fact. The computer sustliness will of course be different in each case. The computer can be used directly for study e.g. as when preparing and producing written work or indirectly, just as an aid e.g. for collating facts and figures each has 2 versions for the 4st and 128.

USING EXISTING GENERAL PURPOSE SOFTWARE

By general purpose I mean WORD PROCESSORS, DATABASES, SPREADSHEETS and ART PACKAGES. The kind of software that most users will already own in one form or another.

A WORD PROCESSOR or DESK TOP PUBLISHING. program will be useful for students of any subject from ATOMIC PHYSICS to MATHEMATICS and NUMEROLOGY to ZOOLOGY for writing reports, thesis, essays or for preparing neat reference notes or revision sheets. As well as this direct use, word processors can also be useful as general aid to spelling and word meanings if they include a spell checker or the-saurus.

The use of a computer equipped with a spreadsheet calculator program will be ideal for studying mathematical based subjects. It is possible to produce complicated and understand breakdowns of complicated many complication of the complication of complicat

sheets side by side and therefore over coming the width limitation of a word processor or desk top publisher. Another use for spreadsheet programs which is not actual studying but it is connected, is keeping a record of marks for tests, examinations and general work. You can calculate average percentages and monitor your progress and hoosefully improneements in your prosults.

THE LIST GOES ON

Databases could possibly be the most versatile software packages for use by the student. Following are just a few examples of databases which can be created and utilised

formulae put in a database along with fields for uses and trigonometrical formulae or all the statistical formulae. us a whole host of different types of information which could be useful when held as a database. Examples from elements. Fields in this database could have titles such as name, number, symbol, atomic weight. A good example of a database for physics would be one of physics laws. where fields would be name of law, name of originator, specific topic that law refers to and most importantly actual text of the law. Another example from the scientific subjects is metals or any materials with fields biological properties and composition. If your subject is Geography a databases function can include storing of information such as population size, national products. resources, language, currency of different countries of the industries of different towns could make up your find a database of some use for translations, meanings

RUDY

and verb conjugation, this means, of course, those different forms of every foreign verb that you have to learn (e.g. I. go, you go, they go, she goes - looks so much easier in English). This subject, foreign languages may be more suited to a purpose built program because of the added complications of extra letters which would need to be incorporated (e.g. the German umlaut symbol).

Entering all of this information may seem to be wasted effor but the fact that you are reading and then typing will aid your ability to remember and recall the information. You must not find yourself entering every lot of information, which you have learnt, on a database because this would be wasted time and effort but you have to be careful in selection.

An art package will probably be of little use to an artist who wants to be an expert in the use of pencils or paints. But it can still be a useful tool for the creation or the control of the control of

An art package together with some clip-art pictures of animals can be very beneficial for early learning. In fac youngsters could well be the user's who benefit most from a computer and it's ability to aid the learning and teaching processes. Vourgeters are but by because there are a number of purpose built commercial programs to aid there learning capacity. Creating programs for this purpose yourself can be very easy, the programs can be a simple as counting the cornert number of teddy bear shaped spittes on the screen or adding up the corner of the control of the property of the control of the cont

EVEN YOUNGER EDUCATION

For the early learning section the use of a computer can do very little wrong. Its role is increasingly more important. But for school age and post school education at ine balance has to be obtained between the use of your computer tie creating your factual database, etc.] and ordinary non-electronic methods of study, 8 th s., and ordinary non-electronic methods of study, 8 th s., in time on the computer trying to create an efficient learning system at the expense of actually knucking down and doing the study, you may create the best system in the world with all of the notes for your studies held in purpose designed databases only to find you have run out of time for study and the exams are upon you. As said already it is a matter of attaining a balance. The right balance can give every successful results file wrong one can be a dissester its. a suddent may be find besthe his one of the study and the school has considered and the study and the school has one of the study and the school has one of the school has been as the school of the schoo

ONTO THE DEMOS

A sure fire way of using your computer as an efficient tool for study is the use of purpose built software, an example of this is the Misspeller program, 2 versions of which accompany this article. The other program accompanying the article is THOUGHT COLLECTOR or TC. Both programs instructions are detailed later in the article.

Other available programs include language aids like the ILS program, for the C128, in December 1990 issue of CDU. One area which has had a number of commercially available programs, as already mentioned, is 'Early Learning' for our younger users.

If you cannot find suitable learning aids and you needs are greater than that offered by general purpose programs then one solution is to write your own. A database which allows character set alterations for foreign language, or a calculator program which plots graphs as thorough descriptions of answers or allows the entry of algebraic expressions which gives solutions or one which allows shapes and then calculates unknowns, in chemistry we could have a program which holds chemical symbolic information about a whole range of elements, mixtures and compounds and could be used to predict possible results to chemical experiments. In another scientific

subject, Physics, the idea of calculating programs and showing graphical or picturesque representations of answers could be very useful as with the mathematical examples.

Another dimension which you can add to programs which you create yourself is after the entering of information you can have a test mode. Checking on your progress and this can be further expanded by including timed tests.

MISSPELLER 64 & 128

MISSPELLER is program which is designed to help the user improve his or her spelling. Working on lists of 20 words at a time you test yourself by picking the cornect spelling from 3 different alternatives. MISSPELLER also has the capacity to store lists for intune recall and testing has the capacity to store lists for intune recall and testing to the produce a hardcorp of your less. Two examples are included called "TEST1" and "TEST2".

RUNNING THE PROGRAM

There are two versions of the MISSPELLER program, one for the C64 and one for the C128. The C128 version works in 80 column mode. Both programs do the same job but the 128 version is shorter because it can take advantage of the 128's valonced BASIC version 7.

For the C64 Type; LOAD "C64 MISSPELLER",8 {Return}

For the C128 Type:

RUN "C128 MISSPELLER" (Return)

You will then be presented with the initial menu which has five ontions

- 2) Disk ontions
- 3) Print words
- 4) Begin spelling test
 - begin spennig test

INPUTTING NEW WORDS

Select 1 to enter a list of twenty new words. If a list of words is already present in memory then you will be asked if you are sure that you wish to enter another list, which will mean the present list will be lost from memory. You will be shown the number of each word as you enter it and all the words will collect in a list when entered. The only keys which are available for use whist entering the words are the letter keys and the delete key. Words lengths are restricted to a minimum of 4 letters and a maximum of 15 letters, press return to enter each and a maximum of 15 letters, press return to enter each enter each that you will be returned to the main menu.

DISK OPTIONS

Selecting 2 from the main menu will take to the Disk

- Load words
- 2) Save wo
- 3) Directory
 - Device No

LOADING WORDS

This option is to enable to re-load lists of words which have been previously saved. You can repeatedly test yourself until you are a confident speller. Enter 1 at the Disk options menu and you will be prompted to enter the filename, you should not include the preis; "MS," which will be added automatically by the program. After

SAVING WORDS

When you entered and tested yourself on a set of words you can save them to disk. Just enter 2 and then the filename you wish to use, as with loading the prefix is not required. After saving you will be returned to main menu.

DIRECTORY

Selecting 3 from the disk options menu will present you with a directory of all the sequential files prefixed by "MS." i.e. all the lists of words that have been saved.

DEVICE NO.

Option 4 allows you to utilise more drives if you own them device numbers from 8 - 11 are allowed. The number entered here will then be used by all loading saving and calling up of directories.

MAIN MENU

Option 5 will exit the Disk options menu and return you to the main menu.

PRINT WORDS

Option 3 from the main menu will allow the user to print a list of the words that are presently in memory on to a Commodore compatible printer.

BEGIN SPELLING TEST

To begin your test select option 4 from the main menu. You will be asked if you are sure, a positive reply will lead on to the test. For each word you are simply presented with 3 slightly differing alternatives and you should select the number of the one you conside to be cornect, by pressing 1 annaher of the one you conside to be cornect. by pressing 1 or to be cornect, by the one you conside to be cornect, by considering the control of the control you will be shown your score out of therein, the pressing any key after this will return you to the main menu.

OUIT PROGRAM

Option 5 from the main menu will allow you to quit the program. You will be asked if you are sure, just answer Y

THOUGHT COLLECTOR

Thought Collector is a program which is designed to help the user collect notes together, it is unlabeller, if is or any subject. You work with 3 levels of ideas these are Main Topic, sub-topics and information. Thought Collector also has the capacity to store your notes for infurer excall and as well as the option to produce hardcopy for reference. An example file is included called "TEST"

RUNNING THE PROGRAM

There are two versions of the Thought Collector program, one for the C64 and one for the C128. The C128 version works in 80 column mode, But both programs do the same job.

For the C64 Type; LOAD "64TC",8 {Return} followed by RUN {Return}

For the C128 Type; RUN "128TC" [Return]

You will then be presented with the initial menu which

- 2) Dick ontic
- 2) Drint optio
- 4) View and Edit
- 5) Ouit program

INPUTTING A NEW TOPIC

After selecting 1 from the main menu you will be asked to enter your Topic title, then press return. You will all the control title then press return. You will after each one. If you do not wish to enter every one of the twenty then just press return at the request. After entering sub-topic number twenty, that any key to return to the main menu. If there is altered at topic in memory are sure you wish to proceed, because the present topic will be wighted from memory.

DISK OPTIONS

Selecting 2 from the main menu will take to the Disk options menu. This menu has five options as below;

- Load new top
- 2) Save topic
- 4) Daving No
- Device Ivo.

LOADING TOPIC

This option is to enable to re-load Topics which have been previously saved. Enter 1 and you will be prompted to enter the filename, you should not include the prefix "TC." which will be added automatically by the program. After loading you will be returned to the main menu.

SAVING TOPIC

Enter 2 and then the filename, you wish to use, as with loading the prefix is not required. After saving you will be returned to main menu.

DIRECTORY

Selecting 3 from the disk options menu will present you with a directory of all the sequential files prefixed by "TC." i.e. all the Topics you have saved.

DEVICE NO.

Option 4 allows you to utilise more drives if you own them device numbers from 8 - 11 are allowed. The number entered here will then be used by all loading, saving and calling up of directories.

MAIN MENU

Option 5 will exit from the Disk options menu and return

PRINT WORDS

Option 3 from the main menu will allow the user to print a list of your notes that are presently in memory on to a Commodore compatible printer.

VIEW AND EDIT

When you select 4 from the main menu you will list be presented with a list of the twenty sub-topics, Enter 1-20, and press return, to view the details contained in each of these. These sub-topic lists also contain twenty locations, enter 1-20 to enter or change information. At each of these prompts just pressing return with no number will return you to the previous screen. Each of the twenty locations within each sub-topic can be entered and

QUIT PROGRAM

Option 5 from the main menu will allow you to quit the program. You will be asked if you are sure, just answer Y

STUDYING TIPS

To finish off I would just like to outline a few general studying tips.

Firstly it is increatibly important to nave a genuine interests in the subject you are learning. It is not very helpful if you do not like the subject which you are studying. This article should help with this first comment, because you are doing something which you like, computing, to aid

Secondly planning all of your studying and revision time is important to make sure that you cover all of the subject matter in time for your exams remembering to leave time at the end for revision.

Finally prepare yourself mentally before any exam, it is important to be in the correct frame of mind, it you should not be tired but you should be happy, actual smiling during your exam may not improve your results but it may distract others and hence lower the class average making your results look better.

NOW IS THE TIME TO CATCH UP ON ISSUES YOU HAVE MISSED

The following back issues of CDU are still available direct from ALPHAVITE PUBLICATIONS LTD. Please note that if ordering one of the following back issues, you will receive a copy of the disk, along with photostat copies of instructions for the relevant disk programs ONLY. These back issues cost £4.50 each which includes Post/Packing. Please make cheques/Postal Orders out to: ALPHAVITE PUBLICATIONS LTD (Allow 28 days for delivery).

VOL 1 No.1 NOV/DEC '87

DIRECTORY DESIGNER - Tidy up your disks with this Editor/Designer. TEXT ENHANCER - Improve your text displays

MOBSTER - Have you got what it takes to be a gangster. 3 INTO 1 PLUS - A superb Character, Sprite and Background Editor.

SKI RUN - All the thrills of the slopes with this game.

SPRITE PRINTER - Dump your favourite sprites onto your CBM

printer.

game.

VOL 1 No.2 JAN/FEB '88

DISK LIBRARIAN - Keep track of what's on what disk.

DISK MATE - Handy pop-up disk

functions.

NOLUXE PAINT - A superb low-res drawing package.
TEXT CRACKER - Grab those character sets you like for your own use.

QUAD - New life for the brick/bat

FIVE-UP - Can you win at this dice game? RAM DISK C128 - Our first program

VOL 1 No.3 MAR/APR '88

SUPER-TACT - Tactics are the essence of this game. CHAOS IN SPACE - A shoot-em-up that's deceptively different. C-ZAP - Speed is the name of the game with this compiler. BASIC+ - A comprehensive Basic

TAPE ARCHIVE - Be safe and back up your disks. LINK & CRUNCH - Running out of

memory/disk space? Not anymore. PSYMON - A full-facility machine code monitor. DISK LIBRARIAN II - An updated version of DI.

version of DL.

C128 AUTOBOOT - For C128 owners
- load C64 progs at C128 speed.

VOL 1 No.4 MAY/JUN '88

DRUMSYNTH - Percussive programming.
C128 PULL DOWN WINDOWS - Windowing for the C128.
TOKENISER - Word-process your Basic

programs.

C-CAD - Enter the world of Computer-Aided-Design.

BASIC COMPACTOR - Squeeze up your Basic programs.

SANTOLUS - A demanding smoothscrolling maze. ATLANTIS - Explore the lost continent.

VOL 1 No.5 JUL/AUG '88

DISK TOOLKIT - The Editors very own comprehensive utility for disk users. RELOCATOR - How to move your machine code. MIND GAMES - Unscramble the

Presidents brain.

3-D BREAKOUT - Bash those bricks in 3 dimensions.

PEGGY 128 - An amusement for C128

ORRERY - Planetary positions computed.

MESSAGE CONSTRUCTION KIT -

VOL 1 No.6 SEP/OCT '88

SCORPION - If it moves, kill it.
COLOUR MATCH - Tailor your 64
screen colours to your own taste.
C128 SPREADSHEET - Accounts can
be simple

ESCAPE - Can you find a way to escape the Nazis?

STARBURST - Your chance to save the galaxy.

SCORE KEEPER - Using Sprites for your

game scores.

ADDIT - A tactical numbers game.

LOCATION FINDER - Find out what that bit of code's up to.

FRACTAL FROLICS - Fun with the

VOL 2 No.1 NOV/DEC '88

CDU FORTH - Escape from Basic with our compiler. TEXTED - Word-processing made easy.

EXTRACTOR - Build up your sprite library.

WINDOWS 64 - Generate windows

WINDOWS 64 - Generate windows painlessly. ZMON - Program your C28's Z80 chip.

CRIBBAGE MASTER - A C64 first, this program plays a mean game.

OBLIVION! - Fight off the deadly lanoids.

VOL 2 NO.2 JAN/FEB '89

DISK TURBO - Speed up your disk access. BLASTBALL - A bat 'n ball extravaganza. COLOUR BIND - A sliding block

problem with a difference

BORDER SPRITE - Make use of those screen edges.

DATA MAKER - The easy way to get machine code into Basic. LIFE - The bizarre world of cellular

MENU MAKER 128 - Make your 128 disks easy to use

MICRODOT - Save the world from radiation sickness. (Superb game) SPOTS - Can you beat the machine's

EASY SCROLLER - Scrolling made simple.

RUNAWAY - Can you escape from a dreary domestic existence? LOGIC - The puzzle that will have you tearing your hair out.

VOL 2 No.3 MAR/APR '89

DARTS - Pub fun - in the comfort of your own home.

CDU PAINT - The ultimate C64 graphics package.

DEVAID - The Editors very own extended Basic with 41 new

commands.

BAZAIR - Can you survive the maze of

ARAKNIFOE - Get your own back on those creepy-crawlies. C128 GRAPHICS PRIMER - Make use

of those 80 columns.

DOMINOES - Pit your wits against
Max and Joe.

PHANTOM - Strike a blow for world

VOL 2 No.4 MAY/JUN '89

BASE ED - Get organised with this C64 database.

DBASE 128 - 40 or 80 column storage for C128 owners.

6510+ - The ultimate in C64

SID SEQUENCER - Make commodore music with ease.

LIBERTE - Escape the POW camp in

LIBERTE - Escape the POW camp in this 1940's style adventure. FX KIT - Bangs, Pows and Zaps made

VOL 2 No.5 JUL/AUG '89

FONT FACTORY - Create your own characters.
HIRES DEMO KIT - Add music to your favourite picture.

ANIMATOR - Get those sprites moving

BORDER MESSAGE SCROLL - Say what you like along the bottom of the

TYPIT-128 - Create professional text layout on your C128 SCREEN COPIES UTILITY - Download your favourite screens, including CDU

paint files.

VIDI-BASIC - Graphic based extension to Basic. 64 NEWS DESK - Become a C64

VOL 2 No.6 SEP/OCT '89

MICKMON - An extensive M/C monitor. SCRAPBOOK - Collectors and hobbyists database. CELIRATOR - Enter the caves if you dare. RAINBOW CHASER - Rainbows

RAINBOW CHASER - Rainbows means points in this unusual game. HIDDEN GRAPHICS - Utilise those graphic screens. FORTRESS - Save the world! Yet

again.

DISK HUNTER - Keep tabs on your disk library.

SUPERFILE - One more for the record keepers.

VOL 3 No.1 NOV '89

BASIC EXTENSION - Windows and Icons the easy way.

B-RAID - Vertical scrolling shoot'em

up.

DISKONOMISER - Prudent disk block saving.

HELP - Design your own information help screens.

ORSITAL - An arcade style game with a difference. PROGRAM COMPARE - Basic program development has never been easier. RASTER ROUTINES - A few colourful demos.

SPRITE EDITOR 1 - A no nonesense basic sprite editor.

WABBIT - Help the rabbit collect his carrots.

VOL 3 No.2 DEC '89

KRON - Can you meet the challenge?
CDU MENU KIT - Design your own menus with ease.
PHOBOS - Break out of jail and gain

your frondom

LIMBO - Collect the cells off the blocks.

MUSIBASIC - Sound and music

made easy.

PANIC - Is your eye as quick as your joystick.

TEMPLATE DESIGN - Backgrounds

the easy way.

QUIKWORD - You very own

VOL 3 No.3 JAN '90

4 IN A ROW - Connect a row of counter.
FROGS IN SPACE - Leap to safety

across the space lanes.

BLACKJACK - Don't loose your shirt.

LORD OF DARKNESS - Defeat the
evil lord in true adventure style.

evil lord in true adventure style.

MARGO - Fly around and collect jewels and fuel.

JETRACE 2000 - Have you got what

it takes to be best?

ULTIMATE FONT EDITOR - Create your own screens, layouts and characters.

SELECTIVE COLOUR RESTORER -

Design your own system start up colours.
6510+ UNASSEMBLER - Transform 6510+ M/C into source with labels.
TRIVIA CHALLENGE - The first of 3

TRIVIA CHALLENGE - The first of 3 files for this superb game.

VOL 3 No.4 FEB '90

COLOUR PICTURE PRINT -Download your favourite colour screens. BASE-ED2 - An update to our

popular database system.

1ST MILLION - Play the market in this strategy game.

this strategy game.

FM-DOS - Enhance your drives operating system.

GEOS FONTS - A further 4 fonts for Geos users. HASHING IT - Reletive file programming made easy. MULTI-SPRITE - Make full use of up

DIRECTORIES EXPLAINED - Find your way round the directory jungle.
TRIVIA CHALLENGE - The 2nd part.

VOL 3 No.5 MAR '90

AGUE - Become your plane

SURROUND - Reversi on the C64
GEOS FONTS - The last of 12 new
Geos fonts.
SCREEN SILDE - Create your own
slideshows.
IESTER - Put your
stocks through the mill.
COLOUR MATCHER - Mastermind
for the younger players.
SCREEN MANIPULATOR - Full use
of the screen now obtainable.
VIDEO RECORD PLANNER - Keep
TRIVIA CHALLENGE - The 3rd and

VOL 3 No.6 APR '90

BAR PROMPTS - M/C input routine.

H-LITE BARS - Input routine but in Basic.

TEXAS DEMO - Example of using Basic in demos.

CHARS TO SPRITES - Convert LOW FAMILY - CONVERT - CO

VOL 3 No.7 MAY '90

NUDGE - FLD explained in layman stems.
WINDOW WIPER - An alternative screen wipe system.
CHARACTER EXTRACTOR
CHARACTER EXTRACTOR
WINDOW WIPER
MAZE GENERATOR - Create your own fun.
HIRES ANIMATOR - This difficult subject made easier.
SPRITE DRIVER - Platform game SPRITE DRIVER - New York SPRITE DRIVER - How to Sprites and Sound.
TEXT COMPRESSION - How to squeeze a gallon into a pint. SCREENS - Make up your own help screens and keep them in memory.

VOL 3 No.8 JUN '90 ALEATORY MUSIC - An alternative music system. SPRITE BASIC - Efficient sprite handling

SPRITE GENERATOR - Another sprite

editor for your library.

MUNCHER - Jeannan returns with a vergeance.

ASTRODUS - Escape the spaceship ASTRODUS - PROVINCE OF ASTRODUS - PROVINCE ASTRODUS - PROVI

useful routine for your archives.

THE GAME PLAN An aid to knowing what where in your games.

CHARACTER DESIGNER - Another designer for those without.

HASHERSE 128 - A powerful database.

REVASM 64/128 - Woo unassemblers for non Speety Assembler owners.

FEEDY UNASSEMBLER - An understanding screen and graphic memory.

GRAPHICS FACTORY - An overlay way of GRAPHICS FACTORY** - An overlay way of GRAPHICS FACTORY** - An overlay way of COT POURSE** - A selection of useful routiness for all useful

VOL 3 No.10 AUG '90

LIMBO 2 - The sequel to Limbo SCREEN DESIGNER 128 - Screen designing made easy. DATABASE78 - A database full of features. LETTER MAKER - Text Screens made decidedly pleasing. FUNCTIONS - Make full use of those function keys. GAMES LIST CERLOR - Keep tabs on DUAL DISKCOPY - At last an intelligent disk copy program SOULINCERS - Musickins have a field

SECURITY - Put all those broken joysticks to good use.
SUPERBOOT! - Auto load your programs.

VOL 3 No.11 SEP '90

ANNING 128. A simple way of keeping your money straight.

DISK DRIVER V4. A simple disk utility.

AUTOBOOT 128. - C128 users get easy access to CDUI programs.

READING BETWEEN THE LINES-Build your own adventure passer.

READING SETWEEN THE LINES-Build your own adventure passer.

PRICE CALCULATOR. Keep tabs on inflation.

B.O.S.S. - Yet another alternative to the standard Basic.

SCREEN DISKORDANIA (see JULIANIA)

LANDSCAPE ROUTINE: - Building Service of the Company o

VOL 3 No.12 OCT '90

ROLLEM - An example of using Caphics Factory, COLOUR MATCH - A short utility for CL28 users.

SPREAD-ED - The third in the "ED series.

RASTER EDITOR - Put those raster lessons to good use.

ADDRESS BOOD. A somewhat SUPERSOR' FALLES - Sorts have never been easier.

SPREED FOR CL28 - Another utility for CL28 users.

GRAPH-ED - The last in the "ED series.

VOL 4 No.4 FEB '91

CRANMORE DIAMOND - Another Tony Rome adventure.
COMPACTOR. - Program protection
DATE - Program protection the 64.

CALACTIC ENCOUNTER
Battleships played out in space.
RQ64 - Interrupts on the C64
2 FOR THE C128 - Check your 128's
RAM and PLAY command.

CHEQUE BOOK ORGANISER
Organise your cheque books and statements.

The following back issues can be obtained from Select subscriptions Ltd, River Park Estate, Berkhamsted, Herts, HP4 HH. These back issues cost £3.75 each which includes Post/packing. Please make cheques/postal orders out 10:- SELECT SUBSCRIPTIONS LTD (Allow 28 days for delivery).

VOL 4 No.1 NOV '90

WAR AT SEA - C128 version of battleships. FULL DISK JACKET - Keep track of your disks. NEAGOX - Blast everything that

NUMDEF - A basic game to test the reflexes. **MEMORY SCANNER** - Look through

memory the easy way.

MONEY 64 - Budget planning for the 90's.

XINOUT - An alternative input routine.

CALENDAR C128 - No more buying

of calendars.

GOMOKU - An interesting variation of 'GO'.

'GO'.

SMOOTH SCROLL DEMO - Create

VOUL OWN SCROLL

VOL 4 No.2 DEC '90

ILS (German Program) - A C128 language bitoris SCREEN DESIGN CORRECTION - An update to this excellent utility, BETTER BACKUPS - Help for ARC uses. MACHINE CODE GEMS - A suite of MC routines to aid you. COLOUR TABLE EDITIOR - Cet those reaster bas right. MULTITASKING C128 - An implementation or the C128.

VOL 4 No.3 JAN '91 2X2 CHARACTER EDITOR - Design

ZAZ CHARACTEK EDITOR - Design large fonts easily. ENCRYPTION - Password and program protection. SECURE - Another against would be hackers. KA43/5 OPEN SYSTEM - Expand the

Cb4's op system.

32 SPRITES - The world of sprites opened up.

DISPLAY.ASM - Multitasking source file displayer

TERMINUS - A demo that is

VOL 4 No.5 MAR '91

SPRITE MASKER - Another useful sprite utility.

SEUCK EXTENSION KIT - Make full use of the SEUCK utility.

INTRO LINKER - Create professional looking into screens.

SEUCK WITH MUSIC - Add music to your SEUCK creations.

AUTO MENU! - A menu maker program with a difference.

SOUTHER C 128 - A very good board SUMPLE CARRON - Breakout that's decidedly different.

VOL 4 No.6 APR '91

CHAR ED DELUXE - A professional character designer.

RESCUE - One for the shoot'em up RESCUE - One for the shoot'em up one of the shoot'em up of the state of the shoot of the state of the

correct version of this superb utility.

6510= ASSEMBLER - Reproduced to compliment the new series. VOL 4 No.7 MAY '91

DISK DOCTOR - A useful utility for drive users.

MANAGING STOCKS - A stocks management program for C128 users.

DISK SIEEVE PRINT - Another sleeve printer for normal printers.

RASTER MASTER - Yet another sater utility to grapher treaks.

United the printer of the printer of

get a helping hand.

TURBO LOADER - Fast load all your

VOL 4 No.8 JUN'91

COUNTDOWN - Watch those block disappear whist loading.
POWER TOOLS - A suite of 6 programs for the serious programs.
LD.O.S. V2 - Our interactive disk operating system - updated.
PRANTIC - Blast everything that moves in this shootem up.
MONSTERS - Buy, Sell and do Battle

VOL 4 No.9 JUL'91 EUROPEAN - Your own C64 language

tutor.

SCHIZO - A somewhat unusual and mind bending game.

MADDIX - A stimulating arcade/strategy game.

LOGO EDITOR - Create your own logo's with ease.

LETTER WRITER V2 - Compliments

MEMORY TRANSFER - A simple code transfer program for Basic users. ESP SYNTH VERSION 1 - The Editors freebee (Thanks for your support). ELVIRA DEMO - A playable demo of

VOL 4 No.10 AUG'91

FILE UTILITIES - A collection of Basic programming tools.
GAMES LIST CREATOR V2 - Another updated program.
ULTIMATE DATA MAKER - Data statements made the easy way.
LABELLER 64 - Create your own labels with ease.

MEMORY GAME - A computer version of concentration.

ITE MENUS - An easy way for Basic programmers to produce menus.

BASIC MAKER - Basic programs produced on a Word Processor.

WINDOWS C64 - Windowing made easy.

X-RAY FILES - Examine your files in

PANAL C64 - A comprehensive analyser utility for Basic users.



Lineage: 58p per word. (+VAT) Semi display: £11.50 plus VAT per single column centimetre minimum 2cm. Ring for information on series bookings/discounts.

Advertisements are accepted subject to the terms and conditions printed on the

0908 569819

Send your requirements to:
CDU CLASSIFIED DEPARTMENT, ALPHAVITE PUBLICATIONS LTD.,
20 POTTERS LANE, KILN FARM, MILTON KEYNES, MK11 3HF.

		C		
		т۷		

for the C64/128.
We have 150 disks full of all types of programs
All disks are £2.95. each
NOW FOR THE+4

From £3.75 per Disk. Send SAE or phone for free catalogue (state model) Kingsway Computers

Services 72 Glencoe Road, Sheffield S2 2SR Tel: 0742 750623 / 0742 780222

HOME WORKERS WANTED

"Mailing Enverlopes) £3 per Hr.

STAMPED S.A.E. TO

MAT KIZA

27 WOODSIDE PLACE

GLASGOW G37QL

CARD NO

FOR SALE

CONTWARE

USSIS COMPUTED SERVICES
Dopt 4C. 14 Ridgeway Road,
Salisbury, Witshire, SP1 38U
Teb(0722) 335061

COMMODORE 64/128

SOFTWARE LIBRARY for Membership 2.7 Day Hire 2-Updates 2 Tapes From £1. cenage Mutant 50 £1.75

FOR FREE CATALOGUE S.A.E TO -ACE SOFTWARE LIBRARY,

ACCESS/VISA

OTHER

CLASSIFIED COUPON

ALL CLASSIFIED ADVERTISEMENTS MUST BE PRE-PAID. THERE ARE NO REIMBURSEMENTS FOR CANCELLATIONS. CDU CLASSIFIED DEPARTMENT, ALPHAVITE PUBLICATIONS,

PUBLICATIONS,
20 POTTERS LANE, KILN FARM, MILTON KEYNES, MK11 3HF.
RATES:Lineage 59p per word (+VAT). Semi-display: £11.50 (+VAT) per single column cm minimum size 2cm. Series discounts available.

EXP. DATE:			
£3	FOR	INSERTIONS	
Name:			
Address:			
		Post Code:	
Daytime Tel No.:			
		AND THE PARTY NAMED IN	
2022		SOURCE STREET	

DISPECIAL OFFEDS

ONLY POOLS AND HORSES

Every program written by a mathematician who has spant many years in the betting inclustry.

Programs that diffee the lived and studed methods of the professional, not pie in the sky

there is that fall to use the lest of time.

CONTRACT SOURCES Written by a former pools expert for Littlewoods. The program has forecast over 50% more draws than would be expected by chance.

forecast over 50% more draws than would be expected by chance.

Homes, Aways and draws shown in order of ment and the odds given for every match. Meet
tables show at a glance the learns oursettly in form and those currently having a lean spell.

Australian pools program included in the price.

seconds dy your compain, not just the righters scoring out with PASSIGLE WINNING LINES 2001.5 PLANNES Similar to the above but covering block permutations using Littlewoods standard guarantee blocks.

PACING BOXFORM Course characteristics (built in to the program) as well as the form of

the horses are considered to speedily produce an order of ment for each race. Designed for flookility allowing users to amend the program if they wish. Price still includes the highly accionment HANDI CAP WINNER - more than 1000 winners every year - over 25% of them at 511 or beltes.

EVENUES FORM PW Works out aimest any bet., doubles, trobles and accumulators including mixed stakes, yearlies, caradian, heirs, goleth, patient, union jack, rounabouts, round the clock. Win or each way. Covers non numers, nile 4, doed heads. Versatile multiple odds calculator for fised odds bets and the lines majured for any full perm you're filely to meet.

PRICES (Tape) £16.95 each. £25.95 any two. £34.95 any three.
For discs please add £2, per program.

COLL OFFERS POOTBALL BOXFORM, RACING BOXFORM & PUNTERS PARTNER .
195 TAPE. CRI. 95 DISC

FOOTBALL TOOL KIT Football Bordom, Super Planner, Pools Planner, Punters Partner __ 530 TAPE, 538 DISC

PACING TOOL KIT Racing Bordom, Punters Partner plus 4 further programs which enable you to keep your own records or produce and amend form and time ratings ... \$33 TAPE, \$38 DISC

BOTH THE ABOVE KITS _ ESS TAPE, ESS DISC

Advertised for Six years in the sporting and computing press.

BOXoft CLEVER_ GET THE BEST

BOXOFT (CDU), 65 Alians Meadow Neston, South Wirral L64 9SQ

BBC B & M

Neston, South Wirral L64 9SQ Tel: 051 336 2668

RAD CPC & PCW COMMODORE 64/128, SPECTRUMS.

Complete Commodore 64 System

Hardware:

commodore 84 (Mk1) computer, \$11 (Mk2) Disk Drive, MPS803 rinter, 1351 Mouse '2N Cassette Drive, CBM omunications Modem, Final ratrige 3, Datel Mid-Interface conus Mid-Interface, Datel ample System

Software:

ncer (one disk), Sonus Tech" Midi data per/librarian (on e disk)., d Pascal Compiler, Sound b.

BOOKS:

D64 Advanced user guide, G64 Programmers reference guide, 5502 Assembler routines, Anatomy of the 1541 disk drive Pascal from Basic.

E300 the lot. Contact 0536-726845

...it's dynamite! FOR YOUR COMMODORE

- * POWER TOOLKIT
- * POWER MONITOR * TAPE & DISK TURBO
- PRINTERTOOL
- * POWER RESET * TOTAL BACKUP

-03555

- spent" YC/CDU Jan 90
- 42 Pg Manual -"Damned Good Handbook" CCI Jan 90

TRIED AND

TESTED - OVER AVAILABLE FROM ALL GOOD 100,000 SOLD IN COMPUTER EUROPEN RETAILERS







..."highly mmended for C64 users" CCI Jan 90.

UNNEW QUIT MONITOR

DEVICE

Two BASIC programs can be merged into one. With DISK you can send commands directly to your

RENUMBER HARDCOPY HEXS INFO REPEAT SAFE TRACE SAVE VERIEV

programming. Also works in BASIC-ROM, KERNAL and

I INTERPRE I JUMP I JUM

effective Printer Interface, that self detects if a printer is connected to the Serial Bus or User-Port. It will print all Commodore characters on Egoon and computable printers. The printer-interface has a variety of set-up possibilities. It can produce HARDCOPY of screens not only on Serial

printers (MPS801, 802, 803 etc.) but also on Centronic printers (EPSON, STAR, CITIZEN, PANASONIC, etc.).

PSET 0 - Self detection Serial Centronic PSET 1 - LPSON mode only PSET 2 - SMITH-CORONA mode only PSET 3 - Junts the pointing 90 degrees? PSET 4 - HARDCOPY setting for

PSET B PSET C

PSIT T PSET U PSFT Sx

PSET 11 - Adds a line-leed, CHRS (10), after every line. PSET 10 - Switches PSET 11 off.

On the back of the POWER CARTRIDGE

BACKUP TAPE HARDCOPY

Bitcon Devices Ltd

MERGE

88 BEWICK ROAD GATESHEAD TYNE AND WEAR NES 1RS ENGLAND

Tel: 091 490 1975 and 490 1919 Fax 091 490 1918
To order: Access/Visa welcome - Cheques or P/O payable to BDL
Price: £1730 incl. VAT.

Price: 61:34 incl. VAT.

UK orders def (1.30 post/pack total - (18.59 incl. VAT.

Europe orders add 62:36. Overseas add 61:36

Sandinavian Mail Order and Trade enquiries to: Bhiab Elektronik, Box 216, Norrtalje 76123,

SWEDEN. Tel: - 46:176 iBATS Fax: 176:16801

TRADE AND EXPORT ENQUIRIES WELCOME

THE COMPLETE COLUTION

Vidi ... No 1 in UK & Europe (Leading the way forward)





Get the most out of your Amiga by adding

"The Complete Colour Solution"

Amiga. Capture dynamic high resolution images into your Amiga in less than one second.

And Look No Filters

Images can now be grabbed from either colouvideo camera, how VCR or in fact any still video source. The traditional method of hoding three sources. The traditional method of hoding three at thing of the properties. Because Vide system of our movement problems appearance by some of our movement problems appearance by some of our as light is not being shut out by lens filters. Put all this topether with an already proven Vid-Amigeu VisiChterme combination and achieve what could be visited to the properties of the properties of the could be visited to the properties of the properties of the could be visited to the properties of the properties of the could be visited to the properties of the properties of the could be visited to the properties of the properties of the could be visited to the properties of the pr

The colour solution is fully compatible with all Amiga's from a standard A500 to the ultimate A3000. No additional RAM is required to get up and running.

You will see from independant review comments that we are undoubtedly their first choice and that was before the complete solution was launched. If you have just purchased your Amiga and are not sure what to buy next, then just read the comments or send for full review and demo disk.



Features ...

- · Grab mono images from any video
 - Capture colour images from any still
 - video source. Digitise up to 16 mono frames on a
- Animate 16 shade images at different
- Create windows in both mono & col
 Cut & Paste areas from one frame to
- Hardware and software brightness & contrast control
- & Dynamic interlace.
- · Add text or draw within art package.











