

IS 4 · AMIGA · PC · C64 · C128 · C16 PLUS 4 · AMIGA

AUGUST 1989 £1.00

YOUR

COMMODORE



Mac images on Amiga



REVIEWED

On The PC: 688 Attack Sub, Abram's Battle Tank, Battle Hawks 1942

For The C64: Project Firestart, Speedball, Navy Moves, Star Trek

UNBEATABLE PROGRAMS

Address Book, Disk Scrambler, Thesaurus, Window on a maze

ISSN 0269-8277



0 26982 78277 08

DATEL ELECTRONICS



256K SUPEROM EXPANDER

- Perfect backup by built-in auto-erase except up to 2.88. Erased each.
- Program your own EPROMs using our EPROM programmer!
- No need to fear loss of cartridges - just make a reference from the program store.
- Fully secure drive on power up.
- Perfect copy also makes software copy disks.
- Copies EPROMs generated features with built-in power-on-program - built-in auto-erase feature built-in EPROMs, EPROM burner required.
- Supports 2704, 2708, 2716, 2732 EPROMs.
- On-board non-volatile read.
- On-board operating system - no programs to load.

ONLY £29.99



RESET CARTRIDGE

- Compatible with both 286/386. Last pair changes eggs even because offered by others are not compatible.
- Resets error on called "compatibility" programs.
- All games from magazines etc.
- Fits in cartridge port.
- Resets chip in.

ONLY £5.99



3 SLOT MOTHERBOARD

SAVES SPACE & COMES ON ROSE GOLD EXPANSION PORT

- Ample 3-connections
- Switch layout very nice
- Standard safety fuse.
- Fully featured
- High grade PCB.
- Best feature.

ONLY £16.99



MIDI 64

FULL MIDI INTERFACE FOR THE 64T 6502 & 6502/6502C.

- MIDI to MIDI (16 to 16) or MIDI out.
- Compatible with most leading software packages.

ONLY £29.99



DIGITAL SOUND SAMPLER

- The one sampler allows you to record live sound digitally into memory & then replay it with amazing effects.
- Features sounds that work with software, ring modulation, low pass filter, reverb, available to produce convincing effects.
- Full 16 bit for 24000 samples.
- Most compatible with vintage hardware. (i.e. Sound with the 6502/6502C, etc.)
- 16 bit digital filter (includes real time delay of waveform).
- Low delay to the out (feedback).
- Powerful expansion with editing features.
- Load times simple.
- For 16 bit samples is necessary at our site.
- Tape in state (press state).
- Complete software, hardware package.

ONLY £49.99

COM-DRUM

- Best you can find a pure digital sound sampler into a digital drum system.
- 8 digital drum sounds in memory at our site.
- Complete with 8 drum kits.
- Real drum sounds - not synthesized.
- Certain samples from our site will be used if they exist.
- Full editing, 16 bit drums.
- Output to 16 bit or storage 16 speakers.
- Load times facilities.

ONLY £39.99

SWEE NAME OR 6502.

COM-DRUM EDITOR

- 24 drum sounds supplied on disk to enable you to customize your own drum kit.
- 24 samples include supplied with a drum kit to make your kit.
- Load time facilities.

ONLY £4.99 DISK ONLY

DATA RECORDER

- Quality Commodore compatible data recorder.
- Reuse content, standard etc.
- Suitable for 64/128.
- Best use for game library.

ONLY £24.99



ONLY £24.99 COMPLETE

- The most powerful disk editor available anywhere, at any price! Robotek nibbler is available in a new full system - a software package & a parallel cable to connect the Data/286/287 to a software nibbler (type).
- What gives Robotek Nibbler its power? Conventional nibblers have to locate the data from the file before it can transfer it using the serial bus. When our nibbler file is received we'll copy our fast. Robotek Nibbler transfers data in one full copy to the parallel nibbler software. The speed is double - it's not just a perfect copy of the original.
- We'll allow you to do more.
- Copy a whole disk in under 10 minutes. Full features too.

ONLY £24.99 COMPLETE

SOFTWARE ONLY £12.99

CABLE ONLY £11.99

WE CAN TAKE YOUR BUSINESS TO THE NEXT LEVEL. WE CAN HELP YOU GROW YOUR BUSINESS. WE CAN HELP YOU GROW YOUR BUSINESS. WE CAN HELP YOU GROW YOUR BUSINESS.



ROBOTEK 64

- A super diskette - each with software nibbler.
- A super software - each fully featured VCL level software.
- Analog input with disk in 16 minutes.
- Video input for video control.
- Software that uses: real mode/realtime programming/voice recording/cable control etc.

ONLY £39.99

ONLY £19.99 COMPLETE SOFTWARE/ CABLE. FULLY FEATURED FULL ON DISK.



TOOLKIT IV

THE ULTIMATE DISK TOOLKIT FOR THE 1640/1641.

- A disk toolkit is an absolute must for the serious disk hacker. Toolkit IV has more features than most for free.
- DISK DELETION - Read & write any disk in under 10 minutes with a 1640/1641. Supports hard disks, floppy disks, and tapes.
- DELETES your entire disk - includes a display, all location information (including file names & location) for the entire disk. Supports hard disks, floppy disks, and tapes.
- DISK LOCK - Don't let anyone else use your disk. Simply type the disk address in the lock box. Supports hard disks, floppy disks, and tapes.
- FILE COPY - Selective file copy. Works in up to 16 times normal speed.
- FILE COPY COPY - Copy an entire disk in 10 minutes or less using single 1641.
- FILE COMPRESSOR - Can compress entire programs in up to 10% less space than original. Supports programs in or normal.
- PROGRAMMER - 16 second format on disk in 10 minutes. Can individualize tracks on full track 0 to 15. So that you can do performance to create an accurate backup disk format.
- DISK COPY - Supports full 1641. Can copy entire disk in 10 minutes. Supports hard disks, floppy disks, and tapes.

ONLY £9.99

DATTEL ELECTRONICS



TURBO ROM II

NEW CLONEMASTER

- The most effective tape to tape back-up based system.
- Makes perfect backups of your tapes easy & straightforward.
- Its own knowledge stored in an on-board 17K logic circuitry instantly stages the program & sends a perfect signal to the record cassette - producing a copy better than the original in many cases.
- L.S.D. indicator shows when data is being transferred to avoid excessive tape erasing.
- Works with almost any program including most games, utilities & even very unusual tape cassettes.
- Multiple cassettes to give 170K compatible data cassette.
- Simple power 'flap' so you can transfer & power 'flap' on the other - side to go.
- You can even make a backup while you are loading the program.
- This is a total hardware solution - no programs to load - the cassette can do it!

ONLY £9.99

TURBO ROM II IS A REPLACEMENT FOR THE ACTUAL KERNEL INSIDE YOUR C64. IT PROVIDES SUPERFAST LOAD/SAVE ROUTINES.

- Loads most programs in 0.4 seconds exact speed.
- Saves in 0.4 seconds exact speed to disk.
- Improved DOS support including 20 sec. format.
- Programmed features (copy, load, directory, etc. etc.)
- Starts to format disk at a flick of a switch.
- 100000 and 200K disk modes.
- 150000 special I/O buffer.
- Plus lots more.
- Fixed file address - no addressing needed required. (So even if the old ROM may have to be installed).

ONLY £14.99



SMART CART

- 100 pinsoft ROM.
- Lifetime battery lasts up to 2 years.
- Simply load the program you require - this does the work, the cartidge can then be removed just like a ROM cartidge.
- Make your own cartidges including custom types - includes 150000 bytes - 1000 words - 4 x 8K pages.
- Uses standard 64K/128K to replace the old hardware (included).
- I/O & test-lines for special programming techniques.

ONLY £29.99

RAM DISK

- Fast your local fast like a ROM disk drive.
- 10K of instant storage area for your programs.
- Disk not accessible - read, write, directory, search.
- Program files retained when computer is switched off!
- Full command set with control files.

ONLY £9.99



EPROMMER 64™

- A top quality, easy to use EPROM programmer for the C64.
- Fully remote address automatic hardware package mode, programming loading/loading? copying LPT/Printer display mode.
- 16K program 1704, 1704, 1710 & 1710 chips, i.e. 8 x 1 or 16 words.
- Fits into your port for maximum compatibility with cartidges & supports Board 6.
- Full feature options - all functions covered like device check/ready.
- No battery dependent 64 in the case computer/printer, also standby & low voltage for memory program/constant for the 64/128.
- Good protection for program, Board hardware development, features, non locked dependent on status of 64/128 low program.
- Comes complete with instructions - plus the cartidge hardware.

ONLY £39.99 COMPLETE



BLUE CHIP DRIVE



- External power supply for cost operation.
- Easy works in 100% double sided mode (2 1/2 inch).
- Fully C64/128 compatible.
- This drive is now probably the most compatible drive available for the Commodore. More so than any Commodore own "5441".
- Priced competitively with all others - at 1/2 the price.
- At last, a top quality drive at a reasonable price.

ONLY £129.99
ADD £8.00 FOR COURIER DELIVERY

ULTRA CRUNCHER

- The ultimate cartridge based program compressor.
- Compresses up to 100K.
- 3-programming program on one cartidge.
- Fast loading/loading routines.
- Full DOS support including fast format.

ONLY £12.99 on cartidge

Available as a chip only for 64K Supercom Board 6

ONLY £7.99

FAST HACK'EM™

- Multi Method Disk Writer - all on the one disk.
- Single disk 100000 - page or write disk in just 2 minutes.
- Super fast File Copy - typically copies an average file in under 2 seconds.
- No other program is such a great "All Rounder" at this remarkably low price.

ONLY £9.99

BLAZING PADDLES & COMPLETE LIGHTERGRAPHIC ILLUSTRATOR PACKAGE

- A fully new device graphics package of a cabinet which stands out from the rest.
- Complete with a fully optical lightpen system for pin point accuracy.
- Programs can be saved from the disk register in either with blazing tables.
- Blazing Paddles will also work with many other light pen devices including: Jovyns, Blue Graphics Tablets, Teacolor, etc.
- Multi feature software including:
 - Design of letters - Address
 - Forming - Charts
 - Underlining - Lines
 - Drawing - Boxes
 - Object study - Graphics
 - Advanced colour coding - 1000 600 6000 + Col 8 pixels allows unique relative graphics to be used in less than 1000.

ONLY £24.99
COMPLETE BLAZING PADDLES & LIGHTPEN

BLAZING PADDLES ONLY £12.99

ALL ORDERS NORMALLY DESPATCHED WITHIN 48 HRS HOW TO ORDER ...

BY PHONE 0782 744797 24hr Credit Card Line	BY POST Send cheque/PO made payable to "Datel Electronics"	FAX 0790 744702 24hr Credit Card Line
---	--	--

PHONE AND INFO/ORDERS CHECKED AT TIME OF PHONE AND SUBJECT TO CREDIT WITHOUT NOTICE
CASH/AMOUNTS - Please confirm goods by returnable prior to use

**DATTEL ELECTRONICS LTD., PENYON INDUSTRIAL ESTATE
GOVAN ROAD, PENYON, STOKE-ON-TRENT, ENGLAND.**

SALES ONLY 0782 744797	TECHNICAL ONLY 0792 744704
----------------------------------	--------------------------------------

CONTENTS

VOLUME 5
NUMBER 11



PC Games



Special



Magazin

FEATURES

- | | | | |
|---|----|---|----|
| • Foreground
All you ever wanted to know about the Plus/4 | 6 | • Star Trek
"We come in peace, shoot to kill..." | 44 |
| • Autorange
An ambitious new pathfinding system for motorists | 18 | • American Club Sports
Indoor games, american-style | 49 |
| • Battletech
A massive new role-playing game | 33 | • Speedball
Definitely not for ladies, this one | 50 |
| • MacPics on Amiga
How to port Macintosh graphics onto your Amiga | 34 | • Circus Attractions
Falling off horses, throwing knives at women, and much, much more! | 51 |
| • Navy Moves
A tough new tactical challenge | 41 | • Geos 1.28
The latest addition to this Desktop Environment Series for the 128 | 52 |
| • PC Games
The latest games on the Commodore PC | 42 | • Project Firestart
Horror in deepest space | 76 |

REGULARS

- | | | | |
|---|----|--|----|
| • Data Statements
More news from the world of Commodore | 8 | • 128 Corner
Comments and queries from 128 users | 68 |
| • Extending Basic
How to add a trace routine to Commodore Basic | 14 | • Software for Sale
If you don't want to type it - buy it! | 70 |
| • PC Corner
The first of a regular series for Commodore PC owners | 20 | • Mailbag
Your chance to air your views | 78 |
| • Amiga Workbench
Helpful hints and tips for Amiga users | 40 | • Backpage
Corrections, info and "The Nibbles" | 82 |

PROGRAMS

- | | | | |
|---|----|---|----|
| • Reasoning on the 128
Turn your humble 128 into an expert system | 22 | • Disk Scrambler
Protect your disks from prying eyes | 54 |
| • Thesaurus
Stuck for words? This program can help you | 28 | • Machine Code Disk Programming
The mysteries of Machine Code unraveled | 56 |
| • Windows on a Maze
A maze game for beginners | 37 | • Inside the 1541
Fergal Moore pokes around inside the 1541 disk drive | 60 |
| • Address Book
A database for tape users | 45 | • Memory Management
Explore the intricacies of your 128's memory | 62 |

FourGround!

Plus/4 Past and Present...

By Mark Everingham

1984 - the year of the first inter-continental spacewalk, Carl Lewis takes four gold medals in the Summer Olympics, Dennis Tito wins the Nobel Peace Prize, and Commodore introduce the Plus/4 computer. All right, so maybe the advent of the Plus/4 did not have quite the same impact, but its arrival did create something of a stir in the microcomputer world. The magazine *Your Computer* described the machine as a "QL-Basher" and suggested that the Plus/4 could replace the BBC Micro in school and business because of the powerful CBM BASIC V2.5 and the integrated business software. Unfortunately, these ambitious claims were not to be fulfilled. In recent times the Plus/4 has lost the support of most software houses, and has sadly slipped into relative obscurity. Even so, the Plus/4 did have considerable, if short-lived success in both the UK and, perhaps more importantly, in Germany and the USA. I was convinced myself of how many people are still using the machine by responses to a bug which appeared in a program of mine published in *Your Commodore* last year. I received numerous letters from as far as the States and Ireland, and was impressed by how many people had actually had a go at solving the bug, rather than just writing for help. Although largely forgotten by the software industry, the Plus/4 is still far from dead, five years after its conception, and now it has finally received the recognition it deserved, in this form - an area of the magazine set aside solely for the Plus/4 computer, and the name - **FourGround!**

Aims of The Series

When I was approached by *Your Commodore* to write this series on the Plus/4 I accepted immediately - the Plus/4 is simply the most friendly, usable machine I have ever come across and has been disregarded for far too long. However, when I started to think of some ideas to write about, I realised the enormous job I had taken on. The fact is that the Plus/4 exists in so many things, and has so many different uses from business to games

playing that it is hard to target any one area of interest. If I confine myself to machine language programming I may alienate the Basic-only programmers, and of course I mustn't forget those who see their Plus/4 mainly for playing games. I have therefore selected a number of aspects of the Plus/4 which I consider to be definite of the computer, and intend to cater for as many diverse interests as possible. If demand is high enough, I would also be happy to run a "Plus/4 Problems" type section. If you have any ideas, suggestions, questions or reports, please write to me at the address shown at the end of the article. If you require a reply, please do include an S.A.E.

Having got the introductions over, I thought that this month rather than leaping straight into a new topic, we'd take a look at what the Plus/4 offers. What follows is a brief overview of the Plus/4 system, and an inventory of those features of the Plus/4 which will be covered in this space in future issues of the magazine. Because the Plus/4 has so much to offer, the less obvious aspects of the computer are often forgotten. This month's overview should act as a memory refresher and a taster of subjects for future coverage.

An Overview Of The Plus/4 Computer

The Plus/4 computer has essentially three modes of operation - running Basic programs, running the built-in business software, and running commercial or the user's own machine-code programs. The dialect of Basic provided with the machine is not the CBM's old Basic V2.0 which goes back to CBM PET and VIC-20 days, but is a far improved version 3.5. The main difference is the provision of commands to handle graphics and sound, which had to be performed using endless strings of POKEs on the Plus/4's big brother, the CBM. In addition, it is possible to write far more elegant and reworked programs in Basic 3.5 because of the DO...LOOP structures omitted in the earlier versions of Commodore Basic. The set of graphics commands included are as complete a collection as can be found on any computer. Basic 3.5 also offers comprehensive "house-keeping" facilities

like program renumbering and automatic line numbering which along with a set of eight redefinable function keys make programming in Basic simplicity itself. Commodore's enhanced full-screen editor found on the Plus/4 means that prototyping of screen displays is easy, and program editing fast and reliable. Although Plus/4 Basic is not the speediest language known, its importance and usefulness should not be underestimated. By its use of ROM/RAM paging, Basic can use the full 64k RAM of the Plus/4 computer. However, arguably the most useful aspect of Basic 3.5 is that it offers unique routines which allow the machine-code programmer to easily add new commands to the Basic language. This means that there should never be any need to use un-friendly POKEs and SYS calls. Unfortunately, like so many of the Plus/4's other features, the extension of Basic does not seem to be documented in any books or manuals, so you can expect a full expose in the coming months.

The second major mode of Plus/4 operation is its built-in "3+1" business software: the integrated word-processor, spreadsheet, database and graph software. Too often this aspect of the Plus/4 is totally disregarded, yet while the software is a bit spartan, it is usable and with a little ingenuity it can be made to perform a wide range of extra functions due to Commodore's generous use of RAM-vectors. I shall be presenting in *FourGround* programs which overcome the lack of word-count, copy quantity when printing, apostrophe conversion as well as providing more complex functions such as control-code handling and facilities for the insertion of screen pictures into documents just like the graphical word-processors available on the Amiga.

By far the most interesting and powerful aspect of the Plus/4 is machine-code, otherwise known as *Machine Language* or *Assembly Language*. Because of the Plus/4's built-in machine-code monitor FEMMON, the Plus/4 is the perfect machine on which to learn machine language. The 7861 Processor in the Plus/4 is easy to learn and powerful in its simplicity. The inclusion of a Kernel ROM in the Plus/4 makes device handling, disk-drive access and printer control easy to grasp. Machine language regretta-

ily has a certain stigma attached to it, having gained the reputation of a language beyond the reach of normal mortals. This is not the case - machine-code can be simple and rewarding to use. The problem is usually a bad method of teaching, so I shall be presenting a readable, easily understood introduction to this fascinating aspect of Plus/4 computing some time in the future.

Of course, possibly the most important aspect of Plus/4 machine-code is correct use of the TED chip which replaces the VIC chips found in the older C64 and VIC-20 machines. The TED chip is a complex graphics/ sound handling chip which offers a host of features:

High-resolution Text, Multi-colour Text and Extended Mode screen displays; 121 colours and redifinable character-sets of either 128 or 256 characters; Hardware controlled flashing and text reversal; High-resolution and Multi-colour graphics modes with facilities for split-screen operation; Hardware smooth scrolling in both text and graphics modes; Kester (Screen Position) Interrupts; Timer interrupts at speeds of up to 1MHz and three hardware timers; user loadable; Full ROM/RAM paging and facilities for paging internal S&B

Firmware ROM chips; Two channel sound output and white noise generator... The list could go on for ever. There are simply so many features that while most people understand the basic principles, they do not appreciate just how versatile even the simplest function can be when used in unconventional ways. As an example, try entering the listing. On running the program, a set of concentric rings will be drawn and then the screen should begin to flash wildly. Now depress the [SHIFT-LOCK] key - Not something you'd normally do when running a program. Immediately you should see the rings resolve into a pattern of colours gliding effortlessly

10	COLOR 0,2-COLOR 4,1,0:
	COLOR 1,1,0
20	GRAPHIC 1,1,P=1
30	FOR B=0 TO 90 STEP 10
40	CIRCLE L100,0,0,2-P=1
50	IF P=1 THEN PAINT
	1,10,100-R
60	NEXT R
70	COLOR 0,1,0
80	GRAPHIC 1-GRAPHIC 1
90	GOTO 10

up the background of the screen; amazing when you consider that the whole special effect is being produced by just three Basic commands and not a spot of machine-code in sight. So how does the program work? If you stop the program and type GRAPHIC 1 you'll see a pattern of black and white rings, but in GRAPHIC 1, the same pattern becomes different colours in the Multi-colour mode. Normally, switching between the two screens just causes the display to flicker. Depressing the [SHIFT-LOCK] key, or holding down any other key makes the Plus/4's interrupts run a bit slower as the keyboard is scanned. This in turn brings the speed of flicker down to a rate close to the TV picture updating speed, resulting in the rolling colours effect. OK, so it's really just a gimmick, but from the obscure use of a simple function, we've learnt something about graphics modes, keyboard scanning,

interrupt handling and TV Picture Handling (for the ubiquitous raster). It is often unconventional little programs like this which teach you the most. So, if you have any interesting short programs, send them in!

To complement such Plus/4-specific subjects, I should like to include features on computing previously not tried on the Plus/4, but fully within its capabilities: Simple artificial intelligence and strategy programming for example. Another subject that you can be sure of coverage in the near future is the mandelbrot set and the whole field of fractal and chaotic maths. This exhilarating new area of computing has usually been confined to the Amigas and PCs of the world, but some beautiful effects can be achieved with incredibly simple Basic programs on the Plus/4, with its 121 colours adding a whole new dimension to the subject.

The Plus/4, as I have tried to demonstrate by this brief overview has a wide scope of ability for any interest. I hope I have whetted your appetite for things to come. Next month we'll kick off with something a bit more substantial. Remember, this section of the magazine should be for you the Plus/4 Owner, so please do write in! The address for any letters is:-

FOURGROUND
17 Collingwood Road,
Redland,
Brisbane QLD 4060.



Editor: Stuart Cusker
 Deputy Editor:
Paul Whittington
 Technical Editor: *Paul Vero*
 Group Editor:
 Mark Webb
 Advertisement Manager:
 Paul Kavanagh
 Ad-Copy Control:
 Ruth Taylor
 Artist: Alan Bachelew
 Designer: Mark Newton
 Originator: Ebony
 Printers: Chase Webb

Your Commodore incorporating Year 64 is a monthly magazine appearing on the first Friday of each month. Argus Specialist Publications Limited, Editorial and Advertisement Office, New Commodore, Argus House, Boundary Way, Hemel Hempstead HP1 7ST. Telephone 0442 66001. Subscription rates apply to all our Commodore Subscriptions Department. Inverkeithing, 5 Knox Park Estate, Birkhall Road, Heriot EH1 1HL, U.K.A. Subscription Agent: Wire One Worldwide Publications, Ltd 4 West 20th Street, Toronto CA M5W 0A5

**ARGUS
 PRESS
 GROUP**

The content of this publication including all articles, designs, drawings and programs and all copyright and other intellectual property rights therein belong to Argus Specialist Publications Limited. All rights reserved by the Law of Copyright and other intellectual property rights and by virtue of international copyright conventions are specifically reserved to Argus Specialist Publications Limited and any reproduction requires the prior written consent of the Company. © 1989. Distribution SM Post Office, 6 Leigham Court Road, London SW16 2PG. Printed by Chase Webb, Plymouth. Opinions expressed in reviews are the opinions of the reviewers and not necessarily those of the magazine. While every effort is made to thoroughly check programs published for errors we cannot be held responsible for any errors that do occur.

ISSN 0269-8277

ABC

Data Statements

PD For All

Some of the best software available Star the Commodore range of computers is available in the Public Domain. This is software that is freely distributable, as long as only a minimal charge is made for the disk and handling.

Kingsway Computer Services has informed us of the availability of its free PD catalogue, showing just what software the company is offering. Programs are available on disk only, and cover a large range of subjects such as Education, Utilities, Home Accounts and Games. PD disks are available for the Plus/4, C64 and C128.

For your FREE Kingsway PD catalogue either write or telephone Kingsway Computer Services at 140 Rutland Road, Sheffield, S8 9QE. Tel: (0742) 288429.

Over the Top?

Data Gale Marketing are launching four new joysticks, including a top-of-the-range stick that boldly goes where no joystick has gone before by giving the games player not only six fire buttons and an autofire with speed control, but also a built-in digital stopwatch. The three joysticks range in price from £8.99 to £18.95.



Yes, readers, a quarter of the Gale joysticks are going for a mile...

For Book Worms

Probably the best known UK publisher of Electronics and Computer books in the UK is Bernard Babani. A selection of the company's massive range of small paperback books can be found in most good book shops. Well, you may like to know that you can now obtain a free copy of their 1989 catalogue, giving information on all of their titles, ranging from *Secrets of the Commodore 64 to the Electronic Calculator User's Manual*.

For your free catalogue write to: Bernard Babani (publishing) Ltd, The Granparade, Shepherds Bush Road, London W6 7NF. Tel: 01 - 863 2581.

New Names for Image works

Anthony Tagliano and Pete James, better known as Stardust Software's authors of the 8-bit games *Red L.S.D.* and *Deathkaps*, have found a new home with Imageworks. Bloodwyck, the team's first 16-bit game, should be out any time now on the Amiga, and a C64 version will soon follow.

Bloodwyck is a fantasy role-playing game, but the horizontally split screen which offers a two player mode adds a new dimension to this genre of game.

Cheaper Lasers

Buying a Laser printer is normally a less expensive business, but Qume has just launched a unique upgrading scheme to ease the purchase of their CrystalPrint WP and Series II printers. The user can buy a CrystalPrint

WP at £995 for basic text editing, and upgrade it to a series II when text and graphics are required. The series II (£1,495) and the WP can be modified to the top of the range Publisher PostScript language compatible, which retails at £2,995.

Bank Desks

NDIS Industries seem to have found a solution to overcrowded offices with the introduction of a new two-tier workstation. The two tier system is designed for use in computer rooms where space is at a premium, and there are a large number of terminals around.



Egilsson and James, authors of *IBMstyle*



Star's new range of very competitively priced 24-pin printers

Sewing Stars On Site

If you require high quality output from your dot matrix printer, then you really need to get hold of a 24 or 48 pin printer. Now Star are going to hot up the market by offering a range of 24 pin printers with an output quality that's equal to that of a 48 pin printer. The company is also offering 12 months on-site parts and labour warranty. Until recently, a 48 pin printer could cost you in excess of £2,000. Now Star has brought prices for 48 pin quality to below £600.

Prices for the new printers are £390 for the 10 inch XIB24-10, and £705 for the 15 inch XIB24-15. Both these printers have a Super Letter Quality mode offering a character matrix of 48 x 32 dots, the equivalent resolution of many 48 pin printers. A range of 17 fonts are supplied as standard with the printers, and more can be purchased as you require them. A colour option is also available for both printers.

For more information contact Star at Crown House, 40 Uxbridge Road, London W5 2RS. Tel: 01-840 1800.

New Fonts For Lasers

If you can own a HP or IBM laser printer for use with your computer, then the price of new font cartridges has probably put you off buying new fonts for the printer. Now C.Hob is offering a new range of font cartridges that are compatible with IBM and HP laser printers. They cost around the same price as the "real" cartridges, but offer twice as many options. C.Hob are also willing to make quotes for people who want their own fonts as cartridge.

The font library consists of 12 cartridges, all ideally suited for use with C.Hob's C-13 printer and scanner. Once a picture or design has been scanned or imaged with text, the whole effect can be maximised by using interesting fonts from C.Hob's library.



C.Hob's range of IBM and HP compatible font cartridges - twice as many options

Bloodwych - adventure in a 3D world



Bloodwych

Fantasy role-playing games are about to become twice as good! That's the claim of Image Works as it adds the final touches to its game *Bloodwych*, which allows two players to control two parties while exploring the same 3D castle. The castle in question is crawling with monsters to slay, tunnels to explore and mysteries to solve, and also hides four crystals

that together offer the choice to banish evil or make it prevail forever.

A horizontal split screen will keep the two parties apart and allow them to explore the castle at their own speed, but they are sure to meet somewhere in the darkness.

Adventurers will be able to explore the world of *Bloodwych* on the Amiga from the end of July, and then later on C64 and PC computers.

Bond is Back

As you probably already know, James Bond is back in a hard-hitting new film, and the game of the film will shortly be published by Demark. *Licence to Kill*, that is the film, the C64 game, the Amiga game and the PC game, will all be released simultaneously in June. The new Bond plot centres around 007's personal vendetta against the drug baron Sanchez.

According to Demark, you will mirror Timothy Dalton's actions as Bond in an exhilarating helicopter chase, a death-defying scene in shark infested waters and a final race against time as Bond chases after the escaping Sanchez in a crop duster. Your mission - to destroy Sanchez and the many tentacles (because one!) - of his drug dealer network.



Licence To Kill - Will Bond outlive the drug dealer?

Microprose marches on

Now that the ink has dried on the sale of Firbird and Rainbird, Microprose has announced a whole gamut of games from its newly acquired labels, including the C64 *Star Trek* that's reviewed elsewhere in this issue, and many others, including the following:

World Doctor, starts with you lying comatose in a hospital bed while your subconscious wanders into a dual-screen landscape full of your worst nightmares, a place where toys come to life, hideous creatures reside in front of you and almost everything is out to get you. Even carnivorous mosquitoes snap their jaws at you. C64 and PC versions are due in June, and an Amiga version will follow.

Premonition is set inside an ancient oak tree consisting of over 250 locations, each swarming with vermin. Your job is to trap, check and knock

out every stiggler and fyrr you can find. Each kill is worth money that can be saved in the tree's bank (don't a branch near you), gambled in the casino or borrowed from the mob and used to buy equipment that you'll need to reach the higher parts of the tree.

Defence Games offers four styles of fighting for the price of one. Twenty-four computer opponents await your challenge in four mini-tourneys for the championships of Kung Fu, Hollywood Kicks, Sambo Wrestling and Karate. C64, Amiga and PC versions are due in August.

Finally, the world of the cartoon hero comes you your screen, as *Red Doggoose* battles his way through four levels that span five mysterious Aztec temples and eerie Egyptian tombs. These levels combine to create a game containing 85 screens to challenge the C64 gamer (Amiga

versions get 90 more), each filled with traps to avoid, puzzles to solve and guards to destroy, as platform games make a comeback.

The acquisition of these titles means that Microprose can now draw on games from Firbird, Hambed, Origins and Cosmi to support its own range of simulations.

Pygnosis on PC

Pygnosis, already recognised as one of the major producers of quality Amiga games, is set to launch some of its titles onto the PC market. *Real Captain Fire Meets The Masterpiece*, *Messiah* and *Ballistic*, are all to appear in PC format. C64 users haven't been forgotten either, and *Real Ballistic* and *Captain Fire* will make an appearance in this format.

Ocean takes the budget plunge

After months of speculation, Ocean has finally taken the plunge and launched its own budget label. The first six titles from the Hit Squad will include Daley Thompson's *GreatAlas*, *Rainbo*, *Tie the Knot*, *Pin Missions*, *Green Bay* and *Indiana Jones*. Each game will cost the now standard budget price of £2.99, and is sure to send a tidal wave through the ranks of budgetists and their armies of ringtons and simulators.



The excitement of full-screen - but has the avatar caught survival-conscious?

Silkworm

Silkworm is the latest arcade smash to be converted for home computers, and features simultaneous two-player action, as you take control of a helicopter and an armoured jeep in a battle against level after level of tanks, helicopters and jets. *Silkworm*

is available for C64 (£9.99) and Amiga (£19.99) computers, and marks the return of the Virgin Games label. From now on Virgin Games will be the arcade and sports label for the Virgin/Mastertronic giant that also includes Melbourne House (fantasy and role-playing), Mastertronic (budget) and Leisure Games (computer versions of classic board games).

Circus Attractions

All the fun of the circus is set to appear on a C64, Amiga or PC computer near you, thanks to German software house Rainbow Arts. To be released through its Golden Goddess label, *Circus Attractions* features five events that can be played by one or two players. These events include trampolining, juggling, tightrope-walking, knife-throwing and the cautious clown jumping, where you're expected to jump between two sections as spontaneously as possible. All this action will be presented in what is described as "3D fun, graphics and film comparable animation", backed up with circus-style music.



A new dip in the Dip Dip, another new knife-throwing act...

16 bit budgeteers

Nice, the US Gold budget spin-off, has launched a new 16 bit budget label called Classics, that aims to start releasing Amiga and PC games for only £9.99. The first batch of three will include the former Christmas number one, *Aladdin* (Amiga), Foxor's superb shoot-'em-up, *Foundation's* *Wave*

(Amiga), and the ultimate in arcade golf games, *World Leader Board* (Amiga, PC).

Class is set to continue in C64 range with £2.99 cassette re-releases of *Genesis II*, *Masters of the Universe*, *Jack the Nipper*, *Arkanoid Elevator* and *Cyberworld*, as well as £4.99 disk re-releases of *Genesis*, *Super Cycle*, *720*, *Road Runner* and *World Games*.

Jaws bytes back

Jaws, the cult movie of the 70s, is just not to feature in a game that looks set to be the debut for a new software horse. Screen 7 hopes to recreate the tension and atmosphere as Chief Brody, Hooper (shark expert) and Quint (shark television) set out on the trail of a Great White Shark that's terrorising the inhabitants of Amity island.



Is that a shark or what?

Ultima Trilogy

Here's an offer you can't refuse. No, that is, if you're a role-playing fanatic, as Origin has at last banded together the first three *Ultimas* to form the *Ultima Trilogy*. This not only represents excellent value for money, but it's also the UK debut of *Ultima II* & *Ultima III* (the first *Ultima* launched in the UK followed by *JP*, *Fand* then *I*).

C84-disk (£24.95) and PC (£29.95)

owners can battle with the Traid of Evil in three magical games. In *Ultima I - The First Age of Darkness* you must battle with hordes of nightmarish creatures from Mordain the Wizard's Lair. In *Ultima II - The Revenge of Darkness*, the land is threatened by Minax, Mordain's forgotten apprentice, who has torn rifts in time in her attempt to seek and avenge her father's slays. These rifts give access through which a brave adventurer may bring about her down. Finally, in *Exodus - Ultima III* a party of adventurers

must act quickly, for Sarasia is threatened as the great earth Serpent awakens from a slumber of ages, and fragments of a manuscript hint at an alliance between Mordain and Minax.

Postman Pat

Anyone with a younger brother or sister or young son or daughter will know all about Postman Pat and his black-and-white cat. Well, he and the moggie *Jess* are about to star on the C84 and Amiga screen courtesy of Alternative Software. For only £1.99, C84 owners can deliver the mail in *General*, meet people like Ted Glen, Peter Fogg, Miss Hubbard and Dr Gibson, and also attempt other tasks such as rounding up sheep (*Clive Once* will definitely go for this one!) - Ed.

The Amiga version will follow later (price to be announced), and will also feature *Postman Pat Ludo*, *Snakes and Ladders* and *Snaps*. According to Alternative the game is "maddeningly addictive", as is the tune. All together now, "Postman Pat, Postman Pat, Postman Pat and his black-and-white cat..."



Magnificent Postman Pat will be appearing shortly on your computer.

Have

YOUR COMMODORE

delivered to your door FREE!*

That's right, if you take out a year's subscription to *Your Commodore* we will make sure that it is delivered to your door each month at no extra charge*. Just fill in the coupon below and send it to the address given with a cheque, money order or credit card (with instructions to cover the cost of the subscription).

We'll do the rest.

* Overseas subscription rates include postage.

UK: £15.00; EUROPE: £21.25; MIDDLE EAST: £23.50; FAR EAST: £26.00; REST OF THE WORLD: £24.00 or USA: \$42.00
Airmail Rates on Request.

Send this form with your remittance to:
INFOBYTE LTD., 5 River Park Estate,
Billet Lane, BIRKENHEAD,
Merseyside, H4 4 8LH, United Kingdom

Please commence my subscription to *Your Commodore* with the
..... issue. I enclose my cheque/money order for
£..... made payable to ADOLPHUS/SPECIALIST PUBLICATIONS

Or Debit my Access/Visa number

Valid from to Signature

Name Address

..... Postcode

New subscriber Subscription renewal/extension (date as applicable)

Extending Basic

Make your life easier by adding a trace routine to

Commodore Basic.

By Burghard-Henry Lehmann

The initial work of writing a program is not all that hard. If you've got a fair grasp of the language you're using and know your computer quite well, you'll get something written pretty quickly. But then comes the laborious bit: testing and debugging!

This gets more difficult and more confusing the larger and more complex your program becomes. A computer program can easily develop into a gigantic jigsaw puzzle, and every bit has to fit exactly! A computer is a machine, and the machine has no mercy. You either get it right or you don't. If you don't, the machine will repeat the same kind of nonsense ten times, a hundred times, a thousand times. Computer novices (and often programmers, who really should know better) when confronted with a bug, operate the program ten or 20 times in the vain hope that the computer will do it right eventually. But it never does!

A far more sensible approach is to get some good debugging tools. Commodore Basic has no debugging tools at all. So, in the next few articles in this series on extending the Basic of your C64, I'd like to develop a few of these. Once you know how Basic works in Rom, this becomes easier than you might think! Let's start with a trace routine.

All About Tracing

Tracing gets activated once the program starts to execute, that is, after you've given the Rom command. Before each line (or part of a line, if it is a multi-statement line) is interpreted and executed, the computer is stopped and the trace routine, which we will develop, prints the number of the line to be executed and its contents at the top of the screen.

To continue execution, just press any key - this results in the line being executed as usual. Then the computer jumps to the next line, prints that one at the top of the screen, stops again and so on. The usefulness of all this is that you can see exactly where in the program the computer is at all times. This is also called single-stepping a program, because that's exactly what the computer is doing. Normally, things happen so quickly that you barely have time to consider what exactly is going on. Tracing or single-stepping gives you the chance to take it step by step and think things through.

Stopping the C64 in Its Track

We intercept the normal program flow right at the beginning of our extended Basic routine before we look for an

extended Basic command (lines 400-500). At this point, the accumulator contains the first letter of the extended Basic command or the token code, if it is an ordinary Basic command. Since we need that later on, we save it on the machine stack. Then we call the trace routine itself (lines 1000-1005).

First we test the system variable \$RD, which tells us whether we're in program execution mode or direct mode. If the computer is in the program mode, \$RD contains zero, otherwise it contains 128. We want to know this, because if we've just given a Basic command directly, we obviously don't need the trace facility to be activated. Therefore, we cut straight away from the routine (line 1430), recover the former contents of the accumulator from the machine stack (line 510), and continue as usual.

Plotting

Next, we need to save the current print position, because if the program outputs text or graphic characters to the screen, we want them afterwards to be output to the proper print position.

By the way, I've only bothered to save the current print position and recover it later on. To make this program more functional, I advise you to save the screen columns too and print

the tracing line in a way which makes it stand out nicely. As always, I leave these finer points to you!

To save the current print position and initiate our own, we use a Rom routine, called "Plot". If Plot is entered with the carry flag set, the current print position contained in the system variables \$D6 and \$D3 is put into X (across) and Y (down).

If Plot is entered with the carry flag clear, the value contained in X is initiated as the new print column and the value contained in Y is initiated as the new print line. This knowledge should make it easy for everybody to develop an "AT" function, something sadly lacking in Commodore Basic! In lines 1479-1508, we use plot to save the current print position in 251/252, and in lines 1540-1579 we initiate the top line of the screen as the new current print position.

Next, we print an 80 character-long empty string to clear the top two lines of the screen (lines 1610-1630). For this we use a Rom-routine which prints any string, as long as it doesn't exceed 256 characters and is terminated with a zero. To point the computer to the string we want to print, we put the low byte of the start address of the string in the accumulator and the high byte into Y. I've decided to clear two lines, to accommodate a Basic line of any length.

Then we reset the current print position back to the beginning of the top line (lines 1650-1700). Printing the line number, which is the first thing we want to do, is also very easy: the number of the line the computer is interpreting at present is contained in the system variable \$08/1A. To print that number, we use a Rom-routine which prints any number if the accumulator contains the low byte of the number, and X its high byte.

Next, we print a separating space, using the easiest-to-use of all Rom-routines. With this one, you simply load the character to be printed into the accumulator and call the routine. You don't have to save any registers, because this routine saves everything, including the accumulator which contains the character to be printed, before it does its work and recovers everything again, (with most other Rom-routines you have to take care of this yourself!).

By the way, both the above routine and the Freestring routine also

execute so-called "non-printable" characters, such as carriage returns, backspace, cursor movements and so on. Just put the appropriate ASCII code (not the Commodore code!) into the accumulator or the string you want printed, and it does it.

Basic Token Codes

In past articles, I have already mentioned that Commodore compresses (or "tokenizes", as the computer jargon goes) Basic keywords. One advantage of this is that it makes Basic textfiles more compact and thus saves memory. It also tells the computer very easily when it has to deal with a Basic keyword and when it doesn't. A token code is always larger than 128, while an ordinary letter or number is smaller than 128. To put it differently, with a token code, bit 7 of the eight bits of a byte (counted from 0 to 7) is set, while with an ordinary ASCII code it's clear.

Of course, this means that a Basic keyword has to be tokenized before the line is entered into the textfile, and every time the line is reprinted on the screen each token has to be expanded into the keyword it stands for. When interpreting the program, the computer just uses the token code, and never expands it, because computers, unlike human beings, are far happier just to deal with numbers, rather than English words.

To expand token codes, there is a list in Rom of all Basic keywords. This list starts at location \$A09E. Since all Basic keywords are of various lengths, the programmers of the Commodore Rom separated each keyword from the next one by adding, once again, 128 to the last letter. Therefore, to print the last letter correctly, one has to subtract 128 from it.

Instead of this method, the Commodore whizzes could have used another method to build this table - they could have padded each keyword that's shorter than a certain length with spaces or zeros. This would have made it much easier to jump from entry to entry. But it would also have used up much more memory. That's why they went for the former solution.

To expand and print token codes we use a subroutine (lines 2660-3200), because there may be several token codes in one line or line segment. This is because Basic tokenizes not just commands, but also functions. It also

tokenizes arithmetical operators, like "+" and "-". The reason for this is again to make them stand out clearly from other characters in the line.

Expanding and printing a token

When we enter our subroutine, the token code is in the accumulator. First, we subtract 128 from the code to get the actual number of the keyword. This we load into X, which will serve us as the counter (lines 2668-2688).

Next, we load the base address of the keyword table (\$A09E) into a zero page address so we can use indirect-Y later on. I use zero page \$81/82, which is the first location of the floating point accumulator. It is completely safe to do this here, since we won't use the floating point accumulator (lines 2720-2730).

Now we enter the main loop, which starts by testing X. If it contains zero, we have found the keyword we were looking for. This is because we use X, which contains the number of the keyword, to count backwards. With every pass through our main loop, we decrement X by one. (lines 2790-2810)

If we haven't found our keyword yet, we zero Y and enter TOKEN.P1 (lines 2830-2900). This loop tests each character of the next keyword to find the last character, which has 128 added to it. If it has found that character, the carry flag will be set. In the final part of the main loop (lines 2940-3010), we update the base address contained in \$81/82 so that it points at the beginning of the next keyword. This is done by adding the contents of Y (the index) to it.

Once we have found the right keyword, it's printed onto the screen, again each character being tested to find the last character (lines 3050-3100). When this has been found, 128 is subtracted from its value and it too is printed (lines 3160-3180).

Tying it all up

The rest of our trace routine is pretty simple.

Lines 2410-2440 reinitiate the former current print position.

Finally, a Rom-routine called "Getin" is used to wait for any key being pressed (lines 2480-2490). If no key has been pressed, the zero flag is set. Otherwise zero will be clear, because Getin returns the ASCII code of the

key which has been pressed in the accumulator.

As always in this series, I haven't done things as comprehensively as they could have been - I justify this by saying that I want to encourage you

to find your own solutions, but people who know no better will say that it's because I'm basic lily... I haven't added a new basic command which switches trace on and off. I'm sure you may want to introduce these com-

mands, since they allow you to trace through certain parts of a program and let other parts you are less interested in run at full speed.

Next time we'll develop some more debugging and toolkit routines.

```

10          ORG 48152
20          RMT
30          ;
40          CHARGET  EQU 80073
50          EXECVCT EQU 80308
60          PRINT  EQU 8E718
70          PRINTM EQU 8E8C8
80          PRINTSTR EQU 8A81E
90          PLOT   EQU 8FFFF
100         ;
110        SYMBOLTEL EQU 00000
120        ;
130        ;
140        ;
150        ; TURN EXTENDED BASIC ON
160        ; BY CHANGING VECTOR AT 80308
170        ;
180        EXTRASON LDA #<PRGSTART
190                STA <EXECVCT
200                LDA #<PRGSTART
210                STA >EXECVCT
220        ;
230        ; RTS
240        ;
250        ;
260        ;
270        ; TURN EXTENDED BASIC OFF
280        ; BY CHANGING VECTOR AT 80308
290        ; BACK TO NORMAL (BATE4)
300        ;
310        EXTRASOFF LDA #<BATE4
320                 STA <EXECVCT
330                 LDA #>BATE4
340                 STA >EXECVCT
350        ;
360        ; RTS
370        ;
380        ;
390        ;
400        ; *** MAIN PROGRAM ENTRY ***
410        ;
420        ; LOOK FOR EXTENDED BASIC COMMANDS
430        ;
440        PRGSTART JSE CHARGET
450                JSE EXECSTM
460                JMP BATE4
470        ;
480        ;
490        EXECSTM  PHA
500                JSE TRACE
510                PLA
520        ;
530                CMP 'O'

540                BNE NEXT
550                JMP OFF. RT
560        ;
570        NEXT    CMP 'C'
580                BNE NORMAL
590                JSE CHARGET
600                CMP 'O'
610                BNE NORMAL
620                JSE CHARGET
630                CMP 'L'
640                BNE NORMAL
650                JSE CHARGET
660                CMP 8880
670                BNE COLOR. RT
680        ;
690        ; DO NORMAL NON-ROUTINE
700        ;
710        NORMAL  JMP BATE4
720        ;
730        ;
740        ;
750        ; EXECUTE 'COLOR' COMMAND
760        ;
770        ; GET INK PARAMETER
780        ;
790        COLOR. RT JSE CHARGET
800                JSE BADBA
810                JSE 8E7F7
820        ;
830        ; CHANGE INK COLOUR
840        ;
850                STY 848
860        ;
870        ; GET PAPER PARAMETER
880        ;
890                JSE CHARGET
900                JSE BADBA
910                JSE 8E7F7
920        ;
930        ; CHANGE PAPER COLOUR
940        ;
950                STY 83E1
960        ;
970        ; GET BORDER PARAMETER
980        ;
990                JSE CHARGET
1000               JSE BADBA
1010               JSE 8E7F7
1020        ;
1030        ; CHANGE BORDER COLOUR
1040        ;

```

PROGRAMMING

```

1050      STY 53250
1060      |
1070      : JUMP TO REST OF NON-ROUTINE
1080      |
1090      : RTS
1100      |
1110      |
1120      |
1130      : TEST FOR REST OF 'OFF'
1140      |
1150      OFF. RT  JSR CHARGET
1160      CMP  'F'
1170      BNE  OFF. RT1
1180      JMP  NORMAL1
1190      OFF. RT1 JSR CHARGET
1200      CMP  'F'
1210      BNE  OFF. RT2
1220      JMP  NORMAL1
1230      |
1240      : EXECUTE 'OFF' COMMAND
1250      |
1260      OFF. RT2 JSR EXTRASOFF
1270      |
1280      : GET NEXT CHARACTER AND
1290      : JUMP TO REST OF NON-ROUTINE
1300      |
1310      : JSR CHARGET
1320      : RTS
1330      |
1340      |
1350      |
1360      : TRACE ROUTINE:
1370      |
1380      : IF DIRECT MODE, EXIT AT ONCE.
1390      |
1400      TRACE  LDA  #0
1410      CMP  #150
1420      BNE  TRACE1
1430      RTS
1440      |
1450      : SAVE CURRENT PRINT POSITION.
1460      |
1470      TRACE1 DEC  #0
1480      JSR  PLOT
1490      STX  251
1500      STY  252
1510      |
1520      : PLOT TOP LINE PRINT POSITION.
1530      |
1540      : CLC
1550      LDX  #0
1560      LDY  #0
1570      JSR  PLOT
1580      |
1590      : CLEAN TOP TWO LINES.
1600      |
1610      : LDA #EMPTYLINE
1620      : LDY #EMPTYLINE
1630      : JSR PRINT$TN
1640      |
1650      : PLOT TOP LINE PRINT POSITION.
1660      |
1670      : CLC
1680      LDX  #0
1690      LDY  #0
1700      JSR  PLOT
1710      |
1720      : PRINT LINE NUMBER.
1730      |
1740      : LDA #3A
1750      LDX  #39
1760      JSR PRINT$O
1770      |
1780      : PRINT ONE SPACE.
1790      |
1800      : LDA #32
1810      : JSR PRINT
1820      |
1830      : GET ADDRESS OF BASIC TOKEN AND
1840      : PRINT IT.
1850      |
1860      : LDY #0
1870      : LDA (RTA),Y
1880      |
1890      : JSR TOKEN$K
1900      |
1910      : PUT CHARACTER ADDRESS INTO 253/254
1920      : AND INCREMENT BY ONE.
1930      |
1940      : LDA #RTA
1950      STA  <253
1960      LDA  >RTA
1970      STA  >253
1980      |
1990      :
2000      : DEC <253
2010      BNE TRACE
2020      : INC >253
2030      |
2040      : PRINT REST OF LINE.
2050      : TRACES LDY #0
2060      PRINTLOOP LDA (253),Y
2070      BNE LINKED$O
2080      CMP  ' '
2090      BNE LINKED$O
2100      CMP  #128
2110      BCC PRINTLOOP
2120      |
2130      : IF TOKEN, SAVE Y AND PRINT TOKEN
2140      |
2150      : INY
2160      STY  #0
2170      |
2180      : JSR TOKEN$K
2190      |
2200      : POINT AT CHARACTER AFTER TOKEN
2210      : AND LOOP BACK.
2220      |
2230      : CLC

```



```

2140          LDA #0
2150          ADC <253
2160          STA <253
2170          BCC TRACE2
2180          DEC >253
2190          BNE TRACE2
2200          ;
2210          ;PRINT ORDINARY CHARACTER, DECR.
2220          ;INDEX AND LOOP BACK.
2230          ;
2240          PRINTLOOP JSE PRINT
2250          INY
2260          BNE PRINTLOOP
2270          ;
2280          ;END OF LINE: RE-PLOT OLD PRINT
2290          ;POSITION.
2300          ;
2310          ;
2320          ;
2330          ;
2340          LINKED CLC
2350          LDX 251
2360          LDY 252
2370          JSE PLOT
2380          ;
2390          ;WAIT FOR KEYPRESS.
2400          ;
2410          WAIT JSE $FFFC
2420          BSA WAIT
2430          ;
2440          ;IF KEY PRESSED, EXIT.
2450          ;
2460          ;
2470          ;
2480          ;
2490          ;
2500          ;
2510          ;
2520          ;
2530          ;
2540          ;
2550          ;
2560          ;
2570          NORMAL1 JMP 2A7E
2580          ;
2590          ;
2600          ;
2610          ;TOKEN SUBROUTINE:
2620          ;
2630          ;CALCULATE TOKEN NUMBER AND
2640          ;STORE IT IN I.
2650          ;
2660          ;
2670          ;
2680          ;
2690          ;
2700          ;
2710          ;
2720          ;
2730          ;
2740          ;
2750          ;
2760          ;
2770          ;
2780          ;
2790          ;
2800          ;
2810          ;
2820          ;
2830          ;
2840          ;
2850          ;
2860          ;
2870          ;
2880          ;
2890          ;
2900          ;
2910          ;
2920          ;
2930          ;
2940          ;
2950          ;
2960          ;
2970          ;
2980          ;
2990          ;
3000          ;
3010          ;
3020          ;
3030          ;
3040          ;
3050          ;
3060          ;
3070          ;
3080          ;
3090          ;
3100          ;
3110          ;
3120          ;
3130          ;
3140          ;
3150          ;
3160          ;
3170          ;
3180          ;
3190          ;
3200          ;
3210          ;
3220          ;
3230          ;
3240          ;
3250          ;
3260          ;
3270          ;
3280          ;
3290          ;
3300          ;
3310          ;
3320          ;
3330          ;
3340          ;
3350          ;
3360          ;
3370          ;
3380          ;
3390          ;
3400          ;
3410          ;
3420          ;
3430          ;
3440          ;
3450          ;
3460          ;
3470          ;
3480          ;
3490          ;
3500          ;
3510          ;
3520          ;
3530          ;
3540          ;
3550          ;
3560          ;
3570          ;
3580          ;
3590          ;
3600          ;
3610          ;
3620          ;
3630          ;
3640          ;
3650          ;
3660          ;
3670          ;
3680          ;
3690          ;
3700          ;
3710          ;
3720          ;
3730          ;
3740          ;
3750          ;
3760          ;
3770          ;
3780          ;
3790          ;
3800          ;
3810          ;
3820          ;
3830          ;
3840          ;
3850          ;
3860          ;
3870          ;
3880          ;
3890          ;
3900          ;
3910          ;
3920          ;
3930          ;
3940          ;
3950          ;
3960          ;
3970          ;
3980          ;
3990          ;
4000          ;
4010          ;
4020          ;
4030          ;
4040          ;
4050          ;
4060          ;
4070          ;
4080          ;
4090          ;
4100          ;
4110          ;
4120          ;
4130          ;
4140          ;
4150          ;
4160          ;
4170          ;
4180          ;
4190          ;
4200          ;
4210          ;
4220          ;
4230          ;
4240          ;
4250          ;
4260          ;
4270          ;
4280          ;
4290          ;
4300          ;
4310          ;
4320          ;
4330          ;
4340          ;
4350          ;
4360          ;
4370          ;
4380          ;
4390          ;
4400          ;
4410          ;
4420          ;
4430          ;
4440          ;
4450          ;
4460          ;
4470          ;
4480          ;
4490          ;
4500          ;
4510          ;
4520          ;
4530          ;
4540          ;
4550          ;
4560          ;
4570          ;
4580          ;
4590          ;
4600          ;
4610          ;
4620          ;
4630          ;
4640          ;
4650          ;
4660          ;
4670          ;
4680          ;
4690          ;
4700          ;
4710          ;
4720          ;
4730          ;
4740          ;
4750          ;
4760          ;
4770          ;
4780          ;
4790          ;
4800          ;
4810          ;
4820          ;
4830          ;
4840          ;
4850          ;
4860          ;
4870          ;
4880          ;
4890          ;
4900          ;
4910          ;
4920          ;
4930          ;
4940          ;
4950          ;
4960          ;
4970          ;
4980          ;
4990          ;
5000          ;
5010          ;
5020          ;
5030          ;
5040          ;
5050          ;
5060          ;
5070          ;
5080          ;
5090          ;
5100          ;
5110          ;
5120          ;
5130          ;
5140          ;
5150          ;
5160          ;
5170          ;
5180          ;
5190          ;
5200          ;
5210          ;
5220          ;
5230          ;
5240          ;
5250          ;
5260          ;
5270          ;
5280          ;
5290          ;
5300          ;
5310          ;
5320          ;
5330          ;
5340          ;
5350          ;
5360          ;
5370          ;
5380          ;
5390          ;
5400          ;
5410          ;
5420          ;
5430          ;
5440          ;
5450          ;
5460          ;
5470          ;
5480          ;
5490          ;
5500          ;
5510          ;
5520          ;
5530          ;
5540          ;
5550          ;
5560          ;
5570          ;
5580          ;
5590          ;
5600          ;
5610          ;
5620          ;
5630          ;
5640          ;
5650          ;
5660          ;
5670          ;
5680          ;
5690          ;
5700          ;
5710          ;
5720          ;
5730          ;
5740          ;
5750          ;
5760          ;
5770          ;
5780          ;
5790          ;
5800          ;
5810          ;
5820          ;
5830          ;
5840          ;
5850          ;
5860          ;
5870          ;
5880          ;
5890          ;
5900          ;
5910          ;
5920          ;
5930          ;
5940          ;
5950          ;
5960          ;
5970          ;
5980          ;
5990          ;
6000          ;
6010          ;
6020          ;
6030          ;
6040          ;
6050          ;
6060          ;
6070          ;
6080          ;
6090          ;
6100          ;
6110          ;
6120          ;
6130          ;
6140          ;
6150          ;
6160          ;
6170          ;
6180          ;
6190          ;
6200          ;
6210          ;
6220          ;
6230          ;
6240          ;
6250          ;
6260          ;
6270          ;
6280          ;
6290          ;
6300          ;
6310          ;
6320          ;
6330          ;
6340          ;
6350          ;
6360          ;
6370          ;
6380          ;
6390          ;
6400          ;
6410          ;
6420          ;
6430          ;
6440          ;
6450          ;
6460          ;
6470          ;
6480          ;
6490          ;
6500          ;
6510          ;
6520          ;
6530          ;
6540          ;
6550          ;
6560          ;
6570          ;
6580          ;
6590          ;
6600          ;
6610          ;
6620          ;
6630          ;
6640          ;
6650          ;
6660          ;
6670          ;
6680          ;
6690          ;
6700          ;
6710          ;
6720          ;
6730          ;
6740          ;
6750          ;
6760          ;
6770          ;
6780          ;
6790          ;
6800          ;
6810          ;
6820          ;
6830          ;
6840          ;
6850          ;
6860          ;
6870          ;
6880          ;
6890          ;
6900          ;
6910          ;
6920          ;
6930          ;
6940          ;
6950          ;
6960          ;
6970          ;
6980          ;
6990          ;
7000          ;
7010          ;
7020          ;
7030          ;
7040          ;
7050          ;
7060          ;
7070          ;
7080          ;
7090          ;
7100          ;
7110          ;
7120          ;
7130          ;
7140          ;
7150          ;
7160          ;
7170          ;
7180          ;
7190          ;
7200          ;
7210          ;
7220          ;
7230          ;
7240          ;
7250          ;
7260          ;
7270          ;
7280          ;
7290          ;
7300          ;
7310          ;
7320          ;
7330          ;
7340          ;
7350          ;
7360          ;
7370          ;
7380          ;
7390          ;
7400          ;
7410          ;
7420          ;
7430          ;
7440          ;
7450          ;
7460          ;
7470          ;
7480          ;
7490          ;
7500          ;
7510          ;
7520          ;
7530          ;
7540          ;
7550          ;
7560          ;
7570          ;
7580          ;
7590          ;
7600          ;
7610          ;
7620          ;
7630          ;
7640          ;
7650          ;
7660          ;
7670          ;
7680          ;
7690          ;
7700          ;
7710          ;
7720          ;
7730          ;
7740          ;
7750          ;
7760          ;
7770          ;
7780          ;
7790          ;
7800          ;
7810          ;
7820          ;
7830          ;
7840          ;
7850          ;
7860          ;
7870          ;
7880          ;
7890          ;
7900          ;
7910          ;
7920          ;
7930          ;
7940          ;
7950          ;
7960          ;
7970          ;
7980          ;
7990          ;
8000          ;
8010          ;
8020          ;
8030          ;
8040          ;
8050          ;
8060          ;
8070          ;
8080          ;
8090          ;
8100          ;
8110          ;
8120          ;
8130          ;
8140          ;
8150          ;
8160          ;
8170          ;
8180          ;
8190          ;
8200          ;
8210          ;
8220          ;
8230          ;
8240          ;
8250          ;
8260          ;
8270          ;
8280          ;
8290          ;
8300          ;
8310          ;
8320          ;
8330          ;
8340          ;
8350          ;
8360          ;
8370          ;
8380          ;
8390          ;
8400          ;
8410          ;
8420          ;
8430          ;
8440          ;
8450          ;
8460          ;
8470          ;
8480          ;
8490          ;
8500          ;
8510          ;
8520          ;
8530          ;
8540          ;
8550          ;
8560          ;
8570          ;
8580          ;
8590          ;
8600          ;
8610          ;
8620          ;
8630          ;
8640          ;
8650          ;
8660          ;
8670          ;
8680          ;
8690          ;
8700          ;
8710          ;
8720          ;
8730          ;
8740          ;
8750          ;
8760          ;
8770          ;
8780          ;
8790          ;
8800          ;
8810          ;
8820          ;
8830          ;
8840          ;
8850          ;
8860          ;
8870          ;
8880          ;
8890          ;
8900          ;
8910          ;
8920          ;
8930          ;
8940          ;
8950          ;
8960          ;
8970          ;
8980          ;
8990          ;
9000          ;
9010          ;
9020          ;
9030          ;
9040          ;
9050          ;
9060          ;
9070          ;
9080          ;
9090          ;
9100          ;
9110          ;
9120          ;
9130          ;
9140          ;
9150          ;
9160          ;
9170          ;
9180          ;
9190          ;
9200          ;
9210          ;
9220          ;
9230          ;
9240          ;
9250          ;
9260          ;
9270          ;
9280          ;
9290          ;
9300          ;
9310          ;
9320          ;
9330          ;
9340          ;
9350          ;
9360          ;
9370          ;
9380          ;
9390          ;
9400          ;
9410          ;
9420          ;
9430          ;
9440          ;
9450          ;
9460          ;
9470          ;
9480          ;
9490          ;
9500          ;
9510          ;
9520          ;
9530          ;
9540          ;
9550          ;
9560          ;
9570          ;
9580          ;
9590          ;
9600          ;
9610          ;
9620          ;
9630          ;
9640          ;
9650          ;
9660          ;
9670          ;
9680          ;
9690          ;
9700          ;
9710          ;
9720          ;
9730          ;
9740          ;
9750          ;
9760          ;
9770          ;
9780          ;
9790          ;
9800          ;
9810          ;
9820          ;
9830          ;
9840          ;
9850          ;
9860          ;
9870          ;
9880          ;
9890          ;
9900          ;
9910          ;
9920          ;
9930          ;
9940          ;
9950          ;
9960          ;
9970          ;
9980          ;
9990          ;

```

Autoroute

Tony Heatherington discovers a unique new pathfinding system that could make life easier for tourists and travelling salesmen everywhere

Maps are supposed to be easy to read, making it easier for you to plan your journey. But how often has the place you've been aiming for been obscured by a field or a staple? How often have you tried to find your way around "proposed motorway routes", as stated at your map-trying to find a path around some particularly heavy roadworks or locate a place to stop and eat on the way? Wouldn't it be good if you could use a computer to plan your routes by simply typing in where you wanted to go? Such a system is no longer confined to the realms of science fiction - it already exists.

Autoroute from Next Base is available in several forms, ranging from the basic *Autoroute* up to the new *Autoroute Plus* and its add-on modules. All you need to run it is a PC with either twin floppies or a hard disk drive, as a detailed map of Britain runs up memory more than anything else.

Using *Autoroute* couldn't be easier - all you have to do is type in your starting location and your destination. If you misspell either place, or if *Autoroute* isn't sure where you mean, it displays a menu of options to choose from. That sounds easy enough, but the real power comes when you can add up to 20 stops on the route, establish the time you'll be travelling, specify road types you prefer or would rather avoid, and rate the speeds you travel at somewhere between 2CV and GTI.

Autoroute then uses this information to calculate a series of routes, and rates them as quickest or shortest using you to choose the best option (the first is usually the quickest and the shortest). You can then display a map of the route and a table of directions.

The map varies in quality depending on your graphics card, is functional in CGA and impressive in EGA. Through a series of key presses and a mouse pointer you can identify unmarked roads, zoom in and out of

the map and increase or decrease its detail. In fact you can flood the display with so many place names that it's impossible to see the route.

Pressing the space bar takes you to the table or list of directions that you can print out and bring with you in the car. These directions tell you which turnings to take, the distance from the last junction, the direction you're heading in and even the time at which you should reach it.

Although this is ideal for a navigator to read, it would be very dangerous for a driver to refer to such a cluttered print while in motion, so it's a shame there isn't an option to print the directions in easy to read double-sized print that you could clip onto the dashboard.

Unlike a static map, *Autoroute* can respond to exceptional circumstances. For example, in bad weather you could tell it to avoid B roads where possible, and on Bank Holidays to steer clear of packed motorways. Similarly, you could compensate for major roadworks and other hazards that might slow your journey down.

As if that isn't enough, Next Base has just released an updated version of *Autoroute*, with added features and modules, that's logically called *Autoroute Plus*. *Auto Plus* retains the same easy route-planning structure, but adds new features and options. For example, by clicking on the map you can dodge a specific stretch of road to avoid road works, a snarl-up or an accident, or find the nearest pub, hotel or branch of your business.

You can also specify the time you need to reach your destination at, and *Autoroute Plus* will plan your journey accordingly. Say, for example, you wanted to travel from Newport on the Isle of Wight to Bristol, and travel via Bournemouth. Southampton and Winchester, but reach Bristol for a meeting at 1PM. *Autoroute Plus* does the rest, calculating and displaying that you must leave Newport at 11am to arrive at Bournemouth at 12:22,



Southampton at 12:57 and Bristol at 3pm. Try working that lot out on a normal road map.

Both the map and the table of directions can be printed out or exported in PCX files and used in DTP packages, so you could tell all your customers where your shop is and include a map and directions of how to get to it in the same document as your latest price list and details of special offers. Similarly, you could use it to find sales or exhibitions, ranging from the PC Show at Earl's Court down to a car boot sale at the local school.

Autoroute Plus is an open-ended system that can be updated and further expanded through a series of modules. These include a Gazetteer Editor, Postcodes and optimisation and routing systems. For the general user the Gazetteer shows most promise, as it allows you to add places of interest



Autocourse, Ver 1.0
Suggest route from Brighton to Southampton

Time	Start	End	Dir	Search
00:00	Brighton	Brighton	Left	Left
00:01	Brighton	Brighton	Left	Left
00:02	Brighton	Brighton	Left	Left
00:03	Brighton	Brighton	Left	Left
00:04	Brighton	Brighton	Left	Left
00:05	Brighton	Brighton	Left	Left
00:06	Brighton	Brighton	Left	Left
00:07	Brighton	Brighton	Left	Left
00:08	Brighton	Brighton	Left	Left
00:09	Brighton	Brighton	Left	Left
00:10	Brighton	Brighton	Left	Left
00:11	Brighton	Brighton	Left	Left
00:12	Brighton	Brighton	Left	Left
00:13	Brighton	Brighton	Left	Left
00:14	Brighton	Brighton	Left	Left
00:15	Brighton	Brighton	Left	Left
00:16	Brighton	Brighton	Left	Left
00:17	Brighton	Brighton	Left	Left
00:18	Brighton	Brighton	Left	Left
00:19	Brighton	Brighton	Left	Left
00:20	Brighton	Brighton	Left	Left
00:21	Brighton	Brighton	Left	Left
00:22	Brighton	Brighton	Left	Left
00:23	Brighton	Brighton	Left	Left
00:24	Brighton	Brighton	Left	Left
00:25	Brighton	Brighton	Left	Left
00:26	Brighton	Brighton	Left	Left
00:27	Brighton	Brighton	Left	Left
00:28	Brighton	Brighton	Left	Left
00:29	Brighton	Brighton	Left	Left
00:30	Brighton	Brighton	Left	Left
00:31	Brighton	Brighton	Left	Left
00:32	Brighton	Brighton	Left	Left
00:33	Brighton	Brighton	Left	Left
00:34	Brighton	Brighton	Left	Left
00:35	Brighton	Brighton	Left	Left
00:36	Brighton	Brighton	Left	Left
00:37	Brighton	Brighton	Left	Left
00:38	Brighton	Brighton	Left	Left
00:39	Brighton	Brighton	Left	Left
00:40	Brighton	Brighton	Left	Left
00:41	Brighton	Brighton	Left	Left
00:42	Brighton	Brighton	Left	Left
00:43	Brighton	Brighton	Left	Left
00:44	Brighton	Brighton	Left	Left
00:45	Brighton	Brighton	Left	Left
00:46	Brighton	Brighton	Left	Left
00:47	Brighton	Brighton	Left	Left
00:48	Brighton	Brighton	Left	Left
00:49	Brighton	Brighton	Left	Left
00:50	Brighton	Brighton	Left	Left
00:51	Brighton	Brighton	Left	Left
00:52	Brighton	Brighton	Left	Left
00:53	Brighton	Brighton	Left	Left
00:54	Brighton	Brighton	Left	Left
00:55	Brighton	Brighton	Left	Left
00:56	Brighton	Brighton	Left	Left
00:57	Brighton	Brighton	Left	Left
00:58	Brighton	Brighton	Left	Left
00:59	Brighton	Brighton	Left	Left
01:00	Brighton	Brighton	Left	Left

Autocourse, Ver 1.0
Suggest route from Brighton to Southampton

to the Autocourse maps. The examples supplied are pubs and hotels, but you could add anything from distributors to branches and software houses to customers.

For each entry, you can compile a small text entry that appears when the location is selected by mouse. For example, clicking on the software house in Staines would reveal something like... Next Base, authors of Autocourse and Autocourse Plus and its expansion modules. Tel: 0784 460077. Fax 0784 460082.

That's not all - the Gazetteer also allows you to add detailed departure and arrival instructions that are incorporated into the table so that people will always know how to find you.

The postcode module includes the location of the centre of each of the

8700 post code regions, so that you can pinpoint your customers accurately and efficiently. This efficiency can be enhanced by adding the optimisation and costing module, that will automatically plan the most efficient route between calls and calculate costs based on hourly and fuel-dependent rates.

There are modules on the way to customise Autocourse Plus to your specific needs - these will include a symbol editor to add symbols to the maps (for use with the Gazetteer), Isochrons, that plots destinations the same travelling time away from your start position (i.e. what's 45 minutes from Birmingham - ideal for distribution), a restrictions module that plans routes to avoid low bridges, width and weight limits, and an overlay of postcode areas and county boundaries.

Autocourse, Ver 1.0
Suggest route from Brighton to Southampton

Time	Start	End	Dir	Search
00:00	Brighton	Brighton	Left	Left
00:01	Brighton	Brighton	Left	Left
00:02	Brighton	Brighton	Left	Left
00:03	Brighton	Brighton	Left	Left
00:04	Brighton	Brighton	Left	Left
00:05	Brighton	Brighton	Left	Left
00:06	Brighton	Brighton	Left	Left
00:07	Brighton	Brighton	Left	Left
00:08	Brighton	Brighton	Left	Left
00:09	Brighton	Brighton	Left	Left
00:10	Brighton	Brighton	Left	Left
00:11	Brighton	Brighton	Left	Left
00:12	Brighton	Brighton	Left	Left
00:13	Brighton	Brighton	Left	Left
00:14	Brighton	Brighton	Left	Left
00:15	Brighton	Brighton	Left	Left
00:16	Brighton	Brighton	Left	Left
00:17	Brighton	Brighton	Left	Left
00:18	Brighton	Brighton	Left	Left
00:19	Brighton	Brighton	Left	Left
00:20	Brighton	Brighton	Left	Left
00:21	Brighton	Brighton	Left	Left
00:22	Brighton	Brighton	Left	Left
00:23	Brighton	Brighton	Left	Left
00:24	Brighton	Brighton	Left	Left
00:25	Brighton	Brighton	Left	Left
00:26	Brighton	Brighton	Left	Left
00:27	Brighton	Brighton	Left	Left
00:28	Brighton	Brighton	Left	Left
00:29	Brighton	Brighton	Left	Left
00:30	Brighton	Brighton	Left	Left
00:31	Brighton	Brighton	Left	Left
00:32	Brighton	Brighton	Left	Left
00:33	Brighton	Brighton	Left	Left
00:34	Brighton	Brighton	Left	Left
00:35	Brighton	Brighton	Left	Left
00:36	Brighton	Brighton	Left	Left
00:37	Brighton	Brighton	Left	Left
00:38	Brighton	Brighton	Left	Left
00:39	Brighton	Brighton	Left	Left
00:40	Brighton	Brighton	Left	Left
00:41	Brighton	Brighton	Left	Left
00:42	Brighton	Brighton	Left	Left
00:43	Brighton	Brighton	Left	Left
00:44	Brighton	Brighton	Left	Left
00:45	Brighton	Brighton	Left	Left
00:46	Brighton	Brighton	Left	Left
00:47	Brighton	Brighton	Left	Left
00:48	Brighton	Brighton	Left	Left
00:49	Brighton	Brighton	Left	Left
00:50	Brighton	Brighton	Left	Left
00:51	Brighton	Brighton	Left	Left
00:52	Brighton	Brighton	Left	Left
00:53	Brighton	Brighton	Left	Left
00:54	Brighton	Brighton	Left	Left
00:55	Brighton	Brighton	Left	Left
00:56	Brighton	Brighton	Left	Left
00:57	Brighton	Brighton	Left	Left
00:58	Brighton	Brighton	Left	Left
00:59	Brighton	Brighton	Left	Left
01:00	Brighton	Brighton	Left	Left

Autocourse, Ver 1.0
Suggest route from Brighton to Southampton

Autocourse, Ver 1.0
Suggest route from Brighton to Southampton

Autocourse and Autocourse Plus will have many users, ranging from computer users wanting to impress family and friends, to travelling salesmen, clubs organising events and small and not-so-small businesses. It will run on most PCs, but becomes really useful when loaded into a portable that can be used while you're in the car.

The basic Autocourse costs £190, which is quite reasonable considering the mass of data it stores and processes. Autocourse Plus is aimed more at the professional user, and carries a £209 + VAT price tag, with the modules costing between £140 and £190.

Touchline:

Title: Autocourse. **Supplier:** Next Base, Unit 18, Central Trading Estate, Scales, Middlesex, TW19 4JE. Tel: 0784 460077.

PC Corner

Commodore has joined just about every other computer manufacturer and started producing PC Clones. We start a regular column for Commodore PC owners.

If you own a Commodore 64, you may be considering changing your machine for an Amiga, or another 16 bit machine. However, you may still be confused as to what's available, or the Amiga may not be the right machine for you. What are the alternatives? The Atari ST is one, but you could also consider getting a PC compatible. This might seem a strange choice, but settling for what has become the de facto industry standard does in fact make a lot of sense. An explanation of why you should take such a course is necessary, so I will attempt to make clear both the pros and cons in this article.

The IBM Standard

The term *IBM PC compatible* refers to a hardware standard, that is a machine which has certain minimum specifications. These are: an 8088 or 8086 CPU running at a speed of 4.7MHz, a minimum of 64k RAM, a video card capable of displaying at least 80x25 rows of text, and one double-sided 40 track disk drive with 320k capacity. To be fully compatible with the IBM standard, the ROM chips inside the machine should also be the same as IBM's.

You may wonder how manufacturers have survived the threat of legal action from one of the world's biggest companies. The answer is, only at their indulgence, by not making copies directly and by using a technique called 'reverse engineering'. Even basic items such as printer ports are not part of the spec. However, one of the great advantages of the standard is that a large number of expansion slots come in the basic machine, so you can buy almost anything, and just plug it in. Don't worry if you're not quite sure

what all this means - everything should become clear as you read on.

MSDOS

Also called PC DOS on true IBM machines, MSDos is the heart of a PC compatible. Without it, you cannot do anything at all.

MSDOS is usually loaded from disk, but some portables, for example, have a version in ROM. MSDos is responsible for handling all input and output. This means the screen, printer, keyboard or disk drive. The software that does all this is usually loaded once, at switch on and then resides in the machine until it is switched off. The other part of MSDos is made up of a number of Transient commands. Of these, by far the most important is *Command.com*, the so-called command processor. This program is like the Basic interpreter, in that it sits in memory intercepting your keypresses, and sending them into something the computer can understand.

All MSDos commands are given from a prompt which initially consists of just the disk drive letter, and a > symbol eg:

A: > or C: >

This can be changed to suit your needs to show the date, for example. Here you will do most work, launching programs, formatting disks, and keeping track of Data. Typing the built-in command DIR at this prompt will reveal what's on disk. Fig 1 shows the directory listings of the MSDos system disk. You will see that files on the disk all have up to eight letters, then a dot (.) followed by an extension of up to three letters. How a file is treated by MSDos depends on these letters. EXE or COM after the dot means a program that will run from

the A: > prompt. BAT tells MSDos that the file is a text file which can be treated as a list of commands. One of these .BAT files, *Autocore.bat* is special, because it executes automatically on startup. This means you can set your machine up to suit you, in the knowledge that every time you switch it on, it will be the same.

The other important thing to understand about MSDos is that it is a hierarchical filing system, and so within one directory you can have not only files, but more directories, and so on. Organising files this way is essential if you have a hard disk, of which more later.

Programming the PC

The surprising thing about PC compatibles is they almost never have Basic built into them. Instead Basic comes as just another program that can be run. *GWBasic* is generally accepted as the standard here and comes with most machines. An interpreted language, it is generally considered to be well featured and easy for beginners to get to grips with, but it is slow. However, numerous languages are available, and if you wish to program professionally you should consider one of the many compilers available. Assembly language programming is also well catered for, both commercially, and in the public domain. PCs do of course have the *Lotus* language built into them. This is very simple, but experienced batch language programmers can do some surprising things with it.

Software

Upwards of one million packages have been written for the machine, and this number is growing all the time. All the big software houses write for the



PC, and some packages such as *Lotus 123*, *Dbase III*, and *Wordperfect* are standards in their own right. Standards are high, but be warned, unless you have an expensive machine capable of running Windows, most software is still text-based. The quality of games software can be variable with only the more recent stuff for EGA graphics adapters being really exciting. This will improve as more software houses take to the PC. Public domain and shareware is available in large quantities, so even the impressionists will find something to meet their needs.

Graphics

Probably the most perplexing aspect of PCs is that of graphics and display adapters. Unfortunately there is no single standard, and of those which do exist there are many variations. Also, many programs such as Aldus PageMaker require a minimum configuration before they will run. In PageMaker's case an EGA adapter and colour monitor are required before it will run.

The problem has arisen because, in the beginning the display standard was 80x25 text in monochrome. Only later did provision for colour and

graphics arise. All PC's come with some kind of graphics adapter, usually on a plug-in card and a monitor, so it is important to get the right display for your needs. The following list should give an idea of what's available.

The list shows just how desirable some combinations can be.

The drawback however is cost. With a suitable VGA setup costing as much or more than most low cost PC's, many users have to settle for something less. If you can afford it, I would suggest an EGA to be the best overall value for money.

What to look for when buying a PC

Thankfully, modern PC compatibles far exceed the specifications of their ancestors. You should expect memory of 312 or 640K.

A turbo processor running at 8 or

10MHz is advisable. For those with ample cash, an AT class machine which uses the fast 80286 processor could be acquired. Serial and parallel ports should be built in and at least two or three expansion slots should be available.

As Personal Computers are disk based, a minimum of two 5 $\frac{1}{4}$ inch, or one 720k 3.5 inch drive should be included. Hard disks are cheap in the PC world, and are really worth the money at about 200 pounds for 20Mbytes.

Check also what software is bundled with the machine. An integrated package such as *Amiga*, or *Works* could be all you need for the first six months or so.

Conclusion

PC compatibles are a safe option. You won't ever set the world alight with one, but at the same time nobody is going to laugh at you for getting one. A very wide range of price and performance is covered, so the chances are there will definitely be one to match your budget.

Commodore have a range typical of many manufacturers, ranging from budget 8088 machines, to fast 80386's with huge amounts of memory and disk storage.

Get In Touch

PC Corner is designed to be a forum for all users of the Commodore PC range, but it's important to remember; that without your input, it simply won't work. We want PC Corner to work, but we need your help, so if you have any comments, tips or general PC queries, please get in touch with us at:

PC Corner

Four Commodore
Argus House
Boundary Way
Hemel Hempstead
Herts
HP2 7ST

Adapter	Resolution	Use
MDA	80*25(text)	Wordprocessing etc
HGA	as above plus 120x140*2 col	as above plus CAD etc
CGA	320*200*4 & 640*200*2 col	general & games
EGA	up to 640*350*16 col	Hi res graphics/games
VGA	up to 640*480*24 col	DTP etc

Reasoning on the 128

The first part of a series that may help you turn your humble 128 computer into an expert system


By Paul Schofield

I find it surprising that there is still very little AI software available for Commodore Machines. One likely reason for this phenomenon is that many people have been given the impression that AI applications can only be programmed in either PROLOG or LISP. Whilst these languages are certainly very good tools for this type of application, it's quite feasible to employ almost any programming language. A second problem is that AI applications tend to be very data intensive, and the combination of limited memory and slow disks is somewhat restrictive.

Despite this, examples of modern AI techniques are used in many C64 adventure games, some of which feature quite sophisticated natural language processors. In this article we will look at another application area, the Deterministic Expert System. All the programs are written entirely in Commodore Basic 7.0, but allow quite a wide range of simple Expert Systems to be created. Before looking at the first program, however, it's quite natural to look at the features of traditional AI tools and the typical applications of expert systems.

PROLOG

PROLOG is quite unlike Basic and other popular computing languages. Whereas traditional programming languages are concerned with arithmetic calculations, PROLOG is



designed to tackle problems by logical deduction. The language contains two basic types of statement. The first type is used to establish relationships between data items, which are then used to create a so called Knowledge Base. The second type of statement is then used to interrogate the Knowledge Base to determine answers to particular problems.

The great power of PROLOG is that it doesn't need to understand the relationships defined. For example, if a restaurant wants to organise its menu to avoid dishes that include out of season fruits and vegetables, they can

use statements like:
expensive (strawberries, January).

This condition can then be tested by:

? - expensive (strawberries, January).

to which PROLOG will answer YES. Not very exciting, but if strawberries is replaced by a variable, then it's possible to look at all things which are expensive in January.

LISP

LISP stands for List Processor, and can perform similar types of operation,

but in this case all the conditions must be presented in the form of a list. The language provides operations for moving through the list structure, and taking different paths according to the value of individual elements in the list. For a typical AI application a LISP list looks rather bewildering, with many layers of nested brackets used to define the hierarchy of sub-lists. However, this approach is conceptually simpler, as each list element at the lowest level is an English language statement.

These are the questions the user is asked and the user's responses (TRUE or FALSE) determine the next list element presented. ICPI/G members, who are interested in LISP should request disk C125 from the C128 library, which contains a C/PM Mode Lisp Interpreter. Be warned though, you won't get very far without a text book. Alternatively, you can find quite similar facilities within the CM4 Logo, together with a very incomplete example of Knowledge Base on the Utility Disk.

What's an Expert System?

While the two favourite languages of the AI community can provide many useful clues, it's also useful to look at the basic concept of an Expert System. As the name suggests, the best way to start is to find someone with a lot of experience of tackling a complex problem. You then spend a good deal of time asking them to run through how they approach the problem step by step.

This will highlight a sequence of questions they ask or tests they perform, and how they proceed according to the results obtained. It's a well-known fact that all AI Engineers have very unreliable cars, and although mine has proved very reliable, this is still quite a good place to start.

There are a very large number of problems, which can conceivably be solved, but you're not getting optimum performance from your car. For most of us, the most serious problem is when the car won't start, and so this should be the first consideration of our computerized car maintenance expert. The easiest way is if it asks:

CAR WON'T START?

An affirmative answer selects



Figure 1 - Tree structure of the Example Knowledge Base

analysis of this problem, otherwise other problems are considered. If we consider just the case of the car not starting, we now investigate the simplest reasons first, so as to minimize the amount of work involved in isolating the cause of the problem. The next question is likely to be:

FUEL TANK IS EMPTY?

and if this is not the case,

BATTERY IS FLAT?

A negative response at this point will lead to a series of questions to trace through the fuel and electrical systems. Car maintenance is a good example of a deterministic expert system, because it clearly demonstrates the two big advantages of an expert system:

1. A guide through the steps to analyse a problem
2. Ultimately identifies a solution.

Fuzzy Logic

The part of this example we've looked at so far works very nicely, as it's quite simple to answer TRUE or FALSE to each question. If we proceed a little further, we will encounter the question:

IS SPARK GOOD ON ALL PLUGS?

We can easily tell whether there is a spark, but how do we know if it's adequate? Much research is currently being done into fuzzy logic. As there's no measurable divide between a good and inadequate spark, a probability is associated with the measured value within the critical range, and can be used in conjunction with probabilities for other components to give an assessment of whether the combination works.

At this stage we now have a non-deterministic expert system, which can't give a definite answer, just the most probable answer. As most home motor mechanics would have no means of accurately measuring the strength of the spark, these notions can be ignored, and the somewhat imprecise question employed. This fits in rather nicely with the LISP list approach.

REASON 128

REASON 128 is an interactive Expert System tool which enables you to create, modify, save and interrogate a moderately sized knowledge base. It utilizes the fact that almost all knowledge bases can be represented as a simple tree structure.

This representation greatly simplifies the problem of constructing a Knowledge Base, as each statement need only be associated with two pointers to the next statement to be displayed, according to whether or not the previous one was TRUE or FALSE. This is of course a double in Pascal or C, as it's just a matter of defining records to create a binary tree. It can also be achieved very simply in basic using three arrays.

Designing a Knowledge Base

The design of a Knowledge Base requires two things:

1. some knowledge of the subject (e.g. text book).
2. a large sheet of paper.

The reference text provides the information on the question/tests and eventually the conclusions and the paper art used to arrange them in a tree structure.

Let's move on now out of the garage and into the chemistry lab. At the back of a shelf we find an unlabeled bottle containing a clear liquid. This could be water, sulphuric acid, caustic soda or countless other things, and it would be nice to know which one it is. To keep this example reasonably short, we'll only consider tests related to the acidity or alkalinity of the liquid.

We can do very simple tests using litmus to determine whether it's acidic or alkaline, and also make a subjective analysis of these tests. This can be defined in terms of four questions and five conclusions, with these arranged into a simple tree structure as shown in Figure 1. If we get a positive result to test 1, we can ignore the right-hand half of the tree and proceed to question 2. The answer to this results in conclusion 3 or 4.

Working with REASON 128

Once you have a tree diagram like the one in Figure 1, you're ready to use REASON 128. Run program one, and a list of six options is displayed. Select 1 to create a new Knowledge Base. This will then prompt for the first question to be asked. Type in the text string you wish to be displayed, and press RETURN. It then prompts for the next questions to be asked, according to whether the answer was TRUE or FALSE. When you reach the end of a branch, these are entered as 0 to indicate that this is a conclusion rather than a question.

When you've entered all statements on your tree, type 2 to the next

```

REASON 128 - QUESTIONS / CONCLUSIONS
C 1 1 BLUE LITMUS IS TURNED RED T=1 0 3 F=1 0 3
C 2 1 IS TURNED DEEP RED T=1 0 3 F=1 4 3
C 3 1 IT IS A STRONG ACID T=1 0 3 F=0 0 3
C 4 1 IT IS WEAKLY ACIDIC T=1 0 3 F=0 0 3
C 5 1 RED LITMUS IS TURNED BLUE T=1 0 3 F=1 0 3
C 6 1 IT TURNED DEEP BLUE T=1 1 3 F=0 0 3
C 7 1 IT IS A STRONG ALKALI T=1 0 3 F=0 0 3
C 8 1 IT IS WEAKLY ALKALINE T=1 0 3 F=0 0 3
C 9 1 IT IS NEUTRAL T=1 0 3 F=1 0 3

```

Figure 2. Chemistry Knowledge Base

prompt and you will then be asked if you want a hard copy of the Knowledge Base. This is in the format shown in Figure 2, and is useful both as a check, and for future reference if you wish to make any changes. You're then returned to the main menu.

At this point it is advisable to use option 3 to save the Knowledge Base to disk. If you don't have a Formatted data disk, use option 5 first, when a Knowledge Base has been saved, it can be reloaded using option 2. It's important to note that the Save routine adds the extension ".KB", and this part of the filename should not be specified when using load.

Finally, option 4 is used to interrogate your Knowledge Base. Just keep answering (True) or (False) to the questions until REASON highlights its conclusion.

Problems and Limitations

For reasonably small applications, you'll find REASON 128 both efficient and easy to use. For more complex applications, however, it is often difficult to construct a complete tree at the outset. It can also mean that

you have to use an identical question at several parts of the tree, thus wasting valuable data space.

For such applications, it would be much nicer to have a system that allowed you to define just the fact which you knew about possible solutions. Later in the article, we'll look at three programmes that create such a system. You'll still find REASON useful, as such systems frequently produce multiple solutions. REASON can help in developing the extensions to eliminate these and improving the efficiency of the data structures.

Playing Games

Although REASON was designed primarily for setting up and interrogating simple tree structures, it need not be limited to such applications. One quite interesting area is repetitive applications that can occur in many simple games. Figure 3 is a listing of the REASON knowledge base for a Noughts and Crosses system. Like many such games, the strategy is complicated only for the opening moves, after which it is simply a repetition of a very simple set of rules.

```

REASON 128 - QUESTIONS / CONCLUSIONS
C 1 1 PLAYING O'S IS GOOD POINTS T=0 0 3 F=0 0 1 1
C 2 1 PUT X IN ANY CORNER - NEXT MOVE T=1 0 3 F=1 0 3
C 3 1 O PUT IN ADJACENT CORNER OF CENTRE T=1 5 3 F=1 0 3
C 4 1 IF YOU DON'T WANT MY HELP THEN SYSTEMS T=1 0 3 F=1 0 3
C 5 1 PUT X IN OPPOSITE CORNER TO FIRST X - NEXT MOVE T=1 0 1 3 F=1 4 3
C 6 1 PUT X IN AN ADJACENT CORNER FORMING O'S TO BLOCK - NEXT MOVE T=1 7 3 F=1 0 3
C 7 1 O'S BLOCKED LINE T=0 0 3 F=1 0 3
C 8 1 O'S FIRST MOVE WAS TO CORNER OPPOSITE FIRST X T=0 10 3 F=0 0 3
C 9 1 PLACE X TO COMPLETE LINE - YOU WIN THANKS TO MY EXPERT ADVICE T=0 0 3 F=0 0 3
C 10 1 PUT X IN LAST EMPTY CORNER - NEXT MOVE T=1 0 3 3 F=1 4 3
C 11 1 CAN COMPLETE LINE OF X'S T=0 0 3 F=1 0 3
C 12 1 O'S CAN COMPLETE LINE T=0 10 3 F=0 1 3
C 13 1 CENTRE SQUARE IS VACANT T=0 10 3 F=1 0 3
C 14 1 A CORNER IS VACANT T=0 17 3 F=1 0 3
C 15 1 PLACE X TO BLOCK LINE OF O'S - NEXT MOVE T=0 19 3 F=1 4 3
C 16 1 PUT X IN CENTRE - NEXT MOVE T=0 19 3 F=0 4 3

```



```

0 17 3 PUT 0 IN VACANT CORNER - NEXT MOVE T=0 10 3 P=0 4 3
0 18 3 PUT 0 IN ANY EMPTY SQUARE - NEXT MOVE T=0 10 3 P=0 4 3
0 19 3 2 OR MORE SQUARES EMPTY T=0 10 3 P=0 20 3
0 20 3 GAME DRAWN - I ONLY PROMISED NOT TO LOSE T=0 0 3 P=0 0 3
0 21 3 FIRST 0 WAS PUT IN CENTRE T=0 20 3 P=0 20 3
0 22 3 PUT 0 IN ANY CORNER - NEXT MOVE T=0 20 3 P=0 4 3
0 23 3 PUT 0 IN CENTRE - NEXT MOVE T=0 20 3 P=0 4 3
0 24 3 CAN COMPLETE A LINE OF 0'S T=0 20 3 P=0 20 3
0 25 3 PLACE 0 TO COMPLETE LINE - YOU NOW THANKS TO MY EXPERT ADVICE T=0 0 3 P
0 0 0 3
0 26 3 0'S CAN COMPLETE LINE T=0 27 3 P=0 20 3
0 27 3 PLACE 0 TO BLOCK LINE - NEXT MOVE T=0 20 3 P=0 4 3
0 28 3 A CORNER IS VACANT T=0 20 3 P=0 20 3
0 29 3 PUT 0 IN CORNER CLOSEST TO MOST 0'S - NEXT MOVE T=0 20 3 P=0 4 3
0 30 3 PUT 0 IN ANY EMPTY SQUARE - NEXT MOVE T=0 20 3 P=0 4 3
0 31 3 2 OR MORE SQUARES EMPTY T=0 24 3 P=0 20 3
0 32 3 PUT X IN CENTRE - NEXT MOVE T=0 0 3 P=0 4 3
0 33 3 TWO X'S IN OPPOSITE CORNERS T=0 24 3 P=0 20 3
0 34 3 PUT 0 NEXT TO ONE OF THE X'S - NEXT MOVE T=0 24 3 P=0 4 3

```

Figure 3: Hoopsia and Chess Knowledge Base

REASONING ON THE 128



PROGRAM ONE

```

10 0000 0000
100 000 GENERAL DISK ACCESS SUB
ROUTINE
1000 PRINT "CURRENT DISK IS " ; P
NEXT SLOW-CATALOG,FACT
1010 PRINT "CURRENT DATA DISK AND
PRESS SPACE TO CONTINUE." ;
GOTO 07
1020 GETKEY $0:IF YES="" THEN 10
20
1030 FS="":PRINT "DATA DISK SIZE
(COPY) " ;PRINT SLOW-CATALOG,FACT
PRINT "INPUT NAME OF KNOWLEDGE B-
ASE (5 CHAR MAX) " ;
1040 IF LEN(FA) > 5 THEN FS=LEFT$
(FS,5)
1050 FS=FS+"."
1060 RETURN
10700 NEW NEW KNOWLEDGE BASE
10810 PRINT "TYPE DEFINE NEW KOC
WELSHS BASE (OFF)";PRINT "PRINT"
INITIALISING VARIABLES - PLEASE W
AIT A MOMENT";PRINT
10900 FOR P=0 TO 60
10910 Q$(P)="":TAB$(P)=P:GOTO 1
0920 NEXT P
10930 PRINT "TYPE EXIT QUESTION
S / CONCLUSIONS - ENTER 'Q' TO EX
IT (OFF)";PRINT
10940 B=0
10950 G=0
10960 PRINT "Q(0)="";
10970 IF Q$(0)="" THEN PRINT G
10980 IF Q$(0)="" THEN PRINT G
10990 PRINT "NEXT
11000 PRINT CHR$(107);CHR$(107);
11010 INPUT Q$(0)
11020 IF Q$(0)="" THEN 10930
11030 PRINT "IF TRUE GOTO (0) 10
IF MORE " ;TAB$(CHR$(107));CHR$
(107);LLEN$(STR$(Q$(0)));FOR B

```

```

11040 TO 0:PRINT CHR$(107);NEXT Q
10940 TAB$(
10940 PRINT "IF FALSE GOTO (0) 1
0 IF MORE) " ;TAB$(CHR$(107));CHR
(107);LLEN$(STR$(Q$(0)));FOR
Q=1 TO LLEN$(CHR$(107));NEXT Q
11040 INPUT Q$(0)
10950 NEXT Q
10940 LOOP UNTIL SPACE OR Q$(0)=""
11070 B=B+1:IF Q$(0)="" THEN
Q$(0)=""
10930 PRINT "COUNT YOU YOU AGAIN T
O PREPARE LIST OF CONDITIONS IF
/ YES"
11080 IF YES="" AND NO="" THEN
11090 SLOW-COPY 4.4,PRINT$4,"SEA
RCH 120 - QUESTIONS / CONCLUSIONS
";PRINT$4
11090 FOR B=1 TO 60:PRINT$4,"";
B=1:"Q$(B)="" :T$(B);TAB$(B)";P
=0:PRINT " ";NEXT
11090 CLOSE 4:FACT
11090 WINDOW 0,0,3,70,24,0
11090 RETURN
110900 NEW QUESTION KNOWLEDGE BAS
E
110910 PRINT "ASK (OFF) AND
NEW QUESTIONS WITH (OFF) (OFF) (OFF)
P=0 (OFF) (OFF) (OFF) UNTIL CONCL
USION IS REACHED (OFF) (OFF) (OFF)
";PRINT$4 0,0,70,24,0
110920 IF B=0 THEN 10990
110930 PRINT "ASK (OFF) (OFF) (OFF) (OFF)
NOT LOADED - PRESS ANY KEY FOR
MAIN MENU (OFF)";
110940 GETKEY $0:WINDOW 0,0,70,24
,0:RETURN
110950 B=1:GOTO 1
10970 G=0
110980 IF T$(B)="" AND P$(B)="" THEN
B=B+1:PRINT "PRINT (OFF) (OFF)";
GOTO PRINT Q$(0);IF Q=0 THEN
PRINT "COUNT (OFF)";
110990 IF Q=0 THEN 10930
110990 PRINT "TYPE 'Q' AND T
HE 'X' AND YES 'Y' AND YES 'X' T
HEN 11120
110990 PRINT "IF 'T' OR 'Y' OR 'X'
" THEN 11140
110990 IF T$(B)="" THEN B=P$(B)+0
TO 11120

```

```

110990 PRINT "NEW KNOWLEDGE BASE
COMPLETE (OFF) (OFF) (OFF) (OFF)
COUNT OF THIS (OFF) (OFF) (OFF) (OFF)
GOTO 10930
110990 PRINT "NEW KNOWLEDGE BASE
COMPLETE (OFF) (OFF)";
110990 GOTO 10930
110990 LOOP UNTIL Q=0
110990 PRINT "PRESS ANY KEY FOR
MAIN MENU " ;GETKEY $0:RETURN
110990 WINDOW 0,0,70,24,0:CLOSE:
RETURN
110990 NEW LOAD KNOWLEDGE BASE
1109910 PRINT "LOAD KNOWLEDGE
BASE (OFF)";PRINT "INPUT NAME YOU
WANT (5) " ;GOTO PRINT
1109920 IF YES="" AND NO="" THEN
B=0:RETURN
1109930 GOTO 1090
1109940 SLOW-COPY 4.4,PRINT$4,"";PRINT$
4
1109950 IF Q=0 THEN 10930
1109960 PRINT "PRESS ANY KEY FOR
MAIN MENU " ;GETKEY $0:RETURN
1109970 INPUT $;
1109980 FOR B=0 TO 60
1109990 PRINT$(Q$(B));INPUT$(TAB
$(B));PRINT " ";
1109990 NEXT B:CLOSE:FACT
1109990 SLOW-COPY " (OFF) KNOWLED
GE BASE LOADED SUCCESSFULLY (OF
F)";
1109990 CHR$(1,10,4,"");EXIT KNOWLEDGE
BASE (OFF)";
1109990 CHR$(1,10,7,"");RETURN TO
MAIN MENU";
1109990 CHR$(1,0,0,"ENTER SELECTS
OFF)";
1109990 GETKEY $0:PRINT$(Q$(B));GOTO 1
109990 IF Q=0 THEN 10930
1109990 SLOW-COPY 4.4,PRINT$4,"";PRINT$
4
1109990 NEXT B:GOTO 10930
1109990 PRINT$(Q$(B));INPUT$(TAB
$(B));PRINT " ";
1109990 NEXT B:GOTO 10930
1109990 SLOW-COPY 4.4,PRINT$4,"";PRINT$
4
1109990 IF Q=0 THEN 10930
1109990 SLOW-COPY 4.4,PRINT$4,"";PRINT$
4
1109990 IF Q=0 THEN 10930
1109990 SLOW-COPY 4.4,PRINT$4,"";PRINT$
4

```


THE ULTIMATE BACKUP CARTRIDGE GOES ONE BETTER...
HOW ACTION REPLAY Mk V PROFESSIONAL
 FOR CBM64/128 HAS ARRIVED

ONLY
£34.99
 POST FREE

AR-V

REPRODUCIBLE
 TRADE COPY
 IS NECESSARY

EVEN MORE POWERFUL, MORE FRIENDLY & NOW EVEN MORE FEATURES!

ALL FEATURES AVAILABLE TO TAPE OR DISK USERS.

ACTION REPLAY Mk V offers more advanced features because it combines the best of both worlds - a tape or disk backup system. You choose that. It's yours to use as you wish.

REVERSE REWIND system uses advanced technology which greatly speeds performance. Action Replay's state of the art backup gives you double backup, double speed, double productivity over other manufacturers. There really is no comparison when you own the backup.

- ✓ **TRIPLE RELEASE** Action Replay Mk V has 3 unique Turbo Loaders: "Masterload" & "Block" & "Block" mode. In any mode you give you double backup any given a unit and the system. ✓ **TRIPLE SPEED** save any data with a few strokes to disk at the peak of a backup. ✓ **SMART CONTROL** full range of controls with disk operation. ✓ **POWERFUL GENERAL** an automatic infinite loop command.
- ✓ **SUPER COMPACT** ultra efficient program compression techniques. ✓ **FAST SCREEN EDITOR** modify the text screen on a screen program. ✓ **SMART COPY** save copies from tape and disks to just two minutes. ✓ **SMART TAPES** FACILITY you don't need a disk drive to use Action Replay. ✓ **RECOVERED PERMISSIONS** full range of all file access of a backup. ✓ **FULLY INTEGRATED** programs with control screen for Action Replay's features.
- ✓ **CONTINUOUS INTERFACE** for parallel printers. ✓ **PROFESSIONAL MACHINE** GOOD WORKING full full recovery available at all times with full range of commands.

TOTAL BACKUP POWER

The most powerful backup system ever devised. Unsurpassable backup system.

Power at the peak. Don't guess the backup before the backup your program.

- ✓ **TAPE TO TAPE** ✓ **TAPE TO DISK**
- ✓ **DISK TO DISK** ✓ **DISK TO TAPE**

VERY fast & efficient program compression. Ready your data on TAPING speed to use to tape through automatic recovery of all copyright. No "program" or "save" knowledge required.

THE PROGRAM IS AUTOMATIC - JUST USE THE BACKUP & NAME.

WHAT YOU GET WHEN YOU BUY
 The classic, covered and neatly packaged. This is really the best value for money cartridge. The cartridge "ding" *Commodore Disk Unit*

UPGRADE INFORMATION

If you're professional to use it professional - just add £2.99 to get you a new Mk V. Shipping Action Replay Mk V to you in just 14 days. If you're professional to use it professional - just your old cartridge plus £2.99 to get you upgrade in 14 days.

PERFORMANCE PROMISE

Action Replay has an unmatched range of advanced features. When you buy Action Replay, if you don't find our claims to be true, then return it within 14 days for a full refund.

GRAPHICS SUPPORT UTILITIES DISK

BLANK SCREEN, show your favourite screens in a whole new type display.

BLANK DISK, a unique utility to allow you to take any part of your screen & save it up to full screen size.

SMART EDITOR, a complete screen editor helps you to create an edit option.

MESSAGE MAKER, takes your favourite screen, creates with a graphics package or equipped with Action Replay & save it into a scrolling screen message.

ONLY £12.99

NOTICE 1988 COPYRIGHT ACT

DATTEL ELECTRONICS Ltd, neither authorises or condones the use of its products to reproduce copyright material. It is illegal to make copies of such material without the expressed consent of the copyright owners or their licensee.

ALL ORDERS NORMALLY DESPATCHED WITHIN 14 DAYS

HOW TO ORDER ...

BY PHONE

0782 744707
 Sales Order Card Later

BY POST

Send cheque/£10 note payable to "Datel Electronics"

FAX

0782 744700

OR ORDER POST FREE
 RETURN CARD &
 0782744700

ORDER AND SPECIFICATIONS CORRECT AT TIME OF PRESS AND SUBJECT TO CHANGE WITHOUT NOTICE

CASHES RECEIVED - Please reserve goods for complete jobs in full.

DATTEL ELECTRONICS

DATTEL ELECTRONICS LTD., PENTON INDUSTRIAL ESTATE
 GOSWAM ROAD, PENTON, STONE-ON-TRENT, ENGLAND.

SALES ONLY
 0782 744707

TECHNICAL ONLY
 0782 744704

DEVIKA SAN RAJMO

Thesaurus

Have you ever been stuck for words while writing a letter or document? Then perhaps THESAURUS can help you

By Norman Hart

As you may have guessed, this program's function is to present groups of words with similar meanings, derived from an alphabetically presented list. All procedures are menu driven, so even if you don't possess great typing skills, mistaken entries are impossible.

The database is sorted out in such a way that searches are unnecessary; the results of your enquiries are derived directly from the array in memory, and are displayed instantly on the screen — time after time. The program is of course crash-proof, with [RUN]/[STOP-RESTORE] your only means of escape.

How it works

The program begins by FORKING an alphabetical sort into location 49152 (the value of AS in line 195 — data can be changed if you wish), the data for this is held in lines 300 to 528. By the way, do take care with the values, since the sort is a very essential procedure.

The main database (lines 1860 onwards) is then sized up and dimensioned (lines 368 & 378) before being committed to memory as the AS() array. This first array is a simple representation of the database, word for word, and acts as the resource for your enquiries. In order for this pool of information to be tapped, a controlling array is required — namely the LS() array.

This second array is created on the screen, for example "ABATE 126" is AS(126), together with its own subscript, is input into memory as part of the LS() array — see INPUT 1, LS(I) in line 446. Thus we eventually end up with two arrays — the AS(), representing the database, and LS(),

representing the AS(), together with the appropriate AS() subscripts MINUS the asterisk. Check line 368 for E+E+1 to see how I counted out the asterisks in the DIM LS (E-E-1) in line 380, and check line 408 to see how I avoided their appearance on the screen in line 438.

Once the LS() array is completed,

the SYS AS in line 438 sorts the array into alphabetical order. Despite its machine code pedigree, the sort has a lot of work to do, so be prepared for a wait of up to three minutes in this large program example! With that important job done, the next task is to create a special Control String that allows the user to call up the word list at whatever point he or she wishes on the screen.

This string (CS) is a compilation of array position numbers for each fresh alphabetical change that occurs in the LS() array. In other words, if the user presses the letter "D", the list on the screen will begin with words starting with the letter "D". This facility works for the entire alphabetical range. The SPACE bar also allows the list to be paged forward and back in follow-on order. In this way words can be accessed very quickly. Study lines 560 to 580 to see how the Control String (CS) is created.



Now that the program has initiated itself, an alphabetical list appears on the screen — this always begins with words starting with the letter "A". This list appears alongside all the necessary prompts and side guards. All you have to do is press the appropriate letter key and, if needed, the SPACE bar (Shift/SPACE if you wish to page backwards), then press the RETURN key and the top left-hand word will appear in Reverse.

Now use the up and down CURSOR key to position the Reverse highlight over the word you wish to investigate. Press the RETURN key again, and your list of associated words will appear on the screen. For example, the word RIG will reveal such words as GIANT, MASSIVE, ENORMOUS, etc. The F1 key allows you to return to the same previous position in the main list.

Print Outs

Not only is information available on

the screen, but the printer has its share of responsibilities, and these are three types of print out at your disposal:

1. The full Data Base as it appears at the end of the program. Tap the F3 key, then immediately hold down the CTRL key until the printer starts.
2. The Alphabetical List together with the appropriate A&Z subscripts. This print out begins from its alphabetical appearance on the screen. Tap the F4 key, then immediately hold down the CTRL key until the printer starts.
3. A print out of your selected group of words. Press the F3 key only.

Print items 1 & 2 are only available while the Alphabetical List is on the screen. They are protected from casual use by employing the CTRL key as described, and also these are a lack of prompts on the screen — I have intended their access only to you, the programmer. Print item 3 is only

accessible while your selected group of words appears on the screen. All print outs end with a word count, and printing can be abandoned by holding down any key on the C 64. Of course if you don't have a printer, simple REM out lines 788, 794 & 1418.

As for the database itself, it need not be restricted to a Thesaurus. Any groups of words, ideas or items that share a common interest can be included — parts for equipment packages, or even foreign language translations. Just remember to accompany them by asterisks as I have done in the enclosed example, and finish the data statements with a double asterisk **

Not only will you find this program useful for your own literary efforts, but any younger members of the family will certainly benefit too. My right year old son, Ian, told me to tell you!

Listings

PROGRAM: THEASURUS



```

AF 20 REM*****
AG 30 REM  C64  C64
AH 30 REM
AI 30 REM  THEASURUS
AJ 50 REM
AK 60 REM  WRITTEN BY
AL 70 REM
AM 80 REM  MORRIS WART
AN 90 REM*****
AO 100 PRINT:BS;:GOTO;RND*100/
        DISKLEN
AP 110 FOR I=1 TO 50:DO:PRINT CRRG:
        "NEXT PRINTPRIN
AQ 120 PRINT:GOTO 127:CLOSE 1:ASC
        WORD:INVERSE I0:FOR I=1 TO
        50:PRINT I
AR 130 C=I+RND*9
AS 140 C=C+RND*9:PRINT "C=
        "
AT 150 I=I+RND*9:PRINT "I=
        "
AU 160 I=I+RND*9:PRINT "I="
AV 180 PRINT:BS:LOC OF BENT
```

```

AY 180
AZ 200 201W80,118,0,133,97,188,
        179,173,99,32,115,4,249,7,8,
        169,132,88,38,118
BA 210 201W80,185,47,133,89,165,
        78,133,258,158,0,165,97,268,
        99,294,7,294,148,88
BB 220 201W1000,53,890,88,24,180
        8,177,88,181,88,78,288,177,
        88,181,288,133
BC 230 201W100,184,133,88,249,7,
        21,288,5,177,88,133,180,288,
        177,88,133,180,288
BD 240 201W60,198,169,189,291,79
        189,89,189,7,133,89,188,188
        188,0,173,188,189,181
BE 250 201W100,0,188,188,188,18,
        1,89,4,188,287,248,18,133,1
        89,187,8,134,287,248
BF 260 201W184,189,89,833,188,1
        88,188,133,187,879,879,848,1
        24,24,188,188,188
BG 270 201W8,233,188,188,187,38
        9,0,133,187,838,188,248,8,23
        8,189,188,8,177,288
BH 280 201W18,189,0,188,96,249
        189,5,177,188,133,288,0,188
        188,0,248,248,178
BI 290 201W8,203,188,249,0,188
        188,288,248,248,248,248,248
        8,288,118,133,188
BJ 300 201W179,14,178,78,177,11
        3,288,118,248,248,18,78,188,
        0,288,118,0,188
BK 310 201W180,188,18,248,188,5
```

LISTINGS

86	578 PRINTLN(100);	88	580 PRINTLN(100);	90	582 PRINTLN(100);	92	584 PRINTLN(100);	94	586 PRINTLN(100);	96	588 PRINTLN(100);	98	590 PRINTLN(100);	100	592 PRINTLN(100);	102	594 PRINTLN(100);	104	596 PRINTLN(100);	106	598 PRINTLN(100);	108	600 PRINTLN(100);	110	602 PRINTLN(100);	112	604 PRINTLN(100);	114	606 PRINTLN(100);	116	608 PRINTLN(100);	118	610 PRINTLN(100);	120	612 PRINTLN(100);	122	614 PRINTLN(100);	124	616 PRINTLN(100);	126	618 PRINTLN(100);	128	620 PRINTLN(100);	130	622 PRINTLN(100);	132	624 PRINTLN(100);	134	626 PRINTLN(100);	136	628 PRINTLN(100);	138	630 PRINTLN(100);	140	632 PRINTLN(100);	142	634 PRINTLN(100);	144	636 PRINTLN(100);	146	638 PRINTLN(100);	148	640 PRINTLN(100);	150	642 PRINTLN(100);	152	644 PRINTLN(100);	154	646 PRINTLN(100);	156	648 PRINTLN(100);	158	650 PRINTLN(100);	160	652 PRINTLN(100);	162	654 PRINTLN(100);	164	656 PRINTLN(100);	166	658 PRINTLN(100);	168	660 PRINTLN(100);	170	662 PRINTLN(100);	172	664 PRINTLN(100);	174	666 PRINTLN(100);	176	668 PRINTLN(100);	178	670 PRINTLN(100);	180	672 PRINTLN(100);	182	674 PRINTLN(100);	184	676 PRINTLN(100);	186	678 PRINTLN(100);	188	680 PRINTLN(100);	190	682 PRINTLN(100);	192	684 PRINTLN(100);	194	686 PRINTLN(100);	196	688 PRINTLN(100);	198	690 PRINTLN(100);	200	692 PRINTLN(100);	202	694 PRINTLN(100);	204	696 PRINTLN(100);	206	698 PRINTLN(100);	208	700 PRINTLN(100);	210	702 PRINTLN(100);	212	704 PRINTLN(100);	214	706 PRINTLN(100);	216	708 PRINTLN(100);	218	710 PRINTLN(100);	220	712 PRINTLN(100);	222	714 PRINTLN(100);	224	716 PRINTLN(100);	226	718 PRINTLN(100);	228	720 PRINTLN(100);	230	722 PRINTLN(100);	232	724 PRINTLN(100);	234	726 PRINTLN(100);	236	728 PRINTLN(100);	238	730 PRINTLN(100);	240	732 PRINTLN(100);	242	734 PRINTLN(100);	244	736 PRINTLN(100);	246	738 PRINTLN(100);	248	740 PRINTLN(100);	250	742 PRINTLN(100);	252	744 PRINTLN(100);	254	746 PRINTLN(100);	256	748 PRINTLN(100);	258	750 PRINTLN(100);	260	752 PRINTLN(100);	262	754 PRINTLN(100);	264	756 PRINTLN(100);	266	758 PRINTLN(100);	268	760 PRINTLN(100);	270	762 PRINTLN(100);	272	764 PRINTLN(100);	274	766 PRINTLN(100);	276	768 PRINTLN(100);	278	770 PRINTLN(100);	280	772 PRINTLN(100);	282	774 PRINTLN(100);	284	776 PRINTLN(100);	286	778 PRINTLN(100);	288	780 PRINTLN(100);	290	782 PRINTLN(100);	292	784 PRINTLN(100);	294	786 PRINTLN(100);	296	788 PRINTLN(100);	298	790 PRINTLN(100);	300	792 PRINTLN(100);	302	794 PRINTLN(100);	304	796 PRINTLN(100);	306	798 PRINTLN(100);	308	800 PRINTLN(100);	310	802 PRINTLN(100);	312	804 PRINTLN(100);	314	806 PRINTLN(100);	316	808 PRINTLN(100);	318	810 PRINTLN(100);	320	812 PRINTLN(100);	322	814 PRINTLN(100);	324	816 PRINTLN(100);	326	818 PRINTLN(100);	328	820 PRINTLN(100);	330	822 PRINTLN(100);	332	824 PRINTLN(100);	334	826 PRINTLN(100);	336	828 PRINTLN(100);	338	830 PRINTLN(100);	340	832 PRINTLN(100);	342	834 PRINTLN(100);	344	836 PRINTLN(100);	346	838 PRINTLN(100);	348	840 PRINTLN(100);	350	842 PRINTLN(100);	352	844 PRINTLN(100);	354	846 PRINTLN(100);	356	848 PRINTLN(100);	358	850 PRINTLN(100);	360	852 PRINTLN(100);	362	854 PRINTLN(100);	364	856 PRINTLN(100);	366	858 PRINTLN(100);	368	860 PRINTLN(100);	370	862 PRINTLN(100);	372	864 PRINTLN(100);	374	866 PRINTLN(100);	376	868 PRINTLN(100);	378	870 PRINTLN(100);	380	872 PRINTLN(100);	382	874 PRINTLN(100);	384	876 PRINTLN(100);	386	878 PRINTLN(100);	388	880 PRINTLN(100);	390	882 PRINTLN(100);	392	884 PRINTLN(100);	394	886 PRINTLN(100);	396	888 PRINTLN(100);	398	890 PRINTLN(100);	400	892 PRINTLN(100);	402	894 PRINTLN(100);	404	896 PRINTLN(100);	406	898 PRINTLN(100);	408	900 PRINTLN(100);	410	902 PRINTLN(100);	412	904 PRINTLN(100);	414	906 PRINTLN(100);	416	908 PRINTLN(100);	418	910 PRINTLN(100);	420	912 PRINTLN(100);	422	914 PRINTLN(100);	424	916 PRINTLN(100);	426	918 PRINTLN(100);	428	920 PRINTLN(100);	430	922 PRINTLN(100);	432	924 PRINTLN(100);	434	926 PRINTLN(100);	436	928 PRINTLN(100);	438	930 PRINTLN(100);	440	932 PRINTLN(100);	442	934 PRINTLN(100);	444	936 PRINTLN(100);	446	938 PRINTLN(100);	448	940 PRINTLN(100);	450	942 PRINTLN(100);	452	944 PRINTLN(100);	454	946 PRINTLN(100);	456	948 PRINTLN(100);	458	950 PRINTLN(100);	460	952 PRINTLN(100);	462	954 PRINTLN(100);	464	956 PRINTLN(100);	466	958 PRINTLN(100);	468	960 PRINTLN(100);	470	962 PRINTLN(100);	472	964 PRINTLN(100);	474	966 PRINTLN(100);	476	968 PRINTLN(100);	478	970 PRINTLN(100);	480	972 PRINTLN(100);	482	974 PRINTLN(100);	484	976 PRINTLN(100);	486	978 PRINTLN(100);	488	980 PRINTLN(100);	490	982 PRINTLN(100);	492	984 PRINTLN(100);	494	986 PRINTLN(100);	496	988 PRINTLN(100);	498	990 PRINTLN(100);	500	992 PRINTLN(100);	502	994 PRINTLN(100);	504	996 PRINTLN(100);	506	998 PRINTLN(100);	508	1000 PRINTLN(100);
----	-------------------	----	-------------------	----	-------------------	----	-------------------	----	-------------------	----	-------------------	----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	-------------------	-----	--------------------

LISTINGS

67	3. PRINTING NEXT LINE PRINTING IN PRINTING BY ERROR: PRINTER OFF LINE: PRINTING	82	3. SPIN	97	3. BUB ENTRENCH, DAMAGE, WRECK, ETC. BLAT *
68	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	83	3. BUB ENTRENCH, FEEDLY *	98	3. BUB ENTRENCH, INCREASE, PA GAFF, PAKE BODDER, SUBMIT, W CON, PROGRESS, BROW
69	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	84	3. BUB ENTRENCH, WARY, MOTHER, SC PPER, BOIL, SCORER	99	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
70	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	85	3. BUB ENTRENCH, ELASTIC, TORRE, HAZY *	100	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
71	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	86	3. BUB ENTRENCH, FRECK, FRECKA S, DILLED, ITICULO, *	101	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
72	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	87	3. BUB ENTRENCH, SOFTLY, SENTRY 150000, WHISPER, HUSH, SUBBLED *	102	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
73	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	88	3. BUB ENTRENCH, AGRORE, DISLIKE, SLEAL *	103	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
74	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	89	3. BUB ENTRENCH, SKILL, BEDE RITY, FREDER, TALEN, CLEAR	104	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
75	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	90	3. BUB ENTRENCH, CONCEPT, *	105	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
76	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	91	3. BUB ENTRENCH, FORTLESS, EXPRESS, PROFLUENT *	106	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
77	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	92	3. BUB ENTRENCH, ABBOT, BUCK, MARRY, FARE, SPEEDY, BRIEF, OFF BO *	107	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
78	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	93	3. BUB ENTRENCH, SLEATHY, BALL *	108	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
79	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	94	3. BUB ENTRENCH, GADGET, EDGE, PRACT, *	109	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
80	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	95	3. BUB ENTRENCH, IMPLIMENT, IN ING, ARTICLE, OBJECT, *	110	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
81	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	96	3. BUB ENTRENCH, SWP, SWAPPING S, DEEN, HOSBY, WORKING, FINE, L, TRILL, WATER *	111	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
82	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	97	3. BUB ENTRENCH, SHOP, SCHOOL, F LAB, BURNAGE, OFFICE, HUT, PRO- FANE, TOWER, COINAGE	112	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
83	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	98	3. BUB ENTRENCH, FACTOR, MERE, SOP, TREN, BOSTON, AIRPORT, T MERE, UNIVERSITY	113	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
84	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	99	3. BUB ENTRENCH, POLYTECHNIC, HOSPITAL, CHRISTIAN, CHURCH, HETAL *	114	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
85	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	100	3. BUB ENTRENCH, STRUCTURE, B, DING, HOLE, FILL *	115	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
86	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	101	3. BUB ENTRENCH, FACER, HULL, SING *	116	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
87	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	102	3. BUB ENTRENCH, ARCADE, PRIST, SEE, *	117	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
88	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	103	3. BUB ENTRENCH, JUDE, SCRUBING, BE, CHECK, BEB, COLBER, GAUNT, ISATE, OFFICER, OBSERVE	118	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
89	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	104	3. BUB ENTRENCH, *	119	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
90	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	105	3. BUB ENTRENCH, AVERAGE, CHEE, CEE, TOWER, MEAS, CLOSE, CUL D B SAC, ROBERT, GARDNER	120	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
91	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	106	3. BUB ENTRENCH, BUB, *	121	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
92	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	107	3. BUB ENTRENCH, BUCKLE, CODE, ACCORD, FINE, BUT, EXPLORE, *	122	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
93	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	108	3. BUB ENTRENCH, FORTULATE, CO ACCORD, CREAT, DEVISE, MAKE UP, PILOT, ORATE, *	123	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
94	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	109	3. BUB ENTRENCH, TOWEST, TUMB, LEASE, *	124	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
95	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	110	3. BUB ENTRENCH, STRICT, LUP, ALL, PIERCE, BOOK, *	125	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
96	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	111	3. BUB ENTRENCH, PLUMB, CHINT, BLUE, BEG, LIDA, IMPLY, PROPOSE, BIR T, INSURE, IMPR	126	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
97	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	112	3. BUB ENTRENCH, SUBBLED, SEN, PT, *	127	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
98	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	113	3. BUB ENTRENCH, PLUMPT, BINE, S, LIP, WALL, FALL, BIRK, WALL, *	128	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
99	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	114	3. BUB ENTRENCH, CLIVE, RISE, WAKE, RO *	129	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
100	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	115	3. BUB ENTRENCH, CHUCK, SLING, C, MET, PLING, PROJECT, FIRE, SLAY, PROPEL, *	130	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY
101	1989 PRINTING/PRINTING/NO LO DOWN AND KEY TO ABOUT PRINTING/RECUR	116	3. BUB ENTRENCH, BEAUSTEIN, S, DAMAGE, DESTRUCTION	131	3. BUB ENTRENCH, LIT, EXPAND, INT ENIFY

LISTINGS

80	8000 DATABOOSTER, TRYBAND, B ACCIDENT/PROVISION, CHALLENGE, F 1000, SCALP, *	87	8000 DATABOOK, CASPER, *	90	8000 DATABOOK, THEORY, BECU CTION, GLOSS, FORNALS, POTPOES 15, PRINCE/PL
81	8000 DATABUFFER, 614, DEPART, 501, *	88	8000 DATABOY, FLANK, PLANK, STRONG, IDEA, *	91	8000 DATABUFFER, CONCLUDE, N SUBJECT, PERSON
82	8000 DATABUFFER, 614, DEPART, 501, *	89	8000 DATABOY, SALARY, BOUNTY, 8000 WILL, IN DOWNSIDE, CARING	92	8000 DATABUFFER, 614, DEPART, 501, *
83	8000 DATABUFFER, 614, DEPART, 501, *	90	8000 DATABOY, SALARY, BOUNTY, 8000 WILL, IN DOWNSIDE, CARING	93	8000 DATABUFFER, 614, DEPART, 501, *
84	8000 DATABUFFER, 614, DEPART, 501, *	91	8000 DATABOY, SALARY, BOUNTY, 8000 WILL, IN DOWNSIDE, CARING	94	8000 DATABUFFER, 614, DEPART, 501, *
85	8000 DATABUFFER, 614, DEPART, 501, *	92	8000 DATABOY, SALARY, BOUNTY, 8000 WILL, IN DOWNSIDE, CARING	95	8000 DATABUFFER, 614, DEPART, 501, *
86	8000 DATABUFFER, 614, DEPART, 501, *	93	8000 DATABOY, SALARY, BOUNTY, 8000 WILL, IN DOWNSIDE, CARING	96	8000 DATABUFFER, 614, DEPART, 501, *
87	8000 DATABUFFER, 614, DEPART, 501, *	94	8000 DATABOY, SALARY, BOUNTY, 8000 WILL, IN DOWNSIDE, CARING	97	8000 DATABUFFER, 614, DEPART, 501, *
88	8000 DATABUFFER, 614, DEPART, 501, *	95	8000 DATABOY, SALARY, BOUNTY, 8000 WILL, IN DOWNSIDE, CARING	98	8000 DATABUFFER, 614, DEPART, 501, *
89	8000 DATABUFFER, 614, DEPART, 501, *	96	8000 DATABOY, SALARY, BOUNTY, 8000 WILL, IN DOWNSIDE, CARING	99	8000 DATABUFFER, 614, DEPART, 501, *
90	8000 DATABUFFER, 614, DEPART, 501, *	97	8000 DATABOY, SALARY, BOUNTY, 8000 WILL, IN DOWNSIDE, CARING	100	8000 DATABUFFER, 614, DEPART, 501, *
91	8000 DATABUFFER, 614, DEPART, 501, *	98	8000 DATABOY, SALARY, BOUNTY, 8000 WILL, IN DOWNSIDE, CARING		
92	8000 DATABUFFER, 614, DEPART, 501, *	99	8000 DATABOY, SALARY, BOUNTY, 8000 WILL, IN DOWNSIDE, CARING		
93	8000 DATABUFFER, 614, DEPART, 501, *	100	8000 DATABOY, SALARY, BOUNTY, 8000 WILL, IN DOWNSIDE, CARING		
94	8000 DATABUFFER, 614, DEPART, 501, *				
95	8000 DATABUFFER, 614, DEPART, 501, *				
96	8000 DATABUFFER, 614, DEPART, 501, *				
97	8000 DATABUFFER, 614, DEPART, 501, *				
98	8000 DATABUFFER, 614, DEPART, 501, *				
99	8000 DATABUFFER, 614, DEPART, 501, *				
100	8000 DATABUFFER, 614, DEPART, 501, *				

continued on page 88

Battletech

Giant fighting machines wielding lasers, machine guns and missiles clash in this game of futuristic combat.

It's a game that's remarkable in two respects – not only is it based on a cult series of board games, but also represents Infocom's entry into the world of solo-playing games.

In *BattleTech*, you are Jason Youngblood, trainee mech pilot and son of the legendary Jareniah Youngblood. As the game begins, you're a long way from the heat of the battle, in fact you're only just started your training in mech control and weaponry. It's a process that's long and dull, but necessary if you're going to survive the rest of the game. The problem lies with the Kaitans, a nasty bunch who may at any moment invade your base and destroy your main city.

You always fear such an attack, and expect it any moment (the game can't be this dull for much longer), and sure enough it comes just before you've crammed in all the training you require. Suddenly, you're very alone and unarmed (unless you've had the sense to get yourself a rifle), you set off for Starport to seek out fellow rebels.

Starport is another town that's been seized from the Lyran Commonwealth, and is full of people who'd like to have a shot at you, particularly if they find out that you're a rebel. So after a change of clothes, you try to infiltrate a victory celebration hoping that other rebels will do the same. You're in luck, as you meet your father's old friend Rex, who even has a 'mech' for you, together with a quest. You must gather together all remaining Lyran rebels, find the secret store of mech parts and get off the planet.

To add to your problems, Kaitans will pose as rebels to damage your mission, which will take you into adventure-style situations and battles with mechs and foot soldiers. Combat involving mechs – whether they are the fast but lightly armed Locusts, or the jagged-arm chargin' ones – is a dangerous art, in which you must use the terrain and your mech's abilities to outsmart and out-gun your opponent.

In the game, you must specify a target for each of your weapon systems (a lengthy task for heavily armed mechs), and then plot where your mechs will move. Movement and combat are then carried out simultaneously, with text and graphic sequences providing you with a blow-by-blow account. This may take a little getting used to, but it does provide you with the chance to decide your own battle tactics. For example, if you're up against a Locust armed with machine guns, then you'll want to keep your distance and out of their range. Alternatively, a Wasp battling involves at you has to be stopped fast, so you want to get as close as possible and add kicking to your arsenal of weaponry.

A mech's main problem is overheating, which can cause a shutdown at the worst possible time. You can delay this by standing in water, but the best way is to conserve your weapons until you really need them. This can get critical

if some of your mechs get shot up, and the repair bills can be outrageous.

You can increase your chances of success through skills gained either at the training centre or added later, through courses or people who join your party. The most useful are medical skills to patch up your wounded (if a key character such as Jason dies, then your game is over – a bit like *Neighbours*, really – 850 and engineering, that will allow you to salvage mech parts and sensors from the debris of battle to patch up your own mechs or even build new ones.

BattleTech is a massive game, with over 4 million locations to explore, hundreds of mechs to battle, people to deal with and light and adventure-style sequences to spice up the action just when you thought it was getting predictable.

Finalist:

Title: *BattleTech*. **Supplier:** Infocom (Activision), Blake House, Manor Farm Road, Reading, BERK, RG2 6AN. **Tel:** 0734-711866. **Price:** £18.99.



MacPics on Amiga

How to port those superb black-and-white Mac graphics over to your Amiga

By Jay Cross

Have you ever seen a MacPicture before, one that originates on one of those Apple Macintosh computers? You have to give them credit, their black-and-white graphics really do look nice. But the good news is that you can port those pictures over to the Amiga with a little effort, a little luck, and a bit of utilities from the freely distributable libraries of Amiga software. Oh, and a couple of expensive pieces of commercial software, too, if you want to get really fancy.

To view a MacPicture on the Amiga, you first have to find a way of getting the MacPict into the Amiga. The easiest way is with your old friend, the computer BBS. Many electronic BBSs around the country offer graphic files in the MacPaint picture format. The Macintosh has many graphics file formats, but MacPaint is one of the most common. Look for MacPaint formatted pictures first, because they're the easiest to view on the Amiga. Download the files from your favourite BBS using your favourite terminal program. If you don't have a modem, you're pretty well stuck for now, as there is currently no way to read MacDisks directly.

If you see files labelled Stuff1, forget them. Stuff1 is a MacPacking program like ARC, but is not machine independent, so ask. Maybe the spyglass where you call will use MacStuff these files for you. While you're downloading, or at your next user-group meeting, try to collect up the following list of utilities from the public domain libraries:

A: MacView by Scott Overden - preferably the most recent version.
B: Multiview2.0 by Wayne Hagan. Documentation comes with the first

version, and the program isn't terribly easy to figure out without the docs.

C: Your choice of graphic screen saver. My suggestions are Efficode by Matt Dillon and ScreenX by Steve Tibbet. If you have the commercial program GRABBIT, from Discovery Software,



you won't need the others, although ScreenX does some neat additional tricks. In a pinch, you could get by without a screen saver, but it's nicer with than without.

The other pieces of commercial software (besides GRABBIT) are for serious picture porting. First and most important is the \$69.95 (ouch! that's the U.S. price!) PicMate from Progressive Peripherals. It's by Justin McCormack, and it has a bunch of neat features that will be useful for many other things besides porting MacPictures. If you want to convert larger MacArt to Amiga-sized screens, PicMate is just the ticket. Deluxe PhotoLab will accomplish the job, but not in the same way as PicMate.

The other item on the shopping list is DigView 3.0 from NewTek. It's possible that some of the other digitizing software on the market will work, but you'll have to find that out for yourselves. DigView's software is all you need for this purpose. However, it comes WITH the hardware for \$199.95 (U.S. listed price). The current version is 3.0, and it's worth upgrading to if you have the older versions, just to keep the headache quotient down while loading and saving files.

Both Multiview2.0 and MacView will show a MacPicture on the Amiga screen. Multiview offers a number of read options, and will sometimes correctly display MacScreens that MacView cannot cope with. MacView, however, offers the ability to SAVE a MacPaint formatted file, as well as the option to print pictures, and to scroll around the displayed MacPicture in Amiga high-resolution or low-resolution modes.

Try MacView first. If it complains that the file is not MacPaint format,

try invoking it from the CLI window with the command:

```
MacView < filename >
```

The "<" in there tells the program not to worry about an incorrect MacPaint file header. The Macintosh's various software arms are too careful about writing that file structure out in an unchangeable manner, so files generated with different products may have variations of the file header.

If the file won't work with MacView, try Multiview2.0. Although Multiview2.0 has an option for writing to IFF files, it won't accomplish what is needed to make PicMate's job it is only 30% of this memory. Use

MacView in hi-res. The program has a slider on the right side of the screen for choosing what part of the MacPicture is showing. In addition, you can smooth-scroll the image with the mouse by pointing into the image area, holding the left mouse button down,



and moving the mouse.

Many MacPictures are smaller than the Amiga screen, particularly images intended for use as d-part. If the picture you're trying to import is smaller than the Amiga screen, you're home free. Use MacView's SAVE IFF option, or GRABBIT, or IFFENCODE, or ScreenX to save the screen to an IFF disk file and that's that.

Most MacPictures are, however, more lines tall than MacView (or the Mac) can display at one time. On the original Mac, the screen resolution is 512 x 380, so who but Apple knows why the pictures are bigger than Amiga's full x 400 screen? Maybe the purpose is to print a letter-sized sheet and not enjoy the whole thing on the screen at one time at all. But whatever the reason they are bigger.



To get the bigger MacPictures into a single piece viewable on the Amiga, you'll need PixMate's expensive features. If your intent is to use the finished image as line art, you'll also need DigView 1.0 for the final conversion back to black-and-white. Here's what you do for the bigger ones:

First, with MacView in 640x400 mode, get the top part of the Mac-

Picture to show. Next, save the screen. The latest version of MacView has a size pulldown menu option for this - appropriately named SAVE IFF. However, if you have an older version, you can editdisk some screen saver software to do the job. Using GRABBIT, it's a hokey operation, with ScreenX, a menu proposition. Using IFFENCODE, you get a CLI, CD to where you want the files to go, as well as IFFENCODE. Left Amiga M shows the picture so IFFENCODE can copy it out to a file. Leave the CLI active and press return when the picture is showing.

The next step is obvious - do the same thing for the bottom half of the MacPicture. Be sure to use a different filename so you'll have two halves in two files. It's best to have some overlap to make lining up the two images easier later on in this involved process. The rest is a job for PixMate.

Before you start, plan on using up some disk space for all this, as the file size for each half is just about quadruples. Also it's best to save frequently and with incremental filenames, so if you make a booboo (it's easy to do!), you won't have to start over at Step One. Allow at least 100-K of disk space for EACH 40-50K MacPicture you want to convert. Of course, when the job is done, you can safely get rid of all the extra files.

MacView's display is four colours (note the green gadgets in its title bar). You want greys, not greens, but an IFF screen saver will have a four-colour palette to start. You crop out the green gadgets and reformat the picture to allow 16 colours instead of four (memory consumption goes WAY up!). Pictures saved with MacView are two colours, and so are much easier to start with.

Although other products besides PixMate will do the job we've done you need PixMate for the next part: diffusing the black-and-white image into these extra bitplanes, making a picture with shades of grey instead of blobs of black. The purpose of converting to shades of grey is to keep the next step - removal of some of the lines of the image - from making a big mess.

Okay, load the TOP half of your picture into PixMate; use the program's DISPLAY option to turn ON bitplanes 3 and 4. The program will automatically reformat the picture to 16 colours when you exit this option.

To crop off the green gadgets, you can either use the CLEAR AREA

command, or scroll the image to the right with SHIFT-<right cursor>. What goes off the right side of the screen is gone forever, so create the image for further work. Next, do a PACK COLORS and a SORT COLORS (low to hi) on the image, and save the image, in case of disaster. This is the TOP file.

The next step in all this is image processing to "soften" the image into those extra bitplanes. Most of the time, the softening should be done at this point. However, for particularly dense pictures, you might get better (and faster!) results by waiting till after you've rendered the halves to do the softening. Experimentation is the only way to figure out which is which.

Using PixMate's image processing panel, select "AVG." This will take a couple of minutes, but it's very entertaining to watch. The result is a grey-scale picture, and a very good one, too, so, save it just in case.

Next click back to the "DISPLAY" option, and select "COLOR" in the reduction/enlargement side. "Color," rather than "Even," "Odd," or "Average," is usually the best way to make a size change for the MacPictures. With some images, "Average" will work fine, and it's much quicker, so you might want to give it a whirl and see if it works first. Use UNDO if it's not any good.

You need to reduce the image size in both directions. The dimension containing the most detail will suffer the most, so you might need to experiment with choosing "Thinner" or "Shorter" first or second. Use the "Pack Colors" option again, and then do a "Sort Colors." You want "high to low." Save this image! It's (finally!) the finished version of the top half of your picture. If you don't like the way it looks, experiment with some of the optional routes described earlier.

Obviously, to get the bottom half, you'll have to go through the same steps. Do the same thing, in the same



order, to get the bottom picture in the same state. You can use the OTHER SCREEN feature to line up the images with each other before you go into image processing, but the AVO function will insist on your closing down the OTHER screen. It's memory intensive, and it wastes pure, unadorned CHIP memory too.

The final step is combining the situation, grey-scale images into one. Don't delete these files, however, if you plan to go to the DigView step—some images work better through that part as halves, rather than wholes. To save memory, you can try reducing the number of colours back to two, after all the dithering, packing and stretching has been accomplished. However, you'll lose detail from the picture.

perfectly, use the "Clip" option to get both onto one screen. Save the image, and it's (finally!) done.

The result so far is a grey-scale picture half the size of the original MacPicture as ported to the Amiga (the Macintosh uses only a nine-inch screen, so the final image size isn't much different). However, if you want to use the image as line art, try, in a desktop publishing application, you'll want to go the extra mile with DigView. But take heart—the DigView part is not nearly as long and involved as the PixMate section.


Also, you can try MacView's IMPORT IFF function. It tries to differ Amiga colour pictures into blocks of black-and-white compatible to the MacScreen. Sometimes the results

are quite nice, but RAM pictures don't make the translation very well. After the MacVersion of the Amiga file is showing, save it either to MacPaint format (for transferring your local MacRise) or to Amiga IFF, to get a two-colour image from a colour one. The DigView step is called for if this doesn't work. Especially if you like playing with DigView.

First, load up DigView. You don't need to hook up your camera and lights, because this is a pure software operation. Set DigView's palette to TWO colours, making the first one black, and the second one white. You'll have to change the second one from grey to white with the sliders. Select FREEZE PALETTE, and click on COLOR. This brings you to the COLOR menu, where you need to reduce the contrast by several clicks (for a very detailed original), and/or raise the sharpness slider by three or four clicks (for a blocky original).

Then, simply LOAD the finished picture that you've saved out of PixMate. DigView will display its results as it goes, so if you see that the image needs more contrast, brightness, or whatever, stop the process with the left mouse button, make the changes, and select DISPLAY. After some trial and error, you should get a pure black-and-white effect from the finished picture that's every bit as nice as the MacPaint original.

Wow! That's it. The whole process— including the DigView part— from start to finish, just think how long would it take you to redraw the picture!



To match the pictures, you want the palettes to be exactly the same, even if you use something besides PixMate to do the joining. To match the palettes, load both pictures into PixMate at once— one in each screen— pick out the one with the fewest colours, and then invoke PixMate's "Match Palette" ("With Other") option. You should go through this step even if there is no discernible difference between the pictures, and if you plan to work on the images in some other program, you should save the files after the palette matching is complete.

To merge the two images with PixMate, toggle between them with "Flip" and adjust the position of the images with < Shift > < cursor key >. When the two images match up



Window on a Maze

*Check out this new maze game for younger people that
can't cope with the big stuff*

By S. T. Burke

Having seen my daughter's face fall considerable times as an archaic-looking alien brings yet another game to a quick and disheartening end (one that everyone else, it seems, can master easily), I decided to have a go at writing a game that would allow her to finish, yet remain a challenge both to her and to those a little more capable.

After much head-scratching, I decided to have a go at that old favourite - the maze, where the object is to find the exit in the shortest possible time. However, my game would have one added challenge - the player would not only decide on the dimensions of the maze, but also the dimensions of the window through which the maze can be viewed. Furthermore, players can decide to create a new maze, or re-run the one before.

Another option is the choice of running speed. Run too fast, and you'll crash into walls. You may also redefine the keys to be used. The game itself, and the 'Maze Generator', are written in Code - I found Basic a little too slow.

Note that on starting, the following keys are defined:-


Z = left X = right RETURN = Up: CTRL/CTRL = Down

Space Bar gives time remaining. (Joystick in part 2 can be used - buttons = space)

ANY OTHER KEY WILL LEAD TO MENU OR RERUN THE PROGRAM.

Type in and save the listing. The code is included in the basic program. If you wish to increase the maze size, then you can lower variable 'S', which is the approximate end of memory used by the program. One way is to take out the REM statements and make the DATA statements a separate program. Don't forget to take out the first GOSUB if you do.

Finally, this program makes use of the little-used Extended Background mode of the 64.





```

00 1000 0=1:0000    -SET WINDOW
01 1001 0=0000    -SET WINDOW
02 1002 0=1:0015    -SET WINDOW
03 1003 0=1:0015    -SET WINDOW
04 1004 0=1:0015    -SET WINDOW
05 1005 0=1:0015    -SET WINDOW
06 1006 0=1:0015    -SET WINDOW
07 1007 0=1:0015    -SET WINDOW
08 1008 0=1:0015    -SET WINDOW
09 1009 0=1:0015    -SET WINDOW
10 1010 0=1:0015    -SET WINDOW
11 1011 0=1:0015    -SET WINDOW
12 1012 0=1:0015    -SET WINDOW
13 1013 0=1:0015    -SET WINDOW
14 1014 0=1:0015    -SET WINDOW
15 1015 0=1:0015    -SET WINDOW
16 1016 0=1:0015    -SET WINDOW
17 1017 0=1:0015    -SET WINDOW
18 1018 0=1:0015    -SET WINDOW
19 1019 0=1:0015    -SET WINDOW
20 1020 0=1:0015    -SET WINDOW
21 1021 0=1:0015    -SET WINDOW
22 1022 0=1:0015    -SET WINDOW
23 1023 0=1:0015    -SET WINDOW
24 1024 0=1:0015    -SET WINDOW
25 1025 0=1:0015    -SET WINDOW
26 1026 0=1:0015    -SET WINDOW
27 1027 0=1:0015    -SET WINDOW
28 1028 0=1:0015    -SET WINDOW
29 1029 0=1:0015    -SET WINDOW
30 1030 0=1:0015    -SET WINDOW
31 1031 0=1:0015    -SET WINDOW
32 1032 0=1:0015    -SET WINDOW
33 1033 0=1:0015    -SET WINDOW
34 1034 0=1:0015    -SET WINDOW
35 1035 0=1:0015    -SET WINDOW
36 1036 0=1:0015    -SET WINDOW
37 1037 0=1:0015    -SET WINDOW
38 1038 0=1:0015    -SET WINDOW
39 1039 0=1:0015    -SET WINDOW
40 1040 0=1:0015    -SET WINDOW
41 1041 0=1:0015    -SET WINDOW
42 1042 0=1:0015    -SET WINDOW
43 1043 0=1:0015    -SET WINDOW
44 1044 0=1:0015    -SET WINDOW
45 1045 0=1:0015    -SET WINDOW
46 1046 0=1:0015    -SET WINDOW
47 1047 0=1:0015    -SET WINDOW
48 1048 0=1:0015    -SET WINDOW
49 1049 0=1:0015    -SET WINDOW
50 1050 0=1:0015    -SET WINDOW
51 1051 0=1:0015    -SET WINDOW
52 1052 0=1:0015    -SET WINDOW
53 1053 0=1:0015    -SET WINDOW
54 1054 0=1:0015    -SET WINDOW
55 1055 0=1:0015    -SET WINDOW
56 1056 0=1:0015    -SET WINDOW
57 1057 0=1:0015    -SET WINDOW
58 1058 0=1:0015    -SET WINDOW
59 1059 0=1:0015    -SET WINDOW
60 1060 0=1:0015    -SET WINDOW
61 1061 0=1:0015    -SET WINDOW
62 1062 0=1:0015    -SET WINDOW
63 1063 0=1:0015    -SET WINDOW
64 1064 0=1:0015    -SET WINDOW
65 1065 0=1:0015    -SET WINDOW
66 1066 0=1:0015    -SET WINDOW
67 1067 0=1:0015    -SET WINDOW
68 1068 0=1:0015    -SET WINDOW
69 1069 0=1:0015    -SET WINDOW
70 1070 0=1:0015    -SET WINDOW
71 1071 0=1:0015    -SET WINDOW
72 1072 0=1:0015    -SET WINDOW
73 1073 0=1:0015    -SET WINDOW
74 1074 0=1:0015    -SET WINDOW
75 1075 0=1:0015    -SET WINDOW
76 1076 0=1:0015    -SET WINDOW
77 1077 0=1:0015    -SET WINDOW
78 1078 0=1:0015    -SET WINDOW
79 1079 0=1:0015    -SET WINDOW
80 1080 0=1:0015    -SET WINDOW
81 1081 0=1:0015    -SET WINDOW
82 1082 0=1:0015    -SET WINDOW
83 1083 0=1:0015    -SET WINDOW
84 1084 0=1:0015    -SET WINDOW
85 1085 0=1:0015    -SET WINDOW
86 1086 0=1:0015    -SET WINDOW
87 1087 0=1:0015    -SET WINDOW
88 1088 0=1:0015    -SET WINDOW
89 1089 0=1:0015    -SET WINDOW
90 1090 0=1:0015    -SET WINDOW
91 1091 0=1:0015    -SET WINDOW
92 1092 0=1:0015    -SET WINDOW
93 1093 0=1:0015    -SET WINDOW
94 1094 0=1:0015    -SET WINDOW
95 1095 0=1:0015    -SET WINDOW
96 1096 0=1:0015    -SET WINDOW
97 1097 0=1:0015    -SET WINDOW
98 1098 0=1:0015    -SET WINDOW
99 1099 0=1:0015    -SET WINDOW

```

41	0000	0000	C	IF	0140	1000	P	0107	0000	1200	0
42	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
43	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
44	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
45	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
46	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
47	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
48	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
49	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
50	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
51	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
52	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
53	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
54	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
55	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
56	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
57	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
58	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
59	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
60	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
61	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
62	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
63	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
64	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
65	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
66	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
67	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
68	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
69	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
70	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
71	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
72	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
73	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
74	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
75	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
76	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
77	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
78	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
79	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
80	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
81	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
82	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
83	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
84	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
85	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
86	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
87	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
88	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
89	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0
90	0000	0000	10	IF	0140	1000	P	0107	0000	1200	0

AT LAST A POOLS PROGRAM THAT DELIVERS THE GOODS!!

POOLSBUSTER64 IS HERE!

THE PROGRAM THAT GAVE HUNDREDS OF DIVIDENDS TO ATARI ST USERS, IS NOW AVAILABLE FOR THE COMMODORE 64. POOLSBUSTER64 IS QUITE SIMPLY THE MOST ADVANCED POOLS PROGRAM AVAILABLE TODAY. LOOK AT THESE HIGH-SCORING FEATURES: 1) POOLSBUSTER IS GUARANTEED, THAT'S RIGHT-WE'RE SO CONFIDENT THAT YOU'LL WIN WITH POOLSBUSTER THAT WE PROMISE TO REFUND THE PURCHASE PRICE IF YOU HAVEN'T WON SOMETHING WITHIN ONE YEAR OF THE DATE OF PURCHASE! 2) IT'S THE STATE-OF-THE-ART POKUS PROGRAM. IT USES AN ARTIFICIAL INTELLIGENCE (A.I.) SYSTEM TO FINE TUNE ITS PREDICTIONS EACH TIME YOU ENTER A SET OF SOCCER RESULTS. IT ACTUALLY LEARNS FROM THE RESULTS IT GETS WRONG. 3) IT KNOWS THE SCORE! POOLSBUSTER CONTAINS A MASSIVE DATABASE OF SOCCER STATISTICS WITH DETAILS OF OVER 10,000 PAST MATCHES. 4) IT'S EASY TO USE. POOLSBUSTER IS FULLY JOYSTICK DRIVEN - THERE'S NO NEED TO USE THE KEYBOARD AT ALL. 5) IT'S VERSATILE. POOLSBUSTER COMES WITH ALL THE U.K. SOCCER LEAGUES YOU'RE LIKELY TO NEED, INCLUDING CM VAUXHALL, NORTHERN PREMIER, BEAZER & HFS LEAGS. AND YOU CAN ADD ANY OVERSEAS LEAGUES AS YOU WISH. 6) YOUR FORTUNE IN THE STARS! POOLSBUSTER64 ALSO INCLUDES THE UNIQUE MAGIC PREDICTION PROGRAM. THIS FORECASTS LINES OF 16 POSSIBLE DRAWS ACCORDING TO THE ASTROLOGICAL POWER NUMBERS FOR YOUR NAME, DATE OF BIRTH & POOLS DATE. POOLSBUSTER64 IS AVAILABLE ON 5.25" DISK OR CASSETTE.

POOLSBUSTER64 COSTS ONLY £40! SO HURRY

ORDER ONE TODAY & WIN THE POOLS TOMORROW!

VERBATIM DISK-ETTES AL793202, 800 OF 16 5.25" COMMODORE 64/128 DISKS, £100 FOR 16. TOL-MEDIA DISK, THE BEST MEDIA TO STORE YOUR PROGRAMS. £140 FOR 16. SPECIAL DEALS IF YOU BUY THEM WITH OUR BOSS JOYSTICK FROM THE LATEST IN UK, DISK-CHEM-PROCESSOR-64A CARD NO. 1. EXPIRY DATE TO 31/03/94. RETURNS: GET YOUR EQUIPMENT BUYER'S GUIDE, UNIT 14 PARK HOUSE, 10 BATTERSEA PARK ROAD, LONDON SW11 0BB.

24HR: 01/738-8400. FAX: 01/622-1063

Amiga Workbench

More useful hints and tips for Amiga owners from
computer buff *Borghard-Henry Lehmann*

Dear Amiga Fans, Many people who come to the Amiga from 8-bit machines like the Commodore 64, are in some respects even more confused and daunted by this multitasking, supergraphic, stereophonic sound monster than those for whom the Amiga is their first computer.

I'm talking about the well-known adage about old dogs finding it hard to learn new tricks. After all, those of us - including myself - who grew up on 8-bit machines like the Sinclair Spectrum and the Commodore 64, spend a lifetime (well, about ten years, which in micro-computer terms is a lifetime) trying to find out exactly where everything is on the Amiga and how one uses and interrupts Rom routines and so on.

In my time, a mouse was still a pest to poison or shoot or get rid of by some other inhumane method - it was not something that nestled next to your keyboard. So why did I return myself all these years with rubber keyboards of the Sinclair kind, if it can be that easy?

Now we have to learn about such things as "open architecture", and if you want to use some memory, you have to ask the computer nicely and tell it how much you want and of what type. And then, when you don't need it any more, you must never forget to give it back! But, most confusing of all for the 8-bit brigade, there is no detailed memory map on the Amiga! How can you get used to such a thing?

I'm just joking, because I have to admit that underneath it all, I'm far too much of a computer addict not to be fascinated by it all. I think there are few areas of expertise, short of the philosophical question "Who am I?", that offer more scope for constant expansion of knowledge than computers.

The Amiga is no exception. It's just another stepping stone in the constantly changing sphere of micro electronics and data processing concepts. But let's get back down to earth and try to make sense of some of the new concepts of the Amiga and hope

we can understand them. As I've said before, one of the most confusing things about the Amiga is the missing rigid memory map.

But why do we need such a memory map? After all, computer memory consists of nothing but a row of locations, each location given a name in the form of a number. Isn't it much better for the computer itself to take care of the organization of its memory?

When I started programming on the Amiga, the concept of libraries confused me no end. How can one call a routine in the computer without having anything more than the name of the routine? But let's get this clear first: libraries on the Amiga are basically nothing more than Rom-routines on any other computer. The main difference is that the Amiga has carried the concept of using Rom-routines much further than the older machines.

On most of the 8-bit machines, you only found out how to use the Rom-routines after the machines had been on the market for quite some time, and only because the computer programmers went to the trouble of disassembling the Rom.

On the Amiga, the Rom-routines were from the start structured in such a way that they are accessible to every programmer. Some of the old 8-bit machines were, at least at the beginning, pretty coy about telling people how the operating system worked. The Amiga, on the other hand, was designed to be accessible from the start.

But how can one use something if one doesn't know where it is?

The statement that one doesn't know where each library is is strictly speaking not true and therefore confusing. If you look in the Appendix D-3 of the Amiga Exec manual, you'll find all the library functions of the Amiga listed and in front of each function an address. But this isn't really an address - it's an offset, given in the form of a negative number.

For example, the Exec function *AllocMem*, which simply enables the programmer to allocate some memory

he needs for his program, is located at -198. The base address for all Exec libraries is given in the one fixed memory address in the Amiga: location 4. Get this address and subtract 198 from it, and you've got the calling address of the *AllocMem* library function.

If you want to call the function of, let's say, the *Initiation* Library, you have to open that library first. That is, you call the *OpenLibrary* function of the Exec library, which is at -352, and then Exec gives you the base address for the *Initiation* Library, that is, where the *Initiation* Library is located at this moment.

Each function of the *Initiation* Library has a similar effect. In other words, there is one fixed point, and everything else is related to that fixed point. I sometimes think that the over-emphasis on C on the Amiga doesn't help. On the old 8-bit machines, most people started off with Basic and either stood with it, quite happily, or changed over to assembler.

Basic, of course, keeps you as far away from the real machine as you can get. But, with all its limitations and depending upon the particular Basic dialect the machine allows you to use, at least it keeps things pretty simple. It is really a high level language.

Assembler gets you well and truly into the machine. If you really want to learn about a computer, you should attack it on the machine code level. The main problems with it is that there are a lot of unnecessary myths about machine code programming. Even the Amiga is best explained on machine code level. I just proved this by my explanation of what Amiga libraries are all about.

I could now go on to explain how you pass certain parameters in certain registers before calling a library, and how it handles you certain parameters back in certain registers.

If you look at it from the assembler level, it's all pretty straightforward.

C, on the other hand, is neither a true high-level language, like Basic, which keeps you completely away from the machine, nor to my mind is it as exact in explaining the machine as assembler is.

Somebody said, everybody should learn about computer programming by starting off with assembler. It sounds crazy, but I agree!

Navy Moves

A couple of years ago, a little-known company named gameplayen with a game called *Army Moves*, which was best known for its toughness. It was the game that varied the men from the boys, as the slightest error resulted in failure. Now here's the sequel - *Navy Moves*.

Your mission is to track out and destroy an enemy nuclear submarine. It's a task that's made even more difficult by the fact that you're alone. Your mission begins in an inflatable motorboat that's travelling at high speed towards a watery minefield full of floating contact mines that must be hurdled if your mission isn't going to fail before it begins. To add to your problems, enemy troops riding aquatic bikes come hurtling towards you. Luckily, you can fire back to keep them at bay. Soon you'll reach the underwater entrance to the enemy base, which means diving into the depths and tackling scuba divers and sharks.

To get to the base, you'll have to travel through an underwater cavern containing an octopus and a giant sea monster. If you're still hanging on to one of your five lives,

you can carry on in part two, which takes you onboard the sub itself.

Now your mission becomes even tougher, as you must plant a bomb at the base of the sub's reactor and then force it to surface so you can transmit a message to your base and get rescued before the bomb explodes. Onboard, you'll have to battle with machine armed with rifles and flamethrowers, and overpower officers to gain their passes (that will give you access to the more secret parts of the sub) and codes (that will allow you to enter the sub to surface and transmit the message to your base).

Your realistic chances of completing this mission are slim at best but, above average gamers who like their challenges tough will enjoy *Navy Moves*.

Teacher:

Title: *Navy Moves*. **Supplier:** Langley-Burton Centre, 11-49 Barton Road, Langley, Bucks SL5 7YN. **Price:** £9.9 (inc. £3.8) (shd).



PC Games

Tony Heatherington assesses the latest games releases
on the Commodore PC

6888 Attack Sub

6888 Attack Sub puts you in control of a top secret billion-dollar US submarine in a series of missions that will take you into battle against surface destroyers, helicopters and submarines. These range from training missions against enemy ships to full battle missions in the world's most dangerous sea lanes, and even to the early conflicts of World War III.

To add to the fun, you can also swap to the helm of a Soviet Alfa sub to see how the other half lives, and even play a second player via a modem link which will surely provide the ultimate in submarine simulation.

The sub is controlled through a series of screens manned by your crew, that carry out your orders issued through the mouse or keyboard. For example, at the sonar desk you can deploy and receive towed-array sonar, as well as create a 3D-sonar contour map to track enemy vessels. You can also send out active sonar blimps, but this has its risks as it may alert the enemy to your position.

Stealth and silence are essential to submarine warfare, and you must learn how to use the sea's thermal layers to hide behind until you're ready to strike. When you go to battle stations, you have Mark 48 torpedoes and even

a few missiles to sink the enemy with, before doing to the depths and safety. Some commanders like to watch the torpedoes strike their targets in glorious 3D, but this can be hazardous, and may even cost you the mission.


If the enemy do track you down, you can either run to safety or fire a holocauster to destroy their weapons as you escape. The game really comes to life in a full combat situation when you know there's an enemy out there looking for you. If it's a juicy convoy, then you must plan your attack, avoiding the destroyers, subs and helicopters that will be escorting it.

In a one-on-one against an enemy sub, things get really tense as you try and outmanoeuvre your opponent so that you know where he is while remaining hidden from his sonar. However, the sea is a noisy place, so you'll have to develop your own sonar skills to track down your prey.

Submarine games are always popular, as they present an irresistible mix of skill and strategy and pile on the atmosphere as you *dee, dee, dee* into action.

Touchline:

Title: 6888 Attack Sub. Supplier: Electronic Arts. Price: £24.99.



Abrams Battle Tank

Abrams Battle Tank is the land-based equivalent of 688 Attack Jet, and puts you in control of an M1A1 on the frontline as World War III breaks out. Hundreds of Russian tanks, infantry and helicopters have been detected crossing the border. You're desperately outnumbered and outgunned, but you're determined to go down fighting.



As in 688, you control the tank from different stations, including those manned by the tank commander, gunner, loader and driver. Your tank is armed with an anti-personnel machine gun and a main cannon that can fire either anti-tank or anti-aircraft shells, so it's important to have the right ammo loaded as the threat approaches.

Moving the tank can be a little tricky to start with, as you can either move the tank or the turret through left and right rotate controls and forward and back acceleration.

The gunner's station is probably the one you'll use most as you can drive the tank, load weapons and aim and fire at targets. However you may want to view the driver's station for accurate navigation, and the commander's screens to check fuel and ammo levels, or even go up top to spot approaching aircraft.

When the battle is raging, the battlefield will become steamy with smoking debris which may affect visibility, although you can switch to thermal imaging to continue tracking down your targets. The M1A1 is even fitted with a smoke discharger to hide you from enemies not fitted with thermal imagers.

All these features combine to give you a chance in the battle ahead, but your early attempts may end up in your tank spinning around helplessly as you fire at anything that comes into your sights. However, you will then learn to use your senses to plot the enemy and begin to use the 3D terrain to your advantage. Also, you'll learn to stay within fuel range of a base where you can repair and refuel before returning to the battle.

Eight different scenarios test up your fighting skills before you take on the full World War III campaign.

Factfile:

Title: *Abrams Battle Tank*. Supplier: Electronic Arts. Price: £24.99.

Battlehawks 1942

A few surface, underwater and battles on land, the fight is taken to the air in this historical simulation of naval air combat in World War II. It's set in the Pacific in 1942, when the USA sprang into action after Pearl Harbour, and clashed with the Japanese navy in four key battles including Midway. However, these naval battles weren't decided by ships' guns but by aircraft that flew dangerous missions from the decks of carriers. In this game you can take on the role of either an American or Japanese pilot.

After a few training missions to spruce up your flying skills, you're ready for action and one of the missions associated with each of the battles. On average there are three missions for each side in each battle, so there's plenty of action waiting for combat fiends. To add to the game, the disks are supported by a 150 page manual packed full of historical mission data and accounts from the real pilots which include useful tips on planning attack runs and ensuring you get back home in one piece.

The missions fall into four basic categories - dogfight, escort for bombers, dive bombing and torpedo attacks. The first two are aerial fights high above the water, where height and speed can give you the edge over your enemy, but it's the bombing and torpedoing missions that will really test your skills.

Your job is to deliver a bomb or torpedo on an enemy carrier that's defended by guns and its own fighters. Sounds impossible, but many have succeeded before you. The idea behind dive bombing is to fly high over the target to avoid enemies and then dive down, drop the bomb and dash out of range before you get shot at or engulfed in the explosion.

Torpedo attacks are the other extreme as you avoid detection by flying low - very low - over the sea before launching your torpedo and pulling out to safety. However, altitude and range are important to ensure that the torpedo hits the target and sends the battleship to the bottom of the sea.

Many of these missions are extremely hazardous, and the aircraft available to carry them out but success brings medals and promotions and a drive to play the game again and again.

Factfile:

Title: *Battlehawks 1942*. Supplier: Corel/Rev Games (UK Gold). Data 2/3 Redford Way, Redford, Birmingham.





Star Trek

Space... The final frontier. This is the game that all Trekkies have been waiting for, as you boldly go where no game has gone before. In the game you control Captain James T. Kirk, Spock, Sulu, Chekov, Uhura and Scott in the Enterprise's most challenging mission yet.

The Klingons have developed a ray that causes Federation starships to turn renegades, and this has set the alarm bells ringing in Starfleet Command. Their answer is to set up a quarantine zone around the infected areas and send in the Enterprise to scan out the problem. This works well in theory but the Klingons, Romulans and Federation planets trapped within the Klein Sphere object to this, making your task even more difficult.

The screen consists of a large window surrounded by seven smaller ones that can be selected by clicking on them with a joystick controlled cursor. Through this method you can select the main crew members and control the ship through their departments.

For example, Kirk is in charge of the main (items that you find on worlds) and decides who forms landing parties by placing them on the transporter. Spock provides information on planets and systems selecting through Sulu's navigation controls. Scott, naturally, controls the warp and impulse engines and warns if the dilithium crystals "cannot take it". Uhura sends and receives messages from Starfleet command, while Chekov controls the phasers, photon torpedoes and the combat screens.

The object of the game is to locate the Klingon device and find the means to destroy it. This quest will take you to planets and systems within the quarantine zone and into adventure-like sequences on the surface of life-supporting planets. Whatever the problem, each of your crew will have

a different way of approaching it and it's up to you to choose the best way.

For example, a close block your path. Sulu and Chekov want to break it down with lasers, Uhura wants to send signals at it, Scott wants to look for hidden switches and Spock wants to analyse it. Selecting the wrong option may often damage the door or the crew members so you can't just blunder around without applying some logic.

Your reward for a correct solution will be a device that may help solve another problem elsewhere in the zone, or might be part of the final solution.

Whenever an enemy ship approaches the alarm will ring and it's up to you via Chekov to track the enemy ships and blast them with either phasers or photon torpedoes. Any careless shooting could result in damage to the ship, its weapons or the invaluable dilithium crystals. Luckily, the zone is packed full of planets containing refineries to re-stock crystal supplies and friendly bases for repairs, but also arrange worlds that drain your ship's energy. There are 21 different types of worlds in the game, so you never quite know what you'll find in a system.

The original ST version of the game finally appeared 11 months late, over a year ago, so it's good to see the C64 version here at last. It contains all the favourite Task characters (except the security guards with only 10 minutes to live) and is sure to please Commodore Trekkies.

Touchline:

Title: Star Trek. **Supplier:** Firstline (Microgram). Unit 1, Manspaw Street, Tenbury, Glouce. Tel: 0688 34526. Price: £74.99 abt, £35.99 net.

Address Book

Tape users take heart! In this database program, you can tailor for your own needs

By A.E.C. Moore



The program presented here is a boon to all tape users who can't afford a disk drive. Too often we are left out in the cold when it comes to database type software. This program offers a place to keep all those important name and address files, with printer facilities if required. This program has many advantages for the tape user. For example, as the entries are made, they are automatically put into the Basic program itself. When saved onto tape at the finish, the program and its own built-in Turbo loader are saved, thus eliminating the need for a separate file of addresses, as well as the need to keep track of the cassette counter. You simply have to reinsert the tape after loading, and it will save over itself.

Building the program

The program is built by typing in Prog 1, and then saving it. Next, the Turbo part of the program, Prog 2, is typed in and saved. The third program, Prog 3, which is the main body of the program, can now be typed in and saved.

The three programs are now loaded in and run one after the other to make the final version of the Address book program.

A few notes

'Bytes Free' is a true value of the available RAM.

'Entries left' is a guess at the total entries that might go in the program, as the length of each entry is a variable. If at some time this figure is found to be incorrect, the adjustment can be made to the value '32' in line 9670 in the main program.

Any alterations made when the

final program is in use should be done after the program has been run, and then stopped in the normal manner. This is because the turbo load part of the program is loaded back with the Basic, giving an incorrect value for the start of Basic variables.

The nature of the program is such that it will always take up the same amount of space on the tape, and therefore will always load back in the same amount of time - 1 min 45 secs. Pressing the 'Left Arrow' key will at most times return you to the menu.

Main program

From the MENU, the following options can be chosen:

OPTION 1: To enter a name etc. All typed entries are limited to 20 characters. INST/DEL key will delete the last character typed. After each entry, press RETURN. To have a line blank, just press RETURN.

Surnames: Enter Name

Title: Enter Mr A. Mrs S etc. Enter as you require the printer to read. The F1 key will give an auto entry of Mr & Mrs.

Forenames: Enter name/initials

Address: Use separate lines to enter

address as required

Title: See Enter the number, including spaces is required.

For example - 0442877777 or 0442 877777 or 0442-877777

OPTION 2: To find an entry, enter just the surname.

ON IS THIS THE RIGHT ONE? - 'N' will move on to the next entry with that name. 'Y' will show the complete entry with options to Change Delete, Exit or Print. Press the capital letter of the key of your choice.

OPTION 3: Will list all entries with options to Change, Delete or Exit.

OPTION 4: Will save the whole program to-tape.

OPTION 5: Will tidy up the entries whenever needed. Deletions are not dealt with in the final total until this option is used. Therefore it is suggested that this option is used prior to a re-save.

OPTION 6: Will list through all the entries giving the option to print.

Please note that the printer used was a Citizen 2 colour mini printer, and that using other types of printers may necessitate alterations in the program, namely in line 4956B. The size of the label used could also vary with different printers, so some alterations might have to be made, but these should be obvious to you when typing in Prog 3.

Final note

Because of the way the program saves itself out each time, there's no reason why you shouldn't use this program for things other than an Address book. For example, it could be used for Video collections or for the dreaded Train Spotting etc... the list is endless. All you have to remember is to keep the fields the same size, and only change the text.



PROG 1

```

73 10 PRINT"CLRO";
74 20 END;END;LND
85 30 A=0;B=0;C=1;D=0;E=0;F=0
86
87 40 FOR=NTIC
88 50 X=X+1;Y=Y+1;Z=Z+1
89 60 B=0
90 70 C=C+1;D=D+1;E=E+1;F=F+1
91 80 FOR=J;J
92 90 PRINT"COUNT, COUNT, COUNT";
93 100 NEXT J
94 110 B=0
95 120 IF C=0 THEN GOTO 130
96 130 PRINT"COUNT, COUNT, COUNT";
97 140 END

```

PROG 2

```

73 10 PRINT"CLRO";
74 20 END;END;LND
85 30 A=0;B=0;C=1;D=0;E=0;F=0
86
87 40 FOR=NTIC
88 50 X=X+1;Y=Y+1;Z=Z+1
89 60 B=0
90 70 C=C+1;D=D+1;E=E+1;F=F+1
91 80 FOR=J;J
92 90 PRINT"COUNT, COUNT, COUNT";
93 100 NEXT J
94 110 B=0
95 120 IF C=0 THEN GOTO 130
96 130 PRINT"COUNT, COUNT, COUNT";
97 140 END

```

```

75 150 B=0;C=0
88 1600 DATA 77,170,071,100,000
89 1700 DATA 100,100,20,000,0,040,10
90 1800 7,000,000
91 1900 DATA 100,100,100,070,11,000
92 2000 0,000,100,70,100,000,100,1
93 2100 70,000,0,0
94 2200 DATA 77,170,000,000,100,
95 2300 0,000,177,170,000,100,0
96 2400 70,000,0,001,000
97 2500 DATA 100,100,100,000,0,0
98 2600 100,100,100,0,000,100,177
99 2700 0,000,000,100
100 2800 DATA 100,100,70,100,10
101 2900 0,000,170,00,00,10,0,000,
102 3000 20,100,010
103 3100 DATA 100,100,000,0,100
104 3200 100,0,000,20,100,100,0,100,
105 3300 010,000,001
106 3400 DATA 100,100,0,0,100,10
107 3500 0,100,100,0,100,0,0,0,0,0,
108 3600 000,000
109 3700 DATA 100,0,00,010,000,07
110 3800 0,00,100,000,000,000,07
111 3900 0,00,000,000,000,0,000,1
112 4000 70,100,0
113 4100 DATA 100,00,170,000,0,000
114 4200 0,0,0,000,100,00,010,000,0
115 4300 0,010,0
116 4400 DATA 100,000,0,00,000
117 4500 000,100,0,70,100,000,000,
118 4600 000,100,0
119 4700 DATA 100,100,100,00,000
120 4800 000,100,000,00,000,00,000,
121 4900 000,000,000,00,000,00,000,
122 5000 000,000,000,00,000,00,000,
123 5100 000,000,000,00,000,00,000,
124 5200 000,000,000,00,000,00,000,
125 5300 000,000,000,00,000,00,000,
126 5400 000,000,000,00,000,00,000,
127 5500 000,000,000,00,000,00,000,
128 5600 000,000,000,00,000,00,000,
129 5700 000,000,000,00,000,00,000,
130 5800 000,000,000,00,000,00,000,
131 5900 000,000,000,00,000,00,000,
132 6000 000,000,000,00,000,00,000,
133 6100 000,000,000,00,000,00,000,
134 6200 000,000,000,00,000,00,000,
135 6300 000,000,000,00,000,00,000,
136 6400 000,000,000,00,000,00,000,
137 6500 000,000,000,00,000,00,000,
138 6600 000,000,000,00,000,00,000,
139 6700 000,000,000,00,000,00,000,
140 6800 000,000,000,00,000,00,000,
141 6900 000,000,000,00,000,00,000,
142 7000 000,000,000,00,000,00,000,
143 7100 000,000,000,00,000,00,000,
144 7200 000,000,000,00,000,00,000,
145 7300 000,000,000,00,000,00,000,
146 7400 000,000,000,00,000,00,000,
147 7500 000,000,000,00,000,00,000,
148 7600 000,000,000,00,000,00,000,
149 7700 000,000,000,00,000,00,000,
150 7800 000,000,000,00,000,00,000,
151 7900 000,000,000,00,000,00,000,
152 8000 000,000,000,00,000,00,000,
153 8100 000,000,000,00,000,00,000,
154 8200 000,000,000,00,000,00,000,
155 8300 000,000,000,00,000,00,000,
156 8400 000,000,000,00,000,00,000,
157 8500 000,000,000,00,000,00,000,
158 8600 000,000,000,00,000,00,000,
159 8700 000,000,000,00,000,00,000,
160 8800 000,000,000,00,000,00,000,
161 8900 000,000,000,00,000,00,000,
162 9000 000,000,000,00,000,00,000,
163 9100 000,000,000,00,000,00,000,
164 9200 000,000,000,00,000,00,000,
165 9300 000,000,000,00,000,00,000,
166 9400 000,000,000,00,000,00,000,
167 9500 000,000,000,00,000,00,000,
168 9600 000,000,000,00,000,00,000,
169 9700 000,000,000,00,000,00,000,
170 9800 000,000,000,00,000,00,000,
171 9900 000,000,000,00,000,00,000,

```

```

1000 000,000,000
1010 000,000,000,000,000,000,000,000,
1020 000,000,000,000,000,000,000,000,
1030 000,000,000,000,000,000,000,000,
1040 000,000,000,000,000,000,000,000,
1050 000,000,000,000,000,000,000,000,
1060 000,000,000,000,000,000,000,000,
1070 000,000,000,000,000,000,000,000,
1080 000,000,000,000,000,000,000,000,
1090 000,000,000,000,000,000,000,000,
1100 000,000,000,000,000,000,000,000,
1110 000,000,000,000,000,000,000,000,
1120 000,000,000,000,000,000,000,000,
1130 000,000,000,000,000,000,000,000,
1140 000,000,000,000,000,000,000,000,
1150 000,000,000,000,000,000,000,000,
1160 000,000,000,000,000,000,000,000,
1170 000,000,000,000,000,000,000,000,
1180 000,000,000,000,000,000,000,000,
1190 000,000,000,000,000,000,000,000,
1200 000,000,000,000,000,000,000,000,
1210 000,000,000,000,000,000,000,000,
1220 000,000,000,000,000,000,000,000,
1230 000,000,000,000,000,000,000,000,
1240 000,000,000,000,000,000,000,000,
1250 000,000,000,000,000,000,000,000,
1260 000,000,000,000,000,000,000,000,
1270 000,000,000,000,000,000,000,000,
1280 000,000,000,000,000,000,000,000,
1290 000,000,000,000,000,000,000,000,
1300 000,000,000,000,000,000,000,000,
1310 000,000,000,000,000,000,000,000,
1320 000,000,000,000,000,000,000,000,
1330 000,000,000,000,000,000,000,000,
1340 000,000,000,000,000,000,000,000,
1350 000,000,000,000,000,000,000,000,
1360 000,000,000,000,000,000,000,000,
1370 000,000,000,000,000,000,000,000,
1380 000,000,000,000,000,000,000,000,
1390 000,000,000,000,000,000,000,000,
1400 000,000,000,000,000,000,000,000,
1410 000,000,000,000,000,000,000,000,
1420 000,000,000,000,000,000,000,000,
1430 000,000,000,000,000,000,000,000,
1440 000,000,000,000,000,000,000,000,
1450 000,000,000,000,000,000,000,000,
1460 000,000,000,000,000,000,000,000,
1470 000,000,000,000,000,000,000,000,
1480 000,000,000,000,000,000,000,000,
1490 000,000,000,000,000,000,000,000,
1500 000,000,000,000,000,000,000,000,
1510 000,000,000,000,000,000,000,000,
1520 000,000,000,000,000,000,000,000,
1530 000,000,000,000,000,000,000,000,
1540 000,000,000,000,000,000,000,000,
1550 000,000,000,000,000,000,000,000,
1560 000,000,000,000,000,000,000,000,
1570 000,000,000,000,000,000,000,000,
1580 000,000,000,000,000,000,000,000,
1590 000,000,000,000,000,000,000,000,
1600 000,000,000,000,000,000,000,000,
1610 000,000,000,000,000,000,000,000,
1620 000,000,000,000,000,000,000,000,
1630 000,000,000,000,000,000,000,000,
1640 000,000,000,000,000,000,000,000,
1650 000,000,000,000,000,000,000,000,
1660 000,000,000,000,000,000,000,000,
1670 000,000,000,000,000,000,000,000,
1680 000,000,000,000,000,000,000,000,
1690 000,000,000,000,000,000,000,000,
1700 000,000,000,000,000,000,000,000,
1710 000,000,000,000,000,000,000,000,
1720 000,000,000,000,000,000,000,000,
1730 000,000,000,000,000,000,000,000,
1740 000,000,000,000,000,000,000,000,
1750 000,000,000,000,000,000,000,000,
1760 000,000,000,000,000,000,000,000,
1770 000,000,000,000,000,000,000,000,
1780 000,000,000,000,000,000,000,000,
1790 000,000,000,000,000,000,000,000,
1800 000,000,000,000,000,000,000,000,
1810 000,000,000,000,000,000,000,000,
1820 000,000,000,000,000,000,000,000,
1830 000,000,000,000,000,000,000,000,
1840 000,000,000,000,000,000,000,000,
1850 000,000,000,000,000,000,000,000,
1860 000,000,000,000,000,000,000,000,
1870 000,000,000,000,000,000,000,000,
1880 000,000,000,000,000,000,000,000,
1890 000,000,000,000,000,000,000,000,
1900 000,000,000,000,000,000,000,000,
1910 000,000,000,000,000,000,000,000,
1920 000,000,000,000,000,000,000,000,
1930 000,000,000,000,000,000,000,000,
1940 000,000,000,000,000,000,000,000,
1950 000,000,000,000,000,000,000,000,
1960 000,000,000,000,000,000,000,000,
1970 000,000,000,000,000,000,000,000,
1980 000,000,000,000,000,000,000,000,
1990 000,000,000,000,000,000,000,000,

```

PROG 3

```

87 0 PRINT"CLRO";
88 10 END;END;LND
89 20 A=0;B=0;C=1;D=0;E=0;F=0
90
91 30 FOR=NTIC
92 40 X=X+1;Y=Y+1;Z=Z+1
93 50 B=0
94 60 C=C+1;D=D+1;E=E+1;F=F+1
95 70 FOR=J;J
96 80 PRINT"COUNT, COUNT, COUNT";
97 90 NEXT J
98 100 B=0
99 110 IF C=0 THEN GOTO 120
100 120 PRINT"COUNT, COUNT, COUNT";
101 130 END

```


American Club Sports



Do you remember a game called *Amateur Sports*, that received rave reviews when it was imported into the UK by the now defunct Advance Software? Well, now the game's US publisher Mindscape has set up shop on this side of the pond, and has released its sequel *American Club Sports*.

The game consists of six sports that can be played individually against the computer, or with up to three friends. A title program is loaded in first, and from there the other games are selected. On the tape version - the review copy - this means remembering the counter position for each sport or a long wait. First up is Football, which is table football to you and me. It's the bar type that's played in arcades, where you have to spin the players to kick the ball into your opponent's goal.

Perhaps more unusual is the inclusion of two types of billiards - the English and Carom variants. Most people will know the English game, so I'll concentrate on the variant, in which there are no pockets and you have to declare whether your effort will be a shot or a safety shot. If you're wrong, your opponent gets a point. This means that points are scored via cannons, and the game continues until a set score is reached.

Pinball is a welcome addition, as I don't think there are enough pinball games around. This one features a 3D table, and you can even alter factors such as the angle of the table to speed up the game, the tilt sensor and point thresholds at which you'll gain extra balls to make the game as easy or as difficult as you want it to be.

Baseball is a strange game in which you must roll balls up a ramp and into one of the scoring rings at the top of the screen. The big points are scored by landing in the outer rings, but the pressure is piled on if you play either against the clock or with a set number of balls.

Crazy Pool is weird - it's played on a table that's a cross between a pool table and a pinball machine. The

normal six pockets have vanished and are replaced by two in the centre of the table. Unfortunately, these are surrounded by pinball style bumpers arranged in an S shape, making potting difficult and totally altering the tactics of the game.

Finally, there's a change from aiming balls into holes, flags, goals and pockets, as the sixth event is a shooting gallery in which you blow away ducks, rabbits, birds, foxes, frogs and fish to rack up the points. Once again, the choice is either to fight against the clock or to shoot with a limited number of bullets. Either way, this completes an interesting compilation of club sports. *Amateur Sports* was a big hit, and this is sure to have some success. My favourite events were pinball and billiards.

FourStar:

Title: *American Club Sports*. **Supplier:** Mindscape. **PD Box 1000, Leves, East Sussex, BN1 4JW. Price:** £59.95 cart, £14.99 disk.



Speedball

Duncan Evans reviews the game that makes Rollerball look like Tiddly-winks



The Bitmap Brothers originally shot to fame with *Tennis*, which is just now becoming available on the 16-bit formats, then turned their hands to a futuristic sports game on the ST and Amiga. *Speedball* was greeted with great critical acclaim on its release, and has now found its way onto the C64.

The question is, has it survived the transition well? It's glad to be able to report that it has indeed, and retains virtually all of the flavour of the 16-bit versions.

Speedball is a game of organised violence. Two teams of five players (including a goalkeeper), race up and down a seriously scorching pitch, trying to ram a steel ball into a thin goalbar while fending off the opposition.

The view is from above, and if the ball gets thrown above head height (when it becomes impossible to score), then it goes in air as it gets higher, before decreasing as it drops downwards.

Basically, in this game anything goes, so if someone from the other team whacks you in the kidneys and takes the ball, just dust yourself off, go after him, push his nose through the back of his head, and then retrieve the ball. Fighting the opposition is an integral part of the game as it reduces their stamina, thus making them slower and more susceptible to foul play.

Adorning the pitch are bumper-like obstructions, off which the ball ricochets. There are a number of different patch combinations, some of them making scoring quite difficult. From the main menu you can either play a one-off game against a friend, or compete against the computer in a league or knockout competition.

What playing in a competition (the league can be set from 10-100 weeks) there is another important factor to

consider - Irons. When playing a game, some of these Irons have an immediate effect, like freezing the opponent, or slowing them down, or giving you an unstoppable ball, but there are others which are collectable.

These are very important, in that you can buy certain services or improvements at the end of the game, even bribe the lining official into letting you have another minute of injury time. Most of them improve the statistics of your team's stamina, skill or strength, but once those have reached maximum then you'll be buying goals, bribing their coach, making the Irons last longer, and all sorts of other dirty tricks.

If you wanted to compare *Speedball* to anything it would be *Rollerball*, but what I reckon proved the inspiration for the game was a cartoon strip from many years ago in the comic *Battle-Action*, called *Speedball*. Except for the goal size, the similarity is quite striking.

COMMENT

Given that the C64 has excellent sound and scrolling facilities, it was only a matter of whether the detail of the original game could be implemented. Obviously there is some small loss, but not much, and more importantly the gameplay is still there. If anything this version is more playable, because when playing the worst computer opponents, the goalkeeper's like a laboratory rat, which is good news for newer players though it does get very tough against the highly rated teams.

The graphics are on the whole pretty good, and the music, while nothing special, is certainly better than the ST version's was. The good thing about the length of each individual game is that it is long enough not to guarantee the first scorer victory, and yet short enough to let you play a few on the trot in a league season. The league is a great idea, though you're very unlikely to win it if you play over 10 weeks. A minimum of 20 is required to collect enough tokens to bring your team up to full strength and still have enough games left to mount a challenge.

Speedball is a fast and furious action game, and with the league option, has enough playability to keep you going long after the initial glamour has worn off.

Developer:

Filly, *Speedball*, Supplier: Mirrorsoft, Trade House, 118 Southwood Street, London SW13 6JW; Tel: 01-833 1454; Price: £9.95.

Circus Attractions is the latest attempt by Rainbow Arts to get you to buy German, and after the rather poor Grand Master Slam, shows some semblance of a return to form.

Well, I didn't think I'd be able to stomach another games compilation, but Circus Attractions shows that if you flag a dead horse hard enough, it might not get up and run around, but will at least twitch a bit.

Yep, a collection of games this most certainly is, set in the big top, and featuring all the fun of the fair. I never did like the circus, but this game contains a number of passable attempts to inject humour into the proceedings which involve the otherwise tedious quest for points and a high score.

Amongst the death-defying feats you'll be attempting are trapezoling, tightrope walking (giddy!), juggling, knife throwing, and last but not least, being a jumping clown. Five events don't make much of a circus show in my book, but at least you have the choice of practising them before inflicting your impudence on the public.

Trapezoling then, has you bouncing up and down, monitored by a "viewer interest" column. When this sinks to zero, the audience starts throwing fruit, and who can blame them, bouncing bouncing up and down on a trampoline isn't that exciting. You're expected to perform forward and



Circus Attractions

*Always the clown, Duncan Evans foils around with
Rainbow Arts in the big top*

backward somersaults, but I didn't bother perfecting my technique on this event. Dussing off the dirt accumulated by repeatedly hitting the deck, I began to climb bravely up to the tightrope.

In this a pretty young lady precariously balances on the rope high above the ground, and makes her way along automatically. Rather her than me really, especially since you're supposed to perform a scissor kick, a backward somersault and a hand stand. As soon as I started, the poor girl wobbed dramatically and disappeared cardwards.

For complexity, the juggling event takes the biscuit. Not only are you required to juggle up to six balls in order, but you're supposed to juggle a club as well, sofly a balance ball and leap up in the air when a clown comes racing towards you on a motorbike. It ain't easy, believe me.

I liked the next event - knife-throwing - the best, probably because as my doctor once told me, I'm a homicidal maniac. Strapped to a rotating disc is the latest lovely young assistant. Simply aim a crosshair and let fly. What fun.

There are other targets beside the girl, but she's the main one. You must also watch out for stalks of dynamite being handed to you by your other assistant. Watching people care as you stick them is great fun, and this is the one section I practised religiously until I could hit someone with every throw.

The final event of the night is the jumping clown, which features three clowns leaping from mouse to mouse collecting bonuses in mid-air and avoiding the gloves that bark up there.

COMMENT

I'm surprised that anyone bothers to my milking a very tired formula, but to give Rainbow Arts its due, a couple of these events are fairly novel, and quite entertaining. The graphics are very good all round - only the tightrope walking is disappointing.

In this, the lady crossing the big top is drawn very small, but worst of all, she merges with the background, making it very difficult to see whether she's about to fall to a sticky end or is making short work of it all.

Of all the events, there was only one that I actually enjoyed (knife-throwing). The others were ones that had to be played simply because I was reviewing the game. If you are a fan of event-style games, then you'll probably get more out of it than I did.

It's interesting that in the two player mode you have to cooperate to score, rather than directly compete, which may or not may be a good thing depending on your viewpoint.

Circus Attractions is high on gloss (with the sound effects and music done in a nice circus vein), but a little short on the gameplay front. With only five events, it doesn't take too many dull ones to make the whole thing feel. Trying before you buy is essential with this one.

TECHNICAL

Title: Circus Attractions **Supplier:** Rainbow Arts, Wernau 200, 4080 Düsseldorf 11, West Germany. Tel:0211-594764. Price:£9.95

Through The R

Paul Eves puts the latest update of the excellent Geos package through its paces

Bring a neat and tidy sort of person, I welcomed the opportunity of trying out this latest Geos application. However, before I go any further, I must be perfectly honest and say that I don't normally use these kind of programmes. Yes, they do look very nice, and they also do a very competent job. It's just that somehow, a little of the magic of using a computer seems to vanish when you use this sort of package - at least for me it does.

For those that do not yet know, GEOS stands for 'Graphic Environment Operating System', in other words, a system that offers windows, icons and pull-down menus. Anyway, my first thought on taking out the manuals (yes, manuals, as in more than one) was that if I'd wanted to read *War and Peace* I would have bought it, I needn't have worried though - a quick flip through the pages put my mind at ease. The books are well thought out, and explain everything in great detail, so that even a complete novice to the world of Geos will soon feel at home.

The main problem with a package like Geos is where to begin - there's so much on offer. You don't want to miss anything out, but at the same time you don't want to go into too much detail and rewrite the programme. So I've decided to tackle this particular review in a more systematic way. First, I'll list all the applications on the disks, then briefly go over some of the finer aspects of some of the applications. Obviously I can't cover everything in

the limited space of this review, but by the end you should have a fairly good idea of the package's potential.

There are three disks in the package, each being double sided. The first is the main systems disk, with the reverse side given up for demos. Disk number 2 is the back-up systems disk, with a few applications on the reverse. The final disk contains the 'Write Utilities' and a spell checker. By the way, there is in fact a fourth disk, a demonstration of the Quantumlink.



As you may or may not know, Quantumlink is the Starline equivalent to our Compact.

The programmes that make up this enhanced system are as follows:-

- 1) The main GEOS desktop
- 2) goPaint
- 3) goWrite 2.1
- 4) goSpill
- 5) goMerge
- 6) goLaser
- 7) Text Grabber
- 8) Paint Drivers
- 9) Desk Accessories

The desk accessories are as follows:-

- 1) The Calculator
- 2) The Preference Manager
- 3) The Alarm Clock
- 4) The Note Pad
- 5) The Pad Colour Manager
- 6) The Photo manager
- 7) The Text Manager

As I think you'll agree, that's a pretty impressive list. So what exactly does each one do? Read on...



Desktop

This is the main driving force of the system. From the desktop you can perform all your file handling procedures. An extra bonus with the Version 2.0 is the use of cursor keys for pulling down menus and making selections. Indeed, you have a whole range of keyboard shortcuts. Whenever you make up a working disk, it is advisable to include the Desktop on each one, along with whatever else you may require.

Geopaint

I have never been one for paint packages of any description, I suppose partly because I am not artistic by nature. Secondly, I have always found them to be rather long-winded and awkward to use. I must confess, however, that although Geopaint is fairly complex in its functions, I found it was actually fun to use.

The options in this section of the package seem endless. You can create images using special measurement and constraining tools. You have access to 25 patterns and brush styles, overlay can be achieved and text may be mixed with images drawn, you can stretch images or zoom in on them, and print your creations on a numerous list of different printers. For those very small increments needed, you can use the



Round Window

cursor keys instead of the joystick or mouse, for more accurate placement.

Geopaint works in either 40 or 80 column modes, and is interchangeable while working within it. However, you can only work with colour in the 40 column mode. The advantage of working in 80 column mode though is obvious - you can see the whole of your work area and plan accordingly. Once you have the main parts drawn, switch to 40 column mode and you can then work in more detail.

Geowrite 2.1

Most of us who use wordprocessors tend to stick with the one we know best. For example, for some time I only ever used Escript. I know it's pretty primitive compared to most, but I knew it inside out and back to front. However, after many months of huddling from the Editor, I relaxed and now use either Superscript or Paperlip II (80p-Hip Hurray... £27).

I never really used Geowrite on earlier Gecs packages, but having used the Geowrite 2.1, I now think that maybe I was missing out. This word-processor, like everything else in the system, is pretty comprehensive. You have options to alter your document's dimensions, change the writing window, even the ability to have different fonts and styles. The fact that you can mix your creations from Geopaint with your text is most useful. You can even add the date and time to your page headers and footers. The usual Copy, Cut, Paste, Move Text and Set

Tab options are all available. You can search for and search and replace text, not only single words but whole phrases.

In conjunction with Geowrite 2.1, there are other related applications - Geospell, Geowords, Text Manager, and Text Grabber. I don't think I need explain Geospell and Geowords in any great detail. They are essentially like most other spell checkers and document managers. The text manager is like a temporary storage area - you can copy text into what is known as albums for future recall. The text manager works in the same way as Glossaries from other wordprocessing packages.

The one really nice feature is the Text Grabber. This application allows you to get a document that was created on some other Commodore supportive W/P, then convert it to Geowrite format. The original document will remain unchanged.

One feature I nearly forgot is the Print Drivers. These drivers allow you to create special effects within your Geowrite document. You can have things like headlines, newspaper-type column formats including graphics, special border designs, etc.

Desktop Accessories

The calculator allows you to do your calculations while running any of the Gecs applications. The results you get may then be placed into the text scrap so that you can recall them later, an example would be if you want to include them in an invoice you were preparing.

The Preference Manager enables you to set up your own working environment. That is to say the colours you want to work with, the colour of the pointer and the shape of the pointer. You can change the speed of the printer and set up the date and time.

The Alarm Clock can be used to call up the current time, providing it has been set. You can set the current time and also set the alarm. Once the clock and/or the alarm are set, it doesn't matter which application you are in, the clock stays active.

As its name suggests, the note pad is used for keeping track of bits of information you may wish to refer back to. You have access to the note pad no matter which application you are presently in. The note pad can store up to 127 pages, and each page is capable of roughly 250 characters.



Like the note pad, Photo Manager is used for storing graphic images. The files stored are called albums. An album may contain up to 60 pages of images. Therefore, you could have albums set aside for specific images, for example, you might have a graph album, a pie chart album, etc.

That's just about it. I've really only skimmed the surface of this package's capabilities. There's so much you could say about each application that you'd need a whole magazine to do it real justice. I have tried, in my own small way, to point out some of the finer qualities. The only real way for you to appreciate what Gecs has to offer is to go and buy it. I've included a couple of examples of the sort of things you can produce. I hope you like them.



Disk Scrambler

Protect your disks from prying eyes with this Disk Scrambler

By S. T. Burke

Disk Scrambler enables you to encode or decode the contents of any block or blocks on your disk. There are just two basic options open to you:

SCRAMBLE - this encodes the specified area of the disk. You may do individual blocks, a series of blocks or the entire disk. The scrambler alters the code on the disk using a different technique for each two-character code entered by the user.

DESCRAMBLE - this is opposite to SCRAMBLE. The specified area of the disk is decoded using the same two-character code entered previously for that area of the disk. Please note that if a different two character code is used, the descrambling will not be successful.

If you happen to enter a wrong code on the descramble option, refer to the troubleshooting guide.

The program is straightforward and self-explanatory. Type in the listing and save it before running. Once again, just follow the on-screen options.

Troubleshooting

If the program fails to work as you think it should, first reset the compu-



ter, then reload the program, and try a few times on a blank disk.

If it still fails, check your listing thoroughly, (you may have made a mistake). If you find no errors, check out your hardware.

If you scramble a disk a number of times, or attempt to descramble it a number of times, and you cannot restore your disk, then you must descramble it with *all* the codes ever used on that particular disk since it

worked (they don't have to be in any order).

Please note that the author cannot be held responsible for any disks that may become corrupted beyond repair by the use of this program.

Finally, an interesting aspect of the program is this - if you want to play a trick on someone, use the two character code NS. The program will appear to work correctly, but in fact does nothing!

LISTINGS



DISK SCRAMBLER

88	14 POKER399,4,POKER399),11, POKER399,1	11	100 PRINT"RUBEN,CSI (C80 DU H1E1E(C80) SCRAMBLE WHOLE 100 BLOODSP0D"
89	24 PRINT"CLX,BSU H,BSU 94,8 W00,CS,SP,SPC1,C71",CLX,SI P1380,POKER39,1	12	110 PRINT"RUBEN,CSI (C80 DU H1E1E(C80) SCRAMBLE WHOLE D P BLOODSP0D"
90	26 PRINT"RUBEN,CSI (C8,SPC80" 1000+1238) BENDICT11*PRST	13	120 PRINT"RUBEN,CSI (C8,SPC 302"
91	28 PRINT"RUBEN,CSI (C8,SPC3	14	130 PRINT"RUBEN,CSI (C8,SPC 302"
92	30 PRINT"RUBEN,CSI (C80 DU H1E1E(C80) SCRAMBLE WHOLE 40,TR0K1SPC31"	15	140 PRINT"RUBEN,CSI (C80 DU H1E1E(C80) SCRAMBLE WHOLE 1000,TR0K1"
93	32 PRINT"RUBEN,CSI (C8,SPC3	16	150 PRINT"RUBEN,CSI (C8,SPC 302"
94	34 PRINT"RUBEN,CSI (C80 DU H1E1E(C80) SCRAMBLE WHOLE D P BLOODSP0D"	17	160 PRINT"RUBEN,CSI (C8,SPC 302"
95	36 PRINT"RUBEN,CSI (C80 DU H1E1E(C80) SCRAMBLE WHOLE D P BLOODSP0D"	18	170 PRINT"RUBEN,CSI (C8,SPC 302"
96	38 PRINT"RUBEN,CSI (C8,SPC3	19	180 PRINT"RUBEN,CSI (C8,SPC 302"
97	40 PRINT"RUBEN,CSI (C8,SPC3	20	190 PRINT"RUBEN,CSI (C8,SPC 302"




```
10 300 PRINT:FOR N=0 TO 10000:GOTO 20
11 310 IF N=0 THEN PRINT:GOTO 10000
12 320 PRINT:FOR N=0 TO 10000:GOTO 20
13 330 PRINT:FOR N=0 TO 10000:GOTO 20
14 340 PRINT:FOR N=0 TO 10000:GOTO 20
15 350 PRINT:FOR N=0 TO 10000:GOTO 20
16 360 PRINT:FOR N=0 TO 10000:GOTO 20
17 370 PRINT:FOR N=0 TO 10000:GOTO 20
18 380 PRINT:FOR N=0 TO 10000:GOTO 20
19 390 PRINT:FOR N=0 TO 10000:GOTO 20
20 400 PRINT:FOR N=0 TO 10000:GOTO 20
21 410 PRINT:FOR N=0 TO 10000:GOTO 20
22 420 PRINT:FOR N=0 TO 10000:GOTO 20
23 430 PRINT:FOR N=0 TO 10000:GOTO 20
24 440 PRINT:FOR N=0 TO 10000:GOTO 20
25 450 PRINT:FOR N=0 TO 10000:GOTO 20
26 460 PRINT:FOR N=0 TO 10000:GOTO 20
27 470 PRINT:FOR N=0 TO 10000:GOTO 20
28 480 PRINT:FOR N=0 TO 10000:GOTO 20
29 490 PRINT:FOR N=0 TO 10000:GOTO 20
30 500 PRINT:FOR N=0 TO 10000:GOTO 20
31 510 PRINT:FOR N=0 TO 10000:GOTO 20
32 520 PRINT:FOR N=0 TO 10000:GOTO 20
33 530 PRINT:FOR N=0 TO 10000:GOTO 20
34 540 PRINT:FOR N=0 TO 10000:GOTO 20
35 550 PRINT:FOR N=0 TO 10000:GOTO 20
36 560 PRINT:FOR N=0 TO 10000:GOTO 20
37 570 PRINT:FOR N=0 TO 10000:GOTO 20
38 580 PRINT:FOR N=0 TO 10000:GOTO 20
39 590 PRINT:FOR N=0 TO 10000:GOTO 20
40 600 PRINT:FOR N=0 TO 10000:GOTO 20
41 610 PRINT:FOR N=0 TO 10000:GOTO 20
42 620 PRINT:FOR N=0 TO 10000:GOTO 20
43 630 PRINT:FOR N=0 TO 10000:GOTO 20
44 640 PRINT:FOR N=0 TO 10000:GOTO 20
45 650 PRINT:FOR N=0 TO 10000:GOTO 20
46 660 PRINT:FOR N=0 TO 10000:GOTO 20
47 670 PRINT:FOR N=0 TO 10000:GOTO 20
48 680 PRINT:FOR N=0 TO 10000:GOTO 20
49 690 PRINT:FOR N=0 TO 10000:GOTO 20
50 700 PRINT:FOR N=0 TO 10000:GOTO 20
51 710 PRINT:FOR N=0 TO 10000:GOTO 20
52 720 PRINT:FOR N=0 TO 10000:GOTO 20
53 730 PRINT:FOR N=0 TO 10000:GOTO 20
54 740 PRINT:FOR N=0 TO 10000:GOTO 20
55 750 PRINT:FOR N=0 TO 10000:GOTO 20
56 760 PRINT:FOR N=0 TO 10000:GOTO 20
57 770 PRINT:FOR N=0 TO 10000:GOTO 20
58 780 PRINT:FOR N=0 TO 10000:GOTO 20
59 790 PRINT:FOR N=0 TO 10000:GOTO 20
60 800 PRINT:FOR N=0 TO 10000:GOTO 20
61 810 PRINT:FOR N=0 TO 10000:GOTO 20
62 820 PRINT:FOR N=0 TO 10000:GOTO 20
63 830 PRINT:FOR N=0 TO 10000:GOTO 20
64 840 PRINT:FOR N=0 TO 10000:GOTO 20
65 850 PRINT:FOR N=0 TO 10000:GOTO 20
66 860 PRINT:FOR N=0 TO 10000:GOTO 20
67 870 PRINT:FOR N=0 TO 10000:GOTO 20
68 880 PRINT:FOR N=0 TO 10000:GOTO 20
69 890 PRINT:FOR N=0 TO 10000:GOTO 20
70 900 PRINT:FOR N=0 TO 10000:GOTO 20
71 910 PRINT:FOR N=0 TO 10000:GOTO 20
72 920 PRINT:FOR N=0 TO 10000:GOTO 20
73 930 PRINT:FOR N=0 TO 10000:GOTO 20
74 940 PRINT:FOR N=0 TO 10000:GOTO 20
75 950 PRINT:FOR N=0 TO 10000:GOTO 20
76 960 PRINT:FOR N=0 TO 10000:GOTO 20
77 970 PRINT:FOR N=0 TO 10000:GOTO 20
78 980 PRINT:FOR N=0 TO 10000:GOTO 20
79 990 PRINT:FOR N=0 TO 10000:GOTO 20
80 1000 PRINT:FOR N=0 TO 10000:GOTO 20
```

Machine Code Disk Programming

If you can handle your disk drive in Basic, Machine Code programming comes very naturally. It demands slightly more work, but the Kernel and DOS still do nearly all the work for you. Machine code disk commands have a close link with Basic - they both use the Kernel, Commodore's I/O routines. The difference is that machine code routines, especially file handling, happen at lightning speed. This article will concentrate on file handling, the routines, and practical examples.

The Kernel

By the way, that's Commodore's spelling, not mine! Note that all the below routines are called with the JSR instruction, with the appropriate registers conveying data. Below is a flowchart for the use of the routines:



Continuing his series on disk drives, Fergal Moane unravels the mysteries of Machine Code

Here is a summary of the necessary routines:

SETLFS \$FFFA

A FILE NUMBER
X DEVICE NUMBER
Y SECONDARY ADDRESS

This sets up parameters for use with any disk I/O, and is equivalent to the first three numbers in an OPEN statement.

SETNAM \$FFFD

A NAME LENGTH
X LOWBYTE OF START OF NAME
Y HIGH BYTE OF START OF NAME

Sets a name for disk I/O. Note that for disks, a name must always be specified, except opening a no channel IS (OPEN 15,15).

OPEN \$FFC0

NO PARAMETERS REQUIRED

Use to open a file after SETLFS and SETNAM

CLOSE \$FFC3

A FILE NUMBER

Closes the specified file

CHKIN \$FFC6

X FILE NUMBER

Sets up a channel for input, after using the OPEN command

CHROUT \$FFC5

X FILE NUMBER

Sets up a channel for output, after using the OPEN command

CHRIN \$FFC7

A DATA INPUT

Inputs data from the input channel defined by CHKIN, storing it in the accumulator. Equivalent to GET

CHROUT \$FFD2

A DATA OUTPUT

Outputs the data in the accumulator to the output channel defined in CHROUT. Equivalent to PRINT

CLRCHN \$FFC8

NO PARAMETERS REQUIRED

Returns all input to the keyboard, and output to the screen. Use after finishing your own I/O

Examples

Here are two assembly listings to demonstrate the use of the above routines.


```

10      ; OPENING FILE
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500

```

```

10      ; CLOSE OPEN FILE
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500

```

For more information on KERNEL routines, see the Programmer's Reference Guide. Next time, I will present a complete DOS which demonstrates the above routines in a practical situation.

DOPS!

Unfortunately, we left four listings out from June's installment of *Machine Code Disk Programming*, so we re-produced them below.

```

DISK NAME
-----
10
20
30
40
50
60
70
80
90
100
110
120
130
140
150
160
170
180
190
200
210
220
230
240
250
260
270
280
290
300
310
320
330
340
350
360
370
380
390
400
410
420
430
440
450
460
470
480
490
500

```

```

100 PRINT:PRINT:NEW DISK NAME IS
110
120
130
140
150
160
170
180
190
200
210
220
230
240
250
260
270
280
290
300
310
320
330
340
350
360
370
380
390
400
410
420
430
440
450
460
470
480
490
500

```

```

100
110
120
130
140
150
160
170
180
190
200
210
220
230
240
250
260
270
280
290
300
310
320
330
340
350
360
370
380
390
400
410
420
430
440
450
460
470
480
490
500

```

```

175 INPUT P: IF P=1 OR P=2 THEN
PRINT "TTP: 0000 990"
END INPUT*****
180 REM WRITE FILE TYPE TO DISK
END INPUT*****
190 PRINT "B-P",J,M: PRINTM:
END INPUT*****
200 PRINT "L",J,E,S,T,S:GOTO
200.01
210 PRINT "M",M: " UNASSIGNED":
IF W THEN GOTO
220 GOTOEND-DIRECTIO
END INPUT*****
230 REM DISK ERROR CHECK
240 REM *****
250 INPUT E,M,L,J,S:IF E=0 THEN
RETURN
260 PRINT "E ERROR: ",E,M,L,J,S
270 INPUT*****
280 REM VALIDATE DISK TO RESTORE
"RAW" ON DISK
290 REM OTHERWISE, COPY TO INDEX
OF DISK
300 REM*****
310 PRINT "VALIDATE DISK (Y/N) "
"
320 GETM:IFM="Y"THENM=0
330 IFM="N"THENCLOSED:CLOSE:EN
D
340 PRINT "VALIDATE DISK TO UP
DATE RAW"
350 PRINT "DO NOT REMOVE DISK UN
TIL LIGHT IS OUT"
360 OPENB,S,L,"Y"END

```

LOAD ADDRESS

```

370 REM*****
380 REM *****
390 REM *****
400 REM *****
410 REM *****
420 REM *****
430 REM *****
440 REM *****
450 REM *****
460 PRINT "CHANGE LOAD ADDRESS"
P
M
"
470 REM *****
480 REM *****
490 PRINT "ENTER PROGRAM NAME"
500 PRINT "ENTER END TO EXIT"
PRINT
510 INPUT:IF M="END" THEN GOTO
520 OPEN "S,L,S","Y":GOTO 510
530 OPEN "M",M,"Y": "M","P","
540 REM*****
550 REM *****
560 REM FILES OPEN, SO CHECK FOR
ERRORS
570 REM*****
580 INPUT E,M,L,J,S: IF E=0 THE
N GOTO
590 CLOSE 1: CLOSE 2: PRINT "M F
ILE: ",M
600 IF E=2 THEN PRINT " NOT FOR
MOT": GOTO 560
610 IF E=3 THEN PRINT " NOT A P
ROGRAM": GOTO 560
620 PRINT "M DISK READ-EERROR",E:
GOTO
630 FOR J=1 TO 2500: NEXT: GOTO
560
640 REM*****
650 REM SET LOAD ADDRESS

```

```

365 REM*****
370 REM *****
380 GETM,M,L,S: IF M THEN GOTO
390 CLOSE 1: CLOSE 2
400 A=ASC(M)+CHR(30):B=ASC(L)+
CHR(30)
410 PRINT "ADDRESS LOAD-ADDRESS"
"
420 PRINT "M",M: "M"
430 PRINT "RAW LOAD-ADDRESS (M
SECURE) "M: "*****
440 INPUT P: IF P=0 OR P=1 THEN G
OTO PRINT "TTP: 0000 000"
450 REM*****
460 REM CALCULATE LOW/HIGH BYTE
AND PUT "M" STRING FOR
WRITE COMMAND
470 REM*****
480 J=INT(P/256):P=P-INT(P/256)
PRINT "LOW-DIGIT"
PRINT "HIGH-DIGIT"
PRINT "LOAD ADDRESS"
"
490 PRINT "WRITE THIS LOAD-ADD
RESS (Y/N) "
500 INPUT P: IF P=0 THEN GOTO 510
510 REM*****
520 REM PAD OUT WITH SHIFTS OF
END
530 REM*****
540 J=L*256+M:IF J=255 THEN
550 FOR I=J-255 TO 255:M=CHR(I)
560 NEXT
570 OPEN "S,L,S": OPEN "M",M,"Y"
580 GOTO 510
590 PRINT "L",J,E,S,T,S:GOTO
600
610 PRINT "B-P",J,M: GETM,M
620 REM*****
630 REM *****
640 REM *****
650 REM *****
660 REM *****
670 REM *****
680 REM *****
690 REM *****
700 REM *****
710 REM *****
720 REM *****
730 REM *****
740 REM *****
750 REM *****
760 REM *****
770 REM *****
780 REM *****
790 REM *****
800 REM *****
810 REM *****
820 REM *****
830 REM *****
840 REM *****
850 REM *****
860 REM *****
870 REM *****
880 REM *****
890 REM *****
900 REM *****
910 REM *****
920 REM *****
930 REM *****
940 REM *****
950 REM *****
960 REM *****
970 REM *****
980 REM *****
990 REM *****

```

```

700 PRINTM: "L",J,E,S,T,S:GOTO
810
820 PRINT "B-P",J,M: PRINTM: P
830
840 PRINT "L",J,E,S,T,S:GOTO
850
860 CLOSE 1: GOTO 800
870 PRINT "LOAD-ADDRESS (MAYBE)
FOR "M"
880 PRINT "ADDRESS FACTOR FROM
M1 (Y/N) "
890 INPUT P: IF P=0 THEN GOTO
900 PRINT "M",M
910 REM*****
920 REM *****
930 REM *****
940 REM *****
950 REM *****
960 REM *****
970 REM *****
980 REM *****
990 REM *****

```

PROTECT FILE

```

100 REM*****
110 REM *****
120 REM *****
130 REM *****
140 REM *****
150 REM *****
160 REM *****
170 REM *****
180 REM *****
190 REM *****
200 REM *****
210 REM *****
220 REM *****
230 REM *****
240 REM *****
250 REM *****
260 REM *****
270 REM *****
280 REM *****
290 REM *****
300 REM *****
310 REM *****
320 REM *****
330 REM *****
340 REM *****
350 REM *****
360 REM *****
370 REM *****
380 REM *****
390 REM *****
400 REM *****
410 REM *****
420 REM *****
430 REM *****
440 REM *****
450 REM *****
460 REM *****
470 REM *****
480 REM *****
490 REM *****
500 REM *****
510 REM *****
520 REM *****
530 REM *****
540 REM *****
550 REM *****
560 REM *****
570 REM *****
580 REM *****
590 REM *****
600 REM *****
610 REM *****
620 REM *****
630 REM *****
640 REM *****
650 REM *****
660 REM *****
670 REM *****
680 REM *****
690 REM *****
700 REM *****
710 REM *****
720 REM *****
730 REM *****
740 REM *****
750 REM *****
760 REM *****
770 REM *****
780 REM *****
790 REM *****
800 REM *****
810 REM *****
820 REM *****
830 REM *****
840 REM *****
850 REM *****
860 REM *****
870 REM *****
880 REM *****
890 REM *****
900 REM *****
910 REM *****
920 REM *****
930 REM *****
940 REM *****
950 REM *****
960 REM *****
970 REM *****
980 REM *****
990 REM *****

```

```

302 REM SEARCH DIRECTORY TRACK F
OR FILE
303 REM *****
*****
304 CLOSED=CLOSED:OPENED,B,D,D
PAGE,B,S,"*",T-1-B-S-1,OPENED
305 PRINT#FS,"*",S,S,S,T,S,F:AS
R13,"B-P",S,D:CLOSED:AS:R13:T-1:
G
306 B=ABS(D-CRTRC)/S=ABS(B+E
CRTRC)/S#D
307 PRINT#FS,"B-P",S,B:GOTO 304
308 CHASEIT=CHASED
309 GOTO 304,BE,FS="" :FORM=1016
:GOTO 1B,FS#B=1B,NE
310 PRINT#SEARCHING: ",PR:PRINT
";:IFFORM=1000
311 REM *****
*****
312 REM NEXT TRACK AND SECTOR
313 REM *****
314 GOTO 304,IFB=SECTOR#D
315 GOTO 304
316 PRINT#FS,"B-P",S,B
317 IFB=OTHER=C-SECTOR C IS CU
RRENT FILE TYPE
318 REM *****
*****
319 REM CHANGE ACTUAL FILE TYPE
320 REM *****
321 PRINT#C,CRTRC+PT:DIR#B:|,R
S:| OF 100 CLOSED THE FILE PROPER
LY
322 PRINT#FS,"B-P",S,S,S,T,S,F
323 CLOSED=CLOSED:CLOSED
324 PRINT#FS,"B-P",S,D:IFB=OTHER:PRINT#FS
";
325 PRINT#PROTECTED"
326 FORM=100:FORM=NEIT:GOTO 303
327 REM *****
*****
328 REM DISK ERROR CHECK
329 REM *****
330 INPUT#FS,S,D:IFB=OTHER:RETURN
B
331 PRINT#FS:AS:ERROR: ",R,B:|C
LOSED:CLOSED:END
332 REM *****
*****
333 REM WRITE PROTECT DISK
334 REM *****
335 PRINT#WRITE PROTECT DISK:"P
RNT
336 PRINT#NO PROTECT DISK: "NO
PROTECT DISK"
337 GOTO 304,IFB="" :TRM=100:GOTO
338 PRINT#C,"WRITE" :TRM=100
339 PRINT#CHECK DISK AND PRESS
ANY KEY" :FOR:R,S,D:WAIT#1,S,P
R:END

```

continued from page 22

```

TERPOSE,COUNTERMIL,OFFSET.
"
80 3088 DASHCOUNTERFEET,FALSIFY
COPY,SIMULACE,FAKE,IMITAGE,
PROSEY
81 3089 DASHRECORD,NEED,COPY,CL
Plicate,FORCE,PACTURE
82 3090 DASHWAGE,REPRODUCTION
RY,"
83 3091 DASHLATERAL,SERIAL,INFL
PACTOR,IMPRESSION"
84 3092 DASHIMPOSSIBLE,NOPELESS
,FORLONE,IMPRACTICABLE,DIFF
ICULT,WARDIFFICULT)
85 3093 DASH(DAY,TRYING,"
86 3094 DASHCONSPIRACY,CONSPIR
CY,CON"
87 3095 DASHSURFACE,COVERINGOFF
ENTLY,EXTERIOR,WEAVER,FROMBE
FROM",FROPAGE,"
88 3096 DASHSTRONG,POWERFUL,GRE
ATITUDE,RESILIENT,FORTARI
OUT,CLIMBLE,"
89 3097 DASHWAG,IMPURTY,OUTIN
T,LESSON,REARIBALTY,SLASH,LA
SERVIT,"
90 3098 DASHLOSI,COMPLACE,TRISLA
V,"
91 3099 DASHHAZIC,ENCRUMENT,D
COUNT,SECRET,SPILL,COLARY,
ILLUSION,TRON,"
92 3100 DASHALLEGIC,EGALIZED,OP
POS,IMPERIAL,KIND,NOBLE,REGA
L,ROYAL,SOVERLY,"
93 3101 DASHENTRUSURENACY,ADMINI
STRATION,CIVIL SERVICE,DIRECT
ORATE,GOVERNING
94 3102 DASHADMINISTR,OFFICIALD
RY,"
95 3103 DASHBUY,PURCHASE,ACURE
,OBTAIN,GET,SECURE,BUY,LEAS
E,RISE,"
96 3104 DASHYING,COML,PAGE,COLE
LECTY,PIL,SMPT,CLUMPS,TUNNEL
,EXCAVATION,"
97 3105 DASHINOP,INCONSEQUENT
AL,INSIGNIFICANT,INFERIOR,NE
GLIGIBLE,PITY
98 3106 DASHOVERWRITE,TRIFLING
G,TRIVIAL,UNIMPORTANT,"
99 3107 DASHWAG,CRACK,CRACKED
,SCRANDED,SHAKE,LUNATIC,DRIF
T,BLIND"
00 3108 DASHSTOREN,CONSUMER,P
URCHASER,CUSTOMER,BUYER,PATRON,SM
OFFER,PURCHASER,"
01 3109 DASHCON,CONVE,OUTCAMP
02 3110 DASHCONVE,CONVE"
03 3111 DASHCONVECTION,CONVECT,|
CONVECT,NEED,NECESSITE,VE
CON,CONVECTION"
04 3112 DASHFLAVOR,ESSENCE,TIN
TURE,TEST,"
05 3113 DASHCRITICAL,CONSCIOUS,S
CONSCIOUS,PERITIC,PROCLAM,REC
OL,"
06 3114 DASHIDENTICAL,ALIKE,CON
SPICUOUS,DUPLICATE,COMPL,|
GUMENT
07 3115 DASHALICE,SAYS,TEIN,WAGE
RYLARI,"
08 3116 DASHINTERESTING,AGREE
AS,APPEAL,ISS,CONPELLING,SPER
DING,INTRIGUING,"
09 3117 DASHDIPLO,ACCLASH,APPLA
UD,CLEBERAGE,CONVINC,PARISE,"
10 3118 DASHALIST,CATALOGUE,DIRI
ECTOR,FILE,INDEX,INVENTORY,|
NOVICE,RECORDLIST:
11 3119 DASH**

```

Inside the

*Continuing his series on programming the 1341 drive,
Fergal Moane offers some insight into the internals of
your machine*

By Fergal Moane

Now that we've gained a fair knowledge of machine code and disk editing, it's time to turn our attention to the internal geometry of the 1341. Inside the 1341 lies a dedicated computer. It has a 6502 processor (as in the 64), 1K RAM, 1K ROM, and interface chips.

Commodore's designers have far over had foresight, and gives us a host of advanced commands to manipulate the drive's internal memory. You can use the drive's ROM routines, or write your own in the RAM buffers. This allows advanced protection routines and disk tables to be created. I've even seen a program which uses the drive's 6502 to calculate numbers for vector graphics routines, effectively using the drive as a second slave processor, speeding up things to end.

The Commands

The three commands below are the approximate equivalent of PEEK, POKE and SYS. Using these commands, it's possible to create your own machine code, or use the DOS routines. Unfortunately, Commodore has never published disassemblies of its disk ROM, so use of it is extremely limited. The best way to use the disk memory is to buy a machine code monitor which allows assembly and disassembly to disk memory. DATEL and TRILOGIC have cartridges with monitors possessing this facility.

MEMORY-READ

```
PRINT #15, "M-R" CHR$(%c)
CHR$(%d) CHR$(number)
CHR$(%e) is the low byte of the
```

address in DOS that is to be read.

CHR\$(%d) is the high byte of the address.

CHR\$(number) is an optional parameter which indicates the number of bytes to be read.

This program that OPEN 13,8,15 has been performed earlier in the program (as it always should be). A GET #13 will read the byte from the error channel, performing a PEEK of the address specified by the CHR\$(%e) code.

MEMORY-WRITE

```
PRINT #15, "M-W" CHR$(%c)
CHR$(%d) CHR$(number) CHR$(data)
CHR$(data) etc...
```

Number obviously specifies the number of bytes to be written. The number of pieces of data should correspond to the number in the third CHR\$(%e) command. The maximum amount of data that can be sent at one time is 24 bytes.

MEMORY-EXECUTE

```
PRINT #15, "M-E" CHR$(%c)
CHR$(%d)
```

This command will call and execute a machine code program that resides in the DOS memory. This routine should end with a RTS instruction. DOS routines can be used with this command.

USER COMMANDS

```
PRINT #13, "Us"
```

See the table below for possible values of N. These commands allow a jump table to be set up, as there is

enough room for a JMP instruction to your routine. This means that by using two letters, you can access a table of routines quickly and easily, even from Basic. All the below User commands access buffer 3, the unused buffer suitable for machine code.

```
U3 or UC jump to $0300
U4 or UD jump to $0304
U5 or UD jump to $0306
U6 or UF jump to $0309
U7 or UG jump to $030C
U8 or UH jump to $030F
U9 or UI jump to $FFFA
Uj or UJ power-up vector,
sets drive
```

Examples

Here are some simple examples which demonstrate the above theory. They may be useful in disk utility programs.

EXAMPLE 1 - space on the current disk

```
10 OPEN#15, 8, 15, "I"
20 PRINT #15, "M-R" CHR$(256)
CHR$(2)
30 GET #15, %X(%X) = %X + CHR$(%X)
40 PRINT #15, "M-R" CHR$(252)
CHR$(2)
50 GET #15, %Y(%Y) = %Y + CHR$(%Y)
60 A=ASC(%X) + 256*ASC(%Y)
70 PRINT# "BLOCKS FREE"
80 PRINT#A/4 "KILOBYTES FREE"
90 CLOSE 15
```

This reads the blocks free on a disk, and calculates the number of kilobytes available by dividing by four. %X and

e 1541

40 PRINT NAMES:CLOSE 15

YS contain the low and high bytes of the blocks free.

EXAMPLE 3—alignment adjuster and woodpecker remover

```
10 INPUT "WOODPECKER (Y/N) "
  /W3
20 IF WS < > "Y" THEN B = B + 128
30 INPUT "HALF TRACK SEEKER
  (Y/N) " : AS
40 IF AS < > "Y" THEN B = B - 64
50 INPUT "LOADING ATTEMPTS
  (0-30) " : L
60 B = B : L OPEN 15, R, IS
70 PRINT # 15, "M-W" CHR$(108)
  CHR$(9) CHR$(1) CHR$(8)
80 CLOSE 15
```

This program alters the vital location \$06 in disk RAM. It controls the number of read attempts to be made, i.e. how many times the disk drive will try to read the sector. This is usually five. The "woodpecker" sound made when the disk head hammers off the end stop can be avoided. Also, if your disk drive is out of alignment, the half track reads will increase the chance of loading a misaligned program.

```
EXAMPLE 3 - disk name
10 OPEN 15, R, IS, "F"
20 PRINT # 15, "M-R" CHR$(144)
  CHR$(7) CHR$(16)
30 INPUT # 15, NAMES
```

This reads the system letter name of the current disk. Note the CHR\$(16) to define the number of locations to be read and the use of INPUT # to limit multiple characters.

When fiddling around with your disk drive, it makes sense to take the disk out of the drive. This ensures that if a dud value hits a sensitive spot, your disk will not suffer the consequences. Remember that you cannot damage the drive by software, and switching it off and on again will restore everything to normal.

Memory Map

There's little point in musing around with disk memory if you don't know what you're doing. Below is a 1541 memory map which details some of the more interesting features I came across. I saw no point in providing DOS disassemblies, so you'll need a good disk monitor to experiment with DOS features.

RAM 0000-07FF 0000-2047
ROM 0800-FFFF 2048-65535

HEX	DEFAULT	DESCRIPTION	HEX	HEX	DESCRIPTION
0000	1	COMMAND CODE FOR BUFFER 0	00A000	140-140	BUFFER POINTER
0001	1	COMMAND CODE FOR BUFFER 1	00A004	141-139	ADDRESS OF BUFFER 0
0002	2	COMMAND CODE FOR BUFFER 2	00A008	142-138	ADDRESS OF BUFFER 1
0003	3	COMMAND CODE FOR BUFFER 3	00A00C	139-140	ADDRESS OF BUFFER 2
0004	4	COMMAND CODE FOR BUFFER 4	00A010	141-132	ADDRESS OF BUFFER 3
0005-0007	5-7	TRACE AND SECTOR FOR BUFFER 0	00A014	04-04	POINTER TO INPUT BUFFER
0008-0009	8-9	TRACE AND SECTOR FOR BUFFER 1	00A018	04-04	POINTER TO ERROR MESSAGE BUFFER
00A000B	10-11	TRACE AND SECTOR FOR BUFFER 1	00B00004	10-10	RECORD 000 10 00 00 00 00 10
00C00000	12-13	TRACE AND SECTOR FOR BUFFER 1	00C00000	11-10	RECORD 000 00 00 00 00 00 00
00E00000	14-15	TRACE AND SECTOR FOR BUFFER 4	00E00000	11-10	WRITE POINTER FOR FILE 00 0
00C00001	16-19	ID FOR DRIVE 1	00C70000	10-100	RECORD 1 0 0 0 0 0 0 0 0 0 0 0
00C00001	20-21	ID FOR DRIVE 1	00C0	110	POINTER TO RECORD FOR REL FILE
00C00001	22-23	CURRENT ID	00C0	110	SEE SECTOR NUMBER
00C00001	24-25	HEAD TRANSPORT FLAG	00C0	110	POINTER TO DATA BLOCK IN HEAD SECTOR
00C00001	44-49	WRITE POINTER	00C7	110	POINTER TO RECORD IN REL FILE
00C0	54	MARKER FOR BEGINNING OF DATA BLOCK READER	00C7	110	FILE TYPE
00C0	58	PARITY FOR DATA BUFFER	00C7	140	SECTOR NUMBER
00C0	5A	DRIVE NUMBER FOR DISK CONTROLLER	00C000	100-100	STACK
00C0	5A	BUFFER NUMBER FOR DISK CONTROLLER	00C000	101-101	INPUT BUFFER FOR COMMANDS
00C0	57	NUMBER OF SECTORS PER TRACE	00C0	200	FILE TYPE
00C7	77	MARKER FOR BEGINNING OF DATA BLOCK READER	00C0	600	RECORD LENGTH
00C0	7E	STEP POINTER	00C0	600	TRACE HEAD SECTOR
00C0	79	STEP COUNTER FOR HEAD TRANSPORT	00C0	600	LENGTH OF SECTOR
00C0	81	ACTUAL TRACE NUMBER FOR FORMATTING	00C0	600	LENGTH OF FILE (115)
00C0	80	HEADER SIZE FOR WRITE (includes	00C0	600	NUMBER OF FILE NAMES
00C0	80	LAST NUMBER OF WRITE ATTEMPTS	00C0	600	FILE CONTROL METHOD
00C0-00C0	111-112	POINTER TO ADDRESS FOR COMMANDS	00C00000	000001	TRACE OF A FILE
00C0	114	WRITE NUMBER FOR LISTEN	00C00000	000001	SECTOR OF A FILE
00C0	116	WRITE NUMBER FOR TALK	00C00000	100-100	WRITE 0 FOR ERROR MESSAGES
00C0	117	FLAG FOR LISTEN	00C00000	100-100	WRITE 0 FOR TRACK FREE
00C0	117	FLAG FOR TALK	00C00000	100-100	WRITE 0 -MANY WORDS PER FILE
00C0	114	FLAG FOR ATN FROM SERIAL BUS	00C00000	100-100	WRITE 0 -DIRECTORIES
00C0	114	FLAG FOR SD FROM SERIAL BUS	00C00000	100-100	WRITE 0 -DATA BUFFER
00C0	117	0-DISK NUMBER	00C00000	110-110	WRITE 0 -DIRECTOR 1
00C0	118	CURRENT TRACK NUMBER	00C00000	110-200	WRITE 0 -RAM IMAGE
00C0	118	CURRENT SECTOR NUMBER	00C00000	200-000	CURRENT RAM
00C0	120	CURRENT CHANNEL NUMBER	00C00000	000-000	WRITE 0 BUS CONTROLLER FOR SD
00C0	120	CURRENT FILE NUMBER	100-000	444-517	WRITE 0 -RAM
00C0	120	CURRENT SECONDARY ADDRESS	100-000	100-100	WRITE 0 -CONTROLLED SD
00C0	120	CURRENT DATA WRITE	100-000	100-000	WRITE 0 -RAM
00C0-00C0	120-124	DISKON WORK AREA	100-000	0000-0000	DISK OPERATING SYSTEM

Memory Man

Explore the intricacies of your 128's memory

By David Kelsey

The C128 has many programmable chips within it. There's the VICII chip for 40-column screen output, the SID chip, which is dedicated to sound, and the two CIA chips which control interfacing and interrupts on the C128. These chips are identical to those found on the C64 - except for the VICII chip, which has one extra register to control the stack speed of the 8502 processor - and has already been covered in a vast amount of detail. But the C128 has two extra chips. The first is the 68-column screen chip, the second is the Memory Management Unit (MMU for short). In this article, we'll be taking a closer look at the MMU.

C128 Memory

The C64 was very unique of its time simply because the micro processor could access more than 64K of memory, though not all at the same time. It could do this because the 8502 was upgraded to allow for special methods of "bank" selection. RAM and ROM were separated into blocks, and parts of RAM could be mixed with parts of ROM to produce a full 64K of memory, which the 6510 micro-processor would then see as a full 64K of addressable memory.

The C128 also uses this concept, but Commodore decided to add another 64K of RAM and a whole lot more ROM. The 8502 (which is an upgraded 6510 to allow 2 mbz operating) couldn't cope with this amount of RAM and ROM, so a chip dedicated to managing all this memory was required. Thus the MMU was born. The upshot of this is that the Commodore has 128K of accessible RAM and a vast amount of ROM to provide the operating system, Basic V7.0, and of course the C64 operating system with Basic V2.0. All this is managed by the MMU so that a different variety of mixtures of RAM and ROM can

be produced to make up the full 64K for the 8502 to address. Each one of these varieties is called a configuration.

Who uses the MMU

This chip is used frequently by the operating system. When running a Basic program, it has to retrieve the actual program from RAM, but the code for Basic which operates on the Basic instruction is stored in ROM.

You may have also used the MMU. The Ready command BANK provides control over the MMU. This command is only used to allow selection of the possible configuration to allow for running machine code programs from Basic or to poke/poek certain memory locations.

The 8502 registers

Before I start on the MMU registers, I'll briefly mention the 8502 registers used to manipulate what the 8502 addressing sees in the way of ROM and RAM. These registers are found at locations \$00 and \$01 - location \$00 is the data-direction register for register \$01.

In 64 mode, they operate as standard to a C64, and much has already been written on this subject. In 128 mode, however, there is a difference. Bits 0-2 of register \$01 are used to tell the VIC chip and the 8502 where to get information.

Bits 0 & 1

The VIC chip gets the colour information for the screen from RAM at \$8000, which is part of the I/O block. However, there is another block of RAM which can be used for colour. This means there are two colour RAM blocks. They both reside at locations \$A000 - \$BFFF, and a block is selected using bits 0 and 1 of address \$01.

Bit 1 tells the VIC chip which block to use to display the colour - '0' represents RAM block 0, and a '1'

represents RAM block 1. Bit 0 tells the MMU which block will be seen by the 8502 when the I/O section is available to the 8502 (more about this later). This allows the updating of one colour block seen by the 8502 while the other colour RAM block is actually being displayed by the VIC chip. It would then be possible to switch the blocks displayed and update the other RAM block.

On power up, the standard block displayed by VIC and seen by the 8502 is ram block 0.

Bit 2

Bit 2 selects whether the Character information is within the VIC video bank - 1 means that the character information is found at RAM within the video bank, while 0 means that the character information is taken from ROM at \$C000.

More information can be found with the text regarding the VIC chip.

The MMU registers

The MMU is controlled using several registers which allow a programmer to control which blocks of RAM and ROM are concurrently visible to the 8502, select which micro processor is being used (the C128 has a 280 inside), and a lot more besides.

What follows is a description of each register and its relative use.

The configuration register

The configuration register is the one that tell the MMU how to make up the 64K to be addressed by the 8502. This register is based at address \$0500 is the I/O memory block, but can also be found at \$FF90. The reason for this will become clear very soon.

The first thing this register can do is select which bank of RAM will be used - RAM 0-1 (0-1 is possible with memory expansion). The area from \$C000-\$FFFF can be varied in four different ways. It could contain kernel ROM, other types of ROM or just RAM. The area \$8000-\$BFFF is also variable in a similar sort of fashion.

Management


Area 34000-3777 can either be Basic ROM or RAM.

Lastly, the area 38000-3AFF can either allow or contain the I/O register or RAM. This is why 37F0 shadows the MMU register at 34300. It's possible to switch out the I/O area, but if you did that, how could you then change the 64K configuration again?

Figure 1 shows graphically how the RAM and ROM sit.

Figure 1

The following table summarizes how a 64K block can be put together:



NAME OF AREA	BITS SELECTION
Bank Select	7,6 00 = RAM 0 01 = RAM 1 10 = RAM 2 11 = RAM 3
3c000-3d77	5,4 00 = Kernel ROM 01 = Internal ROM 10 = External ROM 11 = RAM
38000-3aff	3,2 00 = BASIC ROM high 01 = Internal ROM 10 = External ROM 11 = RAM
34000-3777	1 0 = BASIC ROM low 1 = RAM
34000-34ff	0 0 = I/O registers 1 1 = RAM ROM (depending on 3c000-3d77)

For example, if you wanted access purely to RAM area, you'd select bit pattern 00111111 = 3F and store this at location 37F0. If you wanted RAM 1 and kernel ROM with I/O registers, the bit pattern required would be 00011110 = 4E.

Preconfiguration Registers

The preconfiguration registers allow a way of setting up fixed configurations. You can have upto four fixed settings, and to do this you decide on the configuration you want, then store it

in one of the preconfiguration registers 3501-3a54. Whenever you want that configuration, you just access the corresponding registers 3500-3f04. An access can be any type of store such as STA, STX or STB to that address. By way of example, consider this small program:-

```
LDA # 37F
STA $D001 (assume that I/O registers
are accessed)
```

```

:
:
:
:
STA $FF00 (select configuration
37F)
```

The registers at 3700-37FF must be available in both RAM blocks so as to allow configuration switching anywhere. A further useful point is that when an interrupt occurs, the system could be in any configuration, so at least part of the interrupt service routine must be available in all configurations. Instead of placing the code in 'COMMON RAM', the concept of which is described a little later, code is copied from ROM to RAM in both RAM blocks.

Mode configuration register

As you know the C128 has three modes of operation; C64, C128 and 280 mode. Via this register these modes can be selected.

Below is a description of each bit of the register and its function. This register can be found at 34300, and isn't shadowed.

BIT	DESCRIPTION
6	This selects the processor to be used. 0 = 280, 1 = 6302.
1,3	Not used.
5	This bit is called the PSDIR bit, and is used to control the flow of data along the CIA, used for serial interfacing. An 0 indicates the fast serial port is for input, and a 1 means that the fast serial port is for output.
4,5	These are used for cartridge port. They can detect signals on the cartridge port and act accordingly. For instance, a C64 cartridge pulls these lines low. The C128 detects this on power up and puts the computer into C64 mode to allow the cartridge software to run.

- 6 - Selects C64 or C128 mode. 0 = C128 mode, 1 = C64.
7 - 40/80 display key sense. 1 = key depressed.

Figure 2.



Ram Configuration register

Although...

on a standard C128 there are two separate blocks of 64K RAM, it's possible to have 'Common' RAM. Common RAM is RAM which appears in RAM 0 and RAM 1. To illustrate this, try the following example:

```
BANK 1:POKE 254,144
BANK 0:POKE 254,175
BANK 1:PRINT PEEK(254)
```

The result will be 175. This means that a certain part of memory is the same no matter which RAM block you are in. You change it while in RAM 0 and switch to RAM 1, but at that certain part of memory the 8502 still sees RAM 0. This register is the one that allows the programmer to control which parts of memory are common, and how much of it is common. This register is found at \$4506.

Figure 2 gives a graphic illustration of the concept of 'common' RAM. From 'T' to \$FFFF, the contents of the memory seen by the 8502 will always be the same no matter what ram block the 8502 is 'seeing'. Similarly, from \$0000 to 'B' the same applies. Via this register you can move 'T' and 'B' around.

BITS - DESCRIPTION

- 1,0 Determine the amount of common Ram.
00 = 1K common RAM
01 = 4K common RAM
10 = 1K common RAM
11 = 16K common RAM

- 3,2 These determine which areas of memory will be common. It can be 2K from the top of memory down, 2K from the bottom of memory upwards, or both.
2K is the amount specified to be common (explained above)
00 = No common RAM
01 = Bottom of RAM is common
10 = Top of RAM is common
11 = Both top and bottom are common
5,4 Not used.
6 VIC chip bank (see below).
7 Not used.

The VIC chip can be manipulated to use different parts of memory. This bit allows RAM block selection as well. 0 = use RAM block 0, 1 = Use RAM block 1.

Examples

4K common RAM with bottom of RAM only being common (\$05)-
B = \$0FFF (inclusive)
T = not used
common \$0000 - \$00FF
1K common RAM with the top and bottom being common (\$0C)-
B = \$05FF (inclusive)
T = \$FC00 (inclusive)

i.e. common \$0000 - \$00FF, \$600 - \$0FF

Page 0 & 1 pointers

Another feature of the MMU is the ability to move page 0 and page 1 in any part of memory. The 8502 is transparent to this, and so the code isn't affected.

For example, suppose the MMU has 'moved' page zero to location \$1000. Then, the example-

```
LDA # 500
STA $80
LDA # 540
STA $81
LDY # 0
LDA ($80),Y
```

will actually put 500 40 into locations \$1000 and \$1001 respectively. The final line will of course execute as normal, placing in A the contents of address \$4000.

Whenever the microprocessor accesses page 0, the MMU intercepts this and creates a new address based on the contents of the page 0 pointer. The microprocessor then sees this address thinking it's page zero. What this means is that you can move page zero to another free area if you've no spare memory in usual page zero. The microprocessor doesn't recognise any difference, and so all usual page zero 8502 instructions work. A similar description could be given for PAGE 1 pointer as it works in the same way.

Two registers are used to move the page 0 boundary, and two are required for page 1. The two sets of registers work in exactly the same way, so by way of example I shall just talk about the PAGE 0 pointer. Within the 64K memory are page boundaries. There are 256 page boundaries in 64K, which occur at every 256 bytes. The table below outlines the page boundaries:

```
$0000 - First boundary
$0100 - second boundary
$0200 - Third boundary
$0300 - next boundary
```

```
...
...
...
$0600 - boundary
$0700 - final boundary
```

The page 0 must be placed so that it starts at one of these boundaries. The address \$D807 allows you to select 1 of the 256 boundaries you wish it to go on.

You can also select which block of RAM you want to place the page you're moving. This is controlled by the register at \$D808. Bits 0-3 are used to select the RAM block, but on a standard 128 the only bit that has any effect is bit 0. An 'Y' indicates RAM 0, and a '1' selects RAM block 1.

One further thing to note: to change the contents of these registers

requires a special operation. The registers are not changed until a write operation is performed on the lower register that controls page boundaries. For page 0 this would be the register at address \$D507. You first write to the bank register at \$D508 for page 0 (the value is stored but not in the register). When you write to the boundary register (at \$D507 for page 0), this register is updated and then the bank register is updated with the value stored. For example, moving page 0 to location \$1000 in bank 1 could be done as follows:

```
LDA    bank 1.
$B1
sta    must be done before the
$D508  $D508 write.
LDA    boundary for address $1000
$B9    (ie high byte of address).
STA
$D507
```

This isn't a very practical example - if you try this it will crash the computer because the operating system requires access to the correct page zero. A better demonstration is in this short program:

```
SEI    stop my interrupts which
      may use the stack.

LDA    $00
STA
$D50A
LDA    $04
STA    set page 1 to address $0400.
$D509
LDA    any character would do.
SEA
PHA
PHA
PHA
PHA
PHA
PHA
PHA
LDA
$B1
STA    restore original stack.
$4509
CLI
BRK
```

When you run this, some characters will appear on the 40 column screen.

Note that the stack position isn't preserved by this program, so if you run it again, characters will appear in different places.

To summarise the registers:-

```
$D507 - Boundary register for page 0.
$D508 - Bank register for page 0.
$D509 - Boundary register for page 1.
$D50A - Bank register for page 1.
```

MMU version Register

This register is found at address \$D50E, and has two parts to it. The high nibble - i.e. bits 4-7 - contains the number of 64K RAM blocks that the MMU can 'use'. In the case of the standard C128, this is two blocks. The low nibble (bits 0-3) contains the version number of the MMU chip. The current value is 0, so for a standard C128, the contents of this register are \$28.

Accessing memory blocks

Of course, we've seen the registers that are available. The next thing to consider is how we can access memory currently not seen by the CPU, without appearing to have to change the configuration and run the risk of crashing because we switched out the memory the program was actually running in. This consideration is only required for machine code programmers. Basic contains the BANK command which, although not allowing all the configurations possible, does allow the

ability to access any part of the range of Commodore memory at any time.

The Commodore operating system provides five routines for just this situation. These are:-

```
LDAFAR
STAFAR
JRFAR
JMPFAR
CMPFAR
```

One way to call these routines is via the kernel calls, which don't actually call these routines directly but go into kernel ROM first. I don't recommend this, as it restricts you to having the kernel routines visible to the CPU before you can access these routines. I found on one occasion, that I couldn't get access to KERNEL ROM but required these routines.

The first question you may ask yourself is how can these routines be available from any configuration? The answer lies in how Commodore initializes the MMU on startup. It defines a common area from \$000 to \$01E, and places the routines within this block. Therefore, no matter which configuration you are in, these routines are always there and as only RAM is available at the address range \$0000 - \$01E, these routines will always be available.

LDAFAR, STAFAR & CMPFAR

These routines provide extensions to the LDA (\$xx), STA (\$xx), and JMP (\$xx), JMF (\$xx) commands. The format for calling is as follows:-

```
LDAFAR: lda  xx      zero page address used 'xx' for LDAFAR
              sta $02aa
              lda config
              jr  $02af      config is the configuration required

STAFAR:  lda  xx
              sta $02b9
              lda config
              jr  $02af

CMPFAR:  lda  xx
              sta $02c8
              lda config
              jr  $02be
```

The kernel version is similar, but it allows the BANK number to be given rather than the configuration. It then converts the bank number to the required configuration, updates the routine to use the correct zero page address, then calls the LDAPAR or STAFAR routines. The call to these routines are as follows (making sure you have the correct configuration):

```
LDAPAR: lda xx
         lda bank
         jr $074

STAFAR:  lda xx
         sta $024
         lda bank
         jr $077

JMPFAR:  lda xx
         sta $024
         lda bank
         jr $076
```

JSRFAR & JMPFAR

These routines provide an extension to the standard JMP and JSR commands found in BASIC. The kernel routines don't have any extra code before they call the routines stored in \$0000 - \$0400, unlike the STAFAR and LDAPAR routines, so the use is basically the same. These routines make use of addresses \$02 - \$09 in zero page to pass all the possible required information internal to the CPU, such as the registers. The memory has the following layout:-

\$02 - Bank number.
 \$03 - High byte of address to either JMP or JSR.
 \$04 - Low byte part.
 \$05 - Processor status.
 \$06 - Accumulator.
 \$07 - X index register.
 \$08 - Y index register.
 \$09 - Stack Pointer.

We see that the address contained in locations \$03 & \$04 are in a different order to what would normally be expected, so for example to jump to address \$404F then set:-

```
$03 - $4F
$04 - $04
```

Apart from location \$09, the JSRFAR

and JMPFAR require all the above information to be setup.

Set up as above then:-
 JSRFAR: jr \$071 or \$02c1
 JMPFAR: jr \$076 or \$02d1
 (Both calls do exactly the same actions.)

On the return after a JSRFAR routine, the values in addresses \$05-\$09 will contain relevant information about the state of the internal registers upon exit of the subroutine called. This information follows the layout described above.

JSRFAR code:		
\$02c1 70 e7 02	jr \$02c1	call JMPFAR routine.
\$02c2 85 06	sta \$06	Save returned A,X,Y.
\$02c3 86 07	sta \$07	
\$02c4 84 08	sty \$08	
\$02c5 08	php	Save Processor status.
\$02c7 68	pha	
\$02c8 85 05	sta \$05	
\$02ca 0a	tax	
\$02cb 86 09	sta \$09	Save the stack pointer.
\$02cd 09 09	lda \$09	set configuration.
\$02cf 84 00 ff	sta \$1000	In this case BANK 13.
\$02d0 60	rts	return to caller

JMPFAR		
\$02d1 a2 00	lda \$00	Place the address and
\$02d2 b5 03	lda \$03,x	Processor status on the stack.
\$02d3 48	pha	
\$02d4 68	sta	
\$02d6 00 03	cpy \$03	
\$02d7 90 08	bcc \$02c5	Get Bank.
\$02d8 a8 02	lda \$02	work out configuration.
\$02d9 20 06 ff	jr \$1006	
\$02db 80 00 ff	sta \$1000	
\$02d5 a7 06	lda \$06	Get the values of A,X,Y.
\$02df a5 07	lda \$07	
\$02e1 a4 08	ldy \$08	
\$02e3 60	rti	return to address on stack.

These routines would have been very useful if Commodore hadn't made one mistake. Even if you call these routines in the common area and not via the KERNAL, jump, the code then tries to call a kernel routine to convert the bank number to the configuration value. This means to use these routines you must have a configuration where the kernel is visible to the CPU. It also restricts you to only using 16 possible configurations.

An example of this problem can be seen when writing a machine code program which will sit in RAM 1 at high storage say \$F000. This situation

may occur when you want to add a modification to Basic, and you want to sit the program above Basic variable storage which is in RAM 1. If at any time the program needs to call a routine say in the kernel, it can't!

To try the solve the problem, we need to examine the code more closely: The subroutine call to JMPFAR means that when a return is encountered in the code called, it returns back

to the address \$2340, which is common memory.

By looking at the code for these routines given above, we see that the bank conversion call done by both JSRFAR and JMPFAR is actually done by the same piece of code (there's no point looking at the KERNAL version, as all they do is directly jump to the above routines). Also we see that the JSRFAR routine assumes you want to return to configuration 00, but this isn't always the case. It's obvious that to make these routines more flexible, they need to be modified. The problem is that if they are modified,

will they remain compatible with other codes that also call these routines?

Solution 1

This is just a direct patch on the existing code:

```
$020f from 20 to 2c
$0212 from 8d to 8c
```

So the new JMPFAR code is:

```
$02c7 a2 00 lds $00
$02c9 65 03 lds $00.s
$02cb 48 pha
$02cd a8 and
$02cf a0 03 cpa $03
--$02d1 90 05 bcc $02c5
$02d3 a9 02 lds $02
$02d5 30 4b ff lsr $00b
$02d7 8d 00 ff cpx $000
$02d9 a3 00 lds $00
$02db a6 07 lds $07
$02dd a4 06 lds $06
$02df 68 or
```

```
$02e0 routine.
$02e1 Retrieve registers.
$02e2 Call routine (address
to be patched).
$02e3 Return of routine
called.
$02e4 Save possible affected
registers.
$02e5 LDA
SPE
$02e6 STA
$02e7 SFF0
$02e8 PLA
$02e9 PLP
$02ea RTS return
```

Place the address and Processor status on the stack.

Get Bank.
Perform no relevant action.
Save configuration.
Get the values of A,X,Y.

return to address on stack with the processor status.

You will have to put the contents of location \$000 into \$020e before you call the routine. This provides the configuration you want the routine to return to after the JSRFAR.

If you change the code in this manner then you must specify the configuration in location \$02 before calling. Because of this it is no longer compatible with the original version, and any other call to this routine entering the usual code is liable to crash. The interrupt routines don't use this part of the code so there isn't any problem. If, however, you are calling BASIC or KERNAL routines they may use these routines and it won't work in this modified form. An alternative solution could be:

Solution 2

```
$0204 PHP Save registers that
could be affected.
$0205 PHA Store current
configuration.
$0206 LDA
$0207 SFF0
$0208 STA
SPE
$0209 LDA Store New
configuration.
?? Patched by calling
$020d STA
```

This routine mimicks a JSRFAR call. To use it, the following information must be set up.

```
$020C configuration to JSR
to
$020D low address of routine
to call
$020E high address of routine
to call
```

For a JMPFAR routine, the code becomes:

```
$0204 PHP
$0205 PHA - configuration to be
patched by caller
??
$0206 PLA
$0207 PLP
$0208 JMP - address to be
patched by caller
$0209
```

The routine here requires that:
\$020F - configuration
\$020E - low address to jump to
\$020C - high address to jump to

Calling this routine won't affect any of the registers, and the same rule

applies on return in the case of the JSRFAR routine. The disadvantage of this system is that code is overwritten from address \$020F-\$020C when the JSRFAR routine is stored. The code removed is a DMA routine which is used for initializing external memory access. If ever a need for the JSRFAR code was required, you could patch it in, execute it, then patch back the DMACALL routine either by saving it first using a program, or by just knowing what it is and putting it back. This code isn't used in the normal running of the system. You should obviously select a method that's suited to your needs.

One final thing to note. These routines stored in the area \$0000 - \$0001 are crucial for the programmer to be able to access other blocks of storage.

Practical uses

We've now covered what registers are available and what software is available for use. But what can you do with it?

With the upgrade to the system software, you can now design programs to run in any RAM block accessing any part of the available Commodore memory. Before, you may have thought you were restricted to just placing programs at certain points because you required access to certain ROMs. I've designed programs which require access to RAM 0, but couldn't actually be in RAM 0 in case of corruption of the data stored there. An example of this is the LABEL-LINKER featured recently in *Four Commodore*. This used the available routines of LDAPAR and STAPAR, along with the modified JSRFAR and JMPFAR of solution 1.

Other possibilities

With so much control over the memory, all sorts of new techniques can be used, and so new programs can be created. The ability to move the location of page zero and page 1 should also broaden your computing horizons considerably. You could move the page 1 and store information in memory via the PHA stack faster than the STA command ever could.

One possibility is the concept of multitasking machine code programs making use of the ability to move page 0 and page 1.

128 Corner

*Our regular news letter and general comment spot for
C128 owners*

Welcome to the latest installment of C128 Corner. This is the page where C128 owners can find news of new products, general product news and of course letters, comments and general queries from other readers. Don't forget, if YOU have a query, a bit of news or would just like to make a general comment about the C128 then please do write in. If you don't, then C128 Corner will be incredibly hard to produce, so help us to help you by writing in.
First a letter:

Resetting the C128

In a recent review of the Super Snapshot cartridge (Your Commodore, April 1989), the author noted that there was no switch to turn it off. So to switch his C128 from 64 to 128 mode, he had to switch off his machine and remove the cartridge. This is also the case with the Action Replay cartridge and I imagine many others, much to the annoyance of C128 owners everywhere.

While it is technically possible to add a switch that would switch out a cartridge on the C128, without extra circuitry to protect the computer (flaking the switch with the power on could damage the computer. Perhaps anything that adds a few

pounds to the cost of the cartridge partly for the benefit of C128 owners, isn't considered viable by the manufacturer!

I saw the Data! advert for their motherboard - 'switch out any slot', it says. Great, I thought, just what I need for my C128/Action replay. But, after buying this, I discovered that while it does switch from one cartridge to another, it does it by switching the 5V power supply to the cartridge on and off. It doesn't allow you to go from 64 mode to C128 mode, even with the board switched to an empty slot.

After a period of switching off, unplugging the cartridge and switching on everytime I used C128 mode, I investigated both cartridge and 64 manual. I found that it's easy to turn off any


cartridge by simply adding a second switch to the motherboard.

Pin 9, marked ENROM in the 64 manual, is the one that locks the 128 into 64 mode. Inserting a switch into the track on the motherboard would make it possible to switch out the motherboard and cartridges. On Data's board, the track from pin 9 consistently goes to the underside of the board for a short distance. At this point I scraped away part of the track, soldered two small wires to each end of the cut track, and connected these to a small switch mounted beside the board's reset button - making pin 9 switchable. Now switching the C128 on with this switch closed

allows the use of cartridges in 64 mode as normal. But turning the computer on with the switch open means it powers up in C128 mode without having to remove any cartridges!

Data's board has some protection fitted to protect the computer cartridge when switching between slots, and this may mean that turning the computer off when switching between modes isn't strictly necessary - I haven't had any problems anyway.

Switching in this way may not be in any of the manuals, but it is cheap, requires only minimal soldering, and has been used by me for a few months, letting me have the choice of three cartridges in 64 mode and use C128 mode without having to remove any of them. I should even



be possible to add a switch to a cartridge connected across a rat track from PIN 9, though in this case you should turn off the computer before moving the switch.

Pin 9 is located on the user port, and is the 9th from the left on the top row looking from the front of the computer - check your C64 manual for more information.

Mike Viss, Dagenham.

It often seems a great idea to modify your motherboard and cartridges in this way. If you were really adventurous, you could head the track to pin 9 inside your C128 and put the switch inside the computer. However, be warned - we have been unable to try any of the above alterations out, and don't forget modifying any lines as indicated would invalidate any warranty.

Make the modifications at your own risk.

If anyone else has similar modifications that can be made to C128s, please let us know so that we can pass the information on.

On the subject of cartridges, you may like to hear about the only cartridge we know of that's available for use in C128 mode. The cartridge is the *Warp Speed* cartridge, available from *Chase Games* of everything to do with the C128 - *Financial Systems Software*. The cartridge offers turbo disk loading, a machine-code monitor and a host of other features. Contact *FSSS* on (0865) 333133 for more details.

C128 in The PD

C128 owners often mean Cabern the lack of software available for their computer. Most of the

software houses probably haven't even heard of this wonderful machine. If you think that there isn't much C28 software, think again - there's loads of it in the public domain.

Public Domain software is a collection of programs written by various authors with no desire to make money from their labours. The software can be copied and given to other C128 owners, as long as any information that the program's author wishes to be passed on with the program is.

We have recently been contacted by Kingrey Computer Services with details of their 128 public domain library. Prices are extremely cheap, and there are plenty of disks crammed full of available programs. For a free catalogue contact:

Kingrey Computer Services
140 Roudale Road
Sheffield
S2 9QZ
Tel: (0742) 588429

128 into Amiga will go

Latest news just in indicates that a program is now available from FSSS that allows files to be transferred to and from the Commodore Amiga, Atari ST and Apple Macintosh to a C128D or C128 with 1571 disk drive. The package costs £29.95. Please note that this is a file transfer utility only - it does not mean that programs from the aforementioned machines can be used on your C128 or vice versa. The main use for such a utility would be for transferring wordprocessor text files.

THINKING OF BUYING A NEW CAR? DON'T!

..... without consulting the

"Handy Little Booklet"

"Handy Little Booklet" is the essential reference book for everyone buying a new car.

It lists the main car manufacturers alphabetically, together with each car's current retail price, insurance group, engine size, urban mpg, unleaded compatibility, Service/Maintenance/Repair costs - based on 50,000 mileage - and tax bracket - for company car drivers.

So before you invest thousands of pounds in a new car invest just £2 in the "Handy Little Booklet" to help you make the right choice.

To get your copy send £2 plus 25pence (for postage and packaging) to: Kim Cleary, Company Car, International Trade Publications Ltd., Queensway House, 2 Queensway, Northill, Surrey RG41 1QS, or telephone her on (0737) 768611 for further details.

Registered no. 2044581



WIN WITH COURSEMASTER

NEW

THE COMPUTER HORSE-RACING PROGRAMME

- RATES ANY RACE IN SECONDS - ANY DAILY NEWSPAPER IS ALL YOU NEED
- NEVER out of date - Both R, Hurl & Flat - Fast data entry
- AMAZING ACCURACY - Here you CAN BEAT THE BOOKIES!
- Works on the simple principle that **FAST HORSES BEAT SLOW ONES!**
- Clearly identifies best selection in every race plus three **AMAZING** Features:-
- First, Second and Third stakes shown for forecasts and Trebles etc. Represents most suitable type of bet
- Actually works out your winnings on most popular bets including WINNERS and DOUBLETS, win and each way - FAVORITE, WINNERS, CANONICAL, HEINC etc. Good BACK RACE and LONG ODDS bets clearly shown
- Win PRINT out your BETTING SLIP for you
- Maintains a **WINNERS** - BET LIVE-**PROFESSIONALS** (50 Records of your bets in any number of accounts. Keep a complete record of your betting or compare **COURSEMASTER** against your favorite bettor)
- **PLUS!** - THE **AMAZING COURSEMASTER SYSTEM!** This superb betting system is included in the programme. A system which regularly produces huge wins that beat other bets. Try it! Can play for itself many times over on the first day!
- Supplied with 30 page **BETTING GUIDE** and **WINNERS**

FREE HOT TIP OF THE MONTH SENT TO EVERY PURCHASER!
 Supplied on TAPÉ at £14.95 for -
 All Spectrums, Commodore 64/128, Amstrad CPC's, BBC B
 Includes Also available for IBM PC compatible, All Amstrad PC's £14.95

Plus postage machine and disc etc

INTRASET LTD. (DEPT PC), FREEPOST (No Stamp needed) 8 Gilderdale Close, Grove Court, Bishopwood, Warrington, Cheshire, WA2 2BR. Or large 648 for further details.

Software for Sale

If you think that one of our programs looks very interesting, but you can't afford the time to type it in, then our software service will help you out

It's three o'clock in the morning. You sit at the computer keyboard having just finished a marathon typing session. Entering one of the superb programs from *Your Commodore*. Your fingers reach for the keyboard and press the letters R, U and N. You press RETURN, sit back and nothing happens.

Everyone has probably faced this problem. When it does happen it's a matter of spending hours searching through the program for any typing mistakes. No matter how long you look or how many people help you, you can usually guarantee that at least one little bug slips through unnoticed.

The *Your Commodore* Software Service makes available all of the programs from each issue on both cassette and disk at a price of £6.00 for disk and £4.00 for cassette. None of the documentation for the programs is supplied with the software since it is all available in the relevant magazine. Should you not have the magazine then back issues are available from the following address:

INFOMET LTD, 5 River Park Estate, Borkhamsted, Herts, HP4 1HL.
Tel: (04427) 76661

Please contact this address for prices and availability.

The Disk

Programs on the disk will also be supplied as totally working versions, i.e. when possible we will not use Basic Loaders thus making use of the programs much easier. Unfortunately at the moment we cannot duplicate C16 and Plus/4 cassettes. However programs for these machines will be available on the disk.

What programs are available?

At the top of each article you will find a strap containing the article type, C64 Program etc. So that you can see which programs are available on which format, you will also find a couple of symbols after this strap. The symbols have the following meaning:



This symbol means that the program is available on cassette.



These programs are available on disk.

Please Note

Since the programs supplied on cassette are total working versions of the program, we do not put disk-only programs on tape. There is no sense in placing a program that expects to be reading from disk on to tape.

JANUARY 1989

PREFAB SPRITES - A powerful sprite editor for the C64.
DAFFRO - A simple but helpful text processor for the C64. Available on disk and cassette but will only store files on tape.

UDC COMPRESSOR - Save on memory when using UDG's in your programs. For C64 only.

WILLIAM TELL - Our popular arcade game for the C64.
-4 AUTORUN - Improve tape loading on your Plus/4 cassette. Only available on disk.

MINIBASE - A database for C128 owners.

ORDER CODE

DISK YCJAN89 £6.00

TAPE YCJAN89 £4.00

FEBRUARY 1989

TAPE MENU - Add a menu system to your program cassettes (C64).

SONIC EFFECTS - A superb sound editor for the C64.

F DUMP - Dump your C64 text screens to printer with ease.

DATA LOADER - A simple way to enter those nasty old C64 DATA files.

SPRITE LIBRARY - A collection of birds to your growing library (C64).

PLAY THE GAME - A superb fruit machine program for the Plus/4. (Available on disk only).

ORDER CODE

DISK YCFEB89 £6.00

TAPE YCFEB89 £4.00

MARCH 1989

PERSONAL FILE - A cross between a wordprocessor and a database that allows you to set up "cards" that can be quickly altered (C64 Disk only).

LETTER WRITER - An 80 column text editor for writing those personal letters (C64).

BASIC WORKSHOP - A single key entry system, just like a Spoozy! (C64)

HEAD FOR HOME - Our version of a popular board game for C16 and Plus/4 owners - available on disk only.

SPRITE LIBRARY - Geometric shapes form this month's installment (C64).

ELECTRONIC NOTEBOOK - A personal diary on disk (C64-disk only).

WILLIAM TELL - Our very popular arcade adventure for the C64.

ORDER CODE

DISK YDMAR89 £6.00

TAPE YCMAR89 £4.00

APRIL 1989

BASIX - Give your C64 new sound, graphics and toolkit commands as well as a machine code assembler with this Basic extension.

AUTOSCROLL - Professional text screen scrolling with this C64 utility.

BALANCE SHEET - Keep your bank manager happy by keeping better track of your money with this C64 program (disk only).

ICON 44 - Add icon control to your own programs with this C64 utility.

80 COLUMNS - A suite of Hi-res graphic commands for C128 80 column users.

ZEUS - A disk file copier for Plus/4 users. Available on disk only.

MULTI-PRECISION ARITHMETIC - A suite of powerful mathematical routines expanding your C64's number crunching abilities.

STORAGE SPACE - Use the RAM behind the C64's Kernel and Basic ROMs for data storage (available on disk only).

ORDER CODE

DISK YDAPR89 £6.00

TAPE YCAPR89 £4.00

MAY 1989

ANTI-FREEZE - Protect your C64 programs from cartridge-based freezes.

MULTI-COLOURED LIST - Brighten up your C64 Basic listings by adding on-screen colour.

PRINTEX - A suite of powerful screen printing commands to add to your Plus/4's Basic. (disk only).

RANGER 128 - Money Management for C128 disk users.

TURBO TOUCH - A superb typing trainer for C64 disk users.

ORDER CODE

DISK YDMAY89 £6.00

TAPE YCMAY89 £4.00

Cassettes or disks are available from March 1989. Please ring the editorial office (01-437 0626) for details of these.

ORDER FORM - PLEASE COMPLETE IN BLOCK CAPITALS

NAME	QTY	TAPE/DISK	ORDER CODE	PRICE
AUGUST '89		TAPE (£4.00)	YC AUG'89	
AUGUST '89		DISK (£6.00)	YD AUG'89	
OVERSEAS POST £1				
			TOTAL	

NAME.....

ADDRESS.....

POST CODE.....

I enclose a cheque/postal order for £..... made payable to ARGUS SPECIALIST PUBLICATIONS LTD.

All orders should be sent to: **FOUR COMMODORE READERS SERVICES, ARGUS HOUSE, BOUNDARY WAY, HEMEL HEMPSTEAD, HERTS. HP3 7ST**

Please allow 28 days for delivery.

Mouse 80

In the July issue of Your Commodore, we featured D.W. Faber's highly useful 80-column mouse utility for the C128. Well, here's the thing: we didn't have room for that mouse!

72	1800 DATA 17.173.8.238.40.1.	88	1940 DATA 207.94.204.141.209
73	048.13		-238.173.128
74	2070 DATA 173.8.204.41.18.24	89	1950 DATA 9.24.237.83.204.241
75	8.3.149		-238.224.173
76	2080 DATA 8.94.189.1.94.249.	90	1960 DATA 128.234.20.11.169.
77	2.99		-8.240.299
78	1900 DATA 173.1.238.41.14.24	91	1970 DATA 234.141.118.234.70
79	8.18.173		-274.227.149
80	1200 DATA 8.238.41.18.249.3.	92	1980 DATA 8.141.93.204.173.3
81	149.8		-3.234.241
82	1120 DATA 88.269.1.96.173.1.	93	1990 DATA 93.234.14.93.234.8
83	238.48		-8.93.234
84	1130 DATA 8.238.41.18.141.74	94	2000 DATA 14.93.234.48.93.23
85	238.238		-274.227.149
86	1170 DATA 8.141.28.234.173.1	95	2010 DATA 8.141.93.204.173.3
87	4.234.269		-3.234.241
88	2140 DATA 3.78.238.234.20.23	96	2020 DATA 93.234.14.93.234.8
89	8.238.241		-8.93.234
90	1190 DATA 83.234.242.93.234.	97	2030 DATA 234.141.94.234.173
91	24.173.238		-93.234.237
92	1210 DATA 140.94.234.142.83.	98	2040 DATA 93.234.141.93.234.
93	234.173.19		-238.234.173
94	1270 DATA 234.268.51.148.1.1	99	2050 DATA 16.142.183.234.173
95	7.378.19		-78.234.94
96	2150 DATA 234.173.13.234.281	00	2060 DATA 233.12.142.283.234
97	9.48.28		-149.8.141
98	1280 DATA 169.5.141.18.234.2	01	2070 DATA 93.234.173.183.234
99	28.54.234		-142.83.234
00	1218 DATA 173.18.234.281.3.4	02	2080 DATA 14.93.234.48.93.23
01	8.3.169		-4.14.93
02	1230 DATA 4.241.18.234.173.8	03	1970 DATA 234.48.93.234.14.9
03	2.234.141		-2.234.93
04	1238 DATA 86.234.173.93.234.	04	2090 DATA 83.234.173.189.234
05	142.97.234		-141.94.234
06	2040 DATA 173.94.234.142.83.	05	2100 DATA 173.128.234.141.93
07	234.173.83		-234.84.173
08	1260 DATA 234.142.83.234.174	06	2090 DATA 84.234.237.83.234.
09	18.234.281		-142.84.234
10	1240 DATA 248.77.24.173.86.2	07	2100 DATA 234.173.94.234.142
11	34.189.93		-149.234.173
12	1270 DATA 234.242.93.234.173	08	2090 DATA 78.234.48.76.234.1
13	277.234.249		-84.1.78
14	1280 DATA 93.234.142.83.234.	09	2110 DATA 54.173.169.234.233
15	24.173.89		-7.241.169
16	2200 DATA 234.189.94.234.143	10	2090 DATA 234.84.249.8.142.1
17	34.234.173		-87.234.234
18	1340 DATA 78.194.238.173.23.	11	2120 DATA 173.184.234.189.18
19	222.173.28		-7.234.241.18
20	1290 DATA 234.22.241.227.149	12	2070 DATA 234.189.8.241.183
21	138.234.141		-234.24.173
22	1300 DATA 83.234.142.83.234.	13	2130 DATA 188.248.233.73.232
23	173.83.232		-233.233.288
24	1360 DATA 272.22.234.93.241.	14	2120 DATA 234.289.73.234.289
25	227.149.21		-77.234.73
26	1380 DATA 234.141.84.234.242	15	2140 DATA 88.2.289.181.238.1
27	98.234.24		-8.289.189
28	1390 DATA 73.93.234.189.184	16	2150 DATA 77.234.157.76.234.
29	234.141.184		-238.234.238
30	1370 DATA 234.173.83.234.189	17	2160 DATA 237.247.233.183.23
31	-283.234.143		-4.233.183.238
32	1380 DATA 183.234.173.149.23	18	2170 DATA 233.188.233.233.23
33	8.93.11.189		-233.233.78
34	1390 DATA 8.241.184.234.141.	19	2080 DATA 127.238.174.17.234
35	587.234.78		-271.18.234
36	2480 DATA 83.227.173.189.234	20	2180 DATA 20.284.238.183.258
37	-283.1.48		-133.283.148
38	1410 DATA 28.288.7.173.244.2	21	2190 DATA 283.223.253.34.273
39	24.281.64		-23.234.281
40	1420 DATA 144.18.189.83.146.	22	2210 DATA 232.233.252.173.34
41	184.234.183		-234.181.252
42	1430 DATA 1.141.249.234.84.1	23	2220 DATA 133.283.188.283.18
43	73.189.234		-8.283.28.27
44			-232.183.234
45			-232.183.251
46			-234.181.282
47			
48			
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			
61			
62			
63			
64			
65			
66			
67			
68			
69			
70			
71			
72			
73			
74			
75			
76			
77			
78			
79			
80			
81			
82			
83			
84			
85			
86			
87			
88			
89			
90			
91			
92			
93			
94			
95			
96			
97			
98			
99			
00			

C128 PROGRAM

19	3259 DATA 129,122,179,3,224,181,222,223	57	3299 DATA 249,212,249,222,59,8,222,223,27	95	3339 DATA 91,224,78,124,222,189,77,224
96	3269 DATA 224,185,224,226,225,3,32,37,224	70	3269 DATA 224,185,226,122,221,2,182,222,223	41	3349 DATA 79,226,179,229,21,22,3,224
20	3279 DATA 73,174,73,224,184,127,249,223	68	3218 DATA 225,24,173,22,224,181,221,222,223	76	3359 DATA 289,192,3,48,229,2,28,29,224
29	3289 DATA 184,187,77,224,126,118,127	87	3228 DATA 222,179,24,224,181,222,223,223	81	3369 DATA 172,18,224,281,2,4,8,1,22
76	3299 DATA 17,124,122,224,223,172,29,224	37	3239 DATA 222,77,226,189,222,188,222,223	79	3379 DATA 79,229,222,7,8,8,7,222
12	3309 DATA 129,225,225,229,79,129,172,9	22	3249 DATA 27,224,242,8,222,2,26,29,224	70	3389 DATA 8,7,124,8,12,126,8,221
23	3319 DATA 224,126,226,179,7,224,122,221	45	3259 DATA 249,28,189,77,224,127,79,226	42	3399 DATA 79,126,12,1,224,29,8,8,122
24	3329 DATA 189,249,222,18,12,24,179,229	59	3269 DATA 189,249,222,127,24,7,222,128,22	27	3329 DATA 188,8,8,22,8,8,22,2
42	3339 DATA 229,182,228,122,28,8,179,222,229	81	3279 DATA 189,188,224,222,25,2,222,222,189	90	3339 DATA 249,22,1,249,12,2,249,12
69	3349 DATA 181,222,122,222,24,8,18,122,222	48	3289 DATA 229,222,222,222,29,8,79,22,221	27	3329 DATA 12,18,12,28,8,8,12,2,8
27	3359 DATA 189,77,224,122,222,129,2,2	42	3299 DATA 226,79,224,76,8,22,1,189,27	80	3329 DATA 8,8,8,126,64,22,22,8
42	3369 DATA 222,28,222,126,12,249,24,182	28	3309 DATA 122,228,189,224,12,2,222,222,222	10	3329 DATA 4,2,1,127,182,222,222,24
69	3329 DATA 222,122,222,122,22,8,189,222,181	74	3319 DATA 222,222,222,179,22,2,222,222,222	22	3329 DATA 221,222,224,188,22,2,222,222,229
70	3339 DATA 221,122,221,189,22,222,222,249	22	3329 DATA 179,222,222,149,22,224,179,222	76	3329 DATA 224,122,222,173,78,224,49,79
80	3349 DATA 224,122,222,173,28,7,224,28,189	23	3339 DATA 222,99,224,4,2,82,28,222	27	3329 DATA 224,212,21,229,182,122,222,229
12	3409 DATA 187,224,189,182,22,4,18,18,22	90	3349 DATA 8,222,28,222,8,222,28,222	41	3329 DATA 222,222,221,79,222,222,189,224
60	3419 DATA 24,181,222,122,222,184,7,229	90	3359 DATA 8,222,28,222,24,27,2,8,224	89	3329 DATA 122,228,189,222,12,2,221,229,8
24	3429 DATA 222,189,222,189,28,1,22,222,224	28	3369 DATA 181,222,122,222,27,2,7,224,181	79	3329 DATA 141,227,224,173,22,7,224,181,28
69	3439 DATA 188,8,229,22,22,22,224,182	99	3379 DATA 222,222,222,189,8,28,17,229	28	3329 DATA 224,272,79,224,44,79,124,48
89	3449 DATA 222,249,122,8,48,2,44,229,182	29	3389 DATA 189,8,282,222,189,222,22,48	22	3329 DATA 8,24,189,7,227,182,224,24
29	3459 DATA 224,279,182,224,29,1,2,22,2	89	3399 DATA 224,177,229,179,22,9,22,22,2	80	3329 DATA 18,224,24,173,227,229,189,229
20	3469 DATA 79,72,229,228,182,224,173,227	80	3409 DATA 224,249,182,8,48,2,224,182	42	3329 DATA 224,222,8,48,3,24,182,18
49	3479 DATA 224,222,2,22,3,79,189,227	70	3419 DATA 24,221,228,122,229,184,2,229	28	3399 DATA 141,222,224,173,18,224,18,229
60	3489 DATA 26,182,8,189,8,173,24,224	89	3429 DATA 221,229,18,24,222,222,122,222	29	3329 DATA 18,224,149,62,224,189,179,229
40	3499 DATA 47,4,249,25,173,74,124,8	22	3439 DATA 144,2,229,222,229,22,224,12	37	3329 DATA 82,249,74,74,74,74,74
29	3509 DATA 8,249,2,222,94,182,1,2,24	82	3449 DATA 287,268,8,148,22,2,24,173,18	42	3329 DATA 224,227,228,41,22,141,79,229
89	3519 DATA 18,229,89,189,229,179,182,22	30	3459 DATA 228,28,189,18,224,141,182,224	99	3329 DATA 172,82,224,289,173,89,224,282
28	3529 DATA 224,82,122,8,189,8,173,74	80	3469 DATA 189,227,224,289,27,8,224,222,188	99	3449 DATA 8,48,4,28,222,8,22,8,179
40	3539 DATA 224,42,1,249,28,17,8,24,224	80	3479 DATA 222,222,189,22,224,228,182,229	28	3429 DATA 177,229,62,229,222,72,172,12
79	3549 DATA 41,2,249,2,122,89,189,229	22	3489 DATA 179,222,182,222,12,2,222,24,179	80	3429 DATA 224,288,4,184,189,8,72,24
20	3559 DATA 279,141,18,224,89,189,1,242	49	3499 DATA 4,224,181,224,222,222,229,179,8	89	3439 DATA 179,89,224,289,189,224,181,27
49	3569 DATA 229,224,99,229,8,12,9,222,222	72	3509 DATA 224,221,221,122,22,1,189,229,124	89	3449 DATA 224,272,82,224,141,64,224,179
97	3579 DATA 28,18,129,249,8,28,8,28,222	47	3519 DATA 222,22,42,224,289,8,122,24		
79	3589 DATA 8,229,28,221,282,2,82,142,84	82	3529 DATA 189,187,224,279,17,8,189,224,229		
82	3599 DATA 224,182,222,141,82,229,8,229	40	3539 DATA 27,172,222,222,249,8,182,249		
83	3609 DATA 28,222,8,229,28,22,2,24,272	50	3649 DATA 222,8,128,72,79,22,222,189		
23	3619 DATA 24,224,181,229,129,229,179,22	70	3659 DATA 249,222,41,127,72,12,72,222	89	3629 DATA 17,224,229,8,48,12,24,222
61	3629 DATA 224,181,221,122,22,8,122,24,181	26	3669 DATA 169,249,222,72,169,129,182,22	29	3649 DATA 172,84,224,274,17,224,244,229
79	3639 DATA 228,122,229,144,2,222,221,89	80	3679 DATA 92,3,224,289,182,8,48,249	27	3689 DATA 172,222,62,222,2,22,22,181
90	3649 DATA 179,224,224,221,7,8,8,127,174	89	3689 DATA 26,173,22,224,181,222,122,222	28	3699 DATA 222,177,222,28,229,122,142,222
82	3659 DATA 224,229,173,229,27,9,22,224,229	90	3699 DATA 272,24,224,181,222,122,222,189	71	3709 DATA 229,89,222,173,89,224,249,79
42	3669 DATA 182,229,222,222,24,224,189,8	20	3749 DATA 222,186,229,22,42,224,189,8,222		
89	3679 DATA 279,24,224,181,222,122,222,222	22	3759 DATA 222,182,182,182,224		
97	3689 DATA 179,9,224,181,222,122,222,222	28	3769 DATA 224,289,28,173,82,224,72,229		

CREDIT CARD MAIL ORDER

AMIGA 500 MEGA PACK £289.00 INC

INCLUDED MOUSE WORKBOOK 1.3, UTILITIES, MANUALS, BASIC TUTORIAL, PLUS FREE TV MODULATOR, JOYSTICK AND ANY TEN FREE GAMES FROM OUR SELECTION BELOW

Castles, Warlock's Quest, Spelling Game, Ice Soccer, Winter Olympics II, Hellbeat, Backlash, Zynaps, Return of the Jedi, Eliminator, Demolition, Grindstar, Mercenary, Quattrini, Star Games, Powerplay, Heritage, Platinum, Wizard

AMIGA HARDWARE

5000 + TV MOD	£299 inc
4000 MegaPack	£299 inc
500 4000	
4000 + 1084S FLOPPY	£299 inc
500S COLOUR MONITOR	£299 inc
4000 + VHS200-4000	£249 inc
COLOUR MONITOR	
4000 + 9400 PHILIPS	£249 inc
COLOUR MONITOR	

A2000 HARDWARE

4000 + 9400	£299 inc
4000 + 9400	£299 inc
Monitor + bridge 90 + 3040S	
Hard disk	£1 000 inc
4000 + 1084S	£1 000 inc

FOR 512K RAM COMPROMISE FROM ALL 512K RAMS FORMERLY FROM 512K1 512K 2 512K 512K RAM Expansion Card fitted with 512K RAM 4000A (512K) - Automatic AMIGA 5000 Hard disk installation package Video Card - Ribbon From Printer 1 1/2 inch High Res Color Monitor 787 4000, AMIGA 4000/512K, Video card 512K 787 512K/Phone AMIGA 4000, AMIGA 2001 5000 Hard Card 14" 4000 Printer

FOR FURTHER DETAILS PLEASE ASK OUR SALES

PRINTERS

STAR LC10 M800	£190 inc
STAR LC10 Colour	£249 inc
STAR LC24 10	£269 inc
34 Pin	
STAR M800 10	£269 inc
STAR LC10 CBR 104	£179 inc
STAR LC10 CBR 104	£269 inc
EPSON L8000	£149 + VAT
EPSON L8000	£269 inc
EPSON F8000	£269 inc
EPSON 837 1000	£207 inc
EPSON 837 1000	£180 inc
EPSON 83000 K3P	£299 inc
1 1/4 CD Pin	
EPSON 83000 K3P	£199 inc
1041	

AMIGA EXTERNAL DRIVES

4000 3 1/2" DRIVE	£89 inc
5000 3 1/2" DRIVE	£89 inc
CUBANA CBK 3040	£99 inc
4000 3 1/2" DRIVE	£115 inc
5000 CBK 3 1/2" DRIVE	£99 inc

AMIGA ACCESSORIES

400 512 K RAM	£129 inc
MOUSE MAT	£4.99 inc
AMIGA 500/7 COVER	£1.99 inc
TV MODULATOR	£21.95 inc
STEEL MONITOR	£1 599 inc
512K/500K AMIGA 500/7	
STEEL DOOR	£2.99 inc
MONITOR STAND AMIGA 512	

COMPACT DISC

324 Multispeed Pack	£199 inc
324 30sec Entertainment Pack	£199 inc
324 CTT 514 CD4 disc	£149 inc
324 512/500K CD4 disc	£129 inc
30sec 414 CD4 disc	£129 inc

A500/A2000 MONITORS

Philips CM9000 High Res	£299 inc
1080i Stereo High Res	£299 inc
1000 Colour Poor 104	£149 inc
1000 CD4 Stereo	£129 inc
1080i-4000	£189 inc

A2000 ACCESSORIES

500K Hard disk	£299 inc
AMIGA or M8000	
512 Bridge board	£299 + VAT
412 Bridge board	£291 + VAT
87 Soundbox	£179 + VAT
5 MB RAM 5	£699 + VAT
with 2 MB RAM	
2nd Drive 1/2	£75 + VAT

DRIVES

Triangle 500K Hard disk	£499 + VAT
VORTEX 5000 Hard disk	£499 + VAT
Triangle 500K Hard disk	£479 + VAT
Cubana CBA 304	£99 inc
Cubana CBA 304	£199 + VAT
Cubana 940 514	£179 + VAT
External 3rd drives from	£69 inc

COLOUR PRINTERS

Citizen 9040 24 Pin	£379
LC10 Colour 10 Pin	£249 inc
EPSON 83 1000	£269 inc
Reprint Packard Palm Jet	£999 inc

LASER PRINTERS

Citizen Overton	£1999 inc
Hi Laserjet 2	£2000 inc
Star Laser 100	£1999 inc
EPSON 8P0000	CALL

MONITORS

CBM 10845 Stereo	£299 inc
CBM 1000	£149 inc
100000 1000	
CBM CGA Compatible	
Philips 9000	£299 inc
CBM 1000 Mono	£129 inc
AMAB 124 Mono	£129 inc
ALABN SC 1204	£299 inc



SPECIAL OFFER

Amiga 5000 1.3 MB 1084(a) Colour Monitor £579 inc VAT



SPECIAL OFFERS

EPSON LQ600 24 PIN PRINTER £395 inc VAT

WESTERN DIGITAL HARD CARD 32MB £258.85 inc VAT

CREDIT CARD MAIL ORDER
SPECIAL HOTLINE FOR EXPORT
TEL 0702 332225

ALL OTHERS SUBJECT TO AVAILABILITY
OFFERS SUBJECT TO CHANGE IN PRICE
WITHOUT NOTICE



ALL PRICES INCLUDE VAT UNLESS STATED

To: 43-44 Millbrook Road East, Southampton

I wish to order _____ inc VAT.

I enclose cheque/PO for £ _____ inc VAT.

Or charge my Access/Visa No. _____ Exp. date _____

Name _____ Signature _____

Address _____

Postcode _____ Tel No. _____

PLEASE CONTACT US BY POST TO ORDER

MEGALAND

PROJECT FIRESTART

There seems to be a whole new type of game springing up, games that tell stories but are definitely not adventures in the traditional sense. One such title is *Project Firestart* from Electronic Arts, written by the same team that gave you *Demigods* and *Skyfox II*.

Horror is the theme behind the plot, coupled with a setting in outer space. *Prometheus* is a research ship sponsored by the Space Science Foundation. The experiments conducted on this ship involved genetic manipulation with the aim of producing a form of cheap labourer for various mining organisations. The problem is that the S.S.F. has lost contact with the *Prometheus*. Something seems to have gone awry and, as their chief troubleshooter, it's up to you to see if you can find out what's gone wrong and restore some sort of order to the mission.

The game is presented as a sort of film. Thus, while you are walking round the ship, exploring, the game will cut to close-ups of various items that it feels are significant. These are usually dead bodies, accompanied by a liberal helping of ominous music. Whatever the problem is, it certainly has a violent streak to it.

To keep you in touch with the plot, the scene will also fade to show you what's happening elsewhere on the ship. These scenes are usually connected with a failure in the cryogenic systems - bodies waking up in coffins, and then getting ripped limb from limb a few minutes later.

The ship is presented in a mixture of 2 and 3-D views. As you move close to anything important to the plot, a text window at the bottom of the screen gives you the option to carry out simple commands: pick up an object, turn something on, open a door and so on. This manipulation of objects is crucial to the game, although it will be some time before you have much idea of what's going on.

Blindering your progress are a series of sinister, but angry, green monsters that appear not to have your best interests at heart. They can be sapped with your laser, but this only has limited power, so you'll need to discover where the weapons are stored. I found this the weakest part of the game, for the simple reason that you often get killed without being able to do anything in self-defence. For example, at one point the story cut to another part of the ship, and when it returned, I was surprised to find several monsters mauling my body! The monsters are best killed at long range - they drain too much of your energy when they touch you, and two ganging up on you with no warning is inevitably fatal.

That apart though, *Project Firestart* is an interesting




idea, generally well presented. It comes on four sides of disk, so there is a lot of game for your money, even if you do have to wait a long time for new locations to load. The graphics are reasonable, although a bit more description in the text would have added considerably to the atmosphere.

Sound is a mixture of effects and tones - the program always lets you know when the hazards are approaching! It takes some time to get properly into the game, but it's certainly worthwhile persevering.

FourStar:

Title: Project Firestart. Supplier: Electronic Arts, 11/49 Station Road, Langley, Berks. SL2 1TR. Price: £14.99 - disk only.



Have AN AMIGA

delivered to your door FREE!¹



That's right. If you take out a year's subscription to Your Amiga we will make sure that it is delivered to your door each month at no extra charge*. Just fill in the coupon below and send it to the address given with a cheque, money order or credit card instructions to cover the cost of the subscription. We'll do the rest.

UK: £21.40; EUROPE: £29.00; MIDDLE EAST: £29.20;
FAR EAST: £21.40; REST OF THE WORLD: £28.40
or USA: \$22.00

Airmail Rates on Request.

* Overseas subscription rates include postage.

Please continue my subscription to Your Amiga with the
..... issue. I enclose my
cheque/money order for £..... made
payable to ARMS SPECIALIST PUBLICATIONS

Or debit my Access/Visa

No.

Valid from to

Signature

Name

Address

Postcode

Send this form with your remittance to:
INFOPET LTD., 5 Ripley Park Estate, Ballist Lane,
BE BRAMHALL, Herts. HP4 1BL, United Kingdom

NEW FOR YOUR COMMODORE FROM TIRLOGIC!

AMIGA AUDIO DIGITISER — NOW CHOICE MONITOR STEREO VERSION

Now Amiga audio digitisation super performance, and unparalleled price. An Amiga II or III card, that fits into any Amiga II or III computer with Perfect Sound Pressure Design. Audiotape, your own! Its Programmable Sampling Rate up to 16000 Hz (up to 8000 Hz) means great fidelity. The audio level is adjustable for monitoring. The software provides the audio file saved on a disk, permanent memory, diskettes. Full instructions are included, and the digi-tape can be used on any II or III computer. Audio will be stored on any "disk" or cartridge which has been formatted for Amiga II or III.

AMIGA COUNTRY: £39.95 Post FREE £49.95
US: \$59.95 Post FREE \$79.95
EUROPE: £39.95

EXTERNAL 3.5" DISK DRIVES

- 100% IBM COMPATIBLE
 - DIRECT ACCESS
 - 350Kb OR 720Kb
 - 5 1/4" OR 5" DRIVE
- 100% IBM COMPATIBLE
• EXTENSIVE CONFIGURATION
• 2 OR 4 DISK DRIVE SYSTEMS

AMIGA MONITOR & PRINTER LEADS

We have features original AMIGAs for TV or video monitor (included) to connect to any video camera, video tape recorder, and video tape deck. All AMIGAs are supplied with an external video lead, and a video lead to be supplied and include the audio lead (included with stereo lead).

- SERIAL II FOR TV OR TV VIDEO MONITOR (STANDARD)
- 100% IBM COMPATIBLE (STANDARD)
- 100% IBM COMPATIBLE (STANDARD)
- 100% IBM COMPATIBLE (STANDARD)
- 100% IBM COMPATIBLE (STANDARD)

Many other AMIGA monitor & lead leads are available. Contact us for more details.

NEW — MONITOR SHARED

Share 3 computers on one monitor. This means you can use the same monitor for several computers. This is a new feature. It is a new feature. It is a new feature. It is a new feature. It is a new feature.

OTHER LEADS

- AMIGA II/III VIDEO LEAD £39.95
- AMIGA II/III VIDEO LEAD £39.95
- AMIGA II/III VIDEO LEAD £39.95
- AMIGA II/III VIDEO LEAD £39.95
- AMIGA II/III VIDEO LEAD £39.95
- AMIGA II/III VIDEO LEAD £39.95
- AMIGA II/III VIDEO LEAD £39.95
- AMIGA II/III VIDEO LEAD £39.95
- AMIGA II/III VIDEO LEAD £39.95

MOUSE-DRIVER SWITCHER

- 2 PORTS (1 FOR MOUSE, 1 FOR KEYBOARD)
- 2 PORTS (1 FOR MOUSE, 1 FOR KEYBOARD)
- 2 PORTS (1 FOR MOUSE, 1 FOR KEYBOARD)
- 2 PORTS (1 FOR MOUSE, 1 FOR KEYBOARD)

AMIGA VIDEO STEREO AMPLIFIERS


Amiga video stereo amplifier. This means you can use the same amplifier for several Amiga computers. This is a new feature. It is a new feature. It is a new feature. It is a new feature.

NOW — AMIGA MIDI INTERFACES

- 2 PORTS (1 FOR AMIGA, 1 FOR PIANO)
- 2 PORTS (1 FOR AMIGA, 1 FOR PIANO)
- 2 PORTS (1 FOR AMIGA, 1 FOR PIANO)
- 2 PORTS (1 FOR AMIGA, 1 FOR PIANO)

SUNDAY ITEMS — BARGAIN PRICES

- 100% IBM COMPATIBLE
- 100% IBM COMPATIBLE
- 100% IBM COMPATIBLE
- 100% IBM COMPATIBLE
- 100% IBM COMPATIBLE



Mailbag

Your chance to air your views in Your Commodore

Having very recently acquired an Occasic 1188, I was particularly interested to read Norman Doyle's articles in various editions of *Your Commodore*. A comment made in that article has me a little worried. This concerns the remarks made about floppy disks in the paragraphs on the Commodore 1530. If, I wonder if the friction damage caused by turning disks over to use 'side 2' is a problem with the drives - could it be harmful to any CC-1188. If so then there is no economy in buying double sided disks.

I would be grateful for your comments on this.

F D A Rocha, London

I found the article 'Which Drive?' by Norman Doyle in the June '84 issue of *Your Commodore* most interesting. With reference to his comments on the 1531:

I have Commodore models C64 with 1541 Disk Drive and a Plus/4 with 1531 Disk Drive. Both the Plus/4 and C16 will accept either type of disk drive since they are fitted with the usual 8-pin DIN sockets for serial data chaining of peripherals and a User Port having a 2-25 contacts interface. This User Port is NOT the same as that of the C64. The 1531 drive has a fitted data transfer lead which terminates in a custom made cartridge to fit into the User Port. This cartridge has a 'through' connection in which to disengage other cartridges, although I have never seen or heard of any. Obviously some 1531s could be used, but I merely plug the 1541 into the alternative serial socket when I need two drives running. Visually and physically the 1531 is similar to the

1541 except there is no provision for disengaging a 8 pin DIN-connected printer, but this is unnecessary in view of the facility being provided on the Plus/4 and C16. The 'latch' is of the 'turn down tab' similar to the Excelsior and Blue Chip drives.

Performance comparisons was carried out by entering a 34 block (actually 3,315 bytes) data-storage program from the 1531 drive into the Plus/4. A timing program - see below - was entered into the C64 and used to measure the time for the Plus/4 to load the 34 block program. Loading time was consistently nine seconds flat. The disk was then transferred to the 1541 for loading into the C64 and the timing program entered into the Plus/4. The tests were repeated on the 1541 and loading took 23 seconds. Using these figures 1531 transfers at 9480 baud compared with 1541 transferring at 3780 baud.

This clearly indicates an improvement of nearly 250% when loading program files via the 1531. Speeds may well differ on other disk operations or filing systems.

The Commodore 1531 disk is distributed in some quantity, but rarely, if ever, advertised. I bought mine from Green's in Nottingham's branch of Debenhams late in 1986 for about £199. They had several dozen for sale at the time. The odd one has been offered in FOR SALE columns of various publications.

Although games are not my forte one must accept that their wide spread appeal, especially to the younger members of society, generates the need for advertising, and is a necessary source of income for journals and magazines. Notwithstanding I would suggest that the more mature enthusiasts will continue to subscribe

for many years if more articles in similar vein to Mr. Doyle's are forthcoming.

* I run this program

1:TIM="000000"

2:GETAS:IPAS="*****"

3:PRINT TIM:rem prints time when

3:RUN:rem any key pressed

Michael Shack, Nottingham

I made a mistake! I sold my 1541 and bought an excelsior!

Oh, don't get me wrong, it looks good, sounds good and loaded all my games, until I tried to load *Defender of the Crown*. Then the crashing began, crash after crash after crash. Instant told me that the Excelsior was at fault because the game had always loaded on my 1541 with no probs.

I rang Everham Mirco to explain the problems and was informed that, "Yes, *Defender of the Crown* would not load on the Excelsior drive" - for a moment I was lost for words! The dry voice on the phone then added: "the same applies to *Flying Shark*, they are the only two".

Apparently, Everham have had to give away at least one Amiga computer because of *Defender of the Crown*. Although the manager quickly pointed out how big headed they had been because the game did tend to mis-load occasionally, even on the 1541. He went on to suggest the fault lay with the software company, saying that they were at a loss as to the reason for this.

I then stated that I was very unhappy with the situation and was told that if I sent my copy of *Defender* to them (Everham) they would re-configure the software to run on the Excelsior. The chap did explain that the Excelsior could not be made totally compatible with the Commodore because copyright laws would be infringed.

Alan Pisk, Chingford, Essex

Following Norman Doyle's article on disk drives in the February issue, the letters have been flooding in. Now's your chance to set a few things straight.

Using the reverse side of a disk known affectionately as a "Floppy" disk, is an established practice, born out of the need to cut costs. Now that floppy disks are cheaply available to the general public, the drawbacks become more obvious:

Because the disk is made to spin backwards when you turn it over to use the other side, the increased friction (you can hear the difference) must reduce the rotation speed, but so slightly as not to affect a healthy drive. The main drawback with Floppys, is that spinning them backwards releases all the dust conveniently trapped inside the disk's outer sleeve. Although this is not a major menace, it tends to make the floppy side less reliable. I only use floppies for archival

storage, just to save space in my disk box.

The question of drive compatibility has reared its ugly head once or twice already. It's all down to interpretation: if a manufacturer claims his product is 'Commodore compatible', it should be just that! There's no way anyone can make a truly compatible drive, that would involve replicating much that is protected by copyright laws! Competition, however, can't be a bad thing in this case, the customer will benefit from having a wider choice, after all Bear in mind also, Commodore's history of incompatibility! The 1541 was not totally compatible with the older 1540 drive, the new 1541C is definitely not compatible with the 1541. Even D54's themselves have undergone design changes that have caused compatibility problems! You can't stop progress though, and so long as the software publishers keep abreast of these new developments, everybody

should be happy!

Dorham Micros, distributor for the Executor drive, ended up giving away two Amigas, and their offer of a conversion job on your unloadable games still stands. They are quick to point out that that *Defender Of The Crown* originally would load on the 1541C. The situation was reversed when the game was modified! Dorham also point out that the Executor loads more games than Commodore's own 1541C! Ya pays ya money and ya takes ya choice!

Owing to the lack of popularity of the Plus/4 and C16 computers, Commodore decided to abandon the 1551 drive some time ago. Play!

If you want to write to us, address your letters to:

Four Commodore,
Argus House,
Boundary Way,
Hemel Hempstead,
Herts HP2 5BT.

CLASSIFIED ADVERTISEMENT COUPON

Write your advert in BLOCK CAPITALS in the grid below, listing the section you wish it to appear under, INCLUDING NAME AND ADDRESS IN THE WORD COUNT and send it to: **FOUR COMMODORE, CLASSIFIED DEPARTMENT, ARGUS HOUSE, BOUNDARY WAY, HEMEL HEMPSTEAD, Herts HP2 5BT.**

Charge 50p per word (+ VAT). Minimum charge £7.95. Display box rate £11.50 per single column centimeter + VAT. Minimum size 2.0cm, no reimbursements for cancellations. All ads must be pre-paid.

from
COMMODORE

For Sale Software Hardware Languages Services Amiga

CLASSIFIED COUPON

ALL CLASSIFIED ADVERTISEMENTS MUST BE PRE-PAID. THERE ARE NO REIMBURSEMENTS FOR CANCELLATIONS.

I enclose my Cheque/Postal Order for £..... for insertions, made payable to Argus Specialist Publications.
(Delete as necessary) or

PLEASE DEBIT MY ACCESS/BANK/CARD NO

--	--	--	--	--	--	--	--	--	--

£..... for..... insertions

Expiry
Date

Name

Address

Post Code

Day-time Telephone No:

Signature

Date

YOUR COMMODORE

0442 66650

Lineage: 51p per word.
(+ VAT)

Semi display: £11.50 plus VAT per single column
continually minimum 50m. Ring for information on
extra bookings discounts.

All advertisements in this section must be prepaid.
Advertisements are accepted subject to the terms and conditions
printed on the advertisement rate card (available on request).



Send your requirements to:
CLASSIFIED DEPARTMENT
ASP LTD, ARGUS HOUSE,
BOUNDARY WAY,
HEMEL, HEMPSSTEAD HP2 7ST.

BULLETIN BOARD

TBBCS Bulletin Board

Become a sysop for less

If you have an Amiga with two drives and a Hayes compatible modem, you could be running your own bulletin board for only 25 pounds!

TBBCS will let you build up a BBS with messages, voting, a dating service, SFGs, downloads, and a CB Simulator for less than the price of most Comm Packages. If you don't have your own phone line, TBBCS can share a voice line.

Send an SAE to the following address for more information.

High Atlas, St. New Castle, Dorset Rd, Ipswich IV1 1JJ



Stop ringing other people's bulletin boards, and start running your own.



HARDWARE

KEC LTD. CRM PRINTER BARGAINS & OCP ART STUDIO



A 300-DPI DPM 10
A 300-DPI 10

They retail 40 x 40
35 CPS-20 buffer,
1180-D printer kit,
OHP-20 GEMMA &
EPI-10

400-D 400-D
400-D 400-D
400-D 400-D
400-D 400-D

400-D 400-D
400-D 400-D
400-D 400-D
400-D 400-D

All prices include VAT. Add 6% postage by air.
Other items: 400-D 400-D & 400-D 400-D
with order. Telephone orders: 0207-246. Please allow
telephone number for acknowledgements.

400-D 400-D
400-D 400-D
400-D 400-D
400-D 400-D

HARDWARE

COTSWOLD COMPUTERS MULTI-KEYS

Call today for the complete price list in
this area.

AMIGA ADDRESS BOOKS
AMIGA ADD + 10 (Amiga-Genius Pack)
AMIGA ADD + 10 (Amiga-Genius Pack)
AMIGA ADD + 10 (Amiga-Genius Pack)

AMIGA ADD + 10 (Amiga-Genius Pack)
AMIGA ADD + 10 (Amiga-Genius Pack)
AMIGA ADD + 10 (Amiga-Genius Pack)
AMIGA ADD + 10 (Amiga-Genius Pack)

SERVICES

COMMODORE SUPPLIES

- 024 Power Supply £24.00
- 024 Bus Interf. Supply £20.00
- 024 Power Supply £23.00
- 024 Bus Interf. £22.00
- 024 Power Supply £24.00
- 024 Bus Interf. £22.00
- 024 Power Supply £24.00
- 024 Bus Interf. £22.00

Call today for the complete price list in
this area.

ONLY POKES AND MOVES

Now available in the price of a
single column advertisement.
Send your requirements to:
CLASSIFIED DEPARTMENT
ASP LTD, ARGUS HOUSE,
BOUNDARY WAY,
HEMEL, HEMPSSTEAD HP2 7ST.

SOFTWARE

YOUR COMMODORE SPECIALS TECH DRAW 84 - a

comprehensive technical
manual and for C64
owners for both disk and
tape. Commands available
include LINE DRAW, MATH,
BOX, CIRCLE, ARC,
ELLIPSE, FREEHAND, FILL,
MATCH & TEXT. With copy,
move and rotate, save and
load or print your drawings all
for £8.95 tape or disk. Order
code TD847 paper TD84D
(disk)
Full details in Your
Commodore July 1987.

SARGOLE COMPUTERS LTD

THE LATEST SOFTWARE FOR
COMMODORE OHP/EMEREA
Now available in the price of a
single column advertisement.
Send your requirements to:
CLASSIFIED DEPARTMENT
ASP LTD, ARGUS HOUSE,
BOUNDARY WAY,
HEMEL, HEMPSSTEAD HP2 7ST.

SPEEDY ASSEMBLER

Your Commodore's very own
Assembler, a 100% memory
resident program for loading
from tape or disk, featured in
the Your Commodore
Machine Code Series and
now the S.C. standard
assembler only £9.95 Tape or
Disk. Order Codes
YSPAS87 (disk) YSPA509
(tape)
Order from Your
Commodore Readers Service at 9,
Wall Road, Marylebone Wood
Square, Hemel, Hempsstead
Herts HP2 7TH. Please make
cheques payable to A.S.P.
Ltd., or telephone your
Access/Via order on
0442 41201

SPECIAL OFFERS

- 100-D 100-D
- 100-D 100-D
- 100-D 100-D
- 100-D 100-D
- 100-D 100-D
- 100-D 100-D
- 100-D 100-D
- 100-D 100-D

PUBLIC DOMAIN SOFTWARE for the C64/128

We have 100 titles for sale at a special
price of £5.95 per title.
Call today for the complete price list in
this area.
AMIGA ADDRESS BOOKS
AMIGA ADD + 10 (Amiga-Genius Pack)
AMIGA ADD + 10 (Amiga-Genius Pack)
AMIGA ADD + 10 (Amiga-Genius Pack)
AMIGA ADD + 10 (Amiga-Genius Pack)

WANTED

WANTED for the C64, Printer and
Disk Drive, in good working order.
Phone (0203) 357940.

WANTED information on the C64
Computer Paper (0203) 570354.

FOR SALE

AMIGA ADDRESS BOOKS
AMIGA ADD + 10 (Amiga-Genius Pack)
AMIGA ADD + 10 (Amiga-Genius Pack)
AMIGA ADD + 10 (Amiga-Genius Pack)

COMMODORE REPAIR SERVICES

TO ADVERTISE YOUR COMMODORE REPAIR SERVICES CALL: RICHARD YARNALL ON 0442 66653

RATE (£11.50 (+ VAT) PER SINGLE COLUMN CM
STANDARD SIZE 4cm x 1 col = \$46.00 (+VAT)



TELEPHONE BOOKINGS WELCOME

VTS COMPUTER REPAIRS

01 - 407 9929

Simply send your unit to the address below
securely packed with full description and

COMMODORE SERVICE, INC. ENGLAR
- MORE - DRUM

VTS COMPUTER REPAIRS

12 Lily House, St. Dover Street,
London, SE1 4ES.
FAST, RELIABLE FORWARD

COMMODORE SPARES & REPAIR

DISCOUNT
CASH 10%
FREE DELIVERY 1 year forward

SPARES		1 YEAR
90014	01 001	20.00
90015	01 002	20.00
90016	01 003	20.00
90017	01 004	20.00
90018	01 005	20.00
90019	01 006	20.00
90020	01 007	20.00
90021	01 008	20.00
90022	01 009	20.00
90023	01 010	20.00
90024	01 011	20.00
90025	01 012	20.00
90026	01 013	20.00
90027	01 014	20.00
90028	01 015	20.00
90029	01 016	20.00
90030	01 017	20.00
90031	01 018	20.00
90032	01 019	20.00
90033	01 020	20.00

CASH COMPUTER SERVICES
Specialist Commodore Hardware, Software,
SPARES Tel 0253 20891 Fax 01

"COMPUTER KAPUT"

WITHIN 24 HOURS
Reliability
THE COMMODORE SPECIALIST
Hardware & Software Repairs

NET WORKS
PLUMBERS
IBM COM
MAGNA...

FAST
EFFICIENT
SERVICE

FOR REPAIRS CALL
01 481 3838
86 LONDON - GUYTON

CROYDON COMPUTER CENTRE

37 Epsom Road, Thornton Heath,
Surrey, CR4 1JY Tel 01 841 9648
COMPUTER SERVICES

Services include:
We repair - all the problems - quick
turnaround
• Commodore
• BBC & Electron (Approved Service Centre)
• Amstrad & Epson (Approved Service Centre)
• Data Drive, Printer, Modems
Mail Orders by phone - money & Visa accepted

FOR MORE DETAILS OF RATES AND
SERIES DISCOUNTS CALL RICHARD
YARNALL ON THE CLASSIFIED HOTLINE
0442 66650

PROBLEMS WITH YOUR COMMODORE ?
FOR FAST, RELIABLE AND PROFESSIONAL
REPAIRS AT COMPETITIVE PRICES

P M ENGINEERING

UNIT 268, MILTON SCIENCE
PARK, CAMBRIDGE CB4 4WE



ST. IVES (0223) 420007



We can also supply Hardware, Software, Blank Disk,
Accessories and Spare parts.
CASH Repairs £25.00 incl. VAT (plus FREE)

COMPUTER SYSTEMS
• REPAIRS • SPARES
• SALES • SUPPLIES



dB
ELECTRONIC SERVICES
CHELMSFORD 268974

COMPUTER REPAIRS (UK)

Specialist Repairs To All
Commodore Equipment.

- Free only 02 - VAT
- All work guaranteed.
- Delivery & collection service.
- Trade contracts.
- We also buy/sell ahead Commodore Equipment

HEMEL HEMPSTEAD

5 Auldrey Place, High Street,
Hemel Hempstead.

DISCUSS YOUR
ADVERTISING WITH
RICHARD YARNALL
0442 66650

HINDLEY ELECTRONICS

The Computer repair specialists

FAST

RANGE DAY
SERVICES
CALLERS

55a
TECHARDSON
SPITALS

EXPERT COMPUTER REPAIRS

COMMODORE - SINCLAIR - AMSTRAD - ACORN - BBC
STANDARD CHARGES (INC VAT AND FULLY INSURED RETURN POSTAGE)

Commodore 64	£25.00	Commodore 65C	25.00	Commodore 128	35.00
Commodore 66	£25.00	Commodore 80	25.00	Commodore 500	35.00
Commodore 800	35.00	IBM PC/XT (16/386) REPAIRS & 2 YEAR WARRANTY	45.00	IBM PC/XT & 8	45.00
Commodore 1016	25.00	Amstrad CPC 640	25.00	Amstrad CPC 486	25.00
Amstrad 486	25.00	Amstrad 500	25.00		
Amstrad 500	25.00	Amstrad 630	25.00		
Amstrad 630	25.00	Amstrad 8088	25.00		
Amstrad 8088	25.00	Amstrad 8088	25.00		

1 MONTH "NO-COST" WARRANTY ON ALL REPAIRS
SPARES - SOFTWARE - PARTS - SERVICE

Low price, 1-2 year warranty on 16/386 PC/XT systems - 36 MONTH PRICES
COMPLETE 100% ORIGINAL COMPONENTS WITH 2 YEAR WARRANTY (See our full list)

HINDLEY ELECTRONICS

DEPT 4 41 MARKET STREET, HINDLEY WILLYVAU WAG 2 2 2, Tel 0942 92262

Customer notes: Offer valid only for services where the unit is sold by a qualified dealer. Standard charge for the repair repair to nearest town £10.00 plus any necessary postage. £5.00 postage may be made on orders that are outside of our area. Some repairs may require a 24 hour service.

B A E A H

Readers Problems

Though the Commodore 64 is one of the world's most popular microcomputers, it can be very difficult to find specific information about your particular machine.

At the Four Commodore office we receive literally hundreds of letters from you, our readers, on a wide range of subjects ranging from the simple "Can you give me the telephone number for..." to the more complex "I'm trying to write a program that uses a split screen. How do I do it?"

Unfortunately, the volume of mail received has become so great that it is impossible to answer every letter and still manage to publish a magazine each month.

For this reason we have felt it necessary to produce a number of guidelines for getting information from us:

- 1) We cannot guarantee to answer every letter sent to the magazine. Should it become apparent that a number of readers are suffering from the same problem, then we will reply to the letter via the Letters page.
- 2) A new helpline has been set up. This will be open for your queries on

Tuesday and Thursday afternoons between 2.00pm and 4.00pm. We will not be able to deal with our telephone queries at any other time. If our technical adviser is not available when you ring, then a message will be taken.

3) If you are having problems with one of our listings, can you please let us know in writing. This will enable us to see if a number of people are having the same problem. When a common problem becomes apparent with a program, then a correction sheet will be issued. Enclose a self-addressed, stamped envelope and we will send you a copy of the correction sheet as soon as it is available.

We are sorry that it has become necessary to institute these rules. However, we are sure that you will agree with us that the more time that we can spend making Four Commodore the most informative magazine around, the better.

For program queries write to:
 Program Corrections
 Four Commodore
 Argus House,
 Boundary Way,
 Blandford Hospital
 BIP2 7ST
 Tel: 0442-66151


Oops!

Unfortunately, in the July issue, we missed part of the listing for the Windows Demo program. The missing lines are reprinted here.

```

70 780 A=ASC(A$)
71 800 IF A<20 THEN B$=B$+CHR$(A)
72 810 IF A<120 THEN B$=B$+CHR$(A)
73 820 IF A<128 THEN B$=B$+CHR$(A)
74 830 IF A<127 THEN B$=B$+CHR$(A)
75 840 RETURN
76 850 GOTO 70
77 860 NEXT A
78 870 PRINT B$
79 880 GOTO 80
80 890 GOTO 80
81 900 GOTO 80
82 910 IF A=127 THEN B$=B$+CHR$(A)
83 920 GOTO 80
84 930 GOTO 80
85 940 GOTO 80
86 950 GOTO 80
87 960 GOTO 80
88 970 IF A=127 THEN B$=B$+CHR$(A)
89 980 GOTO 80
90 990 GOTO 80
    
```

The Nibbles By Alan Batchelor



Emlyn Hughes



INTERNATIONAL



**GAME
OF THE YEAR!**

**WINNER OF CCI OSKARS FOR
BEST SPORTS SIMULATION
AND BEST GAME OF THE YEAR!**

Quite simply the best football
simulation available for the 64.
Nothing short of superb.

ZZAP 64

**AVAILABLE NOW FOR
COMMODORE 64
£9.95 tape £12.95 disk**
Coming soon for Spectrum & Amstrad

Audiogenic

Audiogenic Software Limited, Winchester House,
Canning Road, Harrow HA3 7SJ, England

Order by phone on 01 861 1166

