

COMMODORE 1988

HARDWARE BUYERS GUIDE

COMPLETE GUIDE TO COMMODORE HARDWARE

INCLUDING
DISK DRIVES
CARTRIDGES
PRINTERS
GRAPHICS
SOUND
COMMUNICATIONS
AND LOTS MORE.....



FROM THE PUBLISHERS OF YOUR COMMODORE



TRI COMPUTERS

Dealers for Commodore, Atari, Amstrad, Roland, Xerox, Epson, Brother, Philips, Star, NEC, Canon, Kyocera, Mannesmann, Citizen, Toshiba, Oki, Panasonic, Cherry, Polaroid Palette, Acco, Elliot James, Rexel, and Hantarex monitors. We also supply a full range of computer system consumables: from disks to desks.

We combine system support,
with a friendly service and
helpful staff.

Tri Computers
161-169 Uxbridge Road Ealing London W13
9AU
01-840 6136

10% DISCOUNT VOUCHER

Present this voucher at our showrooms before 31st December 1987 and get 10% off of your purchase.

COMMODORE 1988

HARDWARE BUYERS GUIDE

CONTENTS

Editor: Stuart Cooke
Assistant Editor: Gao Joyce
Editorial Assistant: Kirk Hunter
Advertisement Manager: Stuart Taylor
Advertisement Copy Control: Laura Champion
Typesetting: Project 3
Design: ASP Art Studio

Apple Specialist Publications Limited Editorial & Sales Offices: 100, New Commodore, 5th Floor, London Square, London, E16 3JG
Telephone: 01 437 8626, Telex: 5610266

The Commodore 64 Is this the computer of the decade?	4	Fixtures And Fittings What can you give the computer buff: who has everything?	48
Art Gallery Some hardware needs great software to put you in the picture	8	Heavy Metal Hardware SDI has a good voice but MIDI means more music	33
Printer Buyers' Guide Which features do you really need?	14	Life In The Fast Lane A new DOS can make your disk drive really motor	58
A Change Of Pace The slowdown on upgrading your 803 printer - Also calling	19	On-Line Line-up Choose a modem to broaden your horizons	62
Facing Up To Printers A look at the range of interfaces and their special features	30	Fresh Chips Getting down to disassembles on the 803 printer	67
Precision Printing Precision proves that four heads are better than one	24	Net Benefits What do the networks offer modem users?	68
Printer Printout Sixteen popular printers under scrutiny	26	Interfacing With The RS232 A do-it-yourself interface for the Commodore 64	72
Machine Mania A Who's Who of Commodore computers	37	Talking Through Your RS232 OFF the pig interfaces from York Electronic Research	82
Of Mice & Pads The alternatives to keyboard control	41	RS232 On The Plus 4 No need to search the shops, make your own	84
A La Carte The cartridge revolution has arrived!	44	Commodore - Past And Present Who is Commodore? IBM profiled	91
		Red Boxes Let your computer do the working	92
		Spinner In The Works What can you do with a dead computer?	94
		Contacts Addresses for your file of facts	96



Printed by:
Gower Press, Southampton
Distributed by:

BM Distribution Ltd, 16-18 Priory Gardens, London SW9

The Commodore

Few computers can approach the success that the C64 has enjoyed. Why has it remained so successful for so long?

by Norman Doyle

The Commodore 64 is the flagship of CBM and has maintained a high profile in the market since it was first launched in August 1982. Despite the better sales performance of the Sinclair Spectrum (now under Amstrad's wing), the C64 is a far superior machine with a 40 column, 16 colour display, provision for eight sprites and probably the best sound chip in any home computer.

Really, I should refer to the C64 by the name of its latest incarnation, the 64C, because the production line in Germany has been turned over to the production of this handsome styling. However, the C64 by any other name still smells as sweet.

In the early days most of the programs written for the C64 were upgrades from earlier VIC 20 programs. With the passage of time more and more programming tricks have been exploited, graphic designers have gone to town with animation effects and a new breed of musician has appeared to transform the sound chip into a voice simulator, one monaural and a high class synthesiser the rest. For the most part, the net result is that games today bear little resemblance to their predecessors and this has had a knock on effect to serious software.

What do the programmers play with?

There are essentially four modes of operation for the screen display:

Normal text mode.


This is the power up mode which only allows three colours to be used simultaneously. The screen comprises 40 columns by 25 rows giving a total of 1000 character squares on the screen. Each character square comprises of an eight by eight pixel matrix and all characters can be redefined.

The three colours are: border, background and foreground (character). All sixteen colours can be used on one screen but each character square can only exhibit two of these colours: background and foreground.

Multicolour text mode

A few deft tricks and the character square can exhibit a total of four colours, including the background colour. This is subject to the swings and roundabouts syndrome, what you gain in colour/lines you lose in horizontal resolution. Each multicolour character square is formed by a matrix of four by eight pixels.

Once again the character set is redefinable and this mode



has been heavily exploited by games programmers.

Hires mode

This is the Commodore's graphics mode giving a screen resolution of 320 by 200 pixels. This is similar to the normal text mode and frees the user from fixed character positions allowing hi-res pictures to be drawn.

Hires multicolour mode

Once again this mode gives a flickier appearance because the horizontal resolution is halved to 160 pixels.

In addition to these modes there is the extended colour mode which splits the character set into groups which can have differently coloured backgrounds. Because of the subsequent reduction to only 64 characters in the set, it limits what can effectively be done but some nice effects can result.

In addition to these displays there is provision for a maximum of eight sprites to be displayed at the same time. Each sprite can be rendered to normal or multicolour mode independently of one another and totally free from the screen mode selection.

The advantage of sprites is that they don't have a transparent background colour. This gives them an appearance as though they were painted on a transparent sheet and anything they see

64

cable to a wide assortment of printer interfaces, cartridges, modems, disk drives and a host of other add-ons. Hung along the back from left to right you'll find a cartridge socket, TV output, composite monitor socket, serial port, cassette interface and an RS232-type user port. These are supplemented by two ports for joysticks, paddles, graphics pack, light pen, track balls or mouse (16007).

Internally, the whole juggling act is held together by a 6581 microprocessor which is essentially a modified 6502. When it is not accessed directly through a machine code program it is driven by the Basic ROM containing the necessary coding to execute Basic V2.

After much had been made about the 64K RAM, it came as a great disappointment and source of consternation to early buyers when the power up screen displayed only 32K of Basic RAM. Far from being a commercial con trick, this is 64K of RAM, all of which is available to the user but at the cost of the full operating system.

Parts of the memory are overlaid by the OS chips in a piggyback fashion which means that access can only be gained to the extra RAM by bank selection. This has been exploited to the full by commercial machine code programmers, vastly improving the quality of software.

The real Achilles heel of the system is the Basic implementation which is archaic and contains no direct commands for sound or graphics control. The bad news is that this makes sophisticated programming a pig but the good news is that all the PEEKs and POKEs form a good introduction to machine coding and there are not so many Basic keywords and structures to memorise!


The apocryphal story of C64 Basic is that Commodore commissioned a fully comprehensive implementation but it didn't see the light of day. Instead we got Simon's Basic in the form of a plug-in cartridge at extra cost. David Simon was only 18 years old when he devised the program with its 14 extra commands and, despite the desirability of a comprehensive Basic, it never really set the C64 world on fire.

Other companies have produced add-on Basics and the apparent weakness of the 64 can be turned into a strength because the machine can be converted into a dedicated computer with the correct handling routines.

Another area of criticism has centred around the slow operation of cassette and disk loading. Much has been done in software modification to overcome the deficiencies of the loading system and users often wonder why the operating system didn't do this in the first place. There are two answers to this question. Commodore claims that the slow load is more reliable and it certainly does appear to have a higher success rate than most fast loaders. The second and more plausible reason is that Commodore (not *she*) realise what could be achieved!

On the outside the machine doesn't seem to have changed at all prior to the 64C redesign but internal changes have been going on all of the time and the latest version of the component board is the sleekest yet.

In computer history there has never been a machine to equal the Commodore 64 in popularity, price and style. If this model doesn't see its tenth birthday I'll hang up my pen and inkpot for good!



user can be seen through the spaces between the sprite design. They are moved independently of the screen and are an absolute boon to game writers.

For the benefit of programmers, the screen can be relocated to any part of the 64k memory. This means that two or more screens can be used at once to allow special effects by switching from one to another in quick succession.

The sprite limitation can also be overcome by expert programmers using split screen techniques.

Sound Technology

The audio capabilities of the C64 are provided by the SID (Sound Interface Device) chip which gives three independent sound channels. With each channel you get full ADSR envelope shaping and a choice of three waveforms or white noise plus limited ring modulation, filtering and resonance.

This means that three-part harmonies are easily achievable but careful programming can make this seem like a small group. The sound from a well-tuned C64 can beat many synthesizers for range and colour.

Peripherals abound for the C64 and every interface can open

Art Gallery

Mice, pens and joysticks are useless without the software to drive them.

by Norman Doyle

It's difficult to know how to start choosing a graphics package. The range seems so bewildering. The starting point should be the facilities on offer but, though most people know what they want from a graphics package, few people know what they really need.

For the best results the package should use the multicolour, bit-mapped mode. Although this does impose a halving of the horizontal resolution, the benefits gained in colour use means that highly polished results can be achieved.

A pixel (picture cell) is the smallest element, or building block, from which the image is created and the resolution is the number of pixels which make up the total image. The rule is therefore, the greater the number of pixels, the higher the resolution.

On a normal screen there is a matrix measuring 40 columns by 25 lines. Each matrix square consists of a block which is eight pixels square giving a screen size of 320 pixels wide by 200 pixels high. This degree of resolution would permit a highly detailed image to be produced but hardware restrictions imposed by the system means that colour use is strictly limited. Using the multi-colour mode permits all the colours to be used but reduces the horizontal resolution from 320 to 160 pixels.

Another imposed problem is that colour flexibility is impeded by the limits of only having three ink colours in each cell measuring 4x4 pixels.

A good graphics package will have an on-screen menu so that you can always see your picture when selecting the next drawing option. This may seem like a problem because part of the screen is obscured by the menu but most menus can be moved around the screen or even switched off to display the full image.

The main consideration is, of course, the contents of the menu. Facilities must be made for loading and saving images; for changing printer parameters to tailor the output to suit the printer and interface that you are using; and an Undo option, which undoes your last action, is better than having to rely on Erase for correcting mistakes, which may occur when you're completing a complex image. A full range of drawing options should allow freehand drawing and a wide range of shape creators such as elastic line drawing, polygon, circle and ellipse functions, and triangles, squares and rays are also useful facilities. Brush size selection and colour fill are also essential and the ability to add text to the image can ease the problems of creating letters pixel by pixel.

Desirable though not absolutely essential are facilities for creating texture patterns for the Fill option, and for designing brush textures. A Zoom option is also offered by some packages which is ideal for adding complex details. Zoom allows the selection of an area of the screen, which is then blown up to show the pixels in greater detail. Apart from selecting your pen, this facility is essential if you are using a lightpen unless you

have a very steady hand!

Finally, there has to be a palette from which the brush colours can be selected.

Cadmaster


Trejan offer a free lightpen with each of their three versions of this package for the C64, Plus4 and C86. It has a wide range of facilities allowing five pen thicknesses and three spill sizes which can be used in freehand, line, circle, triangle, ray and box modes.

Taking into account special fill functions, active banding and wash facilities, and the price of just £1999, it would be reasonable to say that the lightpen is a free offer and that Trejan are offering a bargain to anyone who needs a quality graphics package that has restrictions about using a lightpen.

The Image System

In the fight for the ultimate graphics package, CRL are offering a heavyweight package which they use to create many of the hi-res leading screens featured in their games. The on-screen menu display has a panel which displays a blow up of the current working area to help with adding the fine detail.

Where this package really shines is in the area of screen manipulation. While the screen is being created, areas can be



moved, copied, taken up and down in scale, rotated and even folded to create 3D effects.

The Advanced OCP Art Studio

Although the £2495 price tag may seem a little high, this package is worth every penny. It contains facilities which would normally be associated with Electronic Art's excellent Deluxe Paint graphics package for the Amiga, which is no mean trick on the C64!



It has all the expected facilities for creating images, including an excellent Zoom facility which allows the user to select the degree of enlargement. What really sets it apart is the ability to create and save picture elements, shapes which may be used and loaded for use in later projects.

The image can be created using either a joystick or a mouse. Rainbow Software have also included the facility to display the Zoomed image alongside the actual normal resolution picture so that you can see the macro effect of your macro changes.



Blasting Paddles

This is the package which **Datel** are championing and they will supply it with a matching lightpen if you wish, though it also supports graphic tablets, mice and joysticks.

The main menu is displayed around the four edges of the screen. From this the many functions can be selected including a pattern fill and cut/transpose. This last facility enables the loading of special, pre-designed characters which are provided as part of the package. Animals, vehicles, various shapes and facial features can all be used to create pictures, making this a fun package for young children as well as adults.

Blasting Paddles costs £2.99, or £24.99 with the lightpen.

Cadpack

If you require an art program tailored towards making technical drawings, where dimensions and scaling are of great importance, then **Adams Software** have the answer. **Cadpack** is an extremely flexible program which has 22 functions on the main menu, each leading to many further functions. Drawings, layouts and renderings are easily produced using the keyboard or a lightpen.

For the architect the ability to save often used devices and shapes should prove a boon. The scaling and dimensioning facilities are particularly impressive, as you would expect from a package costing £24.95 on the C64 or £34.95 in US. The optional lightpen adds an extra £2.99 to the cost.

Artist 64

This package supports joystick or mouse operation and has to be seen to be believed. Although it is easy to operate, the permutations and combinations of functions seem almost limitless. Admittedly it's one of the most expensive packages on the market but it's also a highly polished vehicle for the artist.

Wigmore are justifiably proud of their art package which is impossible to describe in the limited space available here. To give you a taste of the range, images can be copied to any area of the screen, cycled through various colours, magnified, drawn from a fixed focus with a brush of your own choosing and design, texture filled, flipped, mirrored, screens may be partially closed and so the list goes on and on.

Ultrabasic 64

Along with its sister program, **Videobasic-64**, this shows a different approach to graphics on the Commodore. It's a LOGO-like language but **Adams Software's** form of Turtle graphics is far faster and can easily be linked in to Basic programs. Apart from permitting the use of *lines* graphics, there are also limited sound controls and a sprite designer.

3D Graphics Drawing Board

Yet another approach to graphic art is provided by **Glenayre Publishers**. As the name suggests, this produces images which can be twisted and turned this way and that to give a true 3D feel.

The images are wire frame graphics produced from three basic shapes: a cube, a pyramid and a cylinder. From these core

shapes other shapes can be created including spheres. When the finished object is rotated, you can opt for showing or hiding hidden lines for clarity.

As an introduction to Computer Aided Design principles, this is an ideal package at a relatively low cost, £4.95.

Vidcom 64

The arrival of **The Image System** eclipsed **CRL's** earlier graphic pack, **Vidcom64**. The strength of which was the bargain price of only 14.95. If **CRL** have any left or if your retailer has, buy it immediately!


The package allows two modes of operation; multicolour or standard bit-map. With multicolour you get the halving of the horizontal resolution but up to four colours within a character area. In standard bit-map mode the horizontal resolution is high but the character squares are limited to only two colours.

As the forerunner to **The Image System**, **Vidcom** has many advanced features such as pattern fill, area copying and reversing out of selected screen areas.

The problem will not be using this program for your graphic designs, it will be finding a copy that hasn't been snatched up yet.

Picasso's Revenge

This is the program which accompanies **Provision's** lightpen. It is an honest, workmanlike program which gives you all the tools you need but doesn't go overboard on special facilities. For the beginner, this approach means that getting the full benefit from a lightpen driven program will not mean hours of reading and experimentation before you're able to tackle your first major artwork.



Drawing To A Close

If I was asked to place my hand on my heart and recommend the best computer graphics program, I think it would easily be **Wigmore's Artist 64**. Apart from a good art program, you also get little touches like being able to record your movements so that you can replay the creation of your image at a later date.

A Printer Buyer's Guide

Buying a printer immerses the novice in a sea of jargon. Here's your first swimming lesson!

by Jon Vigler

A printer can cost more than your computer and yet most people still think of them as the noisy part of a typewriter. Far from just being a platen and a print head, the modern printer is an intelligent device, which can offer a range of options to the user. Not all machines offer the same facilities and the pitfalls are numerous.

Prices

You'll usually be able to buy printers at lower prices than the "recommended retail prices" quoted by the manufacturers. Work on the assumption that the best printers will be available for at least 10% below their RRP's and the older, not-so-hot ones at 20% lower. Shop around for the best discounts you can get and remember that RRP's include VAT but not the cost of the data cables and plugs.

Warranty

Most models offer a 12-month warranty (Citizens give two years). You'd be advised to get a written statement from the dealer underwriting your rights even if it's just a scribbled note on the

back of your receipt.

If you opt for mail-order, which is often cheaper, check who pays the carriage costs if the printer fails and has to be sent for repair. It will probably be your responsibility and makes buying nearer home a better prospect.

Speeds

Various suppliers have criticised my printer speed tests, which show print speeds to be far lower than the manufacturers' claims. So why not run your own test on the printer you plan to buy? Set it running on a slab of text some 5000 characters long and then time it with a watch. Remember to terminate the test timing when the printer actually finishes rather than when the computer finishes outputting characters. This is because most printers now have memory buffers which drastically reduce the time that the computer is occupied but mask the actual speed.

When you've finished you'll have a far better idea of how long the machine will take to print the kind of things you're likely to write. The manufacturers' figures usually tell you how quickly the machine will print a straight line of spaces: a singularly useless and deceptive piece of information in my opinion.

STAR NL-10 Print Pitch Demo

Pitches available from front panel

Commodore
Commodore
Commodore

Additional pitches available
under programme control

Commodore
Commodore
Commodore
Commodore
Commodore
Commodore
Commodore
Commodore
Commodore
Commodore
Commodore
Commodore
Commodore
Commodore

11 Print Pitches and 16 Print Styles

Fig. 2. Optional print styles on the Star printer.

Memory Buffers

An input buffer is RAM memory built into the printer itself to stockpile incoming characters from the computer. This effectively speeds up printing because the computer can output characters far faster than the printer can print them. Using a buffer as a collecting pan means that the computer can spew out its information at high speed while the printer works at its own rate. This releases the computer from printer output far more quickly and the user can move onto other things while the printer chugs along at its own speed.

Buffers are now becoming so common and so large (often with an option on size) that by taking account of them, printing speeds would appear very inaccurate. A document of 3000 or 5000 characters respectively would take two or four minutes to print out on a 20 characters per second daisywheel. With a buffer of three or five kilobytes, the transfer is comparatively instantaneous and you can see all that time on almost every printed. So, if your main concern is to find a printer that doesn't tie your computer up for a long period, look for one that combines high—data!—speed with a large input memory buffer or buy a buffer as a separate unit.

How Matrix Printers Work

Most printers, apart from the very expensive ones, are dot-matrix or daisywheel types. Dot-matrix is based on a system of pins and hammers. The 'print head' usually has just a single vertical line of nine pins, but sometimes it is a rectangle containing more. Each pin is hit by a hammer causing it to strike the ribbon and produce a single dot on the paper. A single pin may be knocked four or five times to make one character; for example, the top pin may be hit five times to make the cross-bar of a 'T'.

In theory, the more pins in the head, the better the quality of the print; 24-pin printers are becoming more common but normally cost over £500. Watch out for price cuts, though, as they try to compete with the falling prices of laser printers.

Interfaces and Compatibility

Printers come with one of two kinds of connection to the computer: serial and parallel. A parallel interface means that the eight bits (binary signals) needed to make one byte (single character) travel side by side down eight strands of a ribbon cable. This means that the computer receives each byte in turn, whereas the slower serial interface sends each bit down the same wire in bursts of eight, acting rather like a communications line of the fantasy sales. It's easy to see that this means that the parallel interface can be eight times or more faster than serial connection.

Sometimes one or other is offered as standard and the other as an option for which you will have to pay extra; some printers have cartridge interfaces built-in.

Some printers work on the coding system adopted by IBM. However, most dot-matrix printers are Epson-compatible. This compatibility is limited now because it was based on the Epson FX and MX series printers, both of which have now been superseded.

These models couldn't do near letter-quality (NLQ) type so printer manufacturers have chosen their own codes to select this mode. Though it looked like the Epson standard was being adopted at one time, it is high time the computer industry set up a new standard between themselves.

To be on the safe side, select a computer with italic, bold,

elife (compressed) and NLQ typefaces and buy a wordprocessor which will allow parameters to be set up to access them.

Extra Character Sets

In many machines, the print buffer memory space can be used to hold different sets of characters; either those for other languages, such as the accented French alphabet, or user defined sets. These are often called downloadable characters and are particularly important for those users who need to printout mathematical and scientific equations and symbols. Check how many of eleven language character sets each prospective machine has and, if you need to use one in particular on a regular basis, check that all the required characters are there.

Controls and Software

A control panel should have switches for mains on/off, going on-line and for form and line feeds. Form feeds are used with fanfold paper when you wish to set the print head at the top of the next sheet of paper and line feeds only advance the paper one line at a time.

As more printing modes become available, the manufacturers have realised that many users, and some wordprocessors, cannot cope with so many software controls. In the past some of these functions were selectable through the use of banks of four, eight or ten DIP switches. These are used to permanently set the printer into particular modes such as NLQ, auto linefeed or to select specific character sets and so on. The tiny switches have never been popular, frequently requiring the dismantling of part of the printer before they can be delicately manipulated with the point of a ballpoint pen.

A prospective buyer should consider how easily the DIP switches can be changed, because situations often arise when the current switch configuration is not really suited to the circumstances. Sometimes the paper which you normally feed through the machine is not available, for example, and a flick of a switch is preferable to reconfiguring your word processor or sending out control codes every time you want to print something out.

The latest breed of printers now include front control panels which allow the user to select special modes. Normally these are reserved for the range of typefaces currently available and their use often requires the pressing of various combinations of switches to be pressed and it may prove not to be as user friendly as you'd thought.

Fonts, Faces, Modes and Pitches

The increasing complexity of printers and the rising use of desktop publishing systems has meant that the jargon used by printers is being used by a wider range of people. Terms such as fonts, faces, faces and modes are thrown around back and forth enough to make a novice's head spin.

A font is a family of letter shapes (British printers often refer to this as a *family*). They tend to have familiar names such as Baskerville, Helvetica, Pica and Times.

Within each font you can have variations on the theme

known as faces. Face is short for typeface and printer users soon become familiar with terms such as *italic* (sometimes called *oblique*), *Roman*, *bold* or *bold italic*.

Within each face you can get further variations known as modes. In printers these are specifically called condensed, expanded, subscript and superscript and all of these can be combined to give dazzling descriptions such as 'expanded italic subscripts'.

Condensed type is very handy if you're trying to squeeze in as much type as possible into a small space such as a label or a table of data. This mode shortens the letter horizontally while maintaining the same height, as though the letter was breathing in. Expanded type is the opposite of condensed and delivers letters which are stretched out horizontally but maintain the standard height.

Pitch is a measure of the number of characters per inch (cpi). Modern laser and ink jet printers offer a variety of pitches on all fonts but dot matrix and daisywheel machines normally have a specific pitch for a particular font though you do occasionally get up to three different pitches for the standard roman characters.

Pitches are given names like *pica* and *elife*. Pica (the standard pitch) typically offers 10 cpi whereas the narrower elife pitch has 12 cpi.

Fonts and faces are increasing in number as printers and interfaces become more sophisticated. A typical range, produced on a Star SG-80 printer is shown in Fig 2.

More Modes

Extra modes which may be available to the user include NLQ, bold, emphasised and double strike. These are all variations on the standard dot/draft mode and describe the way that the dots are arranged on the paper.

Emphasised and bold are two names for the same effect. After the normal draft character has been printed, the head moves a tiny bit to the right and prints again so that the horizontal lines of the character consist of two sets of dots which touch forming an almost solid line and the vertical components of the letters are double thickness.

Double strike, on the other hand, is when the printer head prints a draft character and then the head moves fractionally down and repeats the character. This means that the horizontal lines are twice as thick but still doty and the vertical lines are almost continuous.

NLQ or high density characters are produced in a similar way but the second dot positions are more accurately placed so that the line is continuous. On some printers NLQ is a combination of double strike and emphasised. In NLQ mode *italic* and *bold* may not be available.

Facing Up To It All

In such a jumble, what do you need on the control panel and what should be left as software controlled?

In general, you need NLQ, condensed and expanded characters along with other typefaces such as Pica, Courier or Letter Gothic. This is because once they have been selected they

will not be changed for the rest of the document. *Italic*, **bold**, *super-* and *sub-*scripts are spot effects and are best turned on and off where needed through software controls.

Proportional spacing is also desirable as a paper-saver. Most printers support this facility which takes up the look of a document by closing up the spaces between thin letters such as 'i' and 'l' and the neighbouring letters.

There should also be a form feed and a linefeed button to help align paper and an offline toggle to tell the printer without clearing the internal buffer.

Light Relief

All printers should have LEDs (those small coloured lights) to indicate that they are plugged in and turned on, that they are also on line and to indicate when the paper supply has run out through an audio signal is just as useful. Extra lights to indicate the mode of printing are also desirable.

Fanfold or tractor feed paper is pulled or pushed through the printer by a tractor which is a cog on each side of the paper whose sprockets fit into the tear-off hole strips down each side of the paper. Sheet paper is fed through by being gripped between the platen and a roller in the same way as on a typewriter.

Just as you can't feed sheet paper through the tractor drive, it is inadvisable to try to feed fanfold paper through an friction drive. As the printout continues the slight reverse pull, from the weight of paper being drawn off the stack, will cause the paper to wander 'out of alignment'.

When buying a printer make sure that the cost includes a tractor feed mechanism. Some models only supply them as optional extras. Also choose your paper carefully because some fanfold paper has badly or unperforated edges. Unless you wish to keep the perforations attached check the quality before buying.

Many machines offer optional cut-sheet feeders but the cheaper ones never work very well. If you anticipate using a lot of headed paper for business letters then insist on a sheet feeder demonstration before you buy.

Ribbon Replacements

Most ribbons come in cassette form and either travel with the head or stretch the full width of the paper and allow the head to pass back and forth. There's no difference in performance but the former, travelling type are easier to load without getting your fingers black.

In both cases, loading a new ribbon is rarely fraught with danger. With most printers you simply place the cassette in place with the tensioning knobs and the ribbon falls into place on the head between the hammer face and the paper—shield which prevents ink from scratching off the ribbon and smudging the text.

Some printers use multi-strike carbon ribbon which is a compromise between the old, ink—impregnated, cloth strip type (the ones which give 'ribbons' their name) and the single strike ribbons which are acetate based and ensure total transfer of the ink onto the paper, giving sharp-edged, dense printouts.

Print Quality

The most important criterion is the appearance of the final printout, particularly the standard of the NLQ (judge the characters not according to your present needs but against what you may require in the coming years. Are the characters pleasing to the eye, clean edged and unambiguous? Do the 'descenders' of the 'y', 'p' and 'g' truly descend? Owners of older Commodore printers will appreciate how difficult and cheap these letters can appear without true descenders. Normally there is room for a descender to drop three dots below the rotational line but some printer manufacturers only use two and reserve the bottom line for underlining. This should be avoided because with only two dots you sacrifice the loop on 'y', 'g' and 'l'. It always looks better if you get a printer which only underlines the letters without descenders; a broken line looks better than a vertical one. If you're not sure how the characters are formed ask to look at the manual. Somewhere in the appendices there is usually exploded diagrams of all the letters which the printer can produce.

The true measure of a good NLQ mode is to ask yourself if it looks like a daisy-wheel or typewriter printout or just a less dirty version of draft mode.

If you anticipate doing hi-res screen dumps, check that the printer has this facility and examine the quality.

The Right Stuff

One way to check how well a printer is made is by it's weight. Lightness often means skimped strengthening and the use of plastic where metal would have been better. Watch out for this plastic protrusions because they will be the first parts to go when you carelessly drop a book, or a joystick on the printer.

Check that the print head has a multi-lined, sturdy heatsink attached. The movement of the hammers, their contact with the pins and the pins contact with the ribbon can dissipate energy as heat. If the heatsink is inefficient you may be able to print till the cows come home in January but when summer comes round the printer will probably keep sitting up. You cannot test the heatsink effectively but you can examine them carefully.

Another way of assessing the quality of a machine lies in the design of the switches. I dislike those flimsy switches hidden behind a strip of plastic tape. I much prefer to hear a positive click indicating that the switch has operated.

The overall finish is important, too. By this I mean the quality and permanence of printed labels on the switches, whether the surplus on plastic mouldings has been removed and a general feeling that care has been taken to create a quality product. My own pet hate in this department are firms who'll gladly part you from £200 but are too tight faced to put a 50 pence spare plug on for you!

How's your MLEF?

MLEF stands for mean life between failures or how long, on average, the machine will operate without breaking down. If this value is expressed at all it's difficult to judge its significance

because there are two methods of assessing MLFB: the number of hours printing, and the number of lines printed.

As a rough guide I would calculate that since most printers operate at an average 60 characters per second which equates to 48 lines per minute or 2,700 lines per hour. So multiplying an hourly MLFB by 2,700 will be a rough guide but not really a satisfactory guide.

Just to add to the confusion, some manufacturers specify the life of the print head as millions of characters. Frankly, I'd be surprised if the Oki Microline, which quotes two hundred million characters, is nine times better than the German made Mannesmann Tally MT-80 which only claims 30 million.

One thing about MLFB, however it is measured, is that you can use claimed MLFB if your printer fails after six months and you have to resort to the small claims court under the Trade Descriptions Act?

Decibel Level

This is important if you end up doing the books late one night and the kids are asleep next door, or if you're trying to listen to someone on a long distance call with the printer rattling away on the next desk.

It's extremely rare to find any kind of acoustic padding inside a printer. Surprising really when you consider that my way of estimating the noise of a machine is by counting how many closed doors have to be in the way before I can't hear it! Try something like this, for example, can you hear it from outside the shop?

Ease of Use

Most of the time a printer, with fanfold paper looped through, will just sit on the table and it will perform faultlessly. There will come a time when you run out of paper and have to load up a new batch. Logic states that a good printer is one that doesn't call upon the skills of a watchmaker or the agility of a conjurer to achieve the Uruguayan state of *load-up*.

Printers such as the Star NL-III and Panasonic KN-PI88 have a nice feature whereby the printer will help the process of inserting the load sheet with a brief instead of a few lines.

One day some wretched little piece of paper is going to get lodged inside the printer. If this is going to involve resorting to a screwdriver and pliers or a crowbar it's not going to do you or your printer much good. Always find out how easily the covers can be removed so that the paper path can be laid bare.

Buying a Daisywheel

These printers work by spinning the daisywheel so that the petals with the relevant character is rotated into position. A small hammer then presses the petals onto the ribbon and the character is thereby printed onto the paper. The range of characters and the style of the font and quality of print is therefore determined by the size and type of daisywheel employed. Some wheels have more petals than others but, before making your purchase of

A good manual should be A5 in size, spirally bound to lie open on the desk and should have stiff covers.

The contents page should have long and detailed descriptions of the chapter contents and each subheading should have a page reference.

There should be a substantial index at the back referencing all controls and their codes and indicating where the DIP switch definitions can be found.

Before leaping in at the deep end, the principles of sending escape code syntax should be explained clearly.

There should be a summary appendix giving all the generic escape code syntax.

A list of all optional extras should be given, including alternative or recommended interfaces/UX.

A full specification of the machine detailing **all of the features**. An explanation of ASCII codes, decimal and hexadecimal numbers should be supplied.

A separate or tourist quick reference card should be supplied.

Fig. 1. Optional gear styles on the Star printer

Fig. 2. The classic Manual feeder

a machine with a comprehensive wheel, check on the availability and range of extra wheels; a daisywheel is plastic and easily broken.

Most modern daisy wheels are Quatro or Diablo compatible which means that they adopt the same codes as one of these to achieve special effects. Most will print bold by double striking or shades by other double striking.

Daisy Wheel

Unlike dot matrix printers, the quality of a daisywheel printer is always excellent and this is why the slow acting but relatively cheap daisywheel printer has resisted the advances in SLD dot matrix, laser, ink jet and other printing methods.

Manual Lubricators

The quality of the handbook is every bit as important as the quality of the machine. What's the good of owning a Robt Boyer if you can't get it out of the garage?

Figure 3 lays out some rules for buyers; and for the handbook writers! I particularly recommend that you check whether explanations are lucid without being patronising. I also suggest that you make sure that all the printers numerous control codes are detailed and, preferably, summarised.

Fifty pages of explanation are totally useless if the writer has forgotten to explain that sending a control code does not mean pressing the CTRL key! Diagrams, example printouts and programs are all an indication of quality and clarity. You'll be lucky if you find an index in any printer manual but if you do it's probably a cut above other manuals.

A tear out sheet which can be kept under the printer is useful for a quick refresher course on little-used codes. Otherwise you could be left floundering through an un-indexed book for hours on end.

A Change of Face

If MPS803 printouts are not the prettiest sight you've seen, Printkit IV could be the cosmetic surgery you've been looking for.

by Gordon Hamlett

Your MPS803 printer may be fine for dumping off listings and the like but it's not going to impress your bank manager too much when you use it to write that glowing letter to him. To be perfectly blunt, the typeface looks awful. The lack of true descenders renders the print difficult to read; you keep wondering why a number '7' seems to be printed every time there ought to be a letter 'g'.

Enter Printkit IV from Avon Printer Technology. Not only does it give you proper descenders, but also other features such as italics and bold typefaces and underlining.

The package contains two integrated circuits and two sockets, a resistor, a switch and some solder roop. As the name suggests, it comes in kit form and you must fit it for yourself. To do this you'll need to strip the printer down, remove the printed circuit board, fit the components and then reassemble everything. Tools required include a small soldering iron, wire cutters and a couple of screwdrivers. The whole job could take you a couple of hours.

The instructions included are clear and fully explanatory. Your attention is drawn to the tricky parts and hints and tips are given to help you. The accompanying diagrams are similarly clear and large.

If you don't feel happy about approaching this job yourself, then you can send your printer to APT who will do the conversion for you for a fee of £15.

Once the kit is fitted, you are ready to try out the new facilities available to you. Naturally, the descenders are always there and need no special commands but underlining, italics and boldface are switched on and off via special control codes. When using word processors,

you'll find that most of them will allow you to use these commands in your text. Included amongst these are the three most popular word processors for the C64, Superscript, EasyScript and Wordword 64.

Bold is effected by a double strike which does not slow the printer down in any way. The descenders make the most obvious difference to your text and, if you intend to send out a lot of letters, the package is worth having for this alone.


The italic script looks a bit dejected, as if someone has just taken the ordinary type and stretched it across. Because of this, it is probably best only to print the odd word in italics for emphasis rather than italicising whole chunks of text at a time. It does give you five new characters though: left and right curly brackets, a double sign, a copyright symbol and a right pointing arrow.

Bold can also be used for word emphasis but would be especially useful for those extra special letters to your bank manager though the extra wear put on your printer ribbon by using this mode should be borne in mind.

Underlining is best used in conjunction with capital letters. Otherwise, it tends to run into the descenders that have been so lovingly created. Spacers can be underlined, or not, depending on the effect you wish to create.

The switch allows the original printer mode to be restored at any time, although the manufacturers are convinced that you will not want to do this very often except as a reminder of the bad old days!

These four additional features will certainly give your MPS803 a new lease of life, and at £20, has got to be a lot cheaper than buying a new printer!



Printkit IV is all in place.

Facing Up To Printers

Interface-phobia is a state of mind which affects many Commodore users. Broaden your horizons with our simple guide.

by Norman Doyle

Losing the easy world of Commodore printers for the tough world of alternative hardware can be a traumatic prospect. Just buying a printer is not enough because the Commodore machines work through the serial port and most commercial printers have parallel Centronics or RS232C inputs. Many people forget to budget for an interface but without it control is not possible.

The mere mention of parameter setting is enough to cause panic to set in but interfaces are probably the least complex peripheral which you could own. As do a yourself interface is one option and not too difficult to implement if you understand machine code but the mere fact that you have to load in software each time makes this awkward to use. The program eats up memory space and can prove impossible to implement if commercial software is being employed.

Centronics links are much more common than RS232C types and, despite the range of models, they all offer very much the same kind of functions. The current trend is towards integral interfaces supplied when the printer is purchased but many, particularly in the cheaper and older ranges need an extra unit.

Most Centronics interfaces are actually serial converters housed in a box with typical measurements of around 190mm by 90mm. The best units not only have a ribbon cable and a serial DIN lead but also have a single connector for the cassette port. This is a power tap to supply the PCB in the interface with the correct voltage. Some interfaces tap their power from the printer's 5V line on pin 18 of its socket but, because this is not standard, you must check that your printer is of this type before buying such an interface.

At its simplest, a connection interface simply collects each bit emanating from the serial port, assembles them back into a binary byte and sends this reconstructed information down a ribbon cable and into the printer as a parallel signal.

Although this is the prime purpose for the interface, there are always other benefits incorporated in such units. As a typical example I've chosen Precision Super-G interface.

Most interfaces, including Super-G, are supplied with integral DIN and ribbon cables which allow plenty of distance

between the printer and the computer. The power supply lead should terminate in a through connector which still allows the cassette deck to be connected at the same time as the interface.

The Outside...

The body of the unit sports a row of miniature switches which are always freely accessible and much easier to operate than the DIP switches used inside printers. These set the basic mode of the interface's interaction with the printer and these duplicate the function of several of the normally inaccessible switches inside the printer.

The Super-G has a row of eight switches which are of a type which I've not seen before. Gone are the days of DIPs which can only be moved by the use of a strong ballpoint pen and a magnifying glass and these new switches can almost be flicked with a finger nail. It's only the close banking of the switches which prevents this baloney dream from becoming a reality. The positioning of the switches could be further improved by attaching them to the upside of the PCB and cutting an access hole through the top of the unit. Instead, the Super-G has a superb table of suggested switch settings for a wide range of machines but the unit has to be turned over to facilitate the setting of the desired arrangement.

The top panel could also be further improved by listing the functions of each switch. As an apparent afterthought the manufacturer's, the Sigma Corporation, have included a summary sheet inside the manual but a loose sheet can easily be lost.

The switches on the Super-G are fairly typical and control functions such as the supply of automatic linefeeds, setting the printer as device four or five, and the selection of Commodore PCB printer emulation or transparent modes. The other switches organise the interface output mode to suit the printer to which it is connected.

It's the final category which is probably the most important of the switches. Commodore has its own form of character coding based on the ASCII standard. This has come to be known as

PEBCOL and causes problems where graphics characters are concerned. In addition, some of the standard printer commands for the Commodore system vary from the equivalent controls set in other printers. Using the simulate/transparent switch allows you to use commercial software engineered for Commodore printers with any printer which is compatible with the interface.

A secondary benefit of the Commodore emulation is that most interfaces have a special 'spoke' mode which substitutes the reverse field, graphic control symbols in a PRINT statement into easily readable mnemonics or 'CHR' codes. For the Super-G this means that a reversed heart symbol indicating a 'clear screen' command will appear as <CLR>. Each interface has its own system of mnemonics so it would be fruitless to delve further into the Super-G than this.

Although it may seem strange, there is also a facility to print out the raw hex codes which the printer is receiving instead of the actual characters. This is a function which is only appreciated on the rare occasions when it is used to debug an output routine which doesn't behave as expected or when a piece of commercial software produces strange results. With the flick of a switch you get a clear sequential printout of the raw code which may not solve your problem but does clarify the situation.

Daisywheel printers are catered for by a special switch configuration which sends a text only output.

...Inside

All of the switchable features should be duplicated inside the interface operating system especially if, like Super-G, the interface does not possess a reset button. This means that you don't have to fiddle about with switches if a special situation occurs where you wish to vary printer operations from the normal set-up.

These codes usually take the form of a secondary address in the open command, such as OPEN44,23. The problem with this system occurs when commercial wordprocessors are used. The programs always open their own printer channels and the addition of a special secondary command is rarely catered for.

A desirable feature of the Super-G is the ability to lock the interface so that it ignores any other secondary commands. Simply by opening a channel using one of the special secondary commands alters the interface irrevocably unless the power is switched off. The wordprocessor can then be loaded without worrying about the interface's state being changed.

Why Worry?

Despite wanting logical about the flexibility of interfaces I have to confess that my own interface was set on the day that I bought it, according to the manufacturer's recommended settings, and I haven't touched it since!

I've stressed that there is a wide variety of interfaces and the best way to buy one is through a local stockist who can set everything up for you initially. I've selected a few which I would personally recommend but manufacturers are almost always American and suppliers change so regularly that it's not so easy to keep up to date.

Super-G

This is the most recent interface to come under my scrutiny and I am still very impressed with it. Precision are the suppliers and the current cost is £34.95 placing it at the lower end of the price range.



I've already covered most of its facilities but the one criticism I have is that the manual could be better organised. The inclusion of an index or a few appendices tabling the special features would help greatly.

Micrografix MW 350

This unit has six DIP switches situated in a recess on its upper surface, next to a test switch and a panel which gives details of the switches' functions and the correct configurations for the major printer types.

One useful 'extra' is the ability to print out a status report detailing the parameters with which the interface is currently operating. At a glance you can see whether your interface is being generated by the interface and even which printer's configuration your currently set to. More of a luxury than a facility, this could be useful with some non-standard software.

The interface is also suitable for daisywheel printers and has emulate IS15 and graphic mnemonics modes as well as transparent.

Two additional features make this an intelligent interface which makes the whole process of printing easier. Firstly, control codes can be sent to the printer even in simulation mode by preceding the command with an extra CHR(27) control character. Secondly, and more importantly, there are a series of extra commands for setting page width, length, justification skip and one to make the printer pause at the end of each page for single sheet feed. With an interface like this who needs a sophisticated printer?

Just before you start wondering why I mention any other interfaces when this one appears to sing, dance and make tea at the same time, we come to the cost! The cheapest price I've seen is £26 in a sale. Versatility at a price.



Device One

The Device One interface is another one at the top end of the price range but it's the extra facilities which make it really excellent value for money.

Device One is no doubt add-on, it has 128K of 800d and 128K of RAM! This enables extra facilities such as four internal character fonts, font customising, plus the ability to print pictures, calendars and banners.

To accommodate access to these extra abilities there is a set of 32 commands, giving the printer another operation mode apart from simulate and transparent. Semi-transparent mode allows the interface commands to be executed even though the printer thinks it is operating in transparent mode.

Pictures can be sent down to the printer and printed out in half or full-tone. You could combine this with calendars printed



out by the interface or even as part of a banner. Banners are created by causing the printer to print lengthways down the paper instead of across the width in larger than normal lettering.

With 128K of RAM available you also have an extensive printer buffer.

Software is provided with the interface which allows you to access the interface's facilities more easily and two font editing programs. One of the font editors even allows you to hunt through the computer's memory for a character set which may have been used in a game.

The Connection

The Connection is a lot simpler to use than most interfaces because it is printer specific and has its own command set for controlling printout formats. There are only two DIP switches to worry about and even these are hidden underneath the label as though they weren't really necessary. If you just want to use your printer as a D25 then they aren't necessary for most applications.



One switch determines whether the interface is in transparent or simulation mode and this determines the function of the second switch. This switch determines whether a linefeed is sent or not in transparent mode. In simulation mode it selects a secondary mode which is either 'extended' or 'limited'. Extended mode enables the interface to respond to secondary addresses and to use its own special commands. Limited mode disables the response so that software compatibility can be maintained.

The commands cover all the printout dimensions, allow hex dumping, and another which breaks up program listing lines at suitable points to improve readability.

A special command, the macro, is quite useful for it allows characters to be reassigned. For example, if you want to print <CLR> in place of CHR\$(0), you can do it through the macro command. This means that specially formatted listings can be made using mnemonics of your own choice.

Hi Interface

I include this interface because it's one that keeps turning up in various guises. Batteries included are one of the features

Canadian hardware and software producers and this interface of theirs is reasonably priced around £30.

Last I heard, Ariolasoft were marketing this one but, by now, it may be in someone else's hands. Whatever the case I have no doubt that on a cloudy shelf or up and down the country there's a BE Interface or two.

The functions offered are fairly basic and no special functions are included from the interface is a reliable link for your printer and ideal for those who prefer the utilitarian to the exotic.

Centronics Unseen

There are several interfaces I've yet to see but it's only fair to give them a mention.

Everham Micros have the *Netex Signography* interface for £69.95. This sounds a little like Device 1 because it has downloadable fonts and a large buffer.

Stack Computer Products' interface is compatible with the full range of Commodore computers and costs £29.95. If you also want 8K of buffer space the price is £30.00 but a Centronics cable which links the user port to the printer will only cost £8.00.

An alternative approach to interfacing is provided by **Microships** with their Centronics load and driver software for £39.95.

Delta PI Software have two interfaces, a basic one at a very low price of £29.95 and the *Super-G* at £34.95.

A very neat interface is available from **PC Systems**. The electronics are contained in a small cartridge on the rear of the Centronics connector. This looks neat but could cause problems with some printers by losing the paper feed. The PCX interface is priced at £39.99.

In addition to their £15.00 Centronics printer cable, **H&P Computers** also has extension cables which can further increase the distance between your computer and printer. A one metre cable costs £3.00 and a two metre cable is priced at £7.00.

The RS232C Alternative

Although Centronics links are the most common printer connection, there are several models which favour RS232C links. The advantage of an RS232C printer is that the interface can also be used for linking in a modem. The disadvantage is that the connection protocols are more complex than Centronics connections.

If you're a novice, you're strongly recommended to obtain a software disk that will help you to set up the parameters. In most cases a suitable program is supplied with the interface but always check before buying.

A specific disadvantage with RS232C connections on the C64 is that opening a channel automatically sets up a buffer at the top end of Basic memory. Starting at around \$DFF, the position of the buffer can overwrite any variables that the rest of your program may be using. This is further affected when the channel is closed and the top of memory restored to its normal \$DFF position. Now any variables that were set up during the RS232C communication phase will be wiped out. It's rather like executing a CLR statement at the start and finish

of RS232C interchange.

RS232C interfaces are not as rare as you might at first think. Most companies who sell Centronics interfaces also stock RS232C connections.



Brain Boxes and **Desk Electronic Research** both produce respectable RS232C packages but the **Brain Boxes'** connector has switches on it to help permanently set up your interface. The **YER** unit lacks any switches but has an excellent piece of custom software along with a port initialisation program and a transparent printer driver.

The **Brain Boxes** package costs £49.95 + VAT and the **YER** system will set you back by only £29.96.

Other companies producing interfaces are:

Delta PI Software whose interface and software retails at £57.00. **Stack Computer Products** RS232C connector costs £33.00.

An intelligent RS232C interface is manufactured by **PCX Systems**. With its own processor and a massive 64K buffer high data transfer rates can be achieved and the computer is tied up for as little time as possible. The snag is that the system cost £150.00 but, for those who want a cheaper interface, PCX also have a low cost interface for £35.00.

The lowest cost interface is that produced by **H&P Computers**. With an *Xmodem* custom program the whole package costs only £24.00.

Keep Up To Date

The printer interface scene is changing and evolving all the time with more and more printers including machines matched, Centronics interfaces. There is often still a chance that an external control system will enhance a printer's specifications in the way that Device 1 operates. As RAM chips continue to fall in price there may come a day when interface buffers will free computers as soon as a high speed download has been completed. The result for the user will be freedom from the time delays involved while waiting for the printer to do its stuff giving hours of uninterrupted word processing and programming.

Precision Printing

Are four heads better than one? Precision Software's Peripheral Printer sticks its neck out.

by Norman Doyle

The first thing that struck me about the Peripheral Printer was its beautiful streamlined appearance; but when I looked inside I thought I was seeing things. Four print heads? Surely this is some kind of joke! After about ten minutes of using it I was thinking how come nobody had thought of this before!

This is the most innovative and exciting peripheral that I've seen for a very long time. The technology of dot matrix printers has reached the maximum speed which a single head could produce but this machine increases that potential fourfold. To say that I'm amazed would be an understatement!

By nature I'm a cynic and even when faced with a printer such as this I am not the type of reviewer who will gush at high printout rates. My second reaction to the machine was to say that four heads mean four times the noise. I was wrong. Alright, so it is a little noisier than many of its single-headed brethren but the benefits far outweigh this drawback.

Logically, this machine offers over four times the speed but also of its linear times less wear on the heads per document. Added to which there are a few more innovative features which makes this my peripheral of the decade!

In our article on printers we have laid in heavily on the deficiencies of the switch systems employed on printers, especially the widespread use of DIPs. Hold this printer up for scrutiny and there's not a DIP switch in sight. Instead a small cover to the right of the printer head is removed to reveal twelve, well-spaced slider switches which even the clumsiest of fingers could operate with ease.

This bank provides all the usual functions that DIPs usually offer: Epson/IBM mode selection, linefeed, paper end detection, character set selection, linefeed length and line spacing plus



an on-dashed/undashed mode. Curiously the width switch serves no purpose.

In front of this switch will are four switches and four LEDs. Apart from the usual online, form feed and linefeed buttons, there is an NIQ button which overcomes the problem of selecting this mode through software control codes. The switches are rugged, positive contacts and the LEDs leave you in no doubt about the operating mode. Paper, paper out and online are all indicated by their respective LEDs and the NIQ light comes on when that mode is in operation.

Fast But Firm

The use of four heads means that the general construction of the printer is extra rugged to counteract the mechanical shock of four sets of matrices hammering against the platen at the same time. This stability may have resulted in a hard-looking exterior but the sleek lines of this machine belie this possibility.

Enough of this cataloging, let's take a look at the

The quadruple heads give this printer a print speed of a staggering 480 characters per second in draft mode and enables NIQ printing at a rate which beats some printers in draft mode! 80 cps in NIQ is not to be sniffed at.

In its image graphics mode for bit-mapped screens dumping, the printer performs in unidirectional mode which slows it down a little. Even at that it still beats every printer I've seen because having four heads ranged across the paper's width means that the carriage does not miss the heads more than about two inches.

Apart from NIQ and draft modes the printer also offers condensed and enlarged modes. Elite is normal and enlarged, italic, super-and-sub-script, double strike, emphasised plus underline. In NIQ mode the Elite, emphasised, double strike and superscript modes cannot be used.

My only real complaint about this machine is the manual which is presented as a paperback (perfect bound) and liable

to split or shed pages as it gets used. The contents page is limited to general headings and the information is so compacted that it's difficult to find the information that you need quickly. A full index in the back of the book would have helped enormously.

Interface Inclusion

As standard, the Peripheral Printer has a Centronics interface fitted but this can be replaced with an RS232 module. For Centronics users the Centronics interface is recommended because Precision are offering an special price on the Super-G interface module bundled with the printer.

In the article on interfaces I have already praised the Super-G for its ease of use and facilities so, apart from commending Precision's offer, I will say no more here.

Conclusion

You may have guessed that I'm besotted over by this product. It produces smart looking NIQ documents but it's a pity that some of the draft features are inaccessible. As far as speed is concerned this is heads and shoulders above the rest. If speed is a prime concern then this is the only printer for you.

brain boxes

Commodore 128

C128/64 IEEE488 interface £69.95
(as reviewed in July 86 PCW)

C128/64 RS232 interface £49.95

C128/64 Centronics Printer Driver Software £9.99

C128/64 Centronics Parallel Printer Cable £79.95

PS/2 IBM IEEE-RS232 and parallel bidirection interface 32k buffer £269.95

IBM PC IEEE488 interface includes software £199.95

Add £150 FIP (first class recorded delivery)
All prices plus VAT at 15%

Unit 33, Wavertree Technology Park,
Wavertree, Boulevard South,



Liverpool, L7 9PF
Tel: 051-220 3500



GET THIS



Super-graphics software plus a quality pen to give you enormous scope for fun and creativity. Full colour pictures or simple line drawing — the choice is yours. 'Feathered draw' 'Pixel accuracy' 'Box, circle, triangle' 'Copy' 'Paintbrush and much much more. Unparalleled reliability.

TRUManight pen (240 x 128) £19.95

TRUManight pen Plus (40 x 16) £19.95

Turbo (256) — quality 2 button mouse for any joystick or keyboard operated graphics program. £24.95

CCP ART STUDIO panel for Turbo mouse — (256 x 128)

SEA £17.95

tape £14.95

Special Offer (save £25)

256 x 128 Mouse with CCP Art Studio disk. £37.95

save £44.95

ARTIST graphics program — very powerful mouse or joystick on

(240 x 128 disk or tape) £29.95

NEOS mouse & Cheese slice £24.95

THE GREAT COVER UP ... top quality covers with 2 year

guarantee

GM484C-D128-Plus-400 £4.95

Amiga 100 £9.95

Amiga 1000 £19.95

Overseas orders add £2.00

Get it from

COMPUTER EQUIPMENT
Preston, LONDON, W1 1BN

Please supply

Name

Address

Printer Printout

Printers come in all shapes, sizes and decibel levels. We put sixteen different machines under the microscope.

Jon Vigler



Placing the written word onto printer paper may seem like a fairly mundane task, but there are more makes of printer than there are types of computers. In fact, there are so many different printers available for your Commodore that it would take too many pages to describe them all.

I've limited my comments to some of the more popular machines that I've run: twelve-dot matrix, three-daisy wheel and one thermal printer.

BROTHER M-1509

This printer is a beauty: a low, stylish, 152 column machine with many desirable features. Unlike many printers the main cable and data cable enter at the side avoiding the danger of feeding fanfold paper jams.

With a similar thought for accessibility, the power switch is situated on top of the printer and an array of membrane switches permit typewriter standard NLQ near-letter quality

selection and paper feed type: continuous fan-fold paper, single sheet feeding or automatic sheet feeding using an optional cut-sheet feeder.

Ribbon changing can be a very messy process but the Brother cartridges include a little, plastic running guide attached to the ribbon which is easily clipped into position on the print head, leaving hands and fingers immaculately clean. Beneath this ribbon compartment are found the control dip switches. The switches have a plastic cover to protect them which also bears upon it a description of each switch's function, a very useful feature.

All panels are removable so that the printer may be cleaned but some of these panels could only be freed with difficulty. The unusual tractor-drive attachment for fanfold paper clips onto the back of the printer. This ensures easy loading of fanfold and cut-sheet paper as well as allowing easy removal of paper jams. The printout quality is excellent, a sharp, NLQ typeface with convenient descenders in either roman (the standard style), italic, bold or boldface italic. My only criticism is a personal dislike of the slight discontinuity on the knee of the lower case 'v'.

The manual is neatly laid out and has excellent diagrams, but the contents list is brief and only occupies a single page with no index to support it. Despite this admirably self-revealing system, all the

This is the STAR NL-10
 This is NLQ mode
 This is *italics*
 This is **bold faced type**
 This is **bold-faced italics**
 This is underline and
 here are some demarcators
 YYYV PPPP QQQQ ZZZZ

This is the CITIZEN 120D
 This is NLQ mode
 This is *italics*
 This is **bold faced type**
 This is **bold-faced italics**
 This is underline and
 here are some demarcators
 YYYV PPPP QQQQ ZZZZ

necessary information seems to be contained alongside a business-like summary of all of the escape code commands. One slight blemish is the omission of a brief description of what each escape code achieves.

If disk space and bank account will allow for a wide platen machine, this is a highly recommended and excellent printer.

CITIZEN 120-D

Unfortunately, the Citizen is not so highly recommendable. I was not impressed with this machine's *using* performance and the sub-standard appearance of the NLQ mode printout.

The compact, simple design of the machine is not helped by the ugly, tractor-drive attachment. When the covers of the drive sprockets are open they also obstruct the opening of the top cover.

Sheet feeding proved hazardous too. Sheet or tractor feed can be lever-selected but the friction feed failed to grip standard weight paper securely enough when I tested this facility.

The overall finish is skimpy, extremely thin metalwork and barely adequate plastic. The print head looks particularly flimsy and delicate and in my tests only achieved a speed of 60 characters per second instead of the specified 100gps.

The utility control panel opens just three switches and three indicator lamps. The letter quality and auto sheet feed functions on the panel seem to be afterthoughts haphazardly added to an existing panel.

The printer does have some good points including the simple selection of print face via the control panel;

correspondence draft quality, italic, emphasised and reduced. There is also a replaceable interface cartridge to match the printer to the computer.

Most printers require an additional interface to match the Commodore or RSN112 systems to the Commodore output ports, so allow for this when comparing the price of the Citizen against other makes.

Finally, the handbook has a convenient tear-out card showing all the necessary codes. My pet hate with this, and other, manuals is the lack of an index, but otherwise it is nicely produced.

EPSON LX-86


This has recently been replaced by the superior LX-800 which offers a sans-serif typeface in NLQ, a JK internal

buffer and six user-defined symbols which could even be used for personal logos. The printout speed is slightly higher than the LX-86, as is the price of £275.

In the absence of hands on experience with the LX-800, I can only really consider the very similar LX-86 which should still be around for months to come.

In its day, the LX-86 replaced the LX-80 as Epson's standard workhorse and included many enhancements lacking in its predecessor. The tractor unit became an easily removable device with full width adjustment enabling the printing of address labels and pay-slips.

Unfortunately, the positioning of the tractor feed spoils the streamlining of the printer design and also obstructs the feed selection lever. This means that if handfold



paper has been loaded and the user then wishes to knock out a quick envelope, the tractor drive has to be returned to switch to friction feed and then replaced after the envelope has been completed.

The arrangement also has the effect of making the tear-off strip (inaccessible with the tractor feed fitted, just when it's needed most!) The quality of perforations on fanfold paper is of varying effectiveness and a tear-off strip is often greater and therefore desirable. Although Epson do specify that a tear-off lid is supplied with their roll paper holder. For sheet loading a separate cut sheet feeder is available as an extra.

Although my printer is only fitted with a standard parallel interface, Epson tell me that a whole series of interfaces are available including one for the Commodore serial port.

The speed claimed for this machine is 120 characters per second but my tests produced a slow and noisy 51g/s. In addition, the NLQ mode does not permit italics and the appearance of the NLQ is not quite up to business correspondence requirements despite the crisp and clear appearance of the well-formed characters.

In standard mode there is a choice of eight different typefaces selectable from software codes or through a somewhat complex system using the control panel. Neither of the printer modes supports proportional spacing.

BROTHER M-1109

This is a minute machine measuring only 13.8 inches, making it ideal for those with limited desk space. Although Brnoic points are awarded for the inclusion of both serial and parallel interfaces as standard, it immediately loses them again for a miserly control panel.

Although NLQ mode can be selected from one of the two membrane switches on the panel, there is no facility for executing a form feed.

I often suspect that many printers have tractor feeds fitted as a design afterthought and the fitting of this unit causes problems on the M-1109. Most of the problems result from the trade-off between compactness and convenience.

The tractor feed not only inhibits the



feed control switch but also negates the use of the tear-off strip on the platen cover. Similarly, the limited school, which Brother have used in preference to a paper feed knob, is rendered difficult to use by the tractor feed attachment.

Apart from using the neat plastic cover to cut down the noise, the user can also utilize a special quiet printing mode. This is not easily accessed through commercial products for example, when planning to make half a dozen telephone calls while printing out a trial balance because it can only be controlled by software and few products allow for unique commands such as this.

The printer is extremely slow, clicking in at a tested 41g/s against the claimed 80g/s but it does have a good typeface.

The printer package is marred by an extremely poor manual containing only the bricked contents list, but no index at all, no handy reference cards and no explanations of control codes. In addition, the diagrams relating to clip switch positions are extremely confusing.

STAR NL-10

I liked this machine immediately. It is extremely well made and robust with many delightful features.

The first main feature is that the tractor feed is built-in so that the

machine maintains a clean, low profile and all parts of the paper feed path are accessible in the event of a paper jam. An intriguing automatic loading sequence comes into play if the paper feed control lever is moved back, so loading fanfold or cut sheet paper is extremely easy on this machine.

I also liked the ribbon carriage which has a removable anti-carriage to keep ribbon costs down, and the generously large knobs attached to the platen roller.

Another attractive feature is the interchangeable interface which is fitted with a single screw ensuring that versatility and safety do not result in poor electrical connections.

Compared to many of the other printers on test the legs and brackets holding covers in place were all stout and stout and looked as if they would happily endure hard usage. It would have been fitted if the carriage could have been lifted about half an inch away the outside edge of the platen, away from the paper track. For most applications this problem can be solved by placing the leftmost sprocket hand over to the extreme left where the printer head will still reach the edge of the paper.

Altogether, I liked the generous control panel with no less than seven indicator lights and five switches. From the panel the user can select NLQ bold,

pica, elite and condensed printings. Italics can also be accessed in both bold and NLQ modes.

Another panel feature is micro-feeding: moving the paper a fraction of a lined-up or down. This is useful for printing complex mathematical and scientific formulas or simply for placing the paper accurately before a print run. There is also the facility to reset the left and right margins very handsily for the occasional non-standard document.

The Star is a big machine measuring 16½ inches but this space is well used for robustness and convenience. The only real complaint is with the rather cumbersome inlets in the instruction manuals (one for the printer and the other for the interface). However, there is a gaily coloured prompt card printed on plastic-coated paper but it doesn't include a list of the various control codes.

With the prices now as low as £248, the Star NL-80 gives the best value of any of the machines covered here.

ONE MICROLINE-182

The Microline-182 is business-like in appearance: shallow, flat and square with a tiny, unobtrusive control panel.

The low profile is maintained, even when half-fold paper is being used, by mounting the tractor sprockets on the

platen spindle itself. Placed at either end of the spindle it means that the user is not only limited to A4 half-fold, but that the loading of paper is also slightly trickier because the sprocket wheels cannot be adjusted independently. The manual does show an alternative, more conventional tractor feed as an optional extra.

The ribbon carriage is robust and makes me suspect the veracity of its claimed capacity of three million characters (the finished carriage is twice as large and only claims half a million!).

The interface socket is badly positioned so that the ribbon cable is guaranteed to interfere with the paper path and the streamlined shape of the printer is spoiled by a paper-tape device which engages awkwardly in slots on top of the machine.

The Microline looks shoddily made with thin, plastic panels and a paper feed selection lever which looks particularly flimsy. On my sample the colour of the plastic cover didn't quite match that of the plinth, one of the plastic legs had already broken off, the connector on the back was upside down (whether in error or by design I know not) and the main cable has a right angle connector which means the cable leaves the machine in an awkward, sideways fashion. There was also an extremely flimsy-looking wire clip whose function I could not ascertain and the clip switches could only be reached with the

aid of a screwdriver.

The machine is strictly IBM compatible which means that many printer serial interfaces would not be able to use Commodore printer emulation. Obsolete facilities are so limited that the IBM codes should not prove too difficult to learn. The only facts are pica and elite is condensed, double width or with underline and without italics. What is closed as an NLQ mode failed to impress with its poorly shaped characters and lack of true descenders on the 'j' and the 'y'.

The manual is very poor with eight two colour printing and slang Americanisms such as:

PRINT "Who you gonna call?"
More importantly, the index is inadequate omitting such important headings as NLQ, Dip Switches, Line found under: Switches, internal circuit board and Boldface found under: Printing, enhanced emphasized, but with nothing under Enhanced or Emphasized.

All in all I was not impressed with this machine.

KAGA TAXAN KP800

The KP800 looks very similar to the Canon P4000 but, considering its age, it seems a little overpriced. It runs quietly apart from a click at the end of each page; it is easy to load and has full compatibility with Epson codes.

Despite the lack of an indicator mode it is nice to be able to select NLQ from the panel of switches on the front of the printer. NLQ does not support italics or boldface but there is a wide range of print modes and some giving variations on the pleasant character set with attractively curved tails on the descenders.

For those willing to trade off speed for quietness, there is a special half speed mode which will please the neighbours during a nocturnal printing session.

The manual has a very detailed contents list, excellent line diagrams and numerous tables detailing the various character sets and their dot patterns.

I didn't like the flash switches on the control panel and found the platen would not pass paper thicker than an original with two carbon copies.

Despite my dealer's opinion that this machine is not to be recommended, I'm





afraid I must disagree and say that I was inevitably impressed with its overall performance.

SMITH CORONA D200

This model comes from an American company with a fine reputation for typewriters and printers largely produced in Japan. The D200 has been around for some time in this day and age that means more than a year! and they are difficult to find over here but worth hunting out.

At a significantly lower price than similar models, the D200 offers excellent NLQ with boldface and italics. The print quality was very good but some of the lower case letters have flat tops and bottoms.

The printer has proper selection switches on the front panel and the clip switches are easily accessible at the back of the printer without having to unscrew anything. The serial interface is in-built and a main plug is supplied already fitted.

My only anxiety about this machine is the noise it makes; the function is particularly glaring and though this could indicate inadequate engineering I couldn't actually see anything wrong.

In most models the tractor sprockets are "pushers" but the Smith Corona tractors actually pull. With this system,

manually feeding paper backwards for re-alignment tends to result in a paper jam. I found that this could be overcome by switching over to friction feed when feeding the paper back, then back to tractor feed for printing.

The overall finish of the printer is slightly marred by having a piece of acoustic padding crudely stuck onto its base, necessary no doubt, but not very neat.



I am particularly irritated by the handbook which, though apparently comprehensive by its thickness, actually contains a mere 35 pages of English text with the rest being foreign language negotiations of the same indigestible material. The contents list is totally inadequate and descriptions are skimpy and most unhelpful.

The outcome is a printer whose good value-for-money rating is marred by a very poor manual.

Micro-Peripherals MP165

This machine is extremely small and compact but behaves in a very pleasant manner.

Although I was pleased to note a switch and accompanying lamp for NLQ mode it seems a little unfortunate to include lamps for both Ready and On-Line.

One of the clip switch banks is located in a little cranny at the back of the machine where it is usually accessible to a pencil but you need a good light or a person's helmet to read what purpose each switch serves. Access to the other bank of switches can only be achieved by unscrewing the cover.

The machine was fairly quiet; in particular the functioned made virtually no noise at all. Even the paper out signal plays a pleasant little tune rather than the



edger spaces omitted by most of the other printers.

The various hinged top covers are rather inconvenient and look a little fragile, however, they have the benefit of being totally removable in the event of a paper jam.

The paper tearing edge is attached to the ball arm (the other arm which swings in to hold the paper tightly against the platen just above the print head). The printers do not have locking devices to hold them in place but rely on friction instead. Despite my apprehensions about this system, it seemed to work very well.

The printed quality was only fair, having no loops on the descenders, a bow-like "v" and the bar on the capital "Q" barely escapes from the circle. Though the NLQ mode supported italics, it did not support boldface.

The manual is very good, if only it had an index at the back then it would be excellent. In particular it emphasizes the wide range of character widths and types that can be obtained.

The printer came less well packed than any of the other samples so watch out for damage when you first receive it. The manual feed knob was also a bit stiff with a non-reversible feed. In fact any attempt to reverse feed paper will invalidate the warranty, according to the

manufacturer.

The MP665 is a good printer at a competitive price.

Canon PW1080A

This is a stripped up version of the Raga Telex KP800. It purports to print at 80kps, rather than the KP's 140kps and to perform twelve carriage returns per

second, three more than the Raga Telex. NLQ can be selected by a front panel switch but in every other respect the two printers perform identically.

The model I tested suffered from the same defects as the KP800: a distracting clunk at the end of each print line, lack of italics or boldface in NLQ mode (though you can buy a ROM which gives NLQ italics), absence of an NLQ indicator, and an inability to take more than two carbons.

Under test it also suffered several paper jams but I'm prepared to believe that these were my fault rather than the printer.


Printing quality was fair: in plain type the "j" has a flattened loop on its descender whereas the "i" curves gracefully.

Mannesmann Tally 85

Testing this machine after all the Japanese printers was rather like driving a Volkswagen after a series of Ferraris: it felt solid and reliable.

The speed is accentuated by a large, selectable buffer. In my test on a 5000 character text in NLQ mode, the computer was free for use in 98 seconds but the printer chartered on for a further 85 seconds.

The printer head is very quiet especially in NLQ mode and the control



panel with its four switches and associated indicator lamps is far more attractive than those on any of the other printers.

The top cover removes completely to give open access for freeing paper jams or for general maintenance but a hinge would solve the problem of where to leave it while work is in progress. The mistral—fresh air window makes it difficult to see what the printer is doing and I feel that the temptation would be to leave the cover off all the time.

The tractor feed pulls the paper through the printer. This can be irritating when you have to lose a sheet of paper each time you feed folded paper through. It's advisable to back feed with friction feed set on the uncomfortably stumpy tractor/friction lever selector.

Two excellent features are the slot for exchangeable font cartridges, cunningly hidden behind a hinged door on the front panel, and the software method of overriding the dip switch settings thus avoiding the problem of manipulating inconveniently placed, minute switches.

The dip settings are standard Epson printer options and include Epson-IBM compatibility, line spacing, form length, auto spooled slash suppression, NLQ mode, condensed face, perforation skip, linefeed on carriage return and several international character sets.

The quality of printing is very high indeed. Boldface and italics are both available in NLQ mode; lower case letters have properly looped descenders and the "c" has curved arms.

The two-part handbook is extremely good. The Operator's Manual has all the necessary information for using and maintaining the printer while the Applications Manual suggests ways in which your computer and printer can be used together.

Both booklets are well produced, detailed and laid with a meticulous index and a tear-off prompt card.

It's a fantastic machine. I first reviewed it in 1985 and was so impressed that I bought one. It has served me faithfully since then and was sold (at a new condition when I recently upgraded to a laser printer) as tribute to its robustness and reliability.

I may be biased but I unhesitatingly recommend this printer to anyone who can afford its slightly higher price.



Panasonic KX-P1081

This is another superb value printer with which great care has been taken to achieve ease of use. Three different modes of operation can be controlled from the main panel dial, NLQ and condensed.

The dip switches are ingeniously located in a cut-out in the base under the print head. It's a pity that the cover is just a cheap piece of cellophane without which the circuitry would get covered in

paper dust.

Loading up paper is usually a hazardous and irritating routine on most printers. Panasonic seems to have avoided this and it's as if an unseen hand guides the paper as it is fed into the printer and then guides it into position. With a similarly sympathetic attitude towards the trials and tribulations of printer ownership, Panasonic's approach to ribbon changing makes it an easy and relatively clean job to load or remove the cassette.

Unfortunately, I'm not so keen on the

plastic covers, especially the clear plastic one which popped outward to remove and replace.

The print quality was generally good, especially in NLQ mode, but the lower cost's "lacks a loop. My test rendered a speed of 96bps compared to its stated 120bps and this was achieved reasonably quickly.

Panasonic has produced a detailed handbook with a full index to construct the modest contents page. Some care has been taken to explain the use of control codes in a detailed and easily understood way.

All these facilities, plus the relatively low price, makes the KX-1000 one of the best bargains around.

Triumph Adler RD7020

Triumph Adler are part of the Volkswagen group, so you might guess just by looking at the construction of this daisywheel machine: it is well designed and professionally finished, though conservative in appearance and modestly priced.

It is also fairly slow, only registering 14bps on its own self test facility. Other words and speed have a swing and roundabout relationship, consequently this is unusually quiet and pleasant sounding for a daisywheel printer.

With many a printer the whole



household and some of the neighbors are aware when it's in use but the RD7020 can be rendered noiseless simply by closing the door to the room it is in. Even making a phonomax while it's working in the same room would be possible and yet I still feel that the noise level could be reduced even further with the use of acoustic backing!

The metal parts are particularly robust and all the electronics are protected within a sturdy, screening, metal box. This robustness appears to apply to all

areas of construction: the isolation switch under the main cover has a substantial, bright red striker and another sturdy plastic lever ejects the daisywheel from its spindle.

It was this daisywheel lever that led me into trouble: I accidentally released the daisywheel before attempting a printout and broke it as a result. Daisywheels are not inexpensive items and, though I admit that the fault was my own, I think a little bit of blue-putting would not go amiss.

The Triumph Adler daisywheels have a slightly larger diameter than the Quartz and Diablo wheels but carry 800 characters six more than either of the others and come in ten international character sets.

The paper handling system is particularly elegant. A single lever operates the automatic feed, neatly moving the feed arm out of the way at the same time, and the tear-off edge seemed to perform better than any I have encountered.

A revolutionary design feature is the way that the data cable enters the printer through a generous slot on the underside. This arrangement obviates the problem of the cable loading the paper feed.

The front panel switches are properly constructed and there are easy mechanical selector switches for page length, daisywheel type and print pitch.



The R1000 has a lever which allows the selection of single or multistrike ribbons. As well as a 90000 character carbon ribbon, the printer supports a 200000 character multistrike carbon ribbon and a million character fabric ribbon.

Points I didn't like about this machine are the paper advance knob and the ribbon selection lever. The manual paper advance knob is spring-loaded and has to be pulled outwards before it will engage. I found this particularly awkward and it seems to be an unnecessary refinement. On the other hand, the ribbon transport selector is essential but the symbol panel which indicates the mode that has been selected is obscured by the casing housing the electronics.

I only have a draft copy of the manual and there appears to be a reasonable contents list, plenty of explanations of control codes and abbreviations but, inevitably, no index and no indication of the availability of COM2000books.

Quint Letterpro 20P

The thing that impressed me most about this printer was that it was the only one that performed up to its specification when subjected to my speed test.

The Letterpro is constructed to a high standard with a robust, aluminium, diecast lower body and no less than 100 different daisywheels available.

My prejudice against membrane switches was deflated by the type installed on the main panel of this machine. They have an extremely positive feel with a neat appearance and the presence of a reverse lock switch was particularly welcome. Not everyone will like the awkward way in which this reverse lock switch works but at least there is a reverse drive facility.

When the switch is pressed once it advances the paper by an eighth of a line. To advance by a full line the switch must be pressed eight times. This should not be the case because the paper ought to advance by a line at a time simply by holding the switch down. It does actually do this but, after a short delay to allow for fingering fingers on a short advance, the paper shoots through at a surprising rate. With quick reflexes an operator



could learn to anticipate the pause but I feel most people will do what I did by resetting to the manual feed knob.

Letterpro does not take too kindly to carbon copies, with the print intensity switch set at its middle value it could only produce one carbon copy of suitable quality.

Despite this, the paper handling systems are the best features of this machine. The tractor feed and cut-sheet hopper are cleverly designed to be removed and replaced in seconds but it's the paper feed mechanism which really excels.

The tractor feed is truly reversible and holds the paper just as securely on the way in as it does on the way back out again. Freed from the worries of paper jams which are normally caused by attempting to run the paper back and forth through the printer can open up new, creative possibilities. Text can be printed in several columns to give an appearance similar to those magazine pages by printing the first column, reverse form loading, printing the next column by TABbing past the first and so-on until the page is filled.

The manual caused me a few problems. It states that the printer is bi-directional but normally what I did the head would pass across the paper on a printing pass and perform a carriage return back to the left margin. A


bi-directional printer craftily prints out the next line as it travels back to the left margin. Speed tests revealed that the printer was close enough to its specification of 20pps for me to assume that it is not a bi-directional machine.

Further investigation revealed that the printer on my table didn't quite match the printer in the manual. These differences were slight such as the two-gang dip-switch was in reality only eight-ganged and the silencer bar mentioned in the manual did not appear on the machine.

The Letterpro printer is extremely well made and this reflects the years of experience which Quint have gained. Perhaps it's also this security which accounts for the lack of any truly revolutionary features. Despite this it has to be said that if you want a solidly made, reliable machine with top flight paper handling capabilities, the Letterpro 20P is the obvious choice.

Juki G200

This whispering giant appealed to me immediately because it was so easy to set up for review and was the quietest of the printers on trial. In tests it performed very close to its claimed specifications, achieving a speed of 27 cps and comfortably took A3 fanfold paper with an inch or so to spare. Even taking the



large manual feed knobs into account, the width of the machine is still only 30cm, but the lack of an automatic paper loading system makes lining up A3 folded a tedious task.

The discost base and all the other metal parts look robust but the plastic used seems rather thin considering the width of the machine. The back of the cover has several thin plastic lugs which I think would break off very early in the printer's life.

The ribbon and Discost compatible dot-matrix are extremely quick and easy to fit and the cables all emerge from the side of the machine, well away from the folded paper train.

The manual is informative and surprisingly entertaining. Apart from the detailed instructions and explanations, there's a section on the history of printing and typing. It was in this section that I was amazed to find a small sketch, dated 1890, showing a typed page on electric

dot-matrix machine!

The size, silence and simplicity of this machine shows why it has proved so popular in office environments but for home use its price is a disadvantage.

Okimate 20

This is a thermal printer which can take a three colour ribbon for special applications. Although thermal paper is not essential for this printer, it can be used for microdot printers and could prove to be more economical as we shall see.

Any thermal printer has a print head which contains 24 tiny heating elements that press against the paper or ribbon. If thermal paper is used, the localized heat from each pin discolors the paper but, on normal paper, ribbons work by depositing a small amount of a waxy substance from their surface when touched by a hot pin to form the matrix

dot-pattern for each character.

Ribbons can be black but the Okimate allows the use of a tricolour ribbon which gives limited colour printing capabilities. The ribbon cassette looks a little like an audio cassette and the colour ribbon is divided into alternating lengths of red, yellow and blue sections, each group of three being divided by a clear plastic section. Each colour segment is about 25cm long (10 inches) and the printer whizzes the ribbon back and forth at an alarming rate.

This system has three side-effects. Firstly, the printer works very slowly indeed. Secondly, all this ribbon movement increases the likelihood of a ribbon breaking and, finally, the ribbon is consumed at an alarming rate. If a colour ribbon is used in microdot mode, this will obviously be used up at three times the rate of a monochrome ribbon. With ribbons costing 15 each the cost factor becomes a serious consideration.

Does it work? Rather surprisingly, it does but paper selection is critical. The feed mechanism doesn't handle thicker paper happily and for the sharpest image a thin, high-gloss paper should be used.

The printer can handle expanded, condensed and italic prints as well as underlining, superscripts and subscripts. There is also a NLQ mode as well as the

usual draft mode.

The main drawback with this machine is the appalling paper feed system, both in design and construction. The very poor instructions in the manual compound these failings and the net result is a frustrating time with the inevitable paper jams. Because the paper has to be so thin it is difficult to load and I've found

that thin acetate works best.

The printer could not be seriously considered for frequent use but it does have the potential for providing a lot of fun for those with a passionate desire to experiment with colour printing.

The price of £175 or less frankly reflects the poor quality of construction of this machine.

The Verdict

MACHINE	TYPE	PRICE (£)	COMMENT
Revolver 34-100	MA	215	No NLQ mode, handbook particularly poor
Revolver 34-100P	MA	495	Excellent, LC-column printer
Canon PW3000A	MA	349	Very flexible, no NLQ indicator
Chicon 1360	MA	261	Poor NLQ heavy discounts
Epson LK-880000	MA	375	No duplex feed with tractor drive fitted
Info 6700	DA*	539	AJ feed, quiet, expensive
Logic Texas KP501	MA	349	Canon 800A clone
Monomatrix 140 M1-95	MA	390	Reliability and quality at a price
More-Proprietary MP165	MA		Compact, pleasant, fast quality
Okimate 20	TH	173	High novelty value, can produce excellent projection acetates
Old Microline-DL*	MA	369	Business like, IBM standard only, poor manual
Panasonic KV-1000	MA	345	Good value, easy to use, poor construction
Quint Laserpro 50P	DW	490	Reliable, well made, two way feed
Smith Corona 1370	MA	388	Long travel record, good value, poor manual
Star NE-80	MA	244	Robust, wide ranging facilities, noisy
Triumph Adler PR10010	DW	375	AJ feed, robust, good value for money

Conclusion

The Star NE-80 is a superb product at a very reasonable price. It is superbly constructed with an excellent paper feed, the typewires are wide-ranging and attractive, including both italic and bold typewires in NLQ, interchangeable

cartridge interfaces, recently from panel controls and an excellent, though non-extended manual. At £245, or less, it offers exceptional value for money.

In the above table range, all printers were well constructed but the lowest price and wide features makes the **Triumph Adler PR10010** the finest choice.

Machine Mania

To the layman, the range of Commodore machines in the shops can be confusing. What are they and what can they do?

by Norman Doyle

At the moment Commodore have quite a range of computers available. You can still buy the Plus4 and the C16 at bargain prices, some of the old-style C128s are still around, but by far the pricier numbers are in the C128D, 64C and Amiga models.

Commodore's marketing philosophy for the C16 and Plus4 is not easy to understand. When everyone else was shouting about upward compatibility, Commodore decided to go their own way.

Commodore can't have been too happy with the range of quality which greeted their new machines. The main problem was not the quality of the machines, in many ways they are excellent, but that they lacked any compatibility with the highly successful C64. If the Plus4 had been a C16 with advanced Basic and integral firmware business programs, with a cut-down C64 presented as the C16, then the addition of the C128 would have given Commodore a range without parallel. In short, I believe that Commodore could have dominated the home market at the expense of Amstrad and Sinclair. Unfortunately, this was not to be.

Despite this apparent error of judgement, the sales of C16s and Plus4s has resulted in the development of quite a healthy user base. This phenomenon is due to heavy discounting and both machines have subsequently enjoyed a relatively long and healthy lifespan.

Commodore 16

Based around the 7801 chip, the C16 has 16K of RAM, though

only 12K is available for Basic programming. The memory is expandable to 64K to make it act like a Plus4 without the in-built firmware business programs. Commodore did have plans to produce an expansion RAM pack but it didn't go into production and much praise is due to Amiga who have been successfully selling their own C16 expansion cartridge.

The screen of the C16 occupies 40 columns by 25 rows in text mode, 320x200 pixels in hi-res and 160x200 pixels in multicolour hi-res mode. Additionally, there are two extra split screen hi-res modes which freeze the bottom line. Lines in text



mode. All these modes are addressable through the superb, extended Basic commands.

There are no sprites in the computer's graphics armory which means that games often display attribute problems unless the moving characters are multiples of the basic eight pixel square. If a character doesn't fill the full square, overlap onto the background results in the colour of the moving graphic masking the colour of the background.

Colour capability generally is far superior to the C64. Apart from black, each of the remaining 15 colours can be displayed in one of eight hues, or luminosities. This permits the use of subtle shading effects.

The C16 looks very like the C64 or VIC20 until you examine the I/O ports, they all look different from the C64 apart from the video and serial ports. The use of miniature DIN sockets for joystick and cassette linkage has caused problems because of the unavailability of these plugs and the delicate nature of the very thin connection pins.

The cartridge port is also different from that of the C64 but this time there's a very good reason. If anyone was foolhardy enough to try connecting a C64 cartridge to the C16, the result would be an apparent malfunction because of the differing internal memory architecture of the two machines.

By far the greatest strength of the machine lies in its extended Basic Version 3.5. This adds about 50 new keywords to the original Basic which Commodore had clung to since the early PET machines.

Through the new commands, graphics and sound registers can be addressed more easily, the loop structures are more sophisticated and error trapping is at last possible. The built-in machine code monitor is also an asset. Having been plagued by the lack of a C64 internal monitor, this is a feature which elicits my envy.

The C16 has been a much misunderstood machine, standing in the shadow of the C64. It is still a bargain today at under £80 but the few software houses who have persevered with C16 conversions are now doing as more and more of the users become disenchanted with the lack of charisma of the machine.

Plus4

Everything I've said about the C16 is true for the Plus4. In addition to all these virtues, the Plus4 has 64K of RAM in which a massive 80K is available for Basic programs. Given that the new Basic ROM means more structured and less verbose programs than with previous versions of Basic, the machine becomes awesome in its programming potential.

In appearance, you could be forgiven for not realising the close links with its little sister machine, the two computers bear less resemblance than the C16 does to the C64. Although Commodore intended the Plus4 to score businesslike appeal, to my eyes it looks cheap and nasty and belies its real strengths.

An extra port is available on the rear of the machine. This is the standard RS232 type of connector which also appears on the C64. Through this port parallel communications are possible and an adapter will turn this into a suitable RS-232C link for use with a modem.

The Plus4 got its name because of the four in-built

programs contained on special ROMs. These contain a wordprocessor, database, a spreadsheet and a business graphics program.

There are two schools of thought on this subject. If the programs suit your needs, this is the best machine you could ever wish to own. If the programs fail to satisfy you then they may as well not be there.

Another irritating fact is that the Plus4 is generally supplied with a cassette recorder but the application software is geared up solely for disk use! This means that buyers of the Plus4 also have to fork out an extra £200 for a disk drive, or fiddle about with the internal monitor to access tape. I often ask myself why Commodore didn't allow dual operation of tape and disk but always come up with a stupid answer.

The wordprocessor allows a maximum line width of 77 characters. My first reaction was to ridicule the fact that this was decided upon despite most printers (Commodore's included) have 80 characters to a line. However, I then realised that I always set a left and right margin of five characters' width, so 77 characters is, after all, quite reasonable.

Once all the text has been entered for a document, special commands allow lines to be inserted or deleted, the movement of blocks of text around the document, set the page length and the number of lines which will appear on that page, and has a function which enables the user to search for a specified word and change it when necessary.

Other commands allow you to set tabulation points, control lines of text on the page automatically, right justify a document, and to load, save or even merge another file onto the text in memory.

The database allows each record to contain a maximum of 17 fields (pieces of information) with a maximum of 38 characters per field. The maximum number of individual records in a single database is restricted to 999 but this can be less if all of your fields are used with the maximum number of characters.

Once your database has been set up, there are several commands at your disposal to help you to sift through the information. One of the normal functions of a database is to sort the information into alphabetical or numerical order and this can be done on the Plus4. The main requirement, however, is



the need to be able to extract information. To this end, there are Search and Review facilities. Review simply flips a number of records sequentially onto the screen, starting from a specified record number. When a desired record is found this function can easily be aborted. Search allows you to find a specified record by allowing you to specify a string of characters, such as a friend's surname, and the computer will pull this from the file and display it onto the screen. The database also allows the user to print out a report file which only includes selected data from each record.

The spreadsheet is a fixed frame type, having a matrix measuring 17 columns by 50 rows. This gives 850 cells but only a three by twelve block of cells can be viewed at a time. The cells can be assigned complex formulas which automatically calculate its contents according to the contents of other cells specified by the equation.

The graphics program is more an extension of the spreadsheet than a stand alone module. It is very disappointing allowing only bar and point graphs. It would have seemed reasonable to have expected a pie chart with the graphics capabilities of the machine. Commodore's excuse is that it maintains compatibility with all printers but surely those owners of archive dot matrix or daisywheel printers would soon learn that some of the graphs were expensive and that owners of good dot matrix machines would have benefited from extra flexibility. Commodore decided that it was better to penalise all with this heterogeneously democratic facility?

Owners of C64s with disk drives can breathe lives buying a Plus4 at today's low prices. For less than the cost of four applications programs they can buy the Plus4 as a dedicated business machine, sharing the C64's drive. For others, it's not such a bargain unless you're willing to cough up for a disk drive and printer. You'd probably be better off with a C128.

Commodore 128

The C128 brought Commodore back onto the right lines for system development. Upward compatibility does not mean that you can't run a totally different Basic and change the architecture about to suit the new regime. You simply include the old machine inside the new one, and upgraders will still be able to use their old software until the new programs can be afforded. There is CPM as well and you've got a multi-million seller.

Well it was a nice theory but it faltered because of the insistence of software houses to speculate on the 128 side of the machine in deference to the guaranteed sales of C64 products. If the houses had been willing to invest in the C128 by producing software today to raise profits tomorrow, then the scene could have been all that Commodore had envisaged. The C128 is the best right—bit that Commodore have produced. It has infinitely fast disk access and stacks of memory to play with. The V70 Basic is an improvement on version 5.5 and the ROM facilities means the best Commodore picture you've ever seen.

What shattered the software houses' confidence? Commodore should have more readily put their money where their mouth was both for the 128 and the CPM modes. Investing capital to get selected, reputable companies to produce a reasonable software base would have shown their confidence in

the machine's success more effectively. A range of adapted and inexpensive CPM business programs could also have aroused the interest of the small business community giving second wind to the sales drive. Commodore must break their arrogant attitude that all they need do is produce the machine and then the software world will support it. Who wants to buy a machine that has no software; who wants to develop software for a machine with a small user base?

The original C128 did not last for long before the C128D appeared. With 128K of memory to 88, 400 units have a 4.5msec that will outpace the time that a cassette machine takes to load a suitably large program! The C128D with its classy separate keyboard and integral disk drive is the machine that should have been launched originally.

Little has been said about the C128D in the computer press and yet it's such a superb machine. Admittedly the 80-40 column split can be a bit of a pain but I've known worse situations.

The keyboard is very professional looking and quite comfortable to use. Shifting in data is facilitated by the numerical keypad and, since you get used to their 'row' position, the function keys are easily reached. This layout did initially cause problems with games using keyboard overlays but, now that software houses take this into account, life isn't so bad.

The disk drive is a 1371 double-sided driver which means better value for money where disk storage is concerned. Although this pushes bytes around 17 times faster than the old C64, when you're using the machine in C64 mode the brakes are applied and it's back to relying on software turbo systems.

The C128 could have an important role in a business. All of the rest in this magazine was processed on one and the editor loves his C128D dearly. The software base is there but you have to look for it, perhaps another price cut would breathe new life into the machine.



Amiga

The Amiga is Commodore's new flagship. It's not their first foray into the 16-bit market but it's certainly their best. With the A200, A2000 and, while stocks last, the A800, there is plenty of choice. The A200 at its current price of around £700 has still been criticised as being too expensive compared to the Atari ST but, let's face it, it beats that machine by light years and a higher price didn't stop the BBC Micro from gaining a fair proportion of the eight-bit market with less to commend it.

The features of the Amiga are almost legendary: 512K RAM, the Blitter high speed data transfer chip, 320x256 up to 640x512 pixel resolution, more colours than a hippies wardrobe, built in test-in-speech facilities, a stereo sound chip of awesome capabilities, integral 3.5-inch disk drive...this list could go on forever!

When you consider the A2000, the true power of the machine becomes obvious. With 1Mb RAM standard but expandable internally to 3Mb, multitasking capabilities and the new Bridgework system. Although the Bridgework appeared to have a few glitches in the original A2000, Commodore now claim to have cured this and I am waiting with bated breath to see if full IBM XT level compatibility is possible. As the Amiga launch cynically scorned journalists were heard to gasp when the Amiga was shown running Microsoft's MS-DOS graphics program, Deluxe Paint in Amiga mode and the Amiga demo programs all at the same time!

Time will tell if the Amiga is a winner, it should be but Commodore have had so many winners in the past that have fallen before the winning post. It all depends on marketing but Commodore seem to be gaining the lead which has always been their rightful place.



Of Mice and Pens

Computer graphics can produce stunning results, but the artist often needs a help in hand.

Norman Doyle

The difference between conventional art and computer graphics is that the maestro and the medium no longer come into contact. Instead a remote control device of some kind must be employed. This can take the form of the keyboard, a joystick, a mouse, lightpen or graphics tablet.

For most people the first graphics tool will be the keyboard or a joystick used in conjunction with one of the many graphics programs which are currently available.

Using the keyboard is probably the hardest way in which to create a picture. The use of cursor keys is simple for straight horizontal or vertical lines but diagonals and arcs are almost impossible to create accurately in freehand mode.

Although most art packages have special facilities for drawing such shapes, there will come a time when the design calls for a spiral or a specific parabola which cannot be created in anything other than freehand mode.

Working Sticks

Even if they own no other peripherals, most computer users have a joystick in their collection and this most singularly be the most common tool used in graphics.

The selection of a joystick is one of personal choice. I am currently using a **Quickshot Turbo** which is ideal for graphics because of the integral fire buttons on the ergonomically designed handle/grip. **Spacemaster's** design team also had the foresight to include rubber suckers on the base of the unit. This means that I can anchor it firmly on my desk leaving one hand free to manipulate the keyboard selected modes of my graphics package. If £12.99 (£13.99 for CIB-Plus4) is too much for your budget, there is a less expensive version, **The Quickshot II**, for just £7.99 (£8.99 CIB) which also sports suction feet.

The way a joystick program operates is to check the value of memory location \$6520 (DC04) for Control Port 1 or \$6521 (DC05) for Port 2. These locations correspond to two bytes on the 5008 6526 complex interface adaptor (CIA). The joystick's connection plug doesn't actually use all nine pins of the socket because only six are required; one for each direction (two connections), one for the fire button and an earth connector which grounds the pin which is currently switched to on by the joystick's movement.

Inside the CIA, the movement of the stick can be detected by reading the lower four bits of register \$6520, the fifth bit being the fire button detector.

Direction Value

North	1
South	2
West	4
East	8
Northeast	9
Southeast	10
Southwest	6
Northwest	5
Fire	0

The easiest way to read the joystick from Basic is through the WAIT command using the form WAIT a,b,c. For Control Port 1 the value of a is 143 and for Port 2 its value is 2464.

To test for a direction the values of b and c are both the same. So to test for an upward movement on a joystick in Port A, a sample program would be:


```
10 PRINT "CLIMBING JOYSTICK"
20 WAIT 143,143,143 REM CLEAR THE PORT
30 WAIT 143,1
40 PRINT "JOYSTICK UP"
```

Although sampling of the joystick port is possible from Basic, a truly reliable program is best created using an interrupt routine in machine code to test the Control Ports' states. This means that the program is tested many times a second which is much faster than any subroutine call in Basic could ever be.

Greater Potential

Just as a joystick is many times better than keyboard control, so a potentiometer joystick is better than the normal switched joystick. The reason for the greater control lies in the way it is connected to the computer.

The Control Ports have nine pins, we know that six of these are used by the standard joystick but there are two special pins which give access to a special facility known as A/D, or analogue to digital, conversion.



An analogue signal is one which constantly varies, a digital one varies in finite steps. The potentiometer joystick creates an analogue signal through a variable resistor (potentiometer) which gradually allows more or less voltage to pass as it is rotated, rather like a volume control increases and decreases sound.

Movement on the screen can be broken down into two components, vertical and horizontal. Accordingly, the joystick contains two potentiometers ingeniously linked at 90 degrees to one another so that the amount of stick movement in any direction causes rotational movement of the potentiometers which reflects the degree of the two components of the movement. This increases and decreases the voltage through each over a range from zero to five volts.

A single byte can store any whole value from 0 to 255 but with no decimal places. The voltage must therefore be made to trigger the byte to jump one value as every 20 millivolt change is detected. This analogue to digital conversion is achieved by a special section of the SID chip. The values recorded for the horizontal and vertical component can then be used to pinpoint a specific position on the screen.

The external circuitry for this control is shown in Figure 1 but remember that there are two identical circuits in each stick. These circuits connect through pins 9 (vertical component) and 9 (horizontal component) on the Control Ports. The pins are indirectly connected to the SID chip locations 54297 and 54298 and their values should be 128 when the stick is in its central rest position.

A mouse works on the same principal but resembles a mechanical wheel upside down with two buttons placed on the top surface. These two buttons, plus the fact that it runs about



the table with a long tail of connecting cable trailing behind, earned the unit its name. Mice can be totally controlled by one hand and free the other hand for operating the keyboard. Many people seem to dislike mice when they first use them but after a while they find their delightful little creations have become total indispensable.

Light Works

Watching someone using a lightpen is very like watching a traditional artist at work. The sheer magic of passing the hi-tech wand over the screen and creating an effect is impossible to describe. Apart from anything else, how does the computer know where to make this mark?

Lightpens pinpoint their position through principles similar to those employed by the potentiometer joystick and the mouse but each location is derived by a totally different method sensing system.

A TV picture is created by a stream of electrons being beamed across the screen in a regular pattern of 625 lines (a raster scan). The screen is treated with a special coating which emits light according to the strength of the beam of electrons which hits the screen and fades slowly enough for it to maintain a reasonable output until the next scan. If a screen is placed in front of a point on the screen it can detect the moment that the scan passes by.

A lightpen contains one such sensor and, because the scan is controlled by the computer, the position of the pen can be accurately located. By pecking into memory locations which keep track of the beam scan, the horizontal and vertical placement of the pen can be calculated.

This is the theory but the practice is a little less accurate than it could be because of the way in which the VIC chip operates. The Y-axis (the vertical position) is measured to two pixels of accuracy but on the X-axis this is reduced to four pixels. What this means is that you don't get pinpoint accuracy with a lightpen and software has to compensate for this with Zoom facilities and the like.



The components for the screen position can be read from locations 53267 (X component) and 53268 (Y component). Obviously accuracy will further be affected if these locations are read from Basic because of the time delay involved in reading the two locations.

To help software programmers, a switch or trigger of some kind is also included on the pen so that software can be informed of the exact moment when a point is to be plotted. This trigger is connected through the same pin which is used for the joystick fire button on Control Panel A only.

The Plot Thickens

Essentially the most useful art peripheral is a graphics tablet like the famed *Keala Pad*. This is another way that computer art can approach the traditional pen and paper approach. Simply by tracing out a shape with a stylus, a faithful reproduction can be produced on the screen.

The pad is encircled with a pressure sensitive matrix covered by a rugged but yielding surface. Ideally there would be a crosshair at each pixel location but once again the limitations of the computer's electronics inhibits such pixel point accuracy.

Access to the output of the pad is achieved through the same pins used by the mouse.

Shoppers' Guide

Several companies produce mice for the Commodore and anyone buying the special 64C pack will find the *News* mouse and its accompanying *Director* software inside the box. Those who wish to buy the *News* package will find it widely available but anyone having problems can buy the mouse and software from *Stack Computer Products* for £24.95 on cassette or £26.95 on disk. Their own *Stack Mouse* may seem a little expensive at £35.00 but it has three trigger buttons and an X-Y axis lock for greater control.

The *AMK Mouse* from Advanced Memory Systems also features three buttons and the package costs 66.95.

Wigmore's produce the *MS7000 Mouse* for 64.90 which includes their *Artist 64* cassette software. Disk owners will have to fork out an extra £3.50 for their copy. The mouse has a special function, if the computer is powered up while holding down one of the two mouse buttons it can be used like an eight-directional, multi-tilt joystick.



With a price tag of £24.99, the *Dated Mouse* may seem the most economical of the three-button mice but it doesn't have any software support included in the price.

The first lightpen I ever saw was the *Stack Lightpen*. It's around today and will cost only £26.00 which can't be bad especially when you consider that you get a graphics package and ten games.

Triqua's lightpen is another old trooper with a great reputation. Rather than sell a graphics package as a backup to the lightpen, this is a lightpen which backs up the *Commaster* software. The bit's more good news because the CB version costs exactly the same as the C64 one, £29.95, which by any standards is excellent value.

Another package offering a five lightpen is *Making Healthy* from *Dated*. *Making Healthy* is an impressive software package and at £24.99 with a lightpen it is a bargain which is hard to resist.

When it comes to potentiometer joysticks and graphics pads the range becomes extremely limited. The *Keala Pad* has not been available over here for some time but was occasionally turn up in second hand offers and should be snapped up immediately. Beyond this I know of no other pads specifically designed for the Commodore market.

With potentiometer joysticks the outlook is not so bleak but can hardly be described as good! *Stack Computer Products* stock the *News Analogue Joystick* for only £10.95 and many of the Japanese MSX standard joysticks were produced with potentiometers inside but their leads would need modifying to suit the Commodore socket. It's best to stick to the Japanese manufacturer's makes such as *Shoshita*, *Pioneer* or *JVC* because all of the British made joysticks are standard switch-operated types.

Missing Feature

Whatever you decide to buy for your graphics aid, there's no getting away from the fact that you'll have to buy a graphics package to supply the correct on-screen environment. If you're going for the scenic options such as a lightpen then go for a fully inclusive package of pen and software. If you don't like the software in the package, you can always buy a suitable package later on.

Whatever your final decision may be there is an extra facility which you'll need that isn't supplied on any of the software items I've seen...*about!*

A La Cart

It's taken five years but the cartridge revolution is here. Now the only problem is to find the one tailored to your needs.

by Tony Hetherington

The Commodore 64 is in a class of its own when it comes to utility cartridges. The BBC has its ROM chips but the C64 owner need only plug in a cartridge to speed up disk access, add a range of useful utility commands, create a screen dump, freeze a game to create a cheat version or, in my case, take a magnetic spreadsheet and dump program from tape or disk onto another disk or tape in a compact form allowing you to pack more games on one disk.

Some cartridges contain routines to backup commercial software which should only be used for personal use. I accept the right of an individual to backup his own games and convert them from tape to disk (instead of paying again for a disk version of the same game) but I must condemn any attempts to use these devices for software piracy.

It may rob the software houses of its profits and the programmer, designer and graphic artist of their royalties and as a result is pushing up software prices. This will affect everyone and may eventually deprive the honest users of devices like these of a useful utility.

The current trend towards packing

game boxes full of booklets and play aids may counteract this trend and will ensure that pirate copies will never be quite the same as the original.

Before we look at the amazing range available I'd just like to remind everyone that cartridges should never be plugged in while the computer is powered up. We may get away with it once or twice but it's a sure thing that your computer and possibly the cartridge will come to grief eventually.

Most of these cartridges are available from mail order houses and good computer shops but some may take a little more effort to track down. I would like to thank Microbits (37 Seaview Rd, Wallasey, Merseyside, L45 4JN) for their help in supplying some of the cartridges mentioned in this article.

Quickdisc 6 / Evesham Micros / £19.95

This cartridge provides a LOAD/SAVE facility that's 3 times faster than the normal 644 and's paid plus a variety of other utilities.

The cartridge has a large red reset button

within easy reach. This button will break into any program that has locked up the C64 and using the OLD command you can then retrieve your bogged Basic program.

The reset button may be the most visible benefit and the faster LOAD/SAVE ability the most used but the cartridge



also contains a selection of commands accessed through two key presses or one of the function keys as well as a cure for the save and replace bug.

Formatting a disk is a quick and simple task with Quickdisk II. Instead of typing in a laborious command and then having to wait for over a minute while the drive hummers away, Quickdisk format AD formats the whole disk in just 28 seconds!

Pressing F7 displays the disk directory which can be printed at any stage by pressing the space bar. It's also as easy to scratch, rename or copy a file or to delete, remove or initialize a disk.

Programs that are loaded in at 3-7 times faster (you won't appreciate this until you've used it) can be loaded to a file address or into Basic where it may even be automon.

If you've got a disk drive and you can't afford something like Dolphin DOS then you might like to pick up a copy of Quickdisk II.

The Final Cartridge / B&P Products / £39.00

The Final Cartridge has a freeze utility that can backup software and generate screen dumps. Basic extension commands such as DELDISK and AUTO software to support Commodore interfaces, preprogrammed function keys, 24K of extra RAM and a disk or tape turbo that loads programs 6 or 10 times faster.

When the CMD is switched on or reset via the cartridge button, a menu is displayed from which you can call up a comprehensive machine code monitor; disable the cartridge; turn on the cartridge; load or create a program; save to tape or disk; or print out a screen dump.

The Final Cartridge also contains a selection of useful commands that will make programming much easier. AUTO generates line numbers ranging from a specified number by a set increment value with the default settings producing line numbers 1020,30 and so on. RESUME reorganizes your programs (including GOTO and GOSUB commands) into tidy line numbers. DEL deletes a block of program lines. FIND lists every line in which a selected string of characters appears. HILF highlights bugs when testing programs. With APPEND and DAPPEND you can add routines into

your programs that you have previously saved.

Disk users will appreciate the following commands that speed up disk housekeeping tasks and display disk directories (as an alternative to pressing F7), load a program, format a disk, or SAVE and VERIFY a program to the computer's memory.

Tape users, who are often left out of the fast loader scene, will relish the tape turbo that can save a program in memory through the normal tape commands but then reload it ten times faster than the normal rate.

The freeze stops a running program so that you can save backup copies in a compact form but you'll need to use the cartridge to load them back in again. When you reload the program it restarts from where it was when it was frozen so it's important to freeze them at a convenient point such as a menu screen.

While a game is frozen you can also disable sprite to sprite or sprite to background collisions. This may stop alien invaders from killing you and give you a chance to get further through the game or it may stop you from killing them! It all depends on how the programmer wrote the game. Well, you didn't expect cheating to be that easy, did you?

While a game is frozen you can also dump a screen to a printer, either a serial Commodore printer or one connected by a Commodore lead, supported by the interface built into the cartridge. The screen dumps can be printed in two sizes and feature full grey scaling for coloured images but the finished result won't contain any part of the screen spaces as these aren't supported by the routine.

Finally, the cartridge also includes a full machine code monitor that can be used to fill an area of memory, compare to blocks of memory, print out a block of machine code and directly manipulate blocks of information stored on disk by using sector read and write commands.

The Expert / Trilogic / £39.00

The Expert cartridge is probably one of the most comprehensive cartridges available. Because the internal chip is RAM rather than the usual ROM, it can be readily updated to cater for the latest programs simply by buying a new disk for a fraction of the original cost of the cartridge.

As soon as you see the Expert you notice something is different because it houses a reset button, a three way switch marked



ON, OFF and PRG, an if-all-else-fails button and LED.

Much of the Expert disk contains files that either contain the information to transfer a difficult or multi-load game or other routines to add extra lives and other cheats before making a backup. The saved backup is then compacted so you can get 2 or 3 games on a disk which each reload within 30 seconds.

The disk also contains a full routine with a printout facility and a series of utility routines including ones to alter, edit or disable a game whose sprites may be of particular interest.

A lot of games use sprites which are animated to create the movement of creatures, monsters and missiles that are out to maul you. The Sprite Extractor routine enables you to freeze a program, display it's sprites, view the animation and then save them to disk. A separate sprite editor on the Expert disk (which doesn't work with the Expert cartridge) can be used to edit or customize sprites for use in your own games or to load them back into a frozen out version of the original.

The Sprite Translator can disable sprite to sprite collisions and/or sprite to background collisions. This could save you a lot of lives as these are the collisions which usually kill you but this may also block the effects of your living back, leaving you helpless.

The hi-res grabber and picture save routine can be used to grab any frozen hi-res screen and save it to disk. This saved screen can then be converted by another utility into a Koolaid formatted screen and edited and printed as normal. However edited hi-res screens cannot be loaded back into the original game.

If the cheat files don't work or there isn't one for the game that currently bores you, then the method may be listed in the cheat machine section which describes how to freeze the game, list the code and obey the relevant lines. This cheating aid is just one function of the Expert's full machine code monitor which is completely invisible to the user and can be used over the full 64K of memory. It can be used to access both Basic and Kernal ROMs and it's typical functions are to import a program, alter a program, to list any part of a Basic program, to write a machine code program, as a hex to decimal converter and to watch the

data, addresses or text.

Cassette users can get a special version of the Expert. It's the same cartridge but is programmed from a tape which includes tape to tape transfer utilities.

Loading from disk or tape each time you power up may sound laborious but it only takes a few moments and allows easy and inexpensive updating.

The Freeze Machine / Evansham Micros / £28.95

The Freeze Machine is a bright red cartridge with two buttons marked RESET and FREEZE. The Freeze function obviously freezes programs ready for saving to disk but the Reset button is used to toggle between the menu for Freeze Frame Mk V and Laser Mk II both of which have been brought together on this cartridge.

The Freeze Frame menu allows you to turbo load and save some commercial programs as well as your own development programs in a fraction of the normal time, typically 20 to 40 seconds. This may not sound like a great time saving but can make a big difference to a program such as a word processor or database which is used everyday. You'll realize the difference if you ever have to load them at normal snail's pace after you've been using the cartridge for a few weeks.

Freeze Frame also includes a Game Killer utility to disable sprite to sprite and sprite to background collisions plus utilities to list format, initialize and validate a disk, display the directory and to rename or scratch a file.

The Freeze Machine also includes the Laser II system which saves frozen programs as USR files that can be loaded back in 18 seconds or less! Laser files can't be scratched (the whole disk must be formatted to remove them) so your disks could become cluttered with unwanted files.

The Laser system has a similar set of utilities to those with Freeze Frame plus extra one to convert PRG files to USR format.

The Freeze Machine is ideal for programmers who need to save development programs in seconds but




they will raise the machine code monitor facility which is supplied in most of the other cartridges.

Action Replay / Drossart / £29.99

Action Replay combines any combination of disk and tape transfer that you can imagine. It is also capable of backing up multi-load programs, and has a sprite controller, loader, code inspector and picture save utility.





The backup utility is easy to use and produces a compact, fast-loading version of any Disc II programs. The final copy usually requires 220 blocks, so three games can be compacted on one disk and reloaded up to five times faster than normal by flicking the loadfast switch on the cartridge.

The Sprite Controller allows you to disable sprite collisions and save, edit and replace customised sprites into any game.

Any multicolour hi-res screen can be frozen, grabbed and saved to disk and formatted for the Koala Pad or Blazing Fables graphics packages and then they can be edited, mixed with other graphics and printed out.

Although Action Replay lacks a full monitor it has a code inspector that, at a press of a single key, will display the current contents of the Program Counter along with those of the IRQ and NMI vectors, 6580 on-chip registers, Vtc II chip IRQ mask, the raster-compare latch value, the CIA ICR mask values and timer latch values. Four options are then available: to load in a full monitor or load and execute a machine language program, jump to any address in memory, display a block of memory, or return to Basic.

DoSoft also has a version of Action Replay combined with Diskmate II which includes a 10-screen formatting routine, single keystroke disk commands and a track all the CPUS.

Mother Load

With all these cartridges around you may well find yourself plugging and unplugging them from down all day. It won't be long before the cartridge port starts to wear out with all this activity so why not invest in a motherboard for your cartridge slot before it's too late?

Cardboard 5 / Precision Software / £30.99 (plus VAT)

This board has slots for five cartridges which can be switched in and out as required. A fuse and a reset button should prevent any mishaps and a bank of LEDs for each slot shows you which cartridge is currently in use.

Datel Motherboard / Datel Electronics / £26.99


The Datel Motherboard has three slots for cartridges, a safety fuse and a reset switch but no LED indicators.

Evesham Motherboard / Evesham Micros / £28.00

A useful little board that comes in two varieties. One has four vertically mounted cartridge slots but the other only has three with a handy through socket to fit a modem.

Stack Motherboard / Meedmore (Distribution) / £28.00

A four-slot, stackable motherboard with an optional modem slot facility.



Fixtures and Fittings

A plethora of peripherals are available for all manner of specific jobs. Can you afford to be without them?

By Tony Hetherington

Some add-ons and accessories can't easily be categorized. They're not a disk drive, printer, monitor or graphics tablet but they're just as useful. For example, how can you use a printer in a busy environment without a stand to put it on with paper storage underneath it? How are you going to play a game without a robust joystick or safety store your disks without a disk box?

Add to all this devices which double your disk capacity; stop your drive from hammering itself to pieces; generate teletext on your monitor; quickly and efficiently back up tape data files; or keep things generally running smoothly, and you have the measure of the range of auxiliary equipment available.

INTERACTIVE DEVICES

Interactive devices include any form of joystick, mouse or related device. Beginning with the essential joystick themselves, there is an incredible choice for the potential buyer.

Matching the right joystick to the right type of game is essential as the wrong stick could cost you that high score. As a general rule you get what you pay for; a higher price generally means a faster more responsive stick with a quicker and more accurate means of gauging movement. As well as this the higher price range often brings refinements such as shaped, ergonomic sticks frequently with extra fire buttons.

Economy Joystick . Suncom . £9.99

This is the basic Atari joystick that I still favour. It's cheap and cheerful but not particularly quick nor will it withstand the constant battering of decathlon-style games. Having said that, Suncom is prepared to offer a one year guarantee and you can buy replacement switch boards if the bubble switches eventually wear out. In my experience, all my Suncom sticks have parted company with their bodies long before the switches failed.

The Economy joystick is also available from other sources but at a variety of prices as it was first introduced as part of the Atari VCS video game system. It's a basic joystick at a basic price.



Silk Stick . Suncom . £8.99

The best way to describe the Silk Stick is to say that it's small! A curved base makes it easy to hold and it has a ball top handle for an easy grip. There is very little play in the stick. The distance the stick is moved to make a contact making it ideal for rapid movement games.

Starfighter . Suncom . £8.99

The Starfighter is described as the 'ultimate joystick' but is little more than an updated version of the Silk Stick with a column handle. Commodore PC owners should also note that there is a Starfighter IBM version that features an extra fire button and a £24.99 price tag. All versions carry a two year guarantee.

TAC 2 . Suncom . £10.99

The TAC 2 Totally Accurate Controller is a tough all-action stick. The steel shaft will take almost any punishment and delivers the joystick movements to the steel contacts with the minimum of effort. The TAC 2 features a ball handle and a second fire button that gives left handed players a look in.

TAC 3 . Suncom . £12.99

The TAC 3 reshapes the micro switch

TAC 2 and gives it a pistol-shaped handle and three fire buttons. Two buttons are on either side of the base and the other on top of the handle. If you still can't hit the target with three buttons then the joystick isn't your problem!

TAC 5 . Suncom . £18.99

The top of the Suncom range, the TAC 5 offers a pistol handle, three fire buttons and audio feedback! That means it clicks when you push it so that knows when you've made contact. Ideal for games where precision is the key.

Speedking . Konix . £10.00

Shaped to fit snugly in the right hand, the Speedking has a small, audible contact shell with accurate movement. It's designed to fit neatly into the hand so that the index finger hovers over the fire button. If it doesn't fit your hand then look elsewhere, if it does fit then it will give reliable service. It's up to you to do the rest.

This is one of the few joysticks currently being produced with a C8, Phase4 connector.

konTroller . Suncom . £18.99

Users with more serious applications in mind and who only need a joystick to select icons, for example in GEM, will appreciate the smart approach of the



konTroller. It's a mini joystick that clicks onto the right-hand side of a C64 or C128 keyboard and plugs into either joystick port but has a second nine-pin port and consists of a mini stick and a shaped fire button.

Magnum . Mastertronic Ltd . £12.50

A variation on the joystick theme is provided by the Magnum's pistol grip design. The short stick moves in a ratty position way with quite a strong return spring. The rear-mounted fire button is ideally positioned for the thumb making this stick superb for purposes where slow, accurate movement is required, but not very comfortable for rapid action shoot-'em-ups.

AMX Mouse . Advanced Memory Systems . £69.95

The AMX mouse is the deluxe model of the Commodore mice and features three buttons which makes it ideal to use with the Step Press desktop publishing software.

Nico Mouse . AMS . £27.95

Handled with 64C or available separately with tape or disk driver software the Nico mouse is the cut-price version offering only two buttons and little software compatibility.

TAPE TREATS

Doubler . Evesham Micros . £12.95

The Doubler is a very simple device that plugs into the cassette port and allows tape to tape backup of data. Two cassette decks are connected to the input and output sockets and the transfer is then controlled by the accompanying taped program.



Load-It . Load-It . £19.95 £ 7.95 kit

The Load-It kit provides a versatile and effective answer to most loading problems. These problems are usually caused because the machine that recorded the program has a slightly different head alignment than your datasette. This is why you might be able to load the game on your friends computer but not your own.

The Load-It device replaces the head alignment screw with a knob that can adjust the position of the tape head (initial alignment), a graduated scale so you can note the settings that work for your favourite games and a piezo electric speaker so you can hear when you get the clearest signal. If the tape still won't load then the chances are that it never will.

DISK KITS

Dolphin Dos . Evesham Micros . £69.95

Dolphin Dos is quite simply the disk operating system that Commodore should have installed in the C64 and the C128.

If you're confident about reformatting then you can fit it yourself but if you're not then get someone else to do it for you because you could cause a lot of damage.

Once it's installed, both in your computer and the disk drive, you can switch Dolphin Dos on and off from

switches on both units and have a parallel operating system that can load a 200 block program in just 9 seconds!

Dolphin Dos can also save and verify a 200 block program in 10 seconds, format a blank disk in 20 seconds 12 sides without VERIFY and speed up the loading and saving of sequential and relative files by up to 8 times the normal IBM small's pace.

Even if you find a disk that isn't compatible with this high speed DOS, you can switch it off at the drive but keep it switched on in the computer allowing the use of the extended operating system's ease to use commands. For example, pressing RUN:SRIP becomes the equivalent of LOAD: *C:DJ, SAVE and REPLACE. Dolphin Dos style works faultlessly and programs can be loaded from a disk directory or loaded on a printer at the press of a key!



Head Cleaner . Suncom . £2.99

This is the disk equivalent of an audio tape head cleaner. The cleaning disk and bottle of solution is enough to spruce up your drive head 15 times and helps to reduce read errors and, in bad cases, will avoid physical damage to your disks.

Amiga owners will be interested in the 3.5 inch version that costs slightly more at £6.99.

The Notcher . Suncom . £4.99

This amazing hole puncher can save you money and disks. All it does is to punch a second, correctly registered write protect notch allowing you to use both sides of a disk.

Although some disks are sold as single sided, all disks are manufactured as double sided and quality control sorts out the quality saving they are given. All this means is that a single sided disk is not guaranteed to work on both sides, although most do. Obviously, it's essential

enough that this kit will reduce the chances of your disk head creeping out of alignment and stop that hideous humming noise.

The disk head 'hummers' as it hits the rigid stop when orientating itself or with some commercial disk protection systems. The kit replaces the normal stop with a flexible spring stop that reduces the humming sound to a purr and cuts out the jarring that can knock the head off alignment.

Supplying the control program on cassette may seem strange but it's perfectly sensible since your drive might be so out of alignment that it can't load a disk! The kit can quieten two drives.

1541 Physical Exam . Evesham Micros . £38.95

The performance of any mechanical equipment deteriorates with age and a disk drive is no exception. In time the speed will vary outside the safe limits and possibly the alignment will drift. Correction is relatively simple but may cost over £30.

Evesham's Physical Exam is a high quality product which will detect all types of error which may occur with the disk drive. After its first use the kit will have paid for itself and after that you'll be in pocket.



that you try the disks before you save the only copy of important data or only use this in emergencies.

The Notcher is supplied with a pack of labels and write protect tabs.

Disk Copier . Computek Microsystems . £4.95

A robust version of the Notcher for heavy handed disk users. This one lacks the catalogue labels of the Notcher pack.



1541 Quiet Drive Stops . Evesham Micros . £4.95

A cassette tape containing one short utility program, an instruction card, two washers and two metal clips may not seem



Supplies box capacity 30 disks — £7.50
and Micromedia box capacity 100 disks
— £11.70

Alarmed Disk Box . Inmac £39.95

If your disks contain particularly important information and you're worried about burglars, then you'll need Inmac's latest burglar proofed disk box. It features a built-in movement alarm that scratches at 98 decibels for 15 seconds whenever somebody tries to move it.

IN PRINT

Printer Stands . various makes . £6.99 — £19.99

If you've ever tried to use a printer in a busy room or office then you'll appreciate the need for a stand that neatly stores the paper underneath the printer. There, for a complete system, you could add a paper tray to collect the paper as it comes off the printer.

Sanyo has a wide selection of rigid, wire-framed printer stands from 12 to 24 inches wide that range from £6.99 to £19.99. The Papermate costs £10.99 and is a pair of printer stands which fit almost all printers.

A paper tray which will clip on the back of any wire-framed printer stand that just Sanyo's adds an extra £11.99 to the total cost.

Micromedia's printer stand is made to fit all 80 column printers and is built from flame-clear perspex and costs £19.95.

Printkit IV . Avon Printer Technology . £30.00

Not to be confused with the Printer IV the Printkit IV fits into the MP5800 to add true descenders to the original character set. Italic, underline and bold modes are added as well and Printkit speeds up the printer's operation.

Printer IV . Daniel . £19.99

The Printer IV is a replacement character ROM for the MP5800 printer that provides the user with four new character sets that can be selected by setting the

position of two switches.

Once installed the Printer IV is compatible with all software and will print your text out in either Descender, Eclipse, Scribble or Future characters.



ON SCREEN

Swivel Bases . various makes . £15 — £19.99

Swivel bases or monitor stations are revolutionizing and tilting platforms that allow you to ensure that your monitor points directly at you when you look at it, taking the pain out of computing.

Sanyo's Monitor Station £15.99 supports monitors with a screen size up to 14 inches and has a locking action so you can keep the right setting once you've found it.

Micromedia has a choice of two sizes of swivel base one for 12 inch monitors £12.00 and a larger one for 14 inch monitors £15.00.



Diskkit . Suncom . £12.99 — £25.99

The Diskkit series is a range of disk boxes complete with a classy roll top lid that swings right over when you open the box and won't fall on your fingers.

Diskkits come in either single or double boxes that hold 60 or 120 of your 3.25 inch disks. Both types have an optional lock, hence the range of prices. The bad news is that they are supplied in flatpacks and have to be assembled but, if you keep your cool and the instructions, this shouldn't take you more than a few minutes.



Disk Boxes . various makes . £7.50 — £11.70

A disk box doesn't cost you as much as the Diskkit, the standard type with lift up clear plastic lid is available in a variety of shapes and sizes from an array of companies ranging from Master Card

**Glasdown . Suncom .
£17.99 - £19.99**

Available in two sizes and prices the Glasdown is an anti-glare screen that fits over 12 inch or 14 inch screens. They effectively save eyestrain by reducing glare from sunlight and overhead electric lighting, rendering the screen easier to read.

**Teletext Adapter .
Microtext . £69.95**

By using the TV modulator built into a domestic video recorder and the display abilities of the CG4, Microtext has produced a teletext adapter for a fraction of the normal cost.

By connecting the video to the plug in adapter via a 20 metre cable you can get a superb teletext picture on your computer screen. The adapter continuously updates and improves the page on screen with the result that the picture is even better than on a teletext television!

Now you can check on the weather in Tokyo or find out what's on at the local cinema, check the road reports and then store any of these pages of information on disk and print them out later.

You can also write your own BASIC programs to read in teletext pages and use the information in them for such purposes as a football pool predictor database or to plan your next move on the Stock Market.

**Copy Holder . Micro Media
. £13.99**

The Copy Holder is an adjustable version of the Document 2 but also contains a clamp to fasten it onto the edge of a table.

**Smart Cart . Datel .
£14.99**

The Smart Cart is a battery backed 8K RAM cartridge onto which you can save or load almost any program you require. After loading the program into the cartridge you then flick a switch to keep it in instant cartridge recall format for up to five years.

There is also a larger 32K version of switchable 8K banks that costs £29.99.

**Reset Cartridge . Datel .
£13.99**

This is simply a reset button that halts programs so you can type in error-free pages.

**Cartridge Development
System . Datel . £12.99**

This kit contains all you'll need to build your own automatic cartridge and includes a 8K flipchip, PCB, reset switch and tool plastic cartridge case.

**VIDEO ON****ComputerEyes . Stern
Computing . £119.00**


The ComputerEyes Video Acquisition System converts a video picture from either a good video recorder or preferably a video camera into a format that can be stored and used by your CG4.

The unit plugs into the user port and is connected to the video source via a video cable. The scan begins at the press of a button and takes about six seconds for a full grey-scale image to be stored on disk.

ComputerEyes is controlled by a menu driven control program that can be supplied with additional disks to allow the captured picture to be converted into Kuala Lumpur, Florida, Print Shop or Newsroom formats.

**MISCELLANY****Document 2 . Suncom .
£12.99**

The Document 2 is a free standing document holder complete with clipboard and adjustable ruler to ease the typing in of listings.



Heavy Metal Hardware

If music be the food you love then read on

The Commodore 64 and 128 may have the best sound chip of any eight-bit computer but this doesn't make either of them the ultimate music machine. There may come a time when you get a touch of the Oliver Twist and decide that you want more, which means plugging in external music hardware to get a greater range of sounds with more control over them.

Music add-ons fall into one of three categories: external sound generators, sound samplers, and MIDI interfaces with their associated software. Each category exceeds the capabilities of the C64/128 but the basic talent must be provided by the user. Music extensions bring the world of Bootlegs, Brites and the Beatles within the reach of the common man without the physical dexterity necessary to play like a virtuoso performer.

Using the Commodore with music hardware and software can turn it into a new machine which not only provides hours of entertainment but can also be used as a powerful music theory teaching aid.

Sound Generators

These provide an alternative to the sounds generated by the SID chip, adding more

and better sounds thereby opening up a wider range of possibilities for compositions and arrangements.

The **Commodore Sound Expander** (109.99) falls into this category, bringing FM synthesis to the Commodore. Apart from eight channels of sound you also get rhythm generation, auto accompaniment, single finger chords and a riff sequencer amongst many other facilities.

FM (frequency modulation) synthesis was pioneered and popularised by Yamaha with their range of DX synthesizers. Through FM many sounds and instruments can be accurately duplicated as well as many new and unique sounds.

The cassette version of the Expander contains 12 preset voices but the disk version carries twice that number. Although tricky, it is possible to create and edit your own FM voices but the Expander package does not allow you these facilities which means that you

could miss out on a lot of the potential of FM music but help is at hand.

For an extra \$29.95, the **FM ComposerEditor** gives you simplified editing control over the Expander's voices, provides a voice library system, and the Composer part of the software lets you create and store your own compositions. I would certainly recommend that anyone who buys the Expander should also budget for this.

It's possible to play the Expander from the Commodore's QWERTY keys but if you find that too awkward — and it is! — you'll at least need the **Music Keyboard Overlay** (13.99), a plastic piano-style, clip-on keyboard which fits over the relevant computer keys. If you want a more professional keyboard there's the fine octave **Full-size Keyboard** (179.99) which is ideal for those with previous keyboard experience.

At this point it's worth mentioning **Music Maker II 64/128** (99) and **Music**



Maker 428 (\$24.99). These both contain the Music Keyboard Overlay and programs which help you to play and record using the SID chip as the sound source. Both sets contain ten preset sounds and you can record tunes using the SFV Easy Play Sequencer and play them back with or without rhythm backing.

If this idea appeals to you, you can also buy three Playalong albums for £9.99 each: *Popstar Classics*, *The Beatles* and *Pop Hits*. The albums include a disk or cassette and a music book with hints and tips about playing.

The **Sound Studio** (104.99) is subtitled 'Professional Synthesizer and Recording Studio'. While I doubt if even Trevor Horn could make a hit record with it, you do get a pretty good introduction to both the SID chip and the recording process. The package is split into two parts: the Synthesizer and the filer.

The Synthesizer gives a brief rundown on sound, pitch, timbre, volume, vibrato, portamento, ring modulation, synchronization and SID's filters.

Using the Editor you can enter music in real-time or step-time. Music can be recorded on three tracks, or six if you have a MIDI interface but you'll need a synthesizer for two if you want to play back these extra tracks.

The Sound Studio can be played using the Keyboard Overlay using a MIDI interaced keyboard or from the Sound Expander's Keyboard. See how it all ties up?

Everything mentioned so far is available from Music Sales, although many other shops and mail order firms also stock them. There is a special package called the **Commodore Music Expansion System** which contains the Full-size Keyboard, Sound Expander and Sound Studio, all for £149.99 — a saving of £44.99. Shopping around could save even more, because the CME System has been advertised for less than £80 recently.

Sampling Sounds

A sampler is a device which "listens" to a sound and converts it into bytes stored in the computer's memory (a process known as digitisation). The problem is

that samplers eat RAM like bunnies eat lettuce and in order to produce clear sampled sounds you need to store lots of bytes — and that means you need lots of RAM. How useful to have a computer such as the Commodore with lots of RAM waiting for bytes to be stored in it. Despite this, you still have to trade off available RAM and sound quality.

Jargon time: I'm afraid, in connection with sampling you'll hear terms such as sampling rate and bandwidth. Put simply, the larger the bandwidth and the faster the sampling rate, the better the quality of the sample — and the more RAM it will use.

Most samplers let you alter the sampling rate so you can choose the optimum value for the sound you want to digitise. With speeds, for example, you can often get away with a relatively low sampling rate. Drum sounds are generally pretty short and can also be recorded at low speeds without too much loss of quality. We'll come back to drum software later.

In order to turn sound (analogue quantities) into numbers (digital values) and back again, samplers use an ADC, and surprisingly standing for Analogue to Digital Converter. This is the hardware part of the package and the quality of the sound will also depend on the quality of the ADC.

The **Commodore Sound Sampler** (108.99), from Micro Sales, plugs into the cartridge port and comes complete with its own software and a microphone. It gives you 1.4 seconds of sampling time at 20kHz which means pretty good quality. You are then given a graphical representation of the sound which can then be altered in several simple ways.

Four short samples can be stored at once and played back on a 16-note sequencer. Sounds can be reversed, looped and played back at different pitches. Special effects include echo with variable delay and a harmoniser which does funny things to instrumental sounds and can make you sound like a robot with a saw throat.

The Sound Sampler is MIDI compatible (although a MIDI interface is not supplied) or it can be used with the Keyboard Overlay.

Daniel also have their **Sampler** which works out a good deal cheaper at £49.99. A microphone is also supplied with this package and it has MIC and LINE-IN

sockets with feedback control.

You can alter the sampling rate (the trade off), mix samples, play them backwards and loop them. It has ring modulation and echo facilities, too. The screen display shows the waveform which can be split into eight sections so you can store eight samples in memory at once. Pieces can then be recorded and saved through a simple sequencer.

Samples can played on the QWERTY keys and the package is MIDI compatible — try Dani's own MIDI interface.

The top Commodore sampler is the **Microvex Sampler** available from Supersoft at £29.95. Software is on disk but a Pro version with extra features is available on a cartridge for an extra £70.00. Both versions are MIDI compatible.

The program is controlled through a series of menu pages and offers eight sampling rates. The waveform can be edited by placing coloured flags at the editing points and the sound can be run through compensating to reduce aliasing (unwanted noise). The Pro version also contains an Auto Looping Tool which tries to find glitch-free loops.

You can store up to 36 samples at the same time and a small sequencer allows you to program up to 24 patterns, rather like a drum machine, but you are limited to 44 lines and the samples can only play monophonically (one at a time). The speed of the sequencer can be controlled by an external MIDI clock.

If you want to process incoming sound, the basic model has a digital delay and the Pro cartridge includes harmonising, flanging, phasing and modulation effects.

Drum Machines

Producing rhythm tracks has a certain fascination which seems to cut across the musician/layman divide. Percussion instruments are also amongst the easiest to sample — on a limited memory system anyway — purely because they are short (often around a tenth of a second duration) and don't have a large harmonic range. Cymbals are an exception, having a surprisingly wide harmonic range for such a simple instrument.

Dani's **Claw-Drum** at £29.99 can store eight pre-recorded drum sounds in

memory at once and the output can be channelled through your TV or your hi-fi system. It comes with three separate drum kits with some sounds being used in more than one kit. The quality is quite good, bearing in mind the price and considering that you'd pay over £200 for a dedicated drum machine.

Drum patterns can be entered in real-time or step-time with up to 32 beats per pattern in 4/4 time or 24 beats in 3/4 time. The program can store eight patterns (over a lot) which can then be chained together to form a song. There's an external sync facility for linking through to a MIDI interfaced synthesiser.

The standard Com-Drum software won't let you alter the three drum kits supplied but with the Com-Drum Editor (£4.95) you can rearrange the 24 sounds to produce new kits.

If you already have the Data Sampler, you can buy the Com-Drum software to use with it and turn your sampler into a drum machine for £9.95.

Slightly more comprehensive and a little more expensive at £29.95 is **Rhythm King** from Supersoft. The basic package contains two kits of eight drum sounds but additional kits are available. You can record in real-time or step-time and you can play more than one sound at the same time. Up to 64 drum patterns can be stored in memory and combined to form up to 16 songs.

There are keyboard and joystick options for creating the patterns and the editor is fairly easy to use. When you're satisfied with your composition, the patterns and the songs can be saved for recall at a later date. The Commodore 128 version of Rhythm King runs in 40 colours mode.

This drum section would not be complete without mentioning Firebird's **MicroDrum**. Although it's purely a software program, for a mere £1.99 you get 15 sampled drum sounds to arrange into patterns and songs which can be played through the TV or VHSI monitor speaker. There is a provision for saving and loading sounds, so perhaps Firebird are planning to release other kits in the future.

Stores Split

If you want to hear SID, sampled sounds

or anything else that emanates from your computer a little more clearly, you could take a look at the **Sound Splitter** from Trilogic.

The basic version costs £29.95 and gives you a two-channel stereo effect plus reverb. A lead is supplied for plugging the unit into your hi-fi or stereo unit and there's a monostereo intensity control.

For an additional £50.00 (ie. £79.95) the **Sound Splitter+** gives you a built-in headphone amplifier (you provide the headset) plus balance and volume controls. That should keep both you and the rest of the family happy.

MIDI Interfacing

Even if you incline with only half an ear towards music, you are almost certain to have heard of MIDI. In case you haven't, MIDI is an acronym for Music Instrument Digital Interface. It is a set of digital messages agreed upon by musical instrument manufacturers which allow instruments to communicate with each other. This communication takes place via three types of MIDI socket so you can daisy-chain together a number of instruments.

MIDI really comes into its own when used with a computer. Sequencer software enables you to store compositions in the computer in the form of music data. Good quality software will allow you to enter musical notes by either of two systems: you may be able to record in real-time (live) as you play) or enter music one note at a time in step-time. The music is stored as a series of numbers so it is the easier to manipulate than an audio recording. Tricks can be merged and you can still individual notes with a degree of accuracy impossible with an audio tape recording.

To do all this, however, you need a MIDI interface. That's the copy of the system bus, like a computer, it is useless without its own software, which is what the main body of this section is about.

If you are recording on to a multi-track recorder you will need an interface with a sync-to-tape facility which lays down a click track on the tape. This ensures that all subsequent recordings keep in time with one another.

MIDI can also be used for voice

editing. Digital synthesis are notoriously difficult to program because most of their parameters are figures, a voice editor can give you graphic displays of these parameters to aid programming. A library system then permits you to store voices on disk and this librarian feature alone is usually worth the price of the program.

Most Commodore MIDI interfaces plug into the cartridge port and one manufacturer's software may be compatible with another's interface. Note this point well: compatibility cannot be guaranteed and the safest course of action is to use one manufacturer's interface and associated software. With the cost of most MIDI software being so high many suppliers will advise on compatibility between products and may even allow you to try it with your own MIDI interface.

In the interests of showing the range of MIDI software, the following list is necessarily brief but most companies will be happy to supply further details about their products.

Soft Choice

Four names, familiar to most MIDI users, are now conspicuous by their absence from the British marketplace: Sequential, STEL, Steinberg and Dr T. Sequential still have no UK distributor and they don't seem to be particularly interested in getting one. Steinberg and Dr T are no longer distributing Commodore MIDI products although you may still see their products in some shops. STEL have now closed their doors for good although you may also come across some of their products occasionally, and mention is still made of their interface which was something of an industrial standard.

It's not all bad news though, there are many new companies writing to fill the gaps left in the marketplace.

Although **Chaos Marketing** don't produce anything specifically for the Commodore, they do stock several inexpensive keyboards which are worth considering as your music set-up expands.

They have four **MMW Master** keyboards (the basic **MMF** £39.95), the **MMW** (£39.95) with pitch bend wheel and patch change buttons, the **MR5V** (£247.95) with a velocity-sensitive

keyboard and the **MP718** (199.95) with a seven-octave velocity and after-touch sensitive keyboard.

Cervetti are also developing the **1000 Digital Drum Machine** at 129.95 and the **1000 Synth Module** at 129.95 which should be appearing in the shops as you read this.

C-Lab produce their own interfaces and matching software but their software will also run with a Steinberg interface amongst others.

Distributed in this country by Sound Technology, the standard C-Lab **MIDI Interface** costs £70.00 or you can buy one with a sync-to-tape facility for £85.

The **Super Track Sequencer** (MIDI) software is basically geared towards real-time input but you can also record in step-time. One major screen shows all your options but for editing you go to the **MIDI Event Editor** which gives you access to the bits and bytes of the MIDI protocol. It's one of the best-regarded programs on the market and fairly easy to use.

A recent release from C-Lab is a 16-track score-writing package called **Score Track** (120).

Datal produce one of the cheapest MIDI interfaces on the market at a mere £29.99. Although compatible with their **Sound Samples**, Datal have no software to drive their interface yet but they claim that it is compatible with most leading software (MS, STEL, the Advanced Music System and Jureth). Always check with your software supplier to make sure.

ElectroMusic Research are arguably the world's most prolific producers of MIDI packages and have made hardware and software for almost every popular home computer. Their **Commodore 64** interface costs £79.99 and they also produce a link box called **MMWink** (134.99) with one MIDI IN and six MIDI THRU sockets for connecting together several pieces of equipment.

They only have one software program for the C64, alas, which is the **MidiTrack Performer** (49.95, an eight-track, real-time polyphonic sequencer with features such as punch-in one patch—ones thought, track merging and transposition.

EMR often have special package

deals at Christmas and at User Shows, so phone for current details if you're thinking of buying one.

Jiffingham (or JMS) have almost bowed out of the market but you can pick up some bargains from Synclonic Mike who are currently handling their range. Supplies may be limited, however.

The **JMS 8016 2H Interface** (129.95) was made for them by STEL (now defunct) and has a MIDI IN, a MIDI THRU, three MIDI OUTs and an external CLOCK—18.

The **J2-Track Recording Studio** is a real-time package which holds velocity, after-touch, pitch-bend, and patch change information. It is quite easy to use once you discover how it works because the manual could be better. Despite this it's still a bargain at £24.95.

The **Sequencer Chain Program** (179.95) allows sequences to be linked to produce changes in time, signature and tempo.

The **Scorewriter** (179.95) comes on EPROM and contains three programs: the 12-track Recording Studio, the Sequencer Chain Program and the Scorewriter itself.

The package produces a hard copy of your music, including the lyrics but you may have a lot of setting-up to do to get the results you want. The manual could be better but the printed notation is very good.

The **SixTrack Sound Editor** at a mere £10.00 is a voice editor for Sequential's SixTrack and MAX Polysofts.

EMS also have a very simple **107 Voice Editor** for the Yamaha DX7 at 69.95. Jureth's eight-track **MCS (Music Composer System)** at £225 includes their professional AL25 interface. The software allows both real- and step-time sequencing.

Step-time entry uses a simple MCL (Music Composition Language) and notes appear on the screen as they are entered.

This is nice and in my opinion it's the best step-time entry systems around with comprehensive editing facilities.

Jureth's software offers a significantly different approach to most other products and has attracted a great many devotees. It's features make it one the most comprehensive C64 MIDI sequencing packages on the market.

The **Real-Time Fast Loader** (118.95) allows the loading of real-time files, part by part, from multiple files (you'll realize the usefulness of this if you have the MCS).

The **Key Programmer** (10.85) accepts input in any key (or even no key in particular) and allows key selection before printing.

A quality Casio CZ voice editor which includes features like envelope copy and time-scaling can be found in the **CZ Time Editor** (144.85). Voices can be stored on disk which saves a fortune on RAM packs.

If the ability to link, loop and repeat up to 128 systems of music with minute precision is important to you, the **Linker System** is a suitable extension of the real-time part of the MCS at a cost of 194.90.

System 7 (179.99) is a voice editor for Yamaha DX7 and TX7 synths which is designed to allow the creation and naming of your own banks of 32 voices. The system has lots of facilities and comes with 320 pre-programmed sounds.

All Jureth's programs can run with other interfaces although their own **AL25** is a very impressive device complete with comprehensive synchronising facilities and is worth considering as your first interface. Because the AL25 plugs into the rear port, software from other companies is unlikely to work with it—but the Jureth range is so comprehensive that you may not need any other programs!

Jureth have lists of package deals if



you want to buy more than one of these programs. For example, the Linker and the AL25 Interface is \$79.95, System 7 and the AL25 is \$99.99 and the CZ Editor is offered at \$72.50 with the interface.

Passport Design's C64 interface (110) has MIDI IN, MIDI OUT, drum sync input and output at 24, 48 or 96 ppm (pulses per quarter note) to suit most drum machines. A version with tape sync is also available at \$149.00.

Something of a rarity is Passport's **Music Shop for MIDI** (\$9.95). Notes are entered in step-time on a staff in traditional notation and the program can produce a printout of your piece at the end. It is very easy to use but much of the MIDI notation is not supported, a fact which will not worry many users but should be borne in mind. It works superbly with analog-synthesised instruments such as Casio's CZ synths. This package forms a very easy introduction to MIDI and represents good value for money.

Eight-track sequencing is offered by **Master Tracks** (199) with real- and step-time facilities. Step-time options include full MIDI note and data editing. Notes are described as name plus octave number, eg. C3. Song mode lets you build up a song from pre-recorded sequences and overall it is a very flexible program.

Programs also have voice libraries (see voice editors) at \$45.00 each for the Yamaha DX7, Roland DX6, Casio CZ series and Sony's DS synths.

Also available is the MIDI Player (\$9.00) which stores up to eight songs or arrangements on a disk and produces a synchronised video display on the screen during playback.

Rainbird Software's Advanced Music System (23995) is designed to help you get the most out of the SID chip but it also includes a novel MIDI module which acts as a six-track real-time sequencer.

Although not in the same league as the other dedicated sequencers mentioned here, it is certainly interesting. It's ability to convert music files from MIDI and vice-versa is an experience in itself.

Sonus International are well established in America and have recently opened a UK office. They have tons of goodies for the Commodore 64 and look as if they could make a name for themselves by filling the gap left by Steinberg, Dr T et al. Their range of software includes many facilities not available elsewhere for the Commodore so read on!

We'll start with their MIDI interfaces. The standard interface at \$49.00 has one MIDI IN and two MIDI OUTs, while for \$72.00 you can have one with six facilities.

To ease newcomers into the world of MIDI, Sonus have an introductory program called **GlueTracks** (\$54.00) which actually uses a software manual in the USA. It is basically real-time oriented but with some step-time facilities. It has eight tracks plus comprehensive editing capabilities and the program includes several demo songs and is very easy to use.

The bible in the Sonus catalogue is the **Super Sequencer** (\$15.95) and there are separate versions for both the 64 and the 128 to take advantage of all available memory. It can hold 16 sequences over eight tracks and contains a system-exclusive library to save, for example, an entire bank of DX7 voices. It has many editing facilities and with the 128 version you can use your keyboard's modulation wheel as a volume control.

Person's Musician 64/128 (\$99.00) has file compatibility to the other Sonus systems and is designed for new MIDI users. The package includes all cables and a MIDI interface.

The **Midi Processor** (\$99.00) can be used to perfect your recordings. With it you can load files from the Super Sequencer and perform elaborate event and range editing on them. Features include the removal of patch changes,

pitch and mod wheel, after-touch, sustain-pedal volume and channel information. You can also 'unhouse' - extract information from a channel and put it on another track, clever stuff!

MidiTech 64 (\$99.00) is a monitor or system-exclusive library program. You can view, manipulate and save MIDI bytes as they are transmitted from any MIDI instrument. It includes MIDI files, trigger functions and a prefix send capability for initiating system exclusive dumps - more hi-tech talk but hackers will find it very interesting indeed.

I haven't seen it yet but **ScoreTrack** (\$155.25) promises to be worth a close look (the final version should be ready by now). One of the main functions available is the ability to preview the scores in traditional notation.

Finally, there is a range of voice editors and libraries. Space is limited so I will have to suffice mainly to list them. If you're interested you can get further details from Sonus or you can simply try their wares with a Sonus Demo Disk for \$9.00 plus \$1.50 post and packaging. **DX-TV 72/66** (Sonus Design) (\$92.00)

DX-TV Digital Drums (\$49.15) containing 18 banks of sounds.

TV81E Design (\$92.00)

DS72/27 (M Support) (\$99.25)

DS11/27 Librarian (\$34.50)

DS-67 Design (\$92.00)

Music Programmer Librarian (\$99.00) **Casio Digital Drums** (\$34.50) with 10 banks of sounds.

Snake Editor for the Ensoniq Mirage (\$99.00)

Snake Editor for Sequential's Prophet (\$99.00)

Summary

A computer can help the less-proficient musician produce technical and complex pieces which would otherwise be beyond his ability (I take advantage of this aspect every time I plug into a MIDI program). It can serve as a compositional, arrangement or musical teaching aid and, of course, it can be used just for fun. Primarily, I believe music should be enjoyed and the Commodore certainly gives you plenty of options. Whether you're a professional musician or a novice, there's a package somewhere to suit you.

THE MUSIC SYSTEM



Life in the Fast Lane

Turbo charging your snail paced peripherals opens up a wide and confusing world of cartridges, tapes and chips.

by Norman Doyle

Commodore's tape and disk systems are probably the most reliable available on any microcomputer but they are also the slowest. In my old VIC 20 days this wasn't too much of a problem with only a few kilobytes of memory to fill but even with the CB loading can take a long time.

The software houses solved this with their own fast load systems which revolved in names like Turbo and Blazer but it has been the cartridge revolution which has made these kind of facilities available to the home programmer. Much of this revolution started in Germany and Holland where Commodore owners seem to approach programming their machines with a "brutistic gusto for order and control."

Companies such as Robotek, Everston Micros, Data! and B&P seized the opportunity to strap up these foreign products and launched them on the British market. In many cases the popularity of these products was not just because of the fast loaders and tapes but the back-up facilities which allowed commercial

games to be transferred onto disk or tape.

The first fast disk facility that awakened me to the fact that my 1541 could actually operate faster than normal was *Disk Express* and *Flash!* which both originated from Supersoft. Disk Express was a plug-in device which claimed a modest increase of five times the normal loading speed and could be fitted in seconds. *Flash!* was a little more sophisticated and required changes in both the C64 and the 1541.

To fit *Flash!* caused a problem for most C64 owners because the Basic ROM chip had to be removed to make room for the new operating system. The space left by the newly desoldered chip could then be filled with a DIL socket to take the new operating system chip assembly. The problem was that the original ROM chip had to be reinserted into the new assembly, so any careless slips with the soldering iron and heat sink would cripple the computer for several weeks until a replacement ROM could be acquired.

Inside the disk drive the problem was not so dramatic. For many years all the

major chip components on the drive boards have all been held in sockets and could be removed by gentle leverage. A connecting lead from the user part on the C64 to the drive then supplied the data line, with a switch to select *Flash!* or normal operating mode.

A side benefit of the new system was that the new operating system also gave



some extra commands to assist the programmer. Cursor movement was aided with commands to move the cursor to an area of the screen in large jumps, just as the HOME key moves the cursor to the top left from anywhere on the screen, so the new system allowed a/reverse/ bumping of the cursor to the bottom right, jumping to the end of lines and erasing of large areas of the screen at will.

Flash! was suitable for a limited and skillful few who could afford the expense of a new system plus the cost of having it inserted (they lacked the ability to do it themselves).

In real terms the speed increase with either of the SuperSoft systems was only about twice the normal, nowhere near the claimed five times improvement. This is something worth bearing in mind when reading advertisements, the stated speed benefits always take the optimum conditions into consideration. As a general rule always halve the advertised ratings to get a more realistic figure.

Next in line was a cartridge based utility from **Robotek**. The Robotek series could be used by the novice simply by plugging one of them in. Top of this range was **Robotek Turbo 50** which increased disk speeds by five times and held a cassette system which was ten times faster than normal. Additionally the user gained extra, very useful Basic wedge commands which allowed programs to be merged, slow run with a TRACE facility, and listed in a page system one screenshot at a time. There was also a simple monitor to assist machine code programmers to develop and check their own programs.

Unfortunately the one, most insupportable drawback of this system was the fact that it downloaded itself from the cartridge and into the computer RAM. This greatly inhibited its use and meant that it could easily be over-written by long Basic programs or by machine code.

This brings us up to the recent past and a new series of cartridges and devices but before we go on to these considerations you may still be wondering how its possible to speed up a tape or disk system.

Routine changes

One myth which should be firmly knocked on the head is that tape turbos

actually speed up the recorder. A cassette recorder works at just under two inches per second and there is no practical way that it can be speeded up or slowed down without internal mechanical or electrical changes. The use of tape turbos results in the erosion of the reliability which is built into the standard operating system.

Under normal control each bit of every byte is recorded in a form of electrical-Morse code/ signifying the lengths and ones of binary. Added to this is an odd parity bit whose value depends on the preceding eight bits. This is followed by another signal which indicates the end of a word/ the nine bits of data. Then the next byte is recorded.

After each block of 80 bytes the computer leaves a two second gap, once again adding to the length of the record. Before moving on to the next block, the system re-reorders the previous block to insure against tape droplets corrupting the data. This means that each program is effectively recorded twice to ensure reliability.

Simply by stripping away the structure of the tape system over 50% of the normal loading and saving time can be achieved. For many loaders this is increased to a greater degree by cutting the lengths of the pulses which form the 'Morse code' used to record the data. This increases the concentration of data per inch on tape but does make it more vulnerable to failure.

The tape speeds achieved with a well-designed turbo now equals that achievable with a disk drive head. Accordingly, the tape recorder must be in tip-top condition. The record/playback head must be accurately aligned and the use of an animals alignment tape is essential. The Robotek Turbo 50 has a built-in alignment program and separate tape for this purpose. I know of no other system which applies such thought and for most people their only resort is to invest more money on one of the commercially available alignment systems such as that produced by **Autogenic** or **Automatic 3000** from **Evolution Micros**.

Disk turbos can work in one of two ways. Either the head rate (the speed at which it communicates with the computer) is changed or the way that the program is physically stored on the disk is changed.

The most radical disk turbo system that I saw was **TurboDisk** from **Cookerch Software** of Australia. This took over the normal disk storage system and formatted the disk to suit its own requirements. Unfortunately this does not help when a commercial disk is acquired and it has no turbo of its own. It's far better to get a system which accepts the disk storage system on the 1541 but ups the head rate.

Today's Turbos

Much of the attention these days is turned towards disk turbo systems which, at best, can achieve speed increases of up to 25 times the normal rate.

Most turbo systems are only available on cartridge. Unlike the Robotek cartridge, this new generation is virtually invisible to the system. Rather like an electronic iceberg, the tip of the system only protrudes into a few bytes of the C64s internal memory. The main part of the program resides externally within the cartridge, totally unaccessible.

If its a no-nonsense turbo-disk operating system that you want then it's still possible to buy **QuickDisk+** from **Evolution Micros**. The **QuickDisk+** system offers a basic operating system, giving five to seven times a speed increase, whose commands are similar to the DOS wedge supplied on the demonstration disk which comes with the 1541.

This system eliminates the necessity to type in OPEN commands to read error channels or issue disk commands.



replacing this complex and time-consuming system with a single keypress. It also has a facility for listing the directory onto the screen, a simple Centronics printer driver and a help menu for only £19.95.

Datell have a cartridge to compete with the speed of Quickdisk+. Called **Ultimate II**, it not only has a more attractive price at just £11.99, but also has a wider range of functions including extended Basic commands and a monitor.

It's Eversham who supply the excellent **Freeze Machine** which absolutely bristles with facilities apart from its disk and tape turbo. The speeds of the turbo are further enhanced by the inclusion of a program compressor on the cartridge. This reduces the program to the minimum possible number of bytes and then re-expands the program after loading.



The Freeze Machine contains two fast disk routines. The first is equivalent to the Quickdisk system giving about five times normal speed but the second, Laser II, system claims an amazing 20 times faster than normal.

The only drawback with the Laser II routine is that it saves the program file as a USB file on disk. This means that transfer and creation of the program is impossible. If you want to remove a program from a Laser II disk, then you have to load and erase the programs that you want to keep onto another disk, and then reformat the old disk.

Despite this, Laser II and the Freeze Machine form the fastest combination in

any cartridge system. Eversham Micros claim that you could load your favourite game in as little as ten seconds and no more than 8! Considering that the Freeze Machine only costs £28.95.



Action Replay AMM's companion program, **Marp 20**, claims to be the fastest list loader available. Unfortunately I wasn't able to test this claim but I doubt if the difference is particularly significant over Laser II. What is important is that it can be obtained on disk (from **Datell** for just £2.90).

At £70 and with a disk speed only six times normal, the **Flash Cartridge** from **H&P Computers** may seem to be a little outmoded now but it has many other things to offer in addition to its disk speed. If your needs are for a faster disk system but backed up by plenty of Basic facilities and a machine code monitor, then this could be well worth the money.

My favourite system is the **Trilogic Expert** cartridge. Unlike the other

cartridges, this is a RAM chip which can have the current Trilogic software loaded up onto it. The disadvantage of this system is that any spike through the mains supply will upset it and require the system to be reloaded. This is a small price to pay, I feel, for a system which can be kept at the forefront of the laptop and disk speed revolution at low cost.

The other nice thing with the Expert is the way that the monitor drops in with a monitor of the memory location at which it was interrupted, a fantastic debugging facility.

I think I'm digressing a little! The main point about the Expert is that it incorporates an excellent compression system which is the envy of many a software house. This, and the turbo loader, means that no program takes longer than 30 seconds to load and the cartridge is competitively priced at £28.99.

Deciding on a cartridge system is not merely a case of weighing up the pros and cons of the disk and tape turbo. They are package deals and just as I prefer the Expert, another programmer may prefer Action Replay, Final or Freeze Frame. The only way to decide is to read the ads, decide how much you believe and sift through the range of facilities to see how many you need and how many would not be used.

Flash Successors

The Flash! system needed a chip change in the C64 and this seems to be the trend since then. All three of the big utility suppliers have a chip change system: **Datell's Professional 2005**, **Trilogic's Phantom** and **Eversham Micros' Dolphin 2005**.

Much higher speeds can be achieved if the data is sent in parallel through the computer's user port. This means that its formation can be exchanged between disk and computer a byte at a time instead of a bit at a time in serial interactions. Obviously this is about eight times faster but it does mean a new operating system has to be installed.

One fact that all the systems seem to gloss over is that fitting these systems isn't child's play. I've seen inside many a C64 and in all but one case the ROM chips



were soldered directly onto the PCB. This means a desoldering job for most people.

Don't attempt this job yourself unless you know what you're doing. The complexity and vulnerability of both the chip and the PCB trace is a formula for total disaster. If a good heat sink isn't used the chip will be irreparably damaged and, if all of the solder isn't removed, you could strip the pathways off the surface of the board and then you've got serious problems.

Given these two situations it's better to risk overheating the chip to ensure that the PCB is undamaged. I say this for two reasons: firstly because a replacement chip can be acquired more readily and, secondly, because you may never need the chip anymore!

Using a solder sucker and a substantial heat sink I've removed many a ROM without causing damage. I've had more problems soldering in the replacement IC socket which seem more ready to shed a leg than a dragonfly in the mating season. The lesson I've learnt is not to settle for a cheap, flimsy and, therefore, shoddy solder.

Once you've spent an hour or so modifying the board, it's just as well you fitting only takes a few minutes and usually requires no soldering! Pah!

Professional DOS includes an operating system called Disk Demon. It boots an autoformatting fast rate of 80 times faster than normal load. This means that a 302 block file loads in under 3 minutes, a transfer rate of over 15,000

bytes per minute or 15,000 baud! A rate this high is, frankly, suspect. Data! could not supply me with a copy of Professional DOS by the time that this magazine went to press but I want to be convinced of the reliability of this data transfer rate.

The rest of the system's claims seem to be much more moderate with program and sequential file save times 20 times the normal rate and a sequential file load 25 times faster than normal.

The system also adds thirty new commands to Basic and includes a fast file copier. The Professional DOS costs £64.99 on the C64 or £89.99 for the C128/64 version.

Triplex's DOS claims a 240 block load in 7 seconds which, at just under 70,000 baud is a more plausible rate than Data!'s claim.

Triplex boast that full error checking has been retained while other systems have sacrificed in favour of speed. An additional 60 commands include those which allow the system to ignore write protect tabs. To the user this means that disks can be doublets simply by flipping them over, no more hole punching.

At £79.99, Phantom is not a cheap system and their is no C128 mode version but it is 100% British, by Acra.

Dolphin DOS isn't British but it's probably the model for the new generation of turbo DOS chips. Having been around longer, this system is one that I'm very familiar with and one slightly worrying factor is possibly a cause for concern with the Data! and Triplex systems as well.

Dolphin DOS seems to make the 6522 output chip more vulnerable than before and the recommended switch on procedure of C64 on and then 6541 must be adhered to every time the system is powered up. Through several careless moments, I have succeeded in burning out this chip twice during the year that I've had the system running and it does add quite a lot to the cost of the system!

Cats is rewarded with a system which will load 302 blocks in less than 5 seconds (85,000 baud), a save speed which is 12 times the normal rate for program and eight times for sequential files. Like the old Phish! system there is also a full screen editor system.

The on-line monitor is a very basic but useful utility and the single bypass

command channel access is carried over when in Basic programming mode. Apart from this only three extra Basic commands are added with Dolphin but you do get a free Dolphin Copy disk.

At £89.95 it falls midway between the other two systems but does have a long and reliable track record to support its claim to be the established standard note for the C128/64 with 6541 drive.

Tariffs have now gone as far as they can go. Any further increase in speed will definitely be at the expense of reliability and chip safety. The C64 can only cope with so much and who really needs a full memory load faster than 5 seconds?

Touchline

Data! Electronics
Units 8/7
Dewsbury Road
Fenton Industrial Estate
Fenton
Stoke-on-Trent
Tel:0902 27883

Excelsior Micros
63 Bridge Street
Exmouth
Worce
WR11 4EP
Tel:0186 41999

H&P Computers UK
5 Hornbeam Walk
Widham
Essex
CM8 2SG
Tel:0456 31411

Supersoft
Winchester House
Canning Road
Widkham
Harrow
Middlesex
HA5 7SD
Tel:01-880 186

Triplex
Dept FN 3
329 Tong Street
Bradford
BD4 9QY
Tel:0274 69015



On-Line Line Up

Computer communications are a source of confusion to many people. We supply the key to modern living.

by David Janda

Going online with your Commodore may seem like a daunting task at first, but there's a fascinating world of computer communications waiting which can be accessed with very little effort.

Purchasing the software to get going is no problem. Basically there are two types of package: *vicdata* and *terminal*. *Vicdata* software enables you to access services such as *Marinet* and *Prodat* which feature low resolution, colour graphics. *Terminal* software on the other hand simply offers plain text, but is still by far the most popular user interface in the world of comms.

Your next item will be an RS232 interface to plug into the rear port of the C64. There is a large number of interfaces available, and you can pick one up for as little as £25.

Undoubtedly the most difficult choice to make is which modem you should buy. This depends entirely on what you want to do. If, for example, you wish to subscribe to *Micronet 800* then all you'll need is a modem that can operate at 1200/75 — they'll even give you one free if you subscribe for a year. However, if you wish to access bulletin boards and online databases such as *Telecom Gold* then the sky's the limit.

Various modems operate at various speeds. Generally speaking, the faster the operating speed of the modem the faster you can send or receive information. It's

also true that the faster the modem, the more expensive it is.

Of the modems that are currently on the market today, there are three basic types:

Manual: these are quite simple and have to be operated manually by pressing buttons. They are also the cheapest.

Software controlled: modems such as the *Designer* are software controlled and, as the name suggests, they need the appropriate software to allow full access to the modems features.

Intelligent: this type of modem is still quite rare in the home or small business markets as they are very expensive indeed. Intelligent modems have their own set of commands and can be used fully automatically.

We can now go on to look at a selection of modems that cover all three types.

Voyager 7

The *Voyager 7* is a V23/V23 device which is suitable for use with *Vicdata* and scrolling types of databases (DBs). The baud rates available are 300/300, 1200/75, 75/2300, and 1200/200 half duplex. A test mode allows the modem to be tested off-line at 300 baud.

The *Voyager 7* offers auto-dial and auto-answer as standard, but it should

be pointed out that the *Voyager* is not approved for auto-dialling and that the auto-answer option has been found to be very unreliable. Potential buyers are warned to test these facilities before making a purchase.

The modem is of 'average' size, 105x145x25mm. Four rubber feet keep it from sliding around and an ample length of mains and FTSN cable are provided. A five-pin D-subline type (female) socket at the back is used to connect the *Voyager* to the *Comms Cartridge* or *RS232* interface, and a six-way rotary switch on the front panel is used for selecting the baud rate (initiator or answer) or the test mode.

Five coloured LEDs on the front indicate data flow, power, carrier detect and so on. There is a lock of an on/off switch or an inline telephone socket. The latter means that it will be necessary to purchase a splitter socket in order to use your phone on the same socket if you want to avoid a lot of plug wrapping.

The *Voyager* is a software controlled modem and is therefore best used with auto-dial and auto-answer software such as *Marinet* but the main problem with this modem is its reliability. As mentioned, the auto-dial feature is not approved but many people don't take any notice of this. However, the auto-answer facility cannot be guaranteed as *Modern House*, the now defunct company who



produced the Voyager series, had problems with production. As a result Voyagers with a serial number less than 1200 will not auto-answer. However, in time, Your Commodore has found that some Voyagers with serial numbers higher than this have not auto-answered either.

Other aspects of the modem were fine and, taking the facts into consideration, it does the job satisfactorily. If you can pick up the Voyager 7 for around 140 then you have a bargain, if the price is higher then look elsewhere.

NIGHTINGALE

The Pace Nightingale was one of the first reliable dead speed modems on the market. It has been available for a number of years and is now sold as the official Amstrad modem.

The modem operates at 300/300 baud (originate and answer), 1200/1200/1200 and 1200/1200 half duplex. The early (non-approved) versions also operated at 300/300 full duplex at Bell frequencies, which means that it could unofficially be used to connect to American systems. The modem also features a 300/300 baud self-test mode.

Three push buttons are situated on the front panel of the Nightingale. One

is marked random select and is used to seize the line once a carrier is detected. The second and third buttons select the speed and whether to use originate or answer mode.

On the older, non-approved models an extra button was used to switch between US Bell or European frequencies. This button was removed and covered with a plug to gain BANT approval. The reason why US Bell frequencies are not approved is because they cause havoc with BT test equipment!

Despite the BANT approval, it is possible to remove the plug and insert a push button to restore US Bell capability but this would invalidate warranty and upset BT.

Two tri-colour LEDs on the front panel indicate carrier detect/line hold and power/data. At the rear of the modem is a recessed BT socket that the phone plugs into, a push button for selecting self-test and a five-pin RS423 Dynamic socket (optional).

One other item of note is that there are plenty of ventilation grills on top, and underneath the modem. Handy, as there is no on/off switch and its easy to leave the modem plugged in.

The Nightingale is a manually operated modem, and as such the auto-dial and answer facilities of any software used with it will not be of any use. Having said that, it is perfectly

possible to use the Nightingale with packages such as Minitel; simply press the random connect button when the carrier is heard and press the RETURN key on the computer.

An interesting non-documented feature of the Nightingale is that it will auto-answer when in reverse Protocol mode at 751200. This is achieved by setting the speed to 331200 and pushing in the carrier detect button. After a few rings the modem will answer! It should be noted that this facility was not purposely designed.

Although the Nightingale is technologically rather old hat, it has the advantage of being a very, very reliable modem, and, although rather expensive when compared to low cost modems with more facilities, it can represent excellent value for money when purchased secondhand.

COMMODORE MODEM IC84

The Commodore Modem is also referred to as the 'Compuport modem' because it was designed to be used with that service.

Unfortunately Commodore don't manufacture the modem any more, which is a shame as it is a very versatile device even though the specification apparently belies this fact.



The Commodore Modem operates at two speeds only: 1200/75 and 1200/1200 half duplex. However, the 1200 half duplex mode, as with the Designer modem, has a very fast turnaround time, and as such can be used with all the enhanced software that V2 Computing produces.

On the plus side to the Commodore modem is that it contains terminal software on ROM specifically designed for connection to CompuNet. This firmware includes a HELP facility, a trace editor and the ability to load and save software patches that enhance the CG4 when online (see the section on CompuNet).

Connecting to CompuNet is done by entering 'C' with the shift key held down and then pressing RETURN. You will then be prompted to enter a phone number which the modem will auto-dial for you.

The modem is completely software driven and plugs into the C64's cartridge port. A telephone lead trails from the back of the modem but an inline socket would have been more useful.

Because the modem is no longer in production, and is designed for use with the CompuNet service does not limit it in any way. User to user software can be obtained from CompuNet or V2 Computing and one very popular package is *Direct* which is available from Microware 800. Also available from Microware on disk or tape is the *Mastering*

software which gives the user access to Microware through this CompuNet modem. All things considered, the Commodore Modem is a very useful item that is ideal for videodata, CompuNet and scrolling terminal applications on 1200/75 baud of course, and is ideal for user-to-user purposes provided you have the right software. Although no longer in production, these modems can be picked up secondhand for as little as £25.

DESIGNER

For those who are not satisfied with the existing range of software-controlled modems, and yet do not want to spend a large sum of money on an intelligent model, the Designer modem from Dataphone could be just what you're looking for.

Dataphone have answered the prayer of many by combining elements of a manual modem with those of a software-controlled modem, added extra features and packaged it into a neat unit.

The Designer can operate at 1200/75 originate, 75/1200 answer, 800/800 originate and answer and 1200/1200 hand half duplex. It's worth noting that the 1200 half duplex mode has a very fast turnaround time (unlike the Voyager, Enterprise or Nightingale), which means the user-to-user and file transfer software supplied by V2 Computing will be compatible with it.

The modem itself is very well

designed and has a low profile. The software-controlled aspect enables the modem to be used for auto-dialling/answering. The Mastering software will do this well.

Another software controlled feature is the auto-hand rate switching. But at the time of writing there was no Commodore related software to make use of this feature. However, Dataphone are currently working in conjunction with a custom software house to rectify this situation.

The Designer can be completely controlled manually by using the five push button switches on the front panel. Three switches are used to select the speed and to put the modem into originate or answer mode; two more switches introduce features not found on a modem of this price.

Firstly, there is a power on/off switch and, secondly, there is a monitor on/off switch. The monitor allows you to hear the call in progress and is very handy for detecting a bad line. Six LEDs on the front panel also give you a full status readout of the modem.

One feature that is not visible, but welcome, is the anti-rattle circuitry that suppresses the annoying rattle that modems like the Voyager and Enterprise make when auto-dialling.


On the back of the Designer is a 25-way, D-type RS232 connector (female) and a screened telephone socket. A generous length of telephone cable trails from the rear as does the power cord which is fitted with a plug.

In use the Designer performed perfectly. The option of controlling it by software or manually is very handy and makes the Designer an extremely flexible tool. But by far its biggest asset is the price. For £99.95 (including VAT, it represents excellent value for money.

ENTERPRISE I

The best way to describe the Enterprise I is to say that it's a Voyager 7 with bits added on. Their appearance and control are almost identical, this is not so surprising as both the Enterprise I and the Voyager 7 were manufactured by Kirk Automation.

The Enterprise I is housed in a black casing with green lettering on the front



panel. A rotary switch on the right is used to select the required baud rate which can be one of 300/600 originator/answer, 1200/1200 full duplex, 1200/75, 75/1200 full and text. A feature not found on the Voyager 7 is the on-off-line button which is used when dialling/answering manually. An oddity is that when the button is pushed in the modem is off line and when the button is out it is online — the reverse would have seemed a more logical choice.

Situated at the rear of the modem is the RS232 socket (female), phone socket, telephone lead and power cable. Of particular interest is the 26-pin RS232 connector which uses pins 1-6, 15, 17, 20, 22-23 and 25. Basically this means that connecting the Enterprise 1 to your Commodore should be no problem in a variety of wiring options is available.

The phone socket is recessed in accordance with BT regulations, and this enables a telephone to be used in line with the modem thus saving you the expense of purchasing a double adapter.

Using the Enterprise 1 is simplicity itself — even though the manual is not up to standards. When used with software such as Mustang from 32 Computing, the auto-dial feature can be used. The Enterprise series uses relay technology to auto-dial which is quite loud in operation and not the most reliable method of getting a telephone to dial. One effect is that auto-dialling will cause any phone conversations (terrible!) which can be

avoided. This is a common trait of all software controlled modems.

One aspect of the Enterprise 1's operation that is annoying is the auto-answer facility which is controlled by the terminal software. Auto-answer would only work providing that a three wire extension is being used. Potential purchasers are advised to test this facility before buying.

Despite this, all other aspects of the modem's operation were fine, and I would conclude that if you are looking for a cheap but mostly reliable modem with dual speed operation then it would be a good idea to shop around for an Enterprise 1.

SERIES FOUR

The Series Four range of modems from Pace Micro Technology consists of three models, and the most reviewed was the 1200S which is in the middle of the range.

What you get for the price is sophistication with simplicity. The Series Four is one of the more broad of 'indignant' modems. That is, a lot of the work that is normally done by the RS232 interface software is done by the modem itself which has its own control program and central processing unit and is, in effect, a computer in its own right.

Control of the modem is achieved by sending commands from through the terminal software. These commands were developed by the Hayes Company and are

widely used throughout the industry.

The 1200S review model can operate at 600/600 (1200/75, 75/1200 or 1200/1200 full duplex). It features auto-dial, auto-answer, auto-baud rate detection and selection. Also included is a battery backed calendar clock and stopwatch which has the facility to store up to 60 phone numbers in its internal memory. The 1200S also features a full RS232 port with inline phone socket as well as a Commodore printer port and 20 segment LED display with line strength indicator. Speed buffering is also incorporated enabling the modem to connect to a host at one speed while the terminal software is operating at another.

The modem itself is quite flat but takes up a lot of space. The front panel consists of an LED display with two touch-sensitive buttons (that are used to manually select options) plus the line status and line strength LEDs. At the rear of the modem is the socket for the external power supply unit, the inline phone socket, the Commodore port and a reset switch.

Once connected to the micro, the 1200S is easy to operate. Due to the way the modem is wired up to the micro the control software will think that the modem is online and can go into terminal mode. The reason for this is that the commands to operate the modem are entered from the keyboard while in terminal mode. To understand this better consider the following example.



You would like to contact Telecom Gold at 1200 baud full duplex even though your software does not have a 1200 full or half duplex mode.

First of all a speed must be selected from the software menu. Although you want 1200 baud eventually the choice is purely arbitrary such as 300/300 baud just so that you can go online. Even though you aren't connected to a host at this point, the modems/tricks' the software into thinking that it is.

At this stage you are greeted with a blank screen but by entering/AT, the Series Four HELP screen is displayed (Table 2). To connect with Telecom Gold at 1200 full duplex you would simply enter the following:

ATD 583 1200

The rest now happens automatically with the modem dialing, detecting the carrier, selecting the appropriate baud rate and so on. Even though the terminal software still only operates at 300/300 baud it's possible to use services that operate at 1200 baud full-duplex because of the Series Four's internal memory buffer keeping things in check. The net result of this is that the modem is exceptionally easy to use, but extremely powerful at the same time.

TABLE 1 - Series Four AT Command Set

A Answer call without delay
C Carrier control (C1=OFF, C1=ON)
D Dial number and originate call
E Echo commands (E0=OFF, E1=ON)
F Echo data (F0=ON, F1=OFF)
H Hook control (H0=ON, H1=OFF)
I Display Identity (i0,1,2)
K01 Display/set timeout (i0,1,2)
L0 Speaker Loudness (s,1,2,3)
M0 Monitor status (s0,1,2)
N1 Display/set number store
O Go back on-line
P Pulse dialing ON
Q Result code (Q0=ON/Q1=OFF)
R Reverse to answer after dialling
SE Display/set 5 registers
T Tone dialling ON
U1 Unattended mode (U0=OFF, U1=ON)
V Result code
(M) Numeric/V(alphanumeric)
W Wait for secondary dial tone
X0 Extended result code (r0,1,2,3,4)
Z Reset 5 registers/commands
NOTE: 'v' indicates additions to the standard Hayes command set.

MULTIMODEM (CG4)

The Multimodem from Miracle

Technology is a combination of hardware and software in one package. If you are looking for a modem that can be used for videodata as well as terminal applications then this could be what you're looking for.

The modem operates at 1200/75, 75/1200, 300/300 answer and originate, and at 1200 half duplex. A 300/300 baud full duplex mode is also available for Bell tones. Other hardware features include auto-dial and answer (which are controlled by the software) and a very fast turnaround time when using the modem at 1200 half duplex.

Y2 Computing have written a number of programs including user-to-user and enhanced 40 systems packages. These require modems that have a very fast turnaround time and the Multimodem could fit the bill.

The Multimodem lacks buttons and switches because it's completely software driven. It plugs into the CMI cartridge port and has a telephone cable trailing from it which plugs into a standard telephone socket. No telephone socket is supplied on the modem itself, so it will be necessary to purchase a splitter if you wish to use a telephone on the same line.

Using the Multimodem via its menu-driven software is very simple and the combination is a nice one, leaving you the option of buying other packages such as Y2's file transfer package.

PRISM 2000

If you subscribe to Microsoft for one year, and pay in advance, they will give you the Missing videodata and terminal software on disk or tape and a Prism 2000 modem free of charge!

The modem is no longer being manufactured, but was one of the first to be approved for use at 1200/75 baud. Two speeds are available, 1200/75 (for use with Priset/Microsoft) and 1200/1200 half duplex. The half duplex mode is a little awkward to use, requiring you to manually switch from send to receive by pressing a button. The modem can otherwise be turned around by software control and details are given in the manual.

The Prism 2000 is good for accessing the videodata services for which it was designed.

Net Benefits

What are networks and bulletin boards all about? We leave no stone unturned as we engage in communications.

by David Janda

When you get your first modem you meet your first problem: who can you call? The three main networks, Comnet, Comnet and Microlink, require a subscription payment if you want to get more than just a few free screens. Is it worth the money or is it best to stick to the bulletin board circuit?

MICRONET

Micronet 800 started approximately three years ago. The service is an information provider (IP) operated on the Protel database. Subscribing to Micronet not only provides the user with access to Micronet itself, but also access to the rest of the Protel database. Furthermore, you can register as an Interlink user (a fee which provides a gateway to Telecom Gold and all of its services).

The structure of Micronet is fairly simple. Pages of information (called frames) measuring 40 characters by 24 lines are displayed on the TV or monitor. Each frame can incorporate colour and low resolution graphics.

All frames are numbered and priced. The majority of frames on Micronet are free to subscribers, but some services do incur a charge which is displayed at the top right-hand corner of the frame.

Manipulating Micronet (and the rest of Protel) can be done in one of three ways. First, providing you know the specific page number you want to look at, you can enter an asterisk, followed by the



page number and this will take you directly to that page. Secondly, keyword searching enables you to enter a name associated with a particular page. For example, to get to the 'level page' of the Shades adventure game simply enter SHADNS. This is, by far, the best way to move about Micronet. Thirdly, pages will often have messages along the lines of 'Press 1 for news'. Pressing one will get you to the news pages. This option is especially useful to those new to the service.

Micronet mainly caters for the BBC micro, Commodore 64 and ZX Spectrum, each of which has a microbase dedicated to it. These microbases can be considered as mini-databases within Micronet. A microbase has its own features and reviews which are supplied by the editorial staff. Each area also has a user group section with articles and features supplied by editorial staff and subscribers alike.

Some of the features found on Micronet include the news pages. More

Mouse, Biznet, Sunday Mix and Chatline. The news is updated daily with the latest microcomputer news. Comm-fans can tune into Mike's Mouse which is a daily column edited by Steve Gold who gained notoriety for the Duke of Edinburgh back a few years back.

Biznet is an area on Micronet which is not micro-related but is aimed at the small business sector, providing features on subjects such as law and insurance.

Another non-micro related area is Sunday Mix which has film and record reviews, plus a gossip column all presented in a magazine format.

A Macintosh Chatline service allows subscribers to talk to each other on a public type of bulletin board. Messages are updated instantly, numerous Chatlines are provided, each dedicated to a specific area of interest. A Celebrity chatline is held each week where a special guest answers questions put by subscribers. Subscribers can also book flights in a special gallery area and use them to start their own mini-magazines.

A major part of Micronet is the Teleconsole area. This stores software that can be downloaded into the micro and saved to disk or tape. Commercial, subscriber and free software is provided but, where there is a charge, the user is always informed of the price before downloading.

COMPUNET

CompuNet has been in service for the past three years and was designed to interface with the C64 micro. Until now the service was exclusively for Commodore 64 owners but there are future plans to cater for other types of micros, the first being the Amiga. Because CompuNet is geared towards the C64 user, the database is much more flexible and can take full advantage of the Commodore machine. This is the biggest advantage of a dedicated system.

The database is organized as a series of directories arranged with a tree-like structure. Each directory can contain one or more entry which may be text, a program or a further, more detailed directory. Each directory follows a common format. This includes the indexing which informs the subscriber



which part of the database they are currently accessing. This index consists of a name and a directory reference number.

Entries also contain a standard set of information. This includes the page number, name, type of entry (program text etc), price (if any), file on system in days, author and a note.

Traversing the database and issuing commands are very easy. The bottom line of the display items what is called a checklist menu. This can be scrolled from left to right until a command is centred. Through these commands the subscriber is able to upload, download, show the contents of a directory entry, access electronic mail and so on.

To call up a directory entry it is first necessary to move a line bar over the entry using the cursor keys. If it is a text entry, the SHOW command on the checklist menu will cause the contents of the entry to be displayed in C64 text mode. If, on the other hand it is a program it can be downloaded straight onto disk.

Moving about CompuNet can be done in three ways. First, by going directly to an entry with the GOTO command followed by a page number or name. Secondly, by using the DIR command to go further down the tree, or by using the BACK command to go higher up. Thirdly, frequently used areas can be accessed by pressing one of the C64

function keys.

The contents of CompuNet are mainly supplied by the users themselves. CompuNet design the structure of the database and provide many services such as the Courier electronic mail service, guidelines, Multi-User Games (MUGs) and so on.

Many of the top Commodore software producers sell their software via CompuNet at reduced prices. A service called party-line enables real-time chatting between individuals or groups. Another very popular area is the adventure game area which features MID and FEDERATION.

By far the biggest attraction on CompuNet is an area of the database called The Jungle. This area can be used by the subscriber as a marketplace into which they can upload and distribute their own programs or text. Other users may then access or buy this material ensuring that this electronic bazaar contains a wealth of useful programming information, club news, free software and so on.

Another very powerful aspect of CompuNet is that facilities can easily be added, any changes to the system that would normally require modification of the user's communications software is not necessary as a software patch can be downloaded into the C64 (or other micros) before logging on.

MICROLINE/TELECOM GOLD

For the past four years British Telecom has operated an electronic mail service called Telecom Gold. It's a service aimed officially at the business user but in reality it's far more than that.

BT Gold can be accessed by any micro, modem and terminal software combination with a scroll facility. Further, it can be accessed at a variety of speeds from 300/300 full duplex to 1200/1200 full duplex. It can also be accessed from PDS which is BT's high speed data network.

At first sight BT Gold seems daunting yet it's really quite simple to use. Unlike Micronet/Proced and Compuserve, BT Gold is operated by issuing a number of commands.

The facilities provided by BT Gold are tailored for the business user. Each subscriber has a mailbox, and can send and receive electronic mail to and from other subscribers if they are in the UK, or anywhere in the world with a Dialcom system in operation. Telex facilities are also provided as well as a number of games, and business programs such as spelling checkers, statistical tools, and forecasts.

Help is always at hand with the HELP and INFO commands. Even from within a program (such as the text editor) help can be sought by entering 'T'.

BT Gold is split into a number of systems, but subscribers can still communicate with each other regardless of the system they are using. One such system (T2) is called Microlink and is operated by Database Publications.

A subscriber to Microlink has all the facilities of a Gold user and plenty more. Microlink has a news driven front end to BT Gold which is very user friendly. Microlink also provides a number of enhanced services such as a bulletin board, message service, regular news items, telesoftware (not for Commodore micros though), and gateways into other computer databases.

One such gateway is to the Minitelnet service in the USA. Minitelnet is a database which offers multi-user games, software (for the Commodore), special interest groups, real-time chat and so on. It's rather

expensive to use at 25p a minute, but far cheaper than dialing the States direct.

Subscribing to Microlink is by far the best way to gain access to BT Gold. This is due to a number of reasons. Firstly, there are the added facilities that Microlink provide. Secondly, Microlink has a monthly subscription fee of £3 which is quite cheap considering that normal BT Gold subscribers have to pay £5. Thirdly, because Microlink can be used both as a serious business tool and for entertainment, if which there is plenty.

BULLETIN BOARDS

A bulletin board (BB) can best be compared to a community notice board. BBs are usually run by hobbyists in their own spare time on a home micro equipped with a disk drive and an

auto-answer modem.

Typically, BBs will only allow one user at a time to browse through the files stored on the board. These can include messages from other users, general information, specialist sections, downloadable software and so on.

Compared to Micronet or Compuserve, BBs are not technically brilliant, but they are by no means crude. One of the best things about using different BBs is that they're not bureaucratic, official, or run by money makers — and that makes a difference.

The UK currently has over 200 BBs that operate at regular times, and this number is growing. Basically there are two types of BB to choose from. There is the traditional scrolling type of BB and those using the Viewdata standard.

To access scrolling BBs you'll need a scrollable cursor referred to as dumb

MICRONET (C)

41

WELCOME TO MICRONET

INTERLINK

Interlink Gateway (T)

Interlink User Guide (T)

How To Join Interlink (T)

Interlink Charges (T)

9: Micronet



terminal software. Most commercial packages include this type of facility but, in case you are a Viewdata (Pretext) user who doesn't have this facility, there are lots of public domain (free) terminal programs available from user groups such as KPLUG or CLUG64. Terminal software does not give you any colour or graphics but it does allow you to login to most types of BBS.

The second type of BBS operates using the Viewdata (Pretext) standard which presents information with colour and low-res graphics in a page format. Microcom-Pretext subscribers will not need to buy any additional software, but CompuLink users will need the free Viewdata program which can be obtained through the system. Again, as with the dumb terminal software, most commercial commercial comm software has a Viewdata mode.

Most BBSs are operated at 300 baud. This means that you'll need a modem such as the Designer, Nightingale or Multimodem from Miracle Technology. All three will also allow you to access boards at 1200/75 in Pretext and scrolling formats. CROM Modem owners need not feel hard done by because many boards now allow access at 1200/75 baud, and some even operate at 1200/1200.

Logging On

Each BBS has its own unique style and character. Facilities common to all types of BBS include an E-Mail (Electronic Mail) option that enables you to send and receive messages. These messages can be sent privately to another user or be posted on the general board for everyone to see. Other features on BBSs typically include free downloadable software.

Downloading can be achieved in several ways but by far the most popular option is the X-Modem format, so your comm package should have this option. Don't worry too much if it doesn't support X-Modem, as most BBSs can transmit the software in ASCII or PETASCII format.

Another common feature to be found on BBSs are SIGs - Special Interest Groups. These are areas which contain information on one particular subject

such as a specific interest, commit in general, politics or whatever the SIG operator wants.

There are a few BBSs running on Commodore machines, typically Amigas. You can set up and run your own BBS with American BBS public domain software, or by buying the BBS Blast software for the Commodore from VZ Computing for 165.

When using a BBS it's worth remembering that the quality of a bulletin board is governed by its contents. The software and messages are all supplied by the users in the first place so don't be a parasite, as well as downloading programs and reading messages, why not put some up as well?

BBSs To See

This table details a very small selection of BBSs that are currently in operation on a 24-hour basis.

View means that you will need Pretext style software to access the board, 1200 means that you'll need scrolling software and a 1200/75 option modem such as the one from Commodore to gain access to the service. 300 means 300-300 baud access, which needs scrolling software. CROM Modem users will not be able to access this type of board.

Name	Telephone	Rates
BABS 1	0994 276306	300
Brixton Pic	01-735 6453	View
Cardiff Pic	0212 464725	View
C-View	0832 546707	View
DUBBS Dublin C	0800 885634	300/1200
Dragon's Lair E	01-582 4543	300/1200
FMS Swansea	0762 203853	300
Source at Home	01-888 8894	View
Gravel AABS E	0932 628334	300/1200
Hackney BB	01-985 3322	View
Hunting Thunders	0752 264658	300
Informaque E	0800 964942	300/1200
LABS London C	0883 844864	300/1200
Lightings Place E	0202 485723	300/1200
Litington BBS	0993 638526	300
London BB	01-435 6687	300/1200
London Underground	01-267 0998	300/1200
Motel	81-348 119	300
Mulhous-88 (Liverpool)	051-428 8024	300/1200
Midland	81-940 4282	View
NKABS E	0995 842324	300
Novave	0804 20444	View
TRBS Blandford	0254 54294	300

Entries marked with an asterisk are either run by Commodore machines, or have a SIG for Commodore owners.

RS232

Many people switch off when they hear the mention of the RS232 interface and related subjects. This article is aimed at clearing up some confusion and doubt.

By Steve Currie

Some (if not most) of you will have heard by now of that favourite of all computer industry subjects, the RS232 communications standard. People have been known to go weak at the knees and hide when it is mentioned. Every day, it causes problems for computer engineers connecting up equipment such as printers and modems. It has even given rise to a lucrative business of building the so-called "break-out boxes" for monitoring and "fixing" RS232 lines.

If it is supposed to be an industry standard, why does it cause so much hassle? Every computer manufacturer has different ideas on how to build a computer; which devices to use, how big the screen should be, etc. It would seem that this train of thought also includes the RS232 standard.

Now, before I go on, let me say that the idea behind RS232 is great. A standard interface for connecting different types of hardware (including computers) together. RS232 is really useful in the field of telecommunications. Modems are usually connected to a computer via an RS232 link. You can connect two computers together and transfer programs between them (a technique often called "porting").

Unfortunately, things are not this simple. With different manufacturers having different ideas on how to implement the standard (Commodore is no exception) a great deal of confusion can arise when two pieces of hardware

are to be connected together. Most of this confusion surrounds the way in which the control lines of an RS232 should be used. Thankfully, this does not concern us in this article since we will be using only a basic RS232 interface.

Basic RS232

As you may know, RS232 uses the serial method of data transmission. Information is sent bit by bit along a single wire to a receiving machine. Since data may flow in both directions, two wires plus a common return are required to make a basic RS232 communication line. The lines are usually connected to equipment by a 25-way D-type connector. Data leaving a computer exits via pin two and incoming data enters via pin three. The Gs return is connected to pin seven. This gives the "3-line" RS232 interface. There is no control over the flow of the data in either direction unless handled by the software (more on this later). An RS232 interface using more than these three lines is

known as an "N-line" interface.

It is best to use a three or four core cable with a shield (we will see why in a moment) rather than separate wires.

For the purposes of this article, this is all we require. "Ah yes" you say, "that's all very well but my Commodore doesn't have a 25-way D-type connector let alone any RS232 interface". True it doesn't have a 25-way connector but it does have an RS232 interface. You mean you didn't know?

Commodore RS232

Since the time of the Vic 20, Commodore has "programmed" in a limited form of RS232 port. Easy-programmed because the hardware device normally associated with RS232 communications, the Universal Asynchronous Receiver/Transmitter (UART), is not present in the circuitry of the Vic 20, C64, 64C, C128 and C128D. The omission of the UART and Plus/4 is intended. The C16 cannot handle RS232 communications (we shall see why in a moment). The Plus/4 on the other

3-LINE RS232 INTERFACE	CONNECTIONS (25-way D-connector)	
pin	function	
2	Transmitted data	Send
3	Received data	Get
7	Common (Gs)	Grid

land is omitted for a different reason. This machine DOES have a UART.

RS232 signals appear at the user port. This is exactly the reason why the CIB cannot handle RS232, it does not have a user port (a strange omission by Commodore. Anyone knows why?). All the convention is handled by the Operating System (Kernal). Thus, except in the case of the Plus/4 the user port coupled with the Kernal becomes almost the equivalent of the 6551 UART (the 6551 is the device that the software is supposed to emulate).

In the Vic the user port is con-

trolled by a Versatile Interface Adaptor (VIA). In the other machines a Complex Interface Adaptor (CIA) is used (not a lot of difference as far as this article is concerned). Now before some of you run and hide at the mention of VIAs and CIAs, let me say that (thankfully) we do not have to program these devices directly. The Kernal handles all of the RS232 associated programming.

Figure 1 shows the RS232 associated connections to this port looking from the rear of the machine. Note that the user port uses a 0.156" edge connector (available from

Maplin, order number BK74R). The top row of terminals are identified with numbers while the bottom row terminals are identified with letters. This means that it is very easy to connect the socket the wrong way up which could have disastrous consequences for your computer. The correct way is with the letters to the bottom as shown.

Connecting Up

The terminals labelled Send (transmitted data) and Sin (received data) and GND (0V common) are the three




Fig 1

lines we need. Note however that there are TWO terminals labelled Sin. The reason for this lies with the way in which the RS232C on these machines works. One of the Sin lines is for data, the other is a flag or trigger input. Because the Commodore RS232C relies on Non-Maskable Interrupts (NMI) or interrupt request (IRQ) in the case of the Plus/4, there must be some form of detection to let the system know when data is being received.

When data is being received over the Sin line, the voltage level on this pin changes rapidly, causing interrupts to occur. The system software collects the data on the Sin line, places it in an area of memory called the Receive Buffer. There is also a Transmit buffer for outgoing data. Thus the reception and transmission of data is basically transparent to the user. However, this method has its problems as we will see. The practical upshot of all this is that BOTH Sin terminals must be connected to the Sin line. Since they are next to one another, this is no great problem.

Also note the connection called PROTECTIVE GROUNDING. This terminal should be connected to the shield of your cable (if you suspect any outside electrical interference of causing data errors).

While on the subject of making connections, you will have to use a soldering iron. Now don't run and hide (again). If you are not too sure about handling one, get an electronics hobbyist friend to do it for you.

It should go without saying that YOU SHOULD NEVER MAKE CONNECTIONS TO THE SOCKET WHILE IT IS CONNECTED TO THE COMPUTER. Always disconnect the socket BEFORE making or changing any connections and NEVER connect the socket to a live machine. ALWAYS switch off the power BEFORE plugging or unplugging!

OK. So you've connected your socket up and plugged it in the correct way... what now? If you only want to communicate with another Commodore (Via, C64, Plus/4 or C128) then there is no great problem. The only thing to watch is that you




Fig 2

must connect the Sout of one machine to the Sin of the other as in Figure 2 in order for them to exchange data (a bit obvious really!).

Commodore connections

If you don't intend connecting your machine to anything other than another Commodore, you can skip the next bit all together and get on with the programming. If you have a friend with one of the machines mentioned, you will be able to type messages to one another, handy if you live next door and you have a long piece of 3-core cable - your own mini-network? (Not recommended if you live across the street or several houses away!) How far you will be able to keep the machines apart depends very much on the operating conditions. Electrical interference may cause errors and there will come a point where the line is just too long. It's best to experiment with what you've got.

Non-Commodore Connections

This is where things get tricky. Connecting to anything other than a similarly equipped Commodore has its problems. This is because normal RS232C requires logic levels -12v (logic 1) and +12v (logic 0) as opposed to the Commodore RS232C logic levels of 0v (logic 0) and +5v (logic 1) (Note that isn't a mis-print, RS232C logic is opposite voltage level-wise to your Commodore). However this problem can be overcome quite easily. There are various logic devices available specifically for this purpose. Among

these are the RS423 line driver 694 and RS423 line receiver 694S128A. These devices convert between TTL logic levels and RS423 logic levels. RS423 is another (strictly) standard which is compatible with RS232C (at least to a certain extent). The beauty of using these devices is that they will operate from a +5v/-5v supply. This means that the user port's +5v output (pin 2, see Figure 1) may be used for the +5v supply and all that is required is a -5v supply. These are the devices used by the BBC micro for it's RS423 port. Figure 3 shows the circuit required.

I can hear the groans of discontent. "I can't do that! I've never built an electronic circuit before!". If you do have an electronics hobbyist friend, by bribing him/her into building it for you.

I will not go into detail over the construction of the interface. I will assume that if you are building this, you know what you are doing. The 74LS00 device is used here as a logic inverter. I suggest that you use i.e. sockets to in and to subject the devices to heat which could damage them.

Power Supplies

If you plan to use the mains (careful!) power supply circuit shown in Figure 4, I suggest that you use both the +5v and -5v supply circuits so as not to rely too much on the already overworked computer power supply. It goes without saying that no-one should use the mains unless they do know EXACTLY what they are doing.

The alternative battery supply cir-

bit	7	6	5	4	3	2	1	0
	P	P	P	D	T	T	R	H
	P - Parity			D - duplex		H - handshake		
	T - transmit control				R - receive control			
PPP	D			H (non PLUS4)			H (PLUS4)	
000 Disabled	0 Full			0.5-line			0 Receiver on	
001 Odd	1 Half			1.5-line			1 Receiver off	
001 Even								
001 Mark (1)								
111 Space (0)								
TT (Plus/4 only)				H (Plus/4 only)				
000 IRQ Disabled; RTS=1; TX off				0 IRQ on				
010 IRQ Enabled; RTS=0; TX On				1 IRQ off				
100 IRQ Disabled; RTS=0; TX On								
111 IRQ Disabled; RTS=0; BSK								

Table 3

Plus/4 users should refer to pages 287-211 of the user manual for further details on this machine's RS232 interface. This machine can handle transfer rates of up to 19200 baud.

Handshake determines how the interface will operate. We will be using 3-line, X-line is where you are using control lines as well as the data lines. This makes things a bit complex so we will stick to 3-line.

Duplex should be set to Full. This determines how the receive and transmit will behave.

Parity is a kind of error check. When data is received, the system checks it to see if it agrees with the parity. If not, the parity error bit in the variable ST (status) is set indicating some sort of error. These bits allow you to set the type of parity check required. Of course, both machines should be set to the same parity. In most cases, parity is not used and error checking is done in a different way (more on this later).

This may seem a little complex but it isn't really. Let's suppose that we want to open an RS232 channel to run at 1200 baud, eight data bits, one stop bit, no parity. The OPEN statement would be:

```
OPEN 2,2,CHR$(24)+CHR$(9)
      FROM PLUS4
OPEN 2,2,CHR$(24)+CHR$(3)
      FROM C4
```

and that is that! Simple, eh? In fact, if you stick to this particular format of eight data bits and no parity, you can't really go wrong. Just change the baud rate to suit.

Incidentally, the Commodore 64 programmers reference Guide tells you that the command register character is NOT required. It's probably safer to leave it in. My C128 sometimes won't work without it!

Using PRINT AND GET# we can write a fairly simple terminal program running at 1200 baud. Running this on two machines (assuming its two Commodores) you will be able to type in a message on one keyboard and see it appear on the other machine's display as well as your own. Figure 7 shows the program while Figure 8 shows a similar program for an IBM compatible machine running PC DOS or MSDOS and GWBASIC.

Figure 7 Commodore Basic mini terminal program

```
10 OPEN 2,2,CHR$(24)+CHR$(9)
11 FROM PLUS4 USE OPEN
2,2,CCHR$(24)+CHR$(3)
20 PRINT "CLS"
30 GET#C4
40 IF ASC="" THEN PRINT A$:
50 GET#B
60 IF BS="" THEN PRINT
BS:PRINT$(B):
70 GOTO 30
```

Figure 8 GWBASIC mini terminal program

```
10 OPEN "COM1:1200,N,1" AS=C1
20 CLS
30 IF LOC(1)=0 THEN 50
40 AS=INPUT$(1,1);PRINT A$:
50 BS=INKEY$
60 IF BS="" THEN PRINT
BS:PRINT$(BS):
70 GOTO 30
```

Both programs check first for a character from the RS232 port. If one is found, it is output to the screen. If not, the program checks for a keyboard input. If found, the character is sent to the screen and also to the RS232.

Another interesting experiment when using an IBM compatible machine is to make the following change to the mini terminal program on the Commodore:

```
60 IF BS="" THEN PRINT$(BS):
```




Fig 4




Fig 5




Fig 6

and run it. Now type the following on the IBM while in DOS:

```
MODE COM1:1200,N,8,1
CTTY COM1
```

(MODE is external so disk containing the command must be in the default drive.)

This causes the IBM to think that its input/output device is the RS232C port instead of the console. This has the very odd effect of making the Commodore control the IBM! Although the character sets are different and some odd graphics characters may be printed, to return control to the IBM console, you must type CTTY CON on the Commodore.

Obviously, not many of you have access to an IBM, but this experiment does show up one very important problem with the Commodore's 4-line RS232C interface. If you take control of the IBM using the CTTY COM1 command again and type DIR which is the MSDOS command to display the directory, the first few lines are printed normally and then suddenly, there is a whole lot of garbage. If you slow down the baud rates to say 300, the problem may disappear. Why does this happen? Remember what I said about the Receive buffer? Well what happens is that data is received transparently over the RS232C lines and placed in the buffer. The buffer fills up quicker than Basic can empty it with the result that

the buffer overflows and data is lost. Buffer overflow can be detected by examining the ST status variable, but Basic is just too slow and you may still lose data.

Solutions

There are a few ways of solving this problem:

1. Use a slower baud rate to let Basic keep up.
2. Devise some form of software data flow control.
3. Connect control lines up and use an n-line interface.
4. Use machine code to process RS232C data.

Option 1 is not a good idea. Anyone who has used an RS 232C link at 300 baud will know why (yawn!).

Option 2 is better but requires programming which we will touch on later when we discuss file transfer.

Option 3 is not really practical here.

Option 4 is probably the best solution in this case. Data can be removed from the buffer much faster using machine code and this will be fine for the speeds at which we will be working (up to 1200 baud).

A very short machine code program can be written to handle the RS232C interface. The routine that follows is given in the form of a Basic loader. Change the variable AD to any

free area in your computer's memory (the tape buffer is a good place). This program is for a C128 but it should work on any of the Commodore machines discussed.

```
10 OPEN 2,0,CHR$(24)+CHR$(0)
11 REM PLUS4 USERS: OPEN
2,0,CHR$(24)+CHR$(0)
20 AD=2016:CA=AD
30 READ BY
40 IF BY =-1 THEN POKE
AD,AD:AD=AD+1:GOTO 20
50 :
60 PRINT CHR$(14):REM SWITCH
TO LOWERCASE*
70 SYS CA
80 :
90 :
100 DATA 162,232,198,255,32,228,255,
168
110 DATA 32,204,255,192,240,32,230,
255
120 DATA 32,228,255,240,230,72,
162,232
130 DATA 201,255,164,32,216,255,
52,204
140 DATA 255,36,176,217,1
```

The only way out of this program is a RUNSTOP/RESTORE. Table 3 is the disassembled code with comments; addresses may differ from your version.

The program uses the kernel jumpable calls so it should be valid for all of the machines.

After the machine code has been placed in memory, the RS232C channel is opened with a file number of 2 (the channel number. If you change this you must change the two LDX instructions in the code) and the machine code routine called. Now the RS232C receive buffer does not get a chance to fill up so no data is lost. The OPEN statement could be replaced by the code in Table 4.

Character set translation

All this should be fine for Commodore

0000 LDA #001	: Make channel 2 the current input device
0002 JSR BFFC6	
0005 JSR BFFB4	: Scan the RS232C buffer for 1 character
0008 TAY	: Save data
0009 JSR BFFC0	: Clear the channel
000C TZA	: Restore the data
000D BEQ \$0B12	: If data is a null (a zero byte) then skip
000F JSR BFFD2	: Output valid character
0012 JSR BFFB4	: Check for keyboard input
0015 BEQ \$0B00	: If none then recheck RS232C
0017 PHA: Save data	
0018 LDA #002	: Make channel 2 the current output device
001A JSR BFFC9	
001D PLA	: Restore data
001E JSR BFFD2	: Send byte to RS232C
0021 JSR BFFC0	: Clear channel
0024 SEC	: Force loop to check RS232C input
0025 BCS \$0B00	

Table 3

LDA #002	: Channel 2
LDS #002	: Device 2
LDY #008	: Secondary Addr. 0
JSR BFFB4	: Set logical file
LDA \$001	: 2 chars in filename
LDS # NAME	: Pointer to filename
LDY # NAME	: Pointer to filename
JSR BFFB0	: Set filename
JSR BFFC0	: Open RS232C
Rest of code	
NAME#B:140	: Control and command register values (PLUS 4=)
NAME#B:145	:#B: Is the byte directive of my C64 and C128 assemblers)

Table 4

to Commodore communications. It will also work with Commodore to IBM/BMC etc. codes but may yield strange results, the reason being that the Commodores do not use standard ASCII codes. They use what is sometimes called PETASCII, the Commodore PET being the first to use it. The most noticeable effect of this is that certain characters will appear on the Commodore's screen as graphics characters. The solution to this is to insert some form of translation table or routine into the code. Since data flows two ways, a routine or table would be required for each of input and output.

Two translation tables, each of 256 bytes, are required to handle outgoing and incoming data transmissions. The following program builds the translation tables and the machine

code into memory starting at address A10. It needs at least 600 bytes to operate (now you need only change A10 to the address you require. This version is for the C128 (Program Translate).

Program Translate

Line 5: AD=START address;
BR=Control reg; CR=command reg.
Lines 10-100: Prepare tables
Lines 111-113: Setup name of channel (register image)
Lines 120-160: POKI receive table
Lines 170-200: POKI transmit table
Lines 210-250: POKI code to memory
Lines 260-270: Adjust table references in code
Lines 280-290: Adjust register image references in code
Lines 300-310: Select lowercase and call routine
Lines 320-370: Code data

Table 5 shows the disassembled machine code (addresses are offsets from the start address):

Basically, the operation is the same as before except:

1. The channel is opened from machine code.
2. Characters sent and received are translated.

Note that the backslash (\) character received will be displayed as a general sign. The CHR\$ character does not have a backslash.

Transferring files via RS232C

This is probably the most useful application of RS232C: transferring data between unlike machines. It is possible to transfer programs between two entirely different machines.

When using a 3-line interface, it is necessary to introduce some form of protocol into the software at both ends. This ensures that each machine understands exactly what the other intends to do.

A typical protocol exchange would look like a conversation between the two machines:

```
machine 1: Are you there?
machine 2: Yes.
machine 1: Requesting data transfer.
machine 2: OK.
machine 1: Transferring data (block of data sent)
machine 2: Received data.
```

and so on. The "are you there?", "yes" etc. messages are actually 1 byte control codes. Normal ASCII has 32 control codes (codes 9-16). The actual usage varies from system to system and there are one or two protocol standards. For your own use, you don't have to follow any of these protocols. AS LONG AS BOTH MACHINES ARE USING THE SAME ONE. Figure 9 gives a list of ASCII code 9-31 and their meanings.

Note the two marked N00N and N0FF. These you may recognize. N0N/N0FF protocol is useful where large amounts of continuous data are being transferred. The receiving machine sends an N0FF code when it wants the transmitting machine to hold off sending data, and send an

NOM when it wants to resume. This type of control is often used with dumb terminals to mainframes.

Another method of transferring data is to send it in blocks of 2,225 characters (usually 128 chars). This removes the need for NOM/NOFF control because as each block is sent, the two machines exchange control codes. This method of transfer also allows error checking to be carried out on the data. One of the most popular error check methods is the Cyclic Redundancy Check (CRC). We won't go into this here as there is no real need for such a complex check with hard-wired RS232. CRC is really useful for Telecommunications via modems. Phone lines are noisy and data errors may easily result at high baud rates. The CRC error check allows the two machines at either end to check the data for errors, if an error is found, the receiving machine requests that the data is transmitted again.

When sending data using the block method, the software collects data bytes into "packets" of 128 bytes. Assuming the link is open, the transmitting machine (TM) sends a start-of-transmission code. The receiving machine (RM) replies with an acknowledge code. The TM then sends a start-of-block code followed by a data packet followed by an end-of-block code. The RM replies with an acknowledge code (assuming the data was received correctly) and the TM sends the next block. This continues until all data has been exchanged, whereupon the TM sends an end-of-transmission code and the link enters a wait-state.

The above description does not conform to any standard but will work. If error checks are included, the RM could send a data-error code if the data had been corrupted whenever the TM would re-transmit the same data packet.

The program given in Figure 10 should run on any of the CIBM machines discussed and is written in Basic. Since the comm are being controlled by the software, the receive buffer will not overflow. It allows a user to transfer a data file from one machine to another. The link is 1200 baud, eight data bits and no parity. It

0000 LDA #002	: Logical channel 2
0002 LDA #002	: Device 2
0004 LDY #000	
0006 JSR SFFHRA	: Set file
0009 LDA #002	: Name length (2 chars)
000B LDA #0-NAME	: NAME is address of char string
000D LDY #0-NAME	
000F JSR SFFH01	: Strname
0012 JSR SFFC01	: Open
0015 LDA #002	: Make RS232 the input device
0017 JSR SFFC05	
001A JSR SFFPE4	: Get a character
001D TAY; Save it	
001E JSR SFFC0C	: Restore default device
0021 TZA	
0022 BEQ 002A	: If char =0 then no char rec.
0024 LDA #XTABLE,Y	: Get PE19C0H char from TABLE
0027 JSR SFFC0C	: Send to screen
002A JSR SFFPE4	: Check keyboard
002D BEQ 0015	: No char, loop to check RS232
002F TAY	: Index
0030 LDA #XTABLE,Y	: Get ASCII equivalent
0033 PHA	: Save
0034 LDA #002	: Make RS232 the default output
0036 JSR SFFC09	
0039 PLA	
003A JSR SFFC02	: Output character
003D JSR SFFC0C	: Restore normal output
0040 SEC	: Forced loop
0044 BCS 0015	

Table 5

should be run on both machines. The control codes are shown in Table 6.

Note that I'm not using some of these as they should be used but, as I said earlier, as long as you stick to the same protocol on both machines, you'll be OK.

Possible Developments

The example programs I've given here do not show all of what may be achieved using the RS232 interface. It

is possible (using a special version of the circuit described earlier) to have more than two machines running on a single 3-line RS232 connection. This would allow a group of users (with special software written in machine code for maximum speed) to set up a mini-network. The possibilities are endless. I hope this article has helped to fuel your imagination. If you have any comments or ideas, please write to me c/o Your Commodore or leave a COMMENT on Computer 80 SC12.

Table 6

Code	ASCII	Meaning in this program
5	ENQ	Alert/escape
6	ACK	Acknowledge
1	SOH	Start transfer (transfer filename)
4	EOF	End transfer
2	STX	Start block
3	ETX	End block
28	SUB	Error terminal mode (special req.)
18	DLE	Esc terminal mode (data link escape)

Figure 9. ASCII Control Codes.

Code	ASCII	Function	10	5d	State or	
0	NUL	Null	16	00h	Data link escape	
1	SOH	Start Heading	17	01h	Device control 1	SOH
2	STX	Start text	18	02h	Device control 2	
3	ETX	End text	19	03h	Device control 3	ETX
4	EOF	End transmission	20	04h	Device control 4	
5	ENOQ	Enquiry	21	05h	Negative acknowledge	
6	ACK	Acknowledge	22	06h	Successful ack	
7	BEI	Ring terminal bell	23	07h	End transmission block	
8	BS	Backspace	24	08h	Cancel	
9	HT	Horizontal tab	25	09h	End medium	
10	LF	Line feed	26	0Ah	Special separator	
11	VT	Vertical tab	27	0Bh	Escape	
12	FF	Form feed	28	0Ch	File separator	
13	CR	Carriage return	29	0Dh	Group separator	
14	SO	Shift out	30	0Eh	Record separator	
			31	0Fh	Unit separator	

Fig. 10

```

PROGRAM: TRANSLATE
01 000 000
02 000 000 000 0 000 0 000 0 0
03 0 000 000 100 0 100 0 100 0
04 00 000 000 00 000
05 00 000 000 000 000 000
06 00 000 000 000 000 000
07 00 000 000 000 000 000
08 00 000 000 000 000 000
09 00 000 000 000 000 000
10 00 000 000 000 000 000
11 00 000 000 000 000 000
12 00 000 000 000 000 000
13 00 000 000 000 000 000
14 00 000 000 000 000 000
15 00 000 000 000 000 000
16 00 000 000 000 000 000
17 00 000 000 000 000 000
18 00 000 000 000 000 000
19 00 000 000 000 000 000
20 00 000 000 000 000 000
21 00 000 000 000 000 000
22 00 000 000 000 000 000
23 00 000 000 000 000 000
24 00 000 000 000 000 000
25 00 000 000 000 000 000
26 00 000 000 000 000 000
27 00 000 000 000 000 000
28 00 000 000 000 000 000
29 00 000 000 000 000 000
30 00 000 000 000 000 000
31 00 000 000 000 000 000
32 00 000 000 000 000 000
33 00 000 000 000 000 000
34 00 000 000 000 000 000
35 00 000 000 000 000 000
36 00 000 000 000 000 000
37 00 000 000 000 000 000
38 00 000 000 000 000 000
39 00 000 000 000 000 000
40 00 000 000 000 000 000
41 00 000 000 000 000 000
42 00 000 000 000 000 000
43 00 000 000 000 000 000
44 00 000 000 000 000 000
45 00 000 000 000 000 000
46 00 000 000 000 000 000
47 00 000 000 000 000 000
48 00 000 000 000 000 000
49 00 000 000 000 000 000
50 00 000 000 000 000 000
51 00 000 000 000 000 000
52 00 000 000 000 000 000
53 00 000 000 000 000 000
54 00 000 000 000 000 000
55 00 000 000 000 000 000
56 00 000 000 000 000 000
57 00 000 000 000 000 000
58 00 000 000 000 000 000
59 00 000 000 000 000 000
60 00 000 000 000 000 000
61 00 000 000 000 000 000
62 00 000 000 000 000 000
63 00 000 000 000 000 000
64 00 000 000 000 000 000
65 00 000 000 000 000 000
66 00 000 000 000 000 000
67 00 000 000 000 000 000
68 00 000 000 000 000 000
69 00 000 000 000 000 000
70 00 000 000 000 000 000
71 00 000 000 000 000 000
72 00 000 000 000 000 000
73 00 000 000 000 000 000
74 00 000 000 000 000 000
75 00 000 000 000 000 000
76 00 000 000 000 000 000
77 00 000 000 000 000 000
78 00 000 000 000 000 000
79 00 000 000 000 000 000
80 00 000 000 000 000 000
81 00 000 000 000 000 000
82 00 000 000 000 000 000
83 00 000 000 000 000 000
84 00 000 000 000 000 000
85 00 000 000 000 000 000
86 00 000 000 000 000 000
87 00 000 000 000 000 000
88 00 000 000 000 000 000
89 00 000 000 000 000 000
90 00 000 000 000 000 000
91 00 000 000 000 000 000
92 00 000 000 000 000 000
93 00 000 000 000 000 000
94 00 000 000 000 000 000
95 00 000 000 000 000 000
96 00 000 000 000 000 000
97 00 000 000 000 000 000
98 00 000 000 000 000 000
99 00 000 000 000 000 000

```



```

74 SET PORTA = 0 : REM BACK TO B
75 GOTO 100
76 END
77 REM SET RESPONSE TO SERIALS
78 REM SET
79 REM PRINT "SERIALS MODE"
80 REM SERIALS...
81 REM SERIALS...
82 REM SERIALS...
83 REM SERIALS...
84 REM SERIALS...
85 REM SERIALS...
86 REM SERIALS...
87 REM SERIALS...
88 REM SERIALS...
89 REM SERIALS...
90 REM SERIALS...
91 REM SERIALS...
92 REM SERIALS...
93 REM SERIALS...
94 REM SERIALS...
95 REM SERIALS...
96 REM SERIALS...
97 REM SERIALS...
98 REM SERIALS...
99 REM SERIALS...
100 REM SERIALS...
101 REM SERIALS...
102 REM SERIALS...
103 REM SERIALS...
104 REM SERIALS...
105 REM SERIALS...
106 REM SERIALS...
107 REM SERIALS...
108 REM SERIALS...
109 REM SERIALS...
110 REM SERIALS...
111 REM SERIALS...
112 REM SERIALS...
113 REM SERIALS...
114 REM SERIALS...
115 REM SERIALS...
116 REM SERIALS...
117 REM SERIALS...
118 REM SERIALS...
119 REM SERIALS...
120 REM SERIALS...
121 REM SERIALS...
122 REM SERIALS...
123 REM SERIALS...
124 REM SERIALS...
125 REM SERIALS...
126 REM SERIALS...
127 REM SERIALS...
128 REM SERIALS...
129 REM SERIALS...
130 REM SERIALS...
131 REM SERIALS...
132 REM SERIALS...
133 REM SERIALS...
134 REM SERIALS...
135 REM SERIALS...
136 REM SERIALS...
137 REM SERIALS...
138 REM SERIALS...
139 REM SERIALS...
140 REM SERIALS...
141 REM SERIALS...
142 REM SERIALS...
143 REM SERIALS...
144 REM SERIALS...
145 REM SERIALS...
146 REM SERIALS...
147 REM SERIALS...
148 REM SERIALS...
149 REM SERIALS...
150 REM SERIALS...
151 REM SERIALS...
152 REM SERIALS...
153 REM SERIALS...
154 REM SERIALS...
155 REM SERIALS...
156 REM SERIALS...
157 REM SERIALS...
158 REM SERIALS...
159 REM SERIALS...
160 REM SERIALS...
161 REM SERIALS...
162 REM SERIALS...
163 REM SERIALS...
164 REM SERIALS...
165 REM SERIALS...
166 REM SERIALS...
167 REM SERIALS...
168 REM SERIALS...
169 REM SERIALS...
170 REM SERIALS...
171 REM SERIALS...
172 REM SERIALS...
173 REM SERIALS...
174 REM SERIALS...
175 REM SERIALS...
176 REM SERIALS...
177 REM SERIALS...
178 REM SERIALS...
179 REM SERIALS...
180 REM SERIALS...
181 REM SERIALS...
182 REM SERIALS...
183 REM SERIALS...
184 REM SERIALS...
185 REM SERIALS...
186 REM SERIALS...
187 REM SERIALS...
188 REM SERIALS...
189 REM SERIALS...
190 REM SERIALS...
191 REM SERIALS...
192 REM SERIALS...
193 REM SERIALS...
194 REM SERIALS...
195 REM SERIALS...
196 REM SERIALS...
197 REM SERIALS...
198 REM SERIALS...
199 REM SERIALS...
200 REM SERIALS...

```

Talking through your RS232

There's more to this interface than meets the eye. Do not be deceived by first impressions.

By Eric Doyle

An RS232 interface is hardly the most exciting product as far as appearance is concerned. For your money all you appear to get is two connectors with a length of cable to separate them. Don't be fooled by appearances, this could be one of the most gratifying additions for your Commodore.

An RS232 is the Commodore's link with the real world via the user port, the most ignored socket on the back of any recent Commodore machine. Via this outlet you can communicate with Compact, link up with another C64, access a wider range of printers or perform electronic wizardry with a whole series of domestic equipment.

I can already hear the muttering about the user port being RS232 and

you're not wrong but the great drawback is that the Commodore implementation only provides a 0/+5V output and most true RS232 equipment requires a +/-12V supply. Turk Electronic Research's interface does the necessary conversion for you.

Value for Money?

For your money you also get a disk or tape which initializes the port for use and will also convert the 64 into a terminal emulator for use with a suitable modem.

It is obvious by reading the manual that the modem link and printer interface are considered to be the most important uses for the unit and the detail is sufficient to get you up and

running. As far as connecting two 64s together, the detail is sketchy and a few wiring diagrams would avoid the possibility of the keen amateur blowing up two 64s in one fell swoop!

RS232 communications have a language all their own. Handshakes, baud rate, parity and duplex form the new vocabulary which not only confuses the newcomer but also has an off-putting effect on those considering modern communications. The new syntax is explained quite well in a concise way which proves that the jargon is no more than part of the ruse of telecommunication.

Handshaking is a way in which one terminal tells the other that it is about to send data and the other terminal says it is ready to receive. Baud rate is

the speed at which information is transmitted. Quite often the speed of transmission can be different to the speed at which information is received. In human terms this means that one machine speaks more slowly than the other.

Parity is a check for data corruption. Anyone who has used a telephone knows how a bad line means that conversation can be difficult. This is also true in the computer world. Parity does not solve the problem but it can let you know that something is wrong. Information is sent in binary form, a string of ones and zeros in bursts of eight-digits. If you're working on even parity, seven of the bits hold the information for a single character, the computer counts the number of ones in that character and if this is an odd number the eighth bit will be a one if not it will transmit a zero. The receiving terminal knows that if there is an odd number of ones in the transmitted byte something has gone wrong. Similarly some systems use

parity based on odd numbers.

Full duplex is when both machines are able to talk simultaneously to one another and half duplex means transmission in one direction must end before the machine can receive.

The Relevant Software

The software for YER's RS232 interface supports any of these systems via a simple menu selection system. The Set Up program is mainly for use with RS232 printers and your only real concern is the baud rate. If the printer does not tell you which rate to use it will not damage the machine to experiment a little. The worst that can happen is that the printer will fail to respond.

A handy troubleshooting section should solve most of the problems with printers, but if a baud rate over 2400 is required the 64 cannot respond fast enough. Luckily most printers have switches to select various rates so all may not be lost.

Limitations

The one drawback of the Terminal Emulator is that it can't handle ViewData/Protocol style graphics which limits your entry into the computer world slightly. Apart from this, the software menu is flexible enough for any system you'd want to talk to and cuts down the sophistication and cost of the modem required.

York Electronic Research have provided a service which is most Commodore owners never realised they required. RS232 interfacing is the subject of several books and articles which benefit a sector of users who wish to combine an interest in amateur electronics with their computer hobby. For those people YER can supply the missing link.

Teacher:

Supplier: York Electronic Research
Tel: (0994) 610722. Price: £29.95.

DON'T OPEN YOUR CHRISTMAS - SEND FOR YOUR FREE INDEX CATALOGUE NOW !!!

C16/PLUS 4
4 WEST GATE HOUSE,
SPITAL STRAIT,
BARTFORD, KENT.

Centre

ANCO

**GAMES - BOOKS - UTILITIES - EXPANSION PACKS,
JOYSTICKS - ADAPTORS - ALL YOU NEED FOR
YOUR C16 OR PLUS 4 COMPUTER.
NEW CHRISTMAS CATALOGUE HAS MANY
SPECIAL OFFERS. - DON'T MISS IT!**

YORK ELECTRONIC RESEARCH Commodore 64/Plus 4 Products

660 ASSEMBLER 64/Plus 4 tape/660 £12.95

A sophisticated two-pass symbolic assembler and text editor which supports tape and disk filing. The assembler, the editor, and your source and object code may all be resident in memory simultaneously, facilitating rapid and interactive code development. Recently extended manual with many examples.

286 EMULATOR/CROSS-ASSEMBLER 64 only disk £12.95

A unique integrated 286 development package. The emulator compares 286 source code into optimised 6600 which runs on the 64 at approximately one sixth the speed of a 286. 286. It supports all but 20 of the 688 286 operations, calls to 6800 routines, and interrupts. The cross assembler generates hex or binary 286 object files. The disk also contains a powerful editor and several example programs.

**BI-DIRECTIONAL RS232 INTERFACE WITH
COMMUNICATIONS SOFTWARE 64 +4** tape/660 £29.95

The first 660/64, supports RS232C via the user port. This interface provides necessary voltage conversion for direct connection to 120V printers, modems and other devices. It is compatible with Genwrap and Superwrap. The unit is supplied with 1 meter of tape (500 ribbon extension) terminated in a 28-way male (or female) D-connector. The software includes a terminal emulator which supports full baud rates and auto dial, file transfer utilities, a menu driven port initialization program, and a background printer driver which routes the 660/64, to remote device 4 printer output to the PR200 port.

*Prices 1990/91.

Prices are fully inclusive. Overseas orders add £5.00
Allow up to 1 week for delivery.
Minimum 10 units especially £7.95

YORK ELECTRONIC RESEARCH

The Fitzwilliam Centre, Dept 660, 4 Fitzwilliam, York YO1 2AB
Telephone: (0994) 610722

RS232 On The Plus/4

19,200 baud on the Plus/4? A Beeb living in a Commodore mag? Are we kidding you? We certainly aren't. . .

By R C Homes

Surprising though it may seem, the Plus/4 can be faster at communicating using RS232 than the 64. This is due to the 64 using a software simulation to copy the action of the 6851 ACIA IC which would normally be used for RS232. Indeed, the 64 is so slow that it often misses characters even at the leisurely 300 baud.

The Plus/4 on the other hand, has a 6851 which handles all the RS232 signals except CTS which is dealt with by a 6826. Also, there is no need to connect Nemo pin II (as suggested in 'Interfacing with the RS232', *Four Commodore*, January 1987, p 82-90).

The Plus/4 software has the ability to use XON/XOFF flow control with the user's choice of XON/XOFF characters. These are normally C-11-Q for XOFF and C-11-Q for XON. This facility is used to stop the remote device from transmitting more data when the receiving device has no more room in its input buffer, and to restart the remote device when the receiving device has received enough characters from its buffer.

The Plus/4 has a dedicated 64-byte RS232 user receive buffer located at \$04F7, so \$0436, and a 64-byte system transmit buffer at \$807C which is used to hold the current XON/OFF characters.

If the ACIA is configured, the interrupt handler will call two subroutines to handle RS232 interrupts. The first routine checks for a remote device initiated XON/XOFF sequence and handles it

appropriately. Checks user receive buffer is full, and if so then ignores this received character and returns; if there is room for eight characters, then it sets various flags, and stores

XOFF character from STD into the system transmit buffer and puts the received character in the user input buffer.

The second routine called will check ACIA transmit buffer empty

```

1  NEW BASIC PROGRAM TO TEST PLUS/4 TO SEND DATA AT 19200 BAUD
20  HOME:G
30  HOME:G
40  HOME:G
50  HOME:G
60  HOME:G
70  IF HOME:G=0 THEN GOTO 100000
80  HOME:G=1
90  IF HOME:G=0 THEN GOTO 100000
100  HOME:G=0
110  HOME:G
120  GOTO 30

```

Listing 1 and 2 programs for the BBC B magazine and the Plus/4 articles can be obtained from the BBC in the Plus/4 PL/200 hand.

```

1  NEW PLUS/4 PROGRAM TO TEST PLUS/4 TO SEND DATA AT 19200 BAUD
20  OPEN#15:GOTO 100000:GOTO 15
30  HOME:G=1
40  GOTO 100000
50  HOME:G=0
60  GOTO 30

```

and returns if not;

Check for CTS signal loss, and return if so;

Check input buffer full flag, and send either XOFF or XON as appropriate.

It is the job of the BS232 routines of the CHRIN routine to reset the user buffer-full and remote-parsed flags and initiate sending of the XON character.

Note that the XON/XOFF protocol is used only if the user has POKed the XON/XOFF characters into 5FC and 5FD respectively; if these two locations are zero then characters received when the buffer is full are ignored.

And The Proof. . .

I have tested the Plus/4 connected to a BBC Model B, running at 19,200 baud, with the BBC sending the Plus/4 at full speed, and over a one hour period not a single character was lost by the Plus/4. The two programs for the Plus/4 and the BBC are shown in Listing 1 and 2.

Unfortunately, there is a bug in the Plus/4 ROM BS232 routines, which causes the Plus/4 to crash immediately after it has transmitted the first XON resume character, and the rest of this article describes how to fix this bug.

First we need to make our own

copy of the Kernel ROM, and then patch the incorrect code. This is not so easy. . . Listing 3 is a listing of a Basic Program and a machine code program which copy the ROM down into RAM, cause the new version of the Kernel to be executed, and initiate switching back to ROM. The top of memory pointers are also reset to 5FFF, and the bad code in the RAM copy is fixed. The Basic program must be typed in exactly as shown, with no additional spaces, etc., as the machine code program is immediately above it at 5403.

A disassembly of the BS232 code in the Kernel is included in figure 3.

```

1 POK51=0:POK53=0:POK55=0:POK57=128:POK59=128:POK63=128:CLG
2 1734163
3
4 ROM

```

Listing 3B: Basic program to reset top-of-memory pointers and call machine code program to copy the Kernel and Basic from ROM to RAM, and change all references to 5FFF to 5F0F.

Listing 3C: Machine code program to copy ROM to RAM and initiate switching to ROM.

```

5043 78          ORC          51043
5044 80 7E FF    STA          5F7FE    SWITCH TO ROM
5047 80 00      LOP          5F00
5049 89 00 80   LPI          5F000F    COPY PART 1 OF ROM TO RAM
504E 99 00 80   STA          5F000F    5F0000 TO 5F7FE
504F C8         INY
5050 00 F7      BNE          LPI
5052 08 48 10   BNC          LPI+2
5053 08 48 10   BNC          LPI+3
5058 80 48 10   LDA          LPI+5
505B C9 F0      CMP          5F00
505E 60 2A      BNE          LPI
505F 80 40      LBY          5F00
5061 89 00 FF   LPI          5F000F    COPY PART 2 OF ROM To RAM
5064 99 00 FF   STA          5F000F    5F0040 To 5F7FE
5067 C8         INY
5068 00 FF      BNE          LPI+2

```

```

1044 A9 3F      LDA      JMW03F      JIMW03F ALL ROM SWITCHING
1045 B0 82 04   STA      80482
1046 B0 98 04   STA      80498
1047 B0 4C 04   STA      8044C
1048 B0 87 04   STA      80487
1049 B0 02 04   STA      80402
104A B0 0A 04   STA      8040A
104B B0 68 04   STA      80468
104C B0 03 04   STA      80403
104D B0 01 07   STA      80701
104E B0 32 01   STA      80132
104F B0 4E 01   STA      8014E
1050 B0 88 0F   STA      80F88
1051 B0 F7 FF   STA      80FF7
1052 B0 3F FF   STA      80FF3      JMSW03F TO ROM
1053 A9 4C      LDA      404C      JFMT JMP BACKS BY 10010
1054 B0 18 08   STA      80818
1055 A9 05      LDA      040005
1056 B0 10 08   STA      80810+1
1057 A9 00      LDA      040000
1058 B0 16 08   STA      80816+2
1059 A2 06      LDA      0006      JCOPY CODE TO PATCH AREA
105A B0 82 10   LDA      80820
105B B0 05 0E   STA      80E05+8
105C C4      ROR
105D B0 07      BPL      807
105E 58      CLD
105F A8      RTS
1060 B0 07 07   PCH   STA      80707      JSAVE CH IN SYSTEM I/O BUFFER
1061 A8      PLA
1062 40 1E 08   JMP      8081E      JFALL NEXT USER INPUT OVER
1063 40 1E 08   JMP      8081E      JRETURN TO RS232 ROUTINE

```

Listing 4: The Plus/4/MS-DOS routines.

```

TRANSMIT RECEIVE CHARACTER ENTERED FROM IRQ ROUTINE AT 8000H
E450 AD 04 07 5E450    LDA 80704    GET ASCII STATUS
E452 29 10            AND 0510    TX DATA REG FLAG
E454 00 32            ORS 8E994    I-TX DATA REG NOT EMPTY
E456 AD 10 F0        LDA 5F910    26029H
E458 29 02            AND 1902    JCTS PRESENT
E45A FD 28            ORS 8E474    I-TXO: DO NOT TRANSMIT
E45C 02 00            LRA 1300
E45E 2C 80 07        SET 10780    REGISTER INPUT BUFFER FULL?
E460 10 59            BPL 8E478    I -> NO
E462 AB 17 07        LRA 1070F    CHECK SET CHAR FROM TXE BUF
E464 8E 80 07        STB 10780    CLEAR SYSTEM BUFFER FULL FLG
E466 4C 89 84        JMP 1E489
E468 2C 0E 07 8E478  SET 10718    TXE INPUT BUFFER FULL?
E46A 10 16            BPL 8E404    I -> NO
E46C 2C 04 07        SET 10765    TXE-LOCAL FALSE SET?
E46E 10 11            BPL 8E404    I -> YES
E470 AD 08 07        LDA 1070B    TXE-GET USER CHAR TO SEND
E472 8E 0E 07        STB 1070E    CLEAR USER BUFFER FULL FLAG
E474 80 10 F0 1E489  STA 5F900    2602A TRANSMIT REG
E476 AD 04 07        LDA 10764    GET ASCII STATUS REG
E478 29 01            AND 1901    TXEONLY TRANSMIT DATA REG
E47A 80 04 07        STA 10764    I STATUS BIT
E47C 80          ORS 8E994    RTS

CHECK FOR RECEIVED RECEIVE CHARACTER ENTERED FROM IRQ AT 8000H
E480 AD 04 07 8E994    LDA 10764    GET ASCII STATUS REG
E482 20 08            AND 1908    RECEIVED CHAR REG FLAG
E484 FD 14            ORS 8E4F0    I-RX DATA REG NOT FULL
E486 80 04 07        LDA 10764    GET RX DATA REG FLAG
E488 29 07            AND 0707    RXEONLY NO DATA REG

```

```

EA4F 80 04 0F          STA 40704          J STATUS BIT
EA54 80 00 70          LSR 40600          TEST RCHA RCV REGISTER
EA57 70 7F          BSR BRACK        J -> NO DATA OR NULL
EA59 80 05 0F          STA 40705          ZSRVE THE CHAR
EA6C 05 7C          CMP 4FC          ZLS IF RCV CHARACTER?
EA6E 00 07          BNE BRNST        J -> NO
          RECEIVED RCV REMOTE END WANTS US TO RESTART TRANSMISSION
EA80 40 30          LSR 4500          ZFES, CLEAR
EA83 80 06 07          STA 40706          J LOCAL PRSE FLAG
EA86 70 7F          BSR BRNST        J AND RETURN
EA87 05 7B BRACK    CMP 4FD          ZLS IF RCV CHARACTER?
EA89 00 07          BNE BRACK        J -> NO
          RECEIVED RCVF CHARACTER, REMOTE END WANTS US TO STOP TRANSMISSION
EA90 40 7F          LSR 45FF          ZFES, SET LOCAL
EA93 80 06 07          STA 40706          J PRSE FLAG
EA96 70 7F          BSR BRNST        J AND RETURN
EA9C 40 03 07 BRACK  LSR 40703          INCRNS IN USR INPUT BUFFER
EAC1 09 5F          CMP 48DF          ZFLUT
EAC7 70 7F          BSR BRNST        J -> YES
EAC9 09 1B          CMP 4855          ZNO, AT THRESHOLD FOR RCVFT
EACB 00 07          BNE BRACK        J -> NO
EACD 45 70          LSR 410          ZFES, GET RCVF CHAR
EACF 70 0B          BSR BRNST        J -> NO RCVF CHAR DEFINED
EAD1 80 07 07          STA 40707          ZPUT IN SYSTEM RCV BUFFER
EAD4 80 7F          LSR 45FF
EAD6 80 00 07          STA 40700          ZSET SYSTEM BUFFER FULL FLC
EAD9 80 07 07          STA 40707          ZSET REMOTE PRSE FLAG
EADC 40 07 07 BRACK  LSR 40707          ZSEP USR LFN BUFFER INDRK
EAE7 08          INH              JRDZ ONE
EAE8 0A          TBA
EAD1 29 1F          AND 28FF          JMRK INDRK MOD 64 AND

```


PLUS/4 UTILITY

```

0003 00 01 07      STA 00700      ; STORE NEW INDEX
0005 00      TMB          ;GET INDEX IN LX
0007 00 03 07      LMB 00700      ;GET RECEIVED CHAR
0009 00 07 03      STA 00702,x    ; AND STORE IN NEW I/P BUF
000B 00 01 07      INC 00703      INCRAS IN USE I/P BUFFER
000D 00      BEARD      RTS

```

CONTINUATION OF CHRIN FOR ASCII DEVICE

```

0011 00 05 07 00FF  LBA 00700      INCRAS IN USE I/P BUFFER
0013 00 14      BEQ 0007A      ; -> EMPTY
0015 00      PAF          ;SAVE INCRAS STATUS
0017 00      RTS
0019 00 03 07      LBA 00702      ;I/P & FETCH INDEX
001B 00      ENB          ;END ONE
001D 00      TMB
001F 00 00 00      AND 000F      ;MAKE MOD 04
0021 00 03 07      STA 00702      ; AND RESPONSE IT
0023 00      PLP          ;RECOVER INCRAS BIT
0025 00      TMB
0027 00 07 03      LMB 00702,x    ;GET NEXT CHAR FROM I/P BUF
0029 00      PNB          ; END STACK
002B 00 00 07      SEC 00703      ;INCREMENT NCHAR IN BUF
002D 00 01 07      LBA 00703      ;GET NCHARS IN I/P BUF
002F 00 00 00      CMP 0000
0031 00 10      BNC 00070      ; -> NCHARS <= 0
0033 00 07 07      BGT 00707      ;IS REMOTE FLAG FLAG SET?
0035 00 14      BPL 00030      ; -> NO
0037 00 0C      LBR 00C      ;IS REM CHAR DEFINED?
0039 00 10      BEB 00020      ; -> NO
003B 00 03 07      SBA 00703      ;REDA PUT IT IN USE I/P BUF

```

HERE IS THE END, THE NEXT CHARACTER TO BE RETURNED TO THE USER IS THE TOP ENTRY ON THE STACK. A PLB SHOULD BE DONE HERE.

```

0010 78          SEC
0011 6E 90 07   ROR 00700   JRESET BIT BUFFER FULL FLAG
0012 4E 97 17   LSR 00707   J AND REMOVE PAUSE FLAG
0013 3C 98 17 1802E BIT 00700   JACIA PRESENT?
0014 10 08      RPL 00015   J -> NO
0015 48      0002A   PRR      JFIS- SAVE NEXT CHAR TO SEND
0016 80 84 07 0E02E LSR 00704   POST ACIA STATUS AND
0017 3F 47      AND 00C000111 J SAVE BDR
0018 49 40      ORR 00D10000000 J AND INSERT IT
0019 85 90      STA 000      J STORE IN NORMAL IT WORD
001A 88          PLA      JRECOVER CHAR SEND
001B 18      0005C   CLC      JFLAG NO ERROR
001C 60          RRR
      SETUP USER CHARACTER TO TRANSFER
001D 3C 0E 07 0E05F BIT 0070E   JUSER XMIT BUFFER FULL?
001E 50 78      RND 00017   J->YES, WAIT FOR IT TO EMPTY
001F 88 0A 07   STA 00710   JNO, STORE USER XMT CHARACTER
0020 58          SEC      J ON USER XMIT BUFFER, SET
0021 6E 0E 07   ROR 00710   J USER XMIT BUFFER FULL FLAG
0022 4C 2A 08      JMP 00028
      INITIALIZE 00710 CONSTANTS AND ACIA
0023 49 10      0004E   LSR 0000   CLEAR ALL
0024 42 08      LSR 0000   J RESET
0025 90 0E 07 0E06A STA 0070A   J VARIABLES
0026 CA          RRR
0027 70 7A      RPL 0006A
0028 85 11 0E   STA 00001   JRESET ACIA
0029 85 7C      STA 00C   JCLEAR XMT CHARACTER
002A 85 70      STA 000   JCLEAR XMT CHARACTER
002B 60          RTS

```

Past and Present

Commodore's history is a fascinating story of depression and elation. Where did it come from and where is CBM now?

by Norman Doyle

The story of Commodore's rise is a typical American rags to riches tale, a story which is inextricably linked with the fortunes of Jack Tramiel, the company's founder. Computers came late in the development of the company, starting with the PET series and currently scaling the heights with the new Amiga range.

During the War, Tramiel lived in Nazi-occupied Poland where he was subjected to the suffering associated with being a Jew under Hitler's reign of terror. When liberation came a year and a half later Tramiel fled to his adopted country, the USA.

After a time as a taxi driver, Tramiel joined the US Army where he was in charge of Army of five equipment maintenance in New York. Hardly a hazardous occupation but one which was to set him on his way to a fortune back on civvy street.

Typewriter maintenance became his career and soon he was able to form his own company in Toronto. This was back in 1958 and the Commodore Typewriter Company's first product was the Exacto typewriter. The shape of things to come started to form in 1960 when Japanese-made mechanical adding machines were added to the range. The firm expanded through the States encompassing all forms of office furniture and equipment. The rapid growth was followed by an equally rapid decline and in 1963 it would have vanished completely but for the intervention of an enterprising financier.

When Irving Gould stepped in with the much needed cash, he started a new phase of growth for Commodore which saw the introduction of electronic pocket calculators in 1969. The CBM calculator sold for just under \$100, a phenomenal price by today's standards but a relative cheapie in the early Seventies.

The middle of the decade saw Commodore in trouble once more. Suddenly chip prices fell from \$2 to \$1 and the calculator price war began. Commodore found itself sitting on a pile of devalued chips and eventual bankruptcy once more stared Tramiel in the face. The problem was exacerbated when the chip supply dried up after Texas Instruments decided to switch from chip manufacture to calculator production. Tramiel is known for not doing anything by halves and his solution was to buy out small companies which produced the raw materials and components for his new range of machines.

Tramiel's decision brought 22 lawsuits from companies which he had contracted to supply his needs. Most, already more of their suits succeeded and CBM was on its way to the top.

Fortunately, one of Commodore's acquisitions in 1976 was MOS Technology which was developing a new microchip called the MOS6502. Another side benefit was in the person of Chuck Peddle whose vision of computers for the home planted the seed for Commodore's future development.

There followed a short flirtation with the hobbyist market with the production of the KIM, a single board kit based around the 6502. Shortly after this the first PET appeared. Originally destined for a leather goods company which was breaking into the electronics market, the PET was turned down by Tandy in favour of another machine which became the TR550 computer.

Tramiel decided to take on the PET even though he now considered Commodore's prime business to be component manufacture. At the time his main aim seemed to be recouping a potential loss from the development of the machine. Any qualms which he may have had were dispelled after the PET Consumer Electronics Show in Chicago where the PET attracted \$3 million worth of orders within two months. Commodore had had entered the big league.

The first PET was an elegant beast with built-in 40 column screen, cassette recorder and a mild 8K memory. Though pathetic by modern standards this was low-cost hi-tech and more and more American families decided it was a really neat addition to their home furniture.

1978 saw sales increase and Commodore saw itself more and more as a computer company rather than a pure component manufacturer. In 1979 Japanese disk drives and printers were added to the Commodore range and 1980 saw the appearance of the 4000 and 8000 series machines.

Also in 1980 the first of Commodore's mega selling computers hit the streets. The VIC20 was cheap and colourful and captured the imagination of the home market. It's eight colours and 22 columns by 24 line screen display with 12K of RAM was soon surpassed in this country by the Sinclair Spectrum but not before the VIC had established Commodore as a major force in the home computer market.

Since then Commodore has had a chequered history. The continuing popularity of the VIC's successor, the Commodore 64, has been tempered by a string of less notable machines. Tramiel's impetuous departure from Commodore leading to his take over of real company Atari has added to Commodore's troubles. Economic Government and European loans in finance the setting up of a factory at Corby were counteracted by market forces which caused the works to be closed down only a few years after it opened.

Commodore now seems to be back on the road to total recovery and a lot of their future hopes are pinned on the Amiga, a project instigated during Tramiel's reign and now being shadowed by Atari's ST machines. Yes, Jack Tramiel has had a lot to do with Commodore's fortunes!

Red Boxes

Now there's a home control system available for the C64, which will switch on the kettle and the telly or even warn of intruders.

By Microsoft Appleby

Home control has always been promoted as one of the major uses of computers in the coming years. However, in the past home control systems were expensive, difficult to use, and were only available on minis with good, complex interfacing systems like the BBC Micro. More common computers like the Commodore 64 were not really used at all. One unbuffered user port that doubled as an RS232, and an obscure custom serial system, isn't really the stuff that interfacing dreams are made of.

Finally, there is now on the market an easy to use home control system that is available across a range of minis including the Commodore 64. The starter pack for *Red Boxer* comprises the main controller — called 'Red Leader', and two control units — an infra-red detector (retired) and a plug actuator (real one). The concept behind the *Red Boxer* is the controller unit 'talking' to all the other units via a modulated serial link via the main.

Red Leader is a computer in itself. Comprising a 6502 derivative processor just like the C64, 8K of RAM, and a BBC-like control Basic. The Commodore 64 connects to this and is used as a terminal. The way this is done is extremely clever. A wire is connected on the C64. Press 'Run/Stop' and the Red Leader behaves just like a cassette player, sending cassette-type signals to the Commodore 64.

After a short time the terminal program is loaded into the computer and the link between the Red Leader and the Commodore 64 turns into a

proper two-way serial link. You will then drop into the control program mode.

This mode is the simplest operating method on the *Red Boxer* system (the other being Red Basic, but more of that later). You are presented with a menu where you can log-on devices (i.e. tell Red Leader that they exist) type in their code addresses, turn them on or off and set them up to turn on or off at specific times. You can even relate the input of one to the output of another so that a movement on the infra-red detector will activate an alarm for instance.

This program, whilst being extremely simple, is also quite powerful and lets you perform all the major actions that you would want to in a quick and easy manner. However for complex, multi-unit, interactions you need to get down to some planning and programming. For this you need to use Red Basic and probably need to get hold of the *Projects Manual* (good value at £9).

Documentation

The manual supplied gives you some simple information on the Basic, but is really aimed at the inexperienced user so goes into more detail about the menu program. The *Projects Manual* on the other hand, is one of the better ones that I have read. Going into enough detail for the experienced programmer and to do something really flashy, or the beginner who is a bit with Commodore Basic and wants to get down to using Red Basic.

If you have ever used a BBC micro

you will be immediately used to Red Basic as Red Basic is a subset of BBC Basic, with a lot of extra commands added to handle the control aspect of the system. If you think that Red Basic being the same as BBC Basic is a little strange, then you won't when you hear about the Founder of General Information Systems (the people who make Red Boxes), Chris Curry (he is he) started Acorn many years ago and this is one of the first projects that he has embarked on since the Acorn shake up.

As well as most of the BBC Basic commands and instructions — which includes most of the structured programming aids (loops, gosh name, long variable names etc.) there are commands to log-on devices and manipulate them. As this Basic is a lot more advanced than the Commodore 64 Basic, you should have no trouble at all in telling units to do whatever you want, especially with the multi-time commands. These are commands that are very similar to some commands on the Amstrad. Sections of program are executed when an external device instructs them. So if the timer section of your program is controlling the heating and a trigger trips the infra-red motion detector then the 'alarm' section of your program can be activated.

8K may not sound like a lot, but try and think of the last time that you wrote a program that was actually 8K in length. Remember, you don't have to worry about screen or colour memory, or sprites, or sound. The Commodore 64 handles all of that. And if Basic is a bit tight you can

always switch to machine code.

The Red Leader uses a 6302 processor, and you can program it in machine code by peering code into memory and then executing it. The Projects manual carries a list of operating system functions which are very similar in a lot of ways to the Commodore Kernel system. The Basic has the same memory management aids as the original BBC Basic with pseudo-variables like Page and Top to indicate when the Basic program is going to sit, and Loran and Hlanm to reserve space for the machine code area. The operating system and memory areas are also very similar to the BBC, even down to where the system memory ends.

The Basic can also save any programs written under it to a tape connected to the Commodore 64. To do this, the Red Leader first transfers the contents of its memory to the CIA. You must then disconnect Red Leader and connect up a tape recorder, and write to tape. Then re-connect everything up.

The main plus of this system is that when you have a program debugged and working to your satisfaction, you can unplug the Commodore 64 from Red Leader completely and use it for something else or whatever. Yet, Red Leader will just sit there executing your program forever. However, you can leave your Commodore 64 connected if you want to — if you need to see information displayed on the screen for instance — though the power consumption over a period of time would be offputting. The Red Leader on its own uses up very little power, and it is feasible to leave it switched on all the time.

Reds One and Two

The two units supplied with the starter pack are Red One and Red Two (sounds a bit like something out of *Apocalypse Now*). Red One is the actuator. This is a unit that plugs into the mains at one end and then has a mains socket at the other. Anything you like can be connected to this and turned on and off from Red Leader. There is also a manual override on the unit to toggle it on and off as you see



fit. An LED on the box tells you whether it is on or off.

Red Two is an infra-red motion detector. One end plugs into the mains (as usual) and at the other end is a small box about half the size of Red One and Red Leader. In this is a large window. If anything that is at a different temperature than the surrounding air moves within 16 feet of it then a signal is sent back to Red Leader.

All three units come with wall mounting brackets with all screws and Rawlplugs, though they don't need to be wall mounted; it is excellent that these are included. The cables are also very long, over an foot in most cases. This is just about the right length. Usually on systems such as these the cables are not quite long enough. I think that they got it right this time.

In the near future GIS will be releasing an alarm unit and an analog input unit. These will allow you to build up an alarm system more easily or control a thermostat for heating. Next in line are temperature probes and an RS232 link.

This last unit will allow your computer to talk to a printer in another room, or even another building, by sending its information down the mains line. This could also be used in networking computers in a

simple and easy manner.

If anyone is worrying about the mains system, don't. It is perfectly safe and very well worked out. Each unit has its own unique serial number and the Red Leader has to know what it is. So while you could control your next door neighbour's heating system, you'd have to know his encryption code first. However, if you wanted to communicate with a friend down the road, as long as you were on the same local ring main, and within a few hundred yards, you could do it.

Ventils

On the whole this is a brilliant system. One of my main interests in computers is in the field of business control. And this is the easiest to use, safest, and most well thought out system that I have ever seen. The only obstacle in its path are public resistance to this sort of thing, and the price which, though low for a control system, is still high for the average Commodore owner. I will watch this with interest.

Footnote

Company: General Information Systems, 1 White Horse Road, London SE7 3BN. Price (£79 starter pack).

Spanner in the Works

If you rely heavily on your computer for business or leisure activities, then a breakdown can be infuriating. Here are a few tips on simple fault finding and repairs.

By Mike Roberts

The entire range of Commodore computers set high standards in design, production and reliability.

All the hardware is built up to a specification rather than a price, unlike one or two of its competitors.

Opening up any Commodore computer will show a large number of integrated circuits which are the chips that make the computer work. However, they are usually the first items to produce problems when anything serious malfunctions in your computer.

There can be other reasons for your machine's failure, and many are serious. If your guarantee has expired, you may be faced with a hefty bill.

However, all is not lost. You can usually trace the cause of a breakdown to one or more of the ICs. Replace the chip, and the problem is solved.

Following a simple check list, can save pounds when it comes to repairs.

Your Options

Imagine a nightmare situation. You set up your C64, plug everything in, and

connect the screen then it all on, and nothing! The screen is blank and the keyboard dead.

What can you do?

Firstly, you should check the LED on the top of the machine. If this is off then the power supply has probably blown. This is the only situation deceiving the initially event of the LED (failure) in which the LED will not light up. If the LED is alight, then you must test the computer.

Going Inside

First, connect a tape deck, insert a tape in the usual manner, and press shift-run/stop. If the tape is dead then so is the computer.

The next step is to check the internals of the machine. Remember that the LED power is tapped from the supply before the fuse. The computer takes its power after the fuse. So this is the first thing that must be checked. If it has blown then you've located the problem, and you can fix it quite simply.

The fuse only costs a few pence and is of the type B4L 5AG, one amp

250V. It is located on the right hand side near the power socket close to the regulating and rectifying circuitry. If the fuse is whole, then the only other explanation is that a section of this circuitry is blown. But this is rare, and you would usually see the damage as blackened fused components. If this is the case then you need professional help.

Chip Testing

If the computer is just behaving oddly then you need to ascertain which chip is causing the trouble. A lack of screen display usually means that the video output circuitry has blown, as this involves a lot of discrete components. You will also need professional help for this. The chip can be tested by plugging it into a friend's C64 to see if the same problem re-occurs.

This technique of using another C64 to test chips is relatively safe, but be careful not to force chips on bread pins. Make sure you earth your hands by touching something metal before handling any components.

If your video circuitry is OK, then

one other problem will generate a screen display from which you may be able to diagnose a fault.

Bank on the screen with a regular pattern and an underlying picture of the correct display indicates a RAM problem. Professional service again I'm afraid.

Absolute silence obviously indicates a dead sound chip. The sound circuitry is very robust, and it is usually the chip that is the first to go.

If the ROMs fail, then you will be left with a blank screen. Although this is very unlikely as these are amongst the most reliable chips in the machine. A dead processor will also exhibit symptoms similar to this.

The remaining main chips are the I/O 6559 type. There are two types of these; U1 handles the keyboards and joysticks. Junk being pulled out on the screen as soon as you turn it on, or a dead keyboard, indicates either a fault with this chip or its support circuitry.

Alternatively, older machines may have their keyboards full of dust. Clearing will solve the problem.

The other chip, U2, handles most of the main I/O with the user port and serial I/O.

The problem here is that it is difficult to distinguish whether the fault lies with the chip or U2 or the device currently in use e.g. the disk drive.

Summing Up

If you follow these simple tips you may be able to rectify a small fault yourself, or at least have some idea of what has malfunctioned.

If the fault is more complex, you need to find a good repair shop. In this case, it is better to use a larger organisation rather than a one horse outfit, and preferably one that specialises in Commodore computers.

Repair Findings

A. Bayman: Tel: 0528 48494 (phone only).

MCE Services Colin Spencer, 23 Albert Street, Mansfield, North NG18 3E. Tel: 8523 31262.

Pepper Electronics Mr Probs, Unit 4 15 Springfield, Warrick, Middle M15 1QY. Tel: 01 836 7166.

Yielder Mr Don Kramon, 14-17 Eastern Avenue, South-on-Son Essex. Tel: 0702 612777/8.

GC Roney and Sons Mr Bruce, 36 Beckington Road, Barnham, Bucks MK1 7BQ. Tel: 06286 61994.

Craydon Computer Centre, Don Scammell, 79 Bridgwater Road, Thornton Heath, Surrey CR4 5B.

HTS Electronics Mr Preece, 5-8 Peckford Road, Luton, Beds LU4 6AZ. Tel: 0592 426171.

Mirromed Mr Buckley, The Old School, Main Street, Farnley, Peterborough PE7 5DR. Tel: 8713 247718.

SATELLITE TV
NEW TV channels
GREAT PROGRAMME GUIDE
THE GREAT TV SHOWS FROM AROUND THE WORLD
COMPLETE TVER'S GUIDE

FREE EACH MONTH WITH
OUT NOW AT YOUR LOCAL NEWSAGENT

Are you receiving it? **SATELLITE TV**

- Easy to understand
- Full programme details
- In-depth reviews
- Interesting features
- Questions answered
- and more...

Each month this magazine contains all you need to know about Satellite TV - the latest news, hardware and programme reviews, answers to often-asked readers' questions, interesting features and a comprehensive programme listing for the local world's viewing.

YOU CAN'T AFFORD TO MISS IT!
video and **Which?**
today **video?**

CONTACTS

Alison Software - see Precision
Almscott
18 Parruish Avenue
Buckhale
Lancashire

0311 532

Advanced Reading Systems
188-170G Williams Road
Warrington
Wrt 500

AACO
25 Wood Hill
Dartford
Kent
041 021

Autogames Software Ltd
PO Box 88
Reading
Berkshire
RG7 5SA

Acorn Printer Technology
Warren House
1, Riverside Road
Southville
Bristol

083 108

Brain Boxes
Unit 20
Inverness Technology Park
Inverness Boulevard South
Liverpool

17 877

Brother Computer Peripherals
Jones & Butler
Shedley Street
Alderley
Manchester

061 512

Commodore Business Machines
Wadden House
Stafford Road
Croydon
Surrey

Chesham Publishing
Rushway House
Rushway Road
Faulstich
Cardiff

091 545

CYBERNET Europe Ltd
Wellington House
7-10 Chelms Road
Uxbridge
Middlesex

089 236

Commodore Business Machines UK
Commodore House
The Salford Works, Gardner Rd
Preston
Berkshire

025 738

Computer
Specialist Business Centre
Salford
Parrivale
Middlesex

088 738

CR
8 Kings Yard
Carpenters Road
London
E15 2ED

Deophone
87 Alfred Square
Walsden
Petersborough
PE2 0JF

DECI Electronics
Unit 10/11 Deansbury Road
Fenton Industrial Estate
Fenton
Stoke-on-Trent

Delta Pk Software Ltd
8 Riverside Lane
Widley
North Yorkshire
YO2 1PD

Dimension Computers
37-39 High Street
Luton
LU1 4PP

Electra Data Research
14 Mount Close
Wokingham
Berk
RG11 5BD

Epson
Derland House
288 High Road
Waltham
085 628

Evanson Hires
89 Bridge Street
Exeter
Devon
EX1 1EF

FCC Systems Limited
The Old Rectory
South Barton
Oxfordshire
Barnack

1210 787

Forebird
Forest Farm
71 New Oxford Street
London
WC1A 1PS

Frederick Software
208 Great North Road
Easton Road
St. Neots
Cambridgeshire

HE10 8EF

Glendon Publishing
Stanford House
8475 Finch
High St
Barnet

083 102

IMP Computers Ltd
5 Hornbeam Walk
Widnes
Essex
DN8 9EJ

Incentive Software
2 Riverside House
Gillies Park
Aldermaston
Berkshire

067 926

Joveth
PO Box 20
Dorset
Dorset
SP11 5BD

JUR
C/O Deben St, Unit 3
Hawthorn Wood
1400 Road
Basingstoke

0635 082

<p>KORIC Unit 13 Burrow Hill Ind. Estate Tring Herts</p> <p>NP2 9BC</p> <p>Lead-11 26 Brunton Road Stratford Bucks West Midlands</p> <p>BB2 2RX</p> <p>Harer Court Supplies 25th Crisp House Penguin Llandrindod Wells Powys</p> <p>L21 6BB</p> <p>Rastertronics 8-10 Paul Street London EC2A 4JH</p> <p>Video Peripherals Index 2, Unit 2 Vale Road Basingstoke Hants</p> <p>RSB 0NE</p> <p>Microdata Computer Supplies Royal Court Baker Street Fulham St Berkshire</p> <p>DN2 2BP</p> <p>Microdot 800 8 Rednal Hill London SE1 5BJ</p> <p>Microvision 32 Bessels Road Widley Hampshire W16 4BN</p> <p>Microstat 7 Bishop Close Syrden Hants PO8 8PW</p> <p>Micro Technology 21 Peters Street 120027 Suffolk IP9 5AB</p> <p>Magic Sales Ltd 4-8 Fresh Street London W1R 5BE</p>	<p>Peak Video Technology JUNIPER WOOD MILTON ROAD BRADFORD West Yorks</p> <p>BD15 7AG</p> <p>Paradise Industrial UK1 Ltd 200-230 Bath Road Slough Berks SL3 6BB</p> <p>Pendron Ltd 5 Parkway Court Park Park Willingborough Northants</p> <p>NN8 3DY</p> <p>Precision Refuare Ltd 5 Park Terrace Wotton Park Surrey KT4 7JQ</p> <p>PLB Dove House Park Way Newbury Berks</p> <p>RG12 1BE</p> <p>Rider Plain 24 Brookgrove Gardens Eggers Hertford SG8 2JJ</p> <p>Rubrah Ltd 11111 Inverforth Business Co 25 John's Road Inverforth Hertford</p> <p>TD2 8PL</p> <p>South Corona (UK) Ltd 201 House North Circular Road Stonbridge Park London NW12</p> <p>Sonus International P.O. Box 28 Wokingham Berkshire RG11 4BP</p> <p>Sound Technology via 8 Leithworth Business Ctr. Avenue One Letchworth Herts</p> <p>SG8 2BB</p> <p>Spectrovideo 126 Garity Road Fordon Suffolk S19 4L4</p> <p>Stack Computer Products Telecom (Distribution) Ltd 28 Faversham Way Banbury Northants</p> <p>LE2 4AL</p>	<p>Star Electronic Green House 70 Underidge Road Ealing London</p> <p>W5 2BB</p> <p>Star Computing 3 Blackness Avenue London Surrey Surrey SUX 1EP</p> <p>Sturton Flourfarms Ltd 2 Market Place Tisbury Wiltshire</p> <p>DL9 8DA</p> <p>Supersoft Woodwater House Carnary Road Warrington Cheshire</p> <p>WA2 7LJ</p> <p>Syntronic Music 24-26 Avenue House London W1D 3AF</p> <p>Telecom Gold 44-48 St James Street London SE1 3GG</p> <p>Tricomputer Software 141-143 Underidge Road Ealing London W5 2BB</p> <p>Triumph Sales UK1 Ltd 200 Special Products Ctr 20 Special Road London EC2</p> <p>Trojan Products 170 Computer Equipment 23 Brunswick Road Ealing London</p> <p>W5 1AG</p> <p>Ultravision House Ltd 113 Selsam Rd Perthshire London E7 2BW</p> <p>York Electronic Research One Faversham Centre 1 Fishergate York North Yorkshire</p> <p>YO1 9BB</p>
---	--	--

Cut Price Disks from Direct Disk Supplies

from only £10.99 for 20 disks delivered to your door.



Cash 'n Carry prices on disks from Direct Disk Supplies

OFFER 1 Premium Universals One disk for all reasons!

The Premium Universal disk tested to DDDO 99.9% - suitable for all drives needing high-quality media (DDSD, DDSD2, DDSD3 all-type ready)

20 disks	£ 14.99
50 disks	£ 27.99
100 disks	£ 49.99
200 disks	£ 99.99
350 disks	£ 179.99
500 disks	£ 279.99
1000 disks	£ 559.99

Perkovic (T) S, complete with envelopes, labels, PCF tabs and markings. Disks individually certified and tested (see last offer) to 99.9% means no problems and higher reliability Lifetime Warranty.

ALL PRICES ARE ONE DAY DELIVERY TO YOUR DOOR NO HOLIDAYS

OFFER 2 Rainbows

Sets of 5 colours in each pack, improved coloured disks to code your hard-disk cylinders (without destruction of other cylinders) on the market (DDSD, DDSD2, DDSD3 ready)

25 disks	£ 59.99
50 disks	£ 109.99
100 disks	£ 199.99
200 disks	£ 399.99
350 disks	£ 749.99
500 disks	£ 1149.99
1000 disks	£ 2299.99

Printed in 25% complete with envelopes, labels, PCF tabs and markings. Disks individually certified and tested (see last offer) to 99.9% means no problems and higher reliability Lifetime Warranty.

OFFER 3 Floppies

This is the disk for running Amstrad's disk based software for BBC, APPLE, Commodore etc.

20 disks	£ 19.99
50 disks	£ 39.99
100 disks	£ 69.99
200 disks	£ 139.99
350 disks	£ 249.99
500 disks	£ 379.99
1000 disks	£ 759.99

Perked in 25% complete with envelopes, labels, PCF tabs and markings. Disks individually certified and tested (see last offer) to 99.9% means no problems and higher reliability Lifetime Warranty.

OFFER 4 Higrade Doubles & PC Preformatted

Higrade	PC Preformatted
20 disks	£ 17.99
50 disks	£ 33.99
100 disks	£ 63.99
200 disks	£ 129.99
350 disks	£ 249.99
500 disks	£ 379.99
1000 disks	£ 759.99

Premium quality individually certified to CSD-4 spec. Made for the PC, gives premium quality of output process. Why not split yourself, and buy them separately - a little extra costs a lot more when you need it.

OFFER 5 Bargain Box

These are order only, because once you have your disk you can't return it!

20 disks	£ 19.99
50 disks	£ 39.99
100 disks	£ 69.99
200 disks	£ 139.99
350 disks	£ 249.99
500 disks	£ 379.99
1000 disks	£ 759.99

Standard 300000 made by IBM (DDSD disks at prices below other people's other local certified disks) (see offer) by IBM, DDSD4 fixed hard disks, 5 1/4" diskettes and 3 1/2" disks. Stocks are decreasing rapidly. Please buy early - seen extremely poor value.

OFFER 6 - 3.5" Media Lite Disks NEW LOWER PRICES

500	£ 15.99
1000	£ 29.99
2000	£ 54.99
3000	£ 79.99
4000	£ 104.99
5000	£ 129.99
6000	£ 154.99
7000	£ 179.99
8000	£ 204.99
9000	£ 229.99
10000	£ 254.99

3.5" disks at special "early" prices. Made by a leading major factory, all our disks are individually certified to 100% quality. Don't forget the price includes VAT, delivery and return.

Same day despatch - at no extra cost

OFFER 7 3M & Verbatim

3.5" disks 200/500	£ 19.99
3.5" disks 1000/2000	£ 39.99
3.5" disks 3000/5000	£ 59.99
3.5" disks 7000/10000	£ 99.99
3.5" disks 15000/20000	£ 139.99
3.5" disks 30000/50000	£ 279.99
3.5" disks 70000/100000	£ 559.99

Best Leakers at Cash 'n Carry prices

If there are your favourite then buy your favourite low prices for 30 disks. Remember there is no return and limited value.

OFFER 8 Hi-Dyers

PC-AT High Density Disks made by one of our major manufacturers. Suitable for PC-AT and other high Density disks. Lifetime warranty.

Total price (incl. return)

50 disks	£ 33.99
100 disks	£ 63.99
200 disks	£ 129.99
350 disks	£ 249.99
500 disks	£ 379.99
1000 disks	£ 759.99

OFFER 9 3" CF2 disks

Maxell or Panasonic J² CF2 disks

50 disks	£ 39.99
100 disks	£ 79.99
200 disks	£ 159.99
300 disks	£ 239.99

VAT & carriage included

OFFER 10 Box Clever

Safe! Clear! Tight!

Boxes - 8 crystal plastic storage cases for 10 disks (VAT & carriage included)

5.25" 5-packs	£9.99
5.25" 10-packs	£19.99

Lockable Boxes

3.5" FDD040 50/50 disk box	£ 9.99
3.5" FDD040 50/50 disk box	£ 14.99
3.5" FDD040 50 disk box	£ 9.99
FDD100 100 disk box	£ 19.99

IBM parallel printer cable £9.99

How to order

1. Call us on 01-779 7801, 7802, 7803 - we'll give you a 10% discount on orders over £100.
2. Send your cheque to: Direct Disk Supplies Ltd, 129 High Street, Hampton Hill, Middlesex TW12 1BP.
3. Call us on 01-779 7801, 7802, 7803 - we'll give you a 10% discount on orders over £100.
4. Cash orders are welcome.
5. Account orders are welcome.



Direct Disk Supplies Ltd.

Dept H/8, FREEPOST, 129 High Street, Hampton Hill, Middlesex TW12 1BP





Accountability.



Accountability is responsible, flexible. With a print speed of 480cps or rather 352 lines per minute the MP480 has a great accountability, ideal for invoice runs, statements, reports and much, much more. When you want fast throughput at an economical price you can't get better value for money. Furthermore, there is a whole family of Micro P matrix and dot-matrix printers each tailored for individual needs, whether for home, business or educational use. This accounts for the fact that in a recent industry survey of matrix printers, the MP range

was voted as some of the best buys - another example of Micro P printers' accountability.

For a copy of the best buys report and print samples contact:

Our better Distributor:

Micro Peripherals Ltd

Unit 2, Wood Street, Southampton,
Hampshire SO9 4NR.
Tel: 0704 402020 (24 hours)



Micro P

Unit 14, Revell Road, Southampton,
Hampshire, LA1 4YH.
Tel: 0704 202000 (24 hours)

MP480 480cps/minute. Speed: 480cps/minute. Price: £149. **MP480** 480cps/minute. Price: £149. **MP480** 480cps/minute. Price: £149.

Whatever the Words - We've Got the Abilities.



MP200
A low-cost, high performance printer with the latest technology to produce even finer matrix sharp-quality text. Price: £59. **MP200** £59. **MP200** £59. **MP200** £59. **MP200** £59.



MP250
This professional looking 250cps printer offers the user the only level in low cost matrix printers. Price: £69. **MP250** £69. **MP250** £69. **MP250** £69. **MP250** £69.



MP350
This professional looking 350cps printer offers the best value in low cost matrix printers. Price: £79. **MP350** £79. **MP350** £79. **MP350** £79. **MP350** £79.



MP450
A feature rich 450cps/minute printer. General compatibility with almost all personal computers at an unbeatable price. Price: £99. **MP450** £99. **MP450** £99. **MP450** £99. **MP450** £99.



MP480
A very fast, quiet, professional looking 480cps/minute printer with general compatibility with virtually all computers and a feature rich design. Price: £149. **MP480** £149. **MP480** £149. **MP480** £149. **MP480** £149.