

MICRO

4A001G

THE 6502 JOURNAL



No. 25

JUNE 1980

\$2.00

TRENDCOM 200

High-Speed Intelligent Printer



40 characters-per-second

80 characters per line

Upper and lower case

Continuous graphics at 60 dots per inch

Microprocessor controlled

Bidirectional look-ahead printing

Automatic "wrap-around"

Quiet operation

The Trendcom 200 is a high speed thermal printer offering the combination of text printing at 80 characters per line and continuous graphics at 60 dots per inch. In the text mode, upper and lower case data are printed at 40 characters per second. The 5x7 characters provide clear readable copy on white paper; no hard to find, hard to read aluminized paper.

In the graphics mode, seven bits of each byte correspond to the seven dots in each of the 480 print positions per line. Since the computer driving the printer has full control over every print position, it can print graphs, bar charts, line drawings, even special and foreign language symbols. Despite its low cost, the Trendcom 200 is a true in-

telligent printer with full line buffering and bidirectional look-ahead printing. After one line has been printed left to right, the internal microprocessor examines the next line to choose the shortest print direction. The microprocessor also provides a built-in self-test mode for easy verification of proper operation.


High reliability is designed in: The thick film thermal print head has a life expectancy of 100,000,000 characters. Two DC stepping motors provide positive control of the print head and the paper drive, the printer's only driven parts. The absence of gears and solenoids also makes the printer extremely quiet; the only noise is the rustling of the paper advancing.

— **Skyles PAL-80 printer(s) complete** with 2½ foot interface cable to attach to my PET at **\$675.00 each.*** (Plus \$10.00 shipping and handling.) I also will receive a test and graphics demonstration tape at no additional charge and over 150 feet of 8½ inch wide black on white thermal paper.

— rolls of 8½ inch wide by 85 ft. long thermal paper (black ink) at \$5.00 each; or cartons at 10@ \$45.00.

Visa, Mastercharge orders call (800) 538-3083


California orders please call (408) 257-9140



Skyles Electric Works

231E South Whisman Road Mountain View, CA 94041 (415) 965-1735

SYBEX BRIDGES THE GAP




\$12.95
ref. C202

A comprehensive introduction to microprocessor programming, using the 6502. From basic concepts to advanced data structures. Complete explanation of internal register and bus operation. The basic 6502 textbook.



\$12.95
ref. D302

How to connect with the outside world and implement practical applications. Programs and circuits are presented, from home control to industrial applications, including analog-digital conversion. The I/O book for the 6502.



\$10.95
ref. C201

From the ground up: the components (ROM, RAM, MPU, UART, PIO), their interconnect, applications, programming, system development. Used by educational institutions worldwide. "The basic text on microprocessors."



\$14.95
ref. C207

How to connect a microprocessor to the outside world. Includes the peripherals, from keyboard to CRT and floppy disk, as well as A/D conversion, standard buses (8100 to IEEE 488) and basic troubleshooting.

NEW



\$12.95
ref. C402

An educational text on advanced programming techniques. Includes programs and hardware design for a variety of games, ranging from music to marmalade or tic-tac-toe. "Complex algorithms can be fun."

NEW



\$14.95
ref. C281

A comprehensive introduction to programming the 8080 family. From basic programming to interrupts and time-sharing, including input-output techniques and common utility programs. A self-contained text.



\$14.95
ref. C280

A comprehensive introduction to microprocessor programming, using the Z80. From basic concepts to advanced data structures. Complete explanation of internal register and bus operation. "The basic Z80 textbook."



2344 Sixth Street
Berkeley, Ca. 94710

TO ORDER:
By Phone: (415) 848-8233, Visa, MC, American Express.
By Mail: Indicate quantity desired. Prepayment required.
Shipping: Add \$1.50 per book (UPS) or 75¢ (4th Class - allow 4-weeks delivery).
Tax: in California please add tax.

AVAILABLE AT BOOK AND COMPUTER STORES EVERYWHERE

Please send me the following:

Name _____

Company _____

Address _____

City _____ State _____ Zip _____

Amount enclosed _____

Charge my: Visa Master Charge American Express

Card number _____

Expiration date _____

Signature _____ Date _____

Send me your detailed catalog.

GRAND OPENING...SYSTEMS FORMULATE CORPORATION



Your Microcomputer Information Center

We welcome you to visit our first consumer commercial sales center in the United States. Located in Palo Alto in the Town and Country Shopping Center, Systems Formulate features a full range of microcomputer systems and peripherals for home or commercial use.

During the past few years since our founding in 1978, we have opened three retail stores in Japan stocking premiere American-made microsystems and innovative Japanese systems.

Our new Palo Alto location will feature some exciting surprises for the American interested in microprocessing.

Miplot, the intelligent plotter ...Only \$1,200


Usable even by those with no plotter experience the Miplot is an ideal graphic output device for the personal and small business computer. It's light, compact, and uses ordinary, hard-tip felt pens. (Interchange and cable available)

Special features include:

- * Separate pulse motor drives for x and y axis
- * Full range of intelligent functions such as line generator and character generator
- * Self-test-mode to verify plotter results
- * Printer mode for easy interface testing and data dumping

For research, development and management planning, or use by the personal hobbyist...Miplot is the intelligent plotter worth your attention.

Now on display at Systems Formulate.



Rugged, continuous-feed printers ...Only \$1,995

Systems Formulate presents two, new continuous feed printers designed to withstand all the heavy duty use your invoices, statements and statistical analyses can dish out.

Both the SFC-080 and the SFC-136 combine Japanese craftsmanship with many of America's finest components. Like the UMI 8 dot high matrix head, for example.

But that's just the beginning:

- * Superior data editing ability
- * Your choice of paper size
- * Sharp, clear printouts
- * Bold double-size characters
- * Graphics
- * Versatile line spacing
- * Paper-saver saving design

Call Systems Formulate and we'll be happy to send you detailed specs or, better yet drop by for a personal demonstration.

SYSTEMS FORMULATE CORPORATION

39 Town & Country Village
Palo Alto, California 94301
(415) 326-9100



Store hours: Monday-Saturday, 10-7
Sunday, 12-6



June 1980 Issue Number 25

Staff

Editor/Publisher

Robert M. Tripp

Associate Editor

Mary Ann Curtis

Circulation Manager

Carol A. Stark

Art/Advertising Coordinator

Terry Spillane

Accounting

Diane Williamson

Comptroller

Donna M. Tripp

Production Assistant

L. Catherine Bland

MICRO™ is published monthly by:
MICRO INK, Inc., Chelmsford, MA 01824
Second Class postage paid at:
Chelmsford, MA 01824
Publication Number: COTR 395770
Subscription rates: U.S. \$15.00 per year
Foreign surface mail \$18.00 per year
Central America air \$27.00 per year
Europe/Japan air \$33.00 per year
Other air mail \$39.00 per year

For back issues, subscriptions, change of address or other information, write to:

MICRO, P.O. Box 6502,
Chelmsford, MA 01824
or call
617/256-5515

Copyright © 1980 by MICRO INK, Inc.
All Rights Reserved

- 5 **Editorial**
MICRO through the ages
by Robert M. Tripp
- 7 **A Little Plus For Your Apple II**
Add some Apple II Plus features to your Apple II
by Craig Peterson
- 11 **Lower Case Lister**
Solution to a listing problems on PET printers
by Rev. James Strasma
- 15 **Put Your Hooks Into OSI BASIC**
How to add your own code to ROM Basic
by Edward H. Carlson
- 19 **SYM-1 BASIC Pack Program**
A program to remove REMs from your Basic
by George H. Wells, Jr.
- 23 **Share Your AIM Programs**
Merge comments with the AIM disassembler
by Jody Nelis
- 35 **Introducing the Atari 800**
An overview of this new microcomputer
by William L. Colsher
- 37 **APPLE II Integer BASIC Program List by Page**
A list program to display pages of Basic
by Dave Partyka
- 42 **OSI's Small Systems Journal**
A series of notes on OSI based systems
by the OSI Staff
- 47 **BASIC and Machine Language Transfers with Micromodem II**
How to use the modem with the Apple II
by George J. Dombrowski
- 49 **PET-16**
The Apple II Sweet-16 modified for the PET
by Rev. James Strasma
- 53 **Slide Show for the SYM**
Use the Apple II Slide Show on the SYM
by David P. Kemp
- 57 **Hypocycloids on the 540**
An update for the OSI 540 boards
by E.D. Morris
- 59 **TRACER: A Debugging Tool for the APPLE II**
Some improvements to the Step/Trace operations
by R. Kovacs
- 64 **'Stop That PET' - Update**
Program to 'Stop That PET' for the new PET ROMs
by George R. Gaukel
- 65 **6502 Resource Update**
An updated listing of publications for the 6502
by Dr. William R. Dial
- 68 **MICRO Club Circuit**
Information about 6502 oriented clubs
by Mike Rowe
- 71 **The MICRO Software Catalog: XXI**
Continuing software product announcements
by Mike Rowe
- 75 **6502 Bibliography: Part XXI**
Continuing coverage of 6502 related periodicals
by Dr. William R. Dial
- 79 **Advertisers' Index**

Attention BARGAIN HUNTERS

Receive Hundreds of Classified Ads
Like These Every Month

HARD DISK DRIVE Diablo Mod 31 1.2 MByte std. density. Includes power supp. and cable, rack mount slides, amd manual. Excellent condition. \$450. Call 305-1601-1601

IMPACT PRINTER 165 CPS Serial and parallel interfaces-Eight Selectable character sizes-Single and double width characters-uses standard plain paper - same mechanism as the integral data syst. 1 year old \$589.

HEATHKIT H-11/DEC LSI-11 system, 32K Byte storage, reader 1 punch, video terminal, complete software. Cost \$4500 assembled, \$3500 kit. Like new. Sell for \$2250. 305-962-6677. 2058 Griffin Rd., Ft. Lauderdale, FL 33312.

FOR SALE: Interdata (Perkin-Elmer) 7/16 Mini with 32KB core, front panel, 50A PWR supply. Includes HS tape reader, interfaces for LP, 2 (TTY), and RS-232 (Full duplex, programmable). Includes manuals and much SW (Basic, Fortran, OS etc.,). \$800 - After 6 PM 303-2035

COMPUTER AUTOMATION ALPHA 16; 16 k-word core memory, RTC, PF-R. Modified Mod. ASR-33 TTY. Manuals, utilities, assemblers and many option boards - 16 bit I/O Driver, 16 bit I/O, Asynch modem contr. 64 bit output, 10 bit A/D - D/A. Fairly complete documentation. Up and running in Fortran. Not much more than TTY at \$1000. **Herb Sauer, 303-494-8724.**

FOR SALE: Heath H9 video terminal, excellent condition, \$175 or best offer. You ship. [214] 962-4484

WANTED: DIGITAL Group 32K memory board without memory chips and Phi deck controller board (kit, assembled or not working). 1510 NW 35th.

PET COMPUTERS moving up to LSI-11. Pet business system priced to sell. PET 2001-16N Computer \$800; 2040 Dual Floppy 340K (holds more data than 6 TRS-80 disks) \$1,100. Digital cassettes (2) \$60 each. System complete with Text Editor, disk sort, database software, real estate software and more \$2,100. Call **PAUL (313)971-8447**

COMPUTER SHOPPER, the new buy, sell, and trade publication, is ready to help you with the latest information on personal, small business and large-system computers, accessories and software.

Each ad-packed issue is full of bargains you are looking for. Included are ads from individuals throughout the United States who are selling their good, pre-owned equipment just so they can trade-up to new equipment coming on the market.

But, COMPUTER SHOPPER'S bargains won't be yours unless you subscribe. This useful, money-saving publication can become your way to communicate with other buyers, sellers, and traders all over the nation.

Whether you are a hobbyist or a part-time user, COMPUTER SHOPPER will put you in touch with the nationwide computer marketplace in time for you to take advantage of bargain opportunities.

Have something to sell? A COMPUTER SHOPPER subscriber probably wants to buy it.

Looking for a part, component or even a complete system? A COMPUTER SHOPPER subscriber probably wants to sell it.

COMPUTER SHOPPER is THE marketplace for anything in computers and is read by thousands of people who are ready to buy.

COMPUTER SHOPPER offers a unique format in which classified ads are categorized for fast location of specific items. Combining this with low individual ad rates — 10 cents a word —



makes it the ideal place for buyers and sellers to communicate. And, its mix of individual, dealer, and manufacturer ads enable subscribers to find what they want at the best price possible.

COMPUTER SHOPPER will work for you in other ways, too. If you are just thinking about getting into computers, it can help you learn product availability and prices before you make a decision. And, through the timely ads, COMPUTER SHOPPER will keep you abreast of changes in the market which could create bargain opportunities for you.

BUT COMPUTER SHOPPER cannot work for you unless you subscribe.

Want to look us over first? We'll give you your first issue FREE and then bill you for the next 12. If you are not convinced COMPUTER SHOPPER suits your needs, just write "cancel" on the invoice and return it.

And, to let COMPUTER SHOPPER start working for you right now, with a paid subscription we'll also give you a FREE classified ad to sell your pre-owned equipment or to find equipment you want.

If you don't need to use the free classified ad now, use it anytime during your subscription.

Subscription: \$10/year, 12 issues plus your first free one. Bank cards accepted. Money back guarantee.

The Nationwide Marketplace for Computer Equipment
COMPUTER SHOPPER
P.O. Box F22 • Titusville, Florida 32780
Telephone 305-269-3211

MICRO through the Ages

Since this issue marks the beginning of Volume 4 of MICRO, I thought it might be a good time to review the history of the magazine for any readers who might be interested.

MICRO was first published in October 1977. The purpose of the journal was two-fold:

to promote the 6502 microprocessor and to provide an economical advertising medium for the 6502 world. In 1977, the 6502 was getting very little coverage in the major computer publications. An entire issue of BYTE or Kilobaud might contain, if you were lucky, one article relating to the 6502! As a KIM-1 enthusiast, I felt that this was unfair. I had started making products to support the KIM in November 1976 on a full-time basis. By late summer 1977 I had a couple of software packages, a power supply, and was in the advanced stages of development on a memory expansion board. I could see a problem arising: How to advertise these products. I could not afford to run ads in the national general purpose magazines for two reasons: first, the absolute cost was prohibitive; and, second, only a small percentage of the total readership would be interested in these KIM related products - making the cost of reaching potential customers very high. Thinking about these two problems, I decided the best remedy would be a high quality

6502 based journal which could serve to promote the 6502 in general, and to serve the 6502 based companies as an economical advertising medium. My initial expectation was that if I could include my own ads and break even on the publication, that would be doing okay. Our first issue was 28 pages long, printed at a 'store-front' print shop, and distributed to 450 subscribers and dealers shop, and 450 copies were distributed to subscribers and dealers. It was a start.

By October 1978, MICRO had grown in size, quality, and circulation. And, to my surprise, profitable! We were running about 52 pages, had changed printers twice as we outgrew them, and our readership was about 3000. The magazine was still published bi-monthly.

In February 1979, MICRO went monthly. This provided quicker turnaround for advertisers, and also increased the amount of material we could print. In May 1979, a separate corporation was formed for the purpose of publishing MICRO and other 6502 related material. Until this time, the magazine had been published by The Computerist, Inc., my company which had continued to develop products for the KIM, and now the AIM and SYM as well. We felt that MICRO was conceptually and functionally a separate entity, with its own staff and equipment. MICRO INK, Inc., was incor-

porated in May 1979. By this time we had outgrown another printer and moved on to Wellasley Press Inc., and the format we have today - high quality printing on glossy stock. We also acquired our own typesetting equipment during the summer. The circulation was about 6000 and each issue was 52 pages or more.

The changes in MICRO in the past year have been more evolutionary than revolutionary. It has expanded in size to 84 pages per issue, doubled in circulation to over 12,000, added new features, and now, with this issue, goes to full color covers. This was done primarily to allow those advertisers who will only advertise in color, to advertise with us. Secondly, we hope that the colorful cover will be attractive both to our subscribers and those who purchase MICRO at their local computer store. We have ordered an option for our typesetter which will, in the near future, allow listings to be generated on any one of our microcomputers, and then sent directly to the typesetter. This will improve the quality and accuracy of the listings.

We would like to thank all of you who have helped MICRO grow and prosper, especially those of you who have written the articles which form the backbone of the publication. We look forward to an exciting new year serving the 6502 world.

MICRO

THE 6502 JOURNAL



No. 25 JUNE 1980 \$2.00

MICRO in the Kitchen

Cover Artist
Terry Spillane

The Compleat Menu Planner

This month's cover depicts one of the ways in which the microcomputer may eventually aid the average family in planning menus in a systematic, dietically correct manner. I remember reading about this concept at least ten years ago, way back when the idea of a computer in the home was mind-boggling.

The Menu Planner assists the menu selection in several ways:

First, it helps to select each meal. As the user selects each item from a displayed list, new, related lists are presented. For example, the initial selection of MEAT would result in a list of various types of meat. A selection of CHICKEN would cause a list of major ways to prepare chicken to appear: bake, broil, stew, etc. The entire, appetizing meal would quickly evolve.

Second, the program would calculate the overall food value of the meal. It would have a list of the dietary requirements of the various members of the family, and would determine if these requirements were being met. It could make suggestions for changing particular items which were causing a dietary imbalance. The user could, presumably, override any such suggestions!


Third, as the meals for a period of time were determined, a shopping list could be generated which would take into account the meals for the week and the inventory on-hand.

Fourth, provided with a list of current prices for the items at the local supermarkets, it could determine where the individual products should be purchased, even taking into account the cost of getting to each store and personal preferences of the user.


Fifth, when it comes time to prepare a particular meal, the recipes and other instructions are displayed. Cooking times are measured automatically, and, if desired, sensors are connected to measure the internal temperature of the meat, or whatever.

The capabilities are here now. Where are the programs? A rather inexpensive system should be able to perform all of the above functions, and earn its keep very quickly. If it could save \$10 per week by finding the best buys, calculating correct amounts to purchase without waste, and keeping an eye on the inventory to prevent spoilage, that would be \$500 per year!


SERIOUS READING




For business and for pleasure. Increase your personal capabilities . . . save money . . . improve your ability to plan . . . locate important facts quickly. This is a ready-to-use information (data base) management system on diskette for the Apple II. Plain-talk manual shows step-by-step how you can put this powerful program to work for you! Manage tax deductions, department store charges, simple accounts receivable and more! No. 91 *Just \$24.95*



Now you can produce amazing computer graphics — even if you can't draw a straight line. Literally! Learn how to draw lines and shapes, make graphs, draw pictures and even do animations. The simple secrets of how to do all this are contained in this new book by Nat Wadsworth. Accompanying diskette contains all the programs and routines ready to run on your Apple II. You won't want to be without this fantastic capability. No. 92 *Just \$24.95*



Program in machine language without tears! This latest cookbook by Robert Findley will show you how. You'll be able to put together programs without having to start from scratch. You'll have the most useful routines at your command — already programmed and ready to use with your Apple's 6502 microprocessor. Search and sort routines. Many general purpose utility routines. Floating point routines. No. 99 *Only \$10.95*



Quickie course on computers! This book by Russ Walter will turn you into a computer expert quickly and easily. It explains the kind of computer found in most schools, small businesses and homes: the kind that has interactive BASIC. You'll learn BASIC, having fun every step of the way. Explains how to deal with computer machinery, which buttons to press and trains you to write many kinds of programs. No. 93 *Only \$5.95*

● Books and programs for the discriminating Apple owner. . .

See them at your favorite computer or electronics store or order by mail with the coupon on right.

SCELBI Publications
20 Hurlbut Street, Elmwood, CT 06110

IMPORTANT ORDERING INFO! Include \$1.00 shipping/handling charges for each item. Prices shown are for North American customers. Master Charge, VISA, Postal and Bank Money Orders preferred. Allow 4 weeks for delivery.

No. 91 No. 92 No. 93 No. 99
 Free Catalog

Name (please print) _____
Card No. _____
Bank No. _____ Exp. Date _____
Address _____
City/State _____ Zip _____
Signature _____ Date _____

A Little Plus for Your APPLE II

For those of you who own an Apple II and are envious of the newer Apple II Plus, EDITPLUS provides you with some of the new features, at no cost!

Craig Peterson

A while back, Apple Computer, Inc., came out with a new version of their Apple II computer called the Apple II Plus. In this new machine comes the now famous Auto-Start ROM, and one of its neat features is a very much improved editing capability. In particular, for the standard Apple II owner, the 'non-copy' movement of the cursor requires two keystrokes for each column or row moved. (e.g. 'ESC', 'D', 'ESC', 'D', etc., etc.) Very tedious, and sometimes it is a bit unreliable.

On an Apple II Plus you just press 'ESC' and then use the I, J, K, or M key for cursor control up, left, right, and down respectively. And for really great action, you can use the repeat key along with the IJKM to speed the cursor 'non-copying' to any position on the screen. To get out of this editing mode, you just press any key other than the I, J, K or M key. This last key will be handled like a normal escape function and then you will be out of the special editor. Really nice, huh?

A second feature of the Apple II Plus is the ability to stop program listings. By pressing 'CTRL' 'S' during a listing, that blur of characters will be stopped so you can read the program. Pressing any key will begin the listing again right where it stopped. This works in both Integer Basic and Applesoft. It even works in the Monitor to stop a trace if you wish. In Applesoft, if the second key pressed is a 'CTRL' 'C', the listing will be aborted — just as you would expect normally.

Well, if you would like to be able to do this on your standard Apple II, you can either purchase the Auto-Start ROM, which has this and other features, for \$65, or you can use the EDITPLUS program.

The EDITPLUS program is not very large and the way it works is fairly simple. Typing 'Call 768' revises the input and output hooks so that any I/O will be sent through EDITPLUS. The editing portion of the program, though the input hook, just looks for an 'ESC' character. If found, the program then checks the next character to see if it is an I, J, K, or M. If it is, the proper cursor action is performed and the next character is checked to see if it is an I, J, K, or M, and so on. The first non-IJKM character causes the program to do a normal escape function and then exit this mode. To totally disengage from this feature of EDITPLUS, just type 'IN#0', which restores the normal input hook address.

The control S feature of EDITPLUS uses the output hook. During any output, the program checks the keyboard strobe and if a 'CTRL' 'S' has been pressed, the output is stopped after the next carriage return. The EDITPLUS waits until a key is pressed again and at that time the output continues. If the second key is a 'CTRL' 'C', the keyboard strobe is left on so that Applesoft will see the 'CTRL' 'C' and abort the listing. To totally disengage from this feature of EDITPLUS, just type 'PR#0', which restores the normal output hook address.

An additional feature which I've added to all of this is escape L. By typing 'ESC' 'L', you leave whatever Basic you are in and jump to the Monitor, which is much quicker and easier than typing Call-151 all the time.

The assembly program listing for EDITPLUS is fairly self-explanatory.

The assembly program listing for EDITPLUS is fairly self-explanatory. This example is assembled at good old page 3, hex address \$300, but it could be anywhere you want. Also, this example is set up for use with 3.2 DOS on a 48K system. If you have 3.1 DOS and 48K memory, use DOS addresses \$A7AD and \$A99E in place of \$A851 and \$AA5B in lines 200, 210, 400, 640, and 690. If you have less than 48K, adjust these addresses downward a commensurate amount. Also, 3.1 DOS is peculiar in that it won't allow you to BRUN EDITPLUS right off the disk. You must BLOAD it, and then Call 768. If you don't have a disk system, simply change line 400 to RTS and delete lines 640, 680, and 690. If this change is made, it will be necessary to reassemble the program, or pad the revised lines with NOPs (\$EA), because the branch addresses will change.

So there you have it. A nice edit program for your Apple II. No longer do you need to be jealous of those folks that have an Apple II Plus. You too can have fun editing (and TRACE and STEP too, heh! heh!).

μ

Craig Peterson is an engineer who has owned an Apple II since May of 1979. Since then, he has enjoyed working with it to such an extent, that he recently persuaded his employer to buy one to aid in programming numerical control routing machines.

```

0010 :*****
0020 :*          EDITPLUS          *
0030 :*          BY              *
0040 :*          CRAIG PETERSON   *
0050 :*          DECEMBER 1979   *
0060 :*                          *
0070 :*A PROGRAM TO GIVE THE STANDARD*
0080 :* APPLE II THE ENHANCED CURSOR *
0090 :* EDITING CAPABILITIES OF THE *
0100 :*          APPLE II PLUS    *
0110 :*****
0120 :
0130 CH      .DL 0024
0140 BASL   .DL 0028
0150 YSAV   .DL 0035
0160 CSWL   .DL 0036
0170 CSWH   .DL 0037
0180 KSWL   .DL 0038
0190 KSWH   .DL 0039
0200 DOS     .DL A851
0210 YDOS   .DL AA5B
0220 KBRD   .DL C000
0230 STRB   .DL C010
0240 ESC1   .DL FC2C
0250 RKEY    .DL FDOC
0260 OUT1    .DL FDF0
0270 KEYN   .DL FD1B
0280 MNTR   .DL FF65
0290 :
0300          .OR 0300
0310 :
0300 AD7E03 0320 BGIN LDA KADR      CHANGE INPUT &
0303 8538   0330      STA *KSWL     OUTPUT POINTRS
0305 AD7F03 0340      LDA KADR+01   TO NEW ROUTINE
0308 8539   0350      STA *KSWH     AT 'SKEY' AND
030A AD8003 0360      LDA VADR      'SVID' RESP.
030D 8536   0370      STA *CSWL
030F AD8103 0380      LDA VADR+01
0312 8537   0390      STA *CSWH
0314 4C51A8 0400      JMP DOS      CHG DOSPTRS&RTN
0317 201BFD 0410 SKEY JSR KEYN     GET NEXT CHAR
031A C99B   0420      CMP 9B      IS CHAR='ESC'?
031C F00B   0430      BEQ ESC2    IF SO, GO ESC2
031E 60     0440      RTS         IF NOT, RETURN
031F 38     0450 SPCL SEC         PREPARE A PTR &
0320 E9C9   0460      SBC 0C9     TURN I,J,K,M
0322 AB     0470      TAY         INTO D,B,A,C
0323 B97903 0480      LDA TABL,Y    RESPECTIVELY
0326 202CFC 0490      JSR ESC1    DO STANDARD ESC
0329 A424   0500 ESC2 LDY *CH      GET THE NEXT
032B B128   0510      LDA (BASL),Y  INPUT CHARACTP
032D 48     0520      PHA
032E 293F   0530      AND 3F
0330 0940   0540      ORA 40
0332 9128   0550      STA (BASL),Y
0334 68     0560      PLA
0335 201BFD 0570      JSR KEYN
0338 C9CE   0580      CMP OCE      IS CHAR>='N'?
033A B00E   0590      BCS RTRN    THEN RETURN
033C C9C9   0600      CMP 0C9     IS CHAR<'I'?
033E 900A   0610      BCC RTRN    THEN RETURN
0340 C9CC   0620      CMP 0CC     IS CHAR='L'?
0342 D0DB   0630      BNE SPCL    IF<>'L',DO SPCL

```

0344	2051A8	0640		JSR DOS	IF=L, RESET DOS
0347	4C65FF	0650		JMP MNTR	PNTRS & ->MNTR
034A	38	0660	RTRN	SEC	ITS NOT I,J,K,M
034B	202CFC	0670		JSR ESC1	SO DO STD ESC
034E	A424	0680		LDY *CH	CORRECT YSAVE
0350	8C5BAA	0690		STY YDOS	REG IN DOS
0353	4C0CFD	0700		JMP RKEY	AND RETURN
0356	8435	0710	SVID	STY *YSAV	SAVE Y
0358	C98D	0720		CMP 8D	IS CHAR = CR?
035A	D018	0730		BNE RETN	IF NOT, RETURN
035C	AC00C0	0740		LDY KBRD	GET KBRD CHAR
035F	1013	0750		BPL RETN	NO STROB, RETRN
0361	C093	0760		CPY 93	IS IT CTRL 'S'?
0363	D00F	0770		BNE RETN	IF NOT, RETURN
0365	2C10C0	0780		BIT STRB	CLEAR KEY STROB
0368	AC00C0	0790	AGIN	LDY KBRD	IS KEY PRESSED?
036B	10FB	0800		BPL AGIN	IF NOT, TRY AGN
036D	C083	0810		CPY 83	IS IT CTRL 'C'?
036F	F003	0820		BEQ RETN	IF SO, LEAV STRB
0371	2C10C0	0830		BIT STRB	CLEAR KEY STROB
0374	A435	0840	RETN	LDY *YSAV	RESTORE Y &
0376	4CF0FD	0850		JMP OUT1	REJOIN OUTPUT
0379	C4C2C1	0860	TABL	.HS C4C2C1FFC3	
037C	FFC3				
037E	1703	0870	KADR	.SA SKEY	STOR 'SKEY' ADR
0380	5603	0880	VADR	.SA SVID	STOR 'SVID' ADR
		0890		.EN	

STOCK MARKET ANALYSIS PROGRAM DJI WEEKLY AVERAGE 1897-DATE

ANA1* (ANALYSIS 1) is a set of BASIC Programs which enables the user to perform analyses on the Dow Jones Industrial weekly average data. From 6 months to 5 years of user selected DJI data can be plotted on the entire screen in one of 5 colors using Apples' High Resolution capabilities. The DJI data can be transformed into different colored graphic representations called transforms. They are: user specified moving averages; a least squares linear fit (best straight line); filters for time, magnitude, or percentage changes; and user created relationships between the DJI data, a transform, or a constant using +, -, x, / operators. Colored lines can be drawn between graphic points. Graphic data values or their dates of occurrence can be displayed in text on the screen. Any graph or text can be outputted to a users printer. The Grid Scale is automatically set to the range of the graphs or can be user changed. As many colored graphs as wanted can be plotted on the screen and cleared at any time. The user can code routines to operate on the DJI/transform data or create his own disk file data base. ANA1 commands can be used with his routines or data base. An Update program allows the user to easily update the DJI file with current DJI weekly data.

The ANA1 two letter user commands are: CA = Calculate, no graph. CG = Clear Graphs, leave Grids. CK = Checking out program, known data. CO = Color of next graph (red, green, violet, white, blue). CS = Clear Screen. DL = Draw Line between points. FI = Filter data for time, magnitude, or percent change. FU = Data, transform, or constant Function with +, -, x, / operator. GD = Graphic mode, display all Graph Data on screen. GR = Graph data to screen. GS = Set Grid Scale. HE = Help, summary of any commands usage. LD = Load Data from disk file from inputted date to memory. LG = Leave Graphs, automatic Grid rescaling. LO = Look, select a range of the LD data and GR. All commands can now be used on this range. LS = Least squares linear fit of the data. MA = Moving Average of the data. NS = No Scale, next graph on screen does not use Grid Scale. NT = No Trace. PR = User implemented Printer routine. TD = Text mode, display Text Data on screen. TI = Time number to date or vice versa. TR = Trace. TS = Text Stop for number of lines outputted to screen when in TD. U1/U2 = User 1/2 implemented routines. VD = Values of Data outputted in text. VG = Values of Grid; low/high/delta. VT = Values of Transform outputted in text.

**APPLE® II, 48 K, APPLESOFT
ROM CARD, DISK II DOS 3.2
ANA1 DISK & MANUAL . . . \$49.95
[CA residents add 6% sales tax]**

**GALAXY
DEPT. A02
P.O. BOX 22072
SAN DIEGO, CA 92122**

* Software Review in Call-A.P.P.L.E. (2/80): "An example of an excellent piece of software exploiting most of Apple II's major features." Overall Rating = 92.1

* Software Review in Apple Orchard (3/80): "A remarkably flexible approach to the analysis and plotting of any time series data." Overall Rating = 85.7

Decision
Systems



Presenting the Other Side of the Apple II*

INDEXED FILES

ISAM-DS is an integrated set of routines for the creation and manipulation of indexed files. ISAM-DS provides capabilities comparable to those on large mainframes. You can rapidly retrieve records by key value or partial key value (retrieves any record in a 200 record file, 60 char/record, in less than 3 seconds compared to a maximum of 38 seconds for a DOS sequential file). Files never have to be reorganized. Duplicate key values may be used. Records may also be retrieved in sequence. ISAM-DS routines are easily integrated into Applesoft programs — they use less than 3K RAM plus an index table.

Requires: Disk, Applesoft (32K ROM or 48K RAM)

\$50

STRUCTURED BASIC

PBASIC-DS is a sophisticated preprocessor for structured BASIC. Now you can gain the power of PASCAL-like logic structures at a fraction of the cost. Use all regular BASIC statements plus 14 commands and 11 new statements/structures (WHILE, UNTIL, CASE, etc.). PBASIC-DS can be used to develop INTEGER or APPLESOFT programs. It is a great way to learn and use structured logic concepts.

Requires: Disk, Applesoft (32K ROM or 48K RAM)

\$35

(Texas residents add 5% tax)

Decision Systems
P.O. Box 13006
Denton, TX 76203

*Apple II is a registered trademark of the Apple Computer Co.



Skyles Electric Works

Presenting the Skyles MacroTeA

The Software Development System For the Serious Programmer

Text Editor

To help you write your program, MacroTeA includes a powerful text editor with **34 command functions**:

- AUTO** Numbers lines automatically.
- NUMBER** Automatically renumbers lines.
- FORMAT** Outputs text file in easy-to-read columns.
- COPY** Copies a line or group of lines to a new location.
- MOVE** Moves a line or group of lines to a new location.
- DELETE** Deletes a line or group of lines.
- CLEAR** Clears the text file.
- PRINT** Prints a line or group of lines to the PET screen.
- PUT** Saves a line or group of lines of text on the tape (or disc).
- GET** Loads a previously saved line or group of lines of text from the tape (or disc).
- DUPLICATE** Copies text file modules from one tape recorder to the other. Stops on specific modules to allow changes before it is duplicated. This command makes an unlimited length program (text file) practical.
- HARD** Prints out text file on printer.
- ASSEMBLE** Assembles text file with or without a listing. Assembly may be specified for the object code (program) to be recorded or placed in RAM memory.
- PASS** Does second pass of assembly. Another command that makes unlimited length text files (source code) practical.
- RUN** Runs (executes) a previously assembled program.
- SYMBOLS** Prints out the symbol table (label file).
- SET** Gives complete control of the size and location of the text file (source file), label file (symbol table) and relocatable buffer.
- DISK** Gives complete access to the eleven DOS commands:
PUT GET NEW INITIALIZE
DIRECTORY COPY DUPLICATE
SCRATCH VALIDATE RENAME
ERROR REPORT
- EDIT** Offers unbelievably powerful search and replace capability. Many large computer assemblers lack this sophistication.
- FIND** Searches text file for defined strings. Optionally prints them and counts them; i.e., this command counts number of characters in text file.
- MANUSCRIPT** Eliminates line numbers on PRINT and HARD command. Makes MacroTea a true and powerful Text Editor.
- BREAK** Breaks to the Monitor portion of MacroTea. A return to Text Editor without loss of text is possible.
- USER** Improves or tailors MacroTea's Text Editor to user's needs; "Do-it-yourself" command.

Fast...Fast Assembler

Briefly, the pseudo-ops are:

- **BA** Commands the assembler to begin placing assembled code where indicated.
- **CE** Commands the assembler to continue assembly unless certain serious errors occur. All errors are printed out.
- **LS** Commands the assembler to start listing source (text file) from this point on.
- **LC** Commands the assembler to stop list source (text file) from this point in the program.
- **CT** Commands the assembler to continue that source program (text file) on tape.
- **OS** Commands the assembler to store the object code in memory.
- **OC** Commands the assembler to not store object code in memory.
- **MC** Commands the assembler to store object code at location different from the location in which it is assembling object code.
- **SE** Commands the assembler to store an external address.
- **DS** Commands the assembler to set aside a block of storage.
- **BY** Commands the assembler to store data.
- **SI** Commands the assembler to store an internal address.
- **DE** Commands the assembler to calculate an external label expression.
- **DI** Commands the assembler to calculate an internal label expression.
- **EN** Informs the assembler that this is the end of the program.
- **EJ** Commands the assembler to eject to top of page on printer copy.
- **SET** A directive not a pseudo-op, directs the assemblers to redefine the value of a label.

Macro Assembler

The macro pseudo-ops include:

- MD** This is a macro beginning instruction definition.
- ME** This is end of a macro instruction definition.
- EC** Do not output macro-generated code in source listing.
- ES** Do output macro-generated code in source listing.

Conditional Assembler

The conditional assembly pseudo-ops are:

- IEQ** If the label expression is equal to zero, assemble this block of source code (text file).
- INE** If the label expression is not equal to zero, assemble this block of source code (text file).
- IPL** If the label expression is positive, assemble this block of source code.
- IMI** If the label expression is negative, assemble this block of source code.
- ***** This is the end of a block of source code.

Enhanced Monitor

... By having 16 powerful commands:

- A** Automatic MacroTeA cold start from Monitor.
- Z** Automatic MacroTeA warm start from Monitor.
- F** Loads from tape object code program.
- S** Saves to tape object code between locations specified.
- D** Disassembles object code back to source listing.
- M** Displays in memory object code starting at selected location. The normal PET screen edit may be used to change the object code.
- R** Displays in register. Contents may be changed using PET screen edit capabilities.
- H** Hunts memory for a particular group of object codes.
- W** Allows you to walk through the program one step at a time.
- B** Breakpoint to occur after specified number of passes past specified address.
- Q** Start on specified address. Quit if STOP key or breakpoint occurs.
- T** Transfers a program or part of a program from one memory area to another.
- G** Go!! Runs machine language program starting at selected location.
- X** Exits back to BASIC.
- I** Display memory and decoded ASCII characters.
- P** Pack (fill) memory with specified byte.

What are the other unique features of the MacroTeA?

- Labels up to 10 characters in length
- 50 different symbols to choose from for each character
- 10¹⁶ different labels possible
- Create executable object code in memory or store on tape
- Text editor may be used for composing letters, manuscripts, etc.
- Text may be loaded and stored from tape or disc
- Powerful two-cassette duplicator function
- String search capability
- Macros may be nested 32 deep
- 25 Assembler pseudo-ops
- 5 Conditional assembler pseudo-ops
- 40 Error codes to pinpoint problems
- 16 Error codes related to Macros
- Warm-start button
- Enhanced monitor with 16 commands

Truly, there is simply no other system of this magnitude at anywhere near this price.

\$395.00*

(With any Skyles Memory Expansion System, \$375.00)

California residents: please add 6% or 6.5% sales tax as required

VISA, MASTERCHARGE ORDERS CALL (800) 538-3083 (except California residents)
CALIFORNIA ORDERS PLEASE CALL (408) 257-9140



Skyles Electric Works

231 E South Whisman Road
Mountain View, CA 94041
(415) 965-1735

Lower Case Lister

A 'bug' in the PET/CBM model 2022 and 2023 printers made before February 1980 causes listings to be printed as graphic symbols. This program provides a remedy.

Rev. James Strasma

One of the best features of the PET/CBM computers is their ability to easily use both upper and lower case letters. This same capability is included in the CBM model 2022 and 2023 printers. Unfortunately, printers made before February, 1980 cannot print in the lower and upper case mode unless a control character is sent at the start of EVERY line that needs lower case. This means that program printouts can be made to look very much like ordinary typed output. Listings, however, all come out in graphics mode. Graphics characters are substituted for all the upper-case characters in the listing, and all the lower-case characters come out in upper-case. (See the first sample Basic listing for an example of this.)

This leaves the programmer with three choices: 1) stick to graphics mode entirely, 2) learn to translate graphics into alpha, or 3) find a new way to list programs. I made the third choice, and lower-case lister is the result. It emulates the list routine in the CBM/PET Basic ROMs closely. Essentially, the routine prints the all-important (cursor down) character at the beginning of each line in the listing. This tells the printer to treat the rest of the line as lower-case. One other major change was necessary. At present, the PET printer errs in printing about 20 of the characters when in the lower-case mode. It replaces the correct character with the one having the opposite value in the high bit. This ups or cuts the character's value by 128. The correction involved screening each character before it is output, and flipping the high bit back again. One added consideration is that this is not to be done if the character involved is part of a Basic keyword. Those are output without

being screened. Note that the problem is in the printer, not the computer. Thus, if the 'fixed' characters are directed to the screen instead of a printer, they will be incorrect there. The result of the fix is that a listing made with the lower-case lister will look exactly like the same program would if listed normally in lower-case mode on the screen.

Because this is the sort of program I need all the time, I squeezed it into the second cassette buffer, an area safe not only from Basic, but even safe from hardware resets. Only a power failure disturbs that buffer. The lister is short enough not to interfere with the ROM monitor or the Basic Programmer's Tool kit, both of which use parts of the buffer. Two prices are paid for the choice location and compatibility. First, the only option is to list the entire program. Second, very long lines that extend onto a third line of the screen or second line of the printout when listed will revert to 'normal' faulty printing at the beginning of the extra line. Fixes for both of these are possible, but not in the space available.

For those of you with 'old ROMs', the program will need some changes. Nearly all the external references of the program (lines 190-290 in the assembler source) will have to be changed, along with the resulting object code. The changes for the assembler source code in the listing are given in Table 1. The object code changes are given in Table 2. With these changes, the program does work with the old ROM PETs.

Once you have typed in the correct code for your machine, making a lower-case listing is easy. The

commands are almost the same as usual:

open 4,4 to wake up the printer

print#4, a home character to set the paging mode

omd 4 to make the printer the output device

sys(826) instead of list to make the listing

print#4 to return command to the terminal

I'm told that eventually you will be able to buy a retrofit ROM to clean up lower-case listings automatically, at a cost of about \$40. Now it won't be necessary to wait or to pay that price. Which would you rather have, cryptic Basic listings like the first sample program here, or clean listings like the one below it? the choice is yours.

μ

James Strasma has been a United Methodist pastor for five years. He learned programming from books, and he has owned a PET for two years. He initially became interested in programming to do some work for the church.

Aside from his duties as a pastor, and the writing he does for Micro, Rev. Strasma also occupies his time organizing a users' group. This group is interested in C.W. Moser's assembler TED, in different 6502 versions.

Sample 1 (Bad)

```

100 REM> SAMPLE BASIC PROGRAM
110 REM> BEFORE LOWER-CASE LISTER
120 REM>
130 PRINT"-IRST, SOME VTT- -"
140 PRINT"XIED WITH LOWER CASE.
150 PRINT"HEN SOME NUMBERS,
160 PRINT"LIKE 1,2,3,14, & SUCH,
170 PRINT"BOTH IN & OUT OF QUOTES
180 A=1:B=2:C=3,14
190 PRINT"HEN SOME CURSOR-CONTROL
200 PRINT"CHARACTERS...
210 PRINT"VEN GRAPHICS, LIKE
220 PRINT"-INALLY, THE ONES THAT
230 PRINT"THE -I\ PRINTERS DON'T
240 PRINT"LIKE IN LOWER-CASE MODE:
250 PRINT"+ & f=LEFT & UP ARROWS,
260 PRINT"[]=BRACKETS & \/=SLASHES,
270 PRINT"#=TAB & #=ESCAPE.
280 PRINT"/OTE ^ IN THE EQUATION
290 E=MC^2
300 END
READY.

```

Sample 2 (Good)

```

100 REM> sample basic program
110 REM> after lower-case lister
120 REM>
130 PRINT"First, some UPPER CASE
140 PRINT"mixed with lower case.
150 PRINT"Then some numbers,
160 PRINT"like 1,2,3,14, & such,
170 PRINT"both in & out of quotes
180 a=1:b=2:c=3,14
190 PRINT"Then some cursor-control
200 PRINT"characters...
210 PRINT"Even graphics, like
220 PRINT"Finally, the ones that
230 PRINT"the CBM printers don't
240 PRINT"like in lower-case mode:
250 PRINT"+ & f=left & up arrows,
260 PRINT"[]=brackets & \/=slashes,
270 PRINT"#=tab & #=escape.
280 PRINT"Note ^ in the equation
290 e=mc^2
300 end
READY.

```

Table 2 : Object Code Changes for Old ROM Pets

Change \$09 to \$60 at:
 \$0348
 037a
 037e
 039d

Change \$11 to \$08 at \$033d

Change \$12 to \$09 at \$033f

Change \$2c to \$22 at \$0341

Change \$45 to \$49 at:
 \$036a
 03ba
 03d3

Change \$46 to \$98 at:
 \$0363
 036f
 03a5

Change \$5c to \$ae at:
 \$034a
 0355
 0359
 0383
 0388
 038c
 038e
 0390

Change \$89 to \$8b at \$0394

Change \$d9 to \$9f at \$0365

Change \$e2 to \$d2 at \$0351


Table 1

SOURCE CHANGES FOR OLD ROM PETS

190	crlf	.de	\$c9d2	;Return+line feed
200	findlin	.de	\$c522	;Find ascii line
210	linstor	.de	\$08	;Stores line #
220	memory	.de	\$98	;Temporary storage
230	prchar	.de	\$ca49	;Prints a character
240	print	.de	\$dc9f	;Print integer value
250	quotflg	.de	\$60	;Flags quote mode
260	ready	.de	\$c38b	;Basic warm start
290	where	.de	\$ae	;Block transfer ptr. #2

270 toktab1 & 280 tstop remain unchanged

INTRODUCING . . . NIBBLE THE REFERENCE FOR APPLE COMPUTING



NIBBLE IS:

A SOFTWARE GUIDE for high quality Applications Programs for your Home and Business.

NIBBLE IS:

A REFERENCE GUIDE to new Programming Methods.

NIBBLE IS:

A BUYERS GUIDE for making purchase decisions on new products.

NIBBLE IS:

A CONSTRUCTION PROJECT COOKBOOK for adding function and value to the system you already own.

NIBBLE IS:

A COMMUNICATIONS CLEARING HOUSE for users, vendors, and associations.

Each issue of NIBBLE features at least one significant new application program of commercial quality. The programs in NIBBLE are surrounded with articles which show how to USE the programming methods in your OWN programs.

Examples of upcoming articles:

- Modeling and Forecasting Your Business Build a Two-Tape Controller for \$12
 Arcade Shooting Gallery — Save Your Quarters! Data Base Management System I, II, III

And many many more! NIBBLE will literally "Nibble Away" at the mysteries of your system to help you USE IT MORE. In 1980, the principal featured system is the Apple II.

Try a NIBBLE

nibble

BOX 325 Lincoln, Mass. 01773

I'll try NIBBLE!

Enclosed is my \$15 for 8 issues.

check money order

Name _____

Address _____

City _____

State _____ Zip _____

Put Your Hooks Into OSI BASIC

Is it possible to extend your OSI BASIC-IN-ROM? Yes. In fact it is very easy, if you know how, and this article you will teach you how!

Edward H. Carlson

The OSI BASIC-IN-ROM has a remarkable feature which allows you to meddle with one of the innermost subroutines; the one that is used to parse a line of code character by character. It was intended to be tampered with, I am sure. Why else would the subroutine lie in page zero (\$BC to \$D3), copied there from its home in the BASIC ROM at \$BCEE? Listing 1 gives this "character parsing" routine.

This Microsoft BASIC, Version 1.0 Rev. 3.2, is used on all non-disk Ohio Scientific machines. I expect that a similar routine lies in page zero of the other 6502 Microsoft BASICs, such as the one for PET, and has been exploited by other hackers to make extensions of BASIC for their machines. In Listing 2, I show one way of doing this for use on my C2-4P and OSI C1 and C2 machines in general.

There are some subtle points which arose during this programming task, and the best way to explain them is to remind you of some of the "basic" facts about OSI BASIC. It operates in two modes, "immediate" and "RUN". In the immediate mode, you can enter a line of code, preceded or not by a line number. This code is entered into a buffer starting at \$13. When RETURN is hit, the first character of the line is picked up by the little parser which examines it to determine the fate of the line. If the line started with a numeral, then it is destined to be entered in the source code table. Otherwise it is executed

List 1

```

10 0000 : ***** CHARACTER PARSER *****
20 0000 :
90 00BC * = $BC
100 00BC E6C3 P0 INC $C3 INCREMENT LO BYTE OF ADDRESS
110 00BE D002 BNE P1
120 00C0 E6C4 INC $C4 INCREMENT HI
130 00C2 ADFFFF P1 LDA $FFFF LOAD A WITH CHARACTER
140 00C5 C93A CMP #' : IS IT A COLON?
150 00C7 B00A BCS P2 IF YES, BRANCH AND START NEW LINE
154 00C9 C920 CMP #' IS IT A SPACE?
156 00CB F0EF BEQ P0 IF YES, GET ANOTHER CHAR.
160 00CD 38 SEC SET CARRY FLAG
170 00CE E930 SBC #$30 SUBTRACT $30
180 00D0 38 SEC SET CARRY FLAG
190 00D1 E9D0 SBC #$D0 SETS C FLAG FOR ASCII NUMERAL
200 00D3 60 P2 RTS END OF SUBROUTINE, CHAR. IN A

```

List 2

```

10 0000 : ***** HOOK TO OSI BASIC *****
15 0000 :
96 0000 : ***** INITIALIZATION ROUTINE *****
97 0000 :
98 0000 : STORE 6 BYTES IN ZERO PAGE TO JUMP TO THIS EXTENDED
99 0000 : BASIC ROUTINE
100 0000 :
102 0000 LO = $C3 LO BYTE OF CHAR. ADDRESS STORAGE
103 0000 SCREEN = $FE LO BYTE OF SCREEN ADDRESS STORAGE
105 0222 * = $0222
110 0222 A94C LDA #$4C
115 0224 85BC STA $BC
120 0226 A939 LDA $STARLO
125 0228 85BD STA $BD
130 022A A902 LDA $STARHI
135 022C 85BE STA $BE
140 022E A9EA LDA #$EA
142 0230 85BF STA $BF
143 0232 85C0 STA $C0
144 0234 85C1 STA $C1
150 0236 4C0000 JMP $0000 JUMP TO BASIC WARM START
190 0239 :
191 0239 : ***** MAIN ROUTINE *****
192 0239 :
193 0239 : CHECK THE BASIC SOURCE CODE LINE FOR THE CHARACTER
194 0239 : $ OR %.
195 0239 :
200 0239 E6C3 START INC LO INCREMENT LO BYTE OF ADDRESS
202 023B STARHI =START/256
203 023B ZZZ =STARHI*256
204 023B STARLO =START-ZZZ

```


immediately *in situ*. Supposing the line starts with a numeral. The parser examines subsequent characters, transferring the numerals to another routine, until it finds a non-numeral character. Then the parser quits, handing the task of tokenizing the line and storing it in the source code table to another routine.

Our strategy is to splice into the character parser subroutine with a jump, so as to take a look at the current character before BASIC gets its hands on it. I picked two characters, % and #, not used by BASIC, to signal that we intend to message this line ourselves. We need two such labels because we first must safely transfer the line from the buffer to the source code table without triggering any special fireworks, yet on subsequent encounters with the line (during RUN) the spliced code in the parser must take special actions.

Listing 3 shows how our special line of code looks in a BASIC program. The line number is followed immediately by the # symbol, which is followed by a letter (or other symbol) and then by a null (not visible on the screen, but used in the source code table as a line terminator) or a colon (line continues with a new, independent statement of code). Now the sticker is that when inputting the line from the keyboard, we do not type "10#C" for example, but "10%C". When return is hit, the % sign triggers (at line 287 of listing 2) a replacement of % by # in the line of code in the buffer. Then the "tokenizer" moves the code, now reading "10#C", to its spot in the source code area of memory. When RUN is hit and execution reaches the # in the "10#C", our spliced code at line 282 branches to line 400 which calls the parser again. This is an example of reentrant coding since we were already in a (spliced in) section of the same subroutine! The extra call to the parser, which picks up the character after the #, means that BASIC outside our splice never sees the # symbol. This is essential because BASIC would have to fit over the # and would exclaim "syntax ERROR" and break. (I know. I got quite a few of them before I devised this somewhat cumbersome %, # trick.)

I show only one extension to BASIC, the rapid screen clear which is useful during games. The screen clear is signaled by the C after the #. One can put any number of CMP, BEQ pairs after line 420, one for each extension subroutine. I have a "rapid" tape read-write routine (three times as fast as OSI's) which I

intend to implement from BASIC. Other possibilities include a built in hex-to-decimal conversion so I can write "10#H Q=D000" instead of "10 Q=53248", which I find hard to remember.

Notice that the clear subroutine ends with a jump to the beginning of

List 2 continued

```

210 023B D002          BNE S1
220 023D E6C4          INC LO+1      INCREMENT HI
230 023F ASC3          LDA $C3      STORE CHARACTER ADDRESS
240 0241 8D4A02        STA ADD+1
250 0244 ASC4          LDA $C4
260 0246 8D4B02        STA ADD+2
270 0249 ADFFFF        ADD LDA $FFFF A CONTAINS THE CHARACTER
271 024C                ; FFFF IS A DUMMY ADDRESS, REAL FROM $00C3,C4
280 024C C923          CMP #'#      IS IT # ?
282 024E F00D          BEQ EXTEND  IF YES, BRANCH TO SUBROUTINE
284 0250 C925          CMP '%      IS IT % ?
285 0252 D006          BNE E1
287 0254 A000          LDY #0      IF YES, CHANGE % TO #
288 0256 A923          LDA #'#
289 0258 91C3          STA ($C3),Y
299 025A 4CC200        E1 JMP $C2    BACK TO PARSING THE BASIC LINE
400 025D 20BC00        EXTEND JSR $00BC TEST FOR WHICH SUBROUTINE
410 0260 C943          CMP #'C
420 0262 F003          BEQ CLRSCR
450 0264 4C5C00        JMP $005C   BACK TO BASIC PARSING THE LINE
490 0267                ;
491 0267                ; ***** CLEAR SCREEN ROUTINE *****
492 0267                ;
493 0267                ; THE SCREEN CONSISTS OF 8 PAGES STARTING AT $D000
494 0267                ;
500 0267 A200          CLRSCR LDX #0
505 0269 86FE          STX SCREEN
506 026B A9D0          LDA #$D0
507 026D 85FF          STA SCREEN+1
510 026F A000          LDY #0
520 0271 A920          LDA #$20
530 0273 91FE        C2 STA (SCREEN),Y
540 0275 C8            INY
545 0276 C000          CPY #0
550 0278 D0F9          BNE C2
552 027A E6FF          INC SCREEN+1
555 027C E8            INX
556 027D E008          CPX #8
560 027F D0F2          BNE C2
565 0281 4CB000        JMP $00BC
570 0284                ; JMP TO GET NEXT CHARACTER, A NULL, AND SO BASIC
571 0284                ; SEES THE END OF THE LINE OF SOURCE CODE AND GOES
572 0284                ; TO THE NEXT LINE.

```

List 3

```

10 REM BASIC PROGRAM TO ILLUSTRATE THE USE OF THE EXTENDED
11 REM FEATURE OF THE BASIC: THE RAPID SCREEN CLEAR.
15 PRINT"HI"
20 #C
30 PRINT"IS THE CHARACTER % A PROBLEM?"
35 PRINT"IS THE CHARACTER # A PROBLEM?"
40 PRINT"HERE IT COMES!":#C:PRINT"HERE IT WAS!"
50 S#C
60 PRINT"THAT ONE DIDN'T WORK"
70 REM THE "#" IN THE LINES 20,40 AND 50 WERE ENTERED FROM
71 REM THE KEYBOARD AS A "%".
OK

```

the parser, incrementing the character pointer again. We must drop the C as well as the # because the line "10C" would trigger a syntax ERROR break. So our line, which started as "10%C", finally looks to be just a naked "10" to BASIC, which it shrugs off as legal, but void of purpose.

When trouble shooting this program, it is very helpful to put a STA to screen just after line 270 so you can see what character is being messaged. In fact, I built a crude character-by-character trace routine by adding a call to the keyboard routine at \$FC00 so that each character remained on the screen to be puzzled over, until I hit a key and went on to the next. An elegant line-by-line trace routine could be built, triggered by the null at the end of each line of stored source code.

The line "#C", sans line number, executes o.k. in the immediate mode. One need not avoid the # or % symbols when placed in strings, as Listing 3 illustrates. Apparently the character parser never penetrates inside the quotes of a string. On the other hand, the line

```

1 REM ***** TIMING TEST PROGRAM *****
2 REM
5 B=1
10 FOR I=1 TO 10000
20 A=B
50 NEXT
90 REM
100 REM THE ABOVE PROGRAM IS THE "SHORT FORM"
101 REM THE LONG FORM REPLACES 2 LINES WITH:
102 REM S BC=1
103 REM 20 ABABAB=BCBCBC
104 REM THE LONG FORM HAS 10 MORE CHARACTERS TO PROCESS
105 REM DURING EACH CYCLE OF THE LOOP
106 REM
110 REM THE TIMES (SECONDS) TO RUN THE PROGRAM
111 REM USING THE STANDARD AND THE EXTENDED BASIC ARE
112 REM
114 REM          STANDARD    EXTENDED
115 REM SHORT          27          29
116 REM LONG           35          40
OK

```

"50 S#C" in Listing 3 looks like "10 S" to BASIC and causes an ERROR break.

Honesty now compels me to mention the price to be paid for extending BASIC. It stands at a computed 36 microseconds per character examined. This could be reduced somewhat by tightening up the code. This is the full price (in time units) because the extension subroutines, no matter how many, cost no time until they are called by

the letter following the # symbol. (Of course, there is also a price exacted in terms of memory space required.) Listing 4 gives an example of a program that spends relatively more time just examining characters than do typical programs. The cost per character is 0.08 milliseconds ((35-27)/100,000 extra characters) for the standard BASIC and 0.11 ms for the extended form of BASIC. That is about 0.03 ms or 30 microseconds more in the extended BASIC, in agreement with the above mentioned 36 microseconds.

I assembled this code using the "Ohio Scientific 6500 Assembler/Editor" and put it at \$C000 where I have 4K of memory (2102's on my old style 500 board). However, I suggest you put it at \$0222 in page 2 because this space is otherwise unused by our non-disk machines. You can tape it in the "Auto-load" mode using a program such as that given by Bruce Hoyt in MICRO 11:17. Then the drill for use is this: Cold start BASIC and break to the monitor. Autoload the code of Listing 2 with the start address at \$0222. The tape will finish loading,

modify zero page and jump to warm start of BASIC. It's easy (if your tape loader doesn't put noise into \$0000 as mine sometimes does).

I have a strong suspicion that I may have done some of these things the hard way. I would enjoy seeing some more elegant solutions to this "hooking". Even more practically, I would like to copy some useful extensions to BASIC from some future issues of MICRO. So how about it out there in 6502 land?

μ

Edward Carlson is a professor of Physics at Michigan State University. He has been doing job-related programming for Michigan State since 1961, and he is especially interested in Fortran and Machine languages.

At the moment he is using graphics to teach Physics. He is planning to write more articles for Micro in the near future.

SYM-1

INTERACTIVE TRACE/DEBUG
MONITOR EXTENSION COMMANDS

MONEX:***NEW COMMANDS:*Disassemble *Relocate *Find *ASCII dump *Trace (Sym-Bug) *Checksum calculator *BRK set/delete *More
SYM-BUG: Trace with disassemble and register list; skip and continue subcommands. BRK and Single Step.
PRICES: CASSETTE \$15.95 (at \$200 or \$3800) EPROM (2716-5V) (at \$F000) \$49.95
Commented Source \$9.95 Custom assembly: add \$2.00. User Manual separately: \$5.95 (applicable to purchase). All 1st class PPD continental U.S. Other add \$2.50


OTHER PRODUCTS: AIM — SYM — KIM
****"Optimized" software for Optimal Technology's EP-2A prommer. Includes erase verify and full prompting. Let your computer do the work. Includes listing, cassette, instructions. Specify system. \$9.95

***Complete hard-and software interface for Texas Instruments 12/20 column thermal printer. Requires one eight bit port. Perfect for dedicated control applications. Complete schematics, listings instruction. Specify system. \$9.95

J Holtzman
6820 Delmar, 203
St. Louis, MO 63130
314-863-5209

Now You Can Have INPUT/OUTPUT For Your Apple Computer

DUAL AXIS JOY-
STICK AND PUSH-
BUTTON MOD-
ULE for Games,
Graphics, and
Experimental Pro-
gram Input



MICROBOX

CONNECTS DIRECTLY
to the Apple Game
Socket. ACCEPTS 2
Dual Axis MICROSTIKS
or 4 Paddles

MICROSTIK

EXTRA LONG, HEAVY DUTY
cables and connectors



ISOLATED SWITCH-
ING of 4 AC loads or
relays from a basic
program. 4 LED
status indicators.
Toggle Switch input
(sw3)


**MICROBOX AND MICRO-
STIK PROVIDE APPLE
OWNERS WITH THE
HARDWARE TO EXPLORE
THE INPUT/OUTPUT CA-
PABILITIES OF THEIR
COMPUTERS.**

A SIMPLE COMMAND from the Apple keyboard or a Basic Program can switch an external device. Connect AC loads, such as lamps, motors, relays or solenoids directly through the MICROBOX's 4 AC OUTLETS. Loads can range from 0 to 220VAC and draw up to 200 Watts each. Solid State Switching ISOLATES the load from your Apple for complete safety. Four LEDs provide a visual on/off status of each load.

A Complete Instruction/Tutorial Manual is included with the MICROBOX.

REAL-TIME INPUT

The MICROSTIK is a sturdy, two axis joystick. Metal Cable Connectors assure trouble free usage over time, and enable extension cables to be added easily. Use the MICROSTIK to add real-time input to your game, graphic or experimental programs. Each MICROSTIK contains a PUSHBUTTON for added input possibilities.



ORDER TODAY AND CON- NECT YOUR APPLE TO THE OUTSIDE WORLD.

The MICROBOX and MICRO-
STIK can be purchased at
most computer stores or can
be ordered directly by mail or
through our convenient 24
hour telephone service.

TELEPHONE:
(703) 620-2444

Order the MICROSET and
receive the MICROBOX, 2
MICROSTIKS, the Manual
and Cassette, and SAVE \$40.

MICROBOX	\$139.95
MICROSTIK (each)	39.95
Demo Cassette	14.95
MICROSET	199.95
12 ft Ext. cables	9.95
Relay Modules	WRITE
Solenoid Modules	WRITE

VA res. add 4% sales tax

MASTER CHARGE, VISA accepted
No C.O.D.'s

CJM Industries, Dept. MB
P.O. Box 2367
Reston, VA 22090

CJM
INDUSTRIES

**MICROBOX and MICROSTIK sit
comfortably on, or aside the Apple
Computer. They have been designed
to match the Apple in color and
design.**

SYM-1 BASIC Pack Program

A Pack routine which permits comments to be removed from Basic to permit faster execution and to save space is presented for the SYM-1.

George Wells

One of the most important aspects of writing good BASIC programs is the quality of the documentation contained in the program. The excellent Hayden book, "BASIC with Style", by Nagine and Ledgard, sets forth a standard by which BASIC programs should be written. This standard makes liberal use of REMarks, spaces and blank and indented lines to highlight and bring out the logical structure of the program. (See Appendix B, Prettyprinting Standards, of "BASIC with Style.") Unfortunately, with the limited amount of RAM available on most micro-implemented BASICs, by the time you write such a program you may not have memory available to run it or you may have severely reduced the allowable sizes of matrices or strings.

Now, if you have a SYM-1 you can have the best of both worlds with this BASIC Pack program. If the assembly language program is stored on tape it can be loaded into page one and run, all without leaving BASIC. In just a couple seconds, it will delete all insignificant spaces, NULL lines and extra colons and reduce all variable names to two characters or less. The packed program will run exactly as its parent with one exception: GOTO's and GOSUB's are not allowed to point to Null lines since they are deleted. (A Null line is one consisting of only colons, spaces and/or a REMark.) However, the parent program must be error free or the packed program might end up with different errors. In most cases, you will not pack a program until it is completely debugged. If you do need to change a program after it is packed, you should reload the parent and change it. Then be sure to always save the unpacked version of the program on tape before packing or all your documentation

work will be wasted.

The easiest way to use the Pack program is to make a copy of the object code on tape with an ID of \$31. Verify the object code before and after saving to make sure the stack has not clobbered it. Then jump to BASIC and write and save your well-documented BASIC program. Next enter the BASIC direct command LOAD 1. Read the tape with the Pack program on it. After it has LOADED, enter ?USR(270,0). This will run the Pack program and return to BASIC with an OK. Now you can treat the packed program just like any other program.

Another way to use the Pack program is to assemble it yourself. If you have RAE-1 and 8K of RAM you can copy the Assembly Listing and assemble it. However, before you do enter the following command:

```
SET $200 $1CFC $1D00 $1F00
```

Incidentally, there is a minor error in RAE-1 as can be seen at address 137 of the Assembly Listing. Page 4-6 of the second printing of the RAE-1 Reference Manual states the current PC (=) is the first byte of the next instruction after a branch: instead it is one less than this.

Since the Resident Assembler/Editor uses parts of page one, the object code is stored temporarily on page \$1F. After you save the text on tape you must RESET the SYM-1 to get the stack pointer away from the end of the BASIC Pack program area and then move the code to page one with the monitor command M 1 0E,1F0E-1FE2. Now follow the same procedure given above for using the object code.

If you have EPROM in your system, you can assemble the pro-

gram at some place in your EPROM or simply relocate the code to another page by changing all of the "01" bytes to the new page number. Of course, you will have to call the program by its correct address when you get ready to USR it.

To get an idea of what the BASIC pack program does a sample BASIC "program" is listed before and after packing. You should also be familiar with Appendix C, Space Hints, of the BASIC Reference Manual. One additional hint which is not mentioned is to use integer matrices instead of floating point matrices wherever possible. This saves 3 bytes per element: that's 363 bytes for DIM A %(10,10). There are other ways to save space: how about renumbering lines starting at zero and increasing by one or how about a program that determines which lines are not pointed to by any statements and packing consecutive such lines into long lines of up to 255 bytes each? These ideas are significantly more difficult to implement than those in this Pack program. For myself, I hope to have more memory before I need such a sophisticated program, but maybe someone else may take up the challenge to write one. μ

George Wells has been interested in computing since his high school days. He presently works at the Jet Propulsion Lab in Pasadena. Here he is employed in the instrumentation department where he makes custom designs for 6502-based systems microprocessors.

His wife, Marilyn, a registered nurse, does not share George's enthusiasm for computing, although their son, Bradley, age 5, loves to push the buttons. We understand that Bradley knows where the 'return' is located.

>ASSEMBLY LISTING

Address	Label	Code	Comment
010E-20 9F C4	BASIC.PACK	JSR IN.RAM.PNT	INITIALIZE GET.RAM POINTER
0111-85 7E	STA	←OUT.POINT+1	COPY TO OUTPUT POINTER
0113-A5 D3	LDA	←GET.RAM+7	
0115-85 7D	STA	←OUT.POINT	
0117-A2 F0	RST.STACK	LDX #3FD	RESET STACK POINTER
0119-9A	TXS		
011A-A0 00	LDY #0		ALLOW GET.RAM TO GET SPACES
011C-84 DC	STY	←GET.RAM+16	
011E-20 CC 00	COPY.4BYTE	JSR GET.RAM	COPY FOUR BYTES (POINTER
0121-C8	INY		PLUS LINE NUMBER)
0122-91 7D	STA	(OUT.POINT)+Y	
0124-C0 04	CPY	#4	
0126-90 F6	BCC	COPY.4BYTE	CARRY SET NEEDED LATER
0128-A9 EF	LDA	←\$EF	RESTORE GET.RAM TO IGNORE
012A-85 DC	STY	←GET.RAM+16	SPACES
012C-A0 02	LDY	#2	CHECK FOR END OF PROGRAM
012E-B1 7D	LDA	(OUT.POINT)+Y	
0130-00 12	BNE	NEW.LINE	BRANCH IF NOT EOP
0132-98	TYA		A=Y-2 AND CARRY IS SET
0133-65 7D	ADC	←OUT.POINT	ADD 3 TO OUTPUT POINTER
0135-85 7D	STA	←OUT.POINT	
0137-90 02	BCC	#+3	PROPAGATE CARRY
0139-E6 7E	INC	←OUT.POINT+1	RESET BASIC POINTERS
013B-20 6D C4	JSR	RST.BAS.PN	FIX PROGRAM LINE POINTERS
013E-20 2C C3	JSR	FIX.LIN.PN	ENTER BASIC
0141-4C 7E C2	JMP	BASIC.WARM	
0144-A0 04	MEM.LINE	LDY #4	SET Y TO FIRST BYTE IN LINE
0146-20 BE 01	NEXT.BYTE	JSR GET.NEXTC0	GET NEXT BYTE (COPY QUOTES)
0149-C8	CONT.BYTE	INY	OUTPUT NEXT BYTE
014A-91 7D	STA	(OUT.POINT)+Y	
014C-80 0D	BCC	COLON.TEST	BRANCH IF NOT NUMERICAL
014E-20 B7 01	NUMERICAL	JSR GET.OUTPUT	GET AND OUTPUT ANOTHER BYTE
0151-90 F8	BCC	NUMERICAL	CONT TO LOOP IF NUMERICAL
0153-C9 2E	CMP	#.	TEST FOR DECIMAL AND
0155-F0 F7	BEO	NUMERICAL	CONT LOOP IF SO
0157-C9 45	CMP	#E	TEST FOR EXPONENT PART OF
0159-F0 EB	BEO	NEXT.BYTE	NUMERICAL AND BRANCH IF SO
015B-C9 3A	COLON.TEST	CMP #:	TEST FOR COLON AND
015D-00 0A	BNE	REM.TEST	BRANCH IF NOT
015F-88	DEY		TEST FOR FIRST CHAR COLON
0160-C0 04	CPY	#4	
0162-F0 E2	BEO	NEXT.BYTE	AND IGNORE IF SO
0164-D1 7D	OMP	(OUT.POINT)+Y	TEST FOR COLON PAIR AND
0166-F0 DE	BEO	NEXT.BYTE	IGNORE IF SO
0168-C8	INY		OTHERWISE, ACCEPT COLON
0169-C9 8E	CMP	#REM	CHECK IF REM TOKEN
016B-D0 2A	BNE	DATA.TEST	AND BRANCH IF NOT
016D-88	DEY		IGNORE REM AND
016E-88	DEY		PREVIOUS CHAR (COLON)
016F-20 D2 01	JSR	GET.NONBLK	INPUT TO END OF LINE
0172-4C 6F 01	JMP	FIND.EOL	DO NOT OUTPUT
0175-C8	OUTPUT.EOL	INY	OUTPUT END OF LINE
0176-91 7D	STA	(OUT.POINT)+Y	
0178-C0 06	CPY	#6	TEST FOR NULL LINE AND
017A-90 98	BCC	RST.STACK	START NEW LINE IF SO
017C-98	TYA		CALCULATE OUTPUT POINTER
017D-18	CLC		FOR NEXT LINE
017E-65 7D	ADC	←OUT.POINT	
0180-85 7D	STA	←OUT.POINT	
0182-90 93	BCC	RST.STACK	
0184-E6 7E	INC	←OUT.POINT+1	START NEW LINE
0186-80 8F	BCC	RST.STACK	PROPAGATE CARRY
			(ALWAYS)
0188-46 DA	DATA.SPACE	LSR	←GET.RAM+14
018A-20 B7 01	DATA.CONT	JSR	GET.OUTPUT
018C-09 2C	OMP	#.	TEST FOR END OF STRING
018F-F0 F9	BEO	DATA.CONT	AND BRANCH IF SO
0191-C9 3A	CMP	#:	TEST FOR END OF STATEMENT
0193-F0 B1	BEO	NEXT.BYTE	AND BRANCH IF SO
0195-D0 E1	BNE	DATA.SPACE	ELSE, ALLOW EMBEDDED SPACES
0197-C9 83	DATA.TEST	OMP	#DATA
0199-F0 EF	BEO	DATA.CONT	CHECK IF DATA TOKEN
			BRANCH IF SO
019B-20 E9 CE	ALPHA.TEST	JSR	TEST.ALPHA
019E-90 A6	BCC	NEXT.BYTE	TEST IF CHAR IS ALPHA AND
01A0-20 B7 01	JSR	GET.OUTPUT	BRANCH IF NOT VARIABLE NAME
01A3-90 05	BCC	FIND.EOL	GET AND OUTPUT ANOTHER BYTE
01A5-20 E9 CE	JSR	TEST.ALPHA	BRANCH IF NUMERICAL
01A8-90 B1	BCC	COLON.TEST	TEST IF ALPHA
			BRANCH IF EOL-SINGLE ALPHA
01AA-20 D2 01	FIND.EOL	JSR	GET.NONBLK
01AD-90 F8	BCC	FIND.EOL	FIND END OF VARIABLE NAME
01AF-20 E9 CE	JSR	TEST.ALPHA	BRANCH IF NUMERICAL
01B2-80 F6	BCC	FIND.EOL	
01B4-38	SEC		BRANCH IF ALPHA
01B5-80 92	BCC	CONT.BYTE	(TO TAKE NEXT TWO BRANCHES)
			END OF VARIABLE NAME
01B7-20 BE 01	SET.OUTPUT	JSR	GET.NEXTC0
01BA-C8	INY		GET NEXT BYTE (COPY QUOTES)
01BB-91 7D	STA	(OUT.POINT)+Y	AND OUTPUT IT
01BD-60	RTS		
01BE-20 D2 01	SET.NEXTC0	JSR	GET.NONBLK
01C1-00 1F	OUT.QUOTES	BNE	RTS
01C3-C8	INY		GET NEXT CHAR-ALLOW SPACES
01C4-91 7D	STA	(OUT.POINT)+Y	BRANCH IF NOT END-QUOTE
01C6-20 D0 01	JSR	GET.CHAR	
01C9-D0 F8	BNE	OUT.QUOTES	OUTPUT END-QUOTE
01CB-C8	INY		(ALWAYS) CONT TO GET CHAR
01CC-91 7D	STA	(OUT.POINT)+Y	
01CE-D0 02	BNE	GET.NONBLK	
0169-C9 8E	REM.TEST		
016B-D0 2A			
016E-88			
016F-20 D2 01	FIND.EOL		
0172-4C 6F 01			
0175-C8	OUTPUT.EOL		
0176-91 7D			
0178-C0 06	CPY #6		
017A-90 98	BCC RST.STACK		
017C-98	TYA		
017D-18	CLC		
017E-65 7D	ADC ←OUT.POINT		
0180-85 7D	STA ←OUT.POINT		
0182-90 93	BCC RST.STACK		
0184-E6 7E	INC ←OUT.POINT+1		
0186-80 8F	BCC RST.STACK		
0188-46 DA	DATA.SPACE	LSR ←GET.RAM+14	
018A-20 B7 01	DATA.CONT	JSR GET.OUTPUT	
018C-09 2C	OMP #.		
018F-F0 F9	BEO DATA.CONT		
0191-C9 3A	OMP #:		
0193-F0 B1	BEO NEXT.BYTE		
0195-D0 E1	BNE DATA.SPACE		
0197-C9 83	DATA.TEST	OMP #DATA	
0199-F0 EF	BEO DATA.CONT		
019B-20 E9 CE	ALPHA.TEST	JSR TEST.ALPHA	
019E-90 A6	BCC NEXT.BYTE		
01A0-20 B7 01	JSR GET.OUTPUT		
01A3-90 05	BCC FIND.EOL		
01A5-20 E9 CE	JSR TEST.ALPHA		
01A8-90 B1	BCC COLON.TEST		
01AA-20 D2 01	FIND.EOL	JSR GET.NONBLK	
01AD-90 F8	BCC FIND.EOL		
01AF-20 E9 CE	JSR TEST.ALPHA		
01B2-80 F6	BCC FIND.EOL		
01B4-38	SEC		
01B5-80 92	BCC CONT.BYTE		
01B7-20 BE 01	SET.OUTPUT	JSR GET.NEXTC0	
01BA-C8	INY		
01BB-91 7D	STA (OUT.POINT)+Y		
01BD-60	RTS		
01BE-20 D2 01	SET.NEXTC0	JSR GET.NONBLK	
01C1-00 1F	OUT.QUOTES	BNE RTS	
01C3-C8	INY		
01C4-91 7D	STA (OUT.POINT)+Y		
01C6-20 D0 01	JSR GET.CHAR		
01C9-D0 F8	BNE OUT.QUOTES		
01CB-C8	INY		
01CC-91 7D	STA (OUT.POINT)+Y		
01CE-D0 02	BNE GET.NONBLK		

```

01D0- 46 DA      GET NEXT CHAR FROM RAM      LSR  *GET.RAM+14
      <ALLOW SPACES>
01D2- 20 CC 00   GET NEXT CHAR FROM RAM      GET.NONBLK JSR GET.RAM
      <SKIP SPACES>
01D5- 48          DISALLOW SPACES AGAIN      PHA
01D6- A9 20      LDA #                         LDA #
01D8- 85 DA      STA *GET.RAM+14             STA *GET.RAM+14
01DA- 68          PLA                          PLA
01DB- F0 98      BEQ OUTPUT.EOL              BEQ OUTPUT.EOL
01DD- 90 03      BCC RTS                       BCC RTS
01DF- C9 22      CMP #                         CMP #
01E1- 38          SEC                          SEC
01E2- 60          RTS                          RTS
      .EN

LABEL FILE: [ / = EXTERNAL ]

</OUT.POINT=007D
</FIX.LIN.PN=C32C
</TEST.ALPHA=CEE9
BASIC.PACK=010E
NEW.LINE=0144
NUMERAL=014E
FIND.EDL=016F
DATA.CONT=018A
FIND.EDN=01AA
OUT.QUOTES=01C3
RTS=01E2
>
</GET.RAM=000C
</RT.BAS.PN=C46D
</REM=008E
RTS.STACK=0117
NEXT.BYTE=0146
COLON.TEST=015B
OUTPUT.EDL=0175
DATA.TEST=0197
GET.OUTPUT=01B7
GET.CHAR=01D0
>
</BASIC.WARM=C27E
</IN.RAM.PNT=C49F
</DATA=0083
COPY.4BYTE=011E
CONT.BYTE=0149
REM.TEST=0169
DATA.SPACE=0188
ALPHA.TEST=019B
GET.NEXTCO=01BE
GET.NONBLK=01DE

```

OBJECT LISTING

```

.V 10E-1E2
010E 20 9F C4 85 7E A5 D3 85*83
0116 7D A2 FD 9A A0 00 84 0C*39
011E 20 CC 00 C8 91 7D C0 04*BF
0126 90 F6 A9 EF 85 DC A0 02*E0
012E B1 7D D0 12 98 65 7D 85*EF
0136 7D 90 02 E6 7E 20 6D C4*B3
013E 20 2C C3 4C 7E C2 A0 04*F2
0146 20 BE 01 C8 91 7D B0 0D*64
014E 20 B7 01 90 FB C9 2E F0*FE
0156 F7 C9 45 F0 EB C9 3A D0*61
015E 0A 88 C0 04 F0 E2 D1 7D*D7
0166 F0 DE C8 C9 8E D0 2A 88*46
016E 88 20 D2 01 4C 6F 01 C8*45
0176 91 7D C0 06 90 98 98 18*F4
017E 65 7D 85 7D 90 93 E6 7E*5F
0186 B0 8F 46 DA 20 B7 01 C9*5F
018E 2C F0 F9 C9 3A F0 B1 D0*E8
0196 F1 C9 83 F0 EF 20 E9 CE*08
019E 90 A6 20 B7 01 90 05 20*9E
01A6 E9 CE 90 B1 20 D2 01 90*19
01AE FB 20 E9 CE B0 F6 38 B0*79
01B6 92 20 BE 01 C8 91 7D 6D*20
01BE 20 D2 01 D0 1F C8 91 7D*D8
01C6 20 D0 01 D0 F8 C8 91 7D*67
01CE D0 02 46 DA 20 CC 00 48*8D
01D6 A9 20 85 DA 68 F0 98 90*35
01DE 03 C9 22 38 60*BE
70BB
> 32 31,10E-1E2

```

LIST

```

100 REM
110 REM
120 :
130 REM
140 REM
150 REM
160 :
170 :
180 :
190 REM
200 REM
210 REM
220 :
240 REM
250 REM
260 PRINT "END OF LOOP"
270 REM
280 REM
290 DATA ONE, TWO, THREE, FOUR
300 DATA FIVE, SIX, SEVEN, EIGHT
310 DATA " THIS SENTENCE IS ONE STRING.
320 DATA " THIS ONE HAS LEADING SPACES.
330 REM
340 REM
350 A = 6.02 E23
360 REM
370 A = 6.02 E23
380 REM
390 REM
400 REM
410 REM
420 REM
430 5070 420
OK
LOAD 1
LOADED
OK
?USR (270,0)
OK
LIST
160 FOR I=1 TO 10
170 F(I)=MI(I)+LAI
180 NEXT I
260 PRINT "END OF LOOP"
290 DATA ONE, TWO, THREE, FOUR
300 DATA FIVE, SIX, SEVEN, EIGHT
310 DATA THIS SENTENCE IS ONE STRING.
320 DATA " THIS ONE HAS LEADING SPACES."
350 A=6.02E23
370 A=6.02E23
430 5070 420
OK

```

** THIS IS A SAMPLE PROGRAM TO
 ** ILLUSTRATE HOW 'PACK' WORKS.
 PACK REMOVES UNNEEDED SPACES AND
 COLONS AND SHORTENS UP VARIABLE
 NAMES.
 FOR I = 1 TO 10
 FIRST(I) = MIDDLE(I) + LAST(I)
 NEXT I : REM EXTRA COLONS
 PACK DELETES NULL LINES
 NULL LINES ARE THOSE THAT HAVE
 NO EXECUTABLE STATEMENTS IN THEM.
 REM SUCH AS THIS ONE.
 PACK WILL ALLOW SPACES BETWEEN
 PAIRS OF QUOTES.
 PACK WILL ALLOW SIGNIFICANT
 SPACES IN DATA STATEMENTS.
 TWO, THREE, FOUR
 SIX, SEVEN, EIGHT
 THIS SENTENCE IS ONE STRING.
 THIS ONE HAS LEADING SPACES.
 PACK WILL NOT CONFUSE THE 'E' IN
 A CONSTANT WITH A VARIABLE NAME:
 A = 6.02 E23
 --COMPARE THE ABOVE WITH THE BELOW:
 *****WARNING*****
 MAKE SURE ALL LINE REFERENCES ARE
 TO LINES WITH EXECUTABLE STATEMENTS
 EXAMPLE: THE FOLLOWING LINE WILL
 PRODUCE AN ERROR.
 430 5070 420

DATA CAPTURE 3.0

Is DATA CAPTURE just another smart terminal program for your Apple II™ or Apple II Plus™?

NO. It is a GENIUS TERMINAL PROGRAM and is designed to be used with the Micromodem II™.

Tired of watching data and programs scroll off the screen forever? Then DATA CAPTURE is the program for you.

- ANYTHING that appears on the screen of your Apple II can be captured. Any program or data.
- You can then save what you have captured to disk, dump it to your printer or even do simple editing with DATA CAPTURE.
- You can use DATA CAPTURE to compose text offline for later transmission to another computer. Think of the timeshare charges this will save you.
- Use DATA CAPTURE with the Dan Paymar Lower Case Adapter and you can enter lower case from the keyboard for transmission to another computer or capture both upper and lower case.
- A program is also included to convert your programs to text files for transmission using DATA CAPTURE.
- You receive two versions of the program. One is for upper case only and one for both upper and lower case use with the above adapter.

DATA CAPTURE will save you money if you are using a timesharing system because you can compose messages offline for later transmission. You can also quickly capture data for later reading, printing or editing. Requires DISK II™, APPLESOFT II™.

Price \$29.95

If your local dealer does not have DATA CAPTURE then order directly. We ship DATA CAPTURE within 3 working days of receipt of order and welcome your personal check. We also accept Visa and Master Charge. Add \$49.95 if you would also like to order the Dan Paymar Lower Case Adapter at the same time.

Ask for a catalog of our software.

* Apple II, Apple II Plus, Disk II and APPLESOFT II are trademarks of Apple Computer Company.

* Micromodem II is a trademark of D.C. Hayes Associates, Inc.

SOUTHEASTERN SOFTWARE

7270 Culpepper Drive
New Orleans, LA 70126

504/246-8438 504/246-7937

Share Your AIM Programs

Two features of the AIM, its 20 character printer and its built-in disassembler, are both a blessing and a bother. Together they make it very easy to dump uncommented listings. This program provides a method for combining the disassembler output with comments.

Jody Nelis

I've always had a problem sharing machine language programs while working with a small system. To publish a program you need a hard copy listing which can be photo graphically reproduced. Even though my programs are fully documented, they are all in a hand written form and not submissible for publication.

Hand typed program listings are notorious for small significant errors. For that reason, most publishers require a program listing produced by the system it is running on. Even if I could get a hand typed listing accepted, it would probably take me longer to prepare it for publication than it took to write it. Fast, accurate typing is just not one of my finer points.

The AIM is one up on many of the other single board systems in that it allows an error free mini-disassemble format and it has an on board printer to save the listings. It, however, lacks the ability to provide labels and comments with the listing. I feel that every published program should be fully documented to make it understandable. Full documentation also makes it useful to readers with other systems.

Many publishers agree with my feelings and don't publish hex dumps or AIM mini-disassemble listings. For lack of any easy way of preparing a program listing, a lot of good programming remains buried in my files and your files. Much of it

is probably labeled and commented but, like mine it is in an unsubmitable form.

The program presented here will eliminate this frustration. Using this program, you can prepare a fully labeled and commented hard copy program listing with a minimum of effort. It will merge your working program in RAM with your labels and comments in the AIM text editor into a pseudo-standard format and output a fully documented listing to an external printer. You will have no excuse for keeping your programs in the closet!

Program Overview

To run this program you should have your AIM populated to 4K of RAM. However, it can be done with as little as 2K. You will need access to an external printer with a minimum of 60 characters per line. If you don't have such a printer, you could save this program, your program, and your program comments on cassette using your AIM, and take them to a friend's house to be printed on his AIM and printer combination. A publisher with an AIM and printer combination could also prepare a publishable listing from your cassette and instructions. The on board AIM can be used for editing your listing prior to making a final tape.

This program, which I shall call MERGE for short, occupies the last two pages of the onboard 4K RAM block. It is easily relocatable to suit

your system by changing only the JSR and JMP arguments. It should reside in the top two pages of your system RAM.

When you have your particular program (which I will call the subject program) debugged and running the way it should, you are ready to prepare a documented listing. The normal AIM text editor commands are used to enter, edit and finalize the labels and comments for your subject program. This includes the use of the salvation of all poor typists the DELETE key! A coded entry is used to pack as much as possible into a limited capacity system.

MERGE will accommodate long label and comment listings by allowing multiple listings of editor data to cassette. Later, these blocks of data may be read back into the editor one at a time for use by MERGE.

MERGE is written for a continuous roll feed printer. It provides automatic paging with top and bottom margins for standard eleven inch sheets. Your program title and a sequential page number is printed at the top of each sheet except the first.

Once you have MERGE and your subject program loaded and your labels and comments finalized and loaded in the text editor, MERGE will print out the documented program listing. It will be 100% correct as far as your subject program code is concerned and 99 to 100% correct

as far as the labels and comments are concerned. The possible 1% error allowed is to cover a human-type operator's failings in proof reading the final listing.

Why This Program Was Written

Before undertaking the fun(?) of preparing this program, I took a quick look around to see if the answer already existed. If it does, it escaped me.

I looked into the AIM 4K Assembler ROM since there is a socket in my AIM all ready for it. From what I could gather, it is a dandy assembler but it's final listing is in two parts. While a source code listing and an object code listing could be worked together, it was not the solution I was after.

While I didn't scour the earth looking, I didn't run across anyone else making a ROM or EPROM which would plug into the assembler socket and do the job I wanted. And I didn't put much effort into examining any assembler-disassembler packages which would load into RAM since I don't have enough RAM to work with.

Trying to type the program listing into the text editor the way I wanted it to appear would just be a sneaky way of manually typing it. Not only would I make mistakes, but I would also pull my hair out trying to tab the columns while using the 20 character display. There also remained the problem of limited RAM. Spaces have a way of eating up editor RAM.

After throwing out all of these alternates out, it came down to the same old story; if you want it and can't find it, write it yourself!

Program Description

MERGE, as presented here, represents an effort to create a good structured, top down program. I utilized subroutine calls freely to allow easy extraction if any routines should be of value in future programming efforts. I tried to use a lot of relative branching to make the program relocatable with a minimum of argument changes.

All of my subject programs seem

to start at 0200 and grow upward as required. There is, ofcourse, a variable upper limit. Since my subject programs start at the bottom of the useful RAM, I put MERGE in the top of my RAM. It occupies 509 bytes from 0E00 to 0FFC.

This leaves a block of continuous RAM available between the top of the subject program and 0DFF. This block is used by the AIM text editor to prepare the labels and comments for the subject program. To make maximum use of this limited text editor capacity, the text is condensed to eliminate spaces and semicolons wherever possible.

Figure 1 is the subroutine TITLE listed by the AIM monitor "K" command. Figure 2 is a text editor listing of the labels and comments I have prepared to accompany this subroutine. As you can see, the data in figure 2 is quite condensed to conserve any wasted space.

```
K>* = 0E66
/ 11
0E66 A2 LDX #0F
0E68 20 JSR 0F7A
0E6B 20 JSR 0ECE
0E6E A0 LDY #00
0E70 B1 LDA (00),Y
0E72 C9 CMP #0D
0E74 F0 BEQ 0E79
0E76 20 JSR 0F6A
0E79 20 JSR E9F0
0E7C 20 JSR 0ECE
0E7F 60 RTS
```

Figure 1: Aim Mini-Disassemble Format Listing of 'Title' Subroutine

Figure 3 is the marriage of the two listings performed by MERGE. The condensed label and comment data has been separated and tabbed into the correct columns. The comments have been co-ordinated with the disassembly listing so that they fall on the correct lines.

The rules for inputting the label and comment data into the AIM text editor are spelled out in figure 4. It may appear complex and confusing at first, but, actually it is really quite easy to get the hang of it. If any errors are made in inputting the data or line codes, the printout will soon show it. Corrections are easily made

using the standard AIM text editor commands.

The complete program is listed in figure 5. MERGE has been used to produce it's own listing. Every available feature has been used and is illustrated in the listing.

The beauty of a fully labeled and commented program listing is that it pretty much tells it's own story. I need only comment on a few highlights of the various features here in the text.

The initialization portion of the listing sets as many registers as it can to their start values. Since the start address for the text editor varies with the size of the subject program, MERGE requests this information from the operator each time it is entered or re-entered with the prompt: "FROM = ". When a four digit address is entered from the keyboard followed by RETURN, the text editor start address is stored in a register and MERGE starts outputting data.

The brains for MERGE reside in the MAIN CONTROL LOOP which analyzes the first character of each data line in the text editor. It decodes the first character and calls upon the proper subroutine to format and print that line until the CR signifying the end of the line is encountered. The program then returns to the MAIN CONTROL LOOP to handle succeeding lines similarly. When the text editor end of data marker (00) is found, MERGE exits to the AIM monitor. If more data exists to finish the program listing, the text editor is reloaded from tape and MERGE is re-entered in a way not to disturb any of the paging registers. MERGE commences to print the new data until it once again finds an end of data marker.

The CHANGE DISASSEMBLE ADDRESS SUBROUTINE provides the co-ordination between the data in the text editor and the subject program. When an asterix followed by a four digit hex address is encountered in a line in the editor, the pointers to the next instruction to be disassembled are changed to that address. Otherwise, the next consecutive program step is disassembled.

```

T>
;TITLE SUBROUTINE
=<L>
/17
OUT=
;TITLE SUBROUTINE
;TABS PRINTER TO START ON THE 16TH
                                SPACE
;PRINTS UNTILL A "CR" IS FOUND
*0E66
TITLE
  SPACESTAB OVER 15 SPACES
TITLE1INCPNT

  TELS B IF NEXT CHARACTER
  IS NOT "CR", PRINT
  END LINE UNTILL "CR" IS FOUND
  PRIOUT
END CRLF DO A CRLF
  INCPNTAND RETURN
END
=<Q>
<

```

Figure 2: Aim text Editor Listing of Labels and Comments Prepared for 'Title' Subroutine

Automatic paging with titles and page numbers is provided by subroutine PAGE. The routine is written to provide top and bottom margins for a standard eleven inch long page with six lines per inch. If your printer uses any other line spacing, you will have to adjust the argument for the instruction at 0E9B which determines if it is time to start a new page or not. Make a corresponding change to the argument for the instruction at 0E00 which initializes PAGE for six line feeds prior to starting the first page. It should be one less than the byte at 0E9B.

As fully explained in figure 4, re-entering MERGE with multiple text editor loads of labels and comments may be required when doing long programs with short memory. A cut and splice must be performed on the printout to eliminate the extraneous lines of data printed when re-entering. When the copy has been spliced, the paging continuity is restored. If for some reason, you want a continuous listing without the paging feature, NOP the JSR PAGE at 0E19.

I've found that the secret to getting the most out of a small system like the AIM is by being familiar with

the monitor ROM. I use as many subroutine calls to the monitor as I can to keep my programs short. While monitor subroutines are easy to get into, they don't always exit just when you want them to. When that happens, lift out the portions of the routine that you can use and rewrite it into your program. I've used portions of the monitor code, massaged to suit my needs, in my subroutines MERGE and ASCII TABLE PRINTOUT. I'm actually utilizing portions of the monitor "K" and "M" commands to achieve my listing. I had to handle their entry and exit differently and also control the pointers differently to get my desired results.

A very useful subroutine is MESSAGE. I use this routine regularly for prompts and comments in my interactive programs. It was derived from an almost identical monitor routine. The monitor routine, however, is locked into a message table in ROM and is of no use for direct subroutine calls. Put it in RAM as I have done. Set up your message table somewhere else in RAM and call with X set to the start of the message you want. MESSAGE will sequentially output the bytes in the table to the display/printer until it encounters a

stop byte. The stop byte will have it's MSB set to a one. For example, an ASCII space is 20 hex. To make this a stop byte, change it to a A0 hex in the table. A message table can be up to 256 characters long using indexed addressing or longer using indirect indexed addressing. Type ASCII messages into the memory table using the AIM text editor normally. Then go back and locate the end of the individual messages using the "M" command. Change the last byte of each message to a stop byte with "/" command.

No special tricks are used in MERGE; it fit into the two pages I had allocated for it without having to get fancy. By keeping all of the subroutines intact and separate, and maybe even a little redundant in places, it should be easier to follow and understand.

Operating Instructions

Type in Merge from figure 5 and save 006 to 0015, 010C to 0111 and 0E00 to 0FFC on tape. The F2 key has been initialized for initial entry of MERGE. The F1 key has been initialized for the re-entry point when using multiple text editor data loads. Refer to figure 4 for complete operating instructions.

Subheading: Further Enhancements

Since MERGE relies on finding coded data in the text editor and merely processes it to the desired format, there is not much more you could do with it. You could adjust the tab locations to get wider titles or maybe let MERGE format the MONITOR EQUATES and REGISTERS USED sections. I chose to do them manually to avoid having too many confusing input coding designations. You could change the "CONTROL S" code to a "CONTROL B" code if that helps you remember a blank line easier.

If you have your tape recorder running under remote control, you could write a patch which would let MERGE reload the text editor with a new section of data when required. This would save you the chore of doing it manually each time. You would have to tape all of the data sections in the proper sequence. They would all have to be loaded in-

to the editor at the same start address. Add another flag at the end of the last data section to let MERGE know that it was totally finished with the listing and may exit to the AIM monitor. With 110 baud printers and long programs, you could start MERGE up and walk away for hours while it prints. Maybe you could even visit your family for a while!

Another possibility might be a small program to control the data input into the editor. It would be handy to control the maximum comment length to avoid exceeding the width

of your printer. This could reside in the same RAM location that MERGE resides in since only one at a time would be used.

Summary

With the availability of MERGE, every AIM-65 owner now has a memory efficient and easy to use means of listing his fully documented program. MERGE will be usefull to you even if you don't have an external printer. Your subject program, your labels, comments and MERGE can all be saved

on cassette. Another AIM owner with a printer or a publisher with an AIM/printer can then produce the publishable listing from your cassette.

Sharing programs benefits us all. If we can eliminate duplicate efforts, we can concentrate on a new application. I'm looking forward to seeing your favorite program in print. While I probably won't be able to use all of them exactly as written, I am sure I'll learn a programming trick or two and be able to lift some of your subroutines out for my use. Get them documented and listed by MERGE and get them in the mail.

1>FROM=0200

Figure 3: Formatted Listing of 'Title' Subroutine Produced by 'MERGE'. Date in Figure 1 and Figure 2 has been combined

```

;TITLE SUBROUTINE
;TABS PRINTER TO START ON THE 16TH SPACE
;PRINTS UNTILL A "CR" IS FOUND
*=0E66
TITLE 0E66 A2 LDX #0F
      0E68 20 JSR 0F7A SPACES ;TAB OVER 15 SPACES
TITLE1 0E6B 20 JSR 0ECE INCPNT
      0E6E A0 LDY #00
      0E70 B1 LDA (00),Y TELSBS ;IF NEXT CHARACTER
      0E72 C9 CMP #0D ;IS NOT "CR", PRINT
      0E74 F0 BEQ 0E79 END ;LINE UNTILL "CR" IS FOUND
      0E76 20 JSR 0F6A PRIOUT
END 0E79 20 JSR E9F0 CRLF ;DO A CRLF
     0E7C 20 JSR 0ECE INCPNT ;AND RETURN
     0E7F 60 RTS

```

<

Figure 4

```

MERGE COMMENTS WITH DISASSEMBLY
*****

MERGES LABELS UP TO 6 CHARACTERS
AND COMMENTS UP TO 35 CHARACTERS
WITH AIM MINI DISASSEMBLE FORMAT
FOR PRINTING TO EXTERNAL PRINTER
USING 8 1/2" WIDE CONTINUOUS
FEED ROLL PAPER-PROVIDES PAGING

BY JODY NELIS, K3JZU
DECEMBER, 1979

REGISTERS USED
*****
0000 TELSBS ;TEXT EDITOR POINIER
0001 TEMSB ;TEXT EDITOR POINIER
0002 LCOUNT ;LINE COUNTER
0003 PCOUNT ;PAGE COUNTER
0004 TITLSB ;TITLE POINTER
0005 TITMSB ;TITLE POINTER
000A LENGTH ;BYTES IN ARGUMENT
A415 CURPOS ;CURSOR POSITION
A419 COUNT ;DISASSEMBLE LINE COUNT
A41C ADDR ;ADDRESS POINTER
A41D ADDR+1 ;ADDRESS POINTER
A425 SAVFC ;PROGRAM COUNTER SAVE
A426 SVPC+1 ;PROGRAM COUNTER SAVE

```

```

MONITOR EQUATES
*****
E1A1 COMIN ;RETURN TO MONITOR
E610 NXT4 ;PRINT NEXT 4 BYTES
E615 NOW4 ;PRINT 4 BYTES
E7A3 FROM ;INPUT 4 DIGIT ADR
E7D8 EQUAL ;OUTPUT = SIGN
E83B BLANK2 ;OUTPUT 2 SPACES
E83E BLANK ;OUTPUT 1 SPACE
E97A OUTPUT ;OUTPUT ASCII BYTE
EA46 NUMA ;OUTPUT HEX BYTE
EAB4 PACK ;2 ASCII BYTES INTO 1 HEX BYTE
EB44 CLR ;CLEAR DISPLAY POINTER
EF90 CRLF ;OUTPUT A CRLF
F46C DISASM ;DISASSEMBLE 1 LINE

*=010C
;INITIALIZE USER KEYS
F1 010C 4C JMP 0E5F RE-ENT ;RE-ENTER MAIN ROUTINE
F2 010F 4C JMP 0E00 ENTER ;ENTER MAIN ROUTINE

*=0E00
;INITIALIZE REGISTERS
INIT 0E00 A9 LDA #39 ;SET UP LINE COUNTER
     0E02 85 STA 02 LCOUNT ;FOR INITIAL FEED
     0E04 A9 LDA #00
     0E06 85 STA 03 PCOUNT ;SET PAGE COUNTER TO ZERO
RENTER 0E08 20 JSR E7A3 FROM
       0E0B A0 LDA A41C ADDR ;GET THE TEXT EDITOR

```

Continued on page 29

ALL THE MEMORY YOUR AIM - SYM - KIM WILL NEED **EVER!**


16 or 32K RAM Addressable in 4K segments

REGULATORS

Prototyping area with separate connector space.

8 to 16K EPROM
[Eprom not included.]

Two 6522
VIA 1/0 CHIPS



EPROM PROGRAMMER
[2716, 2732, or 2532]

U.S./Canada
Price: 16K \$295
32K \$395

plus shipping
Foreign prices slightly higher.


THE COMPUTERIST, INC.

34 Chelmsford St.
Chelmsford, MA. 01824
617/256-3649

Write for 1980 catalog.

DRAM PLUS™

PERFECT AIM



ATTRACTIVE FUNCTIONAL PACKAGING FOR YOUR AIM-65 MICROCOMPUTER

- Professional Appearance
- Striking Grey and Black Color Combination
- Protects Vital Components

ENGINEERED SPECIFICALLY FOR THE ROCKWELL AIM-65

- All Switches Accessible
- Integral Reset Button Actuator
- Easy Paper Tape Replacement

EASILY ASSEMBLED

- Absolutely No Alteration of AIM-65 Required
- All Fasteners Provided
- Goes Together in Minutes

MADE OF HIGH IMPACT STRENGTH THERMOFORMED PLASTIC

- Kydex 100*
- Durable
- Molded-In Color
- Non-Conductive

AVAILABLE FROM STOCK

- Allow Three to Four Weeks for Processing and Delivery
- No COD's Please
- Dealer Inquiries Invited

TO ORDER: 1. Fill in this Coupon (Print or Type Please)
2. Attach Check or Money Order and Mail to:

NAME _____

STREET _____

CITY _____

STATE _____ ZIP _____

SAE 1-1 PLEASE SHIP PREPAID _____ SAE 1-1(s)
@ \$43.50 each

California Residents Please Pay
\$46.33 (Includes Sales Tax)

SAE 1-2 PLEASE SHIP PREPAID _____ SAE 1-2(s)
@ \$46.50 each

California Residents Please Pay
\$49.52 (Includes Sales Tax)

enclosures group

771 bush street
san francisco, california 94108

*TM Rohm & Hass

Patent Applied For


```

0E0E 85 STA 00          ;START ADDR AND PUT
0E10 85 STA 04          ;II IN THE REGISTERS
0E12 AD LDA A41D
0E15 85 STA 01          ;EMSB
0E17 85 STA 05          ;IIMSB

;MAIN CONTROL LOOP
;EXAMINE THE FIRST CHARACTER OF EACH LINE
;AND DETERMINE THE PROPER PRINTING FORMAT
;STAKE NEW PAGE AS REQ'D
MAIN 0E19 20 JSR 0E97    PAGE
      0E1C A0 LDY #00
      0E1E H1 LDA (00),Y ;GET FIRST CHAR IN LINE
      0E20 C9 CMP #13
      0E22 D0 BNE 0E2A   ;PRINT OUT BLANK LINE
      0E24 D0 JSR 0E80   ;IF II IS A CONTROL "S"
      0E27 4C JMP 0E19   MAIN
      0E2A C9 CMP #2A
      0E2C D0 BNE 0E34   CONTRA ;INPUT DISASSEMBLE START
      0E2E 20 JSR 0E05   ADDRIN ;ADDRESS IF II IS AN ASTRIX
      0E31 4C JMP 0E19   MAIN
      0E34 C9 CMP #01
      0E36 D0 BNE 0E3E   SEMCOL ;PRINT OUT ASCII TABLE LINE
      0E38 20 JSR 0E14   ASCII  ;IF II IS A CONTROL "A"
      0E3B 4C JMP 0E19   MAIN
      0E3E C9 CMP #3B
      0E40 D0 BNE 0E48   CONIKI ;IAB IN & PRINT COMMENT
      0E42 20 JSR 0E00   COMENI ;LINE IF II IS A "J"
      0E45 4C JMP 0E19   MAIN
      0E48 C9 CMP #14
      0E4A D0 BNE 0E52   ENDR   ;IAB IN & PRINT TITLE LINE
      0E4C 20 JSR 0E66   TITLE  ;IF II IS A CONTROL "I"
      0E4F 4C JMP 0E19   MAIN
      0E52 C9 CMP #00
      0E54 F0 BEQ 0E5C   ENDDIS ;RETURN TO MONITOR IF END
      0E56 20 JSR 0E81   MERGE  ;DISASSEMBLE LINE AND
      0E59 4C JMP 0E19   MAIN   ;MERGE COMMENTS
      0E5C 4C JMP 0E1A   COMIN  ;RETURN TO MONITOR

;RE-ENTER MAIN CONTROL LOOP
;USED WHEN MEMORY WILL NOT HOLD ALL
;OF THE COMMENTS AND LABELS AT ONCE
;FIRST LINE OF ALL SECTIONS MUST BE THE TITLE;
RE-ENI 0E5F 20 JSR 0FF6  ;PATCH2 ;DECREMENT LINE COUNT SO TITLE
      0E62 EA NOP
      0E63 4C JMP 0E08   ;RETURN

;TITLE SUBROUTINE
;IAB5 PRINTER TO START ON THE 16TH SPACE
;PRINTS UNTILL A "CR" IS FOUND
TITLE 0E66 A2 LDX #0F
      0E68 20 JSR 0F7A   SPACES ;TAB OVER 15 SPACES
      0E6B 20 JSR 0E0E   INCPNI
      0E6E A0 LDY #00
      0E70 B1 LDA (00),Y ;IF NEXT CHARACTER
      0E72 C9 CMP #0D    ;IS NOT "CR", PRINT
      0E74 F0 BEQ 0E79   ;LINE UNTILL "CR" IS FOUND
      0E76 20 JSR 0F6A   PRIOUT
      0E79 20 JSR 0E9F0  ;DO A CRLF
      CRLF

;COMMENT LINE SUBROUTINE
;IAB5 PRINTER TO START ON 16TH SPACE WITH A "J"
;PRINTS UNTILL A "CR" IS FOUND
;SAVE SEMICOLON
COMENT 0E80 48 PHA
      0E81 A2 LDX #0F
      0E83 20 JSR 0F7A   SPACES ;TAB OVER 15 SPACES
      0E86 68 PLA
      0E87 20 JSR 0E97A  ;PRINT SEMICOLON
      0E8A 38 SEC
      0E8B B0 BCS 0E6B   ;PRINI REMAINDER OF LINE

;BLANK SUBROUTINE
;INSERTS A BLANK LINE IN THE PRINTOUT
;DO A CRLF
;INCREMENT POINTER
;RETURN
BLANK 0E8D 20 JSR 0E9F0  ;DO A CRLF
      0E90 20 JSR 0E0E   INCPNI ;INCREMENT POINTER
      0E93 20 JSR 0E0E   INCPNI
      0E96 60 RTS

;PAGE SUBROUTINE
;PROVIDES AUTOMATIC PAGING WITH
;TITLES AND PAGE NUMBERS
;INCREMENT LINE COUNTER
PAGE 0E97 E6 INC 02
      0E99 A5 LDA 02
      0E9B C9 CMP #3A
      0E9D D0 BNE 0ECD   NOTREQ ;IF 5B LINES HAVE
      0E9F A2 LDX #06   ;BEEN PRINTED OUT,
      0EA1 20 JSR 0E9F0  ;INCREMENT THE COPY
      0EA4 CA DEX
      0EA5 D0 BNE 0EA1   ;SIX LINES
      0EA7 86 STX 02
      0EA9 E6 INC 03
      0EAB A5 LDA 03
      0EAD C9 CMP #01
      0EAF F0 BEQ 0ECD   ;ZERO LINE COUNTER
      0EB1 8A TXA
      0EB2 A8 IAY
      0EB3 B1 LDA (04),Y ;TITLE
      0EB5 C9 CMP #0D
      0EB7 F0 BEQ 0EBF   ;PRINT PROGRAM TITLE
      0EB9 20 JSR 0E97A  ;AT TOP OF PAGE
      0EBC C8 INY
      0EBD D0 BNE 0EB3   ;TITLE
      0EBF 20 JSR 0FE3   ;PRINT PAGE NUMBER
      0EC2 A5 LDA 03
      0EC4 20 JSR 0EA6   ;AT TOP OF PAGE
      0EC7 20 JSR 0E9F0  ;INCREMENT THE COPY
      0ECA 20 JSR 0E9F0  ;2 MORE LINES AND
      0ECD 60 RTS ;RETURN

;INCREMENT POINTER SUBROUTINE
;INCREMENT TEXT EDITOR POINTERS
;ELSB ;INCREMENT LSB POINTER
;INCPNI ;RETURN IF NOT END OF PAGE
;INCPTI ;INCREMENT MSB POINTER
;RETURN
;CHANGE DISASSEMBLE ADDRESS SUBROUTINE
;ALTERS POINTERS FOR NEXT DISASSEMBLED LINE
;TAB OVER 15 SPACES
ADDRIN 0ED5 48 PHA
      0ED6 A2 LDX #0F
      0ED8 20 JSR 0F7A   SPACES

```


IN THE TEXT EDITOR BUT MERGE WILL SEPARATE THEM AND ADD A SEMICOLON WHEN PRINTING. END THE LINE WITH "RETURN".

6) LENGTH OF COMMENTS LIMITED BY PRINTER WIDTH.

F. DISASSEMBLED PROGRAM LINE

- 1) IF A LINE STARTS WITH ANY THING OTHER THAN A "CONTROL S", "CONTROL T", "CONTROL A", ASTRIX OR SEMICOLON, THE LINE WILL BE CREATED AS A DISASSEMBLED PROGRAM LINE.
 - 2) IF THERE ARE NO LABELS OR COMMENTS FOR THIS LINE, TYPE "SPACE" "SPACE" "RETURN" AND GO ON TO THE NEXT LINE.
 - 3) WHEN THEY ARE DESIRED, A PROGRAM LABEL, AN ARGUMENT LABEL AND COMMENTS MAY BE ENTERED FOR A LINE. THEY ARE ALWAYS ENTERED IN THAT ORDER. A LINE NEED NOT HAVE ALL OF THEM, JUST THE ONES YOU DESIRE.
 - 4) IF THERE IS NO PROGRAM LABEL FOR THIS LINE, TYPE ONE "SPACE". THIS WILL DEFAULT TO SIX SPACES WHEN PRINTING. IF THERE IS A PROGRAM LABEL FOR THIS LINE, TYPE IT IN. A LABEL MAY NOT BE MORE THAN SIX CHARACTERS LONG. IF IT IS LESS THAN 6 CHARACTERS LONG, TYPE THE LABEL FOLLOWED BY ONLY ONE "SPACE". THE REQUIRED SPACES WILL BE PUT IN WHEN PRINTING.
 - 5) NEXT, FOLLOW THE IDENTICAL INSTRUCTIONS FOR THE ARGUMENT LABEL (IF ANY). IF THE PROGRAM LABEL WAS THE FULL 6 CHARACTERS LONG, THE 2 LABELS WILL BE RUN TOGETHER IN THE EDITOR (EX: "FLABELALABEL"). THE PRINT ROUTINE WILL SEPARATE THEM.
 - 6) IF THERE ARE NO COMMENTS FOR THIS LINE, TYPE "RETURN" AND GO ON TO THE NEXT LINE.
 - 7) IF THERE ARE COMMENTS TO BE ADDED TO THIS LINE, BEGIN TYPING THEM IMMEDIATELY AFTER THE ARGUMENT LABEL OR DEFAULT SPACE. IF THE ARGUMENT LABEL WAS THE FULL 6 CHARACTERS LONG, THE LABEL AND COMMENTS WILL BE RUN TOGETHER IN THE EDITOR (EXAMPLE: "ALABELCOMMENTS..."). THE PRINT ROUTINE WILL SEPARATE THEM AND WILL ALSO PREFIX THE COMMENTS WITH A SEMICOLON. END THE LINE WITH "RETURN".
 - 8) LENGTH OF COMMENTS IS LIMITED BY PRINTER WIDTH.
4. WHEN ALL OF THE LINES HAVE BEEN ENTERED OR YOU RUN OUT OF MEMORY IN THE EDITOR, TERMINATE THE TEXT EDITOR INPUT WITH THE NORMAL "RETURN" "RETURN" SEQUENCE. IF YOU HAVE RUN OUT OF MEMORY, RE-ENTER THE TEXT EDITOR WITH THE "T" COMMAND AND THEN GO TO THE BOTTOM WITH THE "B" COMMAND. DELETE THE LAST TWO OR THREE LINES WITH THE "K" COMMAND TO OBTAIN A LITTLE EDITING ROOM IF YOU SHOULD NEED IT LATER.

5. EXIT THE TEXT EDITOR WITH THE "Q" COMMAND.

6. LOAD MERGE AND YOUR SUBJECT PROGRAM INTO RAM.

7. START MERGE WITH THE "F2" (J) KEY AND RESPOND TO "FROM=" WITH THE 4 DIGIT START ADDRESS THAT YOUR TEXT EDITOR HAS

WAS SET TO FOLLOWED BY "RETURN". YOUR SUBJECT PROGRAM AND YOUR LABELS AND COMMENTS WILL BE MERGED AND FORMATTED AS THEY ARE PRINTED OUT. WHEN THE END OF THE DATA IN THE TEXT EDITOR IS REACHED, MERGE WILL EXIT TO THE AIM MONITOR. MAKE A RECORD OF THE CONTENTS OF 0002H AND 0003H AT THIS TIME. YOU WILL NEED TO KNOW IT LATER.

8. MAKE ANY CORRECTIONS TO THE DATA IN THE TEXT EDITOR BY RE-ENTERING THE EDITOR WITH THE "T" COMMAND. USE THE STANDARD AIM EDITING COMMANDS AND THE SAME DATA INPUT RULES TO FIX UP WHATEVER LINES NEED CHANGED. PRINT ANOTHER LISTING FOLLOWING THE INSTRUCTIONS IN STEP 7 AGAIN. WHEN VERIFIED CORRECT, SAVE THE TEXT EDITOR DATA ON TAPE USING THE "L" COMMAND.

9. NOTE THAT IF YOU LIST YOUR TEXT EDITOR DATA ON THE AIM THERMAL PRINTER, IT WILL PRINT AN "A", "S" OR "T" WHEN IT FINDS A "CONTROL A", "CONTROL S" OR "CONTROL T" RESPECTIVELY IN THE TEXT EDITOR. THIS WILL NOT PRINT DURING THE RUNNING OF MERGE NOR WILL IT PRINT IF YOU LIST THE TEXT EDITOR DATA TO AN EXTERNAL PRINTER.

10. IF YOUR LABELS AND COMMENTS ALL FIT INTO YOUR TEXT EDITOR AT ONE TIME AND THE LISTING PRODUCED IS COMPLETE AND TO YOUR SATISFACTION, YOU ARE DONE. SAVE MERGE, YOUR SUBJECT PROGRAM AND THE LABEL AND COMMENT DATA ON TAPE IN CONSUATIVE SAVES TO PERMIT LISTING IT IN THE FUTURE. YOU MUST HAVE ALL THREE OF THEM IN RAM AT ONCE TO RUN A LISTING. MERGE DOESN'T COMBINE THE PROGRAM AND COMMENTS IN RAM, IT JUST PRINTS THEM OUT TOGETHER.

11. IF YOUR TEXT EDITOR RAN OUT OF CAPACITY BEFORE YOU GOT ALL THE WAY THROUGH YOUR SUBJECT PROGRAM DOCUMENTATION, ADDITIONAL SECTIONS OF DATA WILL BE REQUIRED TO COMPLETE THE LISTING. THE INSTRUCTIONS FOLLOWING WILL BE APPLICABLE FOR SECTIONS 2, 3, 4, ETC. OF THE LABEL AND COMMENT INPUT AND PRINTING:

A. MAKE CERTAIN THAT YOU HAVE A GOOD SAVE ON TAPE OF THE DATA FOR THE LAST SECTION THAT IS IN THE TEXT EDITOR. INITIALIZE YOUR TEXT EDITOR AGAIN AND SET THE UPPER AND LOWER LIMITS THE SAME AS THE LAST SECTION WAS. YOU ARE NOW READY TO INPUT ANOTHER SECTION OF DATA.

B. THE FIRST LINE OF EACH SECTION MUST BE THE TITLE OF THE PROGRAM IN A "TITLE LINE" FORMAT. THIS MUST READ THE SAME AS THE TITLE LINE IN THE FIRST SECTION.

C. THE SECOND LINE OF EACH SECTION MUST BE AN "ASTRIX LINE" CONTAINING THE ADDRESS OF THE NEXT INSTRUCTION TO BE DISASSEMBLED. THE CONTINUITY IS LOST EACH TIME MERGE EXITS TO THE MONITOR AND IT MUST BE RESTORED UPON RE-ENTRY BY THE DATA IN THE EDITOR.

D. INPUT LABEL AND COMMENT DATA INTO THE TEXT EDITOR STARTING JUST AFTER THE LAST SECTION LEFT OFF. USE

THE SAME INPUT RULES AS OUTLINED IN INSTRUCTION 3 AND DO INSTRUCTIONS 4 AND 5.

E. RE-ENTER MERGE WITH THE "F1" (C) COMMAND. RESPOND TO THE "FROM=" PROMPT THE SAME AS BEFORE (INSTRUCTION 7). MERGE WILL AGAIN PRINT UNTILL IT RUNS OUT OF DATA IN THE TEXT EDITOR. WHEN IT EXITS TO THE AIM MONITOR, MAKE A RECORD OF THE CONTENTS OF 0002 AND 0003 AGAIN.

F. MAKE ANY CORRECTIONS NEEDED TO THIS SECTION USING THE TEXT EDITOR COMMANDS AGAIN.

G. REGISTERS 0002 AND 0003 KEEP TRACK OF THE LINE COUNT AND THE PAGE COUNT FOR THE PAGE SUBROUTINE. WHEN MERGE IS ENTERED WITH "F2" (J), THEY ARE INITIALIZED TO START FROM PAGE 1, LINE 1. AS THE TEXT IS PRINTED, THEY ARE INCREMENTED. WHEN EDITING AND REPRINTING THE THE FIRST SECTION OF DATA AGAIN USING "F2" (J), THE REGISTERS WOULD BE RESET AND REINCREMENTED EACH TIME.

WHEN YOU RE-ENTER MERGE WITH THE "F1" (C) KEY, THESE REGISTERS ARE NOT RESET. THEY START WHERE THEY LEFT OFF AND CONTINUE TO INCREMENT. THIS IS DONE TO PRESERVE THE PAGING WHEN DOING SEQUENTIAL RUNS USING MULTIPLE DATA SECTIONS.

HOWEVER, WHEN RUNNING THE SAME SECTION OVER A FEW TIMES DURING THE COURSE OF CORRECTING AND RUNNING SUBSEQUENT PROOF COPIES, THESE REGISTERS GET ALL OUT OF SYNC. FOR THAT REASON YOU MUST CHECK THE VALUES OF THESE REGISTERS AFTER EACH RUN AND RECORD THEM. TO GET THE PAGING BACK IN SYNC, MANUALLY SET 0002 AND 0003 TO THE VALUE THAT THEY WERE AT AFTER THE LAST SECTION WAS FINALIZED AND RUN. FOR EXAMPLE, LETS SAY YOU ARE ON THE SECOND SECTION. THE FIRST SECTION ENDED UP WITH 2A IN 0002 AND 02 IN 0003. BEFORE YOU RERUN ANOTHER PROOF COPY OF SECTION 2, MANUALLY SET 0002 TO 2A AND 00003 TO 02. THEN RERUN WITH THE "F1" (C) KEY.

IF YOU SHOULD LOSE TRACK OF THE REGISTER VALUES, SAVE THE CURRENT TEXT EDITOR DATA ON TAPE. TURN OFF THE AIM THERMAL PRINTER. RELOAD THE FIRST DATA SECTION FROM TAPE. RUN MERGE, WITH THE OUTPUT GOING TO THE DISPLAY ONLY, UP TO THE POINT WHERE YOU ARE. KEEP TRACK OF THE REGISTERS AS YOU GO.

ONCE YOU HAVE GOT THE PRESENT SECTION CORRECT AND HAVE RUN A GOOD PROOF, SAVE IT ON TAPE. IF THERE IS MORE TO DO, JUMP BACK TO INSTRUCTION 11-A AND DO THE NEXT SECTION. OTHERWISE, GO ON TO 11-H.

H. ALL THAT REMAINS TO DO NOW IS TO CUT OUT THE EXTRANEOUS LINES THAT ARE PRINTED EACH TIME MERGE IS RE-ENTERED WITH THE "F1" (C) KEY. THERE WILL BE A "TITLE LINE" AND AN "ASTIKIX LINE" PRINTED ALONG WITH A FEW BLANK LINES THAT YOU DON'T WANT. CUT THE LISTING JUST ABOVE THE FIRST GOOD LINE OF THE SECTION. MOVE THE LISTING UP SO THE FIRST GOOD LINE IS JUST AFTER THE LAST GOOD LINE AND TAPE OR PASTE THE SECTIONED LISTING BACK TOGETHER. IF YOU HAVE DONE IT CORRECTLY, THE CONTINUITY OF THE PAGING WILL HAVE BEEN RESTORED. MARK OFF THE CUT LINES FOR ALL OF THE PAGES IN THE LISTING AND CUT THEM. I USE THE CARDBOARD BACKING FROM AN 8 1/2" X 11" TABLET AS A TEMPLATE WHEN MARKING THE PAGES OFF. ONCE YOU GET THE TOP MARGIN SET ON THE FIRST PAGE, THE REST OF THE PAGES FALL RIGHT INTO PLACE.

13. WHILE THIS HAS PROBABLY BEEN CONFUSING TO READ THROUGH, THE ENTIRE OPERATION IS EASY TO GET USED TO. READ THROUGH IT AGAIN WHILE DOING THE STEP BY STEP DOCUMENTATION FOR YOUR FAVORITE PROGRAM. DISREGARD ANY QUOTATION MARKS (") SHOWN IN THESE OPERATING INSTRUCTIONS. THEY ARE SHOWN HERE TO EMPHASIZE OR SEPARATE THE VARIOUS FORMATS TO USE. THEY ARE NOT A PART OF ANY COMMAND OR ENTRY PROCEDURE. ONCE YOU HAVE USED MERGE, IT WILL ALL BECOME CLEAR TO YOU. AFTER YOU HAVE MADE YOUR FINAL LISTING, WRITE UP A SHORT COVER STORY AND MAIL IT WITH YOUR PROGRAM TO YOUR FAVORITE PUBLISHER.

AIM 65 SUPPORT PACKAGES

HARDWARE

8K MEMORY EXPANSION CARD

2114 RAMS
COMES READY TO USE ON 4K MACHINES
INCLUDES 16 2114-300 N. SECS
STATIC RAMS \$178.00*

3K PACKAGE OF 2114 RAMS FOR INITIAL EXPANSION OF 1K MACHINES

INCLUDES 6 2114-300 N. SECS.
STATIC RAMS \$48.00*

16 CHANNEL ANALOG TO DIGITAL FOR 8 BIT PORT

0.5% ± 1 BIT ACCURACY \$168.00*

SEND \$1.00 FOR A COPY OF

LINKAGE GENERAL

A Newsletter supporting AIM 65 Users
Articles Requested



1300 WEST SYCAMORE
ORANGE, CA 92668
(714)771-4038

SYSTEMS DESIGN

SOFTWARE

*CASSETTES REQUIRING 4K MACHINE
WITH 8K BASIC*

BASIC TECHNIQUES

SELF TEACHING FOR THE BEGINNER \$9.00*

BUSINESS LIBRARY

INCLUDES: RISK ANALYSIS
INCOME STATEMENT
INTEREST RATES ANALYSIS
BUDGET \$11.50*

MATH LIBRARY

INCLUDES: F R A T I O
CORRECTION COEFFICIENT
CURVE FIT
DETERMINANTS
DIFFERENTIAL EQUATIONS
DERIVATIVE \$9.95*

GAMES LIBRARY

INCLUDES: C R A P S
CHECKERS
STUDENT
BLACKJACK
TIC TAC TOE \$9.50*

CASSETTES REQUIRING 1K MACHINE

UPPER MEMORY SOFTWARE CLOCKS

COMPATIBLE WITH BASIC
SPECIFY MEMORY SIZE
COMES WITH UTILITIES AND
USER TIPS \$8.30*

*CA. res add 6% sales tax

Introducing the Atari 800

Perhaps you have heard about the Atari, or maybe even have seen it's picture in the Sears Roebuck Catalog! Here are the basic facts about this latest addition to the expanding 6502 microcomputer world.

William L. Colsher

The model 800 computer is Atari's "top of the line" personal computer. Included in the \$999.95 list price are the Atari 410 cassette program recorder, an 8K BASIC in a removable ROM cartridge, an Educational System ROM cartridge, the 332 page Atari BASIC book by Albrecht, Finkel and Brown, and several other small manuals. Though it was not yet ready when my system was delivered, buyers should now be getting a short CAI course called "An Invitation to Programming". This, along with the Atari BASIC book should bring the beginner up to speed pretty quickly.

The model 400 includes everything except the program recorder and Educational System cartridge for \$599.95. It is functionally identical with the 800 but with the following differences: the keyboard is a flat 'elastomer' type keyboard, the memory can be expanded only to 16K (and that requires a visit to the shop) and the only peripheral you can use (other than game controllers) is the 410 program recorder.

Atari has several peripherals available now including the 810 disk drive at \$699.95, the 820 printer and \$599.95 and an assortment of game controllers. Announced but with no prices as yet are the 825 printer (apparently a Centronics 730), the 830 modem which looks just like a Novation CAT modem, and the 850 Interface Module which features four RS232 ports and a Centronics port so you can use the 825 printer. One of the RS 232 ports also supports 20 mA current loop so you can use it with a teletype.

Color graphics are one of the Atari's strong points. There are eight different modes each of which

can operate in several different ways— it is complicated but very flexible. Graphic resolution is from 39 x 20 all the way up to 320 x 192. In all modes but the last you can have up to 4 colors on the screen at a time. (Three colors for the graphics points plus a background color.) In addition to the color, you can also control something called luminance. This is roughly like an artist adding white to another color. For example, you can get red in any shade from very pale pink to a dark, bloody shade (great for D&D).

The Atari computers also include an excellent sound system: four separate voices with individual tone and volume control. The frequencies range from about an octave below middle C to just barely audible at the high end.

Since it had to fit into 8K of ROM, Atari BASIC is smallish but quite adequate. The only major things missing are the string intrinsics and some of the convenience items like automatic line numbering when you are entering programs and line renumbering.

The lack of convenience features is pretty well made up for by Atari's *super* screen editor. Basically, if it's on the screen and you change it, it's changed in memory. To make a program change just LIST the line and stick in the changes on the screen. That's all there is to it. Various function keys make it easy to insert and delete spaces and even entire lines. Ofcourse ther are the usual cursor control keys for moving around on the screen.

While we are on the subject of the keyboard, I'll point out that someone inside Atari's development team seems to have thought of just

about everything. Included are all the usual keys as well as CTRL and ESC. You have control of the keyboard graphics symbols, upper and lower case, and normal and reverse video. The only thing missing from the 800's keyboard are the graphic symbols which are printed on the 400's. Perhaps someone will come out with a set of stickers (are you there, Atari?).

In terms of software, Atari seems to be doing pretty well. There is a definite emphasis on education with 17 packages in a wide range of subjects. ROM cartridges are also big with 11 available. I've mentioned two that come with the 800; also in the catalog are an Assembler, Chess, Star Raiders (an absolutely fantastic game) and a number of other. If all the games are as great as Star Raiders, then they are well worth the prices Atari charges— I've easily saved \$59.95 in quarters (I'm an arcade game freak).

Other companies with software for the Atari machines are The Code Works which publishes IRIDIS (the first issue is available now) and Image Computer Products. Sears, Roebuck Co. has eight cassettes listed in their current catalog as well. (The idea of 'Sears Software' is a bit of a shock at first!)


I think the Atari machines are a good buy with quite a future ahead. The 800 is as versatile as any other machine in its price range, comparable to the Apple II and easily outdistancing the TRS-80 (I have a 48K dual disk "—80" as well). With companies like Sears getting into the personal computer game, we are probably in for something of a revolution. And Atari should be in the front lines.

NEW APPLE II / APPLE II PLUS SOFTWARE FROM ON—LINE SYSTEMS

TIRED OF BUYING GAMES THAT BECOME BORING AFTER A FEW HOURS OF PLAY? ON—LINE SYTEMS IS DEDICATED TO DELIVERING SERIOUS SOFTWARE FOR THE DISCRIMINATING GAMESMAN. THESE PRODUCTS HAVE BEEN SIX MONTHS IN DEVELOPMENT AND PROVIDE THE QUALITY AND SPEED POSSIBLE ONLY THROUGH MACHINE LANGUAGE!

ALL NEW

HI-RES ADVENTURE ("MYSTERY HOUSE")



What is an adventure game? According to the dictionary, an adventure is a hazardous or daring enterprise; an exciting experience; to risk, hazard, to venture on. One who goes on an adventure is a venturer. A seeker of fortune in daring enterprises; a speculator. In essence, an adventure game is a fantasy world where you are transported, via your own computer. You are the key character of the fantasy as you travel through a land the likes of which you will find in books that take you, through your imagination, to the world it is creating.



Through the use of over a hundred Hi-Res pictures you play and see your adventure. You communicate with HI-RES ADVENTURE in plain english (it understands over 300 words!) All rooms of this spooky old house appear in full Hi-Res Graphics complete with objects you can get, carry, throw, drop, or ?.

In this particular HI-RES ADVENTURE game, you are transported to the front yard of a large, old victorian house. When you enter the house you are pulled into the mystery, murder, and intrigue and can not leave until you solve the puzzles. Your friends are being murdered one by one. You must find out why, and who the killer is. Be careful, because the killer may find you! As you explore the house there are puzzles to be solved and hazards to overcome. The secret passage-way may lead you to the answer.

ALSO NEW FROM ON—LINE SYSTEMS

SKEET/TRAP have become Olympic shooting sports and an obsession among Scatter-gunners all over the world. These games are the All-American although they have become international.

SKEETSHOOT allows one to five shotgunners to test their marksmanship as they fire from the eight prescribed positions on an official NSSA skeet firing range. Each position provides a new perspective of the field with the pigeons travelling at different angles. At each position a pigeon is launched from one side of the field and then the other. At certain positions, pigeons are launched from both sides of the field simultaneously. This is a true game of skill, simulating skeet shooting down to the last detail. TRAPSHOOT allows one to five shotgunners to test their marksmanship. The trap firing range has five positions where the one to five players shoot from. Each player is at a different location on the field. The challenge is to shoot pigeons out of the sky which launch at random trajectories. The challenge is to hit the pigeons while they are still in gun range.

SKEETSHOOT and TRAPSHOOT both allow you to control the size and speed of the pigeons and the width of your shotgun spray. Realistic sound-effects and HI-RES animation combine to make this simulation unparalleled for the APPLE.

DEALER INQUIRIES INVITED!

**ALL SOFTWARE SHIPPED SAME DAY.
PHONE ORDER: (805) 522-8772**

ON—LINE SYSTEMS, 772 NO HOLBROOK, SIMI, CA 93065

SEND TO: _____

		QUANTITY	TOTAL
Hi-Res Adventure/Disk	\$24.95		
Skeetshoot/Cassette	\$14.95		
Trapshoot/Cassette	\$ 9.95		
Skeetshoot/Disk	\$19.95		
Trapshoot/Disk	\$14.95		
Hi-Res Adventures & Skeetshoot/Disk	\$37.50		
		Subtotal	
Payment: Check _____		6% tax (Calif.)	
Master Chg/Visa # _____		Shipping	\$1.00
Expires: _____		Total	

APPLE II Integer BASIC Program List by Page

A number of programs have been written which solve the Apple's problem of examining a program on the display. This version permits the user to simply view his program page-by-page.

Dave Partyka

If you own an Apple II, I'm sure you feel there could be a better way to list a program. The way it is now you either list the whole program and watch it go by faster than you can read it, or you list it by line numbers. When you list it by line numbers, you may get two lines or you may get more lines than will fit on the screen.

Using the assembler program listed, and the integer basic of the Apple II, you can list your integer basic programs one page(screen) at a time with a page number at the bottom of each. Pressing just about any key (except B, P, or S) will clear the screen and display the next page adding one to the page number. By pressing keys you display your program a page at a time, with no more two lines here or too many lines there.

You are probably wondering why you can't use the B, P, or S keys. These are special function keys. The B key (for beginning) will clear the screen and display your program from the first page. This comes in handy when you're in the middle or near the end of the display and you want to see some subroutines or anything else at the beginning. Just press the B key and you are at the beginning, ready to start over.

The next key, P (for page) will clear the screen and start displaying your program stopping at the page number you keyed in. For example, if you are at page 25 and you want to back up 2 pages, you press P0023. P will clear the screen and the APPLE

APPLE II INTEGER BASIC PROGRAM LIST BY PAGE

300	A9 22	LDA #22	LOAD BEGINNING
302	85 36	STA 36	ADDRESS OF MAIN
304	A9 03	LDA #03	PROGRAM IN USER
306	85 37	STA 37	OUTPUT LOCATIONS.
308	20 E6 03	JSR 3E6	LOAD HIGH VALUES.
30B	A9 00	LDA #00	MOVE ZEROS TO
30D	8D F4 03	STA 3F4	PAGE COUNT
310	8D F5 03	STA 3F5	LOCATIONS.
313	20 58 FC	JSR FC58	CLEAR SCREEN.
316	20 4B E0	JSR E04B	START BASIC LIST.
319	20 96 03	JSR 396	ADD 1 TO PAGE #.
31C	20 E6 03	JSR 3E6	LOAD PAGE HOLD WITH FF.
31F	4C 03 E0	JMP E003	RETURN TO BASIC CONTROL.
322	48	PHA	SAVE ACCUM. AND IND=Y
323	98	TYA	VALUES BEFORE PRINTING
324	48	PHA	ON THE SCREEN.
325	A5 28	LDA 28	CHECK SCREEN ADDRESS
327	45 29	EOR 29	FOR 07 DO THE
329	C9 D7	CMP #D7	24TH LINE.
32B	D0 54	BNE .381	IF NOT = BRANCH.
32D	20 96 03	JSR 396	ADD 1 TO PAGE #.
330	AD F6 03	LDA 3F6	CHECK PAGE HOLD,
333	C9 FF	CMP #FF	IF = FF THEN THE P
335	F0 19	BEQ 350	KEY WASN'T PRESSED.
337	AD F4 03	LDA 3F4	COMPARE PAGE #
33A	CD F6 03	CMP 3F6	WITH PAGE HOLD,
33D	D0 08	BNE 347	IF EQUAL,
33F	AD F5 03	LDA 3F5	BRANCH TO THE

will beep as you key in the four digits. You have to enter four digits so the leading zeros are necessary. After the last digit is pressed, your program will be displayed from the beginning, stopping at page 23. This is faster than pressing the B key and other ones until you get to page 23.

The last key, S (for Stop) gets you out of the list program and back to the APPLE II basic. This key is used when you find a place in your program where you want to add or delete a line. If you don't press the S key and you try to do anything, as soon as you press a key the next page will be displayed.

There are two ways to activate this program. From monitor press CTRL Y then the RETURN key or from basic type CALL 1016 then press the RETURN key. As long as you don't use the area from hex 300 to 3FF, this program will remain in memory. Once the list program is activated, it is entered only when the screen display reaches the bottom of the screen. If the end of your program ends anywhere but the bottom of the screen, the Apple II will return to basic but the list program will still be activated. To deactivate the list program, type CALL 1016 then press the RETURN key, then press the S key for stop, or press the RETURN key to skip to the bottom of the page and press the S key to stop.

If you ran a basic program and the list program is still activated, then the results you get will depend on your program. Some programs won't be affected at all while others will stop if it has a display that reaches the bottom of the screen. Pressing a key will start the program again. Other programs might be able to make use of this assembler routine by stopping the display at the bottom of the screen.


Using this assembler program, you'll find it easier to de-bug your programs or just follow the flow of any program. μ

Dave Partyka works as a programmer on an IBM 3031 OS system for the May dept. store company. He has been programming for 3 years, and he has been an operator for 4 years prior to that. Before he began work at the May company he served 4 years in the US Navy where he worked in data processing.

342	CD F7 03	CMP 3F7	LOOP ROUTINE
345	FO 06	BEQ 34D	ELSE
347	20 58 FC	JSR FC58	CLEAR SCREEN
34A	4C 81 03	JMP 381	CONTINUE PRINTING.
34D	20 E6 03	JSR 3E6	LOAD PAGE HOLD WITH FF.
350	2C 00 C0	BIT C000	LOOP UNTIL A
353	10 FB	BPL 350	KEY IS PRESSED.
355	AD 00 C0	LDA C000	WHEN KEY IS PRESSED
358	8D 10 C0	STA C010	CLEAR KEY STROBE
35B	C9 D3	CMP #D3	AND COMPARE FOR S.
35D	DO 0B	BNE 36A	IF NOT = BRANCH.
35F	A9 F0	LDA #F0	IF S STORE
361	85 36	STA 36	NORMAL ADDRESS
363	A9 FD	LDA #FD	IN THE USER
365	85 37	STA 37	OUTPUT LOCATIONS.
367	4C 03 E0	JMP E003	RETURN TO BASIC CONTROL.
36A	C9 C2	CMP #C2	B KEY PRESSED?
36C	FO 9A	BEQ 308	IF YES BRANCH.
36E	C9 D0	CMP #D0	F KEY PRESSED?
370	DO 0C	BNE 37E	IF NO BRANCH.
372	A2 00	LDX #00	IF YES THEN GET
374	20 CF 03	JSR 3CF	2 DIGITS OF PAGE #.
377	E8	INX	UP INDEX AND
378	20 D2 03	JSR 3D2	GET NEXT TWO DIGITS.
37B	4C 0B 03	JMP 30B	JUMP TO ZERO PAGE #.
37E	20 58 FC	JSR FC58	CLEAR SCREEN.
381	68	PLA	GET ACCUM. AND IND-Y
382	A8	TAY	FROM THE STACK
383	68	PLA	AND JUMP TO THE
384	4C FO FD	JMP FDF0	DISPLAY ROUTINE.
387	A8	TAY	SAVE ACCUM. AND
388	29 OF	AND #OF	CONVERT LOW ORDER
38A	09 B0	ORA #B0	BYTE TO DECIMAL AND
38C	9D F4 07	STA 7F4,X	PRINT PAGE #.
38F	98	TYA	GET ACCUM. AND
390	6A	ROR	ROTATE
391	6A	ROR	HIGH ORDER
392	6A	ROR	BYTE TO THE
393	6A	ROR	LOW ORDER
394	CA	DEX	BYTE AND
395	60	RTS	RETURN.
396	F8	SED	SET DECIMAL MODE.
397	18	CLC	CLEAR CARRY FLAG.
398	AD F5 03	LDA 3F5	ADD
39B	69 01	ADC #01	1
39D	8D F5 03	STA 3F5	TO
3A0	AD F4 03	LDA 3F4	THE
3A3	69 00	ADC #00	PAGE

3A5	8D F4 03	STA	3F4	NUMBER.
3A8	D8	CLD		CLEAR DECIMAL MODE.
3A9	A2 03	LDX	#03	SET IND-X.
3AB	AD F5 03	LDA	3F5	GET PAGE # LOW.
3AE	20 87 03	JSR	387	PRINT 1ST DIGIT.
3B1	20 87 03	JSR	387	PRINT 2ND DIGIT.
3B4	AD F4 03	LDA	3F4	GET PAGE # HIGH.
3B7	20 87 03	JSR	387	PRINT 3RD DIGIT.
3BA	20 87 03	JSR	387	PRINT 4TH DIGIT.
3BD	60	RTS		RETURN.
3BE	2C 00 C0	BIT	C000	LOOP UNTIL A
3C1	10 FB	BPL	3BE	KEY IS PRESSED.
3C3	20 DD FB	JSR	FBDD	RING BELL
3C6	AD 00 C0	LDA	C000	GET KEY
3C9	8D 10 C0	STA	C010	CLEAR STROBE
3CC	29 0F	AND	#0F	DROP HIGH ORDER
3CE	60	RTS		HALF AND RETURN.
3CF	20 58 FC	JSR	FC58	CLEAR SCREEN.
3D2	20 BE 03	JSR	3BE	GET PAGE #.
3D5	0A	ASL		SHIFT LOW ORDER
3D6	0A	ASL		HALF TO THE
3D7	0A	ASL		HIGH ORDER
3D8	0A	ASL		HALF.
3D9	9D F6 03	STA	3F6,X	STORE IN PAGE HOLD.
3DC	20 BE 03	JSR	3BE	GET NEXT NUMBER.
3DF	5D F6 03	EOR	3F6,X	COMBINE WITH
3E2	9D F6 03	STA	3F6,X	PREVIOUS # AND STORE
3E5	60	RTS		IN PAGE HOLD, RETURN.
3E6	A9 FF	LDA	#FF	PUT HIGH VALUES
3E8	8D F6 03	STA	3F6	IN PAGE HOLD
3EB	8D F7 03	STA	3F7	LOCATIONS THEN
3EE	60	RTS		RETURN.
3EF	00	BRK		
3F0	00	BRK		
3F1	00	BRK		
3F2	00	BRK		
3F3	00	BRK		
3F4	00	BRK		PAGE # HIGH
3F5	00	BRK		PAGE # LOW
3F6	00	BRK		PAGE HOLD HIGH
3F7	00	BRK		PAGE HOLD LOW
3F8	4C 00 03	JMP	300	CTRL-Y ENTERS HERE
3FB	00	BRK		
3FC	00	BRK		
3FD	00	BRK		
3FE	00	BRK		
3FF	00	BRK		

SINK THE BISMARCK WITH YOUR APPLE!



OR YOUR TRS-80.

Now there's a true historical wargame for your home computer. COMPUTER BISMARCK™ accurately simulates the epic battle between the awesome German battleship and the British Home Fleet. Available on disc for Apple II 48K (AppleSoft ROM) and on cassette for TRS-80 32K Level II. Both versions feature:

- Computer-controlled mapboard of the North Atlantic
- Step by step computer-regulated play
- Hidden movement
- Ship vs. ship combat and shadowing
- Historical setup of battleships, cruisers, and carriers
- Firepower and damage
- Two-player and solitaire scenarios.

The Apple Disc Version also features:

- Submarines, destroyers, and convoys
- Land-based aircraft
- Weather & fog
- Fuel restrictions and refueling at sea.

Apple Disc Version: \$59.95

TRS-80 Cassette Version: \$49.95

(California residents add 6.5% sales tax.)

To order today, credit card holders call toll-free 800-648-5600 and ask Operator 180 to charge your order to your VISA or MASTERCARD (Nevada only call 800-992-5710). Or send a check to Strategic Simulations Inc., Dept. M, 450 San Antonio Road, Suite 62, Palo Alto, CA 94306.

Computer Bismarck is unconditionally guaranteed to satisfy or return it intact within 2 weeks for a full refund.



COMPUTER BISMARCK™

There's never
been anything
like it.

Ask for Instant Software at a computer store near you.

Alabama

Anderson Computers
3156 University Dr., Huntsville
Computerland of Huntsville
3020 University Dr., Huntsville
Olensky Bros.
3763 Airport Blvd., Mobile

Arizona

Ham Shack
450 S.A. N. 16th St., Phoenix
Millets TV & Radio
621 East Broadway, Mesa

California

Byte Shop
8038 Clairmont Mesa Blvd.,
San Diego
Byte Shop
123 E. Yorba Linda, Placentia
Byte Shop of Mt. View
1415 West El Camino Real, Mt. View

Byte Shop of Sacramento
8041 Greenback Ln., Citrus Heights
Capital Computer Systems
3396 El Camino Ave., Sacramento

Computers Made Easy
819 East Ave. Q-9, Palmdale
Computer Store of San Leandro
701 MacArthur Blvd., San Leandro
Computer World
6791 Westminster Ave., Westminster

Computerland
16720 S. Hawthorne, Lawndale
Computerland of W. LA
6840 La Cienega Blvd., Inglewood

Coast Electronics
3118 No. Main St., Morro Bay
Computerland
24001 via Fabricante No 904,
Mission Viejo

Hobbytronics
1378 So. Bascom Ave., San Jose
Hobby World
19511 Business Ctr. Dr., Unit 6
Borthridge

I.C.E. House Inc.
398 North E. St., San Bernardino
Jade Computer Products
4901 W. Rosecrans, Hawthorne

Marlam Co.
6351 Almaden Rd., San Jose
Opamp/Technical Books
1033 N. Sycamore Ave., Los Angeles

Q.I. Computers, Inc.
15818 Hawthorne Blvd., Lawndale
Radio Shack Dealer
8250 Mira Mesa Blvd., San Diego

Radio Shack Dealer
50 N. Cabrillo Hwy., Half Moon Bay
Santa Rosa Computer Center
604 7th St., Santa Rosa
Silver Spur Elect. Comm.
13552 Central Ave., Chino

The Computer Store
820 Broadway, Santa Monica

Colorado

Byte Shop
3464 S. Acoma St., Englewood
Colorado Computer Systems
311 W. 74th Ave., Westminster
Computerland of North Denver
8749 Wadsworth Blvd., Arvada

Computer Shack
1835 South Prairie, Pueblo
The Computer Store
2300 Welton St., Denver

Connecticut

American Business Computers
454 Thames St., Groton
Computerlab
130 Jefferson, New London
Computerland
1700 Post Rd., Fairfield

Computerland
60 Skiff St., Hamden
Computer Works
1439 Poet Rd. E., Liberty Plaza,
Westport

D.C.

The Program Store
4200 Wisconsin Ave., N.W.,
Washington, D.C.

Florida

Adventure International
200 Bald Cypress Ct., Longwood
AMF Electronics
11146 N. 30th St., Tampa
Boyd-Ebert Corporation
1328 West 15th St., Panama City
Computer Center
6578 Central Ave., St. Petersburg
Computerland of Ft. Lauderdale
3963 N. Federal Hwy., Ft. Lauderdale

Computerland of Jacksonville
2777-6 University Blvd. W.
Jacksonville
Computerland of Tampa
1520 E. Fowler Ave., Tampa

Computer Shack
3336 Beach Blvd., Jacksonville
Curtis Waters Enterprises
236 Talbot Ave., Melbourne
Health Kit Electronic
4705 W. 16th Ave. Center, Hialeah

HIS Computeration
1295 Cypress Ave., Melbourne
Sound Ideas
2201-C N.W. 13th, Gainesville
Ukatan Computer Store
Airport Rd., Destin

Williams Radio & TV Inc.
2062 Liberty St., Jacksonville
Georgia
Atlanta Computer Mart
Atlanta

Computerland of Atlanta
2423 Cobb Parkway, Smyrna
Hawaii
Computerland of Hawaii
567 N. Federal Hwy., Honolulu

Radio Shack Assoc. Store
1712 S. King St., Honolulu
Idaho
Electronic Specialists
8411 Fairview Ave., Boise

Illinois
Computerland
4507 North Sterling, Peoria
Computerland
9511 N. Milwaukee Ave., Niles

Computer Station
3659 Nameoki Rd., Granite City
Midwest Micro Computers, Inc.
708 S. Main St., Lombard
Kansas
Central Kansas Computers
6 S. Broadway, Herington

Maine
Main Computronics
Intown Plaza, Bangor
Radio Shack
315 Main Mail Rd., So. Portland

Maryland
Jack Fives Electronics
4608 Deblen Circle, Pikesville
The Comm Center
9624 Ft. Meade Rd., Laurel
Massachusetts
ComputerCity
175 Main St., Charlestown

ComputerCity
50 Worcester Rd., Framingham
Computerland of Boston
214 Worcester Rd., Wellesley
Computer Packages Unlimited
244 W. Boylston St., West Boylston

Lighthouse Computer Software
14 Fall River Ave., Rehoboth
New England Electronics Co.
679 Highland Ave., Needham
The Computer Store
120 Cambridge St., Burlington

Tufts Radio & Electronics
206 Mystic Ave., Medford
Michigan
Computer Center
28251 Ford Rd., Garden City
Computer Connections
38437 Grand River, Farmington Hills

Computerland of Grand Rapids
2927 28th St. S.E., Kentwood
Computerland of Rochester
301 S. Livernois, Rochester
Computerland of Southfield
29673 Northwestern Hwy., Southfield

Computer Mart
560 W. 14 Mile Rd., Clawson
Hobby House
1035 W. Territorial Rd., Battle Creek
The Alternate Source
1806 Ada, Lansing

Ye Olde Teacher Shoppe
1823 Witmyre St., Ypsilanti
Minnesota
Computerland of Hopkins
11319 Hwy F., Hopkins

Digital Den
Burnsville Center
Minnesota Software Inc.
5422 Fisher St., White Bear Lake
Zim Computers
5717 Xerxes Ave., N. Brooklyn Center

Mississippi
Dyer's, Inc.
200 E. Main St., West Point

Softwarehouse
816 Foley St., Jackson
W. Vernon Foster Inc.
816 Foley St., Jackson
Missouri
Computer, Inc.
51 Florissant Oaks Shopping Center
Florissant

Consolidated Software
16501 Greenwald Court, Belton
Montana
Intermountain Computer
529 So. 9th St., Livingston
Personal Computer
121 Red Oak Dr., Carl Junction

The Computer Store
1216 16th St. W. #35, Billings
Nebraska
Computerland of Omaha
11031 Elm St., Omaha

Midwest Computer Co. Inc.
8625 I St., Omaha
Midwest Computer Co. Inc.
4442 S. 84th St., Omaha

Midwest Computer Co. Inc.
4403 S. 87th St., Omaha
Scottsbluff Typewriters Inc.
1824 Broadway, Scottsbluff
Nevada
Century 23
4566 Spring Mountain Rd., Las Vegas

New Hampshire
Bitsnbytes Computer Center
568 Pleasant St., Concord
ComputerCity
1525 S. Willow, Manchester

Paul's TV
Main St., Fremont
Portsmouth Computer Center
31 Raynes Ave., Portsmouth
Radio Shack Assoc. Store
Fairbanks Plaza, Keene

New Jersey
Computer Encounter
2 Nassau St., Princeton
Computerland
35 Plaza Rte. #4, W. Paramus

Computer Mart of NJ
501 Rte. 27, Iselin
Dave's Electronics
Pennsville Shopping Ctr., Pennsville
GHB Enterprises Inc.
Rte. 38, Rutherford Ave., Mapleshade

Personal Computing Inc.
51 Central Sq., Linwood
Radio Shack/J&J Electronic
Mansfield Shopping Ctr.
Rt. 57 Allen Rd., Hackettstown

The Bargain Brothers
Gen Roc Shopping Center
216 Scotch Road, Trenton
The Computer Emporium
Bldg. 103, Avenues of Commerce
2428 Rte. 38, Cherry Hill

New Mexico
Autel Electronics Co.
232 Wisconsin N.E., Albuquerque
Legay and Associates
2908 Tahiti Ct. N.E., Albuquerque
Mitchell's Music (Radio Shack)
407 W. Church, Carlsbad

South West Computer Center
121 Wyatt Drive, Suite 7, Las Cruces
New York
Aristo Craft
314 Fifth Ave., NYC

Bits & Bytes
2800 Straight Rd., Fredonia
Computer Corner
200 Hamilton Ave., White Plains
Computer Era Corp.
1570 3rd Ave., New York

Computer Factory
485 Lexington Ave., NYC
Computer House, Inc.
721 Atlantic Ave., Rochester
Computerland of Nassau
79 Westbury Ave., Carle Place

Computer World
519 Boston Post Rd., Port Chester
Comtek Electronics, Inc.
2666 Coney Island Ave., Brooklyn

Comtek Electronics, Inc.
Staten Island Mall
Store 220A, Staten Island
Digibyte Systems Corp.
31E. 31st St., New York

Home Computer Center
671 Monroe Ave., Rochester
Key Electronics
Schenectady
Lashen Electronics Inc.
21 Broadway, Denville

Mr. Computer
Imp. Plaza, Rte. 9, Wappingers Falls
Soltron Systems
306 Columbia Turnpike, Rensselaer
The Computer Tree Inc.
409 Hooper Rd., Endwell

Upstate Computer Shop
629 French Rd., Campus Plaza
New Hartford
North Carolina
Byte Shop of Raleigh
1213 Hillsborough St., Raleigh

Ohio
Allair Business Systems, Inc.
5252 North Dixie Dr., Dayton
Astro Video Electronics
504 E. Main St., Lancaster

Cincinnati Computer Store
4816 Interstate Dr., Cincinnati
Computerland
4579 Great Northern Blvd.,
N.Olmstead

Computerland
6429 Busch Blvd., Columbus
Computerland
1288 Som Rd., Mayfield Heights
Computer Store of Toledo
18 Hillwyck Dr., Toledo

Forbes Microsystems Inc.
35 N. Broad, Fairborn
Microcomputer Center
7900 Paragon Rd., Dayton
Micro-Mini Computer World
74 Robinwood, Columbus

Universal Amateur Radio, Inc.
1280 Aida Dr., Columbus
Oklahoma
Sounds, Etc.
Hwy. 33, Watonga

Vern Street Products
Radio Shack Dealer
114 W. Taft St., Sapulpa
Oregon
Computerland of Portland
12020 S.W. Main St., Tigard

Computer Pathways Unlimited, Inc.
2151 Davorc St. S.E., Salem
TRS-80 Products Ltd.
3520 S.E. Vineyard Rd., Portland

Pennsylvania
Arco Elect.
302 Wyoming Ave., Kingston
Arco Elect.
Back Mountain Shop. Ctr.
Shavertown

Audio Mart
518 Fifth Ave., New Brighton
Computer Workshope
3848 William Penn Hwy, Monroeville
Computerland of Harrisburg
4644 Carlisle Pike, Mechanicsburg

Erie Computer Co.
2127 West 8th St., Erie
Mighty Byte Computer Center
537 Easton Rd., Horsham
Personal Computer Corp.
24-26 West Lancaster Ave., Paoli

Personal Computer Corp.
Frazer Mall, Lancaster Ave., Frazer
Rhode Island
Computer City
165 Angell St., Providence

South Dakota
CB Radio Shack
21st and Broadway, Yankton
Tennessee
Computerlab
671 S. Menden Hall Rd., Memphis

H & H Electronics Inc.
509 N. Jackson St., Tullahoma
Texas
Computer Port
926 N. Collins, Arlington

Houston Computer Tech
5313 Bissonet, Bellair
Interactive Computer
7620 Dashwood, Houston
K.A. Elect.
9090 Stemmons Frwy., Dallas

Pan American Elect. Inc.
1117 Conway, Mission
Radio Shack Dealer
21969 Katy Freeway, Katy
Ram Micro Systems
6353 Camp Bowie Blvd., Ft. Worth

Waghalter Books Inc.
3 Greenway Plaza E., Houston
Utah
DC Computer Co.
1911 West 70 South, Provo

Quality Technology
470 E. 2nd So., Salt Lake City
Virginia
Computer Works
Rte. 6, Box 65A, Harrisonburg

Home Computer Center
2927 Virginia Beach Blvd.
Virginia Beach
Southside Radio Comm.
135 Pickwick Ave., Colonial Heights

Washington
American Mercantile Co. Inc.
2418 1st Ave. S., Seattle
Byte Shop of Bellevue
14701 N.E. 20th St., Bellevue

Computerland of South King Co.
1500 S. 336 St., Suite 12
Federal Way
Magnolia Micro Systems
2812 Thornydyke Ave., Seattle

Personal Computers
S 104 Freva, Spokane
Ye Old Computer Shop
1301 G. Washington, Richland
West Virginia
The Computer Corner Inc.
22 Beechurst Ave., Morgantown

The Computer Store
Municipal Parking Bldg., Charleston
Wisconsin
Byte Shop Of Milwaukee
6019 West Layton Ave., Greenfield

Computerland
690 S. Whitney Way, Madison
Pellet Microsystems
4265 W. Loomis Rd., Milwaukee
Wyoming
Computer Concepts
1104 Logan Ave., Cheyenne

Puerto Rico
The Microcomputer Store
1568 Ave. Jesus T. Pinero
Caparra Terrace

Canada
CANADIAN DISTRIBUTORS:
Micron Distributing
409 Queen St. W. Toronto, Ont.
MSV 2A5

Computerland of Winnipeg
715 Portage Ave., Winnipeg, Man.
Compumart
411 Roosevelt Ave., Ottawa, Ontario

Micromatic Systems Inc.
101 8136 Park Rd., Richmond, B.C.
Micro Shack of W. Canada
333 Park Street, Regina, Sask.
Orthon Holdings Ltd.
12411 Stony Plain Road
Edmonton, Alberta

Total Computer Systems
Ajax, Ontario
Austria
Byte Shop Microelectronic
Favoritenstr. 20, Wien

England
Mighty Micro
33 Cardiff Rd., Watford Herts
France
Sivea s.a.
20, Rue de Leningrad, Paris

Italy
HQMIC s.r.l.
Piazza De Angeli 1, Milano
Switzerland
Tandy Corp.
Basterstr. 145, Zuerich

West Germany
EUROPEAN DISTRIBUTOR:
Microshop Bodensee
Marktstr. 3, 7778 Markdorf

AAA-Electronic
Habsburgerstr. 134, Freiburg
Basic Software und Schulung
Constantinstr. 88, Koeln 21

Electronic Hobby Shop
Maximilianstr. 22, Bonn
Henniger Computers
Landwehrstr. 39, Muenchen 2
Microcomputer Center
Alsfelderstr. 7, Darmstadt

Muenzenlohr
Toelzerstr. 5, Holzkirchen
R + R Electronic
Adlerstr. 55, Heidelberg
Australia
Computer Country Pty Ltd.
5 Tonkin Ave., Baiwyn VIC

DeForest Software
36 Glen Tower Drive
Glen Waverly, VIC
Sure-Load Software
P.O. Box 26, Weston, A.C.T.

South Africa
SOUTH AFRICAN DISTRIBUTOR:
Eddie Talberg
P.O. Box 745, Johannesburg

Instant Software Inc.

Peterborough, N.H.
03458

OHIO SCIENTIFIC'S

Welcome to the Ohio Scientific Small Systems Journal. This is the first issue of a continuing monthly feature in Micro.

The Small Systems Journal will, hopefully, serve two major purposes. The first is to expand and enhance the knowledge of Ohio Scientific's systems for those of you who already own or use an Ohio Scientific computer. The second is to introduce non-OSI users to some of the systems.

We will try to maintain a balance in the Journal of technical and nontechnical articles, with both hardware and software features. This issue covers three topics:

Simple Modem Routine for C4P MF and C8P DF
User Modifiable I/O for the C1P
The UTI — Universal Telephone Interface

In future issues we hope to cover the topics of interest to the most people. To this end we invite suggestions, on article content, to be submitted to:

Ohio Scientific, Inc.
Small Systems Journal
1333 S. Chillicothe Road
Aurora, Ohio 44202

CUSTOMIZING C1P BASIC-in-ROM I/O

One little known feature of Ohio Scientific's Challenger 1P computer is that the input and output (I/O) routines for ROM BASIC are user modifiable. This is made possible by the jump (JMP) indirect feature of the 6502 processor.

For example, when BASIC requires a character to be input, it executes the following subroutine call:

```
XXX 20EBFF JSR BASIN
```

The actual input routine is called via indirection of the INVCT (in vector) register pair (hex 0218 and 0219).

This means that the processor instead of executing a "normal" jump (i.e., JMP destination) fetches the data contained in the indirect register pair (218 and 219 in this case) and uses those 16 data bits as the address of the jump's destination. The net effect is that BASIC's input call is handled by a machine code subroutine whose address is stored at (hex) locations 218 and 219.

All of BASIC's input call is handled in this fashion. The following table gives the address of each routine and the related register pair:

TABLE 1

Routine	Address	Register-Pair	Function
BASIN	FFEB	218, 219	Get character input in accumulator
BASOUT	FFEE	21A, 21B	Output character in accumulator
CNTRLC	FFF1	21C, 21D	Check CONTROL-C in accumulator

BLOAD	FFF4	21E, 21F	BASIC LOAD keyword
BSAVE	FFF7	220,221	BASIC SAVE keyword

By studying Table 1, it may be seen that although the C1P BASIC is in ROM and that BASIC I/O calls are in ROM, the actual addresses of the I/O routines are in RAM.

When the C1P is reset, the five indirect register pairs are initialized with routine addresses contained in the BASIC support ROM. However, after starting BASIC, these addresses may be changed to point to custom routines with appropriate POKE's.

The following is an example of one of many possible user created routines. This one offers a modification to BASIC's input routine.

Normally, when an input character is deleted (with shift-0), BASIC responds by removing the character from its input buffer and reoutputting the cursor. The routine in Listing 1 removes the character from both the buffer and the CRT display.

LISTING 1

```

10 ;
20 ;SIMPLE 1P CHAR DELETE
30 ;
40 ;
50 0222 *=$222
60 ;
70 0222 2000FD KEYIN JSR $FD00 GET KEY
80 0225 C95F CMP #$5F SHIFT 0?
90 0227 F001 BEQ *+3 YES
100 0229 60 RTS NO. SEND CHAR TO BASIC
110 ;
120 022A 8A TXA SAVE X
130 022B 48 PHA
140 022C A920 LDA #$20 SPACE IN A
150 022E AE0002 LDX $200 GET CRT INDEX
160 0231 20CDBF JSR $BCED REMOVE CURSOR
170 0234 CA DEX ADJ INDEX
180 0235 20CDBF JSR $BCFD REMOVE LAST CHAR
190 0238 BE0002 STX $200 SAVE NEW CRT INDEX
200 023B 68 PLA
210 023C AA TAX RESTORE X
220 023D CA DEX ADJ BASIC'S BUFFER INDEX
230 023E 4C2202 JMP $222 GET ANOTHER CHAR
240 ;
250 .END
    
```

The first listing is assembled at (hex) 222 and occupies a small portion of the free RAM space from 222 through 2FA.

The overall operation of the routine is as follows:

- 1) A character is read from the keyboard and if it's not shift-0, simply return to BASIC.
- 2) If shift-0 is received, both the current cursor position and the previous character position are removed from the screen.
- 3) BASIC's buffer index is decremented and another character is input.

Note that within the routine, the original contents of the X-register (BASIC's buffer index) is saved. Generally speaking, the original contents of all processor register (except the accumulator in BASIN and CNTRLC course) should be protected when interfacing to BASIC

SMALL SYSTEMS JOURNAL

Listing 2 demonstrates a typical method for overlaying the code via BASIC.

LISTING 2

```

10 REM
20 REM SIMPLE 1P CHARACTER DELETE
30 REM
40 REM 6502 CODE
50 DATA 32,0,253
55 DATA 201,95,240,1,96
60 DATA 138,72,169,32
65 DATA 174,0,2
70 DATA 32,205,191
75 DATA 202,32,205,191
80 DATA 142,0,2
85 DATA 104,170
90 DATA 202,76,34,2
100 REM
110 REM SET-UP 6502 CODE
120 FOR I=0 TO 30
130 READ D
140 POKE 546+I,D
150 NEXT I
200 REM
210 REM OVERLAY NEW INPUT VECTOR
220 POKE 536,34
230 POKE 537,2
999 END
    
```

The DATA statements in lines 50 through 90 contain the decimal equivalent of the hexadecimal numbers in the assembly code. That is, the (hex) bytes 20,00,FD equal the decimal 32,0,253; etc. Lines 120 through 150 POKE the code into thirty-one consecutive locations starting at decimal 546 (hex 0222).

The final statements, line 220 and 230, enable the use of the routine by changing the address at the input indirect register pair 536, 537, (hex 218, 219). Note that the address POKEd into this register pair is low, high order. This means that (hex) address 0222 is actually represented in memory thusly:

```

0218 contains 22
0219 contains 02
    
```

This format is typical for all 6502 indirect addressing schemes.

After the routine has been loaded, it should never be necessary to reload it. This of course assumes power is not interrupted and the routine is not over written. Remember, however, that the original input vector is rewritten on reset. To reimplement this routine after reset, only BASIC lines 220 and 230 need be re-executed.

Note, if done in the immediate mode, be sure to execute both POKE's on one line:

```
POKE 536,34: POKE 537,2
```

If not, the input vector will not point to either routine and

an error will surely occur.

As this routine is intended primarily as a demonstration of an interfacing method, not a field upgrade, there are a couple of limitations that could be overcome by additional code:

- 1) The cassette I/O is no longer polled on input. This means that LOAD function is essentially disabled. This is easily overcome by a reset and Warm Start.
- 2) No check of BASIC's buffer index is done. It's possible to delete past the beginning of a line. To delete an entire line, shift-P should be used.

A hint to fix problem #2; never let 'X' (line 220 of the assembly code) go below zero.

By following this general example, you should be able to implement several interesting I/O routines. One suggestion might be to try a memory I/O in parallel with the normal I/O. Remember, in addition to the 216 bytes (decimal) available from (hex) 222 through 2 FA, areas of "upper" memory may also be reserved when responding to MEMORY SIZE? at Cold Start.

Modem Routine for C4P MF and C8P DF

With non-prime time rates becoming available on large time sharing systems, a modem is rapidly becoming a very useful addition to a home computer system.

The following program is designed for use with a standard modem (with RS-232) and an Ohio Scientific C4P MF or C8P DF computer.

The routine is essentially a "bare-bones" system which allows your computer to be used as a terminal for the timeshare system accessed. This program may certainly be expanded to whatever terminal intelligence you may require.

List of Control Commands

CONTROL-S — Stop print
 CONTROL-Q — Re-start print (use with CNTRL-S)
 CONTROL-D — Toggle duplex mode between Full and Half
 CONTROL-E — Toggle Auto-Echo (enable/disable)
 CONTROL-B — Return to subroutine caller

The program is a subroutine that may be called by BASIC via the USR function. Note, in this case, CONTROL-B will cause a return to BASIC.

This program is assembled to operate under OS-65D V3.2 Home Control Operating System.

MODEM ROUTINE FOR C4P MF AND C8P DF

```

10 4000          *=$4000
20
30 2599=         CRTOUT=$2599
40 2AC5=         DEFAULT=$2AC5
50 3180=         KBDIN=$3180
60 2644=         KBSWAP=$2644
70 267A=         MRKT=$267A
80 2343=         OUTCH=$2343
90 2322=         OUTFLG=$2322
100 00E5=        SFLAG=$00E5
110 24CD=        TTYOUT=$24CD
120
121 4000 A934     LDA $52          SET MODEM PORT
122 4002 8D03F7   STA 63235       THATS DECIMAL FOLKS
123 4005 A902     LDA $02          SELECT 300 BAUD
124 4007 8D00FC   STA $FC00
    
```

OHIO SCIENTIFIC'S

```

130 400A AD2223 LDA OUTFLG GET SELECTED DEVICE
140 400D 202C41 JSR PRINTR SET UP OUTPUT FOR DEVICES
                          SELECTED

150 ;
160 4010 ADC62A LDA DEFAULT+1 GET DEFAULT DEVICE
170 4013 C902 CMP #2 IS IT VIDEO?
180 4015 F014 BEQ START YES, CODE IS OKAY START
                          EXECUTION

190 ;
200 4017 A940 LDA #KBSERL/256
210 4019 8D4840 STA KEY+2 SET UP I/O FOR A
220 401C A9CB LDA #KBSERL SERIAL TERMINAL
230 401E 8D4940 STA KEY+1
240 4021 A924 LDA #TTYOUT/256
250 4823 8D5A40 STA KBD1+2
260 4826 A9CD LDA #TTYOUT
270 4028 8D5940 STA KBD1+1

280 ;
290 402B 204426 START JSR KBSWAP DO A SWAP IN CASE KBD POLLED
300 ;
310 ;
315 402E= P1=*
320 402E AD00FC MOREAD LDA $FC00 READ THE MODEM?
330 4031 4A LSR A IS THERE A BYTE READY?
340 4032 9011 BCC KDYBRD NO. CHECK KBRD FOR INPUT
350 4034 AD01FC MODMIN LDA $FC01 YES, GET THE BYTE
360 4037 ACCA40 LDY AUTOEC CHK AUTO ECHO ?
370 403A F003 BEQ OUTCHR NO. OUTPUT CHAR
380 403C 206240 JSR MOWRIT YES, ECHO IT TO THE MODEM
390 403F 20F940 OUTCHR JSR CHECK CHK IF STOP PRINT NEEDED OVER
                          MODEM

400 4042 204323 JSR OUTCH OUTPUT CHAR
410 ;
420 4045 20D740 KEYBRD JSR CHECKS CHK IF START PRINT NEEDED OVER
                          MODEM

430 4048 208031 KEY JSR KBDIN GO GET ANY KEYS DEPRESSED
440 404B F0E1 BEQ P1 NO KEYS. START LOOP OVER
450 404D 206F40 JSR KEYCHK CHK FOR ANY SPECIAL KEYS
460 4050 F0DC BEQ P1 YES, ONE EXECUTED
470 4052 ACC940 KBD LDY DUPLEX DUPLEX FLAG SET
480 4055 F005 BEQ KBD2 NO. WRITE CHAR TO MODEM
490 4057 48 PHA YES
500 405B 209925 KBD1 JSR CRTOUT OUTPUT CHR AT LOCAL TERMINAL
                          FIRST

510 405B 68 PLA RESTORE A
520 405C 206240 KBD2 JSR MOWRIT WRITE KEY DEPRESSION TO MODEM
530 405F 4C2E40 JMP P1 START LOOP OVER
540 ;
550 4062 48 MOWRIT PHA SAVE A
560 4063 AD00FC LDA $FC00 WAIT FOR READY TO SEND
570 4066 4A LSR A
580 4067 4A LSR A READY?
590 4068 90F9 BCC MOWRIT+1 NO. CHK AGAIN
600 406A 68 PLA YES, RESTORE A
610 406B 8D01FC STA $FC01 SEND BYTE
620 406E 60 AHRTS RTS ALL DONE
630 ;
640 406F C902 KEYCHK CMP #'B-$40 CTRL-B ? (HANG UP PHONE)
650 4071 F01F BEQ GOODBY YES, HANG UP AND RETURN
660 4073 C904 CMP #'D-$40 CTRL-D ? (DUPLEX E/D)
670 4075 F047 BEQ FLPDUP YES, CHANGE FLAG
680 4077 C905 CMP #'D-$40 CTRL-E ? (AUTO ECHO E/D)
690 4079 F038 BEQ FLPECO YES, CHANGE FLAG
700 4079 C919 CMP #'Y-$40 CTRL-Y ? (SERIAL PRINTER E/D)
750 4083 AD2223 PARALL LDA OUTFLG YES, SEE WHAT DEVICES WE HAVE
760 4086 C902 CMP #2 VIDEO ?
770 4088 F0E4 BEQ AHRTS YES, DON'T TURN ON PARL PNTR
780 408A 4908 EOR #8 NO, CHANGE OUTPUT FLAG
790 408C 202C41 JSR PRINTR GO CHANGE CODE TO SUPPORT
                          CONDITIONS

800 408F A900 LDA #0 CLEAR A
810 4091 60 RTS ALL DONE
820 ;
830 4092 68 GOODBY PLA RETURN TO THE RIGHT PLACE
840 4093 68 PLA
850 4094 ADC62A LDA DEFAULT+1 SET BACK TO DEVICES
860 4097 8D2223 STA OUTFLG WE STARTED WITH
870 409A ADF240 LDA CTRLQ+1 SEND START PRINT JUST IN CASE
880 409D 206240 JSR MOWRIT
890 40A0 204426 JSR KBSWAP RETURN POLLED KEYBOARD
900 40A3 60 RTS RETURN TO CALLER

910 ;
920 40A4 AD2223 SERIAL LDA OUTFLG SEE WHAT DEVICES WE HAVE
930 40A7 C901 CMP #1 SERIAL ?
940 40A9 F0C3 BEQ AHRTS YES, DON'T TURN ON SERIAL PNTR
950 40AB 4901 EOR #1 NO, CHANGE OUTPUT FLAG
960 40AD 202C41 JSR PRINTR GO CHANGE CODE TO SUPPORT
                          CONDITIONS

970 40B0 A900 LDA #0 CLEAR A
980 40B2 60 RTS ALL DONE
990 ;
1000 40B3 ADCA40 FLPECO LDA AUTOEC CHANGE AUTO ECHO FLAG
1010 40B6 4901 EOR #1 ENABLE/DISABLE
1020 40B8 8DCA40 STA AUTOEC
1030 40BB A900 LDA #0
1040 40BD 60 RTS
1050 ;
1060 40BE ADC940 FLPDUP LDA DUPLEX CHANGE DUPLEX FLAG
1070 40C1 4901 EOR #1 ENABLE/DISABLE
1080 40C3 8DC940 STA DUPLEX
1090 40C6 A900 LDA #0
1100 40C8 60 RTS
1110 ;
1120 40C9 00 DUPLEX .BYTE 0 DUPLEX FLAG
1130 40CA 00 AUTOEC .BYTE 0 AUTO ECHO FLAG
1140 ;
1150 40CB AD00FC KBSERL LDA $FC00 SERIAL KEYBOARD INPUT ROUTINE
1160 40CE 4A LSR A
1170 40CF A900 LDA #0
1180 40D1 9003 BCC KBSER1
1190 40D3 AD01FC LDA $FC01
1200 40D6 60 KBSER1 RTS
1210 ;
1220 40D7 A5E5 CHECKS LDA SFLAG LOAD STOP PRINT FLAG
1230 40D9 CD0341 CMP CTRLS+2 HAS A STOP PRINT BEEN SENT ?
1240 40DC D01A BNE OUT2 NO, RETURN
1250 40DE AE4841 LDX COUNT YES, IS THERE ANY CHR IN BUFFER
1260 40E1 F00E BEQ CTRLQ NO, SEND START PRINT CODE
1270 40E3 A000 LDY #0 YES, GET CHR OUT OF BUFFER
1280 40E5 B94C41 LOOPER LDA BUFFER,Y
1290 40E8 204323 JSR OUTCH SHOW WHAT WE HAVE
1300 40EB C8 INY
1310 40EC CC4841 CPY COUNT IS THAT ALL ?
1320 40EF D0F4 BNE LOOPER NO, GET NEXT ONE
1330 40F1 A911 CTRLQ LDA #'Q-$40 YES, SEND START PRINT COMMAND
1340 40F3 85E5 STA SFLAG RESET FLAG
1350 40F5 206240 JSR MOWRIT
1360 40F8 60 OUT2 RTS ALL DONE
1370 ;
1380 40F9 C90D CHECK CMP #$0D IS CHAR A CRT OR LF ?
1390 40FB F004 BEQ CTRLS IF YES, SEND STOP PRINT
1400 40FD C90A CMP #$0A IF NOT, RETURN
1410 40FF D02A BNE OUT
1420 4101 48 CTRLS PHA SAVE A
1430 4102 A913 LDA #'S-$40
1440 4104 85E5 STA SFLAG SET FLAG
1450 4106 206240 JSR MOWRIT SEND STOP PRINT CODE
1460 4109 A200 LDY #0
1470 410B 8E4841 STX COUNT SET # IN BUFFER TO 0
1480 410E AC7B26 LOOPY LDY MRKT+1 WAIT 4 CHR TIME FOR ANY CHAR
1490 4111 AD00FC BEGIN LDA $FC00 STILL COMING
1500 4114 4A LSR A IS THERE A CHR WAITING ?
1510 4115 9007 BCC LOOP49 NO, CONTINUE WAIT
1520 4117 AD01FC LDA $FC01 YES, SAVE CHARACTER
1530 411A 9D4C41 STA BUFFER,X
1540 411D E8 INX
1550 411E 18 LOOP49 CLC NEXT ?
1560 411F 88 DEY
1570 4120 D0EF BNE BEGIN LOOP AGAIN
1580 4122 EE4841 INC COUNT DONE ?
1590 4125 D0E7 BNE LOOPY NO, TRY AGAIN
1600 4127 8E4841 STX COUNT SAVE # OF CHRS IN BUFFER
1610 412A 68 PLA RESTORE A
1620 412B 60 OUT RTS
1630 ;
1640 412C 8D2223 PRINTR STA OUTFLG SAVE DEVICES SELECTED
1650 412F C909 CMP #9 IS EITHER PRINTER TURNED ON ?
1660 4131 F0DD BEQ PRTEA YES, ENABLE PRINT START & STOP
1670 4133 C903 CMP #3
1680 4135 F009 BEQ PRTEA YES, ENABLE PRINT START & STOP
1690 4137 A960 PRDIS LDA #860 NO, DISABLE PRINT START & STOP
1700 4139 8DD740 STA CHECKS

```

CALL 1-800-321-6850 TOLL FREE

SMALL SYSTEMS JOURNAL

```
1710 413C 8DF940 STA CHECK
1720 413F 60 RTS RETURN
1730 4140 A9A5 PRTEA LDA #A5
1740 4142 8DD740 STA CHECKS
1750 4145 A9C9 LDA #C9
1760 4147 8DF940 STA CHECK
1770 414A 60 RTS ALL DONE
1780 ;
1790 ;
1800 414B 00 COUNT .BYTE 0 COUNTER BYTE
1810 ;
1820 414C= BUFFER=* BUFFER FOR INCOMING CHRS
```

CA-15 Universal Telephone Interface

The Universal Telephone Interface (UTI) provides the broadest range of computer/telephone utilization options ever offered in a single product. The UTI occupies one slot of a C8P, C2-OEM or C3 series computer and connects directly to a normal telephone line via a FCC approved isolation module called a CBT. CBT's are available from many telephone companies on a monthly charge basis. However, Ohio Scientific also offers CBT's as a accessory item for user connection to telephone lines. The UTI can be connected in conjunction with one or more telephones on the line and can also operate as the only device on the line. No user intervention is required to initiate or answer calls. (i.e., total computer control is possible) The UTI compatible with Touch Tone or Pulse Dial (rotary dial) lines.

The UTI includes a computer to telephone interface which allows the user (through software) to "connect" (pick up) and "disconnect" (hang up) the phone. The computer can detect a dial tone before dialing. Note, again this may be either pulse or tone dialing. After dialing a phone number, it can detect a ring on incoming calls. Additionally, the UTI includes a failsafe circuit which automatically hangs up the phone after 90 seconds of inactivity. This prevents accidental extended connection to the phone line.

The UTI allows any one of five different audio signals to be output to the phone line at any one time. These five signals are touch tones, taped messages, audio from an auxiliary device, modem signals and Votrax generated synthetic speech (when equipped with the Votrax option). Touch tones can be output to the phone at any time. This allows the computer to tone dial the phone, or to signal humans or other computers.

The UTI can output taped messages to the phone from cassette tape recorders. The tape recorder can be automatically turned off and on with a motor control signal which is provided by the UTI.

Audio from a digital-to-analog converter, radio or other auxiliary device can be selected for output to the phone line through the auxiliary jack on the UTI.

The "on board" modem outputs 300 baud data to the phone. The modem features "originate" or "answer" modes.

Votrax equipped UTI's can output Votrax generated synthetic speech to the phone. The UTI contains an "on board" amplifier which will drive an 8 ohm speaker with Votrax speech. This allows the Votrax to also be operated in a "stand alone" mode.

Input from the phone can include voice, touch tones, and modem signals. Voices can be routed to an audio amplifier via the UTI auxiliary audio output connector and/or to an auxiliary cassette tape recorder which can be automatically turned off and on with a motor control signal which is provided by the UTI. Touch tones can be decoded by the UTI. This allows remote control of your computer via touch tones. Modem signals are routed to the "on board" 300 baud modem.

The addition of a UTI to your OSI computer will allow computer to computer, computer to human, and human to

computer communications. Several typical applications of these types of communication are presented below.

The UTI will allow computer to computer communication by operating as a conventional auto-answer, auto-dial, answer or originate 300 baud modem with "hands off" operation. This allows OSI computers to be remotely timeshared economically as well as being the basis of computer bulletin board services. Another application is the automatic interrogation of two UTI based computers for remote process control or remote data acquisition.

An OSI computer, when equipped with a UTI and OSI's security monitor, can provide computer to human communication by providing a complete security system including the monitoring if a home, business, warehouse, vacation home, boat, etc. This computer based security system can notify any telephone number (or numbers) with a Votrax or tape recorded message.

Applications of human to computer communication using a UTI based computer include allowing a caller's telephone to act as a "computer terminal", or allowing caller interrogation of security or system status using touch tone commands. When a UTI based computer is used in conjunction with the A.C. remote control and/or parallel I/O, it allows a caller to control home lights and appliances as well as control of automated processes. Of course, the program would allow this type of control to be used only by caller who has entered a correct password, thus giving only authorized persons control of these devices.

A UTI based computer equipped with a cassette tape recorder can act as a telephone answering device. In addition, if a remote rewind tape deck, endless tape or A/D-D/A system is added, the computer system can relay voice messages including caller initiated playback of recorded messages and caller stored messages for relay to another phone number at another time and/or to be attempted until the message gets through.

The UTI comes complete with documentation on how to use each feature as well as two copies of the OS-65D V3.2 "PHONE DEMO" diskettes.

Included are such programs as:

- A) A "Home Monitor" demo which allows a touch tone equipped caller to interrogate the status of an AC-17P home security system. The caller may also send commands to lamps and appliances via the AC-12P A.C. Remote Control system.
- B) An "Automatic Dial a Modem" program allows a UTI equipped computer to function as a timeshare terminal with "hands off" modem operation.
- C) "Remote Computer Interrogation" demo program which requires two UTI computers. One computer automatically interrogates the other one. This demonstrates the capability of remote monitoring and process control systems.

Licensed Level 3 users will be provided with a version of a Level 3 system which will allow one partition of their timeshare system to be available for telephone communications.

Summary

The Ohio Scientific Universal Telephone Interface is a cost effective way to complete the link between the computer and the telephone. It allows the computer to easily access outside information via large time share systems and data bases. In addition, it allows remote interrogation and operation of the computer from any telephone. These are just a few of the more common applications of the Universal Telephone Interface, with unlimited applications to meet specific requirements.

® Votrax is a registered trademark of Federal Screw Works

OSI CHALLENGER SOFTWARE

Video Games Board Games
Utilities D&D Games

And More!

For all BASIC-in-ROM.
Some programs also on disk.

Send For Free Catalog
Dealer Inquiries Invited

Orion Software
Associates, Inc.
147 Main Street
Ossining, NY 10562

OHIO SCIENTIFIC

Hardware..C1P Video—gives true 32 or 64 chrs/line with guard bands. This is not a make-shift mod. It makes your video every bit as good as the 4P's plus you have switch selectable 1,2 and 3 MHz. CPU clock as well as 300, 600 and 1200 baud for cassette and serial port all crystal controlled.

Complete plans—\$18.95, Kit \$39.95 or send in your C1P to Personal & Business Computer Connection, 38437 Grand River, Farmington Hills, Mich 48018, and we will install the Video mod for \$79.95. Other mods available..add sound; RS-232 port cassette motor control.

Software (with documentation) For C1, C2, 4P & 8P Chess 1.9, Backgammon, excellent card games, arcade type games, utility programs, mini word processor memory maps, etc.

Catalog with free program (hard copy) & memory map for BASIC in ROM models...\$1.00

Progressive Computing
3336 Avondale Crt.
Windsor, Ontario
CANADA N9E 1X6
(519)969-2500

Price for kit in last month's issue was in error.



SOFTWARE



FOR OHIO SCIENTIFIC

Over 50 programs for C1, C2, C4, & Superboard, on tape and disk. All come with listings and complete documentation.

GAMES-4K-Tape		UTILITIES	
CHES FOR OSI-specify system	\$19.95	C1P TEXT EDITOR	\$9.95
STARFIGHTER	5.95	Gives real backspace, one key screen clear, and midline editing.	
Real time space war.		RENUMBERER	5.95
SEAWOLFE	5.95	SUPERUTILITY	12.95
Floating mines, three target ships, etc.		Has renumberer, Variable table maker and Search.	
LUNAR LANDER	5.95	<hr/>	
With full graphics.		DISKS	
ALIEN INVADERS	6.95	SUPERDISK	\$24.95
Rows of menacing, munching monsters march on earth.		(for C4MF or C8MF) contains text editor, renumberer, new VEXEC*	
8K GAMES		<hr/>	
BACKGAMMON	\$9.95	THE AARDVARK/JOURNAL FOR OSI	
BLACKJACK	8.95	Six issues of user information. \$8.00	
Plays all Vegas rules.			
Add \$1.00 each for Color/Sound.			

Our \$1.00 catalog has free game and utility listings, programming hints and a lot of PEEKs and POKEs and other stuff that OSI forgot to mention—and a lot more programs for sale.


DISKS 5" COLOR/SOUND \$29.95
DISK-1. STARFIGHTER, ROBOTANK, SEA WOLFE, BOMBER, TEN TANK BLITZ, DISK 2 BREAKTHROUGH, LUNAR LANDER, ALIEN INVADER, KILLERROBOTS, SLASHBALL

AARDVARK TECHNICAL SERVICES



1690 BOLTON, WALLED LAKE MI 48088 313-624-6316

OHIO SCIENTIFIC USERS AT LAST! FORM LETTER GENERATION USING OS-DMS* and WP-2*



WP-INT disk & manual \$80.00
manual alone \$ 2.00
ASK YOUR DEALER FOR A DEMONSTRATION

DCS software products
PEOPLE ORIENTED COMPUTER SYSTEMS

TO ORDER WP-INT DIRECT:
CHECK * MONEY ORDER * C.O.D.
DCS SOFTWARE PRODUCTS
2729 Lowery Ct
Zion, IL 60099

* Requires OS-DMS and WP-2.

* OS-DMS, WP-2, OS-65U, and OS-65D
ARE ALL PRODUCTS OF OHIO SCIENTIFIC.

Please add \$1.50 on disk orders for shipping

BASIC and Machine Language with the Micromodem II

George J. Dombrowski, Jr.

There is no doubt that the Micromodem II produced by D.C. Hayes Associates for use with the Apple II computer is a very sophisticated telecommunications device. I purchased a Micromodem several months ago and have been pleased with its performance ever since. This device couples directly with Ma Bell and can be easily programmed to automatically answer your phone or even to transmit short messages to other machines.

One of the best features provided by D.C. Hayes Associates is the well documented 85 page manual, complete with example programs. However, despite the quality of this manual, there is a glaring omission. I originally purchased the Micromodem II with the notion of easily transferring machine language and BASIC programs to other Apple owners. Although the manual details a procedure for adapting Apple Computer's Datamover program to the Micromodem firmware, easier more direct methods of sending BASIC programs to another computer were not described. This article describes an immediate mode procedure for transferring BASIC programs and also provides an APPLESOFT routine for sending machine language programs or binary data to another Apple II.

Sending a BASIC program in immediate mode is a simple matter using the Micromodem II. Once the phone connection has been established, the receiving computer must be placed in remote mode by sending a CTRL R followed by PR #S where S = modem slot #. When the basic prompt appears, remote control of the Apple at the other end has been achieved. The receiving computer is now waiting input. It will accept commands and input from its own keyboard, your keyboard or those issued automatically by your computer during program execution. In other words, the receiving computer will accept a LISTING of a

```
10 REM BASIC TRANSFER/MICROMODEM II
20 REM FIRST RUN THIS PROGRAM AND THEN
30 REM ESTABLISH REMOTE CONTROL OF RECEIVING MACHINE
40 REM LEAVE TERMINAL MODE BY TYPING CTRL-A/CTRL-X
50 REM THEN TYPE <EXEC BASIC PROGRAM TRANSFER>
60 D$ = CHR$(4)
70 PRINT D$"OPEN BASIC PROGRAM TRANSFER
80 PRINT D$"WRITE BASIC PROGRAM TRANSFER"
90 PRINT "POKE 1530,80:REM FOR LONG FLOATING POINT PRGMS A
    GREATER DELAY MAY BE REQUIRED.
100 PRINT "POKE 1914,18"
110 PRINT "POKE 33,30"
120 PRINT "IN #0"
130 PRINT "PR #2"
140 PRINT "LIST"
150 PRINT "PR #0"
160 PRINT "IN #2"
170 PRINT "TEXT"
180 PRINT "POKE 1530,3"
190 PRINT "POKE 1914,138"
200 PRINT D$"CLOSE"
210 END
```

program sent from another computer and interpret each line as a command. Before LISTing the program, however, a few additional steps must be taken in order to set up both computers for the transfer.

Once remote control of the receiving machine has been established, the appropriate BASIC must be initialized by typing either the INT or FP DOS command. At this point output from the remote computer should be directed to the video port by executing a PR #0. This is a precautionary step to prevent the accidental transmission of messages generated by the receiving machine's command interpreter. These messages could be received by the sending computer and interfere with the program transfer. The operator of the sending computer will not see the basic prompt return after this command. In order to LIST the program on your computer, terminal mode must be exited by typing CTRL-A/CTRL-X. The receiving

Although this procedure seems complicated, after using it a few times it is easy to remember. For those of you who like to sit back and watch your machine do the work, the following program will create an EXEC file for this purpose.

From now on the commands typed at the local keyboard will not be sent to the remote machine. First, the firmware carriage-return-delay for out-going data must be set by typing POKE 1912 + S,18 followed by POKE 1528 + ,80. The pause after each carriage return allows sufficient time for the receiving machine to interpret and execute each line before another is sent. Register 1528 + S normally contains decimal 3 in terminal mode, which corresponds to a delay of 30 msec. Second, the program to be sent is loaded and the LIST formatting routine disabled by typing POKE 33,30. Finally, a PR #2 is issued and after the cursor returns (0.8 sec), the LIST command given.

Apple is left in remote mode waiting for input, while the sending computer is set up to LIST the program.

Run this program to create the EXEC file, and then LOAD the program you want to send. Finally, EXEC BASIC PROGRA, TRAMSFER. This EXEC file will work with either BASIC. The user's machine will be placed in terminal mode when the transfer is finished. PR #2 must then be issued to the remote computer in order to receive its output.

Binary data or machine language programs can be transmitted in a similar fashion by employing a modified version of the monitor hexadecimal dump routine. Ordinarily upon hitting RETURN this routine displays a hexadecimal address followed by a hyphen following the address. The substitution is necessary because the monitor interpreter requires a colon to immediately follow the address when

binary data portion of the F8 ROM chip(\$FD92-\$FDC5) to RAM memory at \$1000-\$1033. Address \$100D was altered from \$A0 ("") to \$BA ("."). In addition, the address for the JSR in-

struction at \$1021-1023 was changed from \$FD92 to \$1000. This HEX dump routine has been incorporated into an APPLESOFT BASIC program which takes care of the housekeep-

ing chores described above for transferring BASIC programs plus a few more. Both the APPLESOFT program and the relocated binary routine at \$1000 are listed below.

```

10 REM BINARY TRANSFER/MICROMODEM II
20 D$ = CHR$(4)
30 PRINT D$"HOMON C,I,C"
40 GOSUB 420
50 INPUT "IS RECEIVING COMPUTER IN REMOTE MODE WITH EITHER
  BASIC INITIALIZED ? ";ANS$
60 PRINT
70 IF LEFT$(ANS$,1) < > "Y" THEN PRINT "TRANSFER
  ABANDONED": END
80 POKE 1530,60: POKE 1914,18: REM 600 MSEC WAIT AFTER
  CARRIAGE RETURN. AUTO LINE FEED IS ACTIVATED AND THE
  WAIT FUNCTION + LOCAL DISPLAY ENABLED.
90 PRINT "STARTING ADDRESS -": INPUT "(MUST END WITH 0 OR
  8) ";ST$
100 REM LINES 110/170 - HEXADECIMAL TO DECIMAL CONVERSION.
110 Z$ = "0123456789ABCDEF"
120 FOR I = LEN(ST$) TO 1 STEP - 1
130 FOR J = 1 TO LEN(Z$)
140 IF MID$(Z$,J,1) < > MID$(ST$,I,1) THEN NEXT J
150 DEC = DEC + (J - 1) * (16 ^ X)
160 X = X + 1: NEXT I
170 HB = INT(DEC / 256):LB = DEC - (HB * 256)
180 REM LINE 190 PLACES THE DECIMAL EQUIVALENTS OF THE
  HIGH & LOW BYTE ADDRESS INTO THE PAGE 0 LOCATIONS USED
  BY THE MEMORY DUMP ROUTINE.
190 POKE 61,HB: POKE 60,LB
200 INPUT "NUMBER OR BYTES (DECIMAL) ";NB
210 PRINT : INVERSE : HTAB 6: PRINT "HITTING ANY KEY
  ABORTS TRANSFER": NORMAL
220 PRINT D$"IN #0"
230 PRINT D$"PR #2"
240 PRINT "CALL -151"
250 PRINT : REM SENDS CARRIAGE RETURN.
260 FOR I = 1 TO INT(NB / 8) + 1
270 IF PEEK(-16384) > 127 THEN POKE -16368,0: GOTO
  300
280 CALL 4113: REM CALLS MACHINE LANGUAGE ROUTINE BELOW.
290 NEXT I
300 PRINT
310 PRINT "3DOG"
320 PRINT D$"PR #0"
330 PRINT
340 POKE 1530,3: REM NORMAL 30 MSEC WAIT
350 PRINT " *** ALL DONE ***"
360 PRINT : PRINT "THE SENDING COMPUTER IS NOW IN TERMINAL
  MODE & THE RECEIVING COMPUTER HAS BEEN RETURNED WITH
  BASIC UP IN REMOTE MODE."
370 PRINT : INVERSE : HTAB 15: PRINT "HIT RETURN": NORMAL
380 PRINT D$"IN #2"
390 POKE 1914,138: REM INITIATE TERMINAL MODE/FULL-DUPLEX
  (USE 10 FOR HALF-DUPLEX).
400 END
410 REM LINES 420/450 LOAD RELOCATED MEMORY DUMP ROUTINE
  AT $1000.
420 FOR M = 4096 TO 4147: READ D: POKE M,D: NEXT M
430 RETURN
440 DATA 164,61,166,60,32,142,253,32,64,249,160,0,169,186,
  76,237,253,165,60,9,7,133,62,165,61,133,63,165,60,41,7,
  208,3,32,0,16
450 DATA 169,160,32,237,253,177,60,32,218,253,32,186,252,
  144,232,96
460 REM THE BASIC PRGM + DUMP ROUTINE OCCUPY $800-$1040.
  IF THE BINARY DATA TO BE SENT RESIDES IN THIS RANGE,
  IT MUST FIRST BE RELOCATED WITH THE MONITOR MOVE
  COMMAND.

```

NOTE: These Programs were designed for micromodem to reside in slot 2. If another slot is chosen, registers 1530 + 1914 in the page listings must be changed to 1528 + S, respectively where S = Modem slot #

Although these methods require little software and are easy to implement, they do have a disadvantage. The time required to send BASIC and machine language programs using these techniques is greater (approx. 20 % and 130 %, respectively) than would be expected from the time calculated based upon program length. This is because both INTEGER BASIC and APPLESOFT programs are stored in memory with reserved words tokenized. Tokenized words such as PRINT, POKE, or NEXT require only one byte of memory. Sending a byte at 300 baud takes about 1/30 second, however, with the LISTING procedure described here, transmitting a reserved word such as PRINT requires approximately 5/30's of a second. Similarly, with machine language programs, for every 8 bytes of data transferred, a 4 digit hexadecimal address, colon, and 8 pairs of hexadecimal data must be sent. A total of 21 characters are sent for every 8 bytes of memory.

In spite of this disadvantage, these techniques are handy for sending medium sized programs over short distances where time is not a costly factor. μ

Relocated Monitor Hex Dump

1000	A4	3D	LDY	\$3D
1002	A6	3C	FD	LDX \$3C
1004	20	8E	F0	JSR \$FD8E
1007	20	40		JSR \$F940
100A	A0	00		LDY #\$00
100C	A9	BA	FD	LDA #\$BA
100E	4C	ED		JMP \$FDED
1011	A5	3C		LDA \$3C
1013	09	07		ORA #\$07
1015	85	3E		STA \$3E
1017	A5	3D		LDA \$3D
1019	85	3F		STA \$3F
101B	A5	3C		LDA \$3C
101D	29	07		AND #\$07
101F	D0	03	10	BNE \$1024
1021	20	00		JSR \$1000
1024	A9	A0	FD	LDA #\$A0
1026	20	ED		JSR \$FDED
1029	B1	3C	FD	LDA (\$3C),Y
102B	20	DA	FC	JSR \$FDDA
102E	20	BA		JSR \$FCBA
1031	90	E8		BCC \$101B
1033	60			RTS

PET-16

For those PET owners who have envied the Sweet-16 software of the Apple, here is PET-16.

Rev. James Strasma

Fellow PET users, have you envied APPLE people their 16-bit "dream machine"? Now you can have your own PET-16. Converting Apple's Sweet 16 to run on a PET is a fairly simple matter. Three changes are required.

First the program is relocated into user memory.

Second, it is altered to exchange a portion of zero page with an unused part of memory. This is necessary because PET Basic and Sweet-16 both use the first 32 memory locations in zero page extensively.

Third, Sweet-16 calls two Apple ROM routines that PET doesn't have. They are

'Save' & 'Restore'. They remember the contents of all the 6502 registers during a program and restore to the original conditions at the end of the program. Thus, this ability must be added to the program. With These few changes, Sweet-16 is quite usable with a PET.

If you have a macro assembler, one key use of PET-16 is in macros. This makes it easier to include simple double-byte routines in programs. Richard C. Vile's article in Micro #20 provides many desirable macros for programming in Sweet-16. Only one line needs to be changed...the actual jsr to Sweet 16 in

line 123 of Vile's program. Simply change the destination to the start of the PET version. This is at \$2e62 in the enclosed listing. With that change, the macros are quite usable with PET.

Remember that PET-16 will need to be in memory at the same time as programs that call it. It is just as suitable for placing in a ROM on a PET as on an Apple. That would be the ideal way to keep it handy. Now, who will develop some good uses for PET-16

μ

XXXXXXXXXXXXXXXXXXXX

```

;      *** pet 16 ***
;      pet sweet 16 interpreter
;      let pet think it's got 16-bits
;      adaptation by James strasma
;
; adapted from work of s. wozniak
; as published in 11/77 byte mag.
; see full description there
; only changes commented here
; to use with Richard C. Vile's
; article in micro #20, page 25
; change line 0123 there to:
;      0123      jsr sw16
; with sw16=start of interpreter
; relocators, see note @ 1390
;
;      .ba $2e62
;
;      cps      .de $2e00
;      loos     .de $24
;      nol      .de 0
;      noh      .de 1
;      r14h     .de $1d
;      r15l     .de $1e
;      r15h     .de $1f
;      s16kas   .de $2f
;
; interpreter proper
;
2E62- 20 C 2E sw16      jsr sw16      ;save zero page
2E65- 85 20      save      sta ##20      ;in apple's rom
2E67- 86 21      stx ##21      ;save machine context
2E69- 84 22      sty ##22
2E6B- 08          rph
2E6C- 68          pla
2E6D- 85 23      sta ##23
2E6F- BA          tsx
2E70- 86 24      stx ##24
2E72- D8          old
2E73- 68          pla
2E74- 85 1E      sta #r15l
2E76- 68          pla
2E77- 85 1F      sta #r15h
2E79- 20 7F 2E sw16b   jsr sw16b
2E7C- 4C 79 2E sw16c   jmp sw16c
2E7F- E6 1E      sw16c   inc #r15l
2E81- D0 02      bne sw16d
2E83- E6 1F      inc #r15h
2E85- A9 2F      sw16d   lda #s16kas
2E87- 48          pha
2E88- A0 00      ldy #0
2E8A- B1 1E      lda (r15l),y
2E8C- 29 0F      and ##f
2E8E- 0A          asl a
2E8F- AA          tax
2E90- 4A          lsr a
2E91- 51 1E      eor (r15l),y
2E93- F0 08      beq tobr
2E95- 86 1D      stx #r14h
2E97- 4A          lsr a
2E98- 4A          lsr a
2E99- 4A          lsr a
2E9A- A8          tay
2E9B- B9 E4 2E sw16e   lda oetbl-2,y
2E9E- 48          pha
2E9F- 60          rts
2EA0- E6 1E      tobr    inc #r15l
2EA2- D0 02      bne tobr2

```

2EA4-	E6	1F		inc	*r15h		2F17-	95	01		sta	*rnh,x	
2EA6-	BD	E7	2E	tobr2	lda	bntbl,x	2F19-	60			nts		
2EA9-	48				pha		2F1A-	A5	00	stat	lda	*rnl	
2EAA-	A5	1D			lda	*r14h	2F1C-	81	00	stat2	sta	(rnl,x)	
2EAC-	4A				lsr	a	2F1E-	A0	00		ldy	#0	
2EAD-	60				nts		2F20-	84	1D	stat3	sty	*r14h	
2EAE-	68			ntnz	pla		2F22-	F6	00	innr	inc	*rnl,x	
2EAF-	68				pla		2F24-	D0	02		bne	inn2	
2EB0-	A5	23		restore	lda	##23 ;in apple's rom	2F26-	F6	01		inc	*rnh,x	
2EB2-	48				pha	;restore registers	2F28-	60		inn2	nts		
2EB3-	A5	20			lda	##20	2F29-	A1	00	ldat	lda	(rnl,x)	
2EB5-	A6	21			ldx	##21	2F2B-	85	00		sta	*rnl	
2EB7-	A4	22			ldy	##22	2F2D-	A0	00		ldy	#0	
2EB9-	28				pla		2F2F-	84	01		sty	*rnh	
2EBA-	20	C0	2E		jsr	swg ;restore zero page	2F31-	F0	ED		bex	stat3	
2EBD-	6C	1E	00		jmp	(r15l) ;exchange part of z. p.	2F33-	A0	00	pop	ldy	#0	
2EC0-	A2	24		swg	ldx	#locs ;with given area of mem.	2F35-	F0	06		bex	pop2	
2EC2-	BD	00	2E	slop	lda	op,x	2F37-	20	69	2F	popd	jsr	dcr
2EC5-	48				pha		2F3A-	A1	00		lda	(rnl,x)	
2EC6-	B5	00			lda	#0,x	2F3C-	A8			tax		
2EC8-	9D	00	2E		sta	op,x	2F3D-	20	69	2F	pop2	jsr	dcr
2ECB-	68				pla		2F40-	A1	00		lda	(rnl,x)	
2ECC-	95	00			sta	#0,x	2F42-	85	00		sta	*rnl	
2ECE-	CA				dex		2F44-	84	01		sty	*rnh	
2ECF-	10	F1			bcl	slop ;max.=#7f locations	2F46-	A0	00	pop3	ldy	#0	
2ED1-	60				nts		2F48-	84	1D		sty	*r14h	
2ED2-	B1	1E		setz	lda	(r15l),y	2F4A-	60			nts		
2ED4-	95	01			sta	*rnh,x	2F4B-	20	29	2F	lddat	jsr	ldat
2ED6-	88				dev		2F4E-	A1	00		lda	(rnl,x)	
2ED7-	B1	1E			lda	(r15l),y	2F50-	85	01		sta	*rnh	
2ED9-	95	00			sa	*rnl,x	2F52-	4C	22	2F	jmp	innr	
2EDB-	98				tva		2F55-	20	1A	2F	stdat	jsr	stat
2EDC-	38				sec		2F58-	A5	01		lda	*rnh	
2EDD-	65	1E			adc	*r15l	2F5A-	81	00		sta	(rnl,x)	
2EDF-	85	1E			sta	*r15l	2F5C-	4C	22	2F	jmp	innr	
2EE1-	90	02			bcc	set2	2F5F-	20	69	2F	steat	jsr	dcr
2EE3-	E6	1F			inc	*r15h	2F62-	A5	00		lda	*rnl	
2EE5-	60			set2	nts		2F64-	81	00		sta	(rnl,x)	
2EE6-	05			oetbl	.by	set-1	2F66-	4C	46	2F	jmp	pop3	
2EE7-	FC			bntbl	.by	rtn-1	2F69-	85	00	dcr	lda	*rnl,x	
2EE8-	07				.by	ld-1	2F6B-	D0	02		bne	dcr2	
2EE9-	A0				.by	br-1	2F6D-	D6	01		dec	*rnh,x	
2EEA-	10				.by	st-1	2F6F-	D6	00	dcr2	dec	*rnl,x	
2EEB-	A1				.by	bnc-1	2F71-	60			nts		
2EEC-	28				.by	ldat-1	2F72-	A0	00	sub	ldy	#0	
2EED-	B2				.by	bc-1	2F74-	38		ocr	sec		
2EEE-	19				.by	stat-1	2F75-	A5	00		lda	*rnl	
2EEF-	B5				.by	bc-1	2F77-	F5	00		sbc	*rnl,x	
2EF0-	4A				.by	lddat-1	2F79-	99	00	00	sta	rnl,y	
2EF1-	BC				.by	bm-1	2F7C-	A5	01		lda	*rnh	
2EF2-	54				.by	stdat-1	2F7E-	F5	01		sbc	*rnh,x	
2EF3-	C3				.by	bz-1	2F80-	99	01	00	sub2	sta	rnh,y
2EF4-	32				.by	pop-1	2F83-	98			tva		
2EF5-	CC				.by	bz-1	2F84-	69	00		adc	#0	
2EF6-	5E				.by	steat-1	2F86-	85	1D		sta	*r14h	
2EF7-	D5				.by	bmi-1	2F88-	60			nts		
2EF8-	88				.by	add-1	2F89-	A5	00	add	lda	*rnl	
2EF9-	E0				.by	bmi-1	2F8B-	75	00		adc	*rnl,x	
2EFA-	71				.by	sub-1	2F8D-	85	00		sta	*rnl	
2EFB-	08				.by	bk-1	2F8F-	A5	01		lda	*rnh	
2EFC-	36				.by	popd-1	2F91-	75	01		adc	*rnh,x	
2EFD-	EB				.by	rs-1	2F93-	A0	00		ldy	#0	
2EFE-	73				.by	ocr-1	2F95-	F0	E9		bex	sub2	
2EFF-	96				.by	bs-1	2F97-	A5	1E	bs	lda	*r15l	
2F00-	21				.by	innr-1	2F99-	20	1C	2F	jsr	stat2	
2F01-	EA				.by	nul-1	2F9C-	A5	1F		lda	*r15h	
2F02-	68				.by	dcr-1	2F9E-	20	1C	2F	jsr	stat2	
2F03-	EA				.by	nul-1	2FA1-	18		br	clc		
2F04-	EA				.by	nul-1	2FA2-	B0	0E	bnc	bcs	bnc2	
2F05-	EA				.by	nul-1	2FA4-	B1	1E	br1	lda	(r15l),y	
2F06-	10	CA		set	bcl	setz ;from here on must	2FA6-	10	01		bcl	br2	
2F08-	B5	00		ld	lda	*rnl,x ;be in same mem. op.	2FA8-	88			dec		
				bk	.de	==1	2FA9-	65	1E	br2	adc	*r15l	
2F0A-	85	00			sta	*rnl	2FAB-	85	1E		sta	*r15l	
2F0C-	B5	01			lda	*rnh,x	2FAD-	98			tva		
2F0E-	85	01			sta	*rnh	2FAE-	65	1F		adc	*r15h	
2F10-	60				nts		2FB0-	85	1F		sta	*r15h	
2F11-	A5	00		st	lda	*rnl	2FB2-	60		bnc2	nts		
2F13-	95	00			sta	*rnl,x	2FB3-	B0	EC	bc	bcs	br	
2F15-	A5	01			lda	*rnh	2FB5-	60			nts		


```

2FB6- 0A      bp      asl a          2FEE- 20 69 2F      jsr dcr
2FB7- AA      tax          2FF1- A1 00      lda (rol,x)
2FB8- B5 01   lda #roh,x    2FF3- 85 1F      sta #r15h
2FBA- 10 E8   bnl br1      2FF5- 20 69 2F   jsr dcr
2FBC- 60      nts          2FF8- A1 00      lda (rol,x)
2FBD- 0A      km      asl a          2FFA- 85 1E      sta #r15l
2FBE- AA      tax          2FFC- 60      nts
2FBF- B5 01   lda #roh,x    2FFD- 4C AE 2E   rtn      jme rntz
2FC1- 30 E1   bmi br1      .en
2FC3- 60      nts
2FC4- 0A      bz      asl a
2FC5- AA      tax
2FC6- B5 00   lda #rol,x
2FC8- 15 01   ora #roh,x
2FCA- F0 D8   beq br1
2FCC- 60      nts
2FCD- 0A      bnz     asl a
2FCE- AA      tax
2FCF- B5 00   lda #rol,x
2FD1- 15 01   ora #roh,x
2FD3- D0 CF   bne br1
2FD5- 60      nts
2FD6- 0A      bml     asl a
2FD7- AA      tax
2FD8- B5 00   lda #rol,x
2FDA- 35 01   and #roh,x
2FDC- 49 FF   eor #fff
2FDE- F0 C4   beq br1
2FE0- 60      nts
2FE1- 0A      rml     asl a
2FE2- AA      tax
2FE3- B5 00   lda #rol,x
2FE5- 35 01   and #roh,x
2FE7- 49 FF   eor #fff
2FE9- D0 B9   bne br1
2FEB- 60      nul     nts
2FEC- A2 18   rs      ldx #18

```

--- LABEL FILE: ---

```

add =2F89      bc =2FB3      bk =2F09
km =2FBD      km1 =2FD6     km2 =2FA2
bnc2 =2FB2    bnm1 =2FE1    bnz =2F0D
br =2FB6      br1 =2FA4     br2 =2FA9     br =2F97
bz =2FC4      brtbl =2EE7   bsa =2F74
cra =2E00     dcr =2F6F     dcr2 =2F22
dcr =2F69     ld =2F08      ldat =2F29
innr2 =2F28   locs =0024    inn =2F22
lddat =2F4B   ror =2F33     ldr =2F03
optbl =2EE5   ror2 =2F37    ldr2 =2F08
rop3 =2F46    r15h =001E   ldr3 =2F04
r15l =001F    rol =0000     locs2 =2F04
roh =0001     rntz =2ERE   nls =2F02
rtn =2FFD     save =2E65   nls2 =2F01
setz =2ED2    set =2F06     nls3 =2F00
st =2F11      set2 =2EE5    nls4 =2F00
stat3 =2F20   slw =2EC2     nls5 =2F00
sub =2F72     stat =2F1A    nls6 =2F00
sw16b =2E79   stdat =2F55   nls7 =2F00
tabr =2EA0    sub2 =2F80    nls8 =2F00
//0000,3000,3000
tabr2 =2EAF   sw16c =2E7F   nls9 =2F00

```

6502	7.45	10 @ 6.95	50 @ 6.55	100 @ 6.15	
6502A	8.40	10 @ 7.95	50 @ 7.35	100 @ 6.90	
6520 PIA	5.15	10 @ 4.90	50 @ 4.45	100 @ 4.15	
6522 VIA	7.15	10 @ 6.95	50 @ 6.45	100 @ 6.00	
6532	7.90	10 @ 7.40	50 @ 7.00	100 @ 6.60	
2114-L450		4.75	20 @ 4.45	100 @ 4.15	
2114-L300		5.95	20 @ 5.45	100 @ 5.10	
2716 EPROM	27.00	5 @ 25.00	10 @ 23.00		
4116-200ns RAM		7.00	8 @ 6.25		
6550 RAM (PET 8K)				12.70	
21L02				.90	
S-100 Wire Wrap	\$2.85	10 @	2.65		
S-100 Solder Tail	\$2.35	10 @	2.15		

All books 15% Off

KIM-1 \$159
SYM-1 \$209
KTM 2/80 \$349
Leedex Monitor \$129
Centronics 737 \$845



SALE

(write for quantity prices)

SCOTCH 8" Disks	10/\$31.00
SCOTCH 5 1/4" Disks	10/\$31.50
Verbatim 5 1/4" Disks	10/\$25.50
Diskette Storage Pages	10/\$ 3.95
Disk Library Cases	8" - \$2.95 5" - \$2.15
BASF 5 1/4" Disks	10/\$28.00
BASF 8" Disks	10/\$29.00

CASSETTES
AGFA PE-611
in 5 screw housing

C-10 10/5.65 100/48.00
C-30 10/7.30 100/66.00

All other lengths available. Write for price list.

ATARI INTRODUCTORY SPECIAL
ATARI 400 Atari 800 and Atari Modules 20% OFF

COMMODORE PET-CBM
Write or call for quotes
NEW 8016/32 80 Column Screen
NEW 8050 950K Dual Drive
EDUCATIONAL DISCOUNTS AVAILABLE



WRITE FOR CATALOG

Add \$1.00 per prepaid order for US shipping (UPS)

A B Computers 115 E. Stump Road
Montgomeryville, PA 18936
(215) 699-5826

6502 ENTHUSIASTS

A NEW KIT THAT GETS YOU INTO
SERIOUS MICROCOMPUTING FOR ONLY

\$1495.00 Kit **\$1695.00 Assembled**

- > 6502 CPU & DISK CONTROLLER CARD
- > 16K RAM CARD
- > 90K MINIFLOPPY DISK DRIVE
- > DOS, 8K BASIC, ASSEMBLER/EDITOR
- > 8 SLOT MOTHERBOARD
- > CHASSIS, POWER SUPPLY, & CABLES
- > MICRO—TERM ACT—I SERIAL TERMINAL
- 16 X 64 CHARACTER DISPLAY
- Upper/Lower CASE
- ADDRESSABLE CURSOR
- > GOLDSTAR TV/MONITOR
- HIGH QUALITY DISPLAY
- TV TUNER INTACT


Prices in last month's issue
were in error.



Master Charge
VISA
C.O.D.

New Dimensions in Electronics

44 University Drive • Arlington Heights, Ill. 60004 • (312) 870-7400



Skyles Electric Works

The BASIC Programmer's Toolkit

For PET Owners Who Want More Fun And Fewer Errors with Their Programming

Here are Ten Comands you'll need, all on a single chip you can install, in a minute without tools, **on any PET or PET system**. 2 KB of ROM firmware on a single chip with a collection of machine language programs available to you from the time you turn on your PET to the time you shut it off. No tape to load or to interfere with any running programs.

AUTO DELETE RENUMBER HELP TRACE
STEP OFF APPEND DUMP FIND

```
LIST
10 GOSUB 99
15 PRINT I
16 GOTO 10
99 INPUT J
100 IF J = 0 THEN END
200 I = SQR(J):RETURN
READY

RENUMBER 100,10
READY
LIST
100 GOSUB 130
110 PRINT I
120 GOTO 100
130 INPUT J
140 IF J = 0 THEN END
150 I = SQR(J):RETURN
READY
```

```
RUN
?DIVISION BY ZERO ERROR IN 500
READY
HELP
500 J = SQR(A*B*(%))
READY
```

```
RUN
READY
DUMP
AT = 10
BW = -6.1
CS = "HI"
READY
```

```
APPEND INPUT
PRESS PLAY ON TAPE #1
OK
SEARCHING FOR INPUT
FOUND INPUT
APPENDING
READY
```

```
TRACE
READY
RUN
ENTER YOUR NAME? JIM #100
HI JIM #110
HOW OLD ARE YOU? #150
#160
#175
#200
```

Can be placed in main board socket or with precision-engineered PCB

Now available to interface with your:

- PET/CBM models 8N/8B, 16N/16B, 32N/32B (chip only) **TK160N** \$ 50.00*
- PET 2001-8 (chip and interface PCB) **TK80P, TK160P** 80.00*
- Expandamem **TK80E, TK160E** 80.00*
- Skyles Memory Expansion System **TK80S, TK160S** 80.00*
- PME 1, RC Factor, Eventide Clockworks **TK80S, TK160S & GTK** 90.00*
- Computhink Disk System for PET 1 (original PET) **TK80ED-1, TK160ED-1** 90.00*
- Computhink Disk System for PET II (new PET) **TK160ED-2** 100.00*
- Commodore Word Pro II (for original PET 2001-8) **TK160 (S or E) & Socket 2 ME** 95.00*
- Commodore Word Pro III (for original PET 2001-8) **TK160 (S or E) & Socket 2 ME III** 95.00*
- Commodore Word Pro II (for new PETs, CBMs) **TK160N & Socket 2 ME** 72.50*
- Commodore Word Pro III (for new PETs, CBMs) **TK160N** 50.00*
- Skyles MacroTeA **TK80M, TK160M** 50.00*

*Shipping and handling \$2.50 USA, Canada; \$10.00 Europe, Asia

*California residents: please add 6% or 6.5% sales tax as required

VISA, MASTERCHARGE ORDERS CALL (800) 538-3083 (except California residents)
CALIFORNIA ORDERS PLEASE CALL (408) 257-9140



Skyles Electric Works

231 E South Whisman Road
Mountain View, CA 94041
(415) 965-1735

Slide Show for the SYM

The Apple to SYM Picture Translator permits a SYM with a Visible Memory to use the Apple cassette tapes to put on a 'Slide Show' of its own.

David P. Kemp

Anyone who has visited a computer store recently should be familiar with the program 'Slide Show'. It is a collection of high resolution pictures for the Apple II which occupies two volumes of Apple's user contributed software bank. Photographic images like those of 'Slide Show' are real attention getters and are an excellent demonstration of the capabilities of high resolution graphics. The program described in this article allows the use of Apple Slide Show data to demonstrate the SYM-1/Visible Memory combination.

The visible memory (or K-1008 as it is officially known) is an 8K bit-mapped graphics board for KIM bus computers. It is an almost indispensable addition to the basic SYM-1 as it can be used to perform four distinct functions. As a high resolution graphics device it displays 200 lines by 320 columns for a resolution greater than either the Apple or the PET. As an ordinary 8K block of memory it augments the SYM's limited amount of onboard RAM (4K). As a text display it is faster than a serial terminal, although its maximum density of 25 by 53 characters is inferior to the 25 by 80 format of most terminals. Its most unusual use is that implied by its name. I have found it extremely helpful in debugging a program to be able to see what is going on in memory while the program is executing. This can be done using the visible memory without having to write a single line of special purpose debugging code. By simply placing an I/O buffer in the visible memory address space, for example, it is possible to see graphically exactly when and how the buffer's contents are changing. The Apple's

hires buffer is unsuitable for this purpose because its contents appear on the screen in scrambled order, and the PET and Radio Shack displays cannot be used because they are character oriented. Thus it appears that the visible memory is unique in allowing this very useful mode of operation.

This article is concerned with the visible memory as a pseudo-grey-scale display rather than as a debugging tool. Its manufacturer, Micro Technology Unlimited, sells basic text and graphics subroutines for the board, but there has been little of any published software which makes effective use of it. This program was written to fill a small part of that vacuum. It reads a cassette tape of an Apple hires image and displays it using a portion of the visible memory.

There are actually two tasks performed by the program: reading data from cassette, and translating the data from Apple high resolution format to a form suitable for use by the visible memory. Because the processor must monitor every bit coming off the tape and because the data translation sometimes requires more than one bit time to complete, the program is a prime candidate for interrupt driven I/O. It could be written without using interrupts by performing the two tasks serially (reading first, then translating) but this approach requires two 8K blocks of memory, which is more than is available on many systems. Interrupts allow both tasks to run simultaneously by making use of processor time that would otherwise be wasted. The cassette reading task is assigned to the interrupt service routine because it must

operate in real time if it is to operate at all. The data translation task runs whenever the interrupt routine is not running, ie. it operates in the 'background'.

The most straight forward way of setting up an interrupt structure would be to generate an interrupt request each time the cassette input line changes state. Unfortunately on the SYM this line is connected to a parallel input port where it is not able to trigger an interrupt. The solution to this problem is to use a timed interrupt to enter the service routine and then remain in a wait loop until a tape transition occurs. This technique has the disadvantage of wasting a significant amount of time in the interrupt routine, but it does not matter in this program because the background routine does not require a great deal of time.

The interrupt service routine is responsible for reading bits from cassette, packing them into bytes, and passing the packed data to the background program. It uses two of the SYM's seven programmable timers. One is used to generate interrupts; the other keeps track of the time between tape transitions. If this time is greater than a threshold, the cycle represents a one bit, otherwise it is a zero. The interrupt routine packs the received bits until eight have been accumulated, at which time it stores the packed byte in location BYTE where it can be used by the background program. Because the service routine can be entered at any point in the main program, it must leave all processor registers as it found them. This routine performs bit counting and packing operations directly in

memory where they will not interfere with the operation of the main program, thus the accumulator is the only register that must be saved and restored.

Once it has been determined that the cassette input routine will be interrupt driven, the remainder of the program is coded without regard to that fact. In particular, subroutine GETBYT which retrieves data from cassette, contains no explicit timing instructions and just assumes that data will magically appear in memory location BYTE when it becomes available. The background program handles the task of translating image data from Apple format to visible memory format. This includes four distinct operations - reversing bits, packing seven bit bytes into eight bit bytes, unscrambling line numbers, and discarding unused data bytes. The first two operations are handled by subroutine READLN, which reads forty consecutive bytes from tape into thirty five consecutive bytes in the visible memory. The other two operations are handled by subroutine LNADR, which calculates the correct memory address for storing the next line of data or indicates that data is to be ignored. For a complete description

of the Apple's convoluted hires memory organization, see MICRO 7:43. The visible memory organization of 320 points by 200 lines is more straightforward. The first forty bytes are displayed on line one, bytes 40-79 on line two, bytes 80-119 on line three, and so on. The bits in each byte appear in order with bit 7 (MSB) to the left and bit 0 (LSB) to the right on the screen. The author's visible memory has been modified to display the maximum 204 lines instead of 200 by altering one trace on the PC board. This modification has no effect on the appearance or organization of the original 200 lines, and since the Apple hires screen contains only 192 lines the modification is not needed to display a full image.

Using the program is a simple matter once some suitable input data is available. This can be obtained using the Slide Show program's write option, or the Apple monitor command 2000.3FFFF will dump any arbitrary image in the primary hires buffer to tape. (4000.5FFFF will dump the secondary hires buffer.) Play the Apple tape into the SYM and run PICTR at location 200. The image will be loaded into the visible memory in scrambled order as it was placed on the tape, but once the load is complete, the im-

age appears as it did on the Apple screen. The visible memory should be cleared prior to running PICTR because old data will form an undesirable border along the right and bottom margins of the image.

Slide Show images are not the only pictures that can be used with the visible memory of course, but they are the most widely available. Its is possible to digitize almost anything using a graphics tablet, facsimile machine, or TV camera. The author has produced several images for the visible memory in addition to those available for the Apple, but for many users the only source of photographic data is the Apple library. I hope that this program will stimulate the interest of SYM users in both the visible memory and graphic image processing. μ

~~~~~  
*David Kemp is the owner of an Apple, a SYM, and a Homebrew machine, loosely based on the OSI model 400. His other interests include music, speech, graphics, and interfacing non-standard peripheral hardware. He has developed and is selling an interface to the T.I. 'Speak and Spell', and he is working on other hardware for small systems.*  
 ~~~~~

```

1
2
3
4
5
6
7
8
9
10
11 00E0      TMP=  $E0          ;scratchpad
12 00E1      SCNT=  TMP+1        ;seven bit counter
13 00E2      LINE=  SCNT+1      ;VM line address
14 00E2      PROD=  LINE        ;equivalent labels used by MULBYT
15 00E3      MPCD=  PROD+1
16 00E4      LINCNT=LINE      +2 ;line counter
17 00E5      BYTE=  LINCNT+1    ;interrupt routine bit buffer
18 00E6      BYTE=  BYTE+1      ;cassette read data
19 00E7      BCNT=  BYTE+1      ;interrupt routine bit counter
20 00E8      LEVEL= BCNT+1     ;cassette input polarity
21
22 8DA9      START= $8DA9      ;configure for cassette I/O
23
24 A000      P10RB= $A000      ;VIA #1 base address
25 A004      P1T1L= P10RB+4    ;interrupt timer registers
26 A005      P1T1H= P10RB+5
27 A00B      P1ACR= P10RB+$B    ;auxilliary control register
28 A00D      P1IFR= P10RB+$D    ;interrupt flag register
29 A00E      P1IER= P10RB+$E    ;interrupt enable register
30 A000      TAPIN= P10RB      ;cassette input on bit 6
31
32 A406      TIMER= $A406      ;transition timer read register
33 A415      TIM8=  $A415      ;transition timer write register
34 A678      UIRQVC=$A678     ;user IRQ vector location
35
36 0020      VMPAGE=$20        ;Visible Memory page address
37
38          *= $200
39
40          ;*****

```

```

41 0200 20 C0 02  PICTR JSR     SYNC           ;set up timer, get cassette header
42 0203 A2 00      LDX     #0
43 0205 86 E6      STX     BYTE           ;initialize read data variable
44 0207 8E 0B A0   STX     P1ACR          ;set interrupt timer one shot mode
45 020A 8E 05 A0   STX     P1T1H         ;trigger interrupt timer
46 020D A9 C0      LDA     #C0
47 020F 8D 0E A0   STA     P1IER        ;enable timer interrupts
48 0212 58         CLI     ;enable IRQs
49 0213 86 E4      PICT1 STX     LINCNT        ;set line counter
50 0215 20 2C 02   JSR     LNADR         ;calculate line address
51 0218 D0 05      BNE     PICT2
52 021A 20 77 02   JSR     RD8           ;throw away 8 bytes every 3 lines
53 021D F0 03      BEQ     PICT3
54 021F 20 53 02   PICT2 JSR     RDLN          ;read line (40 bytes) into display
55 0222 A6 E4      PICT3 LDX     LINCNT
56 0224 E8         INX     ;advance to next line
57 0225 D0 EC      BNE     PICT1        ;continue if screen not full
58 0227 8E 0E A0   STX     P1IER        ; else disable interrupts
59 022A 78         SEI     ;disable IRQs
60 022B 60         RTS     ; and return to monitor
61

```

```

62 ;*****
63 022C 8A      LNADR TXA           ;scramble line count to produce
64 022D 0A      ASL     A           ; correct address for loading image
65 022E AA      TAX
66 022F 29 38   AND     #B38           ;performs the following bit mapping
67 0231 85 E0   STA     TMP           ; 7 -> 2
68 0233 8A      TXA           ; 6 -> 1
69 0234 2A      ROL     A           ; 5 -> 0
70 0235 2A      ROL     A           ; 4 -> 5
71 0236 2A      ROL     A           ; 3 -> 4
72 0237 AA      TAX           ; 2 -> 3
73 0238 29 07   AND     #7            ; 1 -> 7
74 023A 05 E0   ORA     TMP           ; 0 -> 6
75 023C 85 E0   STA     TMP
76 023E 8A      TXA           ; made necessary by the Apple's
77 023F 0A      ASL     A           ; high resolution hardware
78 0240 0A      ASL     A
79 0241 29 C0   AND     #C0
80 0243 C9 C0   CMP     #C0
81 0245 F0 0B   BEQ     LNUL          ;return z set if line # mod 4 = 0
82 0247 05 E0   ORA     TMP
83 0249 A2 28   LDX     #28           ;multiply scrambled line count by
84 024B 20 87 02 JSR     MULBYT        ; number of bytes per VM line
85 024E 09 20   ORA     #VMPAGE      ;***add VM base address***
86 0250 85 E3   STA     LINE+1
87 0252 60      LNUL  RTS
88
89 ;*****
90 0253 A0 00   RDLN  LDY     #0
91 0255 A2 08   RDLN1 LDX     #B8           ;initialize bit count for output byte
92 0257 A9 07   RDLN1 LDA     #B7
93 0259 85 E1   RDLN1 STA     SCNT          ;initialize bit count for input byte
94 025B 20 80 02 JSR     RDBYT        ;get a byte from cassette
95 025E 4A      RDLN2 LSR     A
96 025F 26 E0   RDLN2 ROL     TMP           ;reverse bit positions
97 0261 CA      DEX
98 0262 D0 0D   BNE     RDLN3        ;check output count
99 0264 48      PHA           ;done with output word
100 0265 A5 E0   LDA     TMP
101 0267 91 E2   STA     (LINE),Y    ;store it in Visible Memory
102 0269 A2 08   LDX     #B8           ;reinitialize output shift count
103 026B 68      PLA
104 026C C8      INY
105 026D C0 23   CPY     #B5
106 026F B0 E1   BCS     LNUL          ;exit if line is done
107 0271 C6 E1   RDLN3 DEC     SCNT
108 0273 D0 E9   BNE     RDLN2        ;continue if input word not done
109 0275 F0 E0   BEQ     RDLN1        ;else get another
110
111 ;*****
112 0277 A2 08   RD8   LDX     #B8           ;initialize byte count
113 0279 20 80 02 RD81 JSR     RDBYT        ;get a byte from cassette
114 027C CA      DEX           ; and throw it away
115 027D D0 FA   BNE     RD81
116 027F 60      RTS
117
118 ;*****
119 0280 A5 E6   RDBYT LDA     BYTE      ;check ready flag
120 0282 10 FC   BPL     RDBYT        ;wait if no data
121 0284 46 E6   LSR     BYTE
122 0286 60      RTS           ;reset flag
123

```

Classified Ads

Enhance Apple II or other system with versatile M.P.I. model 88T impact printer. Uses fan-fold, roll or sing sheet paper. 8 font sizes. Interface cable inc. (specify Apple, RS232 or no connctr on computer end). We pay shipping! \$699. CA res add 6%.

Systems Technology
2625 Venado Camino
Walnut Creek, CA 94598

C1P/Superbd Intelligent Terminal Program transmits data from keybd or casstt & stores rec'd data onto cassette. Runs in 48K, selectable parity, stop bits, full/half duplex. Unique feature-user definable keyboard cnfigrtion. Lets you tailor your keybd. \$24.95 for casstt & manual. Requires RS232 mod.

Charles Shartsis
9308 Cherry Hill RD. 812
College Park, MD 20740

KIM Basic users: upgrade to full-featrd Basic with renumb, append, improved editor, file system supporting PET-like file commands & more. Incl casstt, manual, sample progs, compl source list. Many practical applica to KIM Basic. Send \$43 for packg or SASE for 3 pg compl descr.

Sean McKenna
64 Fairview Av.
Piedmont, CA 94610

PROGRAMMING AND INTERFACING THE 6502, WITH EXPERIMENTS, by Marvin L. DeJong, is now available. Send \$13.95, plus \$1.00 p&h to:

Group Technology Limited
P.O. Box 87
Check, VA 24072

PET MACHINE LANGUAGE GUIDE: Comprehensive manual to aid mach. lang. progrmmr. More than 30 routns fully detailed: reader can put to immed. use. For New or Old ROMS. \$6.95 plus .75 p&h. VISA/Mastercharge acctptd.

Abacus Software
P.O. Box 7211
Grand Rapids, MI 49510

```

124 ;*****
125 0287 4A MULBYT LSR A ;single precision fast multiply
126 0288 85 E2 STA PROD ;enter: A,X = operands
127 028A 86 E3 STX MPCD ;return:
128 028C A9 00 LDA #0 ; A = unsigned product high
129 028E A2 08 LDX #8 ; PROD = product low byte byte
130 0290 90 03 MULB1 BCC MULB2
131 0292 18 CLC
132 0293 65 E3 ADC MPCD
133 0295 6A MULB2 ROR A
134 0296 66 E2 ROR PROD
135 0298 CA DEX
136 0299 D0 F5 BNE MULB1
137 029B 60 RTS
138

```

```

139 ;**** timer interrupt service routine ****
140 ; assumes no other interrupts are active
141 029C 48 INT PHA ;save accum
142 029D 20 E9 02 JSR GETTR ;get transition time
143 02A0 C9 A8 CMP #A8
144 02A2 26 E5 ROL BYT ;build byte
145 02A4 C6 E7 DEC BCNT ;check bit count
146 02A6 D0 10 BNE INTR ;not done with byte yet
147 02A8 A5 E6 LDA BYTE
148 02AA 30 13 BMI ERR ;overrun if flag not reset
149 02AC A5 E5 LDA BYT
150 02AE 49 FF EOR #FF ;correct polarity
151 02B0 09 80 ORA #80 ;set data available flag
152 02B2 85 E6 STA BYTE ;copy data to byte
153 02B4 A9 08 LDA #8
154 02B6 85 E7 STA BCNT ;reinitialize bit count
155 02B8 A9 00 INTR LDA #0
156 02BA 8D 05 A0 STA P1T1H ;retrigger interrupt timer
157 02BD 68 PLA ;restore accum
158 02BE 40 RTI
159 02BF 00 ERR BRK ;quit if overrun error
160

```

```

161 ;*****
162 02C0 20 A9 8D SYNC JSR START ;set up cassette interface
163 02C3 A2 9C LDX #INT
164 02C5 8E 78 A6 STX UIRQVC ;set interrupt vector
165 02C8 A2 02 LDX #INT/$100
166 02CA 8E 79 A6 STX UIRQVC+1
167 02CD A2 08 LDX #8
168 02CF 86 E7 STX BCNT ;initialize input bit count
169 02D1 A2 FA LDX #FA
170 02D3 8E 04 A0 STX P1T1L ;set timer latch for 250 us
171 02D6 20 E3 02 SYNC1 JSR GETTRS ;look for leader
172 02D9 B0 E5 BCS SYNC ;start over if not stable
173 02DB CA DEX
174 02DC D0 F8 BNE SYNC1 ;get enough valid half cycles
175 02DE 20 E3 02 SYNC2 JSR GETTRS ;get sync bit
176 02E1 90 FB BCC SYNC2
177

```

```

178 ;*****
179 02E3 A5 E8 GETTRS LDA LEVEL ;get one half cycle time
180 02E5 49 40 EOR #40
181 02E7 85 E8 STA LEVEL
182
183 02E9 AD 00 A0 GETTR LDA TAPIN ;get cassette input level
184 02EC 45 E8 EOR LEVEL
185 02EE 29 40 AND #40
186 02F0 F0 F7 BEQ GETTR ;wait for end of first half cycle
187 02F2 AD 00 A0 GETTR1 LDA TAPIN
188 02F5 45 E8 EOR LEVEL
189 02F7 29 40 AND #40
190 02F9 D0 F7 BNE GETTR1 ;wait for end of second half cycle
191 02FB AD 06 A4 LDA TIMER ;get time
192 02FE 48 PHA
193 02FF A9 FF LDA #FF
194 0301 8D 15 A4 STA TIM8 ;restart timer
195 0304 68 PLA
196 0305 C9 CE CMP #CE ;get data bit in C
197 0307 60 RTS
198
199 .END

```

Glassified Ads

Apple II Super 16 Keyboarder
 SW16 in which each of 16
 basic program instructions
 use powerful 16-bit processor
 incl. 16-bit & 8-bit flags
 low cost SW16 program for
 users' manual. Manual catos
 treatment of SW16 program
 OP code descr. & more. Send
 \$15.95 for man. appls. to
 assembl.

Scientific Software
 P.O. Box 156
 Stowe, PA 18464

OSI Basic-in-ROM reference
 manual. Errors fixed, mis-
 sions restored, subtle points
 explained, much mach lang
 info, memory maps of pages
 300, 02, FF, FF. 59 pages.
 \$8.95. Maps only \$2.95

Edward H. Carlson
 3872 Raleigh Drive
 Okemos, MI 48864

Integer PASCAL for Apple II
 Translator produces 6502
 code from P-codes. 4x faster
 than Integ. BASIC. Compiler,
 interpreter \$30, translator \$35
 addit. Requires 48k & disk.
 CA res add 8%.

M & M Software Co.
 380 N. Armando, Z-19
 Anaheim, CA 92806

British Apple
 Owners/Dealers
 Write now to MGA for exten-
 sive list of specialised soft-
 ware and hardware for your
 Apple or 2020. We promise
 you'll be surprised!!

Michael Gunn Associates
 140 High Street
 Teperden, Kent
 TN30 6HT, England

OSI C1P Superboard II
 owners, you need the 96 page
 tutorial manual 'Getting
 Started with Your C1P'. Fun-
 damentals of BASIC,
 cassette usage, subroutines,
 logic & control are described
 in step-by-step manner. \$5.95
 + \$1 p&h form.

TIS
 Box 921 - M
 Los Alamos, NM 87544

Tame Apple's LIST command
 with LIST CTRL utility will br-
 ing prog. listout under control
 w/ Apple's game paddles. No
 longer watch program scroll
 up screen too fast to read.
 Eliminate drudgery of not
 able to control length/rate of
 a prog list to screen. Current
 Soft Cat has more info. This
 utility can be put on ROM &
 will plug into Mtn Hardwr
 ROMPLUS board.

Soft CTRL Systems
 P.O. Box 589
 West Milford, NJ 07480

Hypocycloids on the OSI 540

Here is an update to the Hypocycloids Program which allows it to run on the OSI 540 video board.

E.D. Morris

In the October 1979 issue of MICRO (17:52) I made an offer to supply my Hypocycloids program to owners of OSI 440 video boards. Since then I have received many questions on how to convert this program for use with the newer 540 boards. The following program will draw hypocycloids on a 540 video board; however, the resolution is only 64 x 64. I will supply the program on tape for \$3.00 or free if you send me a tape with some of your programs.

Program Notes

Lines 840 to 940 ask for input parameters. For testing, try BIG GEAR = 28 and SMALL GEAR = 7 for a diamond or BIG GEAR = 25 SMALL GEAR = 10 for a five

pointed star. Lines 700-760 test if your parameters are reasonable, and, if not, it rejects them. Lines 770-830 calculate points on the hypocycloid curve. The subroutine at line 50 plots a line between OX, OY and NX, NY. This is Bresenham's line drawing algorithm. Note that the subroutine is written in very simple BASIC with no multiplication or division. Thus it can easily (?) be converted to machine code for increased speed. Lines 50-340 determine if the plot should be made using X or Y as an index and changes the sign of variables so that a line can be drawn in any direction. The subroutine from 550 to 630 is specifically for the OSI 540 video board. It turns on a spot at PX, PY. A resolution of 64 in the vertical direction is obtained by turning on half-

blocks. The subroutine must decide whether the upper or lower half must be turned on and also not erase a previous half-block. This subroutine can be replaced in other computers by SET PX, PY or PLOT PX, PY if you have either of these commands. μ

Earl Morris, Jr, a Ph.D. of Physical Chemistry is employed as a research chemist.

He purchased an assembled OSI CPU board about 2 years ago, and built up the remainder of his system from bare boards. He possesses a great interest in hardware and he has made extensive modifications to his own system.

```
10 E=53376
20 S(1,0)=155:S(1,1)=155:S(1,2)=161
30 S(2,0)=154:S(2,1)=161:S(2,2)=154
40 GOT0840
50 SX=NX:SY=NY:FL=0
60 DX=NX-OX
70 IFDX>0THEN90
80 DX=-DX
90 DY=NY-OY
100 IFDY>0THEN120
110 DY=-DY
120 IF DX-DY<0 THEN480
130 REM X AXIS
140 DY=NY-OY
150 IFDY<0THEN250
160 DX=NX-OX
170 IFDX<0 THEN220
180 DD=1
190 X=OX
200 Y=OY
210 GOT0350
220 DX=-DX
230 DD=-1
240 GOT0190
250 DY=-DY
260 DX=NX-OX
270 IF DX<0 THEN320
280 DD=-1
290 X=NX
300 Y=NY
310 GOT0350
320 DX=-DX
330 DD=1
340 GOT0290
350 REM PLOT X AXIS +DY
360 R=DY+DY-DX
370 FORII=0TODX
380 IF FL=1 THENPX=Y:PY=X:GOT0400
390 PX=X:PY=Y
400 GOSUB550
```

```

410 IFR<=0THEN440
420 Y=Y+1
430 R=R-DX-DX
440 X=X+DD
450 R=R+DY+DY
460 NEXTII
470 GOTO530
480 REM Y AXIS
490 T=OX:OX=OY:OY=T
500 T=NX:NX=NY:NY=T
510 FL=1
520 GOTO130
530 OX=SX:OY=SY
540 RETURN
550 M=E+64*INT(PY/2)+PX
560 N=1+(PYAND1)
570 C=PEEK(M)
580 IFC=32 THENL=0:GOTO620
590 IFC=155 THEN L=1:GOTO620
600 IFC=154 THEN L=2:GOTO620
610 RETURN
620 POKEM,S(N,L)
630 RETURN

```

```

440 REM START PROGRAM
700 DT=30:OX=32+P:OY=30:F=6.2832/DT
710 I=1
720 DL=P*I/Q-INT(P*I/Q)
730 IF DL<.0001 THEN760
740 I=I+1:IFI>21 THEN840
750 GOTO720
760 PRINTI:W=P-Q
770 Z=(P-Q)/Q
780 FORJ=0TO I*DT
790 AN=J*F:T=Z*AN
800 NX=32+INT(W*COS(AN)+Q*COS(T))
810 NY=30+INT(W*SIN(AN)-Q*SIN(T))
820 GOSUB50:NEXTJ
830 GOTO830
840 FORJJ=1TO32:PRINT:NEXT
850 PRINT" COMPUTER SPIROGRAPH":PRINT:PRINT:PRINT
860 PRINT:INPUT"SIZE BIG GEAR (20-28)";P
870 IFP>28 THEN860
880 PRINT:INPUT"SIZE SMALL GEAR";Q
890 IFQ>P-4 THEN880
930 FORJJ=1TO32:PRINT:NEXT
940 GOTO700

```

OK

General Purpose IO Board
for
APPLE II™

- * 2 8 bit programmable IO ports
- * 1 timer/square wave generator
- * 1 timer/counter
- * 1 shift register
- * 2 IO cables 50 pages instructions
- * Large area for user buffers, relays, etc.

Board uses 6522 VIA See MICRO, 13:41, 15:17, 17:27, 1979
Order AP 1.0 \$69.50

Extender Card for APPLE II™

Lifts IO boards 4" above chassis
All lines labeled and numbered
Convenient test points for all lines
Order AP 2.0 \$24.50

<p>Orders post paid in US</p> <p>Texas residents add 5% tax</p> <p>MC-VISA orders must give all card data</p>	<p>microAustin</p> <p>PO Box 14408</p> <p>Austin, Texas</p> <p>78761</p>
---	--

**DISK DRIVE WOES? PRINTER INTERACTION?
MEMORY LOSS? ERRATIC OPERATION?
DON'T BLAME THE SOFTWARE!**




ISO-1 ISO-2

Power Line Spikes, Surges & Hash could be the culprit! Floppies, printers, memory & processor often interact! Our unique ISOLATORS eliminate equipment interaction AND curb damaging Power Line Spikes, Surges and Hash.

- *ISOLATOR (ISO-1A) 3 filter isolated 3-prong sockets; integral Surge/Spike Suppression; 1875 W Maximum load, 1 KW load any socket \$56.95
- *ISOLATOR (ISO-2) 2 filter isolated 3-prong socket banks; (6 sockets total); integral Spike/Surge Suppression; 1875 W Max load, 1 KW either bank \$56.95
- *SUPER ISOLATOR (ISO-3), similar to ISO-1A except double filtering & Suppression \$85.95
- *ISOLATOR (ISO-4), similar to ISO-1A except unit has 6 individually filtered sockets \$96.95
- *ISOLATOR (ISO-5), similar to ISO-2 except unit has 3 socket banks, 9 sockets total \$79.95
- *CIRCUIT BREAKER, any model (add-CB) Add \$ 7.00
- *CKT BRKR/SWITCH/PILOT any model (CBS) Add \$14.00

PHONE ORDERS 1-617-655-1532

Electronic Specialists, Inc.
171 South Main Street, Natick, Mass. 01760

Dept. MI

TRACER: A Debugging Tool for the APPLE II

The Apple's Step/Trace routines are handy, but you will find them even more useful when used in conjunction with this Tracer program.

R. Kovacs

Introduction

The APPLE II's monitor in ROM is crammed with many useful routines. These include memory interrogation and modification, keyboard input, Crt display output and cassette I/O. In addition, Apple has thoughtfully provided a number of routines related to assembly language programming. A single-pass assembler and disassembler are invaluable aids in writing and reviewing machine code. A step/trace feature allows the user to control execution of his program during the software development phase.

The step routine executes a single instruction and displays its address, both Hex and disassembled code, the values of the A,X,Y,P registers and the stack pointer. The user has the opportunity to modify any register and continue execution of either the next instruction or any arbitrary one.

Unfortunately, all this information uses up the display rather quickly such that at best only the 11 most recent steps are shown. It seemed to me that it would be useful to display more PC history at the expense of other information.

The Program

The Tracer program was designed to operate in conjunction with APPLE's step/trace routines to enhance their usefulness. It is basically a formatter which controls the information output to the screen. This routine will display up to 160 of the most recent instructions executed. This is in addition to the usual

```

1000 * TRACER          R. KOVACS   28DEC79
1010 *
1020 *
1030 * ENTER VIA CONTROL-Y FOLLOWED BY XXXXT
1040 * WHERE XXXX IS THE ADDRESS TO BEGIN TRACING
1050 *
1060 *****
1070 *
1080 WNDBTM .EQ $23      BOTTOM OF SCROLLING WINDOW
1090 PCL   .EQ $3A      PGM COUNTER
1100 *
1110 WINDOW .EQ $FB3C   SET NORMAL SCROLL WINDOW
1120 BELL   .EQ $FBDD   TOGGLE SPEAKER
1130 CLEAR  .EQ $FC58   CLEAR SCREEN, HOME CURSOR
1140 COUT   .EQ $FDF0   OUTPUT CHAR TO SCREEN
1150 READ   .EQ $C000   KEYBOARD STROBE
1160 RESET  .EQ $C010   RESET KEYBOARD
1170 *
1180 BUFF   .EQ $0750   LINE#22-COL#0
1190 BUFF1  .EQ $07D0   #23 #0
1200 *
1210 *****
1220 *
1230 * SET UP CONTROL-Y JUMP TO $3FB
1240 *
1250         .OR $03FB
1260 *
03FB- 4C 00 03 1270         JMP TRINIT
1280 *
1290 *****
1300 *
1310 * TRACER INITIALIZATION
1320 *
1330         .OR $0300
1340         .TA $5300
1350 *
1360 *
0300- 20 3C FB 1370 TRINIT JSR WINDOW CLEAR ENTIRE SCREEN
0303- 20 58 FC 1380 JSR CLEAR
0306- A9 15 1390 LDA #$15 SET SCROLL WINDOW
0308- 85 23 1400 STA WNDBTM
030A- A9 1C 1410 LDA #TRACER SET COUT HOOK
030C- 85 36 1420 STA $36 TO TRACER
030E- A9 03 1430 LDA /TRACER
0310- 85 37 1440 STA $37
0312- A9 1F 1450 LDA #$1F INIT CH FOR EVEN PAGING
0314- 85 24 1460 STA $24
0316- A9 02 1470 LDA #$02 INIT PGCNT FOR
0318- 8D B0 03 1480 STA PGCNT SINGLE STEP
031B- 60 1490 RTS
1500 *
1510 *****
1520 *
1530 *
031C- 8D B7 03 1540 TRACER STA SAVEA SAVE A & Y
031F- 8C 88 03 1550 STY SAVEY REGISTERS
0321- 2C BA 03 1560 BIT CRFLG WAS LAST CHAR A CR?
0325- 30 1C 1570 BMI CR YES
0327- C9 8D 1580 CMP #$8D IS THIS CHAR A CR?

```

details (I.E. disassembled code and register displays) of the last instruction displayed. Features include single step and trace with paging. The user can either continue execution or temporarily exit to modify registers or memory. Tracer also looks for the break code (00) and waits for user action after announcing the break with a double bell. The last instruction executed before the break was encountered will still be displayed.

Caution: It should be recognized that Tracer's display lags by one instruction. If the monitor is entered via reset, the current register values saved may be different due to the next instruction having executed. Thus the user should check their values using the control-E monitor command.

A commented assembly listing is shown in Figure 1. The program is approximately 190 bytes long and is located starting at \$300. It uses no additional page zero memory.

How it Works

Tracer controls what information is displayed on the screen by manipulating the characters generated by the step/trace routines. Tracer looks for certain key characters and sequences to determine when one instruction has been completed.

A slight complication arises out of the 2-line display format used by APPLE. The character stream normally output to the screen after completion of a single step begins with a carriage return (\$8D). It is then followed by a line of printout whose first 4 characters are the Hex Address of the instruction just executed. This line is terminated with another carriage return and the second line is output.


Tracer looks for the carriage return which marks the beginning of the first line by diverting all characters to Tracer via the COUT hook. Subsequent characters are stored in a buffer. The second line is recognized by a carriage return followed by a space (\$A0). The next carriage return is used to output the 4 character Hex address from the buffer (plus a space) to the screen

0329-	F0	0C	1590		BEQ	SETCR	YES					
032B-	AC	B9	03	1600	STORE	LDY	BPTR	LOAD	BUFF	POINTER		
032E-	99	50	07	1610		STA	BUFF,Y	NO,	SO	STORE	IT	
0331-	C8			1620		INY		INC	POINTER			
0332-	8C	B9	03	1630		STY	BPTR	&	SAVE	IT		
0335-	D0	05		1640		BNE	DONE	BRANCH	ALWAYS			
0337-	A0	80		1650	SETCR	LDY	#\$80	SET	CR	FLAG		
0339-	8C	BA	03	1660		STY	CRFLG					
033C-	AD	B7	03	1670	DONE	LDA	SAVEA	RESTORE				
033F-	AC	B8	03	1680		LDY	SAVEY	REGISTERS				
0342-	60			1690		RTS		RETURN	TO	MONITOR	STEP/TRACE	
				1700	*							
0343-	A0	00		1710	CR	LDY	#\$00	RESET	CR	FLAG		
0345-	8C	BA	03	1720		STY	CRFLG					
0348-	C9	A0		1730		CMP	#\$A0	IS	NEXT	CHAR	A	SPACE?
034A-	D0	07		1740		BNE	ADDR-2	NO				
034C-	A0	80		1750		LDY	#\$80	ADJ	PTR	TO	NEXT	
034E-	8C	B9	03	1760		STY	BPTR	LINE	ON	SCREEN		
0351-	D0	D8		1770		BNE	STORE	BRANCH	ALWAYS			
0353-	A0	00		1780		LDY	#\$00	INIT	BUFF	POINTER		
0355-	B9	50	07	1790	ADDR	LDA	BUFF,Y					
0358-	20	F0	FD	1800		JSR	COUT	OUTPUT	IT			
035B-	C8			1810		INY						
035C-	C0	04		1820		CPY	#\$04	FINISHED	PRINTING	4	CHAR	ADDR?
035E-	90	F5		1830		BCC	ADDR	NO				
0360-	A9	A0		1840		LDA	#\$A0					
0362-	20	F0	FD	1850		JSR	COUT	OUTPUT	A	SPACE		
				1860	*							
				1870	*	CHECK	FOR	BREAK				
				1880	*							
0365-	A0	00		1890		LDY	#\$00					
0367-	B1	3A		1900		LDA	(PCL),Y	GET	OPCODE			
0369-	F0	0C		1910		BEQ	KEY1	PAUSE	IF	BREAK		
				1920	*							
				1930	*	LOOK	FOR	KEYBOARD	INPUT			
				1940	*							
036B-	CE	BB	03	1950	KEY	DEC	PGCNT	CHECK	PAGING			
036E-	F0	0D		1960		BEQ	KEY2					
0370-	2C	00	C0	1970		BIT	READ	ANY	KEYBOARD	INPUTS?		
0373-	30	0D		1980		BMI	KEY3	YES				
0375-	10	20		1990		BPL	TRACE					
0377-	20	D0	FB	2000	KEY1	JSR	BELL	SOUND	BELL	FOR	BRK	
037A-	20	DD	FB	2010		JSR	BELL					
037D-	A0	A0		2020	KEY2	LDY	#\$A0	RESET	PAGE	COUNTER		
037F-	8C	BB	03	2030		STY	PGCNT	AND	PAUSE			
0382-	8D	10	C0	2040	KEY3	STA	RESET					
0385-	2C	00	C0	2050	KEY4	BIT	READ	LOOP	UNTIL	ANOTHER		
0388-	10	FB		2060		BPL	KEY4	KEY	IS	HIT		
				2070	*							
				2080	*	TEST	INPUT	FOR	TRACE,STEP	OR	QUIT	
				2090	*							
038A-	AD	00	C0	2100		LDA	READ	LOAD	CHARACTER			
038D-	C9	8D		2110		CMP	#\$8D	'RETURN'	TO	CONTINUE	TRACE	
038F-	F0	06		2120		BEQ	TRACE					
0391-	C9	A0		2130		CMP	#\$A0	'SPACE'	TO	SINGLE	STEP	
0393-	F0	05		2140		BEQ	STEP					
0395-	D0	E3		2150		BNE	K1,Y1+3	NO	MATCH,	TRY	AGAIN	
0397-	8D	10	C0	2160	TRACE	STA	RESIT	RESIT	KLYBOARD	STROBE		
039A-	EA			2170	STLP	NUP						
				2180	*							
				2190	*	FILL	PROTECTED	FIELD	WITH	SPACES		
				2200	*							
039B-	A9	A0		2210		LDA	#\$A0	ASCII	SPACE			
039D-	A0	27		2220		LDY	#\$27	40	CHAR/LINE			
039F-	99	50	07	2230	FILL	STA	BUFF,Y					
03A2-	99	D0	07	2240		STA	BUFF1,Y					
03A5-	8B			2250		DEY						
03A6-	10	F7		2260		BPL	FILL					
				2270	*							
03A8-	AD	B7	03	2280		LDA	SAVEA					
03AB-	A0	00		2290		LDY	#\$00	RESET	BUFF	POINTER		
03AD-	8C	B9	03	2300		STY	BPTR					
03B0-	C9	80		2310		CMP	#\$80	IS	1ST	CHAR	0-9/A-F	?
03B2-	90	80		2320		BCC	DONE	NO				
03B4-	4C	2B	03	2330		JMP	STORE	YES,	OUTPUT	IT		
				2340	*							
				2350	*							
03B7-	00			2360	SAVEA	.HS	00					
03B8-	00			2370	SAVEY	.HS	00					
03B9-	00			2380	BPTR	.HS	00					
03BA-	00			2390	CRFLG	.HS	00					
03BB-	00			2400	PGCNT	.HS	00					
				2410		.EN						

PROGRESSIVE SOFTWARE

PRESENTS

The LIPSON LIGHT PEN for the APPLE II*



WAS
~~\$34.95~~

\$24.95

Plus \$3.00 for postage and handling.
Pa. residents add 6% Sales Tax.

Includes Pen, Disk & Documentation

- Pen plugs directly into Game I/O
- Works with Monitor or TV
- Full 90 Day Guarantee on Pen
- Programs supplied cover all applications needed for the use of the LIPSON LIGHT PEN

The Light Pen includes a total of 15 programs on Disk :

- (2) Menu Selectors - 16K - Integer
- Color Light Pen - 48K - Integer
- Tic - Tac - Toe - 32K - Integer
- Calibrator - 16K - Integer
- Hi - Res Light Graph - 32K - Applesoft
- Pseudo Hi - Res Light Pen - 48K - Applesoft
- Light Pen Calculator - 32K - Integer
- Pen Organ 1.0 - 16K - Integer
- Music Pen - 16K - Integer
- Hi - Res Light Meter - 32K - Applesoft
- Camera Check - 16K - Integer
- Machine Language Pen Routines - 16K


EXAMPLES:




Menu Selector




Light Pen Calculator




Hi - Res Light Graph



New Hi - Res Color Pen



Hi - Res Light Meter



Tic - Tac - Toe

To order, send check or money order to:

**PROGRESSIVE
SOFTWARE**

P.O. Box 273
Plymouth Meeting, PA 19462


U.S. & Foreign Dealer and Distributor Inquiries Invited.

* Apple II is a registered trademark of Apple Computer, Inc.


PROGRESSIVE SOFTWARE

Presents
Software and Hardware for your APPLE

Missile—Anti—Missile (Aplstf)




Curve Fit




By Dave Garson
Tape-\$9.95 Disk-\$14.95

Polar Coordinator Plot



by TD Moteles



Tape-\$9.95 Disk-\$14.95

Sales Forecast provides the best forecast using the four most popular forecasting linear regression techniques.

Neil D Lipson Tape-\$9.95 Disk-\$14.95

Single Drive Copy is a utility program, written by Vince Corsetti in Integer BASIC, that will copy a diskette using only one drive.

Tape-\$19.95 Disk-\$24.95

Touch Typing Tutor teaches typing. Indicates speed and errors made. Finger Bids, Gen. Typing, Basic Language and User Supplied. Diskette. Written by Wm. A. Massena. \$19.95

Apple Menu Cookbook index-accessed data storage/retrieval program. Recipes stored, unlimited lines per entry. Easy editing. Formulated after N.Y. Times Cookbook. Other useful features included. Written by Wm. Merlino, M.D. \$19.95

Mailing List Program maintains complete record of name, address, phone no., mailing labels accommodated parallel card or built-in printer, easy data entry.

Diskette 32K \$19.95

Utility Pack combines five versatile programs by Vince Corsetti, for any memory configuration. **Applesoft Update*** Integer-to Applesoft conversion * Integer BASIC copy * Binary Copy * Disk

Append Tape-\$9.95 Disk-\$14.95

Solitaire — Old European peg game, played by one (similar to Chinese checkers). Object — to finish with last peg in center. Written by Charles B. Smith Tape-\$9.95 Disk-\$14.95

Water the Flowers — Math (add., sub., mult., div.,) (grades 1-6 (disk). A graphical program that teaches math.

Judy Pegg \$19.95

Catch the Pig — Educ. Pkg, 2, An upper grade school game that teaches all four quadrants of the cartesian coordinate system. 4 students play at one time with many levels of play. Also included is a Linear Version for lower grade school children. Written by Judy Pegg.

Tape-\$9.95 Disk-\$14.95

Financial Pak — 2. Calculates interest rates on bonds that is based on due date and days between dates. By Neil D. Lipson Disk-\$14.95

- Programs accepted for publication
- Highest royalty paid

U.S. and foreign dealer and distributor inquires invited
All programs require 16K memory unless specified

FILES

☆☆☆

- *Builds Serial Files
- *Changes Serial Files to random access Files
- *Adds to End of Serial Files
- *Record insertion and deletion anywhere in Serial File.
- *Move individual records or blocks of records within Serial Files

A File manipulator that allows the user to search for a string within a file, sort data by blocks handle many files at a time (without exiting the program and saves executed files. A file can be saved under many names, viewed in several modes, and dumped (totally or partially to a printer).

If you would like to or work with files you must own this program! Comes with 10-page documentation in a binder. Because of the size and weight of this program postage and handling charge is necessary.

FILES-Disk only.\$49.95 plus \$4.95 postage and handling.
Written by Mare Gold Farb

ROSTER

☆☆☆

*A complete package for Educators! Roster is a general purpose disk-based record-keeping program for teachers at all levels. It allows instructors to create and change class rosters label, enter and change last or assignment scores, sort the roster based on student number, student name, or rank in class, assign character or numeric grades based on any of five criteria (raw score, percent, rank percentile rank or Z-score) and Lists scores, totals (or averages), and /or grades according to any of these options.

Roster on Disk (only) \$49.95 plus \$4.95 Postage and Handling.

Written by Douglas B. Eamon, Ph.D.

Hardware

Light Pen with seven supporting routines. Some of these are light meter, light calculator, Light pen, and Light pen TIC TAC TOE. The light pen connects points in high or low resolution graphics. Neil Lipson's program uses artificial intelligence; the pen is not confused by outside light. Requires 48K and Applesoft in ROM. \$24.95 Plus \$3.00 Postage and handling.

TO ORDER

Send Check or Money Order to:

P.O Box 273
Plymouth Meeting, PA 19462

PA residents add 6% sales tax.

POSTAGE AND HANDLING

Please add \$1.50 for the first item and \$1.00 for each additional item.

Stop That PET - Update

Program updates to 'Stop That PET' for the new ROMs

The assembler file listing can be used to convert the program 'Stop That PET' by Gary Bullard in MICRO 22:57 for use with the new ROM PETs. The changed addresses are contained in lines 130 thru 200 or those labels defined as external.

The new PETs will go bye-bye on endless loops. The modifications have been tested on several loops and work as Mr. Bullard's article says they should.

μ

George R. Gaukel
335 ASA Co., Box 63
Ft. Lewis, WA 98433

0100;RESET		0490	PHA	1050HEADER	.BY \$91
0110;		0500	PHA	1060	.BY \$20
0120;		0510	PHA	1070	.BY \$41
0130VECTOR	.DE \$0090	0520	PHA	1080	.BY \$44
0140KNT	.DE \$009E	0530	JSR SET	1090	.BY \$44
0150KBUF	.DE \$026F	0540;		1100	.BY \$52
0160BASIC	.DE \$C389	0550	LDX #\$09	1110	.BY \$20
0170ASPR	.DE \$CA1C	0560	STX KNT	1120	.BY \$53
0180DCPR	.DE \$DCD9	0570SETSYS	LDX SYS66-1,X	1130	.BY \$54
0190CONINT	.DE \$E62E	0580	STA KBUF-1,X	1140	.BY \$20
0200STOP	.DE \$F301	0590	DEX	1150	.BY \$41
0210;		0600	BNE SETSYS	1160	.BY \$43
0220	.BA \$1F40	0610	JMP CONINT	1170	.BY \$20
0230	.OS	0620;		1180	.BY \$58
0240	.OE	0630DISPLAY	LDY #H,HEADER	1190	.BY \$52
0250;		0640	LDA #L,HEADER	1200	.BY \$20
0260START	SEI	0650	JSR ASPR	1210	.BY \$59
0270	LDY VECTOR+1	0660	LDA LOC	1220	.BY \$52
0280	JSR SET	0670	LDX LOC+1	1230	.BY \$00
0290	CPY #\$E6	0680	JSR DCPR	1240	.BY \$00
0300	BNE NOTSET	0690	LDY #0	1250;	
0310	JSR RESET	0700	STX CNTR	1260	.BA \$1FE5
0320NOTSET	CLI	0710ALLREG	LDY CNTR	1270;	
0330	RTS	0720	CPY #4	1280STK	.BY \$00
0340;		0730	BEO START	1290	.BY \$00
0350CKSTOP	JSR STOP	0740	LDX STATUS,Y	1300LOC	.BY \$00
0360	BEO STOPPD	0750	LDA #0	1310	.BY \$00
0370	JMP CONINT	0760	JSR DCPR	1320STATUS	.BY \$00
0380STOPPD	LDX #\$08	0770	INC CNTR	1330	.BY \$00
0390SAVEM	PLA	0780	JMP ALLREG	1340	.BY \$00
0400	STA STK-1,X	0790;		1350	.BY \$00
0410	DEX	0800	NOP	1360CNTR	.BY \$00
0420	BNE SAVEM	0810	NOP	1370	.EN
0430;		0820;		//	
0440RESTK	LDA #H,BASIC	0830SET	LDA #H,CONINT		
0450	PHA	0840	LDX #L,CONINT	LABEL FILE: [/ = EXTERNAL]	
0460	LDA #L,BASIC	0850SAVIT	STA VECTOR+1	/VECTOR=0090	/KNT=009E
0470	PHA	0860	STX VECTOR	/KBUF=026F	
0480	LDA STATUS	0870	RTS	/BASIC=C389	/ASPR=CA1C
		0880RESET	LDA #H,CKSTOP	/DCPR=DCD9	/CONINT=E62E
		0890	LDX #L,CKSTOP	/CONINT=E62E	/STOP=F301
		0900	JMP SAVIT	START=1F40	CKSTOP=1F50
		0910;		NOTSET=1F4E	STOPPD=1F58
		0920;		SAVEM=1F5A	RESTK=1F61
		0930SYS66	.BY \$91	SETSYS=1F78	
		0940	.BY \$53	DISPLAY=1F82	ALLREG=1F97
		0950	.BY \$59	SET=1FAE	
		0960	.BY \$53	SAVIT=1FB2	RESET=1FB9
		0970	.BY \$38	HEADER=1FCA	STK=1FE5
		0980	.BY \$70	LOC=1FE7	
		0990	.BY \$36	STATUS=1FE9	CNTR=1FED
		1000	.BY \$36		
		1010	.BY \$36		
		1020	.BY \$00		
		1030;	NOP		
		1040;			

6502 Resource Update

An list of magazines which contain information about the 6502 on a reasonably regular basis.

Did you ever wonder just what magazines were rich sources of information on the 6502 microprocessor, 6502-based microcomputers, accessory hardware and software? For several years this writer has been assembling a bibliography of 6502 references related to hobby computers and small business systems. The accompanying list of magazines has been compiled from this bibliography. An attempt has been made to give up-to-date addresses and subscription rates for the magazines cited. Subscription rates are for the U.S. Rates to other countries normally are higher.

GENERAL 6502

MICRO

\$15.00 per year, 12 issues

MICRO

P.O. Box 6502

Chelmsford, MA 01824

(Includes OSI Small Systems Journal)

COMPUTE

(PET, Atari, Apple)

\$9.00 per year, 6 issues

COMPUTE II

(AIM, SYM, KIM, OSI, ...)

\$9.00 per year, 6 issues

Compute

Small System Services, Inc.

900-902 Spring Garden Street

Greensboro, NC 27403

(Absorbed PET Gazette, 6502 Users Notes, and others)

GENERAL COMPUTER

BYTE

\$18.00 per year, 12 issues

Byte Publications, Inc.

70 Main Street

Peterborough, NH 03458

COMPUTER CASSETTES REVIEW

\$12.00 per year, quarterly

Robert Purser

P.O. Box 466

El Dorado, CA 95623

COMPUTER SHOPPER

\$10.00 per year

Glenn Patch, Editor

P.O. Box F

Titusville, FL 32780

(Has absorbed ON_LINE)

CREATIVE COMPUTING

\$14.00 per year, 12 issues

Creative Computing

P.O. Box 789-M

Morristown, NJ 07960

DIGITAL DESIGN

\$20.00 per year

Benwill Publishing Corp.

1050 Commonwealth Avenue

Boston, MA 02215

DR. DOBB'S JOURNAL

\$15.00 per year, 10 issues

Peoples Computer Co.

Box E

1263 El Camino Real

Menlo Park, CA 94025

EDN(Electronic Design News)

\$25.00 per year, 22 issues

Cahners Publishing Co.

270 St. Paul Street

Denver, CO 80206

INTERFACE AGE

\$18.00 per year, 12 issues

McPheters, Wolfe & Jones

16704 Marquardt Avenue

Cerritos, CA 90701

KB MICROCOMPUTING

\$18.00 per year, 12 issues

Microcomputing

Pine Street

Peterborough, NH 03458

ON COMPUTING

\$8.50 per year, quarterly

P.O. Box 307

Martinville, NJ 08836

PERSONAL COMPUTING

\$14.00 per year, 12 issues

Benwill Publishing Corp.

1050 Commonwealth Avenue

Boston, MA 02215

POPULAR COMPUTING

\$18.00 per year, 12 issues

P.O. Box 272

Calabasas, CA 91302

RECREATIONAL COMPUTING

\$10.00 per year, 6 issues

Peoples Computer Co.

1263 El Camino Real

Box E

Menlo Park, CA 94025

THE ABACUS II NEWSLETTER

\$12.00 per year, 12 issues

2850 Jennifer Drive

Castro Valley, CA 94546

APPLE

\$2.00 per issue, quarterly

Apple Computer Co.

10260 Bandle Drive

Cupertino, CA 95014

APPLE BARREL

Ed Seeger

4331 Nenana Drive

Houston, TX 75006

APPLE BITS

\$14.00 per year, \$2.00 Apple fee

NEO Apple Corps

John D. Ross

31900 N. Marginal Road

Apartment 522

Willowick, OH 44121

APP-LE-CATIONS

Conrad P. Pracht

5101-140 Park Road

Charlotte, NC 28209

APPLE-COM-POST

(Apple User Group Europe)

Postfach 4068

D-4320 Hattingen

West Germany

(Printed in German)

APPLE GRAM

\$10.00 per year, 12 issues

Apple Corps of Birmingham

Gerald C. Jenkins

774 Twin Branch

Birmingham, AL 35226

APPLE GRAM

\$12.00 per year, 12 issues

Apple Corps of Dallas

Bobbie Ferrell

15255 Midway Road

Dallas, TX 75240

Dr. William R. Dial

APPLE ORCHARD NEWSLETTER

\$12.00 per year, 6 issues
131 Highland Avenue
Vacaville, CA 95688

APPLE PEEL

\$10.00 per year, 12 issues
Apple corps of Birmingham
Gerald C. Jenkins
774 Twin Branch
Birmingham, AL 35226

APPLESAUCE

\$10.00 per year, 12 issues
12804 Magnolia
Chino, CA 91710

APPLESEED

Bill Hyde
The Computer Shop
6812 San Pedro
San Antonio, TX 78216

THE APPLE SHOPPE

\$12.00 per year, 8 issues
P.O. Box 701
Placentia, CA 92670

CALL A.P.P.L.E.

\$15.00 per year
(\$25.00 application fee)
517 11th Avenue E.
Seattle, WA 98102

THE CIDER PRESS

\$15.00 per year, 12 issues
San Francisco Apple Core
P.O. Box 4816
San Francisco, CA 94101

FROM THE CORE

\$12.00 per year, 12 issues
Carolina Apple Core
P.O.Box 31424
Raleigh, NC 27612

FWAUG

\$15.00 per year, 12 issues
Fort Worth Apple User Group
1401 Hillcrest Drive
Arlington, TX 76010
Lee Meador, Editor

HARVEST

\$12.00 per year
No. West Suburban Apple User Group
650 Pompano Lane
Palatinine, IL 60067

MIN 'APP'LES NEWSLETTER

\$10.00 per year
Mini'App'Les Apple Computer
User Group
Keith Madonma
23885 Clowel Lane
Excelsior, MN 55331

NEAT NOTES

\$6.00 per year, 12 issues
New England Apple Tree
Mitch Kapon
31 Birch Road
Watertown, MA 02172

NEWSLETTER

\$10.00 per year
Apple Bytes of Buffalo
Hank Koik
171 Tree Haven Road
Buffalo, NY 14215

NIBBLE

\$15.00 per year, 8 issues
S.P.A.R.C.
P.O. Box 325
Lincoln, MA 01773

THE ORCHARD

\$1.00 per issue to member clubs
Only 1 issue published to date, noted inside that there may or may not be more issues. Scheduled to contain CONTACT.
International Apple Core
P.O. Box 976
Daly City, CA 94017

POKE APPLE

\$10.00 per year, 12 issues
Applesiders
5707 Chesapeake Way
Fairfield, OH 45014

RAINBOW

\$15.00 per year, 12 issues
P.O.Box 43
Audubon, PA 19407

RUBBER APPLE NEWSLETTER

\$12.00 per year, 10 issues
J. Scotty Musgrave
203 17th Street N.W.
Barberton, OH 44203

THE SEED

\$12.00 per year, 12 issues
P.O.Box 17467
Denver, CO 80217

SOFTSIDE

\$15.00 per year
P.O.Box 68
Milford, NH 03055

SOUTHEASTERN SOFTWARE NEWSLETTER

\$10.00 per year, 10 issues
George McClelland
7270 Culpepper Drive
New Orleans, LA 70126

WASHINGTON APPLE PI

\$12.00 per year, 12 issues
P.O.Box 34511
Washington, DC 20034

AIM**INTERACTIVE**

\$5.00 for 6 issues
Newsletter Editor
Rockwell International
P.O. Box 3669, RC55
Anaheim, CA 92803

THE TARGET

\$5.00 per year, 6 issues
Donald Clem, Editor
RR#2
Spencerville, OH 45887

OSI**OSI USER'S INDEPENDENT NEWSLETTER**

\$10.00 per year, 6 issues
Charles Curley
6061 Lime Avenue #2
Long Beach, CA 90805

PEEK (65)

OSI USER JOURNAL
\$8.00 for 12 issues
62 Southgate Avenue
Annapolis, MD 21401

PET**THE PAPER**

\$15.00 per year, 10 issues
The Paper
P.O. Box 43
Audobon, PA 19407

SYM**SYM-PHYSIS**

\$9.00 per year, 6 issues
P.O.Box 315
Chico, CA 95927

Non-Computer Magazines**POPULAR ELECTRONICS**

\$14.00 per year, 12 issues
One Park Avenue
New York, New York 10016

QST

\$18.00 per year, 12 issues
American Radio Relay League
225 Main Street

RADIO ELECTRONICS

\$13.00 per year, 12 issues)
Gernsback Publications, Inc.
200 Park Avenue, South
New York, New York 10003

73 MAGAZINE

\$18.00 per year, 12 issues
73, Inc.
Peterborough, NH 03458

μ

[Editors' Note: A number of the smaller independent magazines have disappeared during the past year. Some have been incorporated in other journals - some have not.]

[Editor's Note: If your publication is not listed, and you think that it should be, then please put Dr. Dial on your subscription list so that you may be covered in the continuing 6502 Bibliography, and start an exchange subscription with us here at MICRO.]



OPTIMIZED SYSTEMS SOFTWARE

PRESENTS

CONTROL PROGRAM/APPLE
the DOS you have been waiting for

OSS CP/A is an all new, disk-based operating system which provides commands and utilities similar to CP/M®. CP/A has byte and block I/O, a simple assembly language interface, and direct access via Note and Point. And it's easy to add your own commands or device handlers. CP/A is expandable, flexible, consistent, easy-to-use and available now with compatible program products:

BASIC — Some of the features of OSS BASIC are syntax checking on program entry, true decimal arithmetic (great for money applications), 32K byte string sizes, flexible I/O, long variable names (up to 255 significant characters), and the ability to get and put single bytes.

BUSINESS BASIC WITH PRINT USING — This is virtually the only basic available on the Apple that has PRINT USING. It also has record I/O statements and all the features of our standard BASIC.

EDITOR/ASSEMBLER/DEBUG — OSS EASMD is a total machine language development package. The editor provides functions like FIND, REPLACE, etc. The assembler uses standard 6502 mnemonics, can include multiple files in one assembly, and can place the object code in memory or to a disk file.

Prices of CP/A with:

BASIC	\$ 69.95
Business BASIC	84.95
EASMD	69.95
BASIC + EASMD	109.95
Business BASIC + EASMD	124.95

Requires 48K RAM and DISK

Add \$3.50 for shipping and handling in continental USA. California residents add 6%. VISA/Master Charge welcome. Personal checks require two weeks to clear.

SEE YOUR DEALER or ORDER TODAY

OPTIMIZED SYSTEMS SOFTWARE
is a product of

Shepardson Microsystems, Inc.
20395 Pacifica Dr., Suite 108B
Cupertino, CA 95014
(408) 257-9900

THE BASIC PROBLEM

~FILES~

the answer,

Simpl-A-filer®

- * System - Filer, Editor
- * Print-using Subroutine
(Add to your Basic programs)
- * Interactive File System -
with print-using formatting
- * Full Printer Capability
- * Text File - Copying, Assembly

Dealer
Inquiries
Invited

ONLY \$ 50

Penna. resident please add 6% sales tax.

DESIGNED FOR THE



*Apple is a Registered TM of Apple Computers, Inc.

To Order: Send check or money order to

(215) 388-7994



4029 Spruce Street Box 15
Philadelphia, PA 19104

MICRO Club Circuit

Here is another installment of 6502-related clubs. The response to MICRO's effort to update this section has been terrific! We hope that all 6502 clubs will soon be presented here at some point.

This is a list of some of the newer clubs to have registered with MICRO, or that have sent us an update. If your club has been active, why not let us know what it has been up to?

If you are a newly formed group, have your representative register your group with us. In return for this registration we will send you a free one year subscription to MICRO for your club's library. Include information regarding your club's name, location, algorithm, publications, purpose, officers, membership total, contact person, and/or any other information you would like to share with the world! Your club will then automatically appear in any club update. If you are already registered, don't forget to keep MICRO up-to-date.

Address any correspondence to:
MICRO CLUB CIRCUIT
P.O. Box 6502
Chelmsford, MA 01824

If any information presented here is incorrect or outdated, please send us the correction to be made. We will remedy the situation in the next possible issue. We are striving to make the Club Circuit as helpful as possible.

Tulsa Apple User Group

Meets on second Tuesday of each month (7:30 p.m.) at:

High Technology Store
Tulsa, Oklahoma

John Shanks is the President of this group of 40 users. This group aims to exchange educational information. Contact:

Bill Dufresne
Tulsa Computer Society
P.O. Box 1133
Tulsa, OK 74101

MINI'APPLES

Meets on the third Wednesday of each month (7:30 p.m.) at:

Federal Savings & Loan
9th Avenue S
Hopkins, Minn.

Dan Buchler is President of this 150+ group and can be contacted at:

13516 Grand Avenue S
Burnsville, MN 55337

"We are now 2 years old and growing strong!"

THE APPLE CART

This is an international membership club which keeps in contact through a bi-monthly newsletter. *"Some objectives: Provide members with timely information about Apple Hardware and Software; provide members with a forum to share their experiences with and uses of their Apples; provide access to quality software by maintaining a software exchange; and to promote the creation of well written and well documented software."* Please address any letters (only) to:

C. Brandon Gresham, Jr.
Bin "R", Project 5810-1
Pasadena, CA 91109

MICROCOMPUTER INVESTORS ASSOCIATION

Meets as called at:

902 Anderson Drive
Fredericksburg, VA 22401

Jack Williams is the Administrator and can be contacted at the above address.

"Using microcomputers to make and manage investments."

Lincoln Computer Club

Meets as needed to schedule computer use and business. John Fultz is the advisor for this group. He may be contacted at:

Lincoln School
750 E. Yosemite Avenue
Manteca, CA 95336

"Educational aims. Group is made up of 7-8 students who use the computers before and after school."

Apple Creek

This is a new name for the Apple User's Group listed last month. They inform us that they have no dues, nor any officers but every third Thursday, 40 people show up to hear scheduled speakers. They are still at:

Computer Land of Walnut
Creek
1815 Ygnacio Valley Road
Walnut Creek, CA 94598

Apple-Dayton

Here is another update for this club. It now meets on the second Thursday of each month (7:30 p.m.) at:

Bldg. 640
Wright-Patterson AFB

Bob Rennard, President. To contact this club, write to:

Dick Peschke, Sec.
4819 Leafburrow Drive
Dayton, Ohio 45424

"To acquire, distribute and organize programs to benefit members and to promote informed use of the Apple II systems in Dayton are some of this club's goals."

Iowa City Apple User's Group

Meets the third Tuesday of every month (7:30 p.m.) at:

Westinghouse Data-Score
Systems I-80 and IA-1

Contact David B. Thomas for more information:

134 Ravencrest Drive
Iowa City, IA 52240

The Boston Computer Society

Meets the fourth Wednesday of each month (except in July). Their mailing address is:

17 Chestnut Street
Boston, MA 02108

Jonathan Rotenberg is this club's President. Membership is expected to exceed 700 by this month.

"A total microcomputer resource center offering seven user groups, four publications, plus a variety of special events including seminars and general meetings with top authorities from around the world. Special groups dedicated to PASCAL and micros in education, also."

The Computer Network of K.C.

Meets on the second Sunday of each month (7:30 p.m.) at:

425 Volker Boulevard
Kansas City, Kansas

George Schiell is the Club President. Membership is currently at 90. For further information, contact:

Harold J. Schwartz
1251 Kansas Avenue
Kansas City, Kansas 66105

"EMS and Hardware and software. Not a TRS 80 Group."

OSIO National Headquarters

Meets on the first Tuesday of each month (7:30 p.m.) at:

Walter Johnson High School
Rockville, MD.

Wallace Kendall is President of this club which consists of 215 members, and still growing. National Headquarters is located at:

9002 Dunloggin Road
Ellicott City, MD. 21043

You may write them at the above address for further information.

"Encouraging local chapters. Study and promote public understanding of small computers. Our interest is centered on OSI machines. Active exchange program using data disks (no op systems or proprietary software). Starting an on-line hard-disk system which will permit exchange by phone. Several discount arrangements. OSIO is incorporated in the District of Columbia as a non-profit educational organization. We will be sponsoring seminars, tutorials, etc."

Kalamazoo Apple Computer User Society

Meets on the third Thursday of every month (7:30 p.m.) at:

Computer Room
455 W. Michigan Avenue
Kalamazoo, MI 49007

Gary Wilkins is President for this club of twenty-four. For information, contact Alex Ellingsen at the above address, or:

Gary Wilkins
3606 Thornhill Avenue
Kalamazoo, MI 49007

"Aid new and old Apple users with the full benefits and use of the Apple Computer."

Amateur Radio Research and Development Corp.

Meets on the first Monday of each month (7:30 p.m.) at:

Patrick Henry Branch Library

Vienna, VA 22180

Paul L. Rinaldo is President to this group of 260. You may write him for more information, at:

1524 Springvale Avenue
McLean, VA 22101

"Technical interests of ham radio and computing. Project in deaf communications."

Northwest Suburban Apple Users Group (NSAUG)

Meets at the Schaumburg Library in IL. Meetings are held on the first Saturday of each month. Don Fuller is President and can be written to at:

1140 Old Mill Drive
Palatine, IL 60067

"Promote knowledge, information and interest regarding the Apple II Computer. 135 members currently."

M3C2

Mid Michigan Micro Computer Club

Meets on the second Monday of each month at 7:30 p.m. Boasts of 103 members. For more information regarding this club which is open for all types of Microcomputers, please write to:

Earl Morris
3200 Washington
Midland, MI

"Meetings held at Delta College with the room numbers announced in each month's newsletter. Membership is informal and open to all interested in computers. Ages range from 10 to 65 and from novice to expert. Feature demonstrations of equipment and programs."

New England Apple Tree

This group meets on the third Wednesday of each month at 7:30 p.m. at the Mitre Corp. in Bedford, MA. Richard Sedgewick, President. More information can be requested by writing to:

Ruth Souza, Sec.
P.O. Box 2652
Woburn, MA 01888

"We publish a newsletter to keep our members up-to-date."

Fort Worth Apple Computer User Group

This club meets on the third Sunday of each month at 3:00 at either:

Micro Age Computer
1220 Melbourne
Hurst, TX

or
CompuShop
6353 Camp Bowie
Ft. Worth, TX

Marshall Martin is President to about 40 members. For current information, contact:

Lee Maudor
FWAUG
1401 Hillcrest Drive
Arlington, TX 76010

"We aim to provide a forum for exchange of information between users of Apple computers and to provide a medium for personal growth in programming, writing, design, and similar areas."

Dayton Microcomputer Association

The last Tuesday of each month is when this club gathers, at 7:30 p.m. Club location is at

2629 Ridge Avenue
Dayton, OH 45414

David Taylor is President for about 100 members. He may be written to at:

259 Aberdeen Avenue
Dayton, OH 45419

"Our purpose is to promote communication among computer hobbyists."

KIM Users Club The Netherlands

Meets on the third Saturday of every odd month, except July. The club's location is at:

Sinjeur Semeynsstr
781 1061 GM Amsterdam

For further information write to the club secretary, Anton Muller, at the above address.

"Knowledge and experience exchange on any 65XX based systems."

TRACE Toronto Region Assoc. of ComputerEnthusiasts

Meets at different times during the month at either the Ontario Science Centre or Humber College. Paul Cooling is President over about 60 members. For information regarding this club, please write to:

Ross Cooling
170 Redpath Avenue
Toronto, Ontario
Canada M4P 2K6

"Education regarding Microcomputers. Yearly dues and a monthly newsletter."

μ

Software for the Apple II



SUPER CHECKBOOK—a program designed to be an electronic supplement to your checkbook register. It's disk oriented and allows information to be displayed on the video screen or printer. It's super fast in sorting and retrieving information and totals. As an added bonus the program can optionally provide bar graphs to screen and/or printer. The program performs all standard check register operations, i.e. reconciliation. Minimum requirements are Disk II and only 32K RAM memory if Applesoft is in ROM; \$19.95.

ADDRESS FILE GENERATOR—a program that gives you complete control over a name and address file at a very low price. The power and flexibility of this software system is unmatched even in programs costing much more. You are allowed up to eleven fields in each record and you can search and sort on any of these fields. In fact you can sort up to three fields at once. The program contains a powerful print format routine which allows you to print out any field in any format you wish. Minimum requirements are Disk II and only 32K RAM memory if Applesoft is in ROM; \$19.95

WORLD OF ODYSSEY—an adventure game to which all others must be compared. It's by far the most complex game for the Apple II. It will probably drive you crazy and take several months of play to completely traverse this world. You have 353 rooms on 6 different levels to explore with myriads of treasures and dangers. The program allows you to stop play and to optionally save where you are so that you can resume play at a later time without having to repeat previous explorations. It's been called the best adventure game yet! Minimum requirements are Disk II with 48K RAM and Applesoft II in ROM; \$19.95.

REAL ESTATE ANALYSIS PROGRAM—The Real Estate Analysis Program provides the user with three features. a) A powerful real estate investment analysis for buy/sell decisions and time to hold decisions for optimal rental/commercial investments. b) Generation of complete amortization schedules. c) Generation of depreciation schedules. All three features are designed for video screen or printer output. In addition, the program will plot; cash flow before taxes vs. years, cash flow after taxes vs. years, adjusted basis vs. years, capital gains vs. years, pre-tax proceeds vs. years, post-tax proceeds vs. years, and return on investment (%) vs. years. Minimum requirement Applesoft II, 16K; \$14.95.

DYNAMAZE—a dazzling new real-time game. You move in a rectangular game grid, drawing or erasing walls to reflect balls into your goal (or to deflect them from your opponent's goal). Every ball in your goal is worth 100 points, but you lose a point for each unit of elapsed time and another point for each time unit you are moving. Control the speed with a game paddle: play as fast as ice hockey or as slowly and carefully as chess. Back up and replay any time you want to; it's a reversible game. Integer Basic (plus machine language); 32K; \$9.95

ULTRA BLOCKADE—the standard against which other versions have to be compared. Enjoy Blockade's superb combination of fast action (don't be the one who crashes) and strategy (the key is accessible open space—maximize yours while minimizing your opponent's). Play against another person or the computer. New high resolution graphics lets you see how you filled in an area—or use reversibility to review a game in slow motion (or at top speed, if that's your style). This is a game that you won't soon get bored with! Integer Basic (plus machine language); 32K; \$9.95.

What is a REVERSIBLE GAME? You can stop the play at any point, back up and then do an "instant replay", analyzing your strategy. Or back up and resume the game at an earlier point, trying out a different strategy. Reversibility makes learning a challenging new game more fun. And helps you become a skilled player sooner.

Available at your
local computer store

DEALER INQUIRIES INVITED

Call or write for our free
SOFTWARE CATALOG

Apple II is a registered
trademark of
Apple Computer, Inc.

POWERSOFT, INC.

P. O. BOX 157
PITMAN, NEW JERSEY 08071
(609) 589-5500

Programs Available on Diskette
at \$5.00 Additional

- Check or Money Order
- Include \$1.00 for shipping and handling
- C.O.D. (\$1.15 add'l. charge)
- Master Charge and VISA orders accepted
- New Jersey residents add 5% sales tax

The MICRO Software Catalog: XXI

Software announcements for the 6502 based systems

Mike Rowe
P.O. Box 6502
Chelmsford, MA 01824

Name: **ISAM-DS**
System: **Apple II**
Memory: **3K plus index table storage**
Language: **Applesoft**
Hardware: **Apple II, Disk II**

Description: ISAM-DS: Integrated set of 15 utility routines: facilitate creation & manipulation of indexed files. Records on indexed files quickly retrieved randomly or in sequence. Each record identified by key data value which does not have to be part of record, doesn't have to be unique for each record. Partial key values may be used in retrieving records. Interface between ISAM-DS and an Applesoft program through single entry point (GOSUB) and 9 variables. Files created, opened, closed, copied, erased. Records written, read, changed, deleted. File space freed by deleting record automatically reused when another record added. No need to clean up file due to update activity. ISAM-DS must for writing business systems for the Apple II and equally useful in personal programs or learning index-sequential file processing techniques.

Copies: **Just released**
Price: **\$50.00** (Texas residents add 5% sales tax.)
Includes: integrated set routines, documentation for routines, & sophisticated mailing list program: demonstrates ISAM-DS capabilities. Append routines for DOS 3.1 and 3.2 also included. Append routines used to join the ISAM-DS package to an Applesoft program.

Author: **Robert F. Zant**
Available: Decision Systems
P.O. Box 13006
Denton, TX 76203

Name: **Zero Based Budgeting**
System: **Apple II or Apple II plus. Printer optional.**
Memory: **32K**
Language: **ROM or cassette Applesoft**

Description: Program allows user to create zero based budget & store data on tape for later recall. 10 projects, 16 costs centers allowed. Independent \$ rates for each cost center entered with man-yr entries for each specific combination. Once data entered, numerous modify routines are available in menu format for alteration of data. Project Priority feature included with accumulative expense listings show how much expense occurring as each project is added. Cost & human resource totals shown for each cost center & project independently. Particularly useful program for both sm & lg businesses. Contains useful features for personal budgeting. Hard copy output provided in software if suitable Interface available.

Copies: **Available now**
Price: **\$12.95 Postpaid**
Includes: Cassette tape, loading instructions, description and example.
Author: **Neil A. Robin**
Available: Tech-Digit Co.
21 Canter Lane
Sherwood, OR 97140

Name: **Major League Baseball**
System: **Apple II**
Memory: **48K and ROM Applesoft**
Language: **Applesoft**
Hardware: **Disk**

Description: Manage Major League Baseball teams & make all decisions. Includes 1979 teams and utility programs to create and maintain team files. HIRES display.

Copies: **Just released**
Price: **\$25.00**
Author: **Stan Erwin**
Available: 5410 W. 20th Street
Indianapolis, IN 46224

Name: **Subroutine Library**
System: **UK 101, based on OSI Challenger**
Memory: **8K**
Language: **Microsoft Basic and Machine Code**
Hardware: **UK 101/OSI Challenger**

Description: Library of useful subroutines, for screen formatting. Fast genrized histograms, vert (1/8 pixel res) and horiz (1/2 pixel), screen clear/fill with character instantly, instant blocks/lines of any character; place text anywhere on screen, horiz or vert; keybd control w/o 'INPUT'; save variables for chaining to new program; hex/decimal conv with error flags; etc. The UK 101 identical to Challenger but screen format is 48X16. Elementary convers of screen routines will be needed. Machine code routines for fast writing reside in top 256 bytes of memory. Further routines under development, e.g. save/read text on cassette. Also original games available.

Copies: **25 sold in one month**
Price: **\$12.00**
Author: **J. M. Leach**
Available: Dola Software
117, Blenheim Road
Deal, Kent, England

Name: **MAILBAG**
System: **Apple II or Apple II Plus**
Memory: **32K with ROM Applesoft or the Language Card, 48K with RAM (disk) Applesoft**

Language: **Applesoft and machine language**
 Hardware: **Apple II, Disk II (a printer with Serial or Parallel interface desirable. Supports the Paymar Lower Case Adapter chip)**

Description: a menu-driven, disk based mailing list database sys. Fully supports UPPER & lower case letters from standard APPLE keybd, displays true l.c. when running with Paymar LCA, or with l.c.in INVERSE video otherwise. Provides easy-to-use method of screen formatting for data entry, right & left-arrow key editing. Dual-disk operation fully supported as is ability to do DOS CATALOG w/o leaving sys. Besides normal name, addr, & phone # lines, 2nd/company name available as is optional coments/code line. User may search database on any of 6 keys & sort entire data set on any of 6 sort keys. Sorting via fast Shell-Metzner sort in Basic, or MB can interface easily to ultra-fast mach lang sort program Ampersort II. Special feature: ability to automatically merge mail list with form letters created by TXT/ED 2.0 Word Proces Sys. Most popular printers may be easily interfaced, printing options incl full database printouts, standard mail labels, special 1-line name & phone # list, + form letters.

Copies: **Just Released**
 Price: **\$34.99 on disk**
 Includes: System disk & documentation manual with instructions for printer interfacing and sort method modifications.
 Author: **Gerald H. Rivers**
 Available: G.H. Rivers
 P.O. Box 833
 Madison Heights, MI 48071

Name: **ASTAT 79**
 System: **APPLE II or APPLE II Plus & Disk II**
 Memory: **32K with ROM—48K without**
 Language: **APPLESOFT II**

Description: An integrated statistical processor; subset of popular main-frame packg P-STAT 78. Calculates descriptive statistics (min, max, sum, mean, standard deviation, & counts), freq distributions (count, %, & cumulative %), complete bivariate tabulations (count, row column total %, cell expected-valued, cell Chi-square), correlation matrices (Pearson correlations, pair-wise deletion of missing data, good n's), path analysis (multiple regression Beta weights & R-square). Also contains complete variable transf lang. Logic driven algebraic file modifications can be permanent or applicable to specific procedures. Missing values understood by all procedures. Supports complete dat-base mangement functions such as formatted listings of

files, alphabetic fields, file merging (up-down or left-right) & more. All files standard DOS text files.

Price: **\$100.00 complete — \$20.00 each procedure.**
 Includes: One diskette plus sample program & language reference manual. Machine readable manual available at extra cost. User's manual available soon.
 Author: **Gary M. Grandon, Ph.D.**
 Available: Rosen Grandon Associates
 296 Peter Green Road
 Tolland, CT 06084
 or
 The Roper Center, Inc.
 University of Connecticut
 Box U-164R
 Storrs, CT 06268

Name: **List CTRL**
 System: **Basic Apple II or Apple Plus**
 Memory: **32K or 48K**
 Language: **Assembly (.8K)**
 Hardware: **Disk II, Applesoft ROM**

Description: This utility allows you to control the listout of a program to the screen. The Apple game paddles are utilized to control an adjustable pause between each line of text and/or character outputted to the screen. The speed of text output to the screen can be changed at any time with the paddle controls to accommodate a comfortable reading level. The game paddle button can be pressed at any time during a listout. This will stop the listout and allow you to study the page of text, take notes, etc. By pressing the spacebar key, the next page of text (20 lines) will be output to the screen and will stop. Each succeeding press of the spacebar will display the next page of text. If the game paddle button is pressed again, the page listout is disabled and the listout will continue at the speed set by the game paddles. The ESC key may be used at any time to stop the present listout and allow a new listout of the program; any portion of it, or you can exit List Ctrl. Upon exit, List Ctrl may be retained in memory; called back with the Ampersand key for later use; or aborted. Regardless of the usage, DOS is never disabled.

Copies: **Many**
 Price: **\$14.95**
 Includes: User Documentation and Diskette
 Author: **Frank D. Chipchase**
 Available: Soft Ctrl Systems
 P.O. Box 599
 West Milford, NJ 07480

Name: **CHAT (Challenger Terminal)**
 System: **OSI Challenger-1P and**

Memory: **Superboard II 4K**
 Language: **Machine Code and Basic**
 Hardware: **Modem and RS232 modification**

Description: An intelligent terminal with the ability to directly transmit data from cassette and transfer received data to cassette via an internal buffer. This buffer automatically expands on systems with more than 4K to allow more data storage at a single time. Full/half duplex modes; selectable parity and stop bits. CHAT has a very unique feature—46 user definable 6-state keys capable of generating all ASCII characters. The user may be content with the standard ASCII keyboard layout that CHAT comes with or may tailor it to his/her needs. All key changes are stored when CHAT is saved on tape. Also, the keyboard has the auto-repeat feature and a break key.

Price: **\$24.95**
 Includes: **Cassette and User Manual**
 Author: **Charles A. Shartsis**
 9308 Cherry Hill Rd., No. 812
 College Park, MD 20740

Name: **FLEXIPAY**
 System: **APPLE II**
 Memory: **48K with ROM or RAM Applesoft**
 Language: **Applesoft**
 Hardware: **Apple II Disk II, Serial interface printer**

Description: FLEXIPAY is a versatile payroll system for the APPLE II. Payroll masterfiles for any number of companies may be created, edited and fully maintained. Processes weekly, monthly, salaried, hourly, commissions, etc. Automatic group insurance deductions plus two other auto deducts (credit union, etc.) of your choice. All taxes computed. Pay and nonpay adjustments (advances, etc.). Output includes masterfile, payroll summary with current, QTD and YTD data for each employee, company totals. Labor summary, tax summary, departmental cost summary, plus worksheets for next pay period. Fast, easy entry, self-verified. Prints paychecks and stubs for 40 (RAM Applesoft) or 60 (ROM Applesoft) employees. Prints W-2's and 941's for state use. Formatted checks and stubs available—have your bank no. printed or we will handle. Start your own service bureau!

Price: **\$75.00**
 Includes: **System disk, full instructions.**
 Author: **S. Prater, CPA**
 Available: INDATA, Inc.
 8222 Antoine, suite 103
 Houston, TX 77088

Name: **Stock Market Option Account**
 System: **Apple II or Apple II Plus**
 Memory: **32K with Applesoft ROM 48K with Applesoft RAM**
 Language: **Applesoft II**
 Hardware: **Disk II, 132 column printer (optional)**

Description: The program stores and retrieves virtually every option traded on all option exchanges. A self-prompting program allowing the user to enter short/long contracts. Computes gross and net profits/losses, and maintains a running cash balance. Takes into account any amending of cash balances such as new deposits and/or withdrawals from the account. Instantaneous readouts (CRT or printer) of options on file, cash balances, P/L statement. Includes routine to proof-read contracts before filing.

Price: **\$19.95 plus \$2.00 (P&H) first class**
 Includes: **Diskette and full documentation**
 Available: **Mind Machine, Inc. 31 Woodhollow Lane Huntington, NY 11743**

Name: **Program Writer**
 System: **Apple**
 Memory: **32K minimum**
 Language: **Applesoft**
 Hardware: **1 Disk Drive**

Description: This program was written to speed up the process of writing advanced business programs. It works as a data management system, but also writes disk statements as permanent line number, if requested. Supports 20 fields per entry, searching or sorting by any field, generating reports, packing numbers to increase disk space, plus many more. Use for inventory, checks, phone numbers, etc. Simple to use with instructions.

Copies: **Just released**
 Price: **\$29.95**
 Includes: **One diskette, instructions and examples.**
 Author: **Wilford Niepraschk 59 Thurston Avenue Virginia Beach, VA 23455**

Name: **Data Factory 2.2**
 System: **Apple I or 2 disk drives or Hard disk (Corvus.Lobo) optional printer**
 Memory: **48K RAM ROM card**
 Language: **Applesoft**

Description: A data base file program of unique utility. It allows the user to create a file consisting of desired categories (columns or fields) in which various sorting and printing procedures can be accomplished. The program can be copied, lists for modification. It uses one or two

disk drives and operates with or without a printer. Printer options are on a separate program and allows you to select printer slot, line length, indentation, lines per page, line feeds for single or roll-fanfold paper. Page numbers can be printed, if desired. These printer options can be easily changed on a permanent or temporary basis.

Price: **\$100.00 (Hard disk version slightly more).**
 Includes: **Disk, program and 26 page manual.**
 Author: **William Passauer**
 Available: **Andent Inc. 1000 North Ave Waukegen, IL 60085**

Name: **L.I.S.A. (Lazer Systems' Interactive Symbolic Assembler)**
 System: **APPLE II**
 Memory: **V1.5C: 48K, V2.0: 64K**
 Language: **6502 Machine Language**
 Hardware: **Apple II Disk II, Language Card (V2.0), optional: Dan Paymar Lower Case mod, 80 column printer, Mountain Hardware Rom-writer, (V2.0), Double Vision 80X24 display board (V2.0)**

Description: An interactive 6502 assembler for the Apple II microcomputer. Syntax checkline is performed at edit time resulting in immediate feedback for all syntax and addressing mode errors.. Designed specifically for the Apple II, LISA incorporates several special features such as the ability to store data in inverted or blinking mode, built in disk operations, etc. LISA is the fastest assembler on any personal computer. At 20,000 lines per minute, (assembly time) it is four to ten times faster than comparable assemblers on the Apple II. A typical 1000 line program only requires 3 seconds to assemble. Compare this to the 30 seconds to three minutes required by other Apple assemblers to assemble the same file.

Price: **\$34.95, (V1.5C); \$49.95 (V2.0)**
 Includes: **Diskette with software; 100 page documentation reference manual.**
 Author: **Randall Hyde, Lazer Systems**
 Available: **Programma International 3400 Wilshire Blvd. Los Angeles, CA 90010**

Name: **Soft-Sonic**
 System: **Apple II or Apple II Plus (except for speech program)**

Memory: **32K**
 Language: **SS 6502 Assembly Language; Home control, timing—Applesoft; Home control, speech—Integer**
 Hardware: **Home Control, speech-Heuristics speech lab, Ultra sonic transducer and cable (included with programs) Disk highly recommended.**

Description: Three programs to provide a reliable and inexpensive means to interface a BSR (Sears) Home controller. SS is a reliable machine language subroutine that produces all the codes, tones and delays required to communicate with the BSR. Home Control, Speech provides for verbal control of up to ten lights and appliances with vocabularies for two persons automatically saved and exchanged from disk. Home control, timing has an internal software clock and allows for several hundred NAMED sequences to be executed or repeated so that 16 remotes may be turned off, on, dimmed, etc. automatically. Each sequence can be for several seconds or several weeks, depending upon your requirements. No modification of your Apple is required as the transducer (included) plugs into the game I/O.

Price: **\$39.95 plus \$2.00 (P&H) GA residents add 4% sales tax.**
 Includes: **SS Home Cntrl, spch, HC, timing, SS Relocator, all on disk (tape by request) and the ultra sonic transducer complete with cable.**
 Author: **John Blakenship**
 Available: **B.A.C.E. P.O. Box 52785 Atlanta, GA 30355**

While we have been lenient in the past regarding the length of the entries in the Software Catalog, we must now insist that future entries be kept as brief as possible. We think that twelve to fifteen lines in the "description" part of the entry should keep it about right. The other parts, as long as needed.

We now have so many entries backed up, that we feel this policy is only fair to give everyone 'equal time'. We will be forced to edit, or return any entries that we judge too long.

Mike Rowe



BOX 120
ALLAMUCHY, NJ 07820
201-362-6574

inc.

HUDSON DIGITAL ELECTRONICS INC.

COMING SOON!



For 6502 Systems Development
Engineering Support
Word Processing Applications

The latest in a continuing series of
advanced hardware and computer pro-
gram products for KIM, AIM, TIM, SYM.

JOHNSON COMPUTER
Box 523, Medina, Ohio 44256
(216) 725-4560


ARESCO
P.O. Box 43, Audubon, Pa. 19407
(215) 631-9052

PLAINSMAN MICROSYSTEMS
Box 1712, Auburn, Ala. 36830
(800) 633-8724

FALK-BAKER ASSOCIATES
382 Franklin Ave., Nutley, NJ 07110
(201) 661-2430

PERRY PERIPHERALS
P.O. Box 924, Miller Place, NY 11764
(516) 744-6462

PROGRESSIVE COMPUTER
SYSTEMS
405 Corbin Rd., York, Pa. 17403
(717) 845-4954



DISCOUNT DATA PRODUCTS

**BASF 5 1/4" DISKETTES:
\$34.50 PER BOX OF 10**

HIGHEST QUALITY DISKETTES AT A
BARGAIN PRICE! LABELS AND WRITE-
PROTECT TABS INCLUDED.

**VINYL DISKETTE HOLDERS
FOR NOTEBOOKS**

THE IDEAL WAY TO STORE DISKETTES. EACH
VINYL PAGE HOLDS TWO DISKETTES AND IN-
CLUDES A POCKET FOR EACH DISKETTE'S LABEL.
SAFELY KEEP UP TO 40 DISKETTES IN A SINGLE
1" 3-RING NOTEBOOK!

\$4.95/SET OF 10

MARKETING YOUR OWN SOFTWARE?
DDP OFFERS DEALER & SOFTWARE HOUSE
DISCOUNTS ON NOT ONLY THE ABOVE
ITEMS, BUT ALSO THE FOLLOWING
PRODUCTS:

9" x 12" ZIP-LOCK BAGS FOR PACKAGING &
DISPLAY OF SOFTWARE.

CORRAGATED MAILERS TO SHIP TO USERS
OR DEALERS!

SEND FOR FREE INFORMATION AT:

DISCOUNT DATA PRODUCTS
P.O. BOX 19674-M
SAN DIEGO, 92119

(ADD \$1.00 SHIPPING/HANDLING CHARGE TO ALL ORDERS.)

★
★ **KIMSI** ★
★ **FLOPPY** ★
★ **DISKS—** ★
★

★ PERRY PERIPHERALS HAS ★
★ THE HDE MINIFLOPPY TO KIMSI ★
★ ADAPTER ★

★ **MINIFLOPPY S-100 ADAPTER: \$15 + 1.50 p&h** ★
★ (\$20. as of June 1, 1980) ★

- ★ ● **FODS and TED Diskette** ★
- ★ ● **FODS and TED User Manuals** ★
- ★ ● **Complete Construction Information** ★
- ★ (Not a kit; no parts supplied) ★

- ★ **OPTIONS:** ★
- ★ ● **FODS Bootstrap in EPROM (1st Qtr'80)** ★
- ★ ● **HDE Assembler (ASM) \$75** ★
- ★ ● **HDE Text Output Processor (TOPS) \$135** ★

★ (N.Y. State residents, add 7% Sales Tax) ★

★ Place your order with: ★
★ **PERRY PERIPHERALS** ★
★ **P.O. Box 924** ★
★ **Miller Place, N.Y. 11764** ★
★ **(516) 744-6462** ★

★ Your "Long Island" HDE Distributor ★

6502 Bibliography: Part XXI

Continuing bibliography of 6502 related material

Dr. William R. Dial
438 Roslyn Avenue
Akron, OH 44320

627. Stems from Apple 2, Iss. 12 (Dec. 1979) cont'd.

- Hoggatt, Ken, "Ken's Korner," pg. 6-7.
Misc. notes on Pascal for the Apple.
- Pell, George, "Comma's and Colons in Applesoft," pg. 7-8.
How to deactivate the "Extra Ignored" error message.
- John, Norma M., "Pascal MASTERMIND," pg. 8-15.
Notes on Pascal and a program listing, MASTERMIND.

628. MICRO, No. 19 (Dec. 1979)

- Brady, Virginia Lee, "Data Statement Generator," pg. 5-7.
An Apple program which writes its own DATA statements.
- Figueras, John, "How to do a Shape Table Easily and CORRECTLY," pg. 11-22.
A tutorial and program to create shape tables, for the Apple.
- Tulloch, Michael, "Relocating PET BASIC Programs," pg. 25-27.
Discussion of the organization of PET BASIC and a relocation program.
- Swindell, Jack Robert, "If You Treat It Nicely, It Won't Byte," pg. 31-34.
Discussion of the OSI Superboard II.
- Babcock, Robert E., "Sharpen Your AIM," pg. 37-39.
Four programs to enhance the capabilities of the basic AIM 65.
- Erler, Kevin, "An Additional I/O Interface for the PET," pg. 40-41.
Interfacing a VIA 6522 to your PET is simple.
- Kolbe, Werner, "A 60 X 80 Life for the PET," pg. 45-47.
A bigger display for your PET when playing the Game of Life.
- Guild, George S., Jr., "Applesoft Program Relocation," pg. 49.
A simple technique to change the program storage space when using Applesoft.
- Welch, Steven M., "KIM and SYM Format Cassette Tapes on Apple II," pg. 51-56.
- Taylor, William L., "Graphics and the Challenger 1P," pg. 61-65.
Discussion of graphics on the OSI C1P microcomputer.
- Suchyta, Casimir J., III and Zitzewitz, Paul W., "Time of Day Clock and Calendar for the SYM-1," pg. 67-68.
Have a clock and calendar running in your SYM at the same time you are running a program.
- Broderick, John, "Apple II Speed Typing Test with Input Time Clock," pg. 69.
Care to take a speed typing test on your Apple???
- Mitchell, S. Felton, Jr., "SUMTEST: A Memory Test Routine for the 6502," pg. 73-74.
No microcomputer is better than its RAM memory. Here is a test for any 6502 system.

Rowe, Mike, (Staff), "The MICRO Software Catalogue: XV," pg. 75-76.

Nine new programs are reviewed.

Dial, William R., "6502 Bibliography: Part XV," pg. 77-78.

629. 73 Magazine No. 231 (Dec. 1979)

Creason, Sam, "Teaching Your Micro to Count," pg. 104-113.
Two methods for adding counter capability to your 6502 machine. Hardware and software.

630. BYTE 4, No. 12 (Dec. 1979)

A. Osborne/McGraw Hill, 630 Bancroft Way, Berkeley, CA 94710

New book, Lance Leventhal, "6502 Assembly Language Programming," \$12.50.

631. Abacus Newsletter 1, No. 12 (Dec. 1979)

- Lowe, Stanley, "Inventory Formulas," pg. 3-5.
Inventory program for the Apple II.
- Lowe, Stanley, "Marketing Formulas," pg. 6-8.
An Applesauce program for the Apple.
- Lowe, Stanley, "Price Level Adjustments," pg. 9-10.
A business program for the Apple.
- Anon, "Inserting Line #65535 in Integer Basic,," pg. 9-10.
A useful Apple Utility routine.
- Gauthier, Joe, "Report from Joe," pg. 11.
Program for generating "officialese."

632. Compute, Iss 2 (Jan/Feb. 1980)

- Hulon, Rick and Belinda, "Sorting Sorts: Part 2," pg. 11-16.
A comparison of HEAP SORT and QUICK SORT.
- Herman, Harvey B., "Memory Partition of BASIC Workspace," pg. 18-20.
- Baker, Robert W., "An Easier Method of Saving Data Plus Home Accounting," pg. 23-27.
Home Accounting on the PET.
- Lindsay, Len, "Word Processors: A User Manual of Reviews," pg. 29-34.
This concludes part two of an overview of current word processing programs for the PET.
- Butterfield, Jim, "Book Review: 6502 Assembly Language Programming—by Lance A. Leventhal," pg. 36.
- DeJong, Marvin L., "Machine Language Versus Basic Prime Number Generation," pg. 39-40.
A program to calculate prime numbers on the PET.
- Pratto, Marlene, "The Learning Lab," pg. 41.
A list of educational PET programs by categories.
- Earnhardt, Don, "A Printer for the Apple: The Heath H14," pg. 66.
An evaluation of the Heath H14 Printer interfaced to the Ap-

- ple.
- Klepfer, Joretta, "Atari BASIC and PET Microsoft BASIC," pg. 70.
A comparison of two versions of Basic and the tutorial manuals.
- Victor, John, "Atari Basic," pg. 76-77.
Discussion of Graphics, Sound, Control Characters, Editing.
- Bunker, W.M., "Lower Case Descention on the Commodore 2022 Printer," pg. 81.
How to create more readable lower case letters on the 2022.
- Richter, Mike, "Saving Money in Large Programs," pg. 82.
Hints for conserving memory on the PET.
- Butterfield, Jim, "The Deadly Linefeed," pg. 82.
Precautions to use on the PET.
- Stuart, Chuck, "Using Direct Access Files With the Commodore 2040 Dual Drive Disk," pg. 87-89.
Part two of a continuing series.
- Matsumoto, Yashiko; Weinshank, Donald; Davis, Harvey, "Null Return ('LINPUT') Simulation for PET Users," pg. 90-91.
Touch return to go on in this subroutine.
- Butterfield, Jim, "A Few Entry Points, Original/Upgrade ROM," pg. 93.
A listing of entry points.
- Lindsay, Len, "Plotting With the CBM 2022 Printer," pg. 93-94.
How to plot graphics with the PET printer.
- Butterfield, Jim, "Inside the 2040 Disk Drive," pg. 94-95.
Discussion of how the disk works.
- Rehnke, Eric, "The Single-Board 6502," pg. 102-106.
Comparison of the KIM, AIM, SYM and SUPERKIM.
- Mackay, A.M., "SYM-1 Message Scroller," pg. 108.
- Stanford, Charles L., "Adapting BASIC Programs for Other Computers to the Challenger 1P," pg. 110-112.
- Kelley, Ralph, "Proofread," pg. 112.
An efficient proofreading routine for the KIM.
- DeJong, Marvin L., "Two Notes on the Pulse Counting Mode of Timer 2 on the 6522," pg. 114.
- Beal, Barry L., "Tokens in OSI BASIC," pg. 116.
Misc. notes on OSI Tokens, etc.
- 633. Electronic Engineering Times, Jan. 7, 1980.**
DeSantis, Tom, "Low-Cost IEEE-488 Systems Using the Commodore PET Microcomputer," pg. 28-29.
The PET is being used extensively as a low-cost IEEE-488 bus controller.
- 634. Apple-Com-Post, No. 5 (Dec. 1979)**
Anon, "Tips and Tricks," pg. 7-9.
Several short routines, including a test to indicate if a program is Present, Change of Register Content, DOS Identifier, Reading Random Text Files, Move, etc.
Anon, "Pascal," pg. 10.
Discussion of Pascal.
- 635. Cider Press 2, No. 6 (Dec. 1979).**
Anon, "December DOM," pg. 4.
The December Disk of the Month will be a great Holiday DOM and will contain Bruce Tognazzni's CATTLE CAR.
Nareff, Max J., "Avoiding the 'GET' Trap," pg. 5.
Trace with the DOS up on the Apple and also use a DOS command directly following a GET statement.
Nareff, Max J., "Make a Box," pg. 5.
Boxes for program headings on Apple programs.
- Vrooman, Gerry, "The Defogger Finds Illegal Characters," pg. 6.
How to trick your Apple into accepting illegal commands.
- Hyde, Randy, "Lisa Author Strikes Back," pg. 7.
Further discussion of the LISA Assembler, for the Apple.
- Anon, "Simple Tones for Applesoft II," pg. 8.
Simple routine modified from the "Red Book" for Applesoft.
- Carlisle, Rod, "Put the HEX on Hexadecimal," pg. 9.
Tables for converting Hexadecimal to Decimal.
- Wilson, Gene, "Pascal-Single Drive," pg. 12.
No doubt you need help if you are trying to run Pascal with only one disk drive. Well, here it is!
- Fields, Randy, "Apple Owners' Questionnaire Results," pg. 13.
Results of a very interesting survey of Apple owners.
- Apple Computer Staff, "Application Note 1," pg. 14-15.
Description of text pages, text screen maps, character display values, etc.
- 636. Southeastern Software Newsletter, Iss 15 (Dec. 1979)**
McClelland, George, "Review of Text Editors/Word Processors," pg. 1-11.
Includes Easy Writer, Text Editor (Peripherals), Super-Text, Big-Edit, Apple P.I.E. 2.0 and Format and comparisons to Dr Memory, and earlier editors.
- 637. The Seed 1, No. 7 (Dec. 1979)**
Foens, Bob, "GEEJO," pg. 4.
Two Holiday season programs for the Apple.
Thompson, Colleen, "Hunt the Wumpus—Revisited," pg. 6-8.
Hunt the Wumpus with crooked arrows which ricochet—a new version of an old game.
Wagner, Roger, "A Fast GR Screen Clear," pg. 9.
A program utilizing the Monitors binary move routine which clears the low resolution screen very quickly, on the Apple.
Knaster, Scott, "Solving the RESET Problem," pg. 14.
Noone likes the RESET Key! New uses make it lovable!
Knaster, Scott, "The Amplified Apple," pg. 16-17.
A discussion of the "mystery key," the Ampersand. This key on the Apple can be very useful. For instance, the new command—READAT.
Wagner, Roger, "An Unlikely Character," pg. 18.
How to generate some real unlikely special characters on the Apple keyboard using fancy fingering.
- 638. Creative Computing 5, No. 12 (Dec. 1979)**
Heuer, Randy, "Satellite Tracking Software," pg. 32.
Review of a new package by SAT TRAK INYL.
Waite, Mitchell, "Animation for the Apple," pg. 126-128.
Walking animation made simple on the Apple.
Carpenter, Chuck, "Apple-Cart," pg. 141-144.
A Pascal TURTLEGRAPHICS PROGRAM, Assembly Language Program for a clock routine, etc.
Yob, Gregory, "Personal Electronic Transactions," pg. 146-149.
Review of Hal Chamberlin's D/A Board from Micro Technology, Unltd. Real music from the PET at last. Also this month: What to do about "Out-of-Memory" errors.
- 639. Applesed Newsletter (San Antonio) 2, No. 1 (Jan. 1980)**
Wright, Don, "Underground Movement," pg. 1.
A discussion of Conflict Simulations (Gaming) with references to RISK, Global War, Warlords, Wilderness Campaign, Dungeon Monster, Metamorphos Alpha, Boot Hilland others.

The Paper 2, Iss 10 (Jan. 1980)

- Swan, Warren D., "PET 2022 Tractor Feed Printer," pg. 9-15.
A thorough product review and also includes some software routines for the PET printer.
- Anon, "Machine Language Programming," pg. 16-19.
Discussion of the PET USR function, PET number representation, fixed point numbers, etc.
- Busdiecker, Roy, "Power-Root," pg. 19-20.
A program involving roots.
- McArthur, James F., "SEARCH," pg. 24-25.
Search through your PET program for a given line using this routine.
- 1Stetzer, Stephen, "Combined Budget," pg. 25-27.
Keep current on certain expense items of recurring interest.

MICRO, No. 20 (Jan. 80)

- Lacy, Allen J., "Tape Execute File Create and Use," pg. 5-7.
How to convert Integer Basic Apple programs to Applesoft Basic without a disk.
- Beach, Bruce M., "Why a PET, Apple, 6502 BASIC Compiler? A Simple Explanation," pg. 9-12.
What a Compiler is, how it works and a discussion of a Basic compiler currently under development.
- Reich, Dr. L. S., "Human Physiological Parameters," pg. 15-19.
Program calculates the proper weight for an individual as a function of height, body build and sex. In Applesoft.

- DeJong, Marvin L., "Lifetime of a Non-Renewable Resource," pg. 21-22.
A good model of an interactive Basic simulation.
- Vile, Richard C., Jr., "Sweet-16 Programming Using Macros," pg. 25-29.
Info about MACROS in general, the Apple II Sweet-16 Interpreter and how to use them together.
- Baxter, B.E., "Screen Write/File Routine," pg. 30-31.
A routine which makes it simple to Edit the Apple screen and save the screen image on disk.
- Gieryic, Jack, "SYM-1 Tape Verification," pg. 35-37.
Check to see if your data has been recorded properly in your audio cassette.
- Evans, Mel, "Symbol Table Sorter/Printer for the AIM Assembler," pt. 43-48.
- Staff, "The MICRO Software Catalogue: XVI," pg. 51.
Five new programs are reviewed.
- Childress, J.D., "Search/Change in Applesoft," pg. 55-58.
Search a file for a particular string and then change the string to a new one.
- Peck, Robert A., "SYM-1 Staged Loading Technique for Segmented Programs," pg. 59.
How to load a continuous block 0000 to 03FF.
- Dial, William R., "6502 Bibliography: Part XVI," pg. 61-62.
About eighty new references are covered.

μ

STONEWARE

MICROCOMPUTER PRODUCTS

1930 Fourth Street, San Rafael, CA 94901 (415) 454-6500

TRANQUILITY BASE

by Bill Budge, creator of *Trilogy* and *Penny Arcade*
\$24.95 32K/Disk Applesoft OR Integer

A great hi-res lunar lander, just like the arcade game!

- Landscape scrolling
- Auto-zoom for landing site close-up
- Player control of 360° craft rotation
- Spectacular crashes
- Always challenging . . . Improve your score as you improve your skill!

Aristotle's Apple

by Scot Kamms
\$34.95 48K/Disk Applesoft

A computered tutor for ANY subject, at ANY level.

- 2 modes of instruction—tutor and test.
- 3 quiz types—fill-in, multiple choice, and matching, including alternate answers for fill-in questions.
- Multi-level learning reinforcement. Written by a specialist in Computer Aided Instruction (CAI).
- Highly interactive, no programming knowledge necessary.
- Good for students, home study and correspondence courses, government and ham radio exams, etc.

Micro League Baseball

by Arthur Wells

\$24.95 48K/Disk Applesoft OR Integer

Finally . . . The Hi-res Baseball that's as good as the Apple!

- 8 different pitches, 6 different swings
- 3-D effect on fly balls
- Player controlled fielding and throwing
- Vocal umpire
- Complete electronic score board
- Beautiful stadium in full color

MICRO MEMO

by Barney Stone
\$39.95 48K/DISK Applesoft

A powerful, easy to use appointment calendar

- Includes one-time, weekly, monthly, semi-annual and annual memos.
- Will remind you one week, two weeks or a month in advance to prepare for meetings, make reservations, buy birthday presents, etc.
- Display or print any day's or week's reminders.
- A "perpetual" calendar: holds one full year, beginning with any month. Automatically posts birthdays, etc., into new months.
- Knows most major holidays.
- Supports Mt. Hardware Apple Clock (not required)

Calif. Res. Add 6% Sales Tax. No COD's. Add \$2.00 for Shipping & Handling. Use Check, Money Order, VISA or MASTERCARD (add Exp.). Dealer Inquiries Invited.
APPLE II is a TM of Apple Computer, Inc.

ALSO AVAILABLE: ELECTRONIC PRICE SHEET (A sales tool for retailers) \$100 48K/Disk Applesoft, and BLOODY MURDER (A 2-player knife fight—rated "R" for violence!) \$19.95 48K/Disk Integer.

WATCH FOR IT, COMING SOON—
The Data Base As Good As Your Apple II.

DB Master

DAKIN5 UTILITIES

DAKIN5 PROGRAMMING AIDS MENU

TODAY'S DATE 08/16/79

1. THE LISTER
2. THE PECKER
3. THE CRUNCHER
4. THE TEXT FILE COPY
5. THE PROMPTER
6. THE CALCULATOR
7. THE DISKETTE COPY
8. CHANGE TODAY'S DATE

ENTER YOUR SELECTION ->

DAKIN5 PROGRAMMING AIDS II MENU

TODAY'S DATE 12/17/79

1. THE SCREEN PRINTER
2. THE ARRAY EDITOR
3. THE COPIER
4. THE PATCHER
5. THE LINE CROSS REFERENCE
6. THE VARIABLE CROSS REFERENCE
7. THE CALCULATOR II
8. CHANGE TODAY'S DATE

ENTER YOUR SELECTION ->


The **Cruncher** removes REM statements and compresses code in Applesoft programs. The **Prompter** is a powerful data entry subroutine that can handle both string and numeric data. Options include using commas, decimal points, and leading zeros with right-justified numerics. A maximum field length can be specified to prevent overflow in both numeric and alphanumeric fields. The **Diskette Copy** formats an output disk, copies each track, and verifies that the output matches the input. PLUS FOUR MORE UTILITIES TO AID YOUR OWN PROGRAMMING. Suggested Retail Price for **Dakin5 Programming Aids** is \$39.95.

The **Copier** copies absolutely any kind of file or program from one diskette to another. The **Variable Cross Reference** produces a cross-reference for all variable names used in an Applesoft BASIC program. The **Line Cross Reference** creates a cross-reference for an Applesoft BASIC program, showing where a given line is referenced by GOTO, GOSUB, THEN, or LIST statements. The **Patcher** allows you to display any sector of a diskette, and then to update any data within that sector. PLUS THREE MORE UTILITIES TO FACILITATE YOUR OWN PROGRAMMING. Suggested Retail Price for **Dakin5 Programming Aids II** is \$49.95.

Each utility package includes a program diskette and very complete documentation. The hardware requirements are an Apple II, 48k of memory, 2 Disk II's, and a printer. Languages are Applesoft/Assembler.

See your Apple dealer or contact Dakin5 Corporation, P.O. Box 21187, Denver, Colorado 80221. Telephone: (303) 426-6090. Dakin5 developed the business application software **The Controller™** for Apple Computer Inc.


MICROCHESS for the AIM



MICRO SOFTWARE

AIM MicroChess with Player's and Programmer's Manual, complete Source Listings, Object on Cassette Tape. \$15.00 plus shipping [\$1.00 US/\$2.00 Anywhere Else] MICRO Software, P.O. Box 6502, Chelmsford, MA 01824

KIM/SYM/AIM-65—32K EXPANDABLE RAM DYNAMIC RAM WITH ONBOARD TRANSPARENT REFRESH THAT IS COMPATIBLE WITH KIM/SYM/AIM-65 AND OTHER 6502 BASED MICROCOMPUTERS.



ASSEMBLED / TESTED	WITH 32K RAM	\$419.00
	WITH 16K RAM	\$349.00
	WITHOUT RAM CHIPS	\$279.00
	HARD TO GET PARTS ONLY (NO RAM CHIPS)	\$109.00
	BARE BOARD AND MANUAL	\$49.00

- * PLUG COMPATIBLE WITH KIM/SYM/AIM-65. MAY BE CONNECTED TO PET USING ADAPTOR CABLE. S544-E BUS EDGE CONNECTOR.
- * USES -5V ONLY (SUPPLIED FROM HOST COMPUTER BUS). 4 WATTS MAXIMUM.
- * BOARD ADDRESSABLE IN 4K BYTE BLOCKS WHICH CAN BE INDEPENDENTLY PLACED ON 4K BYTE BOUNDARIES ANYWHERE IN A 64K BYTE ADDRESS SPACE.
- * ASSEMBLED AND TESTED BOARDS ARE GUARANTEED FOR ONE YEAR, AND PURCHASE PRICE IS FULLY REFUNDABLE IF BOARD IS RETURNED UNDAMAGED WITHIN 14 DAYS.
- * BUS BUFFERED WITH 1 LS TTL LOAD.
- * 200NSEC 4116 RAMS.
- * FULL DOCUMENTATION

PET INTERFACE KIT \$49.00

CONNECTS THE ABOVE 32K EXPANDABLE RAM TO A 4K OR 8K PET. CONTAINS EXPANSION INTERFACE CABLE, BOARD STANDOFFS, POWER SUPPLY MODIFICATION KIT AND COMPLETE INSTRUCTIONS.

6502, 64K BYTE RAM AND CONTROLLER SET
MAKE 64K BYTE MEMORY FOR YOUR 6800 OR 6502. THIS CHIP SET INCLUDES:
* 32 M5K 4116-3 16KX1, 200 NSEC RAMS.
* 1 MC3480 MEMORY CONTROLLER.
* 1 MC3242A MEMORY ADDRESS MULTIPLEXER AND COUNTER.
* DATA AND APPLICATION SHEETS. PARTS TESTED AND GUARANTEED.
\$295.00 PER SET

16K X 1 DYNAMIC RAM
THE MK4116-3 IS A 16,384 BIT HIGH SPEED NMOS DYNAMIC RAM. THEY ARE EQUIVALENT TO THE MOSTEK, TEXAS INSTRUMENTS, OR MOTOROLA 4116-3.
* 200 NSEC ACCESS TIME, 375 NSEC CYCLE TIME.
* 16 PIN TTL COMPATIBLE.
* BURNED IN AND FULLY TESTED
* PARTS REPLACEMENT GUARANTEED FOR ONE YEAR.
\$8.50 EACH IN QUANTITIES OF 8

BETA
COMPUTER DEVICES

1230 W. COLLINS AVE.
ORANGE, CA 92668
(714) 633-7280

ALL ASSEMBLED BOARDS AND MEMORY CHIPS CARRY A FULL ONE YEAR REPLACEMENT WARRANTY.

Missing MICRO Information?

MICRO is devoted exclusively to the 6502. In addition, it is aimed at useful, reference type material, not just "fun and games". Each month MICRO publishes application notes, hardware and software tutorials, a continuing bibliography, software catalog, and so forth. Since MICRO contains lots of reference material and many useful program, most readers want to get the entire collection of MICRO. Since MICRO grew very rapidly, it quickly became impractical to reprint back issues for new subscribers. In order to make the older material available, collections of the reprints have been published.

[A limited number of back issues are still available from number 7 to 18 and 20 to current. There are no 19's left.]

The BEST of MICRO Volume 1 contains all of the significant material from the first six issues of MICRO, from October/November 1977 through August/September 1978. This book form is 176 pages long, plus five removeable reference cards. The material is organized by microcomputer and almost every article is included. Only the ads and a few 'dated' articles have been omitted. [Now in third printing!]

Surface . . . \$7.00 Air Mail . . . \$10.00

The BEST of MICRO Volume 2 covers the second six issues, from October/November 1978 through May 1979. Organized by microcomputer, this volume is 224 pages long.

Surface . . . \$9.00 Air Mail . . . \$13.00

The BEST of MICRO Volume 3, covering the twelve issues from June 1979 through May 1980, will be over 400 pages long. It is scheduled for late summer 1980. The price is still to be determined.

For a free copy of the Index for Volumes 1, 2, and 3, please send a self-addressed, stamped envelope to:

BEST of MICRO, P.O. Box 6502, Chelmsford, MA 01824

Advertisers' Index

Aardvark	46
AB Computers	51
Beta Computer Devices	78
CJM-Industries	18
Classified Ads	55,56
The Computerist, Inc.	27
Computer Shopper	4
Dakin 5	78
DCS Software	46
Decision Systems	9
Discount Data Products	74
Electronic Specialists, Inc.	58
Enclosures Group	28
Galaxy	9
Holtzman	17
Hudson Digital Electronics	74
I & I Inc.	67
Instant Software	40,41
MICRO	78
Micro Austin	58
Micro Software	78
Muse	80
NIBBLE	14
On Line	36
Orion Software Associates	46
OSI Small Systems Journal	42-45
OSI	BC
Perry Peripherals	74
Powersoft, Inc.	70
Programma International	IBC
Progressive Computing	46
Progressive Software	62,63
Scelbi Publications	6
Shepardson Microsystems	67
SKYLES Electric Works	IFC,10,52
Small Business Computer Sys.	61
Southeastern Software	22
Strategic Simulations	39
Sybox	1
Systems Design	34
Systems Formulate	2
TEK Aids	51

SUPER-TEXT™

STANDARD FEATURES

- single key cursor control
- automatic word overflow
- character, word and line insertion
- forward and backward scrolling
- automatic on screen tabbing
- single key for entering "the"
- auto paragraph indentation
- character, word and line deletion
- ditto key
- multiple text windows
- block copy, save and delete
- advanced file handling
- global (multi-file) search and replace
- on screen math and column totals
- column decimal alignment
- chapter relative page numbering
- complete printer tab control
- line centering
- superscripting and subscripting
- displays UPPER and lower case on the screen with Dan Paymar's Lower Case Adapter

FAST EDITING

Super-Text was designed by a professional writer for simple, efficient operation. A full floating cursor and multiple text screens facilitate editing one section of text while referencing another. Super-Text's advanced features actually make it easier to operate, allowing you to concentrate on writing rather than remembering complicated key sequences.

FLOATING POINT CALCULATOR

A built in 15 digit calculator performs on-screen calculations, column totals and verifies numeric data in statistical documents.

EXCLUSIVE AUTOLINK

Easily link an unlimited number of on-line files on one disk or from disk to disk. Autolink allows you to search or print all on-line files with a single command. Typical files of items that can be stored in this way include personnel files, prospect files, maintenance records, training records and medical histories.

The Professional Word Processor

for the Apple II
and the Apple II plus

MUSE™

THE LEADER IN QUALITY SOFTWARE

ADVANCED FILE HANDLING

Single key file manipulation and complete block operations allow the user to quickly piece together stored paragraphs and phrases. Text files are listed in a directory with a corresponding index for fast and accurate text retrieval.

PRINTER CONTROLS

Super-Text is compatible with any printer that interfaces with an Apple. Print single or multiple copies of your text files or link files and they will be automatically printed in the specified order. User defined control characters can activate most special printer functions.

MODULAR DESIGN


This is a modularly designed system with the flexibility for meeting your future word processing needs. The first add-on module will be a form letter generator for matching mailing lists with Super-Text form letters.

SUPER-TEXT, requires 48K (\$99.95)
Available TODAY at Computer Stores
nationwide. Dealer inquiries welcome. For more
information write:


MUSE SOFTWARE 330 N. Charles Street Baltimore, MD 21201 (301) 659-7212

Software for the PET

PROGRAMMA Software Program Products



DOMINOES \$ 6.95



OTHELLO \$ 9.95




LETTER SQUARES \$ 6.95



RPN MATHPACK \$19.95



SUPER NIM \$ 6.95



DIR/REF \$ 6.95




SPACE WARS \$ 9.95



GRAND PRIX \$ 6.95



E.S.P. \$ 9.95




FORECAST \$ 9.95




FOOTBALL \$ 6.95




BLOCKADE \$ 9.95



DEPTH CHARGE \$ 9.95



BASKETBALL \$ 9.95



SLOT MACHINE \$ 6.95



HOME ACCOUNTING \$ 9.95

All orders include 3% postage and handling with a minimum of \$1.00. California residents include 6% Sales Tax.
VISA **MASTERCHARGE**


PET IS A TRADEMARK OF
 COMMODORE BUSINESS MACHINES, INC.

PROGRAMMA INTERNATIONAL, Inc.
 3400 Wilshire Blvd.
 Los Angeles, CA 90010
 (213) 384-0579
 384-1116
 384-1117

Dealer Inquiries Invited



SHOOTING GALLERY \$ 9.95



BATTLE SHIP \$ 9.95



ZAP \$ 6.95

The home computer you thought was years away is here.



C8P DF \$2,895

Ohio Scientific's top of the line personal computer, the C8P DF. This system incorporates the most advanced technology now available in standard configurations and add-on options. The C8P DF has full capabilities as a personal computer, a small business computer, a home monitoring security system and an advanced process controller.

Personal Computer Features

The C8P DF features ultra-fast program execution. The standard model is twice as fast as other personal computers such as the Apple II and PET. The computer system is available with a GT option which nearly doubles the speed again, making it comparable to high end mini-computer systems. High speed execution makes elaborate video animation possible as well as other I/O functions which until now, have not been possible. The C8P DF features Ohio Scientific's 32 x 64 character display with graphics and gaming elements for an effective resolution of 256 x 512 points and up to 16 colors. Other features for personal use include a programmable tone generator from 200 to 20KHz and an 8 bit companding digital to analog converter for music and voice output, 2-8 axis joystick interfaces, and 2-10 key pad interfaces. Hundreds of personal applications, games and educational software packages are currently available for use with the C8P DF.

Business Applications

The C8P DF utilizes full size 8" floppy disks and is compatible with Ohio Scientific's advanced small business operating system, OS-65U and two types of information management systems, OS-MDMS and OS-DMS.

The computer system comes standard with a high-speed printer interface and a modem interface. It features a full 53-key ASCII keyboard as well as 2048 character display with upper and lower case for business and word processing applications.

Home Control

The C8P DF has the most advanced home monitoring and control capabilities ever offered in a computer system. It incorporates a real time clock and a unique FOREGROUND/BACKGROUND operating system which allows the computer to function with normal BASIC programs at the same time it is monitoring external devices. The C8P DF comes standard with an AC remote control interface which allows it to control a wide range of AC appliances and lights remotely without wiring and an interface for home security systems which monitors fire, intrusion, car theft, water levels and freezer temperature, all without messy wiring. In addition, the C8P DF can accept Ohio Scientific's Votrax voice I/O board and/or Ohio Scientific's new universal telephone interface (UTI). The telephone interface connects the computer to any touch-tone or rotary dial telephone line. The computer system is able to answer calls, initiate calls and communicate via touch-tone signals, voice output or 300 baud modem signals. It can accept and decode touch-tone signals, 300 baud modem signals and record incoming voice messages. These features collectively give the C8P DF capabilities to monitor and control home functions with almost human-like capabilities.

Process Controller

The C8P DF incorporates a real time clock, FOREGROUND/BACKGROUND operation and 16 parallel I/O lines. Additionally a universal

accessory BUS connector is accessible at the back of the computer to plug in additional 48 lines of parallel I/O and/or a complete analog signal I/O board with A/D and D/A and multiplexers.

Clearly, the C8P DF beats all existing small computers in conventional specifications plus it has capabilities far beyond any other computer system on the market today.

C8P DF is an 8-slot mainframe class computer with 32K static RAM, dual 8" floppies, and several open slots for expansion.

C8P \$950

Or get started with a C8P with cassette interface, 8K BASIC-in-ROM which includes most of the features of the C8P DF except the real time clock, 16 parallel I/O lines, home security interface and accessory BUS. It comes with 8K static RAM and Ohio Scientific's ultra-fast 8K BASIC-in-ROM. It can be expanded to a C8P DF later. Base price \$950. Virtually all the programs available on disk are also available for the C8P cassette system on audio cassette.

Computers come with keyboards and floppies where specified. Other equipment shown is optional.

For literature and the name of your local dealer, CALL 1-800-321-6850 TOLL FREE.

OHIO SCIENTIFIC
1333 SOUTH CHILLICOTHE ROAD
AURORA, OH 44202 • (216) 831-5600