The Move Toward Integrated Software

For Owners And Users Of Commodore VIC-20" And 64" Personal Computers



A Window To The World: Modems In The Home

More than a thousand useful services are just a phone call away. Here's how they can make you more productive while educating your family and helping with routine household tasks.

Also In This Issue:

Computing For Families
Debugging BASIC, Part 1
VIC Magic Draw

Plus Games, Reviews, And More

Magazine Indexer

Instantly reference all those important articles with this easy-to-use computerized filing system for the VIC and 64.


Math Dungeon

When the Math Monsters give you a quiz, you'd better know the answers. That's the only way out of the dungeon. An exciting, educational text adventure with five difficulty levels. For the VIC and 64.




Trap 'Em

Build fences around your opponent without getting hemmed in yourself. An exciting one- or two-player game for the VIC and 64.















RAID ON BUNGELING BAY™

When you shopped for a computer, you wanted one with a lot of intelligence. This game may lead you to regret that choice, as your friendly little computer becomes the brains behind the most fantastic enemy you will ever face: The War Machine.

A monstrous artificial intelligence directs an endless army of self-replicating robot weapons and a complex of factories hidden on six heavily defended islands. Even as you strike at one island, robots beyond your field of vision continue to multiply...to repair the damage you've done...to attack and destroy.

Before all of Humankind is crushed beneath the Bungeling Empire's iron heel, one faint hope remains: you in your helicraft.

THE CASTLES OF DOCTOR CREEP™

Ever dream that you were locked in a haunted castle, wandering blindly through darkened corridors, never knowing what ghastly demons await you? Then you'll feel right at home in *The Castles of Doctor Creep*.

It's a maddening maze of 13 separate castles, more than 200 rooms in all. Sinister surprises await you behind every door: mummies and monsters, forcefields and death rays, trap doors and dead—very dead—ends. Remember where you've been and watch where you're going...there's got to be a way out somewhere!

Better hurry, or you'll wind up playing a rather unpleasant role in one of Doctor Creep's experiments.

SPELUNKER™

Who knows what fabulous treasures—and unspeakable dangers—await you in the world's deepest cave? This is one game you can really get into... and into...and into.

Wander through miles of uncharted passageways, swinging on ropes and ladders, tumbling over subterranean falls and plunging to the very depths of the earth on an abandoned mine railroad. Deadly steam vents and boiling lava pits threaten you at every turn. Chattering bats and the Spirits of dead Spelunkers beg you to join them, permanently.

Let's face it: you're in deep, deep trouble.

WHISTLER'S BROTHER™

You're the star of a full-fledged arcade adventure—and the big question is whether it'll turn out to be a comedy or a tragedy. That's because your co-star and beloved brother, Archaeologist Fenton Q. Fogbank, is rather absentminded and extremely accident-prone.

As you search for priceless treasures in steaming tropical jungles, ancient cliff villages, musty old tombs and glittering crystal caverns, you control both your character and your brother. The only way to keep him on track and out of trouble is to whistle and pray that he follows you to safety.


Poison arrows, runaway boulders, fearsome frogs and mysterious mummies are only a few of the hazards that'll make you wish you weren't your brother's keeper.


STEALTH™


You're all alone on a strange and forbidding planet. On the distant horizon, looming thousands of meters above the blasted landscape, lies your destination: The Dark Tower, home of the mysterious Council of Nine, cruel overlords of a conquered world.


You must maneuver your Stealth Starfighter through an unending assault by the Council's automated arsenal—jets and heat-seeking missiles, photon tanks and anti-aircraft batteries, vaporizing volcanoes and deadly energy fields. Outgunned and outmanned, you must press ever onward, with only your stealth to rely on.


You must reach the Tower. You must destroy it. There's no turning back.











NO NERCY

FOR COMMODORE.



CHAMPIONSHIP LODE RUNNER™

It has come to our attention that some of you out there think you're pretty good at Lode Runner, 1983's best computer game. For those foolhardy few, we offer a challenge of a higher order: Championship Lode Runner.


With fifty fiendish Treasury Chambers:

With fifty fiendish Treasury Chambers: more intricate, more elaborate, more insidious than anything you've seen before. You'll need lots of skill, lots of smarts, and every ounce of your lode-running experience to have any hope at all of survival.

And if you haven't yet paid your dues on the original *Lode Runner*, don't even think of attempting this championship round.



Computer prog da Vinci, Shakesp Al Capp would ha



crams for kids that eare, Dickens and ve loved.

If they were starting out today, this is what they could start with. Pixelwerks.

THE OTHER WAY TO DRAW AND WRITE

Instead of a brush and canvas, a pen and paper, they'd create on a computer. Because Pixelwerks is the first medium that can keep up with their imaginations.

MR. PIXEL'S PROGRAMMING PAINT SET

With Mr. Pixel's Programming Paint Set, da Vinci (or any 8-year old) could do more than paint a picture. He could also enlarge it, repeat it, move it around, and change colors. Instantly.

And at the same time, he developing his programming skills. Painlessly.

SHOW DIRECTOR

On the other hand, Shakespeare would love to play around with Show Director.

He'd use it to create plots and think up one scene after another, and he'd get a big cast of characters, lots of backgrounds, props, and musical sound effects to act them out.

BANK STREET STORYBOOK

Dickens wouldn't be able to keep his hands off Bank Street StoryBook by George Brackett.

Not only could he write his own story, but he could also illustrate the scenes and characters he sees in his mind.

MR. PIXEL'S CARTOON KIT

Maybe Al Capp wouldn't be satisfied with cartoons that just sit on the page after he tried Mr. Pixel's Cartoon Kit. Because he could make his cartoons come to life by animating them. His characters could move around, and even react to each other.

Every kid has a touch of creative genius buried inside. The job of

Pixelwerks is to bring it out, with more features, more options and more flexibility than other programs.




In short, we supply the tools. Kids supply the imagination.



Quick.

How many plates can the Juggler juggle?



How do you

What's the capital of Alaska?



Chinese Juggler

hat depends on you. You are the Juggler and your act is the delicate art of plate spinning. Yours will be a tough act to follow if you succeed in matching colors and spinning plates on all 8 poles at the same time.

As your skill increases, so does the pace and the challenge of the game. You must act with speed and precision or the curtain will come down and your act will be all washed up!

Chinese Juggler is a refreshing departure from the usual shootem-ups and strategy games. It's fun, fast-paced and will delight players of any age. For Commodore 64. New from Creative Software.

\$24.95



Break Street

ou'll soon become a break dancing expert with our latest bestseller, Break Street. Now that combination of gymnastics, mime, funk, and just plain show-off, leaves the sidewalks and comes home to your Commodore 64.

Individual play guides you through the footwork of moonwalk, backspin, windmill, tut, and the rest of those sidewalk moves. Slow motion and lively musical accompaniment help you perform each move step by step. String together a whole series of moves and record them for future replay.

Catch the beat of the street with Break Street. For individual or team play. New from Creative Software.

\$24.95

The answers are at your finger tips.



Roll Call USA

o you know? Get ready to outwit your family and friends with Roll Call USA's fun facts on states, capitals and major industries.

Roll Call USA combines history and geography facts into a colorful question and answer game that challenges your knowledge of the 50 states, their capitals, major industries and statehood dates.

Feel confident? Drill yourself with a Flash Test. The game is speeded up, so think fast. Your answers are tallied up at the end for a final score.

Roll Call USA, a game of USA trivia for team or individual play. For Commodore 64. New from Creative Software.

\$14.95

Call and order today! Use your Visa, MasterCard or personal check. Toll Free 1-800-331-7990 (outside California), 1-800-448-1001 (in California), or 1-408-745-1655. MONEY BACK GUARANTEE. If not completely satisfied, return within 10 days for full refund.

"Commodore 64" is a trademark of Commodore Electronics, Ltd.

FEATURES	
The Move Toward Integrated Software Selby Bateman	*
REVIEWS	
Seven Cities of Gold Gregg Keizer	64
GAMES	
Trap 'Em	V/64
EDUCATION/HOME APPLICATIONS	
Computing For Families: A Visit With Sweetums The Ogre Fred D'Ignazio 44 VIC Magic Draw Kevin Gough 52 Math Dungeon Richard Lowe 62 Magazine Indexer Daniel Miller 66	2 V 2 V/64
PROGRAMMING	
BASIC Magic: Using Variables In 1985 Michael S. Tomczyk Hints & Tips: Double Duty Variables William A. Yarberry, Jr. Machine Language For Beginners: ML Mailbag Richard Mansfield Debugging BASIC, Part 1 Todd Heimarck Power BASIC: Stop And Go Jim Pejsa Baker's Dozen, Part 1 Lawrence Cotton Disk Merge Robert D. Riemersma, Jr. 135	V/64 V/64 V/64 V/64 V/64
DEPARTMENTS	
The Editor's Notes Robert C. Lock Gazette Feedback Editors And Readers Simple Answers To Common Questions Tom R. Halfhill Horizons Charles Brannon User Group Update News & Products 68 68 68 68 68 68 68 68 68 68 68 68 68	V/64/+4/16
PROGRAM LISTINGS	
How To Type In COMPUTE!'s Gazette Programs The Automatic Proofreader Bug-Swatter: Modifications And Corrections Tiny MLX C/G BBS Robert Sims 142 145	V/64 V/64 V
Product Mart	

* = General, **V**=VIC-20, **64**=Commodore 64, +**4**=Plus/4, **16**=Commodore 16.

THE EDITOR'S

notes

Whither Commodore?

By now, or perhaps not by now, the Plus/4 and the 16 are making their long awaited debut across the retail frontiers of America. From what we can tell so far, this debut may well be an "emperor's new clothes" phenomena, with lots of debut, and not much else. Our old friend Jim Dijon, a Commodore marketeer and survivor, was recently quoted as suggesting that if the marketplace so wished, Commodore would be happy to make the 16 and Plus series compatible with the 64. One would hope the marketplace wouldn't have to wish too hard for such compatibility, what with at least a million or so 64s out there. On top of all this wishing, Commodore has somehow managed to devise an entirely unique plug for the Plus/4, thus insuring that existing peripherals won't be compatible.

Why do we feel that we've written this editorial seventeen times or so in the last five years?

Hope?!?


Rumor now has it that perhaps the 16 and Plus/4 are already being "de-emphasized," giving way in turn to the even newer 128 series. Ah. More memory? Yes. Software compatible? Yes. Peripheral compatible? Yes. Plus, some new peripherals, notably a dual disk drive . . . now those are pluses we can applaud. Lest we sound totally like sour grapes this issue, we'll remind our loyal readers that this is the company that has been responsible for much of the home computer industry, and we feel, correctly we think, that they have a continuing obligation to help drive and nurture it. Commodore's potential success with the Lorraine is something we're anxiously awaiting.

We've seen successive iterations through hardware and software "breakthroughs" in this industry, and we think the Lorraine has the potential for achieving several breakthroughs at once. The significant power this computer can costeffectively bring to the marketplace will, in our opinion, define a new benchmark for price and performance in the entire industry. No one in the market was selling a color computer with reasonable memory for less than \$1000 until Commodore broke the price and hardware constraint barriers. With the power of Lorraine: 128K RAM, built-in drive, 4096 colors, 68000

microprocessor, multicolored sprites, maximum hi-resolution of 640 × 200 pixels . . . the list goes on, including built-in speech synthesis and built-in modem. These are only highlights of the features of the Lorraine prototype demonstrated by Amiga before they sold their company to Commodore. This unit was preproduction priced at \$1200-\$1400.

Of course, Commodore may change some of these features before product introduction. Pricing will probably change as well. But we've seen enough to call the Lorraine a significant price/performance breakthrough, and we think it will spark a new plateau in the industry. We expect to learn more about the configuration of the "real" system at this month's Consumer Electronics Show in Las Vegas. We'll keep you posted.

Robert Jock



How the Nice Family Helped Their Good Neighbors

It was after Christmas. The Nice family was still enjoying all the wonderful presents they received from one another. But next door, at the

home of their Good neighbors, things weren't all that wonderful.

You see, Mr. and Mrs. Good (Harry and Betty) had given a new home computer to their twins (Kim and Kerry). It was a very good gift, but they didn't know what to do with it. Harry Good thought



video games were bad because the twins couldn't play them together. Betty Good thought

> all video games were too violent. And the Good twins thought anything but games were boring! Narnia Then, one day, Betty Good was talking to Janet Nice over morning coffee. "We have this wonderful computer, and nothing to do with it!"


> > moaned Betty. Janet just smiled, and told Betty all about Adventures In Narnia, a new series of LifeWare™


computer games from Word Publishing. These games are the first ones the whole family can share. And they're based on the famous stories of Narnia by C.S.

> Lewis, which teach lasting values good for everyone to learn. the Goods rushed out and bought Narnia and DawnTreader. And now the Good twins play with their new computer all the time. Harry and Betty Good play with them, too. And

> > they all agree Adventures In Narnia are the best games they could have.
> >
> > Maybe they'd be good

for your family, too!





from Word Publishing One of the ABC Publishing Companies

Waldenbooks

Available at all stores nationwide.

Word, Inc., Waco, TX 76796 For more information, call toll-free 1-800-433-3340. In Texas, call toll-free 1-800-792-3270.

LifeWare is a trademark of Word, Inc. Apple II series is a registered trademark of Apple Computer, Inc. Commodore 64 is a trademark of Commodore Electronics, Ltd.



Publisher Gary R. Ingersoll
Editor in Chief Robert C. Lock
Director of Administration Alice S. Wolfe
Senior Editor Richard Mansfield
Managing Editor Kathleen Martinek
Editor Lance Elko
Assistant Editor Todd Heimarck
Production Director Tony Roberts

Editors

Tom R. Halfhill, Editor, COMPUTE! Magazine; Stephen Levy, Editor, COMPUTE! Books Division; Gail Cowper, Production Editor; Ottis R. Cowper, Technical Editor; Charles Brannon, Program Editor; Selby Bateman, Features Editor

Assistant Editors

Gregg Keizer, J. Blake Lambert (Books); John Krause, George Miller, Philip Nelson (Technical); Kathy Yakal, Feature Writer; Sharon Darling, Research Assistant (Features); Randall Fosner, Assistant Managing Editor (Books); Mark Tuttle, Submissions Reviewer

Editorial Programmers

Patrick Parrish (Supervisor), Gregg Peele (Assistant), Tim Victor, Kevin Mykytyn, Gary Black, Kevin Martin, Rob Terrell

Programming Assistants

David Florance, Susan Doss, David Hensley

Copy Editors

Juanita Lewis, Joan Rouleau, Ann Davies

Proofreaders

Ethel Silver, Dwight Smith, Marty Selby

Administrative Staff

Vicki Jennings, Laura MacFadden, Julia Fleming, Susan Young, Iris Brooks, Jan Kretlow

Production

Irma Swain, Production Manager; Janice Fary, Art & Design Director, Lee Noel, Assistant Editor, Art & Design; De Potter, Mechanical Art Supervisor; Terry Cash, Carole Dunton, Typesetting

Artists

Leslie Jessup, Larry Sullivan, (Publications), Debbie Bray (Books); Harry Blair, Illustrator

Associate Editors

Jim Butterfield (Toronto), Harvey Herman (Greensboro), Fred D'Ignazio (Roanoke)

Circulation

Charles C. Post, Circulation Manager; Patty Jones, Assistant Circulation Manager; Fran Lyons, Single Copy Sales Supervisor; Jill Pope, Fulfillment/Subscription Supervisor

Customer Service

Philippa King, Customer Service Manager; Gail Jones, Dealer Sales Supervisor; Dorothy Bogan, Customer Service Supervisor; Dealer Sales Staff: Sharon Minor, Rhonda Savage, Debi Goforth; Customer Service Staff: Betty Atkins, Gayle Benbow, Rosemarie Davis, Chris Gordon, Mary Hunt, Liz Krusenstjerna, Jenna Nash, Chris Patty, Anita Roop, Judy Taylor

Jim Coward, Warehouse Manager; Staff: John Archibald, Jack McConnell, Larry O'Connor, Sam Parker, Dai Rees, Eddie Rice, Eric Staley; Mary Sprague, Mail Room, Coordinator.

Data Processing

Leon Stokes, Manager; Chris Cain, Assistant

Accounting

Paul J. Megliola, VP, Finance & Planning; R. Steven Vetter, Director, Finance & Planning; Robert Bean, General Accountant; Karen K. Rogalski, Financial Analyst; Staff: Jane King, Dale Roberts, Shannon Roesler

Credit

Barry L. Beck, Credit Manager; Staff: Sybil Agee, Susan Booth, Anne Ferguson, Pat Fuller, Doris Hall, Linda Miller, Mary Waddell

Purchasing Gregory L. Smith, Purchasing Manager; Anna Harris, Assistant

Promotion

Mindy K. Kutchei, Promotion Manager; Caroline Dark, Assistant

Advertising Sales

Ken Woodard, Director of Advertising Sales; Bonnie Valentino, Assistant Advertising Manager; Patti Williams, Production Coordinator; Joyce Margo, Production Assistant; Kathleen Hanlon, Sales Assistant

Sales Representatives

 Jerry Thompson
 415-348-8222

 Phoebe Thompson
 408-354-5553

 Ed Winchell
 213-378-8361

 Harry Blair
 919-275-9809

Jules E. Thompson, Inc. National and Canadian Sales Representatives 1290 Howard Avenue, Suite 303 Burlingame, CA 94010

Address all advertising materials to: Patti Williams, COMPUTE!'s GAZETTE 324 West Wendover Ave., Suite 200, Greensboro, NC 27408

Sales Offices, The Thompson Company 617-720-1888 212-772-0933 919-275-9809 312-726-6047 713-731-2605 New England Mid-Atlantic Southeast Midwest Texas Northwest, Nevada Northern CA 408-354-5553 415-348-8222 or 408-354-5553 Southern CA 213-378-8361 213-378-8361 Arizona New Mexico 213-378-8361

COMPUTE! Publications, Inc., publishes

COMPUTE! COMPUTE! Books COMPUTE!'s GAZETTE

303-595-9299

Corporate Office:

Colorado

324 West Wendover Ave., Suite 200, Greensboro, NC 27408

Mailing Address:

Post Office Box 5406, Greensboro, NC 27403

Distribution Center

500-A Radar Road, Greensboro, NC 27419

Telephone: 919-275-9809

Office Hours: 8:30 AM to 4:30 PM Monday-Friday

Chief Executive Officer Robert C. Lock

President Gary R. Ingersoll

Vice President, Finance & Planning Paul J. Megliola

Executive Assistant Debi Nash **Assistant** Cassandra Robinson

Audit Bureau

Subscription Information COMPUTE!'s GAZETTE Circulation Dept. P.O. Box 5406, Greensboro, NC 27403

> TOLL FREE Subscription Order Line 800-334-0868 In NC 919-275-9809

COMPUTE!'s GAZETTE Subscription Rates


(12 Issue Year): US (one year) \$24. Canada, Mexico and Foreign Surface Mail \$30. Foreign Air Mail \$45.

The COMPUTE'S GAZETTE subscriber list is made available to carefully screened organizations with a product or service which may be of interest to our readers. If you prefer not to receive such mailings, please's end an exact copy of your subscription label to: COMPUTE'S GAZETTE, P.O. Box 961, Farmingdale, NY 11737. Include a note indicating your preference to receive only your subscription.

Authors of manuscripts warrant that all materials submitted to COMPUTE's GAZETTE are original materials with full ownership rights resident in said authors. By submitting articles to COMPUTE'S GAZETTE, authors acknowledge that such materials, upon acceptance for publication, become the exclusive property of **COMPUTE!** Publications, Inc. No portion of this magazine may be reproduced in any form without written permission from the publisher. Entire contents copyright © 1985, **COMPUTEI** Publications, Inc. Rights to programs developed and submitted by authors are explained in our author contract. Unsolicited materials not accepted for publication will be returned if author provides a self-addressed, stamped envelope. Where programs are included in an article submission, a tape or disk must accompany the submission. Printed listings are optional, but helpful. Articles should be furnished as typed copy (upper and lowercase, please) with double spacing. Each article page should bear the title of the article, date, and name of the author. **COMPUTE!** Publications, Inc., assumes no liability for errors in articles or advertisements. Opinions expressed by authors are not necessarily those of **COMPUTE**! Publications, Inc. **COMPUTE**! Publications assumes no responsibility for damages, delays, or failure of shipment in connection with authors' offer to make tape or disk copies of programs published herein.

PET, CBM, VIC-20, and Commodore 64 are trademarks of Commodore Business Machines, Inc., and/or Commodore Electronics Limited. Other than as an independent supplier of quality information and services to owners and users of Commodore products, **COMPUTEI** Publications, Inc., is in no way associated with Commodore Business Machines, Inc., or any of its subsidiaries.





At \$39.95, Trivia Fever comes complete with Question and Answer Book, Category Selector, and Tally Sheets to be used when played without a computer.

Trivia Fever is absolutely unique — it's the only software entertainment package that can be enjoyed *with* or *without* a home computer! When played on your home computer, Trivia Fever is a refreshing alternative to all those shoot'em up games. An elected "Master of the Game" uses the computer to randomly select subject categories, handicap players, generate questions and answers, keep score automatically, and more! Instructive by its very nature, Trivia Fever can be enjoyed by up to 8 individuals or teams. And when played without a computer, Trivia Fever has all the best features of the "popular" trivia games plus more — all without the cumbersome board, cards, and little game pieces. You can play in a car, on vacation, anytime, anywhere! And Trivia Fever is by far the best Trivia game available anywhere. Here's why:

Trivia Fever offers thousands of challenging questions in 7 interesting categories, so there's something for everyone. Each category

has questions with 3 levels of difficulty, which score comparable points. What's more, Trivia Fever allows players to HANDICAP all those so-called "trivia experts" three different ways, giving everyone a chance to win. And players can easily control the length of play from quick thirty minute



games to multi-hour party marathons!

Trivia Fever is unique, entertaining, educational, and most of all FUN. And at \$39.95, Trivia Fever is destined to quickly become the best selling software entertainment package of all time. There's even a \$5 rebate available to any non-computer users who return the computer diskette.

Trivia Fever can be enjoyed on the Commodore 64, IBM PC & PCjr and compatibles, Apple II series, and others. So don't delay. Catch Trivia Fever at your favorite software retailer today!

For additional information call 617-444-5224, or write to:



GAZETTE FEEDBACK

EDITORS AND READERS

Do you have a question or a problem? Have you discovered something that could help other VIC-20 and Commodore 64 users? Do you have a comment about something you've read in COMPUTE!'s GAZETTE? We want to hear from you. Write to Gazette Feedback, COMPUTE!'s GAZETTE, P.O. Box 5406, Greensboro, NC 27403.

Note: In the November "Buyer's Guide To Modems," the Mitey Mo Modem was listed as being RS-232 compatible. It is actually Commodore 64 compatible and plugs directly into the user port. It does not require an extra interface.

Where's The Printer?

Several readers have written asking where they can get Okidata's new color printer, the Okimate 10 (see the Consumer Electronics Show report in the September GAZETTE for details). According to an Okidata representative, there had been problems with the supporting software. As this issue went to press, we received an Okimate 10. It will be covered next month in Charles Brannon's "Horizons" column.

Warning Light

Could you write a short set of directions that explain what to do when the red light on a disk drive begins blinking? Also, why does the manual say (on page 8) "Never remove the diskette when the green drive light is on."? The green light comes on when the drive is turned on and stays on.

Evelyn M. Arnold

The green light indicates the disk drive is turned on. You can safely insert and remove disks while the green light is on. In fact, you should wait until the drive is on before inserting a disk. Don't turn it on with a disk inside; it's possible the initial surge of power will scramble some data on the disk.

The latest editions of the 1541 manual have been corrected to say "never remove the diskette while the red light is on." This is the proper advice.

When you load or save a program to disk, the red light comes on to indicate disk activity. If you open a data file, the red light will stay on until the file is closed. In these cases, there's nothing to worry about. The red light means the drive is doing its job.

But use an incorrect disk command and the red light will begin flashing rapidly, signaling a disk error.

If you type in a BASIC command incorrectly or make some other programming error, your computer will respond with ?SYNTAX ERROR or another such message. If you encounter a disk error, however, there is often no warning on the screen to alert you that something has gone awry, but the red light on the drive will flash.

The 1541 disk drive is an intelligent device, containing its own microprocessor, ROM, and RAM. It also has error-handling routines in ROM similar to the routines in the VIC and 64. A tape drive doesn't have its own microprocessor, so messages about tape errors are built into the computer. But disk error messages are found in the disk drive. When the light flashes, you can read the error message. But first you must instruct the computer to ask the disk drive what the problem is.

You must always communicate with the disk drive over one of the 16 available channels. Channel 15 is reserved as the command channel. It's used for formatting disks, scratching files, and various other tasks. It is also the channel for reading disk errors.

To find out why the red light is flashing, enter this short program:

10 OPEN15,8,15

20 INPUT#15, E, E\$, T, S

3Ø CLOSE15

40 PRINTE; ES; T; S

Line 10 OPENs channel 15, the command channel. Line 20 INPUTs the information concerning the error from the disk drive into the 64. E is the number of the error, E\$ is a short description in text of the error, T is the track number on which the error occurred, and S is the sector number of that track. Since INPUT# is not allowed in immediate mode, you must read the error from within a program.

Normally, this program will display:

0 OK 0 0

To generate an error condition, remove your disk from the drive, turn the drive off, then back on again and enter:

LOAD"*",8

The disk drive will whir and clatter, then stop, with the red light flashing. Now run the error channel program, and the computer screen will display:

21 READ ERROR 18 0

Because no two businesses are alike, you need Timeworks Business Systems."

BUSINESS

SYSTEMS

For Commodore 64 Computers

Only Timeworks Business Systems generate reports customized to fit your business, all for \$59.95* each.

Here's a series of seven easy-to-use Management Information Reports flexibly designed to accommodate all small and medium size business accounting requirements for Commodore 64**

Computers: • Inventory Management

 Sales Analysis • Accounts Receivable and Invoicing • Accounts Payable and Checkwriting • Payroll • Cash Flow

Management • General Ledger

Each system includes:

 A unique method of creating your own unlimited array of reports—quickly and easily from over a thousand

possible combinations.

You select the information you want, and you determine the sequence of the report column headings. Now you can generate reports that are truly tailored to your specific business needs.

- A program which can be used by itself, or interfaced, one at a time, with other management programs into a fully integrated accounting system.
- A menu-driven program sophisticated enough to provide complete Management and Product Information, yet requires no prior computer or accounting knowledge to operate.


 Timeworks tutorials, written in basic English, and our "cookbook" style of full computer prompting really make this operation simple.

Free customer support program.

With Business Systems, particularly, service is a must! The Timeworks Customer Support Team,

along with our toll-free Consumer Hot Line, is available—at no charge—to all registered users and dealers. Our service personnel will answer computing questions, hardware questions, even certain accounting questions.

Timeworks Business
Systems. Now at your favorite
dealer, or contact Timeworks, Inc.,
444 Lake Cook Rd., Deerfield, IL
60015. Phone: (312) 948-9200.





More power for your dollar.

Other Timeworks Programs:

The Evelyn Wood Dynamic Reader ■ The Electronic Checkbook ■ The Money Manager
 Swiftcalc ■ Wall Street

*Suggested retail price **Registered trademark of Commodore Computer Systems ©1984 Timeworks, Inc. All rights reserved.

The number 21 indicates the type of error encountered, READ ERROR is a brief description of the error, 18 is the track which the disk drive was attempting to read, and 0 is the sector which the disk drive was attempting to read. Since no disk was in the drive, there was nothing to read, causing a READ ERROR.

In most cases you don't need to know the track and sector where the error happened, so you can leave off the T and S. And you can get the error-reading routine down to a single line: 10 OPEN15,8,15: INPUT#15,E,E\$: PRINTE;E\$: CLOSE15.

A handy utility is included on the disk which is packaged with your disk drive, the DOS Wedge. Load and run the DOS Wedge loader program, then you can read the error channel by just pressing the @ or > key on the computer.

For information about the errors likely to be encountered while using your disk drive, consult

your 1541 User's Manual.

VIC Expansion Memory

When programs in your magazine point out that at least 3K or 8K expansion is needed, does that mean that these programs will run on a 16K VIC without making any changes in the POKEs?

N. C. Barrows

BASIC programs with no POKEs which work with 3K or 8K will run fine with 16K. If a program contains POKEs to screen or color memory, however, it may work only with a specified amount of expansion memory. This is because the location of screen and color memory changes as memory is added.

There are three possible memory configurations depending on the amount of memory added: unexpanded, 3K expansion, and 8K or more expansion (this third category includes 16K and 24K). Using 3K expansion moves the start of BASIC lower by 3K. Adding at least 8K expansion memory moves the BASIC program area, screen memory, and color memory. When 8K or more is added, BASIC can't use the 3K expansion area. Also, BASIC can't use any expansion memory above 24K. Expansion memory not used by BASIC can be used for machine language programs.

The key phrase in this case is "at least." Any program which runs on a VIC with 8K will also run with 16K or 24K. That's why we usually say "at

least 8K" for VIC programs.

The following table gives the starting addresses for BASIC, screen memory, and color memory for any amount of expansion.

Expansion	BASIC	Screen	Color
none	4097	7680	38400
3K	1025	7680	38400
8K+	4609	4096	37888

Turn It Off, We're Trying To Watch TV

When I turn on my Commodore 64 and the television nearby is tuned to channel four, diagonal lines appear on the screen. If anybody is watching TV, they complain they can't see the picture. I switched the computer to channel three and the same problem occurs. How can I solve this problem?

Michael Miller

In order to get a picture onto a television screen, a computer sends out a television signal. The RF modulator in your 64 acts like a miniature tele-

vision station, with limited range.

The problem you're having is that the signal is a little too strong. The best solution is to shorten the cord which goes from the 64 to the TV. If you don't want to cut it yourself, you can probably find one with the appropriate connectors at a local electronics store. A shorter cord allows less of the TV signal to leak out. You might also wrap the switchbox (the one labeled TV/Computer) with aluminum foil.

Here are some other things to try: Move the computer as far as possible from the family television, or to another room. Try using different electrical outlets, preferably on different lines—one for the television, another for the computer. Or put something metal, like a metal bookshelf, between

your 64 and TV to act as a shield.


Before a computer can be sold in the U.S., it has to be tested by the FCC for its effective radio/TV interference. If you look on the inside front cover of the manual which came in the box with your VIC or 64, you'll see the statement of FCC certification. It also lists a pamphlet about solving interference problems, which is available from the Government Printing Office.

Special Effects On The 64?

Is there any way I can turn my 64 into a special effects generator? I want to connect one or more VCRs as inputs to make split screens, borders, and windows, combining the video picture with a text overlay.

Mike Winderman

The signal sent out by a VIC or 64 is TV-compatible, which means it is also VCR-compatible. There are two ways to hook up your computer to a VCR. If the VCR has an input jack for cable TV, you should have received a small 75/300 ohm converter with the VCR (so you can attach an antenna in place of the cable). Disconnect the computer cable from the two antenna screws in back of the television and attach the two prongs from the switchbox to the 75/300 ohm converter. Then plug it into the VCR.



WordPro 3 Plus™/64 and SpellRight Plus™ provide a total word processing solution for the Commodore 64™ which gives you:

- ★ Sophisticated Word Processing
- * Built-in Mail Merging for Form Letters
- * Math Functions for Column Totals
- ★ Fast and Complete Spell Checking via SpellRight Plus
- * A Super Value (two programs) for Only \$99.95!

WordPro and SpellRight are both specifically designed for the novice user with no computer or word processing experience whatsoever. And with over 40,000 WordPro versions sold, you can be sure that WordPro is a very sophisticated word processor loaded with powerful features including: Transfer, Insert, Delete, and Rearrange Text, Auto Page Numbering, Math Functions, Headers, Footers, Global Search and Replace, the Ability to Create Multiple Personalized Letters and Documents, and much more. WordPro can create documents of virtually any length and will print up to 165 columns wide. You get all of this PLUS fast and complete spell checking using SpellRight Plus!

SpellRight Plus locates and highlights misspelled words and then allows you to quickly correct the misspellings — improving the quality of your letters and reports.

And, best of all, WordPro and SpellRight's powerful arsenal of features can be put to use almost immediately — by even the novice user. So whether you're a student, professional writer, in business, education or a hobbyist, you'll quickly become a WordPro Pro!

Both WordPro and SpellRight Plus are also available separately at popular computer outlets nationwide.

Invest in the best . . . WordPro Plus. In a class by itself.

Professional Software Inc.

51 Fremont Street Needham, MA 02194 (617) 444-5224 Telex: 951579

Dealer and Distributor inquiries are invited.

WordPro 3 Plus™/64 and SpellRight Plus™ are trademarks of Professional Software Inc.
The WordPro Plus Series was designed and written by Steve Punter of Pro-Micro Software Ltd.
SpellRight Plus was designed and written by Dwight Huff and Joe Spatafora of SpellMaster Systems, Inc.
Some printers may not support certain WordPro 3 Plus functions and/or require an interface. Please check with your dealer.
Commodore 64™ is a trademark of Commodore Electronics Ltd.

Most VCRs also have two other inputs: one for audio in, one for video in. If you have a monitor cable (which plugs into the front of a 1701 or 1702 monitor), you can plug the two wires into the back of your VCR, audio to audio, video to video. This results in a better picture than the first method.

Why connect your computer to a VCR? There are several reasons. If you don't have a printer, you can list a program while the VCR is recording. You then use reverse, fast forward, and freeze to look at the program listing. Or use graphics and color screens (generated by the computer) as titles and credits in homemade videos. And if your telecommunications software cannot download, you can record conversations or electronic mail to look at later (although you still can't download programs).

Recording the computer's video output, while using a separate microphone for audio could be use-

ful in a class on programming.

And finally, you might record a videogame, so you can later study your moves and the computer's responses. Recording the score would also be a way to prove to friends that you really got five million points in your favorite action game.

So it is possible to put the audio and video signals from a VIC or 64 onto videotape. Unfortunately, the special effects you mention, windows and text overlays, require a specialized video-editing machine.

You can't create them with just your 64.

If you have both a VCR and a color monitor, there's another possibility you might not have considered. One of our editors has his Commodore 1702 monitor hooked up to a VCR. The 1701 and 1702 have a much higher resolution picture than a color television in the same price range, but they don't have tuners. The VCR does have a channel selector, and many have video and audio output jacks (as well as inputs). By routing these signals to the monitor, he gets much sharper, clearer pictures than are possible on a conventional television. Thus, when he's not using the monitor to display computer programs, he can use it to watch his favorite television programs.

Elusive Characters

I've run into a problem typing programs from your magazine. The answer is not listed in "How To Type In COMPUTE!'s GAZETTE Programs." How do you type {SHIFT-SPACE} or {2 SHIFT-SPACE}?

James Litrell

Commodore computers have two different space characters. You get the first by simply pressing the space bar. The second, a SHIFT-SPACE, is entered by holding down the SHIFT key while you type a space. Think of it as a "capital space." A regular space has an ASCII value of 32, a SHIFTed space is

ASCII 160. And if you PEEK the screen, they have two different values, 32 or 96.

As explained in "How To Type In COMPUTEI'S GAZETTE Programs" in the back of the GAZETTE, any time you see a number X preceding a special character in brackets, it means to type that character X number of times. So {2 SHIFT-SPACE} means you should type two SHIFTed spaces—hold down the SHIFT key and press the space bar twice.

There are two reasons why a SHIFTed space might appear in a listing. If the program runs in upper-/lowercase mode (as opposed to uppercase/graphics) and a message contains all capital letters, it's easiest to type it with the SHIFT LOCK key down. You could type the message "PRESS ANY KEY" with the SHIFT LOCK key engaged, and the spaces between the words would actually be capital spaces.

Second, if a program uses redefined characters, there might be one new shape for a space and a dif-

ferent shape for a SHIFTed space.

In the first case (uppercase messages) it wouldn't matter much which space character you used. They look the same on the screen. In the second (custom characters), it makes a big difference which character is which.

One other character in our listings which gives some readers trouble is the left-arrow, just above the CTRL key, in the upper left-hand corner of the keyboard. The printer used for GAZETTE listings does not have this character, so when it appears in a program, it's listed as a less-than sign with a hyphen through the middle. It looks a little like the tracks of a chicken walking through snow.

Relocatable Machine Language

I'm a fanatic about writing machine language programs which are totally relocatable within RAM. As such, I tend to rely on relative addressing as much as possible, using multiple branches to make longer jumps. As of yet, I have not found a method of branching to subroutines which has worked satisfactorily. I'd like to know if it's possible to access the program counter so that its contents may be pushed onto the stack prior to a relative jump to a routine which ends with the RTS instruction.

Donald E. Cook

Certainly there are advantages to relocatable machine language, but what you're proposing is fairly advanced. The longer your ML program, the more difficult it becomes to make it relocatable.

The 6502/6510 gives a programmer no direct access to the program counter. Only instructions like JMP, JSR, RTS, and branches can indirectly change the program counter. Since you are branching to a subroutine, you must have a way to create a return address on the stack so that when the sub-

TO OUR MANY LOYAL SUPPORTERS, to new computer owners, and to everyone who still believes in the potential of personal computers to make the world a better place, we extend the following, somewhat uncharacteristic offer:

Buy 2, Get 1 Free.*



FINANCIAL COOKBOOK" New Powerful & versatile financial decisionmaker. IBM-PC, PCxt, PCjr, ApII, II+, IIe, IIc, C-64 & Atari



LARRY BIRD & JULIUS ERVING GO ONE-ON-ONE™ The best-seller. IBM-PC, PCxt, PCjr, ApII, II+, IIe, IIc, C-64 & Atari



SKY FOX™ New 3-D flight & combat simulation with 5 skill levels and 15 different scenarios. Apll, II+, Ile & Ilc



ARCHON™

Best-seller. Award-winner in Ornni,
Creative Computing, & Softalk,
IBM-PC, PCxt, PCjr, ApII,
II+, IIe, IIc, C-64 & Atari



ARCHON II: ADEPT™
New Graduate school for
Archon addicts. More magic,
new icons and battlefields.
C-64 & Atari



MUSIC CONSTRUCTION SET™
Composition for anyone who can point
a joystick. Multi award-winner.
IBM-PC, PCxt, PCjr, ApII,
II+, IIe, IIc, C-64 & Atari



CUT & PASTE**

Fast, practical & easy to learn word processor.

<u>Creative Computing award-winner.</u>

IBM-PC, PCxt, PCjx, Aplle & IIc

C-64 & Atari



REALM OF IMPOSSIBILITY[®] New Action & adventure in world of 3-D illusions. Unique 2 player cooperative mode. C-64 & Atari



MURDER ON THE ZINDERNEUF"

A mystery novel in computer graphics. Hotline award-winner.

IBM-PC, PCxt, PCjr, Apll,

II+, Ile, Ilc, C-64 & Atari



PINBALL CONSTRUCTION SET™
The classic. Rolling Stone. Omni.
Infoworld & Creative Computing awards.
IBM-PC, PCxt, PCjr, ApII,
II+, IIe, IIc, C-64 & Atari



M.U.L.E."
"Strategy Game of the Year"
in <u>Infoworld & Video Review</u>
for 1-4 players.
C-64 & Atari



SEVEN CITIES OF GOLD[™]
New Deep, rich discovery
simulation with more than
2800 screens.
Apll, II+, IIe, IIc, C-64 & Atari



^{*}HOW IT WORKS: Buy any 2 EA products before Jan. 15, 1985 and send in the coupons enclosed in the packages along with your sales receipt and \$3.00 to cover insured shipping. We'll send you any EA product you choose (except Get Organized!) for free.

routine hits the RTS, execution is returned just after the instruction that called the subroutine.

There is a trick you can use to deduce the current value of the program counter. When you jump to a subroutine with JSR, the address of the next instruction is pushed onto the stack high byte first, then low byte. The actual value is one less than the address of the next instruction. RTS pulls the two bytes off the stack, adds 1 to the value, then stores this in the program counter, effectively returning from the subroutine.

Since JSR stores this address on the stack, the address can be examined in a subroutine with PLA. This small subroutine performs the "where am I?" task. After the bytes are examined, they have to be put back onto the stack so that the "where am I?" subroutine can return to the main program.

WAI	PLA	;get low byte of return address-1
	TAX	save it
	PLA	;get high byte of return address-1
	TAY	save it
	PHA	;put high byte back on stack
	TXA	get low byte back into the accumulator
	PHA	;put it back so address is restored
	SEC	
	SBC #2	;get address of the JSR opcode
	TAX	;low byte is in X
	TYA	;get high byte
	SBC #0	adjust for carry
	TAY	;high byte back in Y
	RTS	return with address in X and Y

When you want to know the value of the program counter, JSR WAI. The WAI subroutine itself cannot be relocatable, of course, since your program must know the address of WAI in order to JSR to it. Once you have this current address, you can then create a return address for the instruction following a branch to a subroutine. Remember that the return address is the actual address minus one. Push it onto the stack high byte first, then low byte. You can then branch to a subroutine, and RTS will return execution as you desire. This can be extremely cumbersome, though.

The "Where am I?" technique can also be used to calculate the address of a data table. You must know the offset between the address of the JSR WAI and the location of the data table. You add in the value returned by WAI, and you have the absolute address of the data table. Again, though, the work needed to set up relocatable code is hardly worth the effort. A relocating loader that moves and adjusts an absolute program can often be far more useful. Some assemblers can generate object code that can be loaded anywhere by a relocating loader. Even though most advanced programmers know about this theoretical way to achieve true relocatability, few programmers consider it worthwhile. You'll just have to wait until home computers use a microprocessor like the 68000, which supports full relocatable code (and then some).

Locating A Program On Tape

I have a tape problem. Some of your programs come in two parts. I type in Program 1 and save it, then type in Program 2 and save it. Then I discover an error in Program 2. How should I fix it? If I load it, debug it, and save it back to tape, it will be one program away from where it should be. The tape will have Program 1, Program 2 (with errors), and Program 2 (corrected). Should I look at the tape counter? Or is there a better way?

John C. Onken

When you're trying to position a tape to a specific location, you can use the tape counter. But it is not entirely accurate, and you may encounter problems if you accidentally record over the end of a previous program.

Another solution is to load Program 1, save it at the beginning of a brand new tape, followed by the correct version of Program 2. The disadvantage, of course, is that it's time-consuming to load and save two programs, especially if you have to do it more than once.

The best answer is to use the VERIFY command. The purpose of VERIFY is to make sure that a program has been saved correctly. But it also positions the tape just past the verified program.


So, after you've corrected Program 2, rewind the tape and enter VERIFY. The computer will try to verify the first program on the tape (Program 1). Program 2 (in memory) won't match up and you'll see ?VERIFY ERROR on the screen. Ignore the error message. The tape will have advanced past Program 1 to the place you want to put Program 2. You can now save it.

VERIFY can also be used to find out which programs are on a specific tape, without disturbing the program in memory. Make up a name, one that you're certain has not been used, like QWERT1111 and try to verify it. Type VERIFY"QWERT1111" and the computer will respond SEARCHING FOR QWERT1111, followed by FOUND PROGRAMNAME (or whatever the first program is called). It will keep searching for the nonexistent program name, while listing each of the programs it has found on the tape.

A Solution For The Unscratchable Comma File

In your October 1984 issue, you published a letter from a reader who had an unwanted disk file named ",". I've experienced the problem several times and suspect it is very common. It's usually the result of accidentally typing RETURN when prompted by a program to input a name for a file to be saved.

The comma file can be deleted using the



PlayNet™ Brings People Together!

PlayNet brings you the excitement you've been waiting for your computer to deliver. With PlayNet's unique system, you can communicate with people all over the country.

Meet fascinating people, make new friends, exchange private messages, post public announcements, and play all our exciting games with people from coast-to-coast!

You've Never Played Anything Like It!

PlayNet has many terrific games with full color graphics, and they're all interactive, including; Four-in-a-Row, Backgammon, Chess, Sea Strike, Checkers, Bridge, Capture the Flag, and more games coming all the time.

Join The Telecommunications Revolution! Only \$2.00 An Hour On Line!

Now if you own a Commodore 64*, a disc drive, and any compatible modern, like HesMODEM1 or II** or Commodore VICMODEM*, you can access PlayNet's wide range of services—Games, Bulletin Boards, Electronic Mail, File Transfer and more. Here's all it costs:

- \$2.00 an hour on-line—less than a long distance phone call.
- \$29.95 for the PlayNet Software Package (\$34.95 after 12/31/84) which includes games and program disks, user's manual, monthly newsletter and 90 minutes on-line free.
- \$6.00 monthly service charge.

Let PlayNet put the whole country at your fingertips, every night from 6 PM to 7 AM and 24 hours a day Saturday, Sunday, and Holidays.

*Commodore 64 and VICMODEM are trademarks of Commodore Business Machines Inc.
**HesMODEM I and II are trademarks of Human Engineered Software Inc.

PLAYNET The network that has people talking.

© Playnet, Inc, 1984

Call PlayNet at 1-800-PLAYNET

P.O. BOX 596, WYNANTSKILL			24
FINGERTIPS. I U GUARANTEED F	AYNET TO PUT THE V NDERSTAND THAT MY FOR 30 DAYS. (or my fu turn of the package) I m g PlayNet.	Y SATISFAC	TION IS on price will be
checks, cash or n	arge card for \$29.95 (\$3 noney orders accepted. anual, and 90 minutes o	Please send	me the PlayNet
Name			
Name			
		State	Zip
Address		State	Zip
Address	☐ MasterCard		Zip

OUR ARCADE GAMES WE BROUGHT



Bally Midway's Spy Hunter puts you in the driver's seat of the hottest machine on four wheels. You're after enemy spies. The situation is life and death. You'll need every weapon you've got – machine guns, and guided missiles, oil slicks and smoke screens. But the enemy is everywhere. On the road, in the water, even in the air. So you'll have to be more than fast to stay alive in Spy Hunter. You'll need brains and guts, too.

Do you have what it takes?



Bally Midway's Tapper would like to welcome you to the fastest game in the universe.

You're serving up drinks in some of the craziest places you've ever seen. And the service better be good, or else. You'll work your way through the wild Western Saloon to the Sports Bar. From there to the slam dancing Punk Bar and on into the Space Bar full of customers who are, literally, out of this world!


Are you fast enough to play Tapper? If you have to ask, you probably already know the answer.




Bally Midway's Up 'N Down by Sega. In this game, a crash is no accident.

In fact, it's the whole object of the game. You'll race your baja bug over some of the worst roads south of any border. Leap dead ends, gaping canyons and oncoming traffic in a single bound. And if anyone gets in your way, crush 'em.


Crashing, bashing Up 'N Down. It's one smash hit that really is a smash.



The #1 Arcade Game of 1984.



Nominated as Most Innovative Coin-Op Game of 1984 by *Electronic Games* magazine.



#1 Arcade Hit, Play Meter Conversions Poll, 8/1/84.

WERE SUCH BIG HITS, THEM HOME.



Sega's Congo Bongo rocked the home game world when it shot up to Number 3 on the Billboard chart

this spring.

And now it's available for even more home systems. So check the chart and get ready for jungle action. You'll pursue the mighty ape Congo up Monkey Mountain and across the Mighty River. Do battle with dangerous jungle creatures. Ride hippos, dodge charging rhinos and try to avoid becoming a snack for a man-eating fish.

Congo Bongo. It's fast and it's fun. But be careful. It's a jungle in there.



Sega's Zaxxon. If you haven't played Zaxxon, you must have been living on another planet for the past few years.

And now the ultimate space combat game is available for even more home systems. You'll pilot a space fighter through force fields and enemy fire on your way to do battle with the mighty Zaxxon robot. Countless H y

thers have gone before you in this	disl
Hall of Fame game. But this time our life is in your own hands.	App
Zaxxon killed them in the arcades. But compared to what it will do to ou at home, that was child's play.	IBN disl
740000	Pub Pub Ente Pub from Pub
· / · / · / · / · / · / · / · / · / · /	*Atari (Congo †Atari **Also All n
B	1 Number and Conference of Corporation of Corporati
	traden Hc are PCjr ar Corp. U Ltd., n
	prises Midwa Sega E trader

One of only ten games ever to make *Electronic Games*' Hall of Fame.

	SPY HUNTER	TAPPER	UP'N DOWN	CONGO BONGO	ZAXXON
Atari 2600 cartridge	NEW	NEW	NEW	1	1
Atari 5200 cartridge				1	NEW
Atari Computers* cartridge	NEW	NEW	NEW	1	NEW
Atari Computers† diskette	NEW	NEW	NEW		1
ColecoVision & ADAM cartridge	NEW	NEW	NEW	NEW	1
Commodore 64 cartridge	NEW	NEW	NEW	1	NEW
Commodore 64 diskette	NEW	NEW	NEW	NEW	1
Apple II, IIe, IIc diskette	NEW	NEW	NEW	NEW	1
IBM PC diskette	NEW	** NEW	NEW	** NEW	** NEW

olished by Sega Enterprises, Inc. olished by Datasoft, Inc. under license from Sega terprises, Inc. olished by Coleco Industries, Inc. under license

blished by Coleco Industries, Inc. under license m Sega Enterprises, Inc. blished by Synapse Software Corporation under ense from Sega Enterprises, Inc. 1400, 800, 600XL, 800XL and 1200XL. to Bongo cartridge: 400, 800 and 800XL.) ri 800, 600XL, 800XL and 1200XL. o available for IBM PCjr.

new games are scheduled to be in your stores for tmas. Check your local dealer.

All new games are scheduled to be in your stores for Christmas. Check your local dealer.

1984 Sega Enterprises, Inc.

1Number of game levels varies on cartridges for Atari and Commodore systems. Atari, 2600, 5200, 400, 800, 600XL, 800XL, and 1200XL are trademarks of Atari Corporation. Commodore 64 is a trademark of Commodore Electronics, Inc. ColecoVision and ADAM are trademarks of Coleco Industries, Inc. Apple, II, IIe, and IIc are trademarks of Apple Computer, Inc. IBM, PC and PCjr are trademarks of International Business Machines Corp. UP'N DOWN is a trademark of Sega Enterprises, Ltd., manufactured under license from Sega Enterprises, Ltd., Japan. Videogame copyright ©1983 Sega Enterprises, Ltd. BALLY MIDWAY is a trademark of Bally Midway Mfg. Co. Package and program copyright ©1984 Sega Enterprises, Inc. TAPPER and SPY HUNTER are trademarks of Bally Midway Mfg. Co. Videogame copyright ©1983 Bally Midway Mfg. Co. All rights reserved. ZAXXON is a trademark of Sega Enterprises, Inc. Copyright ©1984, Sega Enterprises, Inc. CONGO BONGO is a trademark of Sega Enterprises, Inc. Copyright ©1983, Sega Enterprises, Inc.



Arcade and Home Smash. Hit #3 on Billboard magazine's Top Video Games survey.

SCRATCH command and entering? as the name. This also scratches all files with a single character name, and care should be taken to rename or duplicate them before scratching the "," file.

Fred Q. Hickam

You're right. Many readers wrote to tell us of this solution. The question mark is described in the 1541 User's Manual as a "wild card," which can stand for any other character. So, if you type LOAD "P?N",8 the computer will load the first program with a name which fits that pattern: PEN, PIN, PAN, P9N, etc.

For readers who are new to disk commands, here's a quick explanation of how you scratch and rename:

OPEN15,8,15,"S0:filename":CLOSE15
scratches a file from disk. And with the questionmark wild card, OPEN15,8,15,"S0:?":CLOSE15 will
scratch all files with one-letter names. If you have a
file called "Q" you don't want scratched, you can
rename it with OPEN15,8,15,"R0:newname = Q"
:CLOSE15 before scratching the one-letter files.

Chained Programs

What statement is used in a program to call another program? What this command should do is load another program and run it automatically.

Sandra Rodriguez

Is there a way to add the BASIC line SYS XXXXX to machine language programs that start at 49152 or elsewhere (so I could type RUN without having to remember the SYS number)?

S. J. Carpenter

To load a BASIC program from within another BASIC program, simply put the LOAD command in a line inside the first program. When you load from direct mode, the program goes into memory but does not automatically run. But if you load from inside a program, it loads and runs.

Since BASIC programs always load into the beginning of memory, the second program will overwrite the first. Variables may be erased, depending on how long the programs are. If the first is larger, all numeric variables will be available for use in the second program. String variables are passed to the second program only if they are dynamic. To be sure they make it, add a null string to the end of each string variable. Instead of A="HELLO", use A\$="HELLO" + "" to force the computer to store the string in high memory.

If the second program is larger, all variables will be lost when it is called by the first.

You can load a machine language program from a BASIC program, but a small problem must be overcome. Remember that loading from within a program automatically runs the second program. But something unexpected happens if you try

Without Blazing Paddles...
Your Mouse
Is Just A Squeak.

Let's face it. The free software that came with your Touch Pad, Mouse, Graphics Tablet, or Light Pen, leaves a lot to be desired. Quality graphics requires premium software.

Consider blazing paddles. It's the perfect complement to your graphics system. Software to enhance creativity. A versatile tool with intuitive features supporting all the popular input devices, printers, and interface cards.

BLAZING PADDLES. The all-in-one illustrator that turns your little squeak into a productive graphics tool that's fun to use.

Ask your dealer for a demonstration.

See Your Dealer...
or for direct orders enclose

\$49.95 Apple Version \$34.95 Commodore Version plus \$3.00 for shipping & handling. Mastercard and Visa accepted.

616/957-3036


APPLE is a registered trademark of APPLE COMPUTER
COMMODORE is a registered trademark of COMMODORE COMPUTER



1001 Medical Park Dr. S.E. Grand Rapids, MI 49506 Phone 616/957-3036

THE BANK STREET APPROACH TO WORD PROCESSING:

"SIMPLIFY! SIMPLIFY! SIMPLIFY!"



Using the Bank Street Writer is almost as simple as sitting down with a blank sheet of paper—just load the program and start writing.

n the weeks following its introduction, the Bank Street Writer became a leading best seller, and for some very simple reasons.


Here, finally, is a word processor that lives up to its promise to be easy to use. Most people (children included) can begin using it in a matter of minutes. Yet it puts you in full control of the powerful features most wanted in a sophisticated word processing program. All at a price that makes it as easy to buy as it is to use.

SIMPLY MORE SIMPLE.

The Bank Street Writer was developed in association with the Bank Street College of Education in New York. Designed to be its own tutor, the Writer will guide you along with on-screen prompts and easy-to-follow menus so you can concentrate on what you're doing instead of how. On-screen prompts and selections are in plain English, so there's no memorizing complex computer codes, keys or symbols. You'll be writing, correcting and rearranging your words with just a few keystrokes.

SIMPLY MORE POWERFUL.

For all its simplicity, the Bank Street Writer offers some very impressive features. You can center titles or indent with ease, and automatic word wrap lets you forget about pressing "return" at the end



of each line. Never worry about changing your mind-you can add, move, insert or delete single words, lines or even entire blocks of text and then restore the deleted copy if you want it back. Using the search and replace option, the Bank Street Writer will scan your document for a particular word, replace it with another, and then verify the replacement. And when you're ready to print, you can format your text in any way you'd like. Answer a few simple questions and you can set margins and line spacing. The Writer will number pages either at the top or bottom or not at all-whichever you prefer. You can easily save your text on a disk, then retrieve it later to re-read, print or do more editing.

And to make your writing letter perfect, soon there will be a spelling checker available for use with the Bank Street Writer. Bank Street Speller finds errors instantly and corrects them by looking up entries in its electronic dictionary.

SIMPLY MORE AFFORDABLE.

Best of all, Bank Street Writer's suggested retail price of \$49.95 for the Commodore 64 makes it simply the best word processing value around. And it comes with everything you need, including complete documentation and a free back-up disk, to begin simplifying your life today.

THE BANK STREET WRITER is also available for the Apple, IBM and Atari home computers. Apple is a trademark of Apple Computer, Inc. Commodore 64 is a trademark of Commodore Electronics, Ltd. Atari is a trademark of Atari Corp. IBM is a trademark of International Business Machines, Inc. For more information about Brederbund and our products, write to us at: 17 Paul Drive, San Rafael, California 94903. ©1984 Brøderbund Software.

SIMPLICITY. POWER. VALUE. IT MAKES GOOD SENSE. THE BANK STREET WRITER FROM BRØDERBUND.



something like this:

10 LOAD "MLGAME",8,1 20 SYS 49152

Tape users should change the 8 in line 10 to a 1. The program MLGAME loads into its proper place in memory, but then the computer tries to run the program in BASIC memory. So it loads the program again (and again and again and again). It never reaches line 20.

Variables are kept intact, so you can make a small change:

10 IF L=0 THEN L=1: LOAD "MLGAME",8,1 20 SYS 49152

The first time through, the variable L equals 0, so the game is loaded. After the LOAD, the program is run again, but this time L is 1, so it skips to line 20, which activates the ML program.

You can't really add the SYS line to an ML program at 49152 (to save as one complete program) because BASIC ROM gets in the way. But you can create a short ML loader program which loads and activates the program. And you don't have to remember the SYS number, it's built into the loader.

To load a program from within an ML program, simply call the three Kernal routines SETLFS, SETNAM, and LOAD. Details about these and other Kernal routines are in the Programmer's Reference Guide.

An Equivalent POKE?

On the VIC-20 there is a POKE 650,128. I'd like to know the equivalent of this POKE on the Commodore 64.

Ted Kalamvrezas

If you use that POKE with a VIC-20, all keys will repeat when held down. The 64 equivalent is POKE 650,128. The same POKE does the same thing.

With a few exceptions, memory locations 0–1023 have the same functions on both the VIC and 64. For example, locations 43–44 point to the beginning of BASIC program storage. The values found there will be different between the two computers, because BASIC programs start at different locations on the VIC and 64. But the two bytes serve the same function (a pointer to the beginning of the BASIC program storage area).

In any case, you can't do any harm to your computer by experimenting. If you know about a POKE for the VIC, try the same thing on a 64. The worst that could happen is the computer would lock up and you'd have to turn it off and back on.

User memory, screen and color memory, BASIC ROM, interface chips, and other locations occupy memory from 1024 to 65417. There are not a lot of similarities here. You can usually find an equivalent POKE or SYS, but the locations might be quite different.

YOUR COMMODORE JUST GOT FOUR TIMES BETTER



DISQ: The fastest, most reliable, easiest-to-use C-64 disk and copy program.

- Fast format and 3 minute disk backup!
- ☐ With Copy-Q version 2.0: the ONLY TRUE C-64 full nibble copier that copies virtually everything!
- Autoboot on powerup and system reset button!
- Full file manager and disk editor with screen dump! \$69.95



GPC: The full-featured C-64 Graphic Printer Cable that is software compatible.

- ☐ 100% Commodore printer compatible!
- ☐ Directly supports most popular printers!
- 2k buffer and year warranty!
 Users manual with software examples and Hi-Res machine language Screen Dump!

\$89.95



SPRINT PRINT: The full-functioned print buffer for the Commodore 64

- ☐ Gives you control of your printer while printing!
- ☐ Enhances the speed of your printer!
- Gives the 1525 and 801 printers true descenders and underlining!

Remembers everything! \$45.95




Q-TERM: The full-featured, easy-to-use, C-64 terminal program at a breakthrough price.

- ☐ Full on-line disk support and printing!
- Full file up and download, autodial, and remote disk access!
- ☐ Sends, receives, and prints buffers and converts text, basic, and Compuserve™ files!
- Supports CBM™, Mitey-Mo™, Westridge™, and Hayes™, modems!

\$23.95



ASTEPBETOND.



ANT ATTACK



THE SNOWMAN



BOOGABOO



FRED



PURPLE TURTLES





COMMISTORY OF A CORNER LAND Programs for ACRE AFRED OF WIENOTS AND ASSESSED AND THE PROGRAM OF SHIP AFRED AFRED

Available on Disc for the COMMODORE 64 . Send for details of our full range of Commodore programs.

From 65418 to the end of memory is the Kernal Jump Table, which may contain different values on a VIC or 64. But the functions are exactly the same. The location with the hexadecimal address \$FFD2, decimal 65490, is one example. It's the location for printing a character in machine language. Other Kernal routines are explained in the VIC and 64 Programmer's Reference Guides.

Entering Long Programs

I'm just beginning to type in a program. Because it is rather long, I decided to type in a little each

day then save that day's work.

But when I try and go back and load the different sections together, I encounter a problem. Each successive section I load erases (loads over) the previously loaded section. Is there any way to load all the sections together without erasing the section you just loaded?

Brad McCollum

The problem you're having stems from the fact that you're treating each day's work as a separate module, or program, and saving them that way. When you reload the sections, the computer thinks they are separate programs, and loads one on top of the other.

This is supposed to happen. When you use the BASIC LOAD command, many subroutines (in

GET FAST RELIEF FROM IRS HEADACHES! With TAX COMMAND Income Tax Preparatory Software Series! On disk for Commodore 64: TAX COMMAND PROFESSIONAL: high-speed tax computation, with a wide variety of schedules, at your finger tips. Fast, line-by-line, Federal, Tax, information, entry,
 All mathematical calculations done automatically
 Built-in tax tables.
 Prints on the afficial U.S. Tax forms.
 Forget something? Tax Command Professional is flexible enough to quickly recalculate.
 Cost of program is tax deductible. This menu diven program covers the 1040 Form, Schedule A, B, C, D, E, G, R, RP, SE, W, and Forms 2106, 2119, 2441, and 3903. \$49.95 TAX COMMAND for income tax computation. On tape for Vic 20 & Commodore 64 Tax Command is the abridged version of Tax Command Professional with the 1040 form Schedule A income averaging and fax tables. On disk for Commodore 64: NEW! TAX COMMAND PLANNER for quick, easy planning of tax strategies. Specifically designed for your tax planning.
 Decide how to depreciate assets.
 Whether to sell stock.
 How to make contributions at the lowest cost.
 Six different options for five years. \$49.95 Practical Programs Inc. stands behind Registered owners receive next year's update at a reduced cost. its products, and will replace any defective disk. Double Discount! Buy Tax Command Pro-fessional and Tax Command Planner for one low price of \$89.99. Send me fast relieft. Enclosed is my check or money order for the amount specified below plus \$2.00 for shipping and handling. Please send me:
□ Tax Command Professional (\$49.95) Tax Command (\$24.95) Vic 20 Commodore 64 Tax Command Planner (\$49.95) Double Discount! Send Tax Command Professional and Planner (\$89.99) Credit card customers call (414) 278-0829. Address State Zip City CG-01-85 Mail to: Practical Programs, Inc. • P.O. Box 93104 625 North Milwaukee Street • Milwaukee, Wisconsin 53203

BASIC and Kernal ROM) are performed to execute the LOAD. One of these is the PARSL routine at 57809 (\$E1D1) in the VIC, and 57812 (\$E1D4) in the 64. In a nutshell, this subroutine sets the X and Y registers with the values found in memory locations 43 and 44 which point to the start of BASIC. This is where it will load the program. This is similar to a NEW command, and it's the reason your program modules are being overwritten.

When you type in long programs in modules, do not save each one as a separate program.

After entering the first session's work, save it to tape or disk. When you wish to continue, load the latest version back into the computer, and continue to enter the program starting at the point where you left off. After the session is over, save the program (now the combined first and second sessions) to tape or disk. If you're not done yet, continue repeating the same cycle until you've finished.

Reading DATA Strings

I'm having a slight problem with DATA statements. When I run the following program, it prints "A\$" instead of "HELLO"

10 A\$="HELLO"

20 READ B\$

30 PRINT B\$

40 DATA A\$

My question: Is there a way for the computer to see A\$ as "HELLO" in a DATA statement after having previously defined it as such (A\$="HELLO")?

Buddy Flerl

No, there's no method to do what you ask. It might help to imagine a variable as a box. On the outside you paste a label, the variable name. Inside the box is a string or numeric value. In line 20, you're reading information from a DATA statement. The name of the variable is B\$ (the outside label), the contents of B\$ is "A\$" (a string containing two characters). As far as your computer is concerned, the string "A\$" has no real connection with A\$ the variable name. You can't pull a label off a variable and use it as a value, and vice versa.

Probably the best solution to your problem is to use arrays. A numeric variable can be an index to an array. In this way, one variable points to another. Try the following program:

10 A\$(1)="HELLO"


20 READ B

30 PRINT A\$(B)

40 DATA 1

In line 20, the value 1 is read into B from a DATA statement. That value can then be an index to the array and in line 30, "HELLO" is printed because A\$(1) holds that string. If you changed the value of B, line 30 would print something else from the array.

COMPUTE! BOOKS



The Second Book of Machine Language

Richard Mansfield

The follow-up to the best-selling Machine Language for Beginners. this book leads the programmer deeper into the most powerful and efficient programming techniques available for personal computers. Fully tutorial, with easy step-by-step explanations. the book shows how to construct significant, effective machine language programs. Included is a high-speed, professional-quality, label-based assembler. Everything that's needed for optimized programming on the Commodore 64, Atari, VIC-20, PET/CBM, and Apple computers.

\$14.95 ISBN 0-942386-53-1



COMPUTE!'S Commadore Collection: Volume Two

and 64 Edited

Exciting games, sophisticated applications, versatile educational routines, and helpful programming aids for the VIC-20 and Commodore 64 highlight this second volume in COMPUTE!'s Commodore Collection series, Included are some of the best articles and programs from recent issues of COMPUTE! and COM-PUTE!'s Gazette, as well as many programs published here for the first time. Designed for Commodore computer users of all levels, it's a book that every VIC or 64 owner will want to have.

\$12.95 ISBN 0-942386-70-1




COMPUTE!'s Kids and the Commodore 64

Edward H. Carlson

Don't let the title fool you. COM-PUTEI's Kids and the Commodore 64 was written for children from ages 10 to 14, but anyone interested in learning BASIC programming will find this series of lessons fun and easy to use.

You'll learn exactly how to get the most out of your Commodore 64. Everything is explained in non-technical terms, and the many illustrations and program examples quickly show you the ins and outs of BASIC. You may be a beginner when you pick up this book, but before you know it, you'll be programming your own exciting games and applications. \$12.95

ISBN 0-942386-77-9



COMPUTE!'s Third Book of Commodore 64

Edited

Gathered from the most recent issues of COMPUTE! magazine and COMPUTEI's Gazette, this collection of outstanding games, applications, tutorials, and utilities also includes several programs never before published. Commodore 64 users of all ages and experience will find this book informative, entertaining, and educational. Create an 80-column display, play educational and arcade quality games, compose music, move sprites easily and quickly, and see how to program more efficiently and effectively.

\$12.85 ISBN 0-942386-72-8

To order your copy, call toll-free **1-800-334-0868** or write: COMPUTE! Books, P.O. Box 5406, Greensboro, NC 27403

Word processing, record keeping, budgeting—you can accomplish each of these everyday tasks with your Commodore 64. Software producers are now offering new personal productivity programs which bring those separate functions together for even faster and more efficient use.

Selby Bateman, Features Editor

magine yourself at a desk. There are four drawers, each containing one of the following items: a type-writer, a calculator, a file box with folders, and a drawing kit of pens and markers. You take out the typewriter and begin to compose a letter. Suddenly you realize that you need a couple of records from your file box to include in the correspondence.

So, you put your typewriter in its drawer, pull out the box, find the files, take them out, return the box to its drawer, and retrieve your typewriter. A few moments later, you want several budget totals which are still stored in the calculator's memory. The cumbersome procedure begins all over again as you place the calculator on your desk, sliding the typewriter out of the way in order to use the other item. The same situation applies if you want to draw a graph of those figures.

Of course, no one actually follows such a strange and unwieldy process. Why not use all four of those items together, integrating the information and the procedures in a productive manner? When it comes to computers, that's exactly what the more powerful business machines do—accomplish multiple tasks with integrated software programs.

But for the most part, that hasn't been the case with home computers. Say you use a data base for keeping track of your stamp collection. If you then want to write a letter offering some of the stamps for sale, you'll probably have to type them in again, because your data base files aren't compatible with your word processor files. While many word processors, data bases, and spreadsheets perform their respective repertoires quite well, their acts have most often been workhorse solos rather than lilting duets or rich concertos.

Thile a symphony of integrated movements on the Commodore 64 has yet to be composed in the personal productivity area, that is clearly the goal toward which an increasing number of companies are headed.

One such company is Arktronics Corporation, with a new package called Jane.

"The idea behind Jane is to give professional features in the home market by making it very easy to use," says Howard E. Marks, the 22-year-old cofounder of Arktronics. Jane is an integrated productivity software package scheduled to be released for the Commodore 64 by the time you read this. The price is expected to be about \$80. First available on the Apple IIc, the program has a Macintosh-like icon-based environment, using pictures and symbols to guide the user, as well as onscreen windows for displaying information. "Jane has three applications—the word processor, the spreadsheet, and the data base—on a disk. The system is on a (32K plug-in) cartridge...which boots up automatically when you turn on the computer," says Marks.

The program includes the applications disk, a data disk containing tutorial files and utilities, and the cartridge. The system is designed to work with a mouse—a desktop pointing device most associated with Apple's Macintosh computer—as well as the keyboard, joystick, or touch pad. Arktronics is working with several companies now as they develop mice for the Commodore 64. Jane also contains utilities which will configure the system for your particular printer.

The package is designed to be particularly easy to use by people new to computers, says Marks. (Hence, the name, which comes from the familiar Dick

. . . we'll get more personal. The idea is to go toward intelligent systems that are easy to use.

and Jane kindergarten reading characters.) "With the word processor, what you see is what you get. So you see boldface, underlining, superscripts, subscripts, and all the accents for any language on the screen. We use the full-color bitmap, the same technology as the Macintosh. You can see 80 columns on the screen, 64, or 40 columns."

And, importantly, the system allows you to move from one application to another. You can shift information from one window to another, thus integrating the three programs. For example, suppose you have a letter you want to write in one window and a budget in the other. By moving an electronic symbol of a hand over the typewriter and calculator icons, you can take the numbers out of the budget window and insert them anywhere you want them in the letter. By using the mouse, or

one of the other input devices, you can carry out the process without touching the keyboard.

"One of the big problems that computers have today is that they're not easy to use," says Marks. "People who are afraid of computers—who have computerphobia—are not going to buy them because they are difficult."

That sentiment is echoed by David Johnson of Californiabased International Tri Micro. He designed and programmed the ROM-based integrated applications software which comes built into the new Commodore Plus/4 computer.

"The original concept was to provide as powerful and as friendly a work space as possible for the average user, a general-purpose work space which a large segment of the population would be able to

use," he says.

Originally called 3-Plus-1 when planned for the Plus/4 to reflect the word processor, file manager, and spreadsheet, plus bar charting capability—the same programs are available on disk for the Commodore 64 in separate packages. Your Home Office is a word processor and spreadsheet, The Write File is a word processor and data base, and Plus Graph adds the ability to produce pie charts and variable bar and line charts from either spreadsheet or data base information.

"To make a truly softwaredriven machine, the idea was that these three categories represent the majority of what the first-time computer user wants to do with the machine, or will have some need to do," says Johnson. "What will happen, as we get more room [computer memory] available, is we'll get more personal. The idea is to go toward intelligent systems that are easy to use. That's still quite a distance on."

The more integrated a series of programs becomes, the greater the memory requirements. Packages which gobble up thousands of bytes of memory for their systems are fine for high-end business computers. But home computers with 64K must make tradeoffs. Arktronics' Jane attempts to solve the problem by adding a 32K cartridge to allow more capabilities. Most commercial packages for the

Commodore 64 try to work within the available memory by drawing limits where necessary and by offering some integration in the most frequently used applications.

For example, while Jane has enough space in memory to allow you to type the equivalent of ten to twelve pages of text per file, Johnson's system in both the Plus/4 and for the 64 permits only 99 lines of text for

each file. To get around that limitation, the user can link individual text files together for a printout.

There are too many personal productivity programs available for the 64 to list them all in one article. Most of the better known systems have at least some integration of features. The *Insta* series from Microsci Corporation's Cimarron Division, consists of nine

The following companies are among those with personal productivity software for the Commodore 64, with some degree of internal integration of features:

Arktronics Corporation 520 E. Liberty Street Ann Arbor, MI 48104 (313) 769-7253 Jane, approximately \$80.00

Arrays, Inc./Continental Software 11223 South Hindry Avenue Los Angeles, CA 90045

(213) 410-3977

Get Rich Series, suggested \$49.95 each

Batteries Included 186 Queen Street West Toronto, Ontario Canada M5V 1Z1 (416) 596-1405

Home Organizer Series, \$29.95 each

Cardco, Inc. 313 Mathewson Wichita, KS 67214 (316) 267-6525

Write Now (\$49.95), Mail Now, Spell Now, File Now,

Graph Now, Calc Now (all \$39.95 each)

Commodore Computer Systems Division

1200 Wilson Drive West Chester, PA 19380 (215) 431-9100

Magic Desk I, approximately \$30.00-\$35.00

Creative Software 230 East Caribbean Drive Sunnyvale, CA 94089 (408) 745-1655

Creative Writer, Creative Filer, Creative Calc, \$49.95

each

Electronic Arts 2755 Campus Drive San Mateo, CA 94403 (415) 571-7171 Financial Cookbook, \$50.00 Handic Software, Inc. 520 Fellowship Road Mt. Laurel, NJ 08054 (609) 866-1001

Word Result (\$195.00), Calc Result Easy (\$49.95), Calc Result Advanced (\$99.95)

International Tri Micro 1010 N. Batavia, Suite G Orange, CA 92667 (714) 771-4038

The Write File (\$49.95), Your Home Office (\$49.95),

Plus Graph (\$39.95)

Microsci Corporation Cimarron Division

2158 South Hathaway Street Santa Ana, CA 92705

(714) 662-2801

Insta-Writer (\$49.95), Insta-Mail (\$19.95), Insta-Calc (\$39.95), Insta-File (\$49.95)

Prentice-Hall Home Software P.O. Box 819

Englewood Cliffs, NJ 07632

(201) 592-2611

IMSI Home Library, \$39.95 each

Sierra, Inc. P.O. Box 485 Coarsegold, CA 93614 (209) 683-6858

Homeword (\$69.95), Homeword Finance (price not available), Homeword Tax (price not available)

Timeworks, Inc. 405 Lake Cook Road Deerfield, IL 60015 (312) 291-9200

Word Writer (\$49.95), Data Manager (\$24.95), Data Manager 2 (\$49.95), Electronic Checkbook, Money

Manager (\$24.95 each)

TOTL Software, Inc. 1555 Third Avenue Walnut Creek, CA 94596

(415) 943-7877 TOTL.Text (\$43.95), TOTL.Speller (\$34.95), TOTL.Label (\$23.95)

28 COMPUTEI's Gazette January

Express Yourself!

A few minutes and a few keystrokes. That's all it takes to turn your personal

computer into a personal print shop.

Everything you need is in the program: typefaces, border designs, background patterns, pictures, symbols and a starter kit of colored paper and matching envelopes. The Print Shop will also guide you along, step by step, even if you've never touched a computer before.

So think what you'd like to say, then put it in your own words with The Print Shop.

Make quite an impression with just five easy keystrokes.






Everybody's creative with The Print Shop. You just can't help it!

Your originality shines through, so good news becomes even better.






Dozens of pictures and symbols to suit every purpose and occasion.

Letterheads, logos, banners and signs. If you can imagine it, you can make it!





Keep your creativity flowing...put it in your own words with The Print Shop.

The Print Shop is available for the Apple, Commodore 64 and Atari home computers. Coming soon for the Macintosh and IBM PC PCjr. Apple and Macintosh are trademarks of Apple Computer, Inc. Commodore 64 is a trademark of Commodore Electronics, Ltd. Atari is a trademark of Atari Corp. IBM-PC and PCjr are trademarks of International Business Machines, Inc. For more information about Brøderbund and our products, write to us at: 17 Paul Drive, San Rafael, California 94903 or call (415) 479-1170.





UNLEASH THE POWER OF YOUR **COMMODORE 64** WITH THE ULTIMATE INTERFACE

- · Control & monitor your home appliances, lights & Control & monitor your home — appliances, lights & security system
 Intelligently control almost any device
 Connect to Analog-to-Digital Converters
 Control Robots
 Perform automated testing
 Acquire data for laboratory & other instrumentation applications
 Many other uses.

Don't make the mistake of buying a limited capability interface. Investigate our universally applicable Dual 6522 Versatile Interface Adapter (VIA) Board, which

6522 Versatile Interface Adapter (VIA) Board, which plugs into the expansion connector and provides; Four 8-bit fully bidirectional I/O ports & eight handshake lines • Four 16-bit timer/counters • Full IRQ interrupt capability • Four convenient 16-pin DIP socket interface connections • Expandability up to four boards & sixteen ports.

ORDER NOW! Price \$169, postpaid USA. Extensive documentation included. Each additional board \$149. VISA/MasterCard welcomed.

SCHNEDLER SYSTEMS
1501 N. Ivanhoe, Dept. R10, Arlington, VA 22205. Information/Telephone Orders (703) 237-4796

WHAT'S REALLY INSIDE THE **COMMODORE 64**

Complete reconstructed Assembly Language source code for the C-64's BASIC and KERNAL ROMs, all 16K!

Extensively commented and cross-referenced. Far more than a mere "memory map" of useful locations, this book really does tell all. An incredible time-saver in effective C-64 programming and understanding. C-64 Source ..., \$29.95, postpaid USA, VISA/MC

SCHNEDLER SYSTEMS 1501 N. Ivanhoe, Dept. R 10, Arlington, VA 22205 Information/Telephone Orders (703) 237-4796

SATISFACTION GUARANTEED OR MONEY BACK

1984 TAX RETURN HELPER

Fast and easy income tax preparation.

- Form 1040 and Schedules A.B.C. D,E,G,SE,W and Form 2441
- Plus TAX DBASE a data base program for tax related records that can be directly used in any of the forms (disk only)
- · Enter and modify data on a screen copy of the form.
- · Works like a spreadsheet all the lines affected by a change are instantly updated.
- Automatic tax computation.
- Forms can be printed or saved.
- Price is tax deductible. Tape \$23 Disk \$33 (+ \$1.50 S&H). Specify C64 or VIC 20 (16K
- Previous users discount \$11 (disk), \$7 (tape).



KSOFT CO.

845 WELLNER RD. NAPERVILLE, IL 60540 (312) 961-1250



Dealer inquiries welcome

packages for the Commodore 64 based around its Insta-Writer word processor on cartridge. With the word processor, you can also use the Insta-Mail mailing list program and the Insta-File data base management program. The spreadsheet and investment programs in this series can be used with the graphing package as well.

Creative Software offers three interactive packages, Creative Writer, Creative Filer, and Creative Calc, which also let you use files in an integrated manner.

Sierra's Homeword series, built around the Homeword word processor, includes an integrated filing system as well as a spelling checker. Other integrated packages which are scheduled for release—as this is written-include Homeword Finance, a home finance package; Homeword Tax, a tax preparation program; Homeword Typer; and even a Homeword Gardener.

Commodore's Magic Desk I: Type and File is a good example of how ease-of-use can be combined with limited multiple functions to provide basic applications. Using icons, or symbols, to direct the user, the program lets you type and file letters, memos, notes, and the like—a simple word processor and file manager in one.

Personal finances are well suited for integration since a common chart of accounts can be used with a variety of different programs, whether it's balancing a budget, planning future investments, buying property, or figuring interest rates.

That idea is the premise behind the new Get Rich financial series from Arrays, Inc./ Continental Software, available for the Commodore 64.

'The first module coming out, called Get Rich: Strategies, addresses what people do once they have discretionary dollars, those dollars people have left

over once they've paid for all their necessities," says Hank Scheinberg, executive vice president.

"Integrated is too strong a word, right now. This is more like a series of books," he adds. "Once you go through Strategies, and you have some ideas of amortization schedules, compounding interest, inflation rates, real buying power, and the like, then the second module is Get Rich: Real Estate Planning." Subsequent modules include insurance planning and retirement and estate planning, he notes. Each of the subjectspecific volumes is designed to work in tandem with the original Strategies program, which gives the user an overall financial picture.


'These modules are set up in a question-and-answer situation. You're constantly asked questions, and the user just fills in the blanks and then picks the choice which is most beneficial," he says. "It asks questions which the uninitiated perhaps would not know enough to ask."

Whether the format is question-and-answer prompts, icon-based menus, information windows, or easy-to-remember commands, software designers are emphasizing a mix between ease of use and flexibility, that is, how easy it is to use a system versus how powerfully and flexibly it operates. That's good news for Commodore 64 owners who want productivity packages that will let them really get down to business.

In addition, software companies realize there is still a large untapped consumer market for computers. What will make people buy a computer? Perhaps the answer lies in the initial responses Hank Scheinberg has received: "The comments we're getting back are that this is a real reason to have a home computer."

MAKE NO MISTAKE..

CALKIT for your Commodore 64 is a powerful, real-world problem solver. Faster, easier and more accurate than pencil, paper and calculator — and a lot less frustrating.



CalKit helps you solve household and small business problems that involve rows and columns of numbers.

- balance your chequebook in seconds
- o plan your home or business budget with ease
- simplify your income tax, and your investment portfolio
- calculate loan or mortgage payments, and then find out what happens to them in seconds, when interest rates change

That's the real advantage — with CalKit, you can change any number in your equation, and see how it affects the other numbers. All calculations are performed instantly! CalKit gives you the answers, in the

time it takes to ask "What If...?" You can make projections and plan ahead with confidence!

The CalKit problem-solving package includes builtin templates for the most important home and business needs. Over 20 ready-to-use, real-life applications on one disk. The rows, columns and calculations are already defined. No need for timeconsuming initial set-ups — all you do is enter your data. Other CalKit features, like on-screen menu and simple commands, make it even easier.

An easy and comprehensive manual with tutorials on each application are included. You'll be using CalKit like a pro, right out of the box. And once you've mastered the built-in templates, you'll be ready for your own unique spreadsheet programs.

Powerful solutions + ease of use + low low cost = CalKit. It all adds up to exceptional value, for a computer program that can help you every day.



186 Queen St. West Toronto, Ontario, M5V 1Z1 Canada (416) 596-1405

"The Energized Software Company!"

WRITE FOR A FULL COLOR BROCHURE

17875 Sky Park North, Suite P, Irvine, California USA 92714

Bruce Artwick, The Designer Behind Flight Simulator II

Kathy Yakal, Feature Writer

There must be a lot of would-be pilots out there. Flight Simulator II, a microcomputer-based flight simulator, has sold a quarter of a million copies and stayed on the best-seller charts since it was introduced. Here's a look at the program and the designer.



ou've seen those air disaster movies where the pilot and co-pilot are suddenly stricken with a mysterious ailment, or injured in a struggle with a hijacker. A stewardess or even a passenger must take over and fly the plane to safety.

There might have been a little less sweating in all of those movies if the substitute pilots had used *Flight Simulator II* from subLOGIC. It turns your Commodore 64 into a flight simulation lab, and puts you at the controls of a small aircraft.

The tremendous success of Flight Simulator II may be a bit surprising to those of us who are a bit phobic about flying. Even with our feet on the ground and hands on the keyboard, the illusion of flying can bring back memories of white-knuckled flights.

Bruce Artwick, the designer

and programmer of Flight Simulator II, says it appeals to people for different reasons. "Some buy it just for the fun of flying around. A lot buy it because they like the graphics," he says. "There's an arcade game built into it, so some people buy it for that. And some people actually want to use it to practice flying. All of these elements—the game, flying, and nice scenery combine to attract a few from here and there."

Bruce Artwick (he's had a pilot's license for several years), but his real interest is computer graphics. Raised in the Chicago area, Artwick went to school at the University of Illinois at Champaign-Urbana. While finishing his master's thesis there, he worked on 3-D graphics software for real flight simulators at the school's aviation research

laboratory.

He took a job at Hughes Aircraft in California in the late seventies, about the time the microcomputer industry started to pick up speed. Interested in the possibilities of graphics on the new machines, Artwick started programming small 3-D graphics packages for them. He formed subLOGIC in 1977, and moved back to Illinois at the urging of his partner, Stu Moment.

His first demo program for the new Apples was a small flight simulator. "I was surprised at how successful it was. It made me realize there was a lot of consumer interest in flight simulation," says Artwick. Flight Simulator I for the Apple hit the bestseller charts and stayed there.


In late 1981, Artwick was

Get more out of your Commodore with

COMPUTE'S ** GAZETE

For Owners And Users Of Commodore VIC-20" And 64" Personal Computers

More fun



Martian Prisoner, The Viper, Skydiver, Snake Escape, Demon Star, Cyclon Zap, and Oil Tycoon are just a few of the ready-to-run games you'll find exclusively in COMPUTEI's Gazette each month. Just type in the programs and watch your screen explode with colorful new computer game excitement.

More challenge

Ready to tackle more advanced projects? In COM-PUTE's! Gazette, you'll learn how to use tape and disk files, how to program the function keys, writing transportable BASIC, how to make custom graphics characters, new ways to enliven programs with sound, one-touch commands for the 64, how to use machine language, speeding up the VIC-20—and much more!

Children will learn and develop new skills with States & Capitals Tutor, Wordmatch, Munchmath, Wordspell, Connect the Dots, Aardvark Attack, and Alfabug. Computing for Kids, a regular monthly feature, will uncover new ways to involve your children in computing.



More programs

Programs to help you balance your checkbook, store your addresses, keep tax records, manage your personal business. You can create your own programs and games, improve your word processing, spreadsheets, and data base management, load and run faster with 64 Searcher, VIC/64 Program Lifesaver,

With a drue typer of the process of

Quickfind, Word Hunt, Disk Menu, VIC Timepiece, The Automatic Proofreader and more.

\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$

More buying guidance

You'll profit from comprehensive reviews of everything from data-quality cassette tapes to software to graphics plotters and modems. Virtually anything that's compatible with your Commodore is reported on in COMPUTEI's Gazette. With this kind of expert help, every computer purchase you make can be the right one!

Order now

All you do is mail the postpaid card bound into this issue. But don't delay! Subscribe now to start receiving every issue of COMPUTEI's Gazette.

For Faster Service Call Toll-Free 1-800-334-0868





Two views of New York City from the cockpit: the Empire State Building and Manhattan Bridge.

approached by IBM and Microsoft. Both wanted him to translate his program for a new machine that would be coming out the next year, a microcomputer with a powerful new processor that would allow him to do more than he was able to on the Apple.

He finally went with Microsoft, which published Flight Simulator II, an upgrade of the original Apple version, for the new IBM PC. It was so popular that people at Commodore and Apple went after him to translate it for their new computers.

"Back then, I didn't think it was possible to bring that kind of graphics performance down to the smaller machines," he says. "But we gave it a try and did the best we could."

Crunching the program down for Commodore, Apple, and Atari "...was a major project," says Artwick. "We knew that we were very tight on memory. One of the most important things to have would be good software tools to do it, a good assembler and debugger. We couldn't do development on the machine we were designing it for. Like on the Apple, we couldn't have the Apple do assemblies and load it into itself

and run it because it takes up all of memory, almost every last byte." They spent a half year setting up that development system on an IBM PC with hard disk drives. Once they got the basic simulation going, they started packing in as many features as possible. "We used to have meetings and say, "We have 30 systems we have to add and only 1300 bytes left," says Artwick. "We packed it tighter and tighter until we had just about everything we wanted."

And those features that had to be left out are basically cosmetic, "like the windshield cracking on the IBM version," says Artwick. "It took up a lot of memory, but we had it."

The sequel was just as popular as the original. Flight Simulator I was finally knocked off the bestseller charts by Flight Simulator II.


The control panel of Flight Simulator II resembles the instruments of a Piper PA-28-181 Archer II, a single-engine, nonretractable gear aircraft. It was chosen because it offersgood performance, yet is uncomplicated and easy to fly.

You control the aircraft by pressing designated keyboard letters. The right bracket (]) increases your throttle. F makes it bank, and G controls the banking. Press B for a view out the back of the plane, and T for a front view. You'll need to spend a couple of hours learning all the various commands, maybe more if you know nothing about flying. (The program comes with a user's manual and a booklet explaining the concepts of flight physics and aircraft control.)

The first time you take off, you leave Meigs Field in Chicago. From there, you can fly to a number of airports in downstate Illinois, or set the controls to take you to one of the other three designated "scenery" areas: Seattle, New York, or Los Angeles. Flight is in realtime, so if you take off from Chicago before you go to work or school and leave the program running, you can come home for lunch in time to land on the West Coast.

The flying environment is more than ten thousand by ten thousand miles square. It encompasses the entire continental United States and includes more than 80 airports, winds, clouds, time of day (for day, dusk, and night flight), and navigation aids. You can select the flight conditions—even choose between easy mode, which makes the aircraft more forgiving of

Attention Commodore Computer Owners







Looking for a versatile disk drive that efficiently interfaces with your Commodore personal or business computer? Then look no further. MSD offers not just one drive, but two — the SD-1 and the SD-2 Super Disk Drives.

With the SD-1 Super Disk's 4K buffer memory, you can open more files at any one time. Its rapid internal operations allow you to execute utility commands in a minimal amount of time and to format disks in only 17 seconds. If you demand more and thus faster duplication, however, then the SD-2 is for you. You can format, copy and verify in less than 2 minutes — twenty times faster than if you used two single drives together.

Both drives feature state-of-the-art design for exceptional durability and longer life. Both feature unique vertical loading for greater space savings. And neither will ever overheat.

Call MSD today for more information or the location of the dealer or distributor nearest you.



SYSTEMS, INC.

pilot blunders, and reality mode, which adds more sophisticated factors.

If you tire of the challenge of keeping a plane in the air, you can play WWI Ace, the game option which equips the plane with bombs, machine guns, and a radar screen, and pits you against other WWI fighting planes.

ore memory, for the engineers at subLOGIC, means faster simulations and more complex scenery (they're already preparing new scenery disks for San Francisco, Washington, D.C., and the Denver/ Rocky Mountain area). "We're trying to stay updated on new machines, because we think this is an area of interest that will stay around for a long time," says Artwick.

The Apple IIc has already spawned an enhanced edition called Flight Simulator IIM, to be released sometime in 1985. It's a multi-player game. By linking two or more Apple IIc's (either in the same room or via modem), you can fly around in the same air space and see each other, "...go on flights together and hide behind mountains," says Artwick.

In the meantime, Flight Simulator II still appeals to a wide age group, "from kids writing in to tell us how well they did on the game to middleaged pilots who tell us we ought to have more ILS approaches," says Artwick.

And it's being used in training, he says, but not like you might think. "When it comes to training a guy to fly a jet fighter or something, it's not really very good because there are no real flight controls." But flight instructors and national institutions are using it to show students how the gauges and other navigational instruments

look and how they work. "In that respect, it's pretty useful, a lot more useful than a textbook."

Artwick has received requests from such far-off customers as the Singapore Air Force, and from people working on research projects for their organizations who want him to make modifications to the program.

And there's one more interesting application for Flight Simulator II: Along with Lotus 1-2-3 and dBase II, it's known as a compatibility test for IBM PC compatibles. When Compaq Corporation was testing its machine, the designers found that Flight Simulator II wouldn't run. "They had a whole roomful of testers testing it, and it turned out to be a bug in one of Intel's chips," says Artwick. "In their hardware design, it was more sensitive than IBM. Compag actually had to change their ROMs."



COMMODORE OWNERS:

"Finally, A Universal Graphics Interface!"

The ALL NEW "MICROGRAFIX" parallel interface by Micro World Electronix Inc., is a complete switch selectable interface with full graphic capabilities for the VIC 20TM and Commodore 64TM. It's truly the most universal of Interfaces with the capacity to print the Commodore® graphics set, since it is switch selectable for virtually all centronics compatible parallel printers including Daisy wheel printers. Features

1) Fully intelligent Interface that plugs into the Standard Commodore® printer socket.

Complete graphics capability that will allow popular matrix printers to fully pass the Commodore® Printer test (including Inverse text, tabbing, cursor up/down, etc.).

Works with virtually all software, since it provides emulation of the Standard Commodore® Printer.

Optional user installed 4K buffer to speed up graphics and text printing.

Complete built-in status and self-test report.

Switch Selectable Commodore® graphics mode for most popular printers (Epson, Star Micronics, C. Itoh, Prowriter, Okidata, Seikosha, NEC, Riteman, Banana, BMC, Panasonic, Mannesman Talley and others) plus a Universal Switch mode for letter quality printers.

7) Complete with emulate mode, transparent mode, total text mode, ASCII conversion modes that will insure virtually total

compatibility with popular Software. No more ROM changes or extra shelf space taken up. The Micrografix Interface is easier to stock since one interface will support virtually all printers.

> Order From: DISTRIBUTING, INC

1342B Route 23 Butler, New Jersey 07405 (201) 838-9027

TM Trademarks of Commodore Business Machines, Inc. *Call for details on our super \$50.00 trade-in offer.

GREAT NEWS FOR OWNERS OF COMMODORE, APPLE, & ATARI COMPUTERS!

Most printers don't work with Commodore or Atari. And to get one that does, costs too much. That's why the engineers at Blue Chip designed a new personal printer called the M120/10. If you own a computer read on: Of the ten high speed dot matrix printers most often used with Commodore, Apple, and Atari, none is less expensive than the Blue Chip M120/10. Or more powerful. Fully equipped, it's about \$50 less expensive than a comparable, yet much slower Commodore printer. And in the vicinity of \$300 less than an Epson* set-up to work with a

Despite its low price, the Blue Chip M120/10 is not a stripped down, bargain basement printer.

Commodore.

performance against cost—it's difficult to find a printer that compares to the Blue Chip M120/10.

Top speed with a Blue Chip M120/10 is 120 characters per second. To beat that in any other make of printer, you have to spend about \$400 more.

Special print modes on an M120/10 include graphics; condensed, bold-faced and expanded characters; as well as superscripts and subscripts, and near letter quality characters. And to beat that in any other make of printer you have to spend nearly \$300 more.

And since it also has the IBM-PC*, Apple MacIntosh* and IIC*, Serial, and Centronics interfaces**, you can use the Blue Chip M120/10 with just about any computer you may eventually own

The Blue Chip Personal Printer costs a lot less than anything similar... without compromise in quality. Highly powerful and relentlessly practical.

See one today. Blue Chip printers are available at Best Products, LaBelle's, Jafco, Dolgin's, Miller Sales, Rogers, Great Western catalog showrooms, and other fine stores. Or call (800) 556-1234 Ext. 540. In California, call (800) 441-2345, Ext. 540, for more information and name of your closest Blue Chip dealer.



A Window To The World:

Modems In The Home



Sharon Darling, Research Assistant

With the advent of telecommunications services and on-line data bases, computers can give you a "window to the world" from your home, offering hundreds of productivity and entertainment services.

f you own a Commodore 64 and a modem, perhaps you've considered subscribing to an on-line telecommunications service. Is it worth the investment? Let's imagine the following scenario:

It's seven o'clock on a Thursday night. The library closed at five, and Sammy Jordan has a school report due tomorrow on a subject he hasn't vet researched. Dad has been dabbling in the stock market, studying which stocks he'd like to buy. Now he's ready to plunge ahead, but can't place an order with a stockbroker until 9 a.m. Friday. And he's leaving on a business trip at 8 a.m. Mom meant to stop at the bank on her way home from the office, but left work too late to get there before the bank closed.

To top it all off, Sally's birthday is coming up, and her birthday present wish list contains an item not available in their hometown. The closest store that carries it is 50 miles away.

Such a situation could cause a lot of stress and worry.

If practice makes perfect, buy the SAT and typing programs that make practicing easier.

Harcourt Brace J		eparation for the SAT RFECT SCORE
		• •
	FEATURES	
Two double- sided	Number of disks	Six double- sided
Yes!	Testing and learning modes	Yes!
Yes!	Sample test	Yes!
No	Practice SAT and TSWE on disk	Yes!
Yes!	Manual with test taking strategies	Yes!
No	Continuous on-screen clock	Yes!
No	Print-out capability	Yes! The Perfect Score
Studying with a computer program makes more		

Studying with a computer program makes more sense than using a manual. But Harcourt's Computer SAT (\$79.95) gives you a fat manual and just 2 double-sided disks.

For \$89.95, Barron's Computer Study Program gives you an even fatter manual, plus 3 double-sided disks.

Why not buy a computer program that's a computer program?

Ours has 6 double-sided disks and a skinny manual. And costs just \$69.95.



you the correct finger positions on the screen. So you might become a fast hunt-and-peck typist instead of a fast typist.

As long as you're learning how to type, why not learn how to type the right way? Keyboard Cadet, \$39.95.

The Perfect Score and Keyboard Cadet from Mindscape Mindscape (Inc., 3444 Dundee Road, Northbrook, IL 960062. For more information, call 1-800-221-9884. In Illinois: 1-800-942-7315.

But not for our fictional family. They recently subscribed to an on-line telecommunications service for use with their Commodore 64. Now, they're going to put their investment to good use.

Sammy logs on first and gets the information he needs for his report from an on-line encyclopedia, then looks through a special interest group (SIG) data base to get a few more facts. He downloads the data, prints it out, and starts writing his report. Next, Dad accesses the financial services section and places his stock order. He can now leave for his business trip without worrying. He knows the stockbroker will receive instructions as soon as the office opens and will immediately place his order. Dad will later receive confirmation of the purchase.

While he's on-line, Dad also checks the weather forecast for the city he's going to on his business trip. Since the report is calling for rain, he packs a raincoat and umbrella.

It's Mom's turn next. She visits the bank, which is a member of the telecommunications service, and transfers money from savings to checking. She also looks through merchandise available in the service's on-line shopping mall and orders a birthday present for Sally.

While this is only a fictional scenario, the services described are used every day by thousands of computer owners who log on right from their homes. Today, there are a growing number of companies offering well over a thousand different on-line services and data bases which can make many routine household tasks more convenient—even fun.

n-line services have come a long way in a relatively short period of time. Take, for example, CompuServe, the largest of all such home-based telecommunications systems, with 145,000 subscribers. Started as a time-sharing service for businesses, home computerists were first allowed access to the system in 1979.

At the time, it was a data base for hobbyists says Paul Battaglia, a CompuServe spokesperson. A CB radio owners' interest group was one of the most popular services. There were under one thousand subscribers, and only about 25 different data bases which could be accessed. By 1980, the number of subscribers had increased to about 5,000. Today, there are more than 800 different data bases, special interest groups, and services, covering almost every topic, from aviation to world news.

The Source, another popular system, has roughly 60,000 subscribers right now, and offers hundreds of data bases in six major categories—business and finance, travel, games, consumer services, news and sports, and communications. Dow Jones has well over 120,000 subscribers. While most of its offerings are geared toward business users, there are several services which appeal to the home computerist, such as movie reviews, sports and weather reports.

If you've been looking for additional uses for your computer, joining an on-line service could be one of the most rewarding. Let's take a look at some of the options available.

Buying stocks, bonds, and other securities on-line is a relatively new concept for the services. It is currently available to subscribers of The Source and CompuServe, for example, through different brokerage firms.

You open an account with either Max Ule & Company, if you are a CompuServe subscriber, or Spear Securities, Inc., if you have joined The Source. The brokerage houses are members of these two major services.

With CompuServe, you must also have access to its Executive Information Service. Security, accessibility, and guaranteed service are very important in any of these computerized systems. For example, subscribers must clear a number of security levels before placing their buy and sell orders. This makes the chances of illegal entry "minute," according to Richard

"minute," according to Richard A. Baker, CompuServe's director of corporate communications.


Besides buying stocks, other financial information is available on The Source and Compu-Serve, as well as Dow Jones News/Retrieval, one of the most respected business-oriented telecommunications networks.

omputerized banking, while still in its infancy, is a fastgrowing service. CompuServe, Chemical Bank's Pronto Home Information and Banking System, and a few others let you do your banking from the comfort of your living room. Right now, CompuServe has agreements with three banks (Shawmut in Boston, United American Bank, Memphis, and Huntington National Bank, Columbus, Ohio). Baker says more banks will probably be added to the network later.

Chemical Bank's Pronto system, which can be used by Commodore 64 owners, topped 10,000 subscribers last summer. It offers users the ability to pay bills, transfer funds, get balances, see electronic statements, track budgets, and balance checkbooks.

In addition, the bank has licensing agreements with eight other banks coast-to-coast. Another on-line system, Keyfax Interactive Information Service, based in Chicago, offers home banking, educational packages, data bases, and financial options. A home shopping service is planned as well.

While The Source does not



The Evelyn Wood Dynamic Reader.™ Now, the world's most renowned master brings the techniques of Dynamic Reading to your computer.

Learning to read faster isn't good enough. With the Evelyn Wood Dynamic Reader, you'll learn to read three to ten times faster—but with better comprehension and retention.

Only Timeworks brings this highly successful reading program into your

computer. It will guide you like a gifted teacher through the drills and exercises at your own comfortable pace, automatically record your progress, and let you graphically review your results

If it takes you more than 30 seconds to read this ad, you need Evelyn Wood.

on colorful bar charts.

Reading Dynamics


Reading Dynamics is not a skimming or "key word" association technique. It is a totally different reading concept that registers every word, every idea, every shade

of meaning in the written material. You will use more of your mental capacity and learn to concentrate. Your mind won't wander while you read.

Reading dynamically is more enjoyable than reading the old way. Complete thought patterns and ideas emerge from the written

material in a smoothly moving picture. Instead of perceiving individual bits and pieces of information and putting them together as best you can, you will see total concepts. Reading dynamically is like living in the material.

The Evelyn Wood Dynamic Reader provides you with the exercises and tools you need to help you increase your reading



comprehension and speed. Your own personal computer helps you develop your skills at your own pace.

You learn the essential techniques of Dynamic Reading in your own home—at any time convenient for you. You can repeat exercises as often as you wish to assure that you maintain optimal reading efficiency. Each program contains 50 Skill-Builder exercises, 20 reading exercises and 40 quizzes.

Only Timeworks offers the *Evelyn Wood Dynamic Reader*. Now at your favorite dealer. Or contact Timeworks, Inc., 405 Lake Cook Road, Deerfield, IL 60015. Phone: 312-948-9200.

Available for Commodore 64, IBM, Apple, Atari.

Timeworks Programs:

N Data Manager 2 N Word Writer N Swiftax

Money Manager I Electronic Checkbook

Business System Series Dungeons of
Algebra Dragons Spelibound Cave of the
Word Wizard Computer Education Kits



have home banking yet, it probably will be added in the future, says JoAnne Montgomery, a Source spokesperson.

There are many types of athome shopping services available. Perhaps the best known is Comp-U-Card's Comp-U-Store, which is available on Compu-Serve, The Source, and Dow Jones.

Subscribers to these services pay an additional fee to belong to Comp-U-Store, which offers more than 60,000 items from national manufacturers and stores. Comp-U-Store also offers discounts of up to 40 percent on its merchandise.

Right now, Comp-U-Store has 16,000 on-line subscribers and 800,000 telephone subscribers who do not have access to a computer, says Lynn Booth, director of corporate communications for Comp-U-Card International. She says the popularity of the service is growing because "more and more people have home computers, and they find they don't have the time to spend browsing or comparison shopping, so they use a service like ours."

CompuServe introduced the Electronic Shopping Mall last April, which offers goods from about 90 national merchandisers like Sears, Bloomingdale's, and Waldenbooks. Battaglia says that while the electronic mall is popular, "I don't think it's ever going to replace going out to the store and buying goods—there's a certain social function involved (in shopping), and I think this (the mall) is a convenience factor."

Use of such services should grow though, he adds, as people get accustomed to shopping by computer. "Right now, it's a unique thing," Battaglia says, "and I think there are more products that are sold more readily over this kind of medium than other kinds of products.

"A designer dress, for ex-

ample, would be difficult to sell to the public right now because they're not acclimated to making purchases with just that information at hand."

Shopping by computer should really take off, Battaglia says, when home computers are able to receive sophisticated enough graphics that can show what a product will look like, versus a word description of the merchandise.

hether it's financial information you need, or material for a school paper, or even the answer to a trivia question, you can probably get the facts you need from one of the online services. Sports news, encyclopedias, weather reports, news items from national and international wire services, movie reviews, and newspapers are all examples of information you can access with your computer.

And there are special interest groups of every type available as well, ranging from people who own specific kinds of computers, to pilots, to home canners.

If you're planning a trip, you can check the Official Airline Guide (OAG) to find the best ticket prices. Even making airline reservations from your home has become a simple procedure with your computer.

Another popular feature which ties directly into your home is electronic mail. According to Montgomery, The Source's electronic mail service "gets the most use from consumers and business." CompuServe's Battaglia also attests to the popularity of the service. Electronic mail is "hot" right now, for both consumers and business users, he says.


Unusual subject areas can be accessed. CompuServe, for instance, offers an advice columnist, Aunt Nettie, as well as information on PGA golfers, insurance, humor, and human sexuality. On The Source, categories include collectibles, classified advertisements, teens, and schedules of the U.S. House of Representatives. Those services are but a sample of what's available. To list every subject category offered by the various services might take an entire magazine.

Of course, it costs money to join any of the on-line services. A basic subscription will cost you roughly the same price as a piece of commercial software. The Source reduced its subscription fee this fall to \$49.95. Getting on-line with CompuServe costs about \$40, although many modem manufacturers offer a free subscription to CompuServe as part of the package.

Dow Jones has three different levels of membership, with prices ranging from \$50 to \$75. In addition, there are charges from each service for the amount of time spent on-line. Some of the services, such as sending an electronic mail letter, also require an extra fee.

In addition to the sign-up fee, most services charge an hourly rate for time spent on the service. It generally costs more during business hours, but in the evening, the rates may be as little as six dollars an hour. And if you have to call longdistance, the time is charged against your phone bill (many services have local numbers you can call, so you can avoid paying long-distance bills). The telecommunication options available by home computer are expanding every day, and there are no signs of slowing down. Modems remain one of the most popular peripherals for Commodore 64 owners, a fact not lost on the major on-line systems. Will this expansion continue? CompuServe is already planning to increase its mainframe computer capacity by 90 percent over the next two years. And everyone else seems to be following suit.

We don't care which computer you own. We'll help you get the most out of it.



CompuServe puts a world of information, communications, and entertainment at your fingertips.

CompuServe is the easy to use videotex service designed for the personal computer user and managed by the communications professionals who provide business information services to over one fourth of the Fortune 500 companies.

Subscribers get a wealth of useful, profitable, or just plain interesting information like national news wires, electronic banking and shop at home services, and sophisticated financial data. Plus, a communications network for electronic mail, a bulletin board for selling, swapping, and personal notices and a multichannel CB simulator.

You get games on CompuServe, too. Classic puzzlers, educational, sports and adventure games and fantastic space games featuring MegaWars, the "ultimate computer conflict." The videotex service for you, no matter which computer you own. To buy a Starter Kit, see your nearest computer dealer. To receive our informative brochure or to order direct, call or write:

CompuServe

Consumer Information Service. P. O. Box 20212 5000 Arlington Centre Blvd., Columbus, OH 43220 **800-848-8199** In Ohio Call 614-457-0802

An H&R Block Company

computing for families

A Visit With Sweetums The Ogre

Fred D'Ignazio, Associate Editor

I had the thrill of my life last week.

I'm the "children and computers" commentator and product reviewer for The NewTech Times TV show (each week this fall and next spring on PBS), and I got to visit Jim Henson's Muppet Mansion in New York City to review the Muppet Learning Keys, a new computer keyboard for children from Henson Associates, Sunburst Communications, and Koala Technologies.

When I stood outside on the street, the Muppet Mansion looked to me like any other posh dwelling on Manhattan's upper East Side. But when I walked through the front door, I left the city behind and entered the world of Jim

Henson's imagination.

The mansion's foyer is dominated by a three-story-high muppet balloon—rather, balloons on top of balloons stretching up to the distant ceiling. Tiny muppets cling to the balloons and float around them on all sides.

The muppet puppeteer's room is around the corner, behind the stairs, and there I saw a drawer full of Kermit heads and Gonzo perched lazily atop a bookshelf.

I left the balloons, the puppeteers, and the Kermit heads behind and climbed the stairs. Sweetums the Ogre was waiting for me on the second floor. Sweetums is a tall (very tall) ogre whose film career dates back to a monster "extra" part he played in Kermit the Frog's movie debut, *The Frog Prince*, in 1971.

Sweetums is not the sort of creature I'd like to bump into on a dark night. He's big, hairy, and all mouth. And he doesn't walk, he gallops. When he saw me, he galloped across the floor and gave me a friendly, bone-stretching ogre hug. I felt like I'd been swallowed by a furry rug.

Sweetums volunteered to be my child tester



more things nodore 64

PFS:FILE and PFS:REPORT are now available for your Commodore 64. With electronic filing software this powerful, you can organize your life in hundreds of ways. PFS: Software makes it easy.

1. You can track your real estate. 2. List your wines. 3. Prepare your invoices. 4. Make

mailing labels. 5. Chronicle your magazines.

6. Manage your inventory. 7. Record your checks.

8. Organize a fund raiser. 9. Manage your stocks.

10. Audit your energy costs. 11. Keep track of

birthdays. 12. List your appointments. 13. Record

your phone numbers. 14. Organize your record

collection. 15. Manage your next move.

Record

the club membership. 17. Track your insurance. 18. List vour recipes. 19. Create "to dest time.

You can thep track of Taxorite Postaurants

er. And your children can manage that

paper routes. of. Catalogue their

Dametrall carde. 52. peep track of

their butterfly collections.

63. And their stamp collections.

They can even list their chores!

PFS SOFTWARE The Power of Simplicity

PFS:FILE and PFS:REPORT currently work on Commodore 64, Apple, IBM, Macintosh, Tandy, DEC, Compaq, Hewlett Packard, NEC, Panasonic, Polo, Texas Instruments, Columbia, Corona, Eagle and Hyperion personal computers. Software Publishing Corporation.



and help me review the Muppet Learning Keys. I've worked with lots of children, but I've never worked with an ogre before, so there were a few things we had to get straight. First, I had to tell Sweetums not to eat the floppy disk that comes with the keyboard (he got the disk stuck on his snaggle tooth). Second, we had a very undignified tug-o'-war when we first got the keyboard. Sweetums wanted to play with the keyboard first, and when I told him I needed the keyboard, he turned his back to me and pouted. Third, Sweetums does not speak English. He only speaks "ogre." So I had to learn what things like "Grrrr . . . Mmmmm . . . Hrrumph . . . Um-Be-Dum-Be-Dum-Be-Dum" meant. I paid attention (it's hard not to pay attention to Sweetums), so I eventually caught on.



My favorite part of the review was when Sweetums picked up the Commodore 64 keyboard and tried to press the keys. His big, furry monster fingers squashed six or seven keys at a time. So now I know. If you have an ogre in your family, a Commodore 64 keyboard is not adequate.

But you might look into the new *Muppet Learning Keys*. Sweetums' fingers worked fine on the big, widely spaced keys. And so did my adult fingers, too. When I played with the keyboard I learned how nice it was to have big keys in bright colors. My fingers were tired of cramped computer keyboards. The keys are arranged in alphabetical order, so they are not suited for touch typists. But they are great for the one-

fingered typists of the world, kids or adults.

There were two things about the keyboard I liked in particular. First, it was like a non-computer person's version of the Macintosh "desktop" environment. The Macintosh, as you probably know, has a display screen that shows little icons, or pictures, that are supposed to resemble items found on a person's desk at his or her office, including a wastebasket, file folders, an alarm clock, and so on. This "desktop" metaphor is all right for someone in an office, but it's not very exciting for little kids and for people who don't get that turned on by desks. And, besides, it's not really a desk, it's a picture screen. And the pictures are black and white and so tiny you have to squint to see them.

The "Anywhere" Desk

The Muppet Learning Keys also pretend to be a desktop. They plug into the Commodore 64 keyboard in joystick port 1. The keyboard is 14 by 15 inches, and about an inch high. You can prop the keyboard in your lap, or better yet, you can dive to the floor, and set up your "desk" there.

On top of your desk is a ruler, marked in inches, with big numbers, from 0 to 9. The numbers are really the number keys on the keyboard—rounded bumps on a flat, membrane keyboard.

Beneath the ruler is a paintbox with lots of watercolors, including yellow, orange, blue, red, and violet. Each color has a label beneath it. To select a color, you just stick your finger in the appropriate paint dish.

A little green chalkboard sits beneath the paintbox. Written in white chalk are the letters of the alphabet, in capital letters, and in alphabetical order. Underneath the chalkboard is one of those marbly assignment


books with a Space key (it looks like outer space, with a comet and stars), and round arithmetic keys: plus, minus, multiplication, and division.

On the right side of your desk is a button that looks like you could pick it up and pin it on your shirt. It says "Zap" and you use it to escape from an activity and go back to a menu.

Beneath the Zap key is an eraser, so you can back up and erase mistakes. Next to the eraser is a compass. It's like a real compass that tells you North, South, East, and West, with arrow keys pointing up, down, to the right and left. It's an official Frog Scout Compass. You know that for sure because there's a famous green frog's face in the center of the compass.

In the lower righthand corner of the desk is a comic book. It's opened to the middle (you can see the staples). There are four cartoons showing.

WE PROUDLY PRESENT OUR AWARD-WINNING STRATEGY GAMES:




CHARLES ROBERTS AWARD: 1983 BEST COMPUTER GAME

COMPUTER BASEBALL

ELECTRONIC GAMES MAGAZINE: 1982 BEST COMPUTER SPORTS GAME

QUESTRON™ • COMBAT LEADER™ FORTRESS™ • RAILS WEST!™

CONSUMER ELECTRONICS SHOW 1984 SOFTWARE SHOWCASE AWARDS



All these games are available for the Apple®, Atari® and Commodore 64® except for COMBAT LEADER® (Atari® and C-64® only).

APPLE is a registered trademark of Apple Computer, Inc. ATARI is a registered trademark of Atari, Inc.



COMMODORE 64 (C-64) is a trademark of Commodore Electronics, Ltd.

STRATEGIC SIMULATIONS INC

You can find these and all our games at your local computer/software or game store today. If you need help locating a dealer, write us: SSI, 883 Stierlin Road, Bldg. A-200, Mountain View, CA 94043. Or give us a call at (415) 964-1353. WRITE FOR A FREE COLOR CATALOG OF ALL OUR GAMES!

There is a picture of Super Gonzo being launched by a cannon toward a brick wall shouting, "Oops!" When you press this picture, you can undo a mistake you've made.

There's a picture of Miss Piggy tied up on the railroad track crying, "Help!" If you use computers regularly, it's not hard to figure out

what this key is for.

A cartoon of Fozzie Bear with a police cap and STOP sign and a picture of Kermit on a motorcycle underneath a green traffic light that says GO disguise keys that enable you to start and stop activities and animate pictures on the screen.

To make your desk work, you need software. And now we've come to the *Muppet Learning Keys*' chief drawback. For \$80, the keys come with a "Muppet Discovery Disk" created by Sunburst Communications. But that's it for now. According to Koala, many more disks are on the way, as well as overlays that fit on top of the keyboard so you can use it for different activities with different aged children. But no more software now is a real limitation, since the *Muppet Learning Keys* are a real keyboard, and it would be great if children and adults could use it as an alternative to the standard keyboard. But to do that, they need software.

The software that comes with the keys is limited, but it's also good. And this brings me to the second reason why I like the keyboard: It has succeeded in turning the computer into an electronic playground. I've claimed in many of my columns in the GAZETTE that my children (ages 8 and 5) spend most of their time on our Commodore 64 just banging on the keyboard and not using any software whatsoever. They know the computer far better than I do, just by experimenting with the different keys and looking at the display screen to see what pops up. This is "discovery learning" at its best, and it's also what you get with the Muppet Learning Keys.

To find out more about the Muppet Learning Keys, contact:

Koala Technologies 3100 Patrick Henry Drive Santa Clara, CA 95052-8100 (408) 986-8866

When you call Koala, tell them Sweetums and Fred sent you. And tell them to get busy making new software!

The Computer Book Shelf

When I'm not in faraway places playing with ogres, I'm back in my house in Roanoke, Virginia, writing—and reading. Here are some of the books I've looked at recently that I recommend to families.

Scholastic Books has a new series of four computer activity books which are popular with me and my eight-year-old daughter. Each book costs only \$4.95 and contains dozens of programs that kids will like to enter into their Commodore 64.

The books are all written by Paul Somerson and Stephen Manes and are titled Computer Space Adventures, Computer Craziness, Computer Olympics, and, my favorite, Computer Monsters.

The books don't start with a boring table of contents. Instead they begin with messages like "Greetings, Earthling!" or "Welcome, Human!" Then they tell kids the basics they'll need to know to enter a program on the computer. And they start showing kids programs, sample output, and weave it all into scenarios starring silly creatures, secret space missions, nutty numbers, and magic codes—a delightful smorgasbord for your 8- to 12-year-old.

When you get tired of monsters and rocket ships, you can come back to earth and try 1, 2, 3, My Computer & Me! by Jim Muller (Reston, 1984, 96 pages, paper, \$12.95). Muller is the Honorary Turtle and co-founder of the Young Peoples' Logo Association (P.O. Box 855067, Richardson, TX 75085—or call the Midnight Turtle bulletin board on your computer by dialing 214-783-7548).

1, 2, 3, My Computer & Me! is a workbook that children (ages 5 and up) can do with their parents. The book is an introduction to Logo thinking, programming, and playing. There are lots of exercises and experiments to do, and lots of blank space in the book for children to draw their own pictures, take notes, color, and just doodle. If you and your children are just beginning to use computers, I recommend this book as a very gentle introduction.

If your children are even younger and your wallet is flatter, you might want to look at *COMPUTERS!* (Golden Book, 1984, 32 pages, paper). This book, at only \$1.95, has to be the least expensive computer book on the market, and one

of the best buys.

As with Muller's book, the emphasis in this book is on parents and children working at home together. The book is suitable for children ages five and up, and has two pages of stickers, games, experiments, and lots of other activities that parents and children can do with or without a computer. So get your pencils, glue, scissors, and crayons, Mom and Dad, and begin computing!

After you've been down in the trenches with your kids for heavy-duty glue-and-sticker computing, you may want a change of pace—food for thought instead of something gooey to stick to your fingers. In this case, you might look at *Buy A School For Your Home* by Judy Lower with Ed Neil and Tim Finger (Reston, 1984, 265

COMPUTE!'s GAZETTE DISK!



Get more out of your Commodore computer.

Start your subscription to COMPUTE!'s Gazette Disk. Each month you can receive a fully tested 51/4" floppy disk to run on either your Commodore 64 or VIC-20 personal computer. Each issue of COMPUTE!'s Gazette Disk will contain all the programs appearing in the corresponding issue of COMPUTE!'s Gazette magazine. So, now you can have all the quality programs found in each month's COMPUTE!'s Gazette ready-to-load on a disk. Send in the attached coupon and subscribe today!

Call toll-free 1-800-334-0868 or send your prepaid coupon to: COMPUTE!'s Gazette Disk P.O. Box 5406 Greensboro, NC 27403 pages, paper, appendices, bibliography, \$14.95) or Bank Street's Family Computer Book by Barbara Brenner with Mari Endreweit (Ballantine, 1984, 251 pages, appendices, bibliography, indexes,

paper, \$8.95).

Both books are intended for families who are just beginning. They answer your basic questions-for example, "Why should we buy a home computer?" And they give you plenty of information about how to buy a computer, how to shop for software, and most important, how to use the computer and software once you've got them home.

Buy A School has separate chapters on using computers with different aged children, and carries with it a strong emphasis on families using computers together and using computers as a learning tool. It also contains a 110-page section reviewing some of the better family programs.

Family Computer Book is rich with case histories about real families who have begun computing, based on the extensive experiences of the researchers at Bank Street College's Center for Children and Technology. It guides parents through the ins and outs of computer jargon and offers specific tips on how to select the right computer equipment and software for the family.

Both books are especially helpful, however, because they don't just keep to the specifics—the logistics—of family computing. They also have the insight and sensitivity to explore the bigger issues parents face when they invest in a com-

puter for their family.

For those families who are past glue-andcrayons computing, and have already mastered the fundamentals, I recommend Eugene Galanter's Kids & Computers: Advanced Programming Handbook (Putnam/Perigee Books, 1984, 224 pages, appendices, index, paper, \$8.95). This is the third in the series of Kids & Computers books by Galanter and is intended for the older child, age 12 and up, who is already programming. I liked the book because it reminded me of a junior version of my computer science courses back at the University of North Carolina. This book is a home-study course in computer science for a student to take to supplement a course he or she is taking in school, or to read alone to pick up some new programming tricks and techniques like structured programming, using files and data structures, and creating basic sorting and searching algorithms. The book is thorough, but I offer one warning: It reads like a textbook. It's for the child who is already motivated, and not for the hesitant beginner.

Catalog Time!

Each month I get a bushel basket full of new computer catalogs brimming with new software 50 COMPUTE!'s Gazette January

suitable for the family. I recommend that you take a look at several of these catalogs because they give you the chance to comparison shop for different kinds of software right in your own home.

Here are the best catalogs I've received:

Special Learning Ed Software (SLED) (specializing in spelling programs) P.O. Box 16322 Minneapolis, MN 55416 (612) 926-5820

Selected Microcomputer Software/Elementary Opportunities for Learning, Inc. 8950 Lurline Avenue Dept. 2P Chatsworth, CA 91311

(818) 341-2535 Quality Educational Microcomputer Software

Charles Clark Co., Inc. 168 Express Drive South Brentwood, NY 11717 (516) 231-1220

The Children's Software Catalog Evanston Educators, Inc. 1718 Sherman Avenue Evanston, IL 60201 (312) 475-2556

Sunburst Educational Computer Courseware (preschool to adult) Sunburst Communications Room BC39 Washington Avenue Pleasantville, NY 10570 (800) 431-1934

Microcomputer Educational Programs MCE, Inc. 157 South Kalamazoo Mall Kalamazoo, MI 49007 (800) 421-4157 (in Michigan, 616-345-8681, collect)

Scholastic Microcomputer Instructional Materials (grades K-12) Scholastic, Inc. P.O. Box 7503 2931 E. McCarty Street

Jefferson City, MO 65102 (800) 325-6149 (in Missouri, 800-392-2179)

1984 Instructional Materials Catalog DLM Teaching Resources P.O. Box 4000 One DLM Park Allen, TX 75002 (800) 527-4747

(in Texas, 800-442-4711) Time Saver II

(preschool to adult educational software) The Micro Center P.O. Box 6 Pleasantville, NY 10570 (800) 431-2434 or (914) 769-6002

0

Educational Software That Works:

Spell.

Spell It!

Spell expertly 1000 of the most misspelled words. Learn the spelling rules. Improve with 4 exciting activities, including a captivating arcade game! Add your own spelling words.

ages 10 - adult / 2 disks: \$49.95



Math.

Math Blaster!

Master addition, subtraction, multiplication, division, fractions, decimals and percentages — by solving over 600 problems. Learn your math facts with 4 motivating activities, including a fast-action arcade game! Add your own problems.

ages 6 - 12 / 2 disks: \$49.95



Word Attack!

Word.

Add 675 <u>new</u> words to your vocabulary — with precise definitions and sentences demonstrating usage. Build your skills with 4 fun-filled activities, including an arcade game! Add your own words.

ages 8 - adult / 2 disks: \$49.95



Read.

Speed Reader II

Increase your reading speed <u>and</u> improve comprehension! Six exercises designed by reading specialists vastly improve your reading skills. Chart your own progress with 35 reading selections and comprehension quizzes. Add your own reading materials.

high school, college & adult / 2 disks: \$69.95




The Davidson Best Seller Tradition.


For your Apple, IBM or Commodore 64. Ask your dealer today.

For more information call: (800) 556-6141 In California call: (213) 373-9473

Davidson & Associates 6069 Groveoak Place #12 Rancho Palos Verdes, CA 90274







VIC Magic Draw

Kevin Gough

Turn your computer into a high-resolution sketchpad with this program. The pictures you create can be saved to tape or disk. Requires at least 8K of expansion memory.

Here's a program that lets you create high-resolution pictures on a 176 × 160 dot grid. "VIC Magic Draw" requires 8K or more expansion memory. After the program is typed in and saved to disk or tape, you must change the start of BASIC and the screen, before loading the program.

There are two ways to do this: manually or with a boot program. Manually, type POKE 648,30:SYS 58648 and press RETURN. Now type POKE 642,32:SYS58232 and press RETURN. Your VIC will display the usual "CBM BASIC V2" at the top of the screen, except the number of bytes free is 3584 less than when you turned your VIC on. That's because the start of BASIC and variables have been moved (to 8192).

The other method for moving memory is a boot program that automatically loads Magic Draw. Program 1, "Magic Draw Boot," does this for you. It consists of five lines of BASIC. If you're using a disk drive, enter and save it as is. If you're storing Magic Draw on tape, change the device number at the end of line 30 from 8 to 1. Make sure you store this boot on your tape before the Magic Draw program. If you're storing Magic Draw on disk, then change the device number at the end of line 30 from 1 to 8.

Three simple machine language programs are automatically POKEd into certain areas after running Magic Draw. They have the functions of saving and loading hi-res pictures that you create, from disk or tape, and clearing the screen of any extraneous matter. These routines are DATA statements in the BASIC program, so take care typing them in. A checksum is performed to make sure the data was typed in correctly, so if there is any wrong data you will be notified.

Here's a list and explanation of Magic Draw control keys.

SHIFT/CLR: This clears the high-resolution screen of any plotted dots. After the first run of Magic Draw, you'll want to clear the screen of any random garbage. After clearing it, you'll see the flashing pixel at the center of the screen.

SHIFT/CRSR (up): This moves the pixel cursor up one dot.

CRSR (down): Moves the pixel cursor down one dot.


SHIFT/CRSR (left): Moves the pixel cursor left one dot.

CRSR (right): Moves the pixel cursor right one dot.

HOME: Moves the pixel cursor to the center of the screen.

X: Plots one dot in the current position of the pixel cursor.

Z: Erases one dot (if present) under the pixel cursor.



This hi-res castle was created with "VIC Magic Draw."

D: Draws continuously wherever you move the pixel cursor. Press *D* again to turn this function off.

E: Erases continuously wherever you move the pixel cursor. Press *E* again to turn this function off.

@: The "at" key creates a box-shaped figure to the right and below the pixel cursor. The size of the box is controlled by the plus (+) and minus (-) keys.

- **+:** Increases the size of the box figure by one dot each time the key is pressed. The limit is 90 dots.
- -: Decreases the size of the box figure by one dot each time the key is pressed. The limit here is a box two dots square.
- **G:** Graphs a pattern of dots on the screen 8×8 dots square. This is useful for drawing precise, dimensioned pictures. Press SHIFT and G to erase the graph.

Q: Quit the high-resolution draw mode. The screen will clear and return the normal VIC cursor. You can run the program again and still retain your previously drawn picture.

S: Save a picture to disk or tape. Each picture takes up to 3524 bytes. Pressing *S* clears the high-resolution screen and asks for the name of your picture. You next enter 1 for disk or 2 for tape save. After it is saved, you return to the high-resolution screen and your picture. Tape users should make sure that buttons on the Datassette are pressed down. You will be prompted with TAPE OFF? before being prompted to PRESS RECORD AND PLAY ON TAPE. Just press RETURN at the *tape off* prompt and then the record and play buttons on the Datassette.

L: Load a picture. You'll be prompted to type in a name and then a 1 for disk or 2 for tape. If

using disk and the picture is not found, an error message is generated. After the picture is loaded, draw mode is entered and your creation is displayed on the screen. The pixel cursor flashes in the middle of the screen.

Adding More Functions

You'll find you have a good amount of memory free after Magic Draw is up and running. Press *Q* and type ? FRE(0). The amount of bytes free is determined by the size of your memory expansion. The extra memory allows you to add new functions. A screen dump to the printer (1515 or 1525) has been added. I've used the program on page 112 of *COMPUTE!'s First Book of VIC*. Now, suppose your screen and the bottom half was blank. You wouldn't want to wait double the time it takes to print out the entire screen. So we must add a line between line numbers 6 and 7. This BASIC line will also serve to end the print routine when the printer is done with the screen:

GETA\$:IFA\$="F4"ORL>154THENPRINT#4,CHR\$ (15):CLOSE4:RETURN

If you press f4 while the printer is dumping the screen, the PRINT routine will end and you'll be returned to the draw mode. Printing the entire screen takes about 35 minutes.

See program listings on page 156.

Program Your Own EPROMS

promenade

JASON-HANHEIM

*Denotes e

VIC 20 \$99.50

PLUGS INTO USER PORT. NOTHING ELSE NEEDED. EASY TO USE. VERSATILE.

 Read or Program. One byte or 32K bytes!

OR Use like a disk drive. LOAD, SAVE, GET, INPUT, PRINT, CMD, OPEN, CLOSE—EPROM FILES!

Our software lets you use familiar BASIC commands to create, modify, scratch files on readily available EPROM chips. Adds a new dimension to your computing capability. Works with most ML Monitors too.

- Make Auto-Start Cartridges of your programs.
- The promenade™ C1 gives you 4 programming voltages, 2 EPROM supply voltages, 3 intelligent programming algorithms, 15 bit chip addressing, 3 LED's and NO switches. Your computer controls everything from software!
- Textool socket. Anti-static aluminum housing.
- EPROMS, cartridge PC boards, etc. at extra charge.
- Some EPROM types you can use with the promenade **
 2758 2532 462732P 27128 5133 X2816A*
 2516 2732 2564 27256 5143 52813*
 2716 27032 2764 68764 2815* 48016P*
 27C16 2732A 27064 68766 2816*

Call Toll Free: 800-421-7731



D

a

2

0


0

JASON-RANHEIM 580 Parrott St., San Jose, CA 95112



Call Toll Free: 800-421-7731 In California: 800-421-7748

odore Business Machines



Build fences around your opponent without letting yourself get hemmed in. This simple game includes a variety of options to keep it ever-challenging. Originally written for the 64, we've added a VIC version.

This game puts you in the construction business. Specifically, you're building fences, and the construction code is straightforward: Fences may be built horizontally or vertically; your construction may not touch the outer walls, your previous work, or your opponent's work; nor can it touch any obstacles that may be strewn in your path.


You score points by outlasting your rival. If his fence crashes first, you win the round and a number of points based on the amount of time consumed by the round. The first player to reach 100 points wins the game.

The choices available in setting up the game are: one or two players; joystick or keyboard input; adding obstacles to the playfield; and increasing or decreasing the speed of the game.

Approximately 30 percent of the program the game action itself—is written in machine language. The sound, timing, and scoring routines are written in BASIC. Accompanying the article is a line-by-line description of how the 64 version works. The VIC version is similar, so the program description also applies with a few exceptions.

Commodore 64 Program Description

Lines	Description
100-120	Call the option routines and initialize
	variables.
130	Checks for winner and jumps to win
	routine.
140-150	Draw screen border.
160	Checks for barrier option, jumps to
	subroutine.
190	Positions players and directions. (Locations
	251-254 hold low and high bytes of each
	player's position. Locations 837-838 hold
	player's directions.
200	Initializes time and calls machine language
	routine, which returns to BASIC when col-
	lision occurs. Score is then determined
	based on amount of elapsed time.
210-230	Check value in location 834 for number of
	player in collision, then jump to appropriate
	routine to update winner's score.
245-250	Flash colliding fence.
270-480	Allow player to choose options.
490-510	Randomly place barriers on screen.
520-550	Initialize sound and variables.
560-660	Print scores and totals, then jump to
	beginning.
670-1350	Load machine language portion of
	Commodore 64 version.



In the two-player game, Red has trapped the Blue player (VIC version).


The game is best when played by two people. The one-player option was added so players could practice if no opponent could be found. You race the clock, trying to survive as long as possible. If you use the practice option, the most challenging level is nine, with obstacles. You have ten rounds to rack up as many points as you can.

Note To VIC Users

Programs 2 and 3 comprise the VIC version of "Trap 'Em." First, type in Program 2, the game loader, and save it to tape or disk. If you're using tape, change the 8 to a 1 in line 130.

Next, type in Program 3, the main game, and save it with the filename "VT". If you're using tape, be sure to save Program 3 immediately after Program 2. This will automatically load Program 3. In the VIC version, the ML routine is POKEd in lines 100–880 of the loader program.

See program listings on page 157.



Practicing in the one-player game, with barriers (64 version).



Chomper

George Hu

In dire need of energy crystals, your spaceship has landed on an alien planet. But the crystals are guarded by soldiers and a vicious droid. Act fast because time is running out. For the VIC and 64; joystick required.


You are a space explorer from the planet Earth. During your voyage, your ship encountered a meteorite belt and most of your ship's energy was drained in protecting the ship. You encounter a strange planet which contains crystals that can restore your ship's power. Unfortunately, the planet is guarded by dormant soldiers and vicious droids. You send a probe, nicknamed Chomper, to collect the crystals.

Using your joystick maneuver Chomper across the planet's surface and gobble up as many energy crystals as fast as you can. For every crystal you collect, you receive 150 points. If you hit a soldier, you lose 450 points. If you allow a droid to catch Chomper, he is destroyed—and that spells doom for you and your mission.

Racing The Clock

You have 45 seconds in which to collect as many crystals as you can. If you earn 3000 points, you will be given bonus time. The first bonus is 45 seconds. Each bonus you earn decreases the next bonus time by 5 seconds. If you earn 6 bonuses, you get a new Chomper in a different section of the planet, with 45 more seconds of play. If you would like more crystals, press the fire button. But beware: More crystals mean more soldiers.

The game begins with a diagram of joystick positions. Push the joystick right for easy play; push it left for harder play. Pushing the stick up increases the number of droids: up to seven for the 64 version or two for the VIC version. After your selection, the playing field and the droid(s) are randomly placed on the screen. The score,



Press the fire button to instantly create more crystals—and soldiers (VIC version).


time remaining, and bonuses are displayed at the top.

After the game is over, you may be asked to enter your name for a high score. Type in your name and press RETURN. Another diagram will appear with the session's high score on top. Push the joystick up for the same level, right for a different level, and down to end the game.

Variable	Contents
L	Score needed for bonus
S	Present score
G V R	Total bonus time received
V	Bonuses reached
R	Amount of next bonus
W	Droid being controlled (1 or 2)
X1	Chomper's X coordinate
Y1	Chomper's Y coordinate
C	Chomper's screen location
X(N)	Droid's X coordinate
Y(N)	Droid's Y coordinate
D(N)	Droid's screen location
C1	1 or 2 droids
F	Ratio of Chomper moves to droid moves
BS	High Score
N\$	Name of high scorer
M	Multi-use counter


Who Invented the Submarine?

Who was the only president to serve more than 3 terms? The purchase of what state was known as Seward's Folly?



These are just a few of the fun and fascinating history questions you'll find with HISTORY FLASH, one of the 54 titles in the ChallengeWare educational series.

With HISTORY FLASH, you can explore over 400 years of facts about the United States, from its discovery by Christopher Columbus in 1492 to constitutional amendments that effect our lives today. HISTORY FLASH is designed to test the knowledge of two players as they compete to win 500 points by correctly answering random historical questions...and provide valuable information where answers are not known. Explorers, Inventors, Black Americans, American Women, Presidents, The Constitution, and Wars are all covered in this exciting program, which will keep you challenged for hours of fun and learning.



ChallengeWare brings students and knowledge together through exciting programs for the Commodore 64, Apple IIe, and Apple II+. Designed for ages pre-school through adult, ChallengeWare includes programs in Pre-school Concepts, Mathematics, Grammar, Social Studies, Science, Foreign Language, Reading, Economics, and Logic & Strategy.

ChallengeWare is the most extensive educational series available in the United States and is used in over 1,000 schools throughout the country. Recommended by teachers as software parents can trust to enhance their child's education, it is the only educational series that can accompany every step in a child's development. So help your child explore this world of vast information...

Discover ChallengeWare at your local dealer!

For Commodore 64 & Apple II Series.


For a FREE CATALOG
or a dealer nearest you call TOLL FREE

or a dealer nearest you call TOLL FREE

1-800-253-2600

in CT (203)621-9361





Your chomper has limited time to mine energy crystals and avoid the droids (64 version).

Customizing The Skill Level

If you find the game is too hard, or too easy, the skill level can be adjusted in several ways. The easiest way is to change the bonus time. By changing the value of R in line 390, the bonus time can be changed. By changing the 6 in the last statement in line 210, you can change the

number of bonuses required to get a bonus screen. By changing the value of F in lines 460–480, you can adjust the ratio of Chomper's moves to the droid's moves.

64 Version Notes

Other than allowing up to seven droids, the 64 version plays the same as the VIC version. If you have a black-and-white screen, press the fire button at the beginning of the game until a B appears. This adjusts colors so you can play on a non-color TV or monitor.

The 64 version is entirely in machine language, and MLX (elsewhere in this issue) is required to enter the program. After loading and running MLX, answer the starting address prompt with 49152, and the ending address with 50891.

To run the game, type SYS49152. Also, be sure to load the game with LOAD" filename", 8,1.

If you'd rather not type in the program (VIC version only), send a blank tape, \$3, and a self-addressed stamped envelope to:

George Hu 16212 122 Ave. SE Renton, WA 98055

See program listings on page 165. @

Copies of articles from this




In Mich. (313) 774-2228

publication are now available from the UMI Article Clearinghouse. For more information about the Clearinghouse, please fill out and mail back the coupon below. gnouse Yes! I would like to know more about UMI Article Clearinghouse. I am interested in electronic ordering through the following system(s): ☐ DIALOG/Dialorder ☐ ITT Dialcom ☐ OnTyme OCLC ILL Subsystem Other (please specify)_ I am interested in sending my order by mail. Please send me your current catalog and user instructions for the system(s) I checked above. Title. Institution/Company_ Department Address_ Mail to: University Microfilms International 300 North Zeeb Road, Box 91 Ann Arbor, MI 48106

t. Clair Shores, MI 48080-5740

RITEMAN. IT MAKES THE RIGHT **IMPRESSION**

Riteman announces LQ—the letter-quality printer that's small enough to hold in one hand. Tiny, super-portable and efficient, LQ weighs less than 7 pounds and costs under \$300. The Riteman LQ. It's the right choice.







Riteman Plus



Riteman Blue Plus



Riteman II



INFORUNNER CORPORATION Airport Business Center 431 N. Oak St. Inglewood, CA 90302 (800) 824-3044 (outside Calif.), (800) 421-2551 (in Calif.)

Inforunner proudly announces the three newest members of the family, all plugcompatible with the following computers: RITEMAN BLUE MAC WITH APPLE MACINTOSH AND II C. RITEMAN R64 WITH COMMODORE.

pole, Macintosh and IIC are registered trademarks of Apple Computer Inc.
Commodore is a registered trademark of Commodore Business Machine, Inc.
*Atari is a registered trademark of Atari, Inc. RITEMAN R800 WITH ATARI.

Kablam!

Stephen Ressler

A prankster perched on the top of your apartment building is tossing firecrackers on to the street. Your job is to maneuver a water-filled bucket to catch and extinguish the firecrackers. An arcade-style action game with versions for the VIC and 64. A joystick is required.


Your once-quiet neighborhood is suddenly being showered with firecrackers. And the culprit won't let up. You arive on the scene in a mad dash to extinguish the firecrackers in a bucket of water.

Take It To The Limit


When the title screen appears, you'll be asked to choose one of 15 skill levels, 1 being the slowest and 15 the fastest. You'll probably want to start with an easier level at first to see how the game plays. Then go up a couple of skill levels until you have a competitive game.

Using a joystick (port 2 in the 64 version), move your bucket left and right to catch the falling firecrackers. Note that your bucket can "wrap around" the screen, that is, moving to a far edge will bring you around to the opposite side of the screen. This is extremely helpful at the more advanced levels.

If a firecracker reaches the ground, an



A quick move to the left might catch the firecracker dropped by the prankster (64 version).



The player faces a decision in the VIC version of "Kablam!"

explosion is heard, and one of your four plays is lost. The game ends only when you're out of plays. You can then choose another level and play again.

If things get too frantic or you need a break in the middle of the game, pause the action by pressing the space bar. Press the CTRL key to resume the game. If you'd rather not type in the game (64 version only), send a self-addressed stamped envelope, a blank tape or disk, and \$3 to:

Stephen Ressler 18 Erindale Drive Marlton, NJ 08053

See program listings on page 168.

Special VIC Notes

The VIC version of "Kablam!" is similar in play to the 64 version, but there are a few differences. You have a total of three plays rather than four, and instead of 15 difficulty levels, there are five. However, the speed of each firecracker increases with each one you catch and decreases with each one you miss—a kind of self-adjusting handicap.

The VIC version also displays the high score, current score, firecracker speed, and firecrackers (plays) left. The SHIFT LOCK key serves as a pause button.

Written entirely in machine language, the VIC version must be entered using a special Kablam! version of "Tiny MLX," found elsewhere in this issue. Once entered and saved,

simply load and run in an unexpanded VIC.

If you have 8K or more expansion for your VIC and a copy of the full-featured VIC MLX (published last month and in earlier issues), you don't have to type in Tiny MLX. Insert the expansion memory, turn on your VIC, and enter this line: POKE 642,32:SYS 58232. This POKE and SYS moves the start of BASIC into the memory expander, where it won't interfere with the machine language program. You can then load the regular VIC MLX, and type in Kablam!

The starting and ending addresses are built into the special version of Tiny MLX. If you're using an 8K or greater expander with regular MLX, use 6291 as the starting address, 7682 as the ending address.

FINALLY, YOUR COMPUTER CAN DO WHAT YOU TELL IT.

Now anyone can use a computer.



Now everyone will use their computer more.

Revolutionary Chirpee™ lets you command your computer by voice.

Why touch your computer when you can talk to it. Chirpee, the most exciting peripheral development of the decade, makes it easy and completely affordable for you to turn your computer into the full-function tool it was intended to be. Thanks to a revolutionary phonetic-based design, you can train Chirpee in any language to understand your voice or several voices. Use Chirpee's demonstration software to create your own programs with voice commands. Free your hands and your mind. You'll have more time to think, more time to program.

Chirpee adds a whole new dimension to your computer. It's the one peripheral that can make your system truly friendly.

Instruction book, plus 6 comprehensive disk software programs included. More being developed by major software manufacturers.

- SOS—Speech Operating System contains all training, use and file handling routines needed to generate basic Chirpee system
- CHIRPEE—the heart of all functional software applications. Allows everybody to use Chirpee for software applications.
- SPEECH GRAPHICS—displays each phonetic utterance on colorful X-Y plot


- AERONAUT—exciting game allows participants to drive hot-air balloon over mountainous terrain with five command words
- CARD FILE—personal filing system for home or business programs. Allows storage, recall or printing of typed memos
- WORD MIX—a word matching game that shows beginning programmers how Chirpee is used in a BASIC program

ENG MFG., INC. 4304 W. Saturn Way Chandler, AZ 85224 Phone 602/961-0165



Suggested Retail \$17995

Call toll-free 1-800-431-3331 or 602-431-0400 for dealer location nearest you.



Can you escape the dungeon by finding the key which opens the door? First, you must get by the math monsters who block your way, asking questions about addition, subtraction, multiplication, and division. An entertaining, educational adventure game for the VIC (8K or more expansion) or 64.

At the beginning of "Math Dungeon," you are asked for a difficulty level. Levels one and two deal only with addition and subtraction of positive numbers. Level three adds multiplication and division (still only positive numbers). Four brings in negative numbers, covering multiplication and division. And five asks all four types of questions about positive or negative numbers.

You begin at a gate outside an old mansion. First, find a way through the gate and get to the front door, which is closed. If you can get the door open, you can enter the mansion and you'll be whisked to the underground dungeon. Your adventure begins.

As you wander through the dungeon, you may find different colored keys and doors. The keys are color coded according to the door they open. One of the doors leads out of the dungeon (to end the game).

In your search for the exit, you may also find a map. It can be very helpful. Once you get it, type MAP to see where you are. The map uses

R to represent rooms, H for hallways, M for monsters, and * for your location.

The Command Vocabulary

This game recognizes a limited number of words. The verbs are:

GET	Pick up an object
INV	Inventory
LOOK	Look around
OPEN	Open a door
CLOSE	Close a door
ON	Turn on a light
OFF	Turn off a light
MAP	Look at the map
N	Go North
S	Go South
E	Go East
W	Go West

The possible nouns include:

GATE	LIGHT
DOOR	MILKBOX
NOTE	GOLD
KEY	MAP

And if you find yourself in a jam, typing ALGEBRA may get you out. Certain commands need only a single word or letter, like LOOK or N. Others combine a noun with a verb, like GET GOLD. The verb usually goes first.

Information about the dungeon is kept in an array FL(10,10), which is filled with rooms, hall-ways, and monsters in lines 1620–1850. Lines 1620–1640 randomly place monsters, according to the level chosen at the beginning. Lines 1650–1680 randomly place hallways and rooms

Inside every kid there are great adventures to be told.



With Playwriter[™] and your computer, now you can write your own great adventure books.

Write the adventures you've always dreamed of. And turn those dreams into illustrated books, with Playwriter Software from Woodbury.

Playwriter is the first software package that lets you write, edit, illustrate, print and bind your own books using your IBM, Commodore 64, or Apple home computer.

Live the adventure as you write it

You can travel through space and time. And go where no one has gone before-to the center of your imagination. Because Playwriter helps you create the heroes, villains and other characters in your story and lets you decide every twist and turn of the plot.

Playwriter guides you through the creative process by asking you questions about the story you want to write.

Playwriter responds to everything you tell it. And you'll see your answers turn into action as the story develops.

Built-in word processor

Playwriter's simple-to-use word processor lets you go back to fix or change any part of the story you like.

Next, just print out the story and put the book together using the hardcover jacket, colorful stickers, and full page illustrations included in each package.

When you're finished, you'll have a real book including a title page, dedication page and a page all about the author, you!

Use it again

With Playwriter you can create a whole library of books written by you. Best of all, you'll have hours of fun long after the computer is

shut off. Apple, Commodore and IBM are all

registered trademarks.






```
CORRECT!
THE MONSTER DISAPPEARS.
YOU SEE SOME GOLD HERE!
YOU ARE IN A COLD AND DAMP ROOM.
EAST IS A DOORHAY.
WEST IS A DOORHAY.
SOUTH IS A DOORHAY.
? INU
YOU ARE CARRYING:
A LIGHT
A GREEN KEY
? GET GOLD
YOU HAVE FOUND 33 GOLD PIECES.
YOU NOW HAVE 33 GOLD PIECES.
? INU
YOU ARE CARRYING:
A LIGHT
A GREEN KEY
33 GOLD PIECES.
?
```

Vanquish the Math Monster by answering a question correctly (64 version).

throughout the dungeon. Lines 1690–1710 make sure a path is available to each monster. Lines 1720–1770 randomly place colored keys and doors around the array.

The game runs on both the VIC and 64. Playing it on the VIC requires at least 8K of expansion (16K or 24K will work). The SYS at line 120 determines which computer is being used (according to whether there are 22 or 40 columns on the screen) and sets the variable CC.



A map of Math Dungeon is behind one of the doors (VIC version).

This information is used to format anything which is printed to the screen.

If you would like a copy of Math Dungeon (tape only), send a self-addressed stamped envelope, a blank tape, and \$3 to:

Richard Lowe 1905 Kossuth St. Lafayette, IN 47905

See program listing on page 162. @

Enter the Age of Robotics

The NOMAD robot! Fun and Educational!

- Complete with software
- Moves forward, reverse, left, right



- Stepper motor controlled
- Ultrasonic vision and ranging

FUN! Nomad has a mobile range of 25 feet. Accurate robot stepper motors control forward and reverse movement and left and right turning. Nomad's ultrasonic vision gives him the ability to detect objects, measure distance and sense motion. All of Nomad's circuitry and mechanics are contained within an aluminum chassis and tough plastic shell. The molded tray can be used to carry small items!

EDUCATIONAL! Teaching Nomad to find his way through a maze or trace geometrical shapes is a great way to teach programming logic to children and adults alike. And, Nomad's ultrasonic sight takes him beyond a standard "turtle". Nomad comes complete with his own robot language, and for the 64, BASIC enhancement software which adds new robot commands. A great way to make the transition from LOGO to BASIC!

Nomad comes complete with software on cassette or disk and a comprehensive user's manual for a retail price of just \$179.95.

Call 215-861-0850 to order direct or contact your local dealer.

ALL TENNIS GAMES ARE NOT CREATED EQUAL

Over the years, game designers have brought several versions of "tennis" to the home screen. Unfortunately, they all resemble Atari's ten year old classic, Pong™. Good games all, but not real tennis.



ON-COURT™ TENNIS

Actual Commodore 64™ screen—Other versions may vary

ON-COURT™ TENNIS IS UNIQUE

ON-COURT™ Tennis by Gamestar was not created equal—it was created better. Over eight months in development, ON-COURT™ Tennis captures the play and feel of real tennis, not Pong™ With Player Perspective Graphics™ so realistic, you feel like you're on the court. With full racquet control over groundstrokes (angle & spin), serves, lobs and smashes. And with the kind of strategic choices you just can't get in a Pong™-like tennis game.

PLAY AGAINST WORLD-CLASS COMPUTER PLAYERS


When you play solitaire against the computer, you'll be in for the match of your life, rookie or pro. That's because the computer players (there are four to choose from) play like their real life counterparts. And their play intelligence "floats" according to your skill. So while they like to keep you in a match, it'll take more than luck to beat them and join Gamestar's exclusive "Top Seeds" club.



ON-COURT™ TENNIS
Actual Commodore 64™ Screen—Other versions may vary

So whether you play tennis for a living or just wish you did, ON-COURT™ Tennis is ready now on the Commodore 64™ at your nearest software dealer. Or write GAMESTAR, 1302 State Street, Santa Barbara, CA 93101 or call 805-963-3487 for more information. Watch our for GAMESTAR—We play to win!





"Where's that article on making backups?" If you're tired of spending time looking through back issues of magazines for an elusive article, let your computer do the searching with "Magazine Indexer." For the VIC or 64, tape or disk.

If you're like a lot of people, you subscribe to several magazines. Every month there are articles you intend to read, or games and utilities you plan to type in. But there's just not enough time. When you eventually get around to them, a new issue has arrived. You fall behind and those interesting articles become lost in the shuffle.

Instant Reference

This program, "Magazine Indexer," runs on the VIC or 64 and provides an instant reference to articles you wish to keep a record of. On the 64, you can store up to 500 records (adjust the DIM in line 100 for more); that is, you can store and review references for up to 500 articles. On the unexpanded VIC, the program can store only 15 articles, although the addition of memory expansion (any size allowed) makes the program far more useful. With an 8K expander, approximately 250 articles can be stored, and with 16K, approximately 500 articles can be stored.

Searching for an article can be done in a variety of ways: magazine title, issue date, article title, or category (article type). The program also provides for deleting references so you can keep the file up to date.

Menu Operation

All of your selections are done via the menu, which first appears when you run the program. Each choice is numbered 1–9. Simply press the number of your selection—you don't need to press RETURN.

- 1. LOAD ALL ARTICLES
- 2. LIST ALL ARTICLES
- 3. ENTER NEW ARTICLES
- 4. DELETE PREVIOUS ENTRIES
- 5. LIST ARTICLES BY MAGAZINE
- 6. LIST ARTICLES BY DATE
- 7. LIST ARTICLES BY TITLE

8. LIST ARTICLES BY CATEGORY

9. SAVE DATA AND END

When you first use the program, select option 3. To enter data, type in the information when prompted. The field length is highlighted, so you know how many characters are allowed (10 for magazine title; 15 for article title; up to 5 for issue date—for example, 12/84 or 1/85; and 1 character for category). When entering the issue date, be sure to enter the "/" character to separate month and year—don't use commas. For the category, use letters which are easy to associate with the articles, such as U for utilities, G for graphics, E for entertainment and games, and so on.

After you've entered all the information, use option 9 to save your data to Cassette (C) or Disk (D). The program automatically handles the creation and maintenance of the data file (a sequential file with the name "ARTICLES"). If you wish to change this filename, make the appropriate changes in lines 720 and 730. Tape users should insert a blank tape, rewound to the beginning, to store the data. Screen instructions are clear and should eliminate any confusion.

The next time you use the program, select option 1 to load your previous work. Then you can use option 2 to list all articles. There are ten per screen on the 64, and five per screen on the VIC. If you have a larger number of articles, the first batch (five or ten, depending on your computer) is displayed and you are prompted to press RETURN to see the next batch. This technique is used to prevent scrolling of data up the screen.

To delete previous entries (option 4), enter the record number (corresponding to the list displayed with option 1). All entries are automatically numbered sequentially when entered with option 3. Also, the program closes up the numerical sequence of articles after a deletion. For example, if you delete article 7, article 8 assumes the seventh position, and the articles which follow (9 and up) move down correspondingly.

Menu items 5–8 let you search for information by entering the magazine title, date, article title, or category. It works like a small data base.

See program listing on page 159.

Strategy Arcade Game By Bruce Carver

The Soviets launch a nuclear strike against major cities in the United States and Canada. Our only hope is our space station equipped with stealth bombers, which can fly undetected in Soviet airspace. As squadron leader, you must first knock out the Soviet Launch sites and then proceed into the city of Moscow. Armed with only the weapons you can carry, you command an assault on the Soviet Defense center and destroy it to stop the attack. Top Multiscreen action!







Top Multiscreen Action Included in Raid Over Moscow







• Joystick Controlled • Suggested Retail Price \$39.95 Disk: Comodore 64 (Available soon on Atari)

Raid OVER ITOSCOW Tlay It Like There's No Tomorrow!

BEACH-HEAD

The War Game To End All War Games!"

段隔(图1011除1)

Arcade Game By Bruce Carver

General Quarters! Battle Stations!

As chief commander of land and sea forces in the Pacific, your mission is to obtain a quick naval victory and invade enemy territory with your land forces. Beach-Head is a 100% machine language game and offers multiscreen action with high resolution, three dimensional graphics.







Top Multiscreen Action Included in Beach-Head







- Joystick Controlled •Suggested Retail Price \$34.95
- Disk: Commodore 64, Atari 48K

Available for: Commodore 64 * Atari






Master Composer









SIMPLE ANSWERS TO COMMON QUESTIONS

Tom R. Halfhill, Staff Editor



Each month, COMPUTEI's GAZETTE tackles some questions commonly asked by new Commodore users and by people shopping for their first home computer. If you have a question you'd like to see answered here, send it to this column, c/o COMPUTEI'S GAZETTE, P.O. Box 5406, Greensboro, NC 27403.

Is it possible to build a RAM disk for the Commodore 64 and, if so, where can I find information on how to do it? Also, wouldn't a RAM disk be a better investment than a disk drive? RAM chips are so inexpensive nowadays (downright cheap, in fact) that you can purchase a 16K dynamic RAM on sale at Radio Shack for a measly \$1.99 each. At that rate, you could purchase 2000K of super-fast, repair-free memory for the same \$250 that you would have to pay for a Commodore 1541 disk drive. All a person would need to do is borrow a disk drive occasionally to store disk-based programs. A RAM disk with 2000K of memorywhich almost equals 12 floppy disks on the 1541—should be plenty for the average user's needs. But if not, I assume that such a RAM disk would have unlimited expansion capabilities. Am I right about all this? Am I on-line or have I made a syntax error?

A. There's nothing wrong with your reasoning, but we're afraid you've made an out of data error.

The chief drawback to using a RAM disk to store programs is that RAM (Random Access Memory) is *volatile*. That is, all the information it holds is erased as soon as the power is shut off. RAM chips must be constantly refreshed with

electricity to maintain their active state. Even a split-second power interruption—as often happens during thunderstorms—can wipe out all the data the chips store. RAM is intended for temporary storage only. It's the computer's workspace for running programs. Disks and tapes are meant for more permanent data storage.


Remember that a *RAM disk* isn't really a disk at all, but simply a block of memory which is set up to imitate a disk drive. The block of RAM can be extra memory that you add externally, or part of the computer's existing internal memory. A special program reserves the block of RAM, protecting it from other uses, and treats it like a floppy disk drive.

For example, the RAM disk could be set up as device #9 (a single floppy drive is normally device #8). When you type SAVE "filename",9 the file is saved from workspace RAM to the RAM disk. Since the RAM disk isn't really a mechanical disk drive, of course, the save is practically instantaneous. Loading a file is just as fast. All you're really doing is transferring the file from one part of memory to another.

Therefore, if the power is turned off (deliberately or accidentally), the file is wiped out. The usual practice when using a RAM disk is to copy the file from the RAM disk to a real floppy disk before ending the session and switching off the computer. Why use a RAM disk at all? Because some disk-intensive programs—such as data base managers which frequently access the disk drive—can run much faster with a RAM disk. But the final copy must always be saved onto an actual disk or all the work will be lost.

It would be possible to use a RAM disk for more permanent storage if it were left switched on 24 hours a day, preferably with battery back-

"Now Your Commodore 64™ Can Print Like a Pro!"





The Revolutionary Printer Interface for the Commodore 64™

A New Era in Commodore Printing Power.

Grappler CD offers the first complete answer to your printer interfacing requirements, with many powerful capabilities unique in the Commodore marketplace. Complete signal translation allows many popular name brand printers to operate perfectly with the Commodore 64, or to imitate Commodore's own printer. Even Commodore's graphic character set can be reproduced on Epson, Okidata, Star, ProWriter and other popular printers.

Exclusive Grappler CD features provide a variety of graphic screen dumps, text screen dumps and formatting. No other Commodore interface can offer this.

If you own a Commodore 64...

If you're serious about quality, trouble free printing... You need the Grappler CD.

Contact your nearest Commodore dealer or call Orange Micro for a dealer near you.

Commodore 64 and Commodore 1525 are trademarks of Commodore Electronics Limited. Epson is a registered trademark of Epson America, Inc.

A Uniquely Intelligent Interface:

- Prints Screen Graphics Without Software
- Graphics Screen Dump Routines Include Rotated, Inversed, Enhanced and Double Sized Graphics.
- Full Code Translation From Commodore's PET ASCII to Standard ASCII, the Language of Most Printers.
- Complete Emulation of the Commodore 1525
 Printer for printing of Commodore's Special Characters.
- Dip Switch Printer Selection for Epson, Star, Okidata, ProWriter and other popular printers.
- Conversion Mode for Easy Reading of Special Commodore Codes.
- Text Screen Dump and Formatting Commands
- 22 Unique Text and Graphics Commands



1400 N. LAKEVIEW AVE., ANAHEIM, CA 92807 U.S.A. (714) 779-2772 TELEX: 183511CSMA

C Orange Micro, Inc., 1983

up in case the unexpected happens. But building such a device yourself would be a formidable task

For one thing, the 16K RAM chips you've seen on sale at electronics stores such as Radio Shack don't store 16 *kilobytes*. A 16K RAM chip actually stores 16 *kilobits*. Since there are eight bits in a byte, it takes eight 16K RAM chips to store 16 kilobytes, commonly referred to as "16K." This alone would inflate your cost estimate by a factor of eight. Instead of \$250 for 2000K, you'd be paying \$2000.

There are other considerations as well. You can't just wire up a few rows of RAM chips on a circuit board and plug them into a computer. You'd need additional chips to control the RAM chips, plus miscellaneous support circuitry (including a system for power-refreshing, required by dynamic RAM chips many times per second). Everything would have to be designed to interface flawlessly with the computer's hardware. Finally, you'd have to write a sophisticated machine language program to link with the computer's operating system so the RAM disk would be recognized as a storage device. Obviously, it's a job best left to engineers and advanced programmers.

There have been some products advertised for the 64 and VIC which add additional memory through bank switching. These memory expanders add 64K to a 64, but only one bank of 8K is available at any time. They're not exactly RAM disks, but they give you additional space for storing data. And you still need to save pro-

grams on tape or disk.

If what you're looking for is a faster, cheaper, and more reliable alternative to floppy disk drives, you probably won't have to wait for long. In the next few years, we can expect to see better systems for mass storage. Hard disks, formerly affordable only by businesses and well-heeled hobbyists, are becoming cheaper every day. We've seen some ten-megabyte (10,000K) hard disks for the IBM PC advertised for as low as \$795.

Ten megabytes is the equivalent of 64 floppy disks on a Commodore 1541 drive, and hard disks are so fast that you might mistake them for RAM disks. Although \$795 might seem like a lot of money compared to the price of a 1541, it's not really much more than what ordinary floppy disk drives cost a few years ago. Soon we may see them for \$500 or less, and marketed for home computers as well as high-end personal and business computers. And laser disks, now used mainly for audio and video recordings, are a promising possibility.

You can also expect floppy disk drives to continue improving in terms of reliability, storage

capacity, and cost effectiveness.

The use of battery-powered (or bubble memory) RAM disks for mass storage purposes will probably be limited to portable computers. Predictions in this industry are risky, of course, but it seems likely that magnetic and optical media will remain cheaper in terms of kilobytes per dollar than electronic circuitry.

word processor published in COMPUTEI's GAZETTE. When you are programming in BASIC on a Commodore 64, the screen says there are 38911 bytes of memory available. When you're using SpeedScript, however, you have 45824 bytes available for text. How can you have more room for text than usable memory?

You can't have more room for text than usable memory, of course. The answer is that the Commodore 64 has more than 38911 bytes of usable memory. The catch is that not all of it is available in BASIC.

Remember that the Commodore 64, as the name implies, has 64K of RAM. It also has 20K of ROM (Read Only Memory). The ROM is permanent memory which holds the operating system (8K), the BASIC interpreter (8K), and the character generator (4K). All together, that's a total of 84K of RAM and ROM.

The problem is that the microprocessor chip which is the central brain of the Commodore 64 cannot address, or "see," more than 64K of memory at a time. To get around this limitation, the Commodore 64 designers layered the ROM atop some of the RAM. This masks out 20K of RAM. After additional RAM is subtracted for things like screen memory and other overhead, only 38911 bytes remain available for BASIC programming.

If you're writing a BASIC program, the operating system has to use BASIC ROM to understand and interpret the program. It's possible to switch out the ROM to get to the RAM underneath, effectively disconnecting the computer's BASIC brain, but without a brain it wouldn't recognize anything you typed. That's why the bank switching technique is used primarily by machine language programmers.

Because SpeedScript is written entirely in machine language, not in BASIC, it can take advantage of some of this "invisible" RAM hidden beneath the ROM. It switches off BASIC completely, freeing 8K of extra RAM for text (plus the 4K starting at location 49152), leaving a total of about 45K. Many other programs use this technique, too.

"THOROUGHLY IMPRESSED!"

CONTROL STATE

"THE CONSULTANT is capable of very large and complicated searches. It is a very good system at a reasonable price. Documentation: excellent Overall rating: 9/10"

- TPUG MAGAZINE

"... you should definitely try out THE CONSULTANT ... powerful and very well designed."

- EVERYTHING YOU CAN DO WITH YOUR COMMODORE, 1984 EDITION

"For a truly professional data management program, you will have to look a long time before you find a better one than THE CONSULTANT."

HOME APPLICATIONS FOR THE C-64

The Consultant

(tormerly Delphi's Oracle)

PROFESSIONAL DATA BASE MANAGEMENT SYSTEM
FOR COMMODORE COMPUTERS
FOR COMMODORE COMPUTERS

FOR PROFESSIONAL DATA BASE MANAGEMENT SYSTEM

STORY

STORY

PROFESSIONAL DATA BASE MANAGEMENT SYSTEM

STORY

STORY

PROFESSIONAL DATA BASE MANAGEMENT SYSTEM

STORY

STORY

PROFESSIONAL DATA BASE MANAGEMENT SYSTEM

STORY

STORY

STORY

STORY

STORY

PROFESSIONAL DATA BASE MANAGEMENT SYSTEM

STORY

STOR

Store and sort large amounts of information, and then instantly find the item you need, with THE CONSULTANT for your Commodore 64. A database manager of extreme power, speed and simplicity.

Key features include:

- flexible, expandable file
structure; up to 9 pages
(7000 characters) per record

 total number and size of files limited only by disk space; virtually unlimited file layout possibilities

- sophisticated sorting and sub-sort functions, using up to 9 criteria

built-in mail list and mail label printing routines

 full arithmetic functions, allowing page sub-totals, report totals and statistical analysis

 interfaces with PaperClip word-processor to produce letters, complex reports and other valuable output

Like a smart, computerized filing cabinet, THE CONSULTANT controls your information for you. You choose the file size and format — THE CONSULTANT's flexible file structure adapts to almost any application you can think of. And you can change the structure of your files without having to re-enter any data — a great time saver. Easy to learn and simple to use. Big system speed and sophisticated sorting functions, all for an exceptionally low price. No wonder THE CONSULTANT comes highly recommended!

AVAILABLE NOW FOR THE COMMODORE 64, COMING SOON FOR THE IBM PC.

BATTERIES NCLUDED

186 Queen St. West Toronto, Ontario, M5V 121 Canada (416) 596-1405

"The Energized Software Company!"

17875 Sky Park North, Suite P, Irvine, California USA 92714

Using Variables In 1985

To begin with, variables work the same in 1985 as they did in 1984. But since it's January, let's start off with a New Year's resolution. My resolution is that I'm going to show you how to use variables in BASIC programs—and your resolution is to learn how variables work. Is that a deal? Let's get started. We've got the whole vear ahead of us.

symbols, color commands, POKE numbers, editing commands, and more.

Here's a short program showing another way to use variables (enter these lines as shown and be sure to press RETURN at the end of each line):

10 B\$="BASIC MAGIC IS FUN!" 20 PRINTBS

Uses Of Variables

Random Numbers

INPUT Statements

Editing Commands

Check The Keyboard

String Functions

Abbreviate Long Info.

FOR-NEXT/Time Delay

Formulas

Short Examples To Try

10 A=100:B=20:PRINTA"TIMES"B"="A*B Calculation

10 RATE=.12:LOAN=80000:PRINTRATE*LOAN

10 X=INT(10*RND(1)+1):PRINTX:GOTO10

FOR-NEXT/Repeat Action 10 FORB=1TO9:PRINT"REPEAT ACTION 9 TIMES":NEXTB

10 PRINT"WAIT":FORT=1TO1500: NEXT:PRINT"CONTINUE"

10 PRINT"YOUR NAME";:INPUTN\$:PRINT"HI,"N\$
10 A\$="FREQUENTLY USED LONG MESSAGE":PRINTA\$

10 C\$="{CLR}":PRINTC\$

10 BK\$="{BLACK}":PRINTBK\$"THIS PRINTS BLACK NOW" 10 X\$="YESNO":PRINTLEFT\$(X\$,3):

PRINTRIGHT\$(X\$,2)

10 GETK\$:IFK\$=""THEN10

20 PRINT"PROGRAM CONTINUES WHEN YOU PRESS A KEY"

Type RUN and press RETURN. The computer prints the sentence: BASIC MAGIC IS FUN! Why? Well line 10 tells the computer that the variable B\$ stands for everything inside the quotation marksin this case, a whole sentence.

The XYZ's Of Variables

Variables put more "magic" in BASIC programs than any other technique. Some discussions of variables talk about memory locations or algebra, but I like to use a simpler approach. Type the following line and then press RETURN:

A=5:PRINTA

There are two commands in this line. The first command (A=5) tells the computer that from now on, the letter A is the same as the number 5. The second command (PRINTA) tells the computer to print the variable A on the screen, and since A equals 5, the computer responds by printing the number 5.

Notice that when we PRINT a variable, it's always OUTSIDE quotation marks. It might help to think of a variable as a "stand-in" or "substitute." We can use variables to stand for numbers, formulas, letters, words, sentences, graphic

So when we tell the computer to PRINT B\$ in line 20, the computer prints the sentence.

As we've seen in our opening examples, there are two types of variables: numeric variables and string variables.


Numeric variables are used to stand for number values used in calculations and formulas. A numeric variable name can be any letter of the alphabet, two letters, or a letter and a number. Here are some examples of numeric variables:


A, AB, A1, B2, XY

String variables can be used to stand for anything which is normally put inside quotation marks in a BASIC program—letters, words, sentences, graphics symbols, color commands, screen editing commands, and more. The only difference in appearance between string variables and numeric variables is that string variables have a dollar sign (\$) at the end. Here are some examples:

A\$, AB\$, A1\$, B2\$, XY\$

SUMMER GAMES. NOW IT'S YOUR CHANCE TO GO FOR THE GOLD.





The 84 Olympics are over, but for you, the competition has just begun. How well can you score in track, swimming, diving, shooting, gymnastics and more? So realistic, there's even an opening ceremony and awards presentation after each event.

Unlike other "Olympics-Like" games, Summer Games has incredible realism, superb state-of-the-art graphics and sound effects (including national anthems from 18 countries), and it is a true action-strategy game. In each event you must plan and execute your game strategy in order to maximize your score. It is not just a matter of how fast you can move the joystick.

So change into your running shoes, grab your joystick and GO FOR THE GOLD!

One or more players; joystick controlled.



Strategy Games for the Action-Game Player

REM: Some BASIC statements, like ST, cannot be used as variables. Some of the letter combinations which are "reserved" by the computer for use as BASIC statements are: IF, OR, ST, GO, TO, TI, and TI\$. If you try to use these as variables, the computer will give you a SYNTAX ERROR message. Do not use variables which contain keywords...for example, you can use MO as a variable but MOR won't work because it contains the keyword OR.

It's possible to use complete words like RATE and RATE\$ as variables, although I recommend that you use one- or two-character variables rather than complete words like RATE\$. The problem is, the computer will accept a long variable name like RATE, but it only "sees" the FIRST TWO LETTERS. So if you name a variable RATE or RATE\$ the computer only reads RA or RA\$, which means you can get into trouble if you try to define two variables like RATE and RANGER. The computer will think they're both the same (RA).

Using Numeric Variables

You can use numeric variables just like numbers. This is important because this feature lets you change the variable by adding to it or subtracting, multiplying or dividing it. To show you how this works, type NEW and press RETURN, then enter this short program and run it:

10 X=1

20 PRINTX 30 X=X+4

40 PRINTX

The computer prints two numbers: first the number 1, and then the number 5. And it uses the same variable (X) to do it. The trick is that we *changed* the value of X. Here's how it works:

Line 10 defines X as the number 1. Line 20 prints the value of X, which is 1.

Line 30 adds 4 to the old value of X, so that the new value of X becomes 5. In other words, X=X+4 is the same as saying X=1+4 and 1+4 equals 5 so X=5 and 5 becomes the new value of X. It's important to remember that the new value is always to the left of the equals sign. Anything to the right is the old value. So, for example, X=X+X means the new value is the old value plus the old value. In other words, it's doubled.

Line 40 prints the last value of X, which was 5, and from now on unless you change the value of X again, X stands for the number 5.

Got that? Let's consider a few more examples. The key is line 30. If we said in line 30 that X=X+20, then the new value of X would be 21. We could also change the old value of X by multiplying it by some number. For example, if we

put X=X*12 in line 30, the new value of X would be 1*12 which is 12. And if we wanted, we could change the value by subtracting, dividing, or even multiplying X by a percentage or bank interest rate—that's how "business" programs work. They use variables to help calculate various formulas, like interest rates.

Type NEW and press RETURN, then enter and run this program:

10 PRINT"ENTER DOLLAR AMOUNT": INPUTC

20 PRINT"ENTER AN ANNUAL INTEREST RATE (U SE .12 FOR 12 PERCENT)":INPUTR

30 PRINT"\$"C"TIMES"R"EQUALS"C*R

Type NEW and press RETURN, then enter this program:

10 X=1

20 PRINTX

3Ø X=X+1

4Ø FORT=1TO2ØØ:NEXT:GOTO2Ø

To stop the program, hold down the RUN/STOP key and press RESTORE at the same time, then type LIST and press RETURN to see the program. Do you see how this program uses the variable X to "count"? Here's how it works:

Line 10 defines X as the number 1. Now when the computer sees X it interprets it as the number 1. But we can also *change* the value of X—and we're going to do that in a moment.

Line 20 prints the value of X, which is 1, so the computer displays the number 1 on the screen.

Line 30 adds 1 to the value of X, which makes it 2. In other words X=X+1 is the same as X=1+1 or X=2. So the *new value of* X *is* 2.

Line 40 starts off with a FOR–NEXT time delay loop which tells the computer to pause and "count" to 200 before going on (computers count fast). GOTO20 tells the computer to jump back up to line 20 and print X. The computer prints the most current value of X, which is now 2.

The program keeps going to line 30, where it adds 1 to the value of X. Except this time X equals 2, so X=X+1 is the same as X=2+1 or X=3, and the new value of X is 3. The program loops through line 40 to line 20 again and prints the new value of X which is now 3.


We'll show you some more sophisticated uses for numeric variables further on, but first let's take a look at how string variables work.

Here's a short program which uses numeric variables to "count" through the screen colors—notice the numeric variables SC and T:

Commodore 64 Version:

10 FORSC=0T015:POKE53281,SC:FORT=1T01000: NEXTT:NEXTSC

IMPOSSIBLE MISSION. YOUR MISSION-TO SAVE THE WORLD.





As a member of the exclusive Anti-Computer Terrorist Squad (ACT), your mission is to find and reach the infamous Elvin, who is holding the world's population hostage under threat of nuclear annihilation. You must negotiate a

path through the rooms and tunnels of his headquarters trying to avoid Elvin's robot protectors.

Should you try to outrun or jump over the next robot or play it safe and take the time to assemble the codes needed to deactivate the robots and then to

find and stop Elvin.

Use your camera to photograph as many clues as possible to find the password which will allow you to penetrate Elvin's control room.

Your Mission - To Save The World, But Hurry!

One player; joystick controlled.



Strategy Games for the Action-Game Player



VIC-20 Version:

10 FORSC=1TO255:POKE36879,SC:FORT=1TO1000
:NEXTT:NEXTSC

Plus/4 and Commodore 16 Version:

10 FORSC=1TO255:COLORØ,SC,7:FORT=1TO1000: NEXTT:NEXTSC

This line defines SC as a range of numbers from 0 to 15 (or 1 to 255). Then we use a POKE (or COLOR) command to change the color of the screen—the colors will be displayed in order from 0 to 15 (or 1 to 255). Then comes a time delay to slow things down, and finally the NEXT command which wraps up the FOR–NEXT loop.

Using String Variables

Did you ever look at a long program in a computer magazine and get confused by all those letters and dollar signs? In BASIC, anything followed by a dollar sign is a *string variable* and it's really not so confusing if you know how to read it. The only exception is if the dollar sign is inside quotation marks, in which case you're either printing the character (\$) or using it as part of a string. The three-line interest rate program above is an example of this.

The key to interpreting string variables in a new program you haven't seen before is to look for any "definitions" in the program, such as D\$="{10 DOWN}" or C\$="{CLR}". In this example, D\$ is used to stand for 10 cursor commands ({10 DOWN} means press the CRSR DOWN key 10 times) and C\$ is used to clear the screen ({CLR} means hold down the SHIFT key and press the CLR/HOME key). Type NEW to erase your previous program, then enter and run this example:

10 C\$="{CLR}":D\$="{10 DOWN}"

20 PRINTC\$D\$"NOW WE CAN USE...":FORT=1T05 00:NEXT

30 PRINTC\$D\$"OUR VARIABLES EASILY...":FOR T=1T0500:NEXT

40 PRINTC\$D\$"TO POSITION OUR MESSAGE.":FO RT=1T0500:NEXT

Using variables to stand for editing commands is a common use of string variables. This is not only convenient but it also saves some memory if you're trying to "crunch" your program to keep it small and manageable. You can use string variables to stand for colors, cursor movements, insert and delete functions, clearing the screen, HOMEing the cursor, and more.

You can also use string variables to stand for a graphics symbol, or even a "string" of symbols. Type NEW and press RETURN, then enter this example:

In line 10, C\$ is defined as the *clear screen* command and L\$ is defined as a string of graphic "line" symbols. Now, whenever you PRINTC\$, you'll clear the screen, and whenever you PRINTL\$, you'll draw a line across the screen. In our example, we put both variables together.

One of the most common and important uses of string variables is the INPUT statement. If you type INPUT followed by any variable, the computer displays a question mark on the screen and waits until you type something; when you press the RETURN key, whatever you typed gets assigned to the INPUT variable. We've already used some short examples in this column so here's a longer version:

10 PRINTCHR\$(147)"ENTER A LOAN AMOUNT AND PRESS RETURN (USE 80000 FOR";

20 PRINT" \$80,000...DO NOT TYPE \$ OR COMM AS)":INPUTL

30 PRINT:PRINT"ENTER AN INTEREST RATE AND PRESS RETURN (USE .12 FOR";

40 PRINT" 12 PERCENT)": INPUTR

50 PRINTCHR\$(147)"THE ANNUAL INTEREST ON"
L" AT"(R*100)" PERCENT IS \$"(R*L)

60 PRINT" [HOME] "TAB(242) "PRESS ANY KEY TO CONTINUE."

70 GETK\$: IFK\$=""THEN70


80 GOTO10

Line 10 uses the PRINT statement to clear the screen, then displays a *prompt message* (inside quotation marks) with instructions to the user. It's not absolutely necessary to include a prompt, but it helps a lot. If you used only INPUT statements, the user might not know to type in a number, seeing only a question mark and a blinking cursor. The semicolon ties this PRINT message to the next PRINT message in line 20 so the two PRINT statements are displayed as one continuous line. Semicolons in BASIC are sort of like super glue.

Line 20 continues the message begun in line 10. We could use the superglue semicolon (;) again, to put the INPUT question mark at the end of the PRINT message. But we left it out, because VIC-20s have a quirk which doesn't allow input prompts longer than 22 characters (one line). We didn't use the semicolon, so the INPUT question mark appears on the next line down. The INPUT command tells the computer to wait for an entry and assigns the variable L to the number you typed in—we're using L to stand for "Loan."

Line 30 starts with a PRINT command all by itself—this puts a blank horizontal line on the screen to put some "space" between our messages. Next, we have another prompt message inside quotation marks. Prompt messages tell the person using your program exactly what they should do next. Again, our message "spills over" to the next line, so we use a semicolon at the end

9 TO 5 TYPING. BECAUSE NOT ALL TYPING GAMES HAVE TO BE SHOOTING DOWN SPACESHIPS.





Why do typing programs have to involve shooting down spaceships? They don't!

9 TO 5 TYPING lets students and adults learn

to type using an effective method developed by college educators. We've taken the ten basic steps to learning typing and combined them with the fun of sequences from the movie, 9 TO 5. What could be better than learning the key locations while helping Doralee lasso Hart. Or

increasing your speed while taking pot shots at Hart in a shooting gallery. All the fun of the movie combined with an innovative new approach to learning touch typing.

9 TO 5 TYPING. The typing game for everyone...Spaceships not included.



Strategy Games for the Action-Game Player

*9 TO 5 is a trademark of Twentieth Century-Fox Film Corp.



of the first part to tie things together.

Line 40 finishes the message, waits for the interest rate to be INPUT, and assigns the variable R to it.

Line 50 clears the screen and prints a message which contains the words of the message inside quotation marks, the INPUT variables which display the numbers you typed in as L (loan amount) and R (interest rate). The calculation (R*100) converts the decimal interest rate into a whole number—for example, if R is .12 this calculation makes it 12 so we can say "12 percent" in our message. The formula (R*L) at the end of the message multiplies the two variables to automatically give the result. If L is 80000 and R is .12 the result is 9600.

Line 60 goes to the "home" position and TABs across 242 spaces, then prints a prompt

message.

Line 70 checks the keyboard to see if any key was pressed. This line keeps going back to itself if no key is pressed. As soon as a key is pressed, the computer drops down to the next line which tells it to GOTO the beginning of the program and do it over again.

Let's take a quick look at another use of a

string variable: the GET\$ function.

Using GETK\$ To Check For Any Key

The GET command uses a string variable to identify a key from your computer's keyboard, so you can tell in a BASIC program which key a user is pressing. I like to use the variable K\$ to stand for "key." Try this short program:

- 10 PRINTCHR\$(147):PRINT"PRESS ANY KEY TO {SPACE}START"
- 2Ø GETK\$:IFK\$=""THENGOTO2Ø
- 30 PRINT"I'M A SMART COMPUTER. [2 SPACES]I
 KNOW WHAT KEY YOU TYPE. [2 SPACES]TYPE
 A KEY."
- 40 GETK\$: IFK\$=""THEN40
- 50 PRINT"THE KEY YOU TYPED IS "K\$
- 60 FORT=1T01000:NEXT:GOT010

Since we're going to devote a future column to GETting and PEEKing the keyboard, we'll make this a short explanation. The "key" lines in this program are line 20 and line 40. In both of these lines, we tell the computer to GET a key from the keyboard. We're using the variable K\$, although you could use any string variable here. The IF-THEN statement in these lines tells the computer that if K\$ equals nothing (two quotation marks "" side by side mean "nothing" in this use), then keep going back to the same line to check the keyboard. As soon as a key—any key—is pressed, this line stops going back to itself and the program continues. K\$ now stands for the key you pressed in line 40, so in line 50

we can actually PRINTK\$ and the computer will display the character on the key you pressed. Any key including SHIFTed characters will be detected.

LEFT\$, MID\$, And RIGHT\$

These three commands are seldom discussed in BASIC tutorials but can be very useful. Here's how they work. If you put a long group of characters, words, color commands, or other information inside quotation marks, these "string functions" let you pull out virtually any character or group of characters from the group. We'll use the following program as an example:

- 10 W\$="YESNOMAYBE"
- 20 PRINTLEFTS (WS, 3)
- 30 PRINTRIGHTS (WS, 5)
- 40 PRINTMID\$ (W\$, 4, 2)

Line 10 defines the string variable W\$ as a group of letters in quotation marks which form the words YES, NO, and MAYBE.

Line 20 uses the LEFT\$ command to print the first three characters which form the word "YES." Notice the format inside the parentheses. First comes the variable, then a comma, then how many characters counting from the left side you want to use—in this case we took the first three letters. You tell the computer to start at the left of string variable W\$, and pick out three letters.

Line 30 works just like line 20, except this time we print the five characters counting from the *right* side, forming the word "MAYBE."

Line 40 works similarly to lines 20 and 30. The MID\$ command requires an extra number in parentheses. The number 4 in parentheses tells the computer to count four characters from the left side of the string. The number 2 selects two characters—in this case, the fourth and fifth characters, which are the letters N and O. If you want to experiment, try using MID\$ instead of RIGHT\$ to get the word MAYBE in line 30. (Hint: Change the two numbers in parentheses to 6 and 5.)


There are many, many other ways to use variables—for example, we haven't even covered random numbers yet, or how the computer calculates numbers. We'll explore these "magical" topics and much more in the coming months—and keep our New Year's resolution to learn more about variables and how they work.

COMPUTE!'s Gazette

TOLL FREE Subscription Order Line 800-334-0868

In NC 919-275-9808

BREAKDANCE. BREAKIN' MADE EASY.





The hottest craze in the U.S. this fall is Breakdancing, and you don't have to miss it. Now anyone can Breakdance. Just grab your joystick and control your Breakdancer in poppin, moon walking, stretching and breaking...all on your computer screen.

Breakdance, the game, includes an action game in which your dancer tries to break through a gang of Breakers descending on him, a "simon-like" game where the dancer has to duplicate the steps of the computer-controlled dancer and the free-dance segment where you develop your own dance routines and the

computer plays them back for you to see. There's even a game that challenges you to figure out the right sequence of steps to perform a backspin, suicide or other moves without getting "wacked."

Learn to Breakdance today! Epyx makes it easy!

One or two players; joystick controlled.



Strategy Games for the Action-Game Player



This is the first installment of the new Commodore column for both the VIC and the 64. Because of the cancellation of "VICreations," we've decided to cover both machines in what was formerly "Horizons: 64". As the new Commodore 16 and Plus/4 computers arrive on the market, we'll cover them here, too. The nature and style of this column will not change unless you, the reader, want to make recommendations. The column will try not to slight any machine for the benefit of another, but the 64 must get the attention it deserves.

A hardware item reviewed here (such as a printer or interface) can be applicable to both machines. Software reviewed here for the 64 is sometimes available in a VIC-20 version.

End Of An Era

The VIC-20 is in its sunset days. It has been and still is a good value for the money, but even better price/performance buys are becoming available (such as the Commodore 16). Commodore is no longer manufacturing the VIC-20, but there are thousands of under-\$100 VICs still available in stores and warehouses. New hardware and software for the VIC is becoming hard to find. In fact, almost every major software publisher has discontinued its VIC product line.

Nevertheless, many people have made quite an investment in the VIC—it originally sold for \$299. A theoretical VIC-20 system could have an 80-column display cartridge, 32K of memory, several disk drives, a high-quality printer, not to mention joysticks, light pens, a color monitor, and perhaps \$1000 in software. Even though the VIC-20 is no longer a current product, there's still an active and enthusiastic VIC audience out there.

VIC owners should remember that for less than \$200 they can add a Commodore 64 to their system, cheaper than some fully expanded VIC motherboards. The 64 can use most VIC-20 peripherals, such as the 1541 (but not the earlier 1540) disk drive, any color monitor, Commodore-compatible printers and printer interfaces, a Datassette, and game peripherals. Even some VIC software will work on the 64. There's no good reason (except financially) that you can't own and use two computers. That way you don't lose the investment you've made in VIC-20 software, plus you gain access to a new (and more powerful) software library. The new Commodore 16 and Plus/4 can also use many VIC and 64 peripherals. If at least all peripherals could be guaranteed compatible with future models, it would not be considered financially reckless to upgrade just your computer console. Your peripherals will always end up costing more than the computer.

VIC And 64 Reunion

If you do own both a VIC and a 64, you've probably realized that both machines cannot share a disk drive or printer. Each machine must have complete control of the serial bus. With two controllers (computers) vying for priority, all the peripherals get quite confused. Usually the whole system crashes.

You can use both a VIC and 64 simultaneously as long as you unplug the serial cable from the computer not currently needing access to peripherals. If you have a Commodore color monitor, the VIC can be attached to the front connections, and the 64 to the rear ones. A flip of a switch is all that is necessary to change your display from the VIC to the 64, or vice versa. But not only is it inconvenient to change cables, it can also sometimes reset the computer (wiping out anything in memory), and even damage your computer or peripherals. You should never plug in or remove any cables or cartridges with the power on (some people won't even plug in a joy-

IF YOU OWN A HOME COMPUTER THERE'S ONE NAME YOU SHOULD KNOW:

ACTIVISION

Activision's bringing its unique kind of excitement to your home computer. We offer you the best entertainment software for the Commodore 64, Apple II, IBM PC, IBM PCjr., Atari, and Adam home computers. Realistic simulations like Space Shuttle: A Journey into Space. Interactive fiction like Mindshadow and The Tracer Sanction. Creativity tools

like The Designer's Pencil.™ Adventure classics like Pitfall II: Lost Caverns.™ Action hits like H.E.R.O.™ Sports challenges like The Activision Decathlon. And the strategy and action of Ghostbusters.™

We don't make computers, but we sure make it exciting to own one.

stick with the power on, though I've never found

this to be a problem).

The Reunion is a small black box that solves this problem. Simply plug the cables from the box into both a VIC and a 64. Your standard serial cable plugs into the rear of the box, which is then connected to the first peripheral in the chain. Both computers cannot access the serial bus simultaneously, but with a push-button toggle switch you can easily alternate between the VIC and 64. We've used the box here when translating programs. The original program can run on one machine for comparison while you are working on the translation.

When I developed the VIC version of *SpeedScript*, I simply switched cables. I translated the source code and assembled it on the 64, then saved the object code to disk. When I wanted to test the VIC version, I would switch cables, load the program into the VIC, and test it. My source code was safe on the 64, so if the VIC crashed, I didn't need to go through the laborious process of reloading the assembler, my utilities, and the source code. It also reduced the number of times I had to save my source code. The Reunion would have been quite handy, and I wouldn't have had to fear losing any programming when I switched cables.

Incidentally, it would at first appear that you could simply plug a cable between the VIC and 64 to permit them to directly communicate with each other over the serial bus. But what device number would you use? As it turns out, that's a dumb question, since a controller does not have a device number. Both machines are trying to control each other, and neither will give in. That's the problem with an intelligent bus. The RS-232 (modem) port, however, is not considered an intelligent bus. We've used a null modem cable (a cable which directly connects two RS-232 ports, obviating the need for modems and telephones) to let the VIC and 64 talk directly to each other at high speed. Another possibility is using the parallel user port (which is the same physical port as the RS-232 port, but can be reprogrammed to act as a simple parallel port).

Speed Up Your System

Two new products from Skyles Electrical Works can significantly amplify the power of your 64. *Blitz!* is a BASIC compiler that translates almost any Commodore 64 BASIC program into P-code, a compiler language much faster than BASIC. *1541 Flash!* is a hardware modification that transparently drives your 1541 at three times normal speed (or 300%, which *sounds* even faster). *Blitz!*, therefore, effectively speeds up

your computer, and 1541 Flash! speeds up the disk drive. Both of these products are excellent.

The Blitz! BASIC compiler is a dream come true for BASIC programmers. BASIC is easy to learn and use, but is much slower than machine language. You can write almost any program in BASIC, but games tend to be sluggish, business programs take lengthy siestas during sorts and searches, and utilities take forever to read a disk file. Machine language, of course, can be a thousand times faster than BASIC, but since each ML command does so little, great attention to detail is necessary. It can be a painstaking task to set up something in machine language which could be accomplished in a few lines of BASIC. On the other hand, machine language is great for repetitive tasks like filling the 1000 locations of color memory.

Compiling a program with *Blitz!* is easy. Just save your BASIC program to a disk with at least 300 blocks free. Load and run *Blitz!*, give it the filename, and after a few minutes you can load and run the compiled program. *Blitz!* works best with two drives or a dual drive, permitting you to compile more than one program at a time, but will run quite nicely with a single drive.

There are few limitations on your BASIC program. Any program that runs in Commodore 64 BASIC will compile, unlike some compilers that require you to limit yourself to a subset of BASIC. You rarely have to make any changes to your program to make it compile. *Blitz!* is not available in a VIC version, and cannot compile a VIC-20 program to run on the VIC.

Blitz! can also compile programs written in extended BASIC languages like Simon's BASIC, Super Expander, and VicTree. Everything but the extended commands is compiled. The added commands are passed on to the resident lan-

guage during run time.

We compiled several BASIC games including "Hardhat Climber" (published in the January 1984 issue of the GAZETTE). Hardhat Climber is a good example of a playable all-BASIC arcade game. The speed is a tad slow for real arcade nuts, but fast enough to be exciting. Your man moves at about the same rate that the cursor blinks. Well, after the game was compiled, the little man fairly zoomed across the screen, running as if he were a repeating cursor (he ran so fast he kept falling off the edge of the girders). The barrels did not leisurely roll, but raced like a truck going down a grade with no brakes. In fact, the game was unplayable at this speed. The difference was as remarkable as an LP album played at 78 rpm. Just a nudge of the joystick sent the climber halfway across the screen. Ironically, this BASIC game would have to be slowed down to be playable when compiled.

GHESTIBUSTIERS

THE COMPUTER GAME BY DAVID CRANE

GHOSTBUSTERS!

SAVE YOUR CITY WITH YOUR COMMODORE 64.





Available on disk

GHOSTBUSTERS: IS A TRADEMARK OF COLUMBIA PICTURES INDUSTRIES, INC. GHOSTBUSTERS LOGO: 1981 COLUMBIA PICTURES INDUSTRIES, INC. ALL RIGHTS RESERVED.

Blitz! does not convert your program directly into machine language. Instead, it translates BASIC statements into a high-speed language called *P-code*. P-code is executed by a P-code engine written in machine language. This interpreter, 6K in length, is tagged onto the compiled program. Therefore, you can run a compiled program on any 64 without the compiler. The extra memory used by the interpreter is not a real encumbrance, since the compiled program is typically reduced to 60% of the size of the original BASIC program.

How fast is *Blitz!*? The program listed at the end of the column is a simple bubble sort that alphabetizes 100 three-character strings. (If you've wondered about how to alphabetize a list, look at lines 140–160. There are much faster ways to sort, but this is one of the simplest.)

I think a sort makes a good benchmark (a program used to evaluate a system) since it is a practical application. The sort shown below uses a variety of BASIC statements and features, including comparisons (IF/THEN), calculations, variable assignments, and strings. It's also very easy to tell if the program runs correctly. The program automatically reports how long it took to sort the list. We ran the program through Blitz! with no problems. It took 1 minute and 32 sec-

onds to compile.

Running in BASIC, the sort takes 119 seconds. When *Blitz!*'ed, the string sort runs in 27 seconds. A simple calculation shows that the program runs 4.4 times faster. I then changed the string array to an integer array, thinking that working with two-byte integers must be faster than three-character strings. To my surprise, the BASIC integer sort was actually slower than the BASIC string sort, running in 133 seconds. However, the compiled integer sort ran 4.75 times faster than its BASIC counterpart, with a speed of 28 seconds. Just like BASIC, the compiler is slower sorting integers than strings, but can speed up the use of integers more radically than the use of strings.

In addition to faster program execution, *Blitz!* gives you several features not supported by Commodore BASIC. First, you can chain to another program without losing any variables, and the second program doesn't have to be smaller than the first (a limitation of BASIC's normal chaining process). *Blitz!* also treats integer variables (those with a % sign following the variable name) specially. Normally, BASIC converts an integer to floating point, does the calculation, then converts the result back into an integer, which slows down integer calculations. But *Blitz!* performs all integer calculations with special integer math routines, which run much faster

than floating point calculations. It's also legal to use integer variables as the index of a FOR–NEXT loop. Unlike some compilers, though, *Blitz!* fully supports floating-point operations.

You should note that before compiling, the BASIC program should be tested and debugged. Blitz! makes programs which run faster, and if there are bugs in the original, there will be even

faster bugs in the compiled program.

Blitz! is a fine program, but the manual leaves something to be desired. Only 23 pages, the documentation barely covers all the features of Blitz!, and may be confusing to novice programmers. A compiler, being a language system, deserves more than 23 pages. On the other hand, compiling a program is so easy you almost don't need a manual, but a longer manual could afford to be tutorial in style for the sake of beginners, with details for the more advanced programmer.

A testament to *Blitz!*'s power can be found in several commercial programs. LIST them, and all you see is the word BLITZ!. Obviously, these programs were written in BASIC, compiled with *Blitz!*, and became fast enough to be commercially successful. In fact, Skyles Electrical Works does not charge a royalty or license fee for use of your compiled programs (even though 6K of the compiled program is the *Blitz!* runtime package). If you do distribute a program compiled by *Blitz!*, Skyles merely requests that you give *Blitz!* credit in your program or documentation, along with the address of Skyles Electrical Works.

Warp Drive Revisited

In the November column, I mentioned a software product called Kwik-Load that speeds up 1541 program LOADs by 300%. As software, Kwik-Load is vulnerable, often wiped out or crashed by other programs. The idea is a good one, but only a hardware modification could be truly fast, yet transparent to most software. (Transparent means that a program or system does not interfere with any other program. Moreover, a truly transparent system is invisible to all other programs, as the name implies. Some printer interfaces transparently emulate a Commodore printer, simulating all the commands and modes of a Commodore printer on a non-Commodore printer.) Of course, Kwik-Load only costs \$19.95, cheaper than almost any hardware product.

1541 Flash! is a set of parts and instructions to modify both your computer and disk drive to boost the effective speed of disk transfer by three times. Unfortunately, a hardware modification is more difficult than merely loading and running a program, or inserting a cartridge. 1541 Flash! consists of a piggyback module that wedges into the

SUDDENIES

YOU CAN DRAW ANYTHING ON YOUR COMMODORE 64"!

Put The Designer's Pencil in your hands. And suddenly, using only a joystick, you can command all of your

computer's graphic abilities. You don't even have to be able to draw, because the computer does

it for you. And The Designer's Pencil doesn't just doodle around. It

uses a revolutionary, simple programming technique called Prog™to create actual computerized graphics...an infinite

number of spectacular designs. You'll be able to feel the same challenge and satisfaction experienced by Activision designers when they create new software for your

Commodore 64. Every command appears right on the screen as shown here. Just choose what you want to do, then watch as the computer carries out your every wish.



The Designer's Pencil also lets you program musical compositions to accompany your visual masterpieces.

Again, everything you need appears right on the screen—just choose your notes, then sit back and let your computer serenade you. It's a delight for your ears as well as your eyes. The Designer's Pencil will amaze you with its powers—and yours.

NOW PICTURE YOURSELF A WINNER. How creative can you be? We can't wait to see. Use The Designer's Pencil to create your wildest fantasies, then enter the results in The Designer's Pencil \$10,000 Contest. Details in every specially-marked package.



Designed by Garry Kitchen.

THE DESIGNER'S PENCIL

Commodore 64," is a trademark of Commodore Electronics, Ltd. © 1984, Activision, Inc.



Kernal ROM, a replacement DOS ROM for the 1541, and an interface cartridge (called the CableCard) and cable that attaches the modem

port to a chip within the disk drive.

Performing the upgrade is not trivial, but at least no electronics expertise or soldering is needed. Anyone with a steady hand and attention for detail can install 1541 Flash!. The manual says it should take about 30 minutes. It took me about 15 minutes, since I've done similar things before. Utmost care is needed, though, since you really can damage both your computer and drive if you are reckless.

You need to open the case of both your computer and drive to get at their innards—not a task for the squeamish or those who wish to preserve their 90-day warranty, since the upgrade is more or less permanent. (Though we've been told that Commodore does not check for hardware modifications on warranty returns. They merely check to see if the computer works, and if

not, they send you a new one.)

You first have to find the Kernal ROM in your 64, marked with one of three part numbers. The manual includes pictures and diagrams to help you identify the correct chips to replace. The Kernal ROM is removed, then inserted into a socket on a tiny board. You then plug the board into the empty ROM socket. The board contains a modified version of the Kernal. With both ROMs on board, you can choose either the normal or enhanced Kernal by flicking a switch on the interface card.

The biggest problem here is that many 64s do not have socketed ROM chips; they're soldered directly to the board (it saves Commodore a little on manufacturing costs, but makes it difficult to replace faulty chips). We asked Skyles about this, and they estimate from 10 to 20 percent of all 64s do not have socketed ROM chips. Whether or not your machine has socketed chips does not seem to correlate to when it was manufactured, or what serial number it has. I had to open three 64s before I found one with socketed ROM chips. You can mail your computer to Skyles along with \$28.50 and they'll install the necessary socket. It could take a couple of weeks for turnaround, though. Skyles encourages their dealers to install a socket for you, or to send your 64 to Commodore for the modification. Many dealers will install 1541 Flash! for you for about \$10 extra.

Wires leading from the Kernal module lead out through the modem port, which then plug into the CableCard, a small cartridge plugged into the modem port. The cartridge includes another modem port so that you don't lose the use of a modem or RS-232 interface.

Inside the disk drive, you remove the disk

operating system ROM and replace it with a new one. As long as you don't bend any of the tiny pins on the ROMs, it's not too hard to pry them out with a thin-blade screwdriver. On my 1541, I had to use a \$1 chip extractor rather than a screwdriver, since you can't lever the screwdriver against the board without mashing some capacitors.

The trickiest part is that you must locate one 6522 chip (there are two of them), then remove it. It's much harder to remove a long chip like the 6522 without damaging any pins. I bent several pins, but was able to ease them all back into place without breaking any. After the chip is out, you purposely bend one pin at a 90-degree angle, then re-insert the chip. Once you've bent the pin, you can't reverse the procedure without snapping off the delicate pin. A white microclip attaches to the bent pin, and a black one to an adjacent pin. You also screw down a grounding lug. This cable is then threaded out the back of the drive and attached to the modem port cartridge.

Once you've sweated over these crucial maneuvers, you're rewarded for your effort with a significant upgrade in speed. It really works. All disk read access is three times faster. The speedup works with almost every program I tried. After some tests, I found that writing to a disk is only about twice as fast. After checking with Skyles, they confirmed that writing to a disk is only 1.8 times as fast. Almost all commercial software will load from twice to three times normal speed. I said almost all, but of three Epyx games I tried, none of them would load with the 1541 Flash! installed—probably related to the copy-protection employed by Epyx. With a POKE and a command to the drive, you can turn off the speedup, but even with this, I couldn't get the Epyx games to load. So beware, this modification is almost impossible to reverse.

The enhanced ROM also adds a few features to your 64. The routines that support the extra features take the place of the cassette output routines, since you probably won't use your cassette as much when you have a disk drive. With the 1541 Flash! ROM enabled, you can load a cassette program, but not save one to cassette. You can load a tape program and save it to disk, though, and you can always switch back in the normal 64 ROM if you need full access to the tape drive.

The DOS wedge is built into ROM, and you can activate it at any time with SYS 65526. LOAD, SAVE, and VERIFY default to the disk drive, rather than the cassette. (You don't need to add the ,8.) Several new editing keys have been added. CTRL-back arrow flicks the cursor to the bottom of the screen. Holding down the



LOST.

ENDLESS CAVERNS. ATTACKING BEASTS. FIND THE DIAMOND, THE GOLD. MAYBE.





Get the number one software entertainment title of the year for your Commodore 64," Atari, Apple II and IBM PCjr computer systems. Also available for major game systems. Designed by David Crane

ACTIVISION

COMMODORE 64" IS A TRADEMARK OF COMMODORE ELECTRONICS, LTD. ATARI* IS A REGISTERED TRADEMARK OF ATARI, INC. IBM* AND PCI* ARE REGISTERED TRADEMARKS OF INTERNATIONAL BUSINESS MACHINES CORP. APPLE II" IS A REGISTERED TRADEMARK OF APPLE COMPUTER. < 1984 ACTIVISION, INC.

Commodore key and the back arrow tabs the cursor to position 15 (a 16-character tab). Commodore key-up arrow lets you toggle in and out of quote mode without typing any quotes. CTRL still is used to slow down scrolling, but you can now freeze a scrolling screen with the SHIFT key, or keep it frozen with SHIFT LOCK. Letting up on these keys resumes the listing. You can wipe out the line the cursor is on with Commodore-INST/DEL, and erase the screen from the line the cursor is on to the end of the screen with Commodore-CLR/HOME.

The manual includes documentation on several new high-speed disk commands for use by machine language programmers. You can set the drive up to continually spool sectors. You don't have to request a track and sector-your program merely needs to read continuously. By taking advantage of these new direct-access disk commands, you could get even more speed out of the 1541.

Having used 1541 Flash! for several days, already I can't bear to go back to a slow 1541. It's amazing how quickly you can get spoiled by a luxury like this. More than a few editors here have cast covetous eyes on the upgraded 64/1541. And the price is reasonable for such a dramatic enhancement. After reading the installation description above, you can decide if you're up to opening your equipment, yanking out chips, and enjoying a 300% speedup.

The Reunion P.O. Box 466 Bay Pines, FL 33504 \$29.95

Blitz! and 1541 Flash! Skyles Electrical Works 231 E. South Whisman Road Mountain View, CA 94041 \$99.95 for Blitz! \$89.95 for 1541 Flash!

String Sort Program

- 100 A=RND(-1): REM FORCE ALL RUNS TO USE S AME RANDOM SEQUENCE
- 110 DIM A\$(100):PRINTCHR\$(147)"GENERATING STRING DATA"
- 120 FORI=0TO99:A\$(I)=CHR\$(65+26*RND(1))+C HR\$(65+26*RND(1))+CHR\$(65+26*RND(1))
- 13Ø NEXT: PRINT "NOW SORTING": T=TI
- 14Ø EX=Ø
- 150 FORI=0T098:IFA\$(I)>A\$(I+1)THENT\$=A\$(I):A\$(I)=A\$(I+1):A\$(I+1)=T\$:EX=1
- 160 NEXT: IFEXTHEN140
- 170 PRINT"SORT FINISHED IN"; (TI-T)/60; "SE CONDS. ": PRINT
- 180 FORI=0T099:PRINTA\$(I);" ";:NEXT

DISECTOR

EVERYTHING YOU EVER WANTED IN A DISK UTILITY . . . AND MORE!! FOR THE COMMODORE 64*

- ★ Fully automatic back-up of almost any protected disk.
- ★ Copy files [PRG, SEQ, RND] with full screen editing.
- ★ Three minute back-up of standard disks [even many protected disks].
- ★ Format a disk in ten seconds.
- ★ View and alter sector headers.
- Remove errors from any track/sector.
- ★ Edit sectors in HEX, ASCII even assembler.
- ★ Create errors on any track/sector [20, 21, 22, 23, 27, 29] instantly.
- ★ Drive/64 MON, even lets you write programs inside your 1541.
- All features are fully documented and easy to use.
- None of our copy routines ever makes the drive head "kick."

Yes, you get all of this on one disk for this low price!_

. . . Continuing Customer Support and Update Policy . . .

[916] 435-2371 Star Route 10

*Commodore 64 is a registered trademark of Commodore Business Machines

Gazelle, CA 96034

All orders add \$2.00 shipping/handling. California residents add 6% sales tax. COD orders add an add'l. \$3.00 shipping. Check, Money Order, VISA, and Masterard accepted.



HINTS&TIPS

Double Duty Variables

William A. Yarberry, Jr.

If you've discovered a clever timesaving technique or a brief but effective programming shortcut, send it to "Hints & Tips," c/o COMPUTE!'s GAZETTE. If we use it, we'll pay you \$35. Due to the volume of items submitted, we regret that we cannot always reply individually to submissions.

No matter how much memory your computer has, there are times when it's inadequate for your purposes. There's a sort of universal law: Programs grow to fill all free memory (plus a little more).

Here's an old programming trick which can be adapted very easily to the VIC or 64. The idea is to crunch two or more variables into one, making the variable do double duty.

Variables And Memory

When a value is assigned to a variable (X=5, for example), it takes memory. And no matter what the value is, it takes the same amount of memory. Try this experiment:

CLR: PRINT FRE(0): X=1: PRINT FRE(0)

Since the Commodore 64 gives negative numbers when there's more than 32K available, you can change FRE(0) to FRE(0)+65536 to get a positive answer.

Type the above line and press RETURN.

Type CLR (don't press the CLR/HOME key), to clear out variables from memory. The amount of free memory is printed. A value is given to variable X, and the free memory is printed again.

Note that the variable has occupied seven bytes. Two are used for the variable name, five for the value.

On a new line, type the same line again, changing X=1 to something like X=999999. Press RETURN again and what happens? The

same amount of memory is used. No matter how big or small the value, the same memory is used (five bytes). And no matter how long the name of the variable (try XABCDE=999999), two bytes are used for the name.

Variable arrays act almost the same. A number in a floating point array, like the variable X above, uses five bytes for each value. But there's only one name and it uses seven bytes (only once). So, for example, dimensioning an array Q with DIM Q(20) takes five bytes for each of the 21 elements (0 through 20), a total of 105, plus seven for the name. Thus, it requires 112 bytes.

Doubling Up

Now let's imagine a simple data base program. You swim every morning and want to keep track of how many laps you've covered. The program you write has two arrays, D(I) for the date and L(I) for number of laps that day. It doesn't matter in this example whether the data is stored on tape or disk, or read from DATA statements.


After 50 swimming sessions, the two arrays will use up 262 bytes each, for a total of 524. It might be years until memory is a problem. Even on an unexpanded VIC, it would take a year of swimming before free memory dwindled to nothing.

But you decide to expand your program. Perhaps you want to print out a bar graph, or you add the time (to get a daily swimming speed and overall average). Or you have five friends who want their laps and times added. As the program grows, you find yourself running out of memory.

One solution is to double up on variables. The date you input is always between 101 (January 1) and 1231 (December 31). And the number of laps always ranges from 0 to 999. So, when you input the date and time, combine the two numbers into a single variable. Multiply the date

Flight Simulator II

FOR COMMODORE SA.



See your dealer...
or write or call for more information. For direct orders enclose \$49.95 plus \$2.00 for shipping and specify UPS or first class mail delivery. American Express, Diner's Club, MasterCard, and Visa accepted.

Order Line: 800 / 637-4983

713 Edgebrook Drive Champaign IL 61820 (217) 359-8482 Telex: 206995 by 1000 and add the laps.

Since variables use up the same amount of space, no matter what the value, squeezing the two numbers into one cuts in half the memory used for the two variables.

Using this system, the number 330021 would mean 21 laps on 3/30. 1201101 would mean 101 laps on the first of December.

The two formulas needed in the program are simple. To combine the two numbers into a single variable DL, DL=D*1000+L, or date times 1000 plus laps. To uncrunch the numbers, D=INT(DL/1000) and L=DL-1000*D. Date is the integer value of DL divided by 1000. Laps is DL minus 1000 times the date.

Depending on the range of values, you could combine three, four, or more variables into one. But you should be aware of one limitation—once a number goes beyond nine digits, it is rounded off. Try to avoid using numbers larger than 99,999,999. Also, fractions are not always as reliable as integers, because they get rounded to the nearest base-two fraction.

Multiple Binary Values

A variation on this technique can be used when the values are all yes/no decisions. In the example above, the dates ranged from 101 to 1231, the number of laps from 0-999. Altogether,

BridgePro



- One and two player games
- Random hands millions possible
- · HELP features for beginners
- · "Duplicate" Bridge option
- DEMONSTRATION and **BEST HAND modes**
- · QUIT, AUTO FINISH, and REPLAY options

Ever wonder why millions around the world enjoy the card game of Bridge? Why so many play year after year? Bridge is that kind of game: uniquely challenging and exciting. BridgePro™ makes it easy and fun to learn or improve Bridge skills. If you already know how to play, BridgePro™ lets you enjoy Bridge by yourself. And the cards are randomly dealt - you'll never have to repeat a hand. For many, BridgePro™ will be a game that never grows old.

Diskette \$35 (COD's add \$2).

Visa/MC accepted. California residents add 6.5% tax.

Commodore 64 . APPLE II+, IIc, or IIe ATARI 800 XL, 1200 XL, or min. 40K

Computer Management Corporation

2424 Exbourne Court, Walnut Creek, CA 94596 • (415) 930-8075

Dealer/Distributor inquiries welcome

seven decimal digits were used in the final doubled up variable.

Instead of multiplying by ten, one hundred, one thousand, and so on, you can multiply by twos (1, 2, 4, 8, 16, etc.). What you are doing, in effect, is turning individual bits on and off. (Note that this technique would not work on the swimming program, because date and laps are not yes/no situations.)

For example, you want a program to keep track of a few hundred members who belong to the local user group. In addition to the usual information about name/address/phone, you have the following categories:

Adult Member/Student

VIC Owner

64 Owner

Interest in BASIC 16

Interest in ML 32

Interest in Games Interest in Education 64

Interest in Business

128

256 Willing to Help Organize Willing to Teach Seminar

When a new person signs up for the user group, he or she provides the above information (all yes or no questions). The appropriate numbers are added up; for example an adult with a 64, interested in BASIC, games, and educational software would be given the number 109.

The different categories can be sorted out with a logical AND. In the program, each member has been assigned a number, let's say variable J. IF (J AND 16) = 16 then the person is interested in machine language. If it equals zero, then the member is not interested. Loop through the membership list, reading J and ANDing it with 16, and you'll find out who has that particular interest.

You can also combine categories. Maybe you want to set up a seminar on programming ML games on the 64, but don't know who would be interested. The categories are 4, 16, and 32, so you could have the computer search through the list of members. A single line would find all people who checked the three boxes when they joined, IF (J AND 52)=52 THEN C=C+1. The variable C, in this case, is used as a counter, to keep track of how many members are interested in ML games for the 64. If you checked the 512 bit, you might then find someone who is willing to teach the seminar.

In the example above, instead of ten different variables using up (at least) five bytes each, you reduce everything to a single variable per member, with bits acting as flags which are up or down. Thus, you use a tenth as much memory, and this gives you more room for adding new members or categories.

Unlimited Free Programs - Unlimited Fun! With VIP Terminal™

A Powerful 80 Column Communication Program!

VIP Terminal is what you need to talk to the world! Communicate with friends, work, school, bulletin boards, even information services like CompuServe. Share programs, news, pictures, stock quotes - anything in writing. With your C64, any modem and VIP Terminal, you can master the information revolution — professionally!

VIP Terminal is power packed to get the job done! It features a professional 80 column display (40, 64 & 106 columns too!) to bring your C64 up to the industry standard - without any hardware modification! It works with all popular modems, and, with those that allow it, VIP Terminal will auto



dial, and redial if the line is busy. It also will auto answer - even take messages! Of course you can send and receive programs and the like. And you can print what is coming on the screen. It has a 16-entry phone book for those often used numbers, and a 20-entry message file for frequently sent messages. It also has a powerful editor so that you can write messages to send later, or edit ones you have received. You can even save and use files as large as your disk!

VIP Terminal Is Easy and Fun to Use!

VIP Terminal makes full use of the potential of your C64 - you get color, graphics and sound. VIP Terminal uses menus and "icons," pictures of the tasks to be done. In fact, VIP Terminal can almost be totally controlled with a joystick. You can switch menus, change screen colors, change parameters, even dial your phone without ever touching your keyboard! Just move the hand to point to the colored icon, or the entry, press the fire button, and the change is made. Of course, it all can be done from the keyboard too!



Help is built right into the program so you can't get lost or confused. The manual is even capsulized on the disk for reference from the program when you need it. VIP Terminal also has a chiming clock for the quarter hour and the hour, and an alarm you can set. There's even a musical alarm to let you know when you have a call. VIP Terminal has put it all together to make the perfect communication program!

Integration With VIP Desktop

VIP Terminal is connected to the whole VIP Library™ of programs through VIP Desktop™. From VIP Desktop, you may access any of the other VIP Library programs that you own. The rest of VIP Library will meet your word processing, financial planning, data management and other essential home and business information management needs. All VIP Library programs feature high resolution graphics to give 80 columns on the screen without any hardware modification. They also give you icons and plenty of help. Quality and affordability are our number one concern!



VIP Jailoratry

VIP Terminal ONLY \$59.95

Available at Dealers everywhere. If your Dealer is out of stock ORDER DIRECT!

1-800-328-2737

Order Status and Software Questions call (805) 968-4364

MAIL ORDERS: Shipping: \$3.00 U.S.; \$5.00 CANADA; \$15.00 OVERSEAS; Personal checks allow 3 weeks.



132 Aero Camino Goleta, California 93117

User Group Update

When writing to a user group for information, please remember to enclose a self-addressed, stamped envelope.

Send additions, corrections, and deletions for

this list to:

COMPUTE! Publications P.O. Box 5406 Greensboro, NC 27403 Attn: Commodore User Groups

Changes

The new contact address for the Sacramento Commodore Computer Club is P.O. Box 227, Sacramento, CA 95810.

The Commodore Brooksville User Group (C-BUG) has a new contact person, Eleanor Hott,

who can be reached care of C-BUG, P.O. Box 1261, Brooksville, FL 33512. The phone number is (904) 799-5292.

The Memphis Commodore Users Club also has a new address: P.O. Box 38095, Bartlett, TN 38134-0095.

The North Country (NY) Computer Club has changed its name to North Country Commodore Club. The new contact person is Eleanor Cunningham, who can be reached at 1607 Ford Street, Ogdensburg, NY 13669. The phone number is (315) 393-2708.

Another group with a new name is the Nova Scotia Commodore Computer Users Association, formerly the Nova Scotia Commodore Computer User Group. The new address is P.O. Box 3426, Halifax South, Halifax, Nova Scotia B3J 3J1.

New Listings

ARKANSAS

Arkansas 64 Trading Post Larry Johnson P.O. Box 135 Biggers, AR 72413 (501) 769-2888

CALIFORNIA

Fairfield Commodore User's Group Mike Riley 200 Cambridge Drive Vacaville, CA 95688

FLORIDA

Tri-County Commodore Users Group P.O. Box 1151 Ocala, FL 32678

Commodore Users Group of Pensacola Debbie Johnston P.O. Box 3533 Pensacola, FL 32516 (904) 455-5804

GEORGIA

Clayton County C-64 Users Group Joyce Jay 527 Wavelyn Way Riverdale, GA 30274 (404) 478-7906

ILLINOIS

Northwest Suburban Commodore User Group Orrin J. Adler 214 South Greenwood Palatine, IL 60067

MICHIGAN

Delton Area User Group (D.A.U.G.) Al Pilukas 11386 Letches Lane Delton, MI 49046 Lansing Area Commodore Club Jae Walker

Jae Walker P.O. Box 1065 East Lansing, MI 48823-1065 (517) 351-7061

Video Innovation Club (V.I.C.) Michael Levay 424 Woodlawn Roscommon, MI 48653

MISSOURI

Northeast Missouri Commodore Users Group (NEMOCUG)

Terry Kinney 555 Western Drive Macon, MO 63552 (816) 385-2955

or contact: Stephen Foltz P.O. Box 563 Macon, MO 63552 (816) 385-5530

NORTH CAROLINA

Commodore Users Group of Fayetteville (CUGOF) Steve Peterson P.O. Box 41601 Fayetteville, NC 28309 (919) 864-6972

OHIC

Westcom 64 Commodore Users Group of Western Cincinnati Rick Olano 156 Citation Circle Harrison, OH 45030 (513) 367-2668

SOUTH CAROLINA

Spartanburg Commodore Users Group (SPARCUG) P.O. Box 319 Spartanburg, SC 29304

TEXAS

NASACOM 64 Commodore Club Bruce Hilty 16222 Seahorse Houston, TX 77062 (713) 480-1756

BiStone Users Club R.G. Gore P.O. Box 386 Mexia, TX 76667 (817) 562-6808

WASHINGTON


Anacortes User Group Jim Cook 1011 8th Street Anacortes, WA 98221 (206) 293-0222

OUTSIDE THE U.S.

VIC-20 & Commodore 64 User's Group Jose Luis Beltramone Calle 3 North, 435 1/2 depto. 2 (1900) La Plata, Argentina

GAMES (C-64 User Group) Travis Taylor or Kevin Taylor 3148 Kingston Road Scarborough, Ontario Canada M1M 1P4 (416) 265-0520

Worldwide Commodore 64 Genealogists Johann H. Aadde Dalkarrsleden 49 S-162 24 Vaellingby Sweden TAKE A BREAK! Commodore 64.



WITH NIGHT MISSION PROBLE

You deserve the best. You've earned it. Now reward yourself with a session of Night Mission PINBALL, the most realistic and challenging arcade simulation ever conceived! ■ Stunning graphics and dazzling



sound effects put Night Mission PINBALL in a class by itself. Game features: multiball and multi-player capabilities, ten different professionally designed levels of play, and an editor that lets you create *your own* custom modes. ■ So take a break with Night Mission PINBALL from SubLOGIC. Winner of *Electronic Games* magazine's 1983 Arcade Award for Best Computer Audio/Visual Effects.

See your dealer . . . or write or call for more information.

Order Line: 800 / 637-4983

Sublogic

Corporation 713 Edgebrook Drive Champaign IL 61820 (217) 359-8482 Telex: 206995

SUPER FORTH 64 +

TOTAL CONTROL OVER YOUR COMMODORE-64"
USING ONLY WORDS

MAKING PROGRAMMING FAST, FUN AND EASY!

MORE THAN JUST A LANGUAGE...
A complete, fully-integrated program development system

Home Use, Fast Games, Graphics, Data Acquisition, Business, Music Real Time Process Control, Communications, Robotics, Scientific, Artificial Intelligence

A Powerful Superset of MVPFORTH/FORTH 79 + Ext. for the beginner or professional SPRITE-EDITOR Access all C-64 peripherals including 4040 drive and EPROM Programmer.

· Single disk drive backup utility Disk & Cassette based. Disk included
 Full disk usage — 680 Sectors

areas Vectored kernal words TRACE facility

DECOMPILER facility
 Full String Handling
 ASCII error message

Supports all Commodore file types and Forth Virtual disk
 Access to 20K RAM underneath ROM

FLOATING POINT MATH SIN/COS & SQRT
 Conversational user defined Commands

of hardware timers, alarms and devices

SUPER FORTH 64" compiled code

· Tutorial examples provided, in extensive

261 page cross referenced manual

INTERRUPT routines provide easy cor

- 20 to 600 x faster than Basic
 1/4 x the programming time
 Easy full control of all sound, hi res. graphics, color, sprite, plotting line & circle
- Controllable SPLIT-SCREEN Display
- Includes interactive interpreter & compiler Forth virtual memory Full cursor Screen Editor

- Provision for application program distribution without licensing
 FORTH equivalent Kernal Routines

- Conditional Macro Assembler Meets all Forth 79 standards*
- Source screens provided
 Compatible with the book "Starting Forth" by Leo Bradie
- Access to all I/O ports RS232, IEEE, including memory & interrupts
- ROMABLE code generator
- MUSIC-EDITOR
- . TURTLE GRAPHICS

SUPER FORTH 64" a more



A SUPERIOR PRODUCT every way! At a low price of only

\$96

Call: (415) 651-3160 PARSEC RESEARCH

- 182

Drawer 1776, Fremont, CA 94538

A user group is being formed in Randallstown, Maryland. Those interested should contact Steven Ziglar, C-64 & VIC-20 Users Group of Randallstown, 8827 Sigrid Road, Randallstown, MD 21133. The phone number is (301) 655-8402.

The Pomona Valley Commodore Users' Group has changed its name to Cal Poly Commodore Users' Group. The contact person is David Dietzel, and the address is 14617 1/2 Ramona Boulevard, Baldwin Park, CA 91706. The phone number is (818) 960-9906.

COM-VICS, a Commodore and VIC-20 user group in Maine, has a new mailing address. Inquiries should be sent to COM-VICS, Commodore/VIC Users Group, P.O. Box 1541, Auburn, ME 04210.

COMPUTE!'s Gazette Toll Free Subscription Order Line

> 800-334-0868 In NC 919-275-9809

A Star is Born.

by Eastern House

A Communications Cartridge

for the Commodore 64.

Upload/Download, Status Line, etc. Works with your Commodore 1600 or 1650 Modem.

Auto-dialing, etc. when used with the new CBM 1650 Modem.

For the 64 or VIC \$39.95 Alternative to the 1541 Disk Drive!

Load or save 8K in 30 seconds! It's less expensive than disk and can even be used as a backup to the flaky 1541!

Yes, the RABBIT is that and much more. Uses the Commodore cassette deck but loads and saves much, much faster than regular Commodore load/save. Think about it — loads or saves an 8K program in almost 30 seconds, 16K in 1 minute, etc. That's nearly as fast as the 1541 disk. RABBIT is on cartridge so it's always there. Also has other useful commands. Specify for use on the 64, or on the VIC 20

"It was the best purchase for my computer that I have ever made!" "Congratulations on your 64 Rabbit. It's a super piece of work."

NOW THE BEST

Please for your own protection consider the MAE first before you buy that other assembler. We've FOR LESS! had numerous customers who

how much better the MAE is.
The most powerful Macro Assembler/Editor available for the
Commodore 64 and other CBM/PET computers, and also for the

ATARI 800/XL and Apple II/IIE. MAE includes an Assembler, Editor, Word Processor, Relocating Loader, and more all for just \$59.95.

We could go on and describe the MAE but we thought you would like to read our customers' comments. The following are actual unedited comments from correspondence about the MAE:


Excellent Development


"Compares to DEC and INTEL."

wasted their money on some cheaper off brand assembler tell us

'I like MAE and wish that you had it on the Macintosh. "It is a superb program.

3239 Linda Dr. Winston-Salem, N.C. 27106 (919) 748-8446 Send for free catalog!





- State of the "ARTS" copy capability!
- · UNLOCKS protected disks for backup copying
- · Breaks through LATEST protection schemes
- Includes FAST copier, "ARTS" copier and TRUE Nibbler: you get 3 copiers for the price of 1
- · HALF-TRACKING up to & including track 40!
- 100% machine code for fast, RELIABLE operation
- Writes errors 20,21,22,23,27,& 29 WHILE COPYING!
- Transforms your 1541 into a SUPER-FAST copy drive!
- NO analysis required, just swap disks & NO damaging drive knock during errors or format
- Formats AS IT COPIES, detects & reproduces NON-STANDARD formats & I.D. mismatch, DOS flags
- PRODUCT SUPPORT tel. #, revisions, & upgrades

OVER 500% FASTER THAN OTHER COPIERS!




ONLY

\$49.95

To order CALL 805-687-1541 ext. 64

Technical line 805-682-4000 ext. 99





For rush service call 24 hr. order line or send cashiers check/money order. Visa, MasterCard, & American Express include card# and exp. date. CA residents add 6% tax. Allow 2 weeks for clearance of personal & co. checks. Add \$3.50 shipping & handling for continental U.S./\$5.50 for UPS air. AK, HI, APO, FPO, CANADA add \$7.50. Other Foreign orders add \$8.50. All APO, FPO, & orders outside 48 states must be paid by certified U.S. funds. C.O.D.'s shipped to U.S. addresses only, add \$4.00. School orders welcome.

DISKMAKER PAYS FOR ITSELF THE FIRST TIME YOU USE IT!

basix

REVIEWS

Seven Cities of Gold

Gregg Keizer, Assistant Editor, Books

Games are fantasies. Even the simplest children's game, like hide-and-seek or tag, has elements of fantasy. Hide and I'm invisible; your touch is poison. Most computer games are fantasies in one way or another, too. You become a fighter pilot in Zaxxon, or a frantic tunneler in DigDug. Some games make fantasies seem more realistic (sounds almost like a contradiction) than others. Often these realistic games, whether they're electronic or played on a board, are called simulations.

But what does all this have to do with Seven Cities of Gold?

Two things really. First, Seven Cities is a simulation. Second, it's a fantasy.

I'm not saying that the game is unreal, or even untrue to history. Quite the opposite. It's one of the most interesting games I've played, one that kept me staring at the screen and holding the joystick long after I would have walked away from most games. But it is a fantasy, at least for me. It probably will be for you, too.

Orellana And The Amazon

A long time ago, I read an account of Francisco de Orellana. He's rarely mentioned in the histories of the Spanish conquest of South America. A relative of the Pizarro family (Francisco Pizarro was already governor of Peru, having defeated the Incan Empire in

1533), he accompanied an expedition across the Andes in 1541. The 200 Spaniards and their 4000 slaves were searching for cinnamon trees and gold. After crossing the mountains, the Conquistadors dropped into the edges of a vast jungle. They found their cinnamon trees, which were too far from civilization to be worth anything. The expedition then turned to the east, to the 2-1/2 million square miles of the Amazon Basin. Eventually they reached the Napo River, one of the tributaries of the Amazon.

Natives told the Spanish of a great city of gold downstream. It was a good way to get the invaders out of the area. So Orellana and 50 men began their fantastic voyage. For 17 months, on crude rafts or simple ships they built themselves, the Spaniards saw mile after mile of river. What they were doing was crossing the continent by navigating the entire Amazon River! Of course, there were close calls with natives (including, according to Orellana, a tribe led by women—the famous "Amazons"), times when they almost starved, and weeks of depression and disease.

But they reached the Atlantic on August 26, 1542. They even made it back to Spanish settlements by sailing along the coast. Orellana was greeted as a hero by the King when he returned to Spain.

I've always imagined being



Your expedition has landed on uncharted territory as the search for gold and glory continues in Seven Cities of Gold.

a part of this strange and wonderful odyssey. Until now, however, there was no way to play out that fantasy—I really didn't want to go down the Amazon, I just wanted to *imagine* doing it.

1492

Seven Cities of Gold let me do just that. Designed and created for Electronic Arts by Ozark Softscape, the team which brought us M.U.L.E., this computer game/simulation makes you one of the first Spanish explorers of the New World.


Starting in 1492 with a small fleet of ships, complete with armed men, food, and trading goods, you sail west across the Atlantic. You hope there's something on the other side, something you can set foot on and claim before your food runs out and your men begin starving. You find it. Now the decisions begin to pile up.

How many men to take on an expedition into the interior? Can they carry enough food to see them back again? What to



MY SOFTWARE TALKS ON YOUR COMMODORE 64TM AND YOU DON'T NEED A SYNTHESIZER!





Humpty Dumpty Alphabet program by Dave Paulsen Put Humpty together again and learn: the Alphabet, the Computer Keyboard, how to spell your Name ... and more.



Little Bo Peep Number program by Joe Sams and Scott Barker Bring Bo-Peep's sheep home and learn: to Count, to spell your Name, the Computer Keyboard ... and more.

Little People Software

Developed by Parents and Educators

... Hearing

... Seeing ... Doing

In a way that makes LEARNING more fun and more effective

L. P. Money I by Aaron Grant

Teaches money values - one cent to one dollar using a gum ball machine. Encouragesmoney saving

L. P. Traffic Signs by Tom Wanne

Teaches identifica tion and meanings of traffic signs and signals Increases safety awareness.

L.P. Money II by Tom Wanne

Teaches money values - one dollar to one hundred dollars - using an ice cream machine. Encourages money saving

L. P.'s Farm by Agron Grant

Teaches names and identification of farm animals.

L. P. Shapes by Doug Knapp

Learn to recognize geometric shapes and how to spell their names.

L. P. Colors by Aaron Grant

Teaches names and identification of colors and reinforces learning of colors and shapes

L. P. Expressions by Aaron Grant

Teaches expressions such as happy sad, laugh. cry, and their spelling. It is an excellent learning



\$19.95 EACH — ORDER NOW! 1-800-328-2050 OR IN WASHINGTON 1-800-221-2878. (YOU CAN PAY MORE BUT YOU CAN'T GET MORE!)



Computer Profit Systems, Inc. 9661 Firdale Avenue Edmonds, Washington 98020

Creators of the Money Making: Data Deli™

Comp-u-tutor Home Learning Systems

S.A.M. licensed from Don't Ask, Inc. *Commodore 64 is a trademark of Commodore Business Machines Mastercard and Visa

Save \$2.00 per program Shipping Charge by purchasing at your local software store.

> DEALER INQUIRIES INVITED

do when a native village is finally found? Enter and trade, or enter and kill?

Simple To Play

Micol Systems, 100 Graydon Hall Dr., Suite 2301, Don Mills, Ont. Canada M3A 3A9

Seven Cities is quite simple in its play mechanics. Once you've followed the directions and created a map disk (you need a blank disk to play the game, as well as a joystick), loaded the game and watched the title display, the only thing you have to do is move the joystick and press the fire button. Menus appear when needed. Before you leave Spain, for instance, you can walk into the outfitter to

buy supplies. A menu is displayed which lets you purchase additional ships, men, food, and goods, if you have the gold. There are other menus available while your expedition is exploring. They're all accessed by pressing the joystick fire button. Expedition movement, whether on land or sea, and combat are controlled with the joystick.

Once you make landfall, you need to create another expedition. You can select its composition, choosing the number of men and the amount of trading goods and food. Jungles, swamps, mountains, plains, and

rivers are there for the exploring.

And there are hundreds of villages, towns, and cities scattered across the two continents (Seven Cities includes both North and South America). If you earlier chose the novice level of play, the settlements can be seen. When you move up to the higher levels, however, the natives can only be found if you stop and search. Settlements will blink if they're nearby, giving you an idea of where to head.

Peace Or War?

As soon as you move into a village, town, or city, you have an ethical decision to make. Trade for the gold and food you need, or simply take it. It's a fascinating decision. To be historically accurate, Seven Cities has to allow the player to repeat history. The Conquistadors, for all their bravery and exploits, were little more than thugs in their relations to the natives. They rarely traded, instead opting for the quick and simple approach-intimidate the natives until they handed over whatever wealth they had.

If you want to follow this path, you can. You can rush into any settlement and within minutes defeat even the fiercest tribe. It may cost you the lives of some of your men, but that's usually all.

Or you can move cautiously into a village, offer gifts to its leader, and then trade goods for gold and food. *Cautiously* is the key word here; if you move too fast, you'll bump into some of



We've Got People Talking

REVIEWERS SAY:

"This is the best typing tutor we have seen yet; * * * * + "

INFO-64

"Computer aided instruction at its best." Commander

"This is an excellent program that makes typing practice an enjoyable pastime instead of boring drudgery."

DILITHIUM PRESS

Rated the BEST educational program for the VIC 20

Creative Computing

CUSTOMERS SAY:

"... delighted with my son's progress ... he is the only one in his second grade class who touch types at the computer."

"Your Typing Tutor is an excellent program . . . our 4 children literally wait in line to use it."

"Thoroughly satisfied, can't believe how fast I've learned to type. I've never typed before."

In daily use by schools across the USA.

TYPING TUTOR + WORD INVADERS

NEW! Commodore Plus/4 or 16 ... Tape \$21.95 Disk \$24.95 Commodore 64 Tape \$21.95 Disk \$24.95 VIC-20 (unexpanded) Tape \$21.95

REALISTIC AIRCRAFT RESPONSE

"Has a quality of realism which sets it apart from others, even those I've tested in flight school."

Compute's Gazette

"Great program!" INFO-64

"It is tremendous fun."

Compute's Gazette

"Flight tested by an air traffic controller, two skilled pilots and an elementary school class. Highly recommended by all."

Midnite Gazette

"This is an unbelievably realistic simulation of the difficulties facing a pilot in instrument fly-

ing. I'm a 747 pilot and I think that this simulation could do a lot to improve the reactions and instrument scan habits of even very experienced pilots." 747 pilot

IFR (FLIGHT SIMULATOR)

Commodore 64™......Tape or Disk \$29.95 VIC 20™ (unexpanded).....Cartridge \$39.95



Shipping and handling \$1.00 per order. CA residents add 6% tax.



IFR

ACADEMY SOFTWARE

P.O. Box 6277 San Rafael, CA 94903 (415) 499-0850

Programmers: Write to our New Program Manager concerning any exceptional Commodore 64 program you have developed.



Why be someone who just plays computer games when you can be the one who writes their own impressive machine language programs?

LEARN

How to Use Assemblers

- Commodore 64 Macro Assembler Development System
- Merlin 64 Assembler
- Kids' Assembler (INCLUDED in book)
- Most Others

How to Write Assembly Language Programs

- Designed for Beginners
- Step-by-Step Instructions
- Lots of Example Programs
- Specifically for Commodore-64

Pick up your copy today at computer stores and book stores everywhere, or order direct: Send check or money order for \$14.95 (California residents add 6% sales tax).

microcomscribe

8982 Stimson Court, San Diego, California 92129 (619) 484-3884 or (619) 578-4588 the natives and accidentally kill them. Do that often enough and you enrage them. You'll have a fight on your hands in a moment, and the result is the same as it would have been had you charged into the place with murder in your heart.

The designers of Seven Cities have made warfare somewhat abstract. It's just not fun to wipe out entire villages and towns, certainly not as thrilling as destroying fleets of alien spaceships that dodge and twist. All you do is move your figure beside a native and the native vanishes.

Making war does have a

price. Word spreads from village to town to city of your cruelty, and you'll be ambushed often. You also won't get any help from the natives, something crucial to success. Without willing natives to help carry things, your expedition can't travel far, or walk away with large amounts of food or gold. In the higher levels of play, your bearers can even help you find settlements you overlooked.

Heading Home


There'll come a time when you have to sail for home. Usually it's because your expedition is low on food or out of trading goods. If you've been fighting natives, it may be because there are few soldiers left. Navigating home is done the same way as sailing to the New World. Use the view map feature to find vour latitude. Home is at 30° North. Once home, you can report to the king, perhaps receive a promotion and additional moneys; go to the pub to save the game map to disk; or go to your own home to view your progress. The outfitter waits for you, too. Using the gold you obtained on the voyage, you can buy more ships, equip more men, and load more food and goods. You're ready to sail on another voyage.


The New, New World

How exciting can it be to explore a world you already know? Obviously, you can't erase your own knowledge of geography. You know things the explorers could not. You know approximately where the Mississippi River empties into the Gulf; you know that the Incan Empire is somewhere in Peru. But this doesn't really detract from Seven Cities' play. Geography is important, but dealing with the natives is vital. That's the heart of the game.

However, there is another world in *Seven Cities*. Actually, hundreds if not thousands. By using the random continent creation feature, you can explore totally new New Worlds. It's not North and South America anymore.

The random continent generator is sophisticated. It uses a





XREF-64 BASIC CROSS REFERENCE

This tool allows you to locate those hard-to-find variables in your programs. Cross-references all tokens (key words), variables and constants in sorted order. You can even add you own tokens from other software such as ULTRABASIC or VICTREE. Listings to screen or all ASCII printers.

DISK \$17.95

SYNTHY-64

This is renowned as the finest music synthesizers available at any price. Others may have a lot of onscreen frills, but SYNTHY-64 makes music better than them all. Nothing comes close to the performance of this package. Includes manual with tutorial, sample music

DISK \$27.95 **TAPE \$24.95**

ULTRABASIC-64

This package adds 50 powerful commands (many found in VIDEO BASIC. above) - HIRES, MULTI, DOT, DRAW, CIRCLE, BOX, FILL, JOY, TURTLE, MOVE, TURN, HARD, SOUND, SPRITE, ROTATE, more, All commands are easy to use. Includes manual with two-part tutorial and demo.

DISK \$27.95 **TAPE \$24.95**

CHARTPAK-64

This finest charting package draws pie, bar and line charts and graphs from your data or DIF, Multiplan and Busicalc files. Charts are drawn in any of 2 formats. Change format and build another chart immediately. Hardcopy to MPS801, Epson, Okidata, Prowriter, Includes manual and tutorial.

DISK \$42.95

CHARTPLOT-64

Same as CHARTPACK-64 for highest quality output to most popular pen plotters. DISK \$84.95

management for multiple graphics screens, screen copy, etc.

VIDEO BASIC-64

CADPAK-64

MASTER 64

DISK \$49.95

manual

TAS-64 FOR SERIOUS INVESTORS This sophisticated charting system plots more than 15 technical indicators on split screen; moving averages; oscillators; trading brands; least squares; trend lines; superimpose graphs; five volume indicators; relative strength; volumes; more. Online data collection DJNR/S or Warner, 175pp, manual. Tutorial.

This advanced design package has outstanding features - two Hires

screens; draw LINEs, RAYs, CIRCLEs, BOXEs; freehand DRAW; FILL with

patterns; COPY areas; SAVE/RECALL pictures; define and use intricate

OBJECTS; insert text on screen; UNDO last function. Requires high quality

This professional application development package adds 100 powerful

commands to BASIC including fast ISAM indexed files; simplified yet

sophisticated screen and printer management; programmer's aid; BASIC 4.0 commands; 22-digit arithmetic; machine language monitor. Runtime

package for royalty-free distribution of your programs. Includes 150pp.

This superb graphics and sound development package lets you write soft-

ware for distribution without royalties. Has hires, multicolor, sprite and

turtle graphics; audio commands for simple or complex music and sound

effects; two sizes of hardcopy to most dot matrix printers; game features

such as sprite collision detection, lightpen, game paddle; memory

McPen lightpen \$49.95

DISK \$84.95

DISK \$59.95

DISK \$84.95

lightpen. We recommend McPen. Includes manual with tutorial.

DEALER INQUIRIES ARE INVITED

FREE CATALOG Ask for a listing of other Abacus Software for Commodore-64 or Vic-20

DISTRIBUTORS

Great Britain: ADAMSOFT 18 Norwich Ave.

Rochdale, Lancs. 706-524304 West Germany:

DATA BECKER Merowingerstr 30 4000 Dusseldorf 0211/312085

Belguim:

Inter. Services AVGuilaume 30 Brussel 1160, Belguim 2-660-1447

Sweden: TIAL TRADING PO 516 34300 Almhult 476-12304 France:

MICRO APPLICATION 147 Avenue Paul-Doumer Rueill Malmaison, France 1732-9254

Australia: CW ELECTRONICS 416 Logan Road Brisbane, Queens 07-397-0808

New Zealand:

VISCOUNT ELECTRONICS 306-308 Church Street Palmerston North 63-86-696

AVAILABLE AT COMPUTER STORES, OR WRITE:

ecus Software

P.O. BOX 7211 GRAND RAPIDS, MICH. 49510

For postage & handling, add \$4.00 (U.S. and Canada), add \$6.00 for foreign. Make payment in U.S. dollars by check, money order or charge card. (Michigan Residents add 4% sales tax).



VISA

FOR QUICK SERVICE PHONE 616-241-5510

Commodore 64 is a reg. T.M. of Commodore Business Machines

plate tectonics model to place mountains where the plates grind against each other. Another model insures that settlements are correctly located, so that primitive cultures aren't neighbors to huge city-states.

Then, when you sail, you're more accurately duplicating the conditions a late-fifteenth century explorer faced. Try it once you've mastered the old New World.

With Seven Cities of Gold,

you can sail around the Horn, as I did in one voyage, on your way to the west coast of North America. Or you can cross the Andes and navigate the Amazon River. It doesn't matter what you do or where you explore; you'll find this exceptional game a unique addition to your software library.

Fantasies and worlds to explore. What more could you want?

Seven Cities of Gold Electronic Arts 2755 Campus Drive San Mateo, CA 94403 \$39.95



TRABYTE DISK NIBBLER

The Ultimate Bit by Bit Disk Duplicator For The Commodore 64 and 1541 Disk Drive

ULTRABYTE DISK NIBBLER COPIES ALL SOFTWARE EXCEPT ITSELF

SATISFACTION GUARANTEED

Return for refund within 10 days if not completely satisfied

Introductory Price

plus \$ 3.00 Shipping and Handling MASTERCARD, VISA, CHECK, or M.O., Foreign Orders or COD Add \$ 2.00 Calif. Add 6.5 % (\$ 2.60) Sales Tax BACKUP COPIES \$ 20.00 PLUS \$ 3.00 SHIPPING

Based on new proprietary Disk Operating System (DOS) that reads and writes bits on the disk independent of format. This process, called nibbling, treats disk errors, extra sectors, renumbered tracks and other protection schemes exactly the same as ordinary data.

- Simple to use. Just load and run
- Fast. Copies entire disk on single 1541 in 8 minutes
- One easy step. No separate analysis or error production
- Uses revolutionary Track Scan Technology to make an exact replica of the original disk.

Write or Call 24 Hour Order Line

ULTRABYTE (818) 796 - 0576 P.O. Box 789 La Canada, CA 91011 Childpace

C. Regena

Do you have a child between three months and five years of age? Childpace from Computerose, Inc. is a child development program that can help you determine if your child is developing on schedule. This program is the computerized version of the many books that list what children should be able to do at certain ages. After answering questions about your child then testing him or her, you get an evaluation and a graph of the results.

Childpace is based on developmental norms for children's growth patterns. Children can be tested in four general areas of development: General Movement or gross motor skills, Detailed Movement or fine motor

SOFTWARE AUTHORS PLEASE WRITE

FOR '64 USERS ONLY!

THE ANATOMY OF THE C-64

insider's guide to the lesser known features of the '64. Includes graphics, sound synthesis, I/O control, sample programs using kernal routines, more. For those who need to know, includes complete disassembled and documented ROM listings.

ISBN-0-916439-00-3 300pp

ANATOMY OF 1541 DISK DRIVE

unravels mysteries of using misunderstood disk drive. Details use of sequential, relative and random files. Includes sample programs: FILE PROTECT, DIRECTORY, DISK MONITOR, BACKUP, MERGE, COPY, others. Describes DOS kernal with disassembled and documented 1541 ROMS listings.

ISBN-0-916439-01-1

320pp

\$19.95

MACHINE LANGUAGE FOR C-64

write faster, more efficient programs in machine language. Specifically geared to '64 features. Learn all 6510 instructions. Includes 3 full length programs: ASSEMBLER, DISASSEMBLER and amazing 6510 SIMULATOR to "see" each operator on the screen \$14.95

200pp ISBN-0-016439-02-x

TRICKS & TIPS FOR THE C-64

collection of easy to use programming techniques. Perfect companion for those hard to solve problems. Covers advanced graphics, ease data input, CPM. POKEs, BASIC enhancements, character sets, joystick/mouse simulation, transferring data between computers, more. A treasure chest.

ISBN-0-916439-03-8 280pp \$19.95

ADVANCED MACHINE LANGUAGE FOR C-64

author L. Englisch clearly explains some very detailed subjects: interrupts, video controller, timer, real time clock, parallel and serial I/O, extending BASIC, tricks and tips from machine language, more.

ISBN-0-916439-06-2 210pp \$14.95


IDEAS TO USE ON YOUR C-64

wondering what to do with your '64?, we suggest dozens of possibilities including complete program listings for many, many uses. Themes such as auto expenses electronic calculator, construction estimator, health diet plans, store window advertiser, computer poetry, party invitations and more

ISBN-0-916439-07-0

200pp

\$12.95



CASSETTE BOOK FOR C-64 (or Vic 20)

all information needed to use and program datasette. Many exmple programs. Includes new operating system fast loading and saving of files. ISBN-0-916439-04-6 200pp \$14.95

ADVENTURE GAMEWRITERS HANDBOOK

Writing adventure games! Here's a handbook with suggestions and hints for you. Includes an adventure program generator to simplify your projects.

ISBN-0-916439-14-3 220pp \$14.95

GRAPHICS BOOK FOR C-64

from fundamentals thru advanced topics this is most complete reference anywhere. Covers character sets, moving sprites, drawing in HIRES and MULTICOLOR. using lightpens, handling IRQs, 3D graphics, projections, curves, animation. Dozens of examples.

ISBN-0-916439-05-4

350pp

\$19.95

PRINTER BOOK FOR C-64

for your understanding of MPS801, 1520, 1525, 1526, Epson and most dot matrix printer. Packed with examples and utilities. Learn hardcopy of text and graphics, secondary addresses, plotting in 3D, much more. With MPS801 ROM listings.

ISBN-0-916439-08-9 350pp \$19.95

SCIENCE / ENGINEERING C-64

topics include linear/non Linear regression, CHI square. Fourier analysis, matrix calculations, more. Programs from physics, chemistry, biology, astronomy, electronics, etc. Describes variable types, computational accuracy, sort alogrithms. Many program listings.

\$19.95 250pp ISBN-0-916439-09-7

PEEKS AND POKES FOR C-64

Fast and simple techniques for programming. Make your 64 do things that previously required much programming. ISBN-0-916439-13-5 180pp

DEALER INQUIRIES ARE INVITED

IN CANADA CONTACT:

The Book Centre, 1140 Beaulac Street Montreal, Quebec H4R1R8 Phone: (514) 322-4154

AVAILABLE AT COMPUTER STORES, OR WRITE:

P.O. BOX 7211 GRAND RAPIDS, MI 49510 Exclusive U.S. DATA BECKER Publishers

For postage & handling, add \$4.00 (U.S. and Canada), add \$6.00 for foreign. Make payment in U.S. dollars by check, money order of charge card. (Michigan Residents add 4% sales tax.)



FOR QUICK SERVICE PHONE (616) 241-5510

Commodore 64 is a reg. T.M. of Commodore Business Machines

You Can Count On



Exclusive U.S. Data Becker Publisher P.O. Box 7211 Grand Rapids, MI 49510

INAUSTAR

A monthly disk publication for **Commodore 64**



Available at dealers everywhere!

reasons you bought a

Tell your C-64 the most

change rate and it will

print a chart for you to

Straight from Germany

This utility program wil

format and copy a disk

in four minutes on one

This program makes

number base conver-

sions to base 36. Hac-

kers will want to con-

vert to and from base

This will add polish to

stamp out boring

INPUT prompts.

your programs. Help us

16 (HEX)

A GARDENING

current money ex-

take on your trip

computer

abroad

Issue Number 3 contains: CHECKBOOK SMURK BALANCER

An evil cave dwelling creature guards an immense treasure. The object of the ADVEN-RATE EXCHANGE TURE game is to kill the Smurk and retrieve the treasure before the kills you

HEAD-ON

So you think you are a good driver? How long can you avoid a "head- 4-MINUTE COPY on" collision with a smart car guided by your C-647

GUESS WHAT?

This program gets smarter every time it is BASE CONVERTER run. Children love this

POKER PARLOR Anyone for five card

TABLES & PEOPLE

One definition of intelligence is the ability to TOOL recognize patterns. The object of this game is to discover computer cted patterns

STRESS TEST

Let Drs. Holmes and Masudu compute your social readjustment fac-

As if all these programs weren't enough. This issue of LOADSTAR also contains graphics, music, programming hints & tips, plus subscriber bulletins and reviews. LOADSTAR comes on a double-sided diskette. LOADSTAR is a bonanza of unprotected programs.

LEARN - programming techniques

USE - useful programs

ENJOY - games and novelties

SHARE - experiences with other

Commodore-64 owners

send to: LOADSTAR P.O. Box 30007 4023 Greenwood Rd. Shreveport, LA 71130-0007 (318) 868-7247

Enclosed is \$9.95 for number 3 as shown above.	
NAME	
ADDRESS	
CITYISTATE	ZIP
VISA/MASTERCARD#	EXP

REVIEWS

skills, Language Skills, and Personal and Social Skills. The results can then be compared to other children in the same age group.

For each child tested, you get a report with explanations for each of the four skill areas. You may also see a bar graph of the skill levels for Up-to-Age items, Challenge items, and Above-Age items. A printout is also available from within the program. Childpace comes with one diskette which contains a series of programs, plus room for results for up to 16 children.

Step Through The Menu

The program is designed for ease of use. Included in the package is a reference card which has step-by-step instructions on how to load the program. If you're using the program for the first time, you should select 1, "How to Use Childpace" from the main menu. This program illustrates the computer and shows how to use the function keys. On every screen, the operation of the function keys (f7 to move forward, f5 to move backward, and f3 to return to the main menu) are shown, and any other significant keys are highlighted. The use of color for emphasis is effective, and text is clear on either a color or green-screen monitor.

Selection 2 on the main menu is "Background," which presents the philosophy of Childpace. If you're one of those people who doesn't read the printed material that comes in

the package, you can get the information from this program. Although a 27-page manual comes with the software, all the same information is included in the programs.


Selection 3 is a "Practice Run-Through," which is essentially instructions on how to administer the tests. Example questions for you to score are shown. "Rose," an attractive character who can jump, hop, and walk, is introduced to help you understand by way of illustration some of the motor skills. If you don't understand how to do a particular skill that is described in words, press E (for Example), and Rose will appear on the screen and demonstrate.

Testing A Child

After you've seen the first three selections, you're ready to start testing a child. Selection 4 is Parent Questions and must be completed for each child you test. Enter the child's name and sex, plus the date of testing and the child's birth date. The computer calculates the number of months for the age. Depending on the child's age, you will be asked some questions about the child, most of which are in the Personal and Social Skills area. Again, the program is easy to use. Press Y for yes and N for no, or the space bar to erase. You may use f5 to back up, or f3 to go back to the main menu. The computer accepts only certain key presses and ignores all others. The colors indicate where you need to answer.

After answering the Parent Questions, you can select 5 to

SERIOUS 64 SOFTWARE INDISPENSIBLE TOOLS FOR YOUR COMMODORE 64



Disk \$39.95

PASCAL 64
This full compiler produces fast 6502 machine code. Supports data Types: REAL, INTEGER, BOOLEAN, CHAR, multiple dimension arrays, RECORD, FILE, SET and pointer. Offers easy string handling, procedures for sequential and relative data management and ability to write IN-**TERRUPT** routines in Pascal! Extensions included for hires and sprite graphics. Optionally link to ASSEM/MON machine language.

ASSEMBLER MONITOR
This complete language development package features a macro assembler and extended monitor. The macro assembler offers freeform input, complete assembler listings with symbol table (label), conditional assembly. The extended monitor has all the standard commands plus single step, quick trace breakpoint, bank switching and more. **DISK \$39.95**

ADA TRAINING COURSE

This package introduces you to ADA, the official language of the Department of Defense and the programming language of the future includes editor, syntax checker/compiler and 110 page step by step manual describing the language.

DISK \$79.95

DATAMAT-64 DISK \$39.95
This powerful data base manager handles up to 2000 records per disk. Select the screen format using up to 50 fields per record. DATAMAT 64 can sort on multiple fields in any combination. Complete report writing capabilities to all COMMODORE or ASCII printers.

DISK \$39.95

BASIC-64 COMPILER DISK \$39.95

This is a full compiler that won't break your budget. Is compatible with Commodore 64
BASIC. Compiles to fast machine code
and/or speedcode. Protect you valuable source code by compiling with BASIC 64.

POWER PLAN 64 DISK \$49.95


This super spreadsheet features built in graphics. It's as simple to use as 1-2-. Power Plan 64 displays your choices on screen with help screens always available. Makes excellent graphs. Includes 300pp in depth user's manual.

DISK \$39.95 TEXTOMAT-64

This complete word processor displays 80 columns using horizontal scrolling. In memory editing up to 24,000 characters plus chaining of longer documents. Complete text formatting, block operations, form letters, on-screen prompting.

OTHER NEW SOFTWARE COMING SOON!

All software products featured above have inside disk storage pockets, and heavy 3-ring-binder for maximum durability and easy reference.



DEALER INQUIRIES INVITED

AVAILABLE AT COMPUTER STORES, OR WRITE:

US himim P.O. BOX 7211 GRAND RAPIDS, MI 49510

Exclusive U.S. DATA BECKER Publishers

For postage & handling, add \$4.00 (U.S. and Canada), add \$6.00 for foreign. Make payment in U.S. dollars by check, money order of charge card. (Michigan Residents add 4% sales tax.)



FOR QUICK SERVICE PHONE (616) 241-5510

Commodore 64 is a reg. T.M. of Commodore Business Machines

You Can Count On



P.O. Box 7211 Grand Rapids, MI 49510 Exclusive U.S. Data Becker Publisher



of having to swap cartridges in and out whenever you wish to play a new game? Want to store up to 17 cartridges on a single diskette? If the answer is YES, then CBUS is for you.

Make backup copies of C64 cartridges to disk, includes circuit board and manual with software listings. \$ 34.95

CBUS | Deluxe - as above, with all necessary programs on disk \$ 49.95

CBUS II -16 Kbyte RAM Cartridge Emulator with write protection. Allows you to run copy protected cartridges from disk, or develop your own cartridge software. Includes circuit board and manual with \$ 84.95 software listings


CBUS II Deluxe - as above, with all necessary programs on disk \$ 99.95

CBUS Combo - Includes CBUS I and CBUS II with diskette \$119.95

Please add \$3.00 for shipping: YISA, MasterCard, check, money order



CARTRIDGE BACKUP SYSTEM



R.J. Brachman Associates, Inc. P.O. Box 1077, Havertown, PA 19083 (215) 622-5495

Commodate 64 is a registered mademark of Commodate Electronics, little

STAR MICRONICS **HOLIDAY PRINTER SALE!**

GEMINI TOX" 120 cps, 80col. NOW \$265 REG. \$399

DELTA 10X" 160cps, 80col. NOW \$375 REG. \$549

8K Buffer

16K Buffer

RADIX 10™ 200cps data mode 50cps NLQ mode

NOW \$575 REG. \$849

POWERTYPE™ PRINTER

NOW \$360

Daisy Wheel, Letter Quality, 18cps **BI-directional**

REG. \$499

Send Above Amount (plus \$10 shipping) to:

SOUTHWEST MICRO SYSTEMS 2556 Royal Lane

Dallas, Texas 75229 Or Call Toll Free 1-800-527-7573 In Texas Call (214) 484-7836 Free Catalog Upon Request

WE ACCEPT: Visa, Mastercard & Amer. Exp.

"Trademark of Star Micronics Inc.

REVIEWS

Begin or Resume Exercises. After three screens of instructions, you start testing with the child present. The instructions for each skill are explicit, and for the most valid results you should do and say exactly what the computer directs. On some of the skills, you may demonstrate, but on others the score depends on how much instruction you must give.

Some of the motor skills include standing in place and jumping, a distance jump (jumping over a sheet of paper), hopping, catching a ball, and walking backward heel to toe. Remember, if you aren't sure what the activity is, you can press E to see Rose perform the

activity.

A Childpace Record Booklet is included to aid in testing the detailed movement. One of the activities, for example, is to copy a circle (although you are not allowed to say the word "circle" to the child). Another is to draw a cross. (My son said, "OK, I'll draw a plus.") One skill is to draw a person, and the score is determined by how much detail the child provides. The manual shows examples of passing and failing results or how to score the drawing of a person.

For younger children, Language Skills test items may have questions about pronouncing words or understanding parts of the body. Older children need to recognize colors (colored blocks are included in this package), repeat sequences of words, recognize opposites, define words, and tell object composition: For example, what is a spoon made of? What is a shoe

made of? What is a door made of? In defining the words, you have to consider that this program only chose a few words, and that doesn't necessarily make a comprehensive test. For example, my son didn't know what the word "pavement" meant. At first he thought I said "payment." When I showed him the pavement, he said it was concrete or asphalt or was more specific with sidewalk, driveway, and street.

The Personal and Social Skills are mostly answered in the Parent Question section. These skills include dressing, feeding, washing hands, and social interaction with others.

Evaluating The Results

The next section is viewing the results. First, an explanation of the results is discussed, then you get a report for each of the four areas. Each screen tells how the child performed in upto-age items, challenge items, and above-age items. Pressing CTRL-P gives you a printout (actually a screen dump) of the report. If you press f7 to continue, you see an attractive graph of the results with arrows showing the child's skill level compared with "norms." After the last graph, an evaluation of the child is given with a general summary.

If the report indicates the child is behind schedule, the manual says "don't push the panic button," and lists several reasons for possible negative results, along with some suggestions. The manual also gives a



What you get if you cross a Commodore 64 with a Ferrari.

ou get the incredible Indus GT™ disk drive.
You get brains. You get beauty.
But, that's not all you get.
You get a disk drive that can handle 100% of Commodore's software. 400% faster.

You get the disk drive with the best service record around. With a one year warranty on parts and labor to prove it.

And, you get the only disk drive that comes with free software. Word processing. Spreadsheet. Database manager. Plus, a carrying case that doubles as an 80 disk storage file.

Most of all, you get luxury. From the sleek lines of its soundproofed chassis to the responsive AccuTouch™ controls at the Indus CommandPost.™ From the LED display that keeps you in control of your Commodore to the air-piston operated dust cover that protects your disks and drive.

So, you know what you really get if you cross a Commodore 64 with a Ferrari? You get the best.

GEMINI

State-of-the-art single or dual drive backup program for those "IMPOSSIBLE TO COPY" programs.

\$39.95

SERIAL PRINTMASTER-64

A cartridge used in conjunction with any standard Serial to Centronics parallel printer interface to give you a two-stroke screen dump and full Commodore Graphics.

\$44.95

OCTOPUS

A low cost networking system: up to eight C-64's and/or Vic-20's to one disk drive and printer.

\$89.95

BI-NET

Network two C-64's or Vic 20's or combination to one disk drive and printer.

\$24.95

A plug in reset button for the Commodore

\$19.95

COUPON CLIPPER

Saves-Stores-Checks Shopping Coupons. 30 Categories-2300 records with self deleting expired coupons.

Contact your local dealer or COMPUTRON BUSINESS SYSTEMS

503-224-2220

Visa/Mastercharge accepted, add \$3.00 for shipping & handling

DOUBLES DISK CAPACITY!



Cuts Your Cost 50%!

Now! The back of 51/4" diskettes can be used for data storage even with single head disk drives.

- CORTRAN NIBBLE NOTCH makes it easy
 - Adds the notch needed.
 - SATISFACTION OR MONEY BACK.

NIBBLE NOTCH I

Cuts square notch for Apple, II, II+, Ile, Ilc, III, Franklin and Commodore.

only \$14.95*

*add \$2.00 each order (\$5.00 foreign) For Postage and Handling Florida Residents Add 5% Sales Tax

ORDER TODAY!

Toll Free 1-800-642-2536

FLORIDA: 1-305-493-8355 OR SEND CHECK OR MONEY ORDER TO:

MISSLE NOTCH® COMPUTER PRODUCTS

4211 NW 75th TERRACE, • DEPT. 1 4 LAUDERHILL, FL 33319 PATENTED

ALL TRADEMARKS ARE ACKNOWLEDGED

REVIEWS

list of professional resources, people who can help provide assistance with the child if needed.

When I had my first child, I got several books that had lists of what the child should do at certain ages. As interested and concerned parents, we checked those lists periodically to see how our daughter was doing. With our fifth child, we were much more relaxed and assumed he would walk eventually, talk when he got around to it, and play with other children when he got to school. We haven't paid much attention to standards and norms. However, it was a lot of fun to try out this program to see how our fouryear-old compared with the average.

My assessment? It would be fun to start with a young baby, then keep track of the progress every few months. An electronic baby book! The best thing about this program is its ease of use, designed so that any parent (even one who has never used a computer) can use it. The instructions are clear and understandable. Blocks, a tube, and a pom-pom come with the package.

The manual is easy to understand and has helpful examples. The program itself is 'user-proofed" so you can't crash it with bad key presses. The screens show exactly what keys may be pressed for answers, scoring, or to go to different screens. Childpace lends itself to use either at home or in nursery schools to help with assessing child development.

Childpace Computerose, Inc. 2012 E. Randolmill Rd. Suite 223 Arlington, TX 76011

\$39.95

Also Worth Noting

Rockney Disk Utilities

Rockney Disk Utilities (RDU) is an all machine language, menudriven collection of disk utilities. With a colorful text display, RDU makes it easy to access almost every disk feature, eliminating the need for OPEN 15,8,15. Features supported are: enhanced directory, display sector, display BAM (Block Allocation Map), trace file (shows all sectors used by a file), initialize, display error channel, copy disk, edit sector, rename, copy file, concatenate (merge) files, validate, and scratch. Programmers will especially appreciate the ability to display and edit sectors. Pressing a function key can give you a help screen, hex to decimal and decimal to hex conversion, and a screen dump. Two extra programs permit you to perform single drive file copying and full disk backup. Unlike some disk utility packages, Rockney Disk Utilities has no provision for backing up copy-protected disks.

SUPER PRINTER PACKAGES Gemini 10X and Cardco + G Prowriter and

Cardco + G 414
No additional shipping
charges on Printer Packages in Continental USA

PRINTERS Alphacom 40C/Int. 99.95 Alphacom 80C/Int. 189.95 Silver Reed Call Prowriter 8510 . . Legend......239 Riteman. Toshiba 1351 Call

Axlom -CM-550 279

Call

Toshiba 1340

COMMODORE 64E



THE DOWER REHIND THE PRINTED WORD

Gemini 10X .249	Delta 15X 499
Gemini 15X .389	Radix 10X 549
Delta 10X369	Radix 15X 629
Powertyp	

CRM	164								٠						Cal
SX-6	4														Cal
1541	Dis	k Di	rive	9 .										,	Cal
1526	Prir	iter								e.					279
1530	Dat	ase	tte	١.											. 66
1702	Mo	nito	Γ.												Cal
1650	AD	AA	M	00	10	91	n								. 89
RS 2	32 Ir	nter	fac	ce	١.										Cal

Call for Special Package **64 System Price**

ANIMATION STATION TOUCH TABLET 59.95

Bring the trivia craze home with P.Q. The Party Quiz Came for the CBM 64-D . Call

MODEMS Hayes Smart Modem 300 Mark VII/Auto Ans/ Call Auto Dial. Call Mark XII/1200 Baud . Call Prometheus Call Westridge AA/AD . Call Auto Dial.

	C	0	M
ACCES	S		
Neutral	Zone-D	/T /T er-D ow-D/T	23.95
Spritem	aster-D	/1	23.95
Master	Compos	er-D	27.95
Raid Ove	er Mosc	ow-D/T	27.95
WICO Jo	ystick		Call
Flip 'n'	File-D		20.95
lovsens	or	n	24.95
WICO T	rakball.		37.95
KRAFT .	Joystick	e Kit uffer uffer uffer Upgrade	15.95
VIDTEX	npuserv	e Kit	29.95
Big Foo	1 16K B	uffer	Call
Big Foot	1 32K B	uffer	Call
Gemini	10X 8K	Upgrade	Call
Monitor	s		Call
Elenhan	t SS/S	arter D	17.00
Verbatin	n SS/D	D	20.00
Elephan	t SS/D	D	20.00
Alien Vo	oice Box	11-D.	99.95
ACTIVI	SION	upgrade arter D D S SS/DD	
Hero-D			24.95
River R	-D		24.95
Decatho	lon-D.		24.95
D	goo IT		22.05
On - Fiel	d Tenni	s-D/T	23.95
AVALO			
Call for	Items a	nd Price	S
Consult	RIES II	NCLUDI	60.05
Demonstin	I Car	elipak-D	69.95 84.95
Super E	Busscare	nipak-D d II /-D at-D	Call
Home In	nventory	/-D	23.95
Audio/\	Video C	at-D	23.95
Mail Lis	t-D		23.95
B.I. 80	Card		. Call
Home P	ak-D		37.95
	RBUN		
AE-D.	treat W	riter - D .	23.95
Choplift	ter-D.	iter-U.	23.95
Drol - D			23.95
Operation	on Whir	lwind - D in - D	27.95
Mask o	the Su	ın-D	27.95
Dr. Cre	ep-D		20.95
Bungeli	ng Bay	D	20.95
Speluni	ker-D.		20.95
Stealth Whistle	r's Bro	ther-D	20.95
TTINOUG		miner Wa	. 20.00

M O D	ORE
CARDCO	EPYX (cont'd)
Cardprint/B 47.95	Oil Barons - D 37.95
Cardco + G 64.95	Pitstop II - Cart 27.95
Cardhoard/5 59.95	Puzzlemania Call
Cardkey 39.95 Cassette Recorder 37.95	Puzzlemania Call Robots Of Dawn-D 27.95
Cassette Recorder 37.95	Summer Games 27.95
Printer Utility-D/T 19.95	Breakdance - D 27.95
Write Now-Cart 34.95	Barbie - D 27.95
Mail Now-D 27.95	G.I. Joe-D 27.95
File Now-D 27.95 Graph Now-D 27.95 Spell Now-D 27.95	Hot Wheels - D 27.95 Impossible Mission - D . 23.95
Graph Now - D 27.95	Impossible Mission - D . 23.95
Spell Now-U27.95	World's Grest BseballD 23.95
LQ-1 Printer Call LQ-2 Printer Call	FIRST STAR
LQ-3 Printer Call	Astrochase-D/T20.95
CDC COFTWARE	Bristles - D/T 20.95
CBS SOFTWARE	Flip-Flop-D/T20.95
Call for Items and Prices	Spy Vs. Spy-D20.95
COMMODORE Assembler-D. 39.95 Easy Finance I.II. III.IV-D. 19.95 Easy Calc-D. 34.95 Easy Mail-D. 19.95 Easy Speil-D. 19.95 Easy Speil-D. 19.95 Easy Speil-D. 39.95 Cogo-D. 57.95 General Ledger-D. 39.95 Accts. Rec. D. 39.95 Accts. PayD. 39.95 Accts. RecD. 39.95 Accts. RecD. 39.95 Accts. RecD. 39.95	HANDIC
Assembler-D39.95	64 Forth-Cart 29.95
Easy Finance I,II,	64 Graf-Cart 23.95
111,17-0	Stat 64-Cart 23.95
Easy Caic-D	Calc Result Easy-Cart . 34.95 Calc Result AdvCart . 69.95
Easy Mail-U 19.95	The Diary-Cart 23.95
Facy Spell-D 19 95	The Tool-Cart 29.95
Logo-D 57 95	Bridge Cart 29.95
The Manager-D 39.95	HESWARE
General Ledger-D 39.95	Hesware
Accts. Rec D 39.95	neswale
Accts. PayD39.95	INSTA (CIMMARON)
Magic Desk-Cart 39.95	Insta-Writer-Cart 39.95
Int. Soccer-Cart 22.95	Insta-Mail-D24.95
Magic Voice 54.95 Suspect - D 24.95 Cutthroats - D 24.95	Insta-File-D 49.95 Management Combo 64.95
Suspect - D 24.95	Insta-Calc-Cart/D 31.95
Cutthroats - D 24.95	Insta-Gard-Gard-D 24 95
Simon's Basic - Cart Call	Insta-Graph-D 24.95 Insta-Vestor-D
DYNATECH	Insta-Speed-D 99.95 Insta-Music-Cart/D 79.95
Adventure Writer - D 41.95	Insta-Music-Cart/D79.95
Codewriter - D 69.95	invest Combo
Dialog - D 41.95	Word Craft - D 54.95
Elf System - D	INFOCOM
Home File Writer-D 41.95	Deadline - D 29.95
Reportwriter - D 41.95	Enchanter - D 23.95
Menuwriter - D	Infidel - D
Speedwriter D	Planetfall - D 24.95
ELECTRONIC ARTS	Sorcerer - D
Archon - D	Starcross - D
M.U.L.ED 29.95	Suspended - D 29.95
Murder / Zindernaud D 29 95	Witness-D
One On One -D 29.95	Sea Stalker-U24.95
Murder / Zinderneuf - D. 29.95 One On One - D	KOALA
Financial Cookbook - D 37 95	Gibson Light Pen 69.95
Music Construction - D . 29.95	Koala Touch Tablet C 74 05
Music Construction - D . 29.95 7 Cities Of Gold - D 29.95	Koala Touch Tablet - D 69.95 Koala Touch Tablet - C 74.95 Muppet Learn Keys - D. 54.95
Standing Stones - D 29.95	Mupper Learn Reys - U . 54.95
EPYX	D · Disk T · Cassette
Dragons/Pern-D/T27.95	
	Cart - Cartridge

6	6 4	5	6	0	F
	MICROFUN			PAR	KER BR
	Death in the C	aribbean-D	27.95	Forge	ger II-Ca
	Death in the C Dino Eggs - D		7.95	Gyru	s-Cart .
	The Heist - D		3.95	Jame	s Bond -
	The Heist-D Boulder Dash	-D 2	3 95		ye - Cart
	Short Circuit	-D 3	3 95	O*Be	rt - Cart
				Star	rt - Cart . Wars - Ca
	MICROPRO	SE .		Mont	ezuma's
	Floya / Jungle	·U	3.95		
	Helicat Ace-I	3/1	3.95		RBOROL
	NATO Comma	ander-D.,	3.95	Mast	ertype - D
	Solo Flight - L	/	3.95	Net v	Vorth - D writer - D
	Spittire Ace-	0/1	3.95	Song	Willer - U
	Air Hescue	0/1	23.93		For the M
	Challenger - U	7 1	3.95		OLASTI
	Floyd / Jungle Helicat Ace-I NATO Comma Solo Flight - D Spitfire Ace- Air Rescue Challenger - D F-15 Strike E	agle-D	23.95	Call f	or Items
	MISCELLAN	NEOUS		SCR	EENPLA
	Ken Uston's				or Items
	Blackjack-D Quick Brown	4	9.95	SEG	
	Quick Brown !	Fox-D/Cart.:	34.95		
	Ultima III-D.		11.95	Call	or Items
	Ultima III-D. Flight Simula Night Mission Pinball-D/T	tor II-D	37.95	SIFF	RA ON-
	Night Mission	1/			pionship
	Pinball-D/T Home Accour		20.95	Dark	Cruetal -
	Home Accour Step By Step Barron's Sat Telestar 64-C Castle Wolfer Mastertype-E Aztec-D. Miner 2049e: Strip Poker-I Astro Chase- Flip Flop-D/ Beyond Wolfs Sam-D. Mae Assemb Jupiter Missi Barron-D. Tycoon-D. Millionaire-D Kwik-Load-I	ntant-D 4	19.95	Front	Crystal - I per - D / T
	Step By Step	-D/T	14.95	Home	word Sp
	Barron's Sat.	-D 6	67.95	Home	word - D
	Telestar 64-0	Cart	37.95	Miss	on Astroi
Н	Castle Wolfer	stein-D ?	20.95	Oil's	Well-D.
	Mastertype-D	/Cart 2	7.95		for Tire
	Aztec-D		7.95	Three	hold - D
	Miner 2049er	r-Cart 2	27.95	Time	hold - D . Zone - D
	Strip Poker-I)	23.95	Illtim	2 II - D
	Astro Chase-	D/T 2	20.95	Ultim	a I-D
	Flip Flop-D/	T	20.95	Ullyes	es-D.
	Beyond Wolfe	enstein-D	23.95	Wiyas	d/Prince
	Sam-D		11.95		word w
	Mae Assemb	ler - D 4	19.95		
	Jupiter Missi	on - D	34.95		INAKER
	Barron - D		37.95	Adve	nture Cr
	Tycoon - D		37.95	Aero	bics-D
	Millionaire - D		27.95		the Color
	Kwik-Load-I	0	16.95		abet Zoo
	Sargon III-D		34.95	Delta	Drawing
	Air Ralley - D		20.95		maker-C
	Graphics Bas	ics-D	23.95		ion Feve
	Millionaire - U Kwik - Load - I Sargon III - D Air Ralley - D Graphics Bas Hes Games - I Multiplan - D Omniwriter / S	D	23.95	Kids	on Keys
	Multiplan - D		59.95	Kidw	riter-D.
	Omniwriter/S	Spell-D	11.95	Snoo	per #1-[
	Bruce Lee - D Mancopter - D Meridian III - Mastering Th	/T ::	23.95	Snoo	riter-D. per #1-I per #2-I
	Mancopter - D)	27.95	Story	Machin
	Meridian III -	D	27.95	Train	s-D
	Mastering Th	e Sat-D. 10	04.95	Gran	dma's H
	Hes Forth-C	art	31.95		
	Hes Forth - Co Pogo Joe - D / Movie Maker	Τ	20.95		422
	Movie Maker	-D	11.95	11	
	Typing Tutor	III-D	34.95	HU	ndred
	Space Taxi-I)	20.95	ava	ilable
	Typing Tutor Space Taxi-I Vip Terminal	- D	1195	The state of the last	
	Doodle - D		27.95	CB	M 64.
	Doodle - D Superbase - 6	4D	59.95	10000	- ''
_					
	F	or Techn	ical I	nfo.	Order
			1 11		0-4

0	F	T		W
PAF	KER BE	ROTHE	RS	
Forg	ger II-Co iss-Cart es Bond	art	3	4.95
Gyru	iss-Cart		3	4.95
Jam	es Bond	-Cart	3	4.95
Pope	eye - Cart		3	4.95
Star	Ware - C	art	3	4.95
Mon	ert - Cart Wars - C tezuma's	Reven	ne-C 3	4 95
CCI	RBORO	HCH	,	7.55
	tertype - [7 05
Net	Worth - D	// Cart		4 95
Son	writer - D		2	7.95
Run	Worth - D gwriter - D For the	Money -	D 2	7.95
SCH	IOLAST	IC		
	for Items		ices	
	REENPL		-	
	for Items		ices	
SEG				
	for Items	and P	icee	
			1003	
	RRA ON		Vene	-
Char	mpionship	Boxin	g-D 2	0.95
Eron	Crystal -	U		2.05
Hom	ger-U/	oeller - F		4 95
Hom	eword - D	Jones - L	4	9.95
Miss	Crystal- ger - D / T eword Speword - D sion Astro	old - D	2	0.95
Oil's	Well-D.		2	3.95
Ques	st for Tire	s-D	2	3.95
Thre	shold - D Zone - D		2	7.95
Time	Zone-D		7	4.95
Ultin	na II-D . na I-D .			1.95
Hive	cec.D			7 95
Wiza	ard / Princ	ess-D	2	2 95
Hom	ses - D ard / Princ neword w	/Spelle	r-D.6	9.95
	NNAKE			
Arty	enture C	reator-f	Cart 2	2 95
Aero	bics-D	- Cator	2	7.95
Alf i	bics-D . n the Cold	r Caves	-C. 2	2.95
Alph	abet Zoo a Drawin	-Cart .	2	2.95
Delt	a Drawin	g-Cart	2	2.95
Face	emaker-(Cart	2	2,95
Frac	emaker-(ction Fev on Key:	er-Cart		2.95
KIDS	un key	s-Cart	****	2.95
Sno	writer - D . oper #1-	Ď		2 95
Spo	oper #2.	D	2	2.95
Stor	oper #2- y Machin	ne-Cart	2	2.95
Trai	ns-D		2	2.95

Hundreds of items available for the CBM 64, please call

Grandma's House-D. 19.95

A	R	E		
SSI				
50 M	/Normar	sh - D	. 27.9	15
Battle	/Normar	dy-D/1	. 27.9	15
Comb	at Leade	r-D/T.	. 27.9	15
Comp	uter Basi	eball-D	. 27.9	15
Cosm	ic Balanc	e-D	. 27.9	5
Eagle:	s-D		. 27.9	5
Fortre	ss-D any 1985 t/Desert		. 23.9	5
Germa	any 1985	-D	. 41.9	5
PED	sional G	DIT-U	22.6	S
Ringe	1985 - D. ide Seat in the S 85 - D. sides - D uter Foot ron - D.	n	27.0	5
Tiger	in the	now - D	27 0	15
Raitic	85-D	IIIOM - D	23 0	5
Broad	sides - D		27.9	15
Comp	uter Foot	ball-D	27.9	5
Quest	ron - D.		. 27.9	15
Rine I	May-D/T	5	23 0	15
Dreib	s-D/T spocalyps mancer- York City		23 9	5
Fort A	nocalyns	e-D/T	23 9	5
Necro	mancer -	D/T	23.9	5
New '	York City	-D/T	23.9	5
Quasi	modo-D/	T	23.9	5
Relax	Stress			
Redu	Ball-D/ n-D/T	S	. 79.9	5
Slam-	Ball-D/	T	. 23.9	15
Zaxxo	n-D/T.		. 27.9	15
Zeppl	in-D/T.		. 23.9	15
TIME	WORKS			
ACCOL	ints Pava	ble /		
Che	ckwriter	· D	. 41.9	5
ACCOL	ints Rece	ivable /		
Invi	pice-D		41.9	5
Cash	Flow	-	200.0	100
Mai	nagemen	I-D	41.9	5
Data	Manager	2-0	. 34.9	5
Dietro	Manager	0/1	19.9	5
	n-D/T.		19.9	5
	on Alget		10.0	
Electr	gon - D/1	X 2.2.2.2.2.2	- 19.9	0
Che	ckbook -	D/T	10.0	5
Gener	al Ledge	- D	41 0	5
Invent	ory Mana	nement-	0 41 9	5
Money	Manage	r-D/T	19.9	5
Payro	Manage Manage	ement - D	41.9	5
Evelyr	Woods	D	49.9	5
TRILI				207
			22.0	5
Drago	on - D nworld - E		22.9	7
Faren	heit 451	D	22.0	5
Descri	1011	10	. 22.0	9

WAVEFORM Call for Items and Prices

WINDHAM CLASSICS Below the Root - D. . . . 19.95 Gulliver's Travels - D. . . 19.95 Swiss Family - D Wizard of Oz - D

NEW PRODUCTS

To Order Call Toll Free 800-558-0003

Inquiries, or for Wisc. Orders 414-351-2007

ComputAbility.

NO SURCHARGE FOR MASTERCARD 🗪 OR VISA



Est. 1982

ORDERING INFORMATION. Please specify system. For fast delivery send cashier's check, money order or direct bank transfers. Personal and company checks allow 2 weeks to clear. Charges for COD are \$3.00. School Purchase Orders welcome. In CONTINENTAL USA, include \$3.00 shipping per software order. Include 3% shipping on all Hardware orders, minimum \$3.00. Mastercard & Visa please include card # and expiration date. WI residents please add 5% sales tax. HI, AK, FPO, APO, Canadian orders — add 5% shipping, minimum \$5.00. All other foreign orders, please add 15% shipping, minimum \$10.00. All goods are new and include factory warranty. Due to our low prices, all sales are final, All defective returns must have a return authorization number. Please call 414-351-2007 to obtain an RA# or your return will NOT be accepted for replacement or repair. Prices and availability are subject to change without notice.

COMPUTABILITY P.O. Box 17882 Milwaukee, WI 53217

ORDER LINES OPEN 11 AM - 7 PM CST 12 PM - 5 PM CST

Introducing The Gold Disk Subscription Series SOPHSTICATED SOFTWARE FOR LESS TOTALLAND

The Gold Disk is a brand new way to get even more out of your Commodore 64*, because now, you can get all the programs you want and need at unbelievably low cost.

Every month, subscribers to the Gold Disk will receive a disk that contains a feature program that in itself, is worth the price of the subscription. In addition there are tutorials, games, a programming puzzle, music, sound effects, programmers' corner on each disk. A wealth of quality software for less than \$10.

Our Premier Issue – December includes:

- A complete data base system
- Home finance program and tutorial
- Learning Basic Part I tutorial
- 2 Arcade Action games with full 3D graphics
- Music of the month
- Graphics of the month
- Puzzle of the month
- Sound effects with source code
- Programmer's corner and more

*Trademark pending.
*Commodore 64 is a registered trademark of Commodore Basiness Machines.



In the months ahead, the feature programs include an Assembler, Word Processor, Information Management System, Micro Forth, Debugger, etc. Plus a great many other educational and entertaining programs.

To begin your subscription simply fill in the coupon below.
The Gold Disk — all the programs you need at subscription prices.

Subscribe Now. This is a special introductory offer and prices are in effect until December 31/84.

The GOLD

THE GOLD DISK SUBSCRIPTION SOFTWARE

2179 Dunwin Drive, *6, Mississauga, Ontario, Canada L5L 1X3

YES, please send the Gold Disk for $\square = 6$ months @ \$54.95 (U.S. funds \square 12 months @ \$99.95 (U.S. funds

Add \$1,00 per issue for mailing and handling. Orders out of North America add \$3,00 per issue. Newsstand price per issue is \$11.95 U.S. Payment must accompany all orders. Allow 4 to 6 weeks for subscription start.

	 Address		
CHACLES	State: Prov.	Code	

□ Check or money order enclosed □ Visa □ Mastercharge □ American Express

Acet* Exp Date □ Signature

All prices quoted are in U.S. Jurids. Canadian orders please allow for exchange. Ontario residents add 7% sales fax

The manual tersely covers all the disk commands and includes technical information on how each command works. This approach may be confusing to beginners, but it's more than substantial for intermediate programmers. Indeed, the value of this package is educational. The manual includes techniques for unscratching a file, modifying a machine language program without loading it into memory, and packing disk files, explaining not only how it's done, but why it works.

Rockney Software Box 5795 Derwood, MD 20855 \$24.95

The Voice Messenger

This new product from Currah Technology adds speech synthesis to a Commodore 64. It doesn't require an external speaker—the voice goes through the television or monitor speaker. Installation is easy: Simply plug it into the cartridge port, then take the cable leading out of the cartridge and plug it into the audio/video socket. Since the same socket is used by the monitor cable, a Y-connector is available from Currah for use with a monitor.

The Voice Messenger adds five new commands to BASIC, which can be used within a program or in direct mode. The manual also includes the necessary technical information for machine language programmers. INIT (initialize) turns on the voice. BYE turns it off. KON turns on the key-speech feature,

which says each key when it is pressed. For example, if you enter the BASIC line 10 PRINTA, you hear one-oh-space-pea-ar-eye-en-tee-ay-return. All graphics characters are pronounced graphic. Key-speech could be a great help for people entering data, children learning the alphabet, or teaching touch typing to the blind. KOFF turns off this feature.

The fifth command, SAY, speaks letters, words, or sentences. It must be followed by a string or string variable. Unlike some voice modules, the vocabulary is not limited to a certain number of words. The different sounds of English are built-in. The Voice Messenger uses a system of rules for deciding how a word should be pronounced (for example, plough is pronounced differently than cough, even though they're spelled similarly).

Using allophones gives you even more control over the sounds. The hard *g* sounds in *big* and *got* are actually (slightly) different. So you could type SAY "HELLO" or, using allophones to make it sound more like English, SAY "[HE(LL)(OO)]". The full list of allophones is included in the manual.

The sounds to be spoken are stored in a buffer which holds up to 255 allophones (about 25 to 30 seconds of speech). Because it is interrupt-driven, BASIC programs do not slow down or stop while words are being spoken. There are two voices, a low one that sounds a bit like Darth Vader and a

higher one. Two intonations are available for each voice, normal and emphasized.

Currah also markets speech synthesizers (in England) for the VIC-20 and the Sinclair Spectrum. *The Voice Messenger*, now available in America for the 64, is an easy-to-use, entertaining speech processor. And the price is right.

Currah Technology 50 Milk Street/15th Floor Boston, MA 02109 \$49.95

Tapper

One of the most addictive games we've seen lately, this Bally Midway arcade translation for the 64 from Sega has a lot going for it. *Tapper* is not only fun to play, but also immensely challenging, graphically entertaining, and full of action.

It might first appear to be just another super-fast arcade game, but the longer you play, the more you realize it's a very well-designed strategy game. As the "tapper" (bartender), you are serving a rude and motley crew of publicans whose thirst is nearly impossible to quench. There are four bars, and you must move quickly from one to the other to service the nearest customer. As the mob approaches, waving their fists, you must decide in what order they should be served. If one reaches the bar without being served, be prepared to be picked up by the collar and thrown down the bar. Inglorious treatment for all your efforts.

If that isn't enough, you must also retrieve the empty

mugs as they return sliding back down the bar toward you. Unfortunately, many of the patrons want immediate refills. A key to staying alive for any length of time in the game is to pick up the occasional tip (if you have time). This triggers a chorus line of dancing girls which distracts some of the patrons and lets you catch your breath.

Dexterity with a joystick is a must for this game. Controlling the tapper isn't so difficult, but moving fast enough and to the right place at the right time is taxing to the point of

exhaustion. The title screen offers several options: one or two players, and Beginner, Arcade, or Expert levels. The Beginner level is a real handful. The first scenario is a Western bar (1890s). Make it past this one to go to a county fair, where the action picks up. If you make it through this scenario, you're treated to an abominable punk-rock bar. And, finally, an outer space bar with creatures a la Star Wars. Between scenarios, you can rest or play a guessing game with the Soda Bandit (sponsored by

Mountain Dew).
You stay in the game simply by not losing one of your lives (five at the Beginner level, three at the others). A life is erased if you're thrown down the bar, fail to catch a returning mug, or slide a refill down the bar to a customer who's just left. You can gain extra lives by achieving a high number of points (depending on the level you choose).

Tapper is not for the timid, but we rate it near the top in

entertainment value.

Sega Enterprises, Inc. Sega Consumer Products 360 N. Sepulveda Blvd. El Segundo, CA 90245 disk or cartridge (price unavailable)

Mancopter

Pedaling a copter across the skies? Be serious. Too childlike. Though that may be your reaction to reading the directions to this game, or even seeing it on the screen, it's only a first impression. *Mancopter* is a game for the 64 that's challenging enough for adults and picturesque enough for children.

As a pilot in the great mancopter race, you need to evade dozens of computer-controlled mancopters, dodge fish-stealing pelicans, and avoid falling dodo birds and leaping squids on your way to the finish line. It's never easy, for as soon as you stop hitting the joystick button, you begin to lose altitude. There are other obstacles, too, like tangled mangrove trees that force you to skim the water, or waving mermaids who want your last fish.

The scrolling screen moves smoothly as you fly from right to left. You can reverse direction, but its impossible to fly far that way. Not that you want to; there's a time limit. You need to reach that next buoy to get another 40 seconds on the clock.

If you bop other copters from above, they drop into the water. Unfortunately, they can do the same to you. Then you have to give one of your valuable fish to the whale. Otherwise, he won't come and

provide his back as a launching pad. You begin the race with four fish. But it seems everything is trying to take them from you. Pelicans, squid, dodo birds, and even mermaids want them. There are ways to get more—some of the pelicans and mermaids have a fish in their beaks or hands, and if you're agile, you can take them.

Scoring is based on capturing fish, bopping and passing other mancopters, and finishing the race. Bonus points for passing mancopters are awarded when you land at a raft checkpoint.

The game gets more frenetic as you must fly under more and more of the mangrove trees. Avoiding the fish-stealers becomes increasingly difficult. Storm clouds appear and lightning bolts search you out. But the pace is worth it. The game is challenging and graphically entertaining.

Datasoft 19808 Nordhoff Place Chatsworth, CA 91311 \$34.95 (disk or cassette)

COMPUTE!'s
GAZETTE
TOLL FREE
Subscription
Order Line
800-334-0868
In NC
919-275-9809

MACHINE LANGUAGE FOR BEGINNERS

Richard Mansfield, Senior Editor

ML Mailbag

If you have a question about machine language (ML), please send it to the address at the end of the column. This month let's answer some commonly asked questions:

Using The Kernal

How do you clear the screen in ML? I've tried filling it with 32's, the space character, but I know there's a better way. Also, how do you check what's being typed into the computer from the keyboard? I've tried looking at location 197, but it doesn't work out.

To effectively program in ML, you need several tools: an assembler, a disassembler, a map of your computer's memory (especially the BASIC and Kernal ROM routines), and a table of the Commodore version of the ASCII code (often called a Character Set Table). You'll find the first three in my book, *Machine Language for Beginners* (available from COMPUTE! Books or in most bookstores), and we've reprinted the Commodore ASCII table this month.

Your questions suggest that you are unfamiliar with the Kernal section of the BASIC ROM. Many of the fundamental things you ordinarily do in BASIC are easily accessed from ML programs as well. In BASIC you would just PRINT a clear screen character. You can clear the screen in ML by:

LDA #147 JSR 65490

The 147 is Commodore ASCII for clear-the-screen (see the table below) and you just load 147 into the Accumulator and then JSR to the computer's built-in PRINT routine. At the very top of ROM memory are several important addresses (referred to collectively as the *Kernal*) which can be used in your ML programming. The Kernal addresses are the same on a VIC and 64.


To simulate a BASIC INPUT command, JSR 65487. To simulate GET, JSR 65508. Probably the most useful of all the Kernal routines is 65490. The Commodore ASCII character value currently in the Accumulator will be printed to the screen. What's especially useful about this routine is that it remembers where the cursor would be. In other words, the next time you print what's in the Accumulator, the new character will be placed immediately following the previous character. You can also use all the special

codes for clear screen, delete, backspace, etc. Other useful Kernal routines open and close files, save and load programs, read the time, check the STOP key, and read or set the position of the cursor on the screen.

STANDARD ASCII

- 1 start of heading
- 2 start of text
- 3 end of text
- 4 end of transmission
- 5 enquiry
- 6 acknowledge
- 7 bel
- 8 backspace
- 9 horizontal tabulation
- 10 line feed
- 11 vertical tabulation
- 12 form feed
- 13 carriage return
- 14 shift out
- 15 shift in
- 16 data link escape
- 17 device control 1 (X-on)
- 18 device control 2
- 19 device control 3 (X-off)
- 20 device control 4
- 21 negative acknowledge
- 22 synchronous idle
- 23 end of transmission block
- 24 cancel
- 25 end of medium
- 26 substitute
- 27 escape
- 28 file separator
- .29 group separator
- 30 record separator
- 31 unit separator

FANTASTIC COMPUTER PRINTER SALE!!!



COM-STAR T/F

Tractor Friction Printer

- Lowest Priced, Best Quality, Tractor-Friction Printers in the U.S.A.
- Fast 80-120-160 Characters Per Second
 40, 46, 66, 80, 96, 132 Characters Per Line Spacing
 - Word Processing
 Print Labels, Letters, Graphs and Tables
 List Your Programs
- Print Out Data from Modem Services
 "The Most Important Accessory for Your Computer"

** DELUXE COMSTAR T/F 80 CPS Printer - \$169.00

This COMSTAR T/F (Tractor Friction) PRINTER is exceptionally versatile. It prints 81/2" x 11" standard size single sheet stationary or continuous feed computer paper. Bi-directional, impact dot matrix. 80 CPS, 224 characters. (Centronics Parellel Interface).

Premium Quality 120-140 CPS 10" COM-STAR PLUS+ Printer \$249.00

The COM STAR PLUS+ gives you all the features of the COMSTAR T/F PRINTER plus a 10" carriage, 120-140 CPS, 9 x 9 dot matrix with double strike capability for 18 x 18 dot matrix (near letter quality), high resolution bit image (120 x 144 dot matrix), underlining, back spacing, left and right margin settings, true lower decenders with super and subscripts. prints standard, italic, block graphics and special characters. It gives you print quality and features found on printers costing twice as much!! (Centronics Parallel Interface) (Better than Epson FX80). List \$499.00 SALE \$249.00

Premium Quality 120-140 CPS 15½"COM-STAR PLUS+ **Business Printer \$349.00**

Has all the features of the 10" COM-STAR PLUS+ PRINTER plus 15 ." carriage and more powerful electronics components to handle large ledger business forms! (Better than Epson FX 100). List \$599.

SALE \$349.00

Superior Quality 10" COM-STAR+ H.S. HIGH SPEED 160-180 CPS **Business Printer \$369.00**

This Super High Speed Com-Star+ Business Printer has all the features of the 10" COM-STAR+ PRINTER with HIGH SPEED BUSINESS PRINTING 160-180 CPS, 100% duty cycle, 8K Buffer, diverse character fonts, special symbols and true decenders. vertical and horizontal tabs. A RED HOT BUSINESS PRINTER at an unbelievable low price (Serial or Centronics Parallel Interface) List \$699.00 Sale \$369.00.

Superior Quality 151/2" COM-STAR PLUS+ H.S. High Speed 160 - 180 CPS **Business Printer \$469.00**

This Super High Speed COM-STAR+ 151/2" Business Printer has all the features of the 10" COM-STAR BUSINESS PRINTER with 151/2" Carriage and more powerful electronic components to handle larger ledger business forms! Exclusive bottom feed. (Serial Centronics Parallel Interface) List \$799.00 Sale \$469.00

Olympia

Executive Letter Quality DAISY WHEEL PRINTER \$379.00

This is the worlds finest daisy wheel printer Fantastic Letter Quality, up to 20 CPS bidirectional, will handle 14.4" forms width! Has a 256 character print buffer. special print enhancements, built in tractor-feed (Centronics Parallel and RS232C Interface) List \$699 SALE \$379.

15 Day Free Trial - 1 Year Immediate Replacement Warranty

PARALLEL INTERFACES -

For VIC-20 and COM-64 — \$49.00 For Apple computers — \$79.00 Atari 850 Interface — \$79.00 For ALL IBM Computers — \$89.00

Add \$14.50 for shipping, handling and insurance, Illinois residents pleasepdd 6% tax. Add \$29.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES.

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery. 2 to 7 days for phone orders. 1 day express mail! VISA-MASTER CARD-We Ship C.O.D to U.S. Addresses Only

ERPRIZES (WE LOVE OUR CUSTOMERS)

BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order

Print Example:

COM-STAR PLUS+ ABCDEFGHIJKLMNOPGRETUVWXYZ ABCDEFGHIJKLMNOPGRSTUVWXYZ 1234567890

NEW 128K — MEGA BYTE DUAL DISK DRIVE—80 COLUMN

COMPUTER SYSTEM SALE!

HOME • BUSINESS • WORD PROCESSING



LOOK AT ALL YOU GET FOR ONLY	\$	8	9	5	•
------------------------------	----	---	---	---	---

1	B128 COMMODORE 128K 80 COLUMN COMPUTER	\$ 995.00
2	4023 - 100 CPS - 80 COLUMN BIDIRECTIONAL PRINTER	499.00
3	8050 DUAL DISK DRIVE (over 1 million bytes)	1795.00
	12" HI RESOLUTION 80 COLUMN MONITOR	249.00
•	BOX OF 10 LORAN LIFETIME GUARANTEED DISKS	49.95
•	1100 SHEETS FANFOLD PAPER	19.95
	ALL CABLES NEEDED FOR INTERFACING	102.05

\$895 SALE PRICE

TOTAL LIST PRICE \$3717.95

PLUS YOU CAN ORDER THESE BUSINESS PROGRAMS AT SALE PRICES

	LIST	SALE		LIST	SALE
Professional 80 Column			Payroll	\$149.95	\$99.00
Word Processor	\$149.95	\$99.00	Inventory	\$149.95	\$99.00
Professional Data Base	\$149.95	\$99.00	General Ledger	\$149.95	\$99.00
Accounts Receivable	\$149.95	\$99.00	Financial Spread Sheet	\$149.95	\$99.00
Accounts Payable	\$149.95	\$99.00	Order Entry	\$149.95	\$99.00

PRINTER REPLACEMENT OPTIONS

(replace the 4023 with the following at these sale prices)

		LIST	SALE
22	Olympia Executive Letter Quality Printer	\$699.00	\$379.00
10	Comstar Hi-Speed 160 CPS 151/2" Business Printer	\$779.00	A STATE OF THE PARTY OF THE PAR
St.	Telecommunications Deluxe Modem Package	\$199.00	\$139.00
W.	IEEE to Centronics Parallel Printer Interface	\$179.00	\$139.00

15 DAY FREE TRIAL. We give you 15 days to try out this SUPER SYSTEM PACKAGE!! If it doesn't meet your expectations, just send it back to us prepaid and we will refund your purchase price!!

90 DAY IMMEDIATE REPLACEMENT WARRANTY. If any of the SUPER SYSTEM PACKAGE equipment or programs fail due to faulty workmanship or material we will replace it IMMEDIATELY at no charge!!

Add \$50.00 for shipping and handling!! \$100.00 for Alaska and Hawaii orders. WE DO NOT EXPORT TO OTHER COUNTRIES

Enclose Cashiers Check. Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! We accept Visa and MasterCard. We ship C.O.D. to continental U.S. addresses only.

PROTECTO

ENTERPRIZES WELOVE OUR CUSTOMERS

BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order

LIST PRICE

COMMODORE 64

COMPUTER AND SOFTWARE SALE

(more power than Apple II at 1/3 the price)

\$188⁰⁰*

- 170K Disk Drive \$239.00*
- Tractor Friction Printer \$169.00 *
- •13" Hi-Res Color Monitor \$219.00

*less coupon discount

★ COMMODORE 64 COMPUTER \$188.00

You pay only \$188.00 when you order the powerful 84K COMMODORE 64 COMPUTER! LESS the value of the SPECIAL SOFTWARE COUPON we pack with your computer that allows you to SAVE OVER \$500 off software sale prices!! With only \$100 of savings applied. your net computer cost is \$88.00!!

* 170 DISK DRIVE \$239.00

You pay only \$239.00 when you order the 170K Disk Drive! LESS the value of the SPECIAL SOFTWARE COUPON we pack with your disk drive that allows you to SAVE OVER \$100 off software sale prices!! With only \$500 of savings applied, your net disk drive cost is

* 80 COLUMN SOCPS TRACTION FRICTION PRINTER \$169.00

You pay only \$169.00 when you order the Comstar T/F deluxe line printer that prints 8 x11 full size, single sheet, roll or fan fold paper, labels etc. Impact dot matrix. bidirectional, LESS the value of the SPECIAL SOFTWARE COUPON we pack with your printer that allows you to SAVE OVER \$100 off software sale prices!! With only \$500 of saving applied your net printer cost is only

★ 13" HI-RES COLOR MONITOR \$219.00

You pay only \$219.00 when you order this 13" COLOR MONITOR with sharper and clearer resolution than any other color monitors we have tested! LESS value of the SPECIAL DISCOUNT COUPON we pack with your monitor that allows you to save over \$500 off software sale prices!! With only \$100 of savings applied your net color monitor cost is only \$119 00 (16 Colors).

80 COLUMN BOARD \$99.00

Now you program 80 COLUMNS on the screen at o time! Converts your Commodore 64 to 80 COLUMNS when you plug in the 80 COLUMN EXPANSION BOARD!! PLUS 4 slot expander! Can use with most existing

80 COLUMNS IN COLOR

EXECUTIVE WORD PROCESSOR \$49.00
This EXECUTIVE WORD PROCESSOR is the finest available for the COMMODORE 64 computer! The ULTIMATE FOR PROFESSIONAL Word Processing DISPLAYS 40 or 80 COLUMNS IN COLOR or Black and White! Simple to operate, powerful text editing with 250 WORD DICTIONARY, complete cursor and insert/delete controls line and paragraph insertion, automatic deletion, centering, margin settings and output to all printers! Includes a powerful mail merge

List \$99 00 SALE \$49.00 Coupon \$39.00

WE HAVE THE BEST

SERVICE

WE HAVE THE LOWEST **PRICES**

SPECIAL SOFTWARE COUPON

We pack a SPECIAL SOFTWARE DISCOUNT COUPON with every COMMODORE 64 COMPUTER DISK DRIVE-PRINTER-MONITOR we sell! This coupon allows you to SAVE OVER \$500 OFF SALE PRICES!!

(Examples) PROFESSIONAL SOFTWARE **COMMODORE 64**

Name	List	Sale	Coupon
Executive Word Processor	\$99.00	\$49.00	\$39.00
Executive Data Base	\$69.00	\$35.00	\$24 00
20,000 Word Dictionary	524.95	\$14.95	\$10.00
Electronic Spread Sheet	\$59.95	\$49 00	\$39.00
Accounting Pack	\$49.00	\$39.00	\$29 00
Practicale	\$59 95	\$44.95	\$36.95
Programmers Reference			
Guide	\$20.95	916 95	\$12.50
Programmers Helper			
(Disk)	\$59.95	\$39.95	\$29.95
80 Column Screen (Disk)	\$59.95	\$39.95	\$29.95
Flip & File Disc Filer	\$39.95	\$16.95	514 95
Deluxe Tape Cassette	\$89.00	\$49 00	\$39.00
Pro Joy Stick	\$24.95	\$15.95	\$12.00
Light Pen	\$39.95	\$16.95	514 95
Dust cover	\$8.95	\$6.95	54.60
Paga Joe	\$29.95	\$19.95	\$16.95
Pitstop II Epyx	\$39.95	\$29.95	\$26.00
		Plus	One FREE
Music Calc	\$59.95	539 95	\$34.95
Filowriter	\$59 95	\$39.95	\$34.95

(See over 100 coupon items in our catalog).

Write or call for

Sample SPECIAL SOFTWARE COUPON!

EXECUTIVE QUALITY PROFESSIONAL BUSINESS SOFTWARE

The Cadillac of Business Programs for Commodore 64 Computers

Item	List	SALE	Coupon
Inventory Management	\$99.00	\$49.00	\$35.00
Accounts Receivable	\$99.00	\$49.00	\$35 00
Accounts Payable -	\$99.00	\$49 00	\$35.00
Payroll	\$99.00	\$49.00	\$35.00
General Ledger	\$99.00	\$49.00	\$35.00

SUPER AUTO DIAL MODEM

(Best communications package in USA)

- Computer Learning Pad \$49.00
- New Voice Synthesizer \$59.00
- Commodore 64 Power for Vic-20 \$69.00

SUPER AUTO DIAL MODEM \$79.00

Easy to use Just plug into your Commodore 64 computer and you're ready to transmit and receive messages Easier to use than dialing your telephone just push one key on your computer! Includes exclusive easy to use program for up and down loading to printer and disk drives List \$129.00 SALE \$79.00.

NEW COMPUTER LEARNING PAD \$39.95

makes other graphics tablet obsolete. This new TECH SCETCH LEARNING PAD allows you to draw on your T.V. or Monitor and then you can print whatever you draw on the screen on your printers FANTASTICIII List \$79.95 SALE \$39.95

NEW VOICE SYNTHESIZER \$59.00

For Com-64 or VIC-20 computers. Just plug it in and your can program words and sentences, adjust volume and pitch, make talking adventure games, sound action games and customized talkies!! FOR ONLY \$19.95 you can add TEXT TO SPEECH, just type a word and hear your computer talk — ADD SOUND TO "ZORK". SCOTT ADAMS AND AARDVARK ADVENTURE GAMES!! (Disk or tape)

COM-64 POWER FOR VIC-20 \$69.00

Just plug in our 32K RAM MEMORY EXPANDER and you get as much usable programming power as the Commodore 64 computer!! Master control switches on Gold Edge connectors, five year warranty (FREE \$29.95 CARTRIDGE GAME)

5 1/4" FLOPPY DISK SALE .98¢

Lowest prices in the U.S.A." Single sided, single density. with hub rings, quality guaranteed! (100 bulkpack 98¢ ea.) (Box of 10 \$12 00)

COM-64 4 SLOT EXPANSION BOARD \$39.95

Easy to use, switch selectable, reset button and LED indicator — saves your computer and cartridges. List \$79.00 Sale \$39.95 Coupon \$36.95

9" GREEN SCREEN MONITOR \$69.00

Excellent quality SANYO, easy to read, 80 columns x 24 lines. Green Phosphorous screen with anti-glare, metal cabinet! Saves your T.V. PLUS \$9.95 for connecting cable. Com 64 or VIC 20.

12" GREEN OR AMBER MONITOR \$99.00

Your choice of green or amber screen monitor top quality, SANYO 80 columns x 24 lines, easy to read, antiglare, faster scanning! PLUS \$9.95 for connecting cable Com-64 or VIC 20

> PHONE ORDERS 8AM - 8PM Weekdays 9AM - 12N Saturdays

 LOWEST PRICES
 15 DAY FREE TRIAL
 90 DAY FREE REPLACEMENT WARRANTY BEST SERVICE IN U.S.A.
 ONE DAY EXPRESS MAIL
 OVER 500 PROGRAMS
 FREE CATALOGS

Add \$10.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES.

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! VISA - MASTER CARD - C.O.D.

PROTECT ENTERPRIZES WELOVE OUR CUSTOMERS

BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order

Commodore - 64

SCRIPT-64 EXECUTIVE WORD PROCESSOR

(80 Columns in Color)

40 or 80 columns in color or black and white; turns your computer into a Business Machine!

This is the finest word processor available. Features include line and paragraph insertion/deletion, indentation, right and left justification, titles, page numbering, characters per inch, etc. All features are easy to use and understand. With tabs, etc. SCRIPT-64 even includes a 250 word dictionary/spelling checker to make sure your spelling is correct. The dictionary is user customizable to any technical words you may use. Furthermore, all paragraphs can be printed in writing and everyday letters are a snap. To top things off, there is a 100 page manual and help screens to make learning how to use SCRIPT-64 a snap. This word processor is so complete we can't think of anything it doesn't have. When combined with the complete database you have a powerful mailmerge and label program that lets you customize any mailing list with personalized letters. List \$99.95. Sale \$49.95. *Coupon Price \$39.00. (Disk only.)

CRIPT-64 20.000 WORD DICTIONARY

Allows you to check spelling on 20,000 most often mispelled words! List \$29.95 Sale \$19.95. *Coupon Price \$10.00. (Disk only.)

SCRIPT-64 COMPLETE DATABASE

(PLUS MAIL MERGE AND LABELS)

This powerful DATABASE is user friendly and makes any information easy to store and retrieve. The user defines the fields and then can add, change, delete, and search for any category wanted! When combined with the Executive Word Processor you can search out any category (zip codes, even hair color, etc.) and print super personalized letters! 600 names can be sorted and formulated on each disk in any order or category! Will handle any size mailing list by changing or adding disks! List \$69.00. Sale \$34.00. *Coupon Price \$24.00.

 LOWEST PRICES
 15 DAY FREE TRIAL
 90 DAY FREE REPLACEMENT WARRANTY BEST SERVICE IN U.S.A.
 ONE DAY EXPRESS MAIL
 OVER 500 PROGRAMS
 FREE CATALOGS

WE SHIP C.O.D. HONOR VISA AND MASTER CHARGE ADD \$3.00 SHIPPING FOR C.O.D. ADD \$2.00 MORE SPECIAL SERVICES:

One Day — Express Mail add \$10.00

ENTERPRIZES WE LOVE OUR CUSTOMERS!

BOX 550, BARRINGTON, ILLINOIS 60010

Phone 312/382-5244 to order

	NOTE OF	anne	NATIONAL PARTY.	HIMMIN STATE	S CONTRACTOR OF THE SECOND	CREEN	DISPLAY	gannen	CHENNE	NAME OF THE OWNER,	nennen.			DISPLAY	NON
8	DEC	HEX	BASIC	6502	ASCII		SET 2	DEC	HEX	BASIC	6502	ASCII	100	SET 2	
	0	0	ENDLINE	BRK	AND VIOLEN	(a		64	40	(a	RTI EOR (\$ZZ,X)	(a A		A	
8	1	1		ORA (\$ZZ,X)		A	a	65	41	A B	EOR (\$ZZ.X)	В		В	
8	2	2				В	b	67	43	C		C		C	
8	3	4				D	d	68	44	D		D	E	D	
8	5	5		ORA \$ZZ	white	E	е	69	45	E	EOR \$ZZ	E		E	
S	6	6		ASL \$ZZ		F	1	70	46	F	LSR \$ZZ	F		F	
8	7	7				G	9	71	47	G		G		G	
S	8	8		PHP	disables shft/Cmdr	Н	h	72	48	Н	PHA	Н		Н	
3	9	9		ORA#\$II	enables shft/Cmdr	1	i	73	49	1	EOR #\$II	1		J	
8	10	A		ASL		J	l k	74 75	4A 4B	J K	LSR	K	2	K	
ğ	11	В				K	K	76	4C	Ĺ	JMP \$NNNN	Ĺ	ī	Ĺ	
9	12	C		ORA \$NNNN	return	М	m	77	4D	М	EOR\$NNNN	М	Z	М	
Š	14	E		ASL SNNNN	lowercase	N	n	78	4E	N	LSR \$NNNN	N		N	
S	15	F				0	0	79	4F	0		0		0	
Š	16	10		BPL \$NN		P	p	80	50	P	BVC \$NN	P		Р	
S	17	11		ORA (\$ZZ).Y	crsr down	0	q	81	51	0	EOR (\$ZZ),Y	0		9	
S	18	12			reverse on	R	t	82	52	R		R		R	
S	19	13			cir/home	S	S	83	53	S		S	•	S	
8	20	14			inst/del	1	1	84 85	54 55	U	EOR \$ZZX	U		U	
ş	21	15		ORA \$ZZX		V	v	86	56	V	LSR \$ZZX	V		V	
8	22	16	3	ASL \$ZZX		w	w	87	57	w	LONGLIST	w	Ö	W	
8	23	18	10	CLC		×	×	88	58	X	CLI	X	•	X	
8	25	19	nt l	ORA \$NNNN,Y		Y	٧	89	59	Y	EOR \$NNNN,Y	Y		Y	
Š	26	1A				Z	2	90	5A	Z		Z	•	Z	
8	27	1B				1		91	5B	1		1	田		
Š	28	1C			red	£		92	5C	£		£			
S	29-	1D		ORA \$NNNNX	crsrright	1		93	5D	1	EOR \$NNNNX	1		200	
8	30	1E		ASL \$NNNNX	green	1		94	5E		LSR \$NNNN,X		π	SS .	
Ş	31	1F	20402	ICO CA IA IA IA I	blue	-	Sain I	95 96	5F 60		RTS		space		
S	32	20	SPACE	JSR \$NNNN AND (\$ZZX)	space	space	Tues in	97	61		ADC (\$ZZ,X)			division	
S	34	22		740 (3227)				98	62		ADO (VEE,A)				
Š	35	23	#		#	#		99	63			B			
8	36	24	\$	BIT \$ZZ	\$	\$		100	64						
8	37	25	%	AND \$ZZ	%	%		101	65		ADC \$ZZ				
8	38	26	&	ROL \$ZZ	8.	&		102	66		ROR \$ZZ				
Ş	39	27	*		N. Pantanish	0.00		103	67						
S	40	28	(PLP	((104	68		PLA ADC #\$11		100	2	
	41	29)	AND #\$II	1	1		105 106	69 6A		ADC #\$II ROR			22	
3	42	2A 2B	+	ROL		+		107	6B		KOR	D	田		
S	44	2C		BIT \$NNNN				108	6C		JMP (\$NNNN)				
V	45	2D	A OF S	AND SNNNN	STREET, STREET, STREET,	a soli		109	6D		ADC \$NNNN	D	4		
N	46	2E	*	ROL\$NNNN	Alexander in			110	6E		ROR \$NNNN	Ø	日		
S	47	2F	1		1	1		111	6F						
8	48	30	0	BMI\$NN	0	0		112	70		BVS \$NN				
S	49	31	1	AND (\$ZZ),Y	1 0 11 13	1		113	71		ADC (\$ZZ),Y		田田		
S	50	32	2		2	2		114	72			•	H		
S	51 52	33 34	3 4		3	3		115	73 74			H			
S	53	35	5	AND \$ZZ,X	5	5		117	75		ADC \$ZZX		ō		
S	54	36	6	ROL \$ZZX	6	6		118	76		ROR \$ZZX	\boxtimes	ā		
S	55	37	7		7	7		119	77						
8	56	38	8	SEC	8	8		120	78		SEI	•			
S	57	39	9	AND \$NNNN,Y	9	9		121	79		ADC \$NNNN,Y				
S	58	3A	E TUEST		TE TENE MOTE ST	1		122	7A			•		1	
S	59	3B	STATE			1		123	7B			H			
1	60	3C	(ANIDANIAM		(124	7C		ADC (ALBERTA)				
	61	3D 3E	=	AND\$NNNN,X ROL\$NNNN,X	-	-		125 126	7D 7E		ADC \$NNNN,X ROR \$NNNN,X	π			
S	63	3F	,	KOL SIMININA	?	?		127	7F		NOR SIMINIALY		-		
S			Norra	ADERL'	CODES 128-255 are r		Language and the second						Vans		
40	* ADDII	ILONAL	C	CUPEN CODES:	COURS TON OSS OFG F	HVERSECT	undages of	. r n n-8 (1.12)							



Introducing TriviaTalker...for only \$39.95.

With the TriviaTalker disk your Commodore 64™ can play games of trivia along with you and your family. It asks you questions out loud using the sound interface device already in your Commodore. It corrects you when you're wrong and congratulates you when you're right. TriviaTalker comes with a built-in timed response scoring system. The faster you answer the multiple choice questions, the higher your score.

You can also confound the trivia pros by adding your own questions to the game. And that can (in Utah 1-800-662-8666). VISA and MasterCard make for some exciting, creative trivia parties or

educational tutoring for your family.

TriviaTalker includes five different categories of trivia and knowledge: American History, Sports, Science, Entertainment, and Geography.

If you're not a trivia buff, for only \$19.95 the Votalker voice synthesis disk allows your Commodore 64 to speak with a truly unlimited vocabulary. It can say anything you can type. You can program the Votalker for other games, for education, for personal programs—applications as limitless as your mind (and mouth). (Votalker is already included in the TriviaTalker program.)

To order call 1-800-453-4001

accepted. Or send a money order to Votalker, 1394 Rankin, Troy, MI 48083. U.S. dollars only. Please add \$2.00 for shipping and handling. Michigan residents add 4% sales tax. Allow 2-6 weeks for delivery.

		11111111	11311111111111111	HARRING BARBARAN	HILL !	HILL .	MARKE	THE PROPERTY OF THE PROPERTY O
DEC	HEX	BASIC	6502	ASCII	DEC	HEX	BASIC	6502 ASCII
128	80	END			192	CO	TAN	CPY#\$II
The second second	81	FOR	STA (\$ZZ.X)	range	193	C1	ATN	CMP (ZZX)
129			SIM (SEE, M)	lange	194	C2	PEEK	
130	82	NEXT)	195	C3	LEN	
131	83	DATA		,	196	C4	STR\$	CPY\$ZZ
132	84	INPUT#	STY \$ZZ					CMP \$ZZ
133	85	INPUT	STA \$ZZ	F1)	197	C5	VAL	
134	86	DIM	STX \$ZZ	F3	198	C6	ASC	DEC \$ZZ
135	87	READ		F5	199	C7	CHR\$	
136	88	LET	DEY	F7	200	C8	LEFT\$	INY
137	89	GOTO		F2	201	C9	RIGHT\$	CMP #\$II
138	8A	RUN	TXA	F4	202	CA	MID\$	DEX
139	8B	IF		F6	203	СВ	GO	
140	8C	RESTORE	STYSNNNN	F8	204	CC		CPY\$NNNN
141	8D	GOSUB	STA \$NNNN	shift/carriage return	205	CD		CMP\$NNNN
142	8E	RETURN	STX \$NNNN	uppercase	206	CE		DEC \$NNNN
143	8F	REM			207	CF		
144	90	STOP	BCC SNN	black	208	DO		BNESNN
145	91	ON	STA (\$ZZ),Y	crsrup	209	D1		CMP (\$ZZ).Y
	92	WAIT	0111(012)11	reverse off	210	D2		
146				clr/home				
147	93	LOAD	CTUATTY		211	D3		
148	94	SAVE	STY \$ZZ,X	inst/del	212	D4		CMD \$77.V
149	95	VERIFY	STA \$ZZ.X	brown	213	D5		CMP \$ZZX
150	96	DEF	STX \$ZZ.Y	It.red	214	D6		DEC \$ZZX
151	97	POKE		gray1	215	D7		
152	98	PRINT#	TYA	gray 2	216	D8		CLD
153	99	PRINT	STA \$NNNN.Y	It green	217	D9		CMP \$NNNN,Y
154	9A	CONT	TXS	It blue	218	DA		
155	98	LIST		gray3	219	DB		
156	9C	CLR		purple	220	DC		
157	90	CMD	STA \$NNNN.X	crsrleft	221	DD		CMP \$NNNN,X
158	9E	SYS		yellow	222	DE		DEC \$NNNX
159	9F	OPEN		cyan	223	DF		
160	AO	CLOSE	LDY #\$II	space	224	EO		CPX#\$II
161	A1	GET	LDA (\$ZZX)			E1		SBC (\$ZZX)
162	A2	NEW	LDX #\$II		225			350 (322)
	A3	TAB(EDA # UII		226	E2		
163			LDY \$ZZ		227	E3		ODVATE
164	A4	TO		A STATE OF THE STA	228	E4		CPX \$ZZ
165	A5	FN	LDA \$ZZ		229	E5		SBC \$ZZ
166	A6	SPC(LDX \$ZZ		230	E6		INC \$ZZ
167	A7	THEN			231	E7		
168	A8	NOT	TAY		232	E8		INX
169	A9	STEP	LDA #\$II		233	E9		SBC #\$II
170	AA	+	TAX		234	EA		NOP
171	AB			H	235	EB		
172	AC		LDYSNNNN		236	EC		CPX \$NNNN
173	AD	1	LDA \$NNNN	<u> </u>	237	ED		SBC \$NNNN
174	AE	1	LDX \$NNNN	and the second s	238	EE		INC \$NNNN
175	AF	AND			239	EF		
176	BO	OR	BCS \$NN	G C	240	FO		BEQ \$NN
177	B1		LDA (\$ZZ).Y	E	240	F1		SBC (\$ZZ),Y
			CD (QCL)					
178	B2	=	S. B. Let		242	F2		
179	В3		LOWATTH		243	F3		
180	B4	SGN	LDY \$ZZX		244	F4		
181	B5	INT	LDA \$ZZ.X		245	F5		SBC \$ZZX
182	B6	ABS	LDX \$ZZ,Y	a anti-mil relation	246	F6		INC \$ZZ,X
183	B7	USR			247	F7		
184	88	FRE	CLV		248	F8		SED SED
185	B9	POS	LDA \$NNNN,Y	- Committee research	249	F9		SBC SNNNN,Y
186	BA	SQR	TSX		250	FA		
187	BB	RND			251	FB		
188	BC	LOG	LDY\$NNNX	The second of the second second	252	FC		
189	BD	EXP	LDA\$NNNNX	CTT	253	FD		SBC \$NNNN,X
190	BE	cos	LDX \$NNNN,Y	Lie ameticen sections	254	FE		INC \$NNNX
191	BF	SIN		The state of the second	255	FF	π	
141	U	3111						
M ASCI	CODES:	CODES 192	2-223 same as 96	-127 CODES 224-254 same as 160-19	O COD	ES 255 s	ame as 126	
Marre	WWW.	NEWS YOU	CONCRETE	AND DESCRIPTION OF THE PARTY OF	STATES	NETTER	CHARLES	

Which One Is The Real Machine Language?

I have seen many useful programs in your magazine which show how to program in machine language using three-letter commands. I have also seen a number of programs which are nothing but a stream of numbers (that have to be entered using the MLX program in the back of the magazine).

Which of these is true machine language? Is there any way I could go from one form to

the other?

Those three-letter ML commands are the equivalent of BASIC commands. In both ML and BASIC there are around 50 commands, but people commonly only use about 20 of them. Machine language commands are abbreviations: LDA stands for LoaD the Accumulator, JSR for Jump to SubRoutine.

You write ML programs using an assembler into which you type LDA and the assembler translates that LDA into a number. The computer cannot understand LDA; it needs the number. That's because the computer's language (machine language) is pure numbers, no letters of the alphabet. But numbers are harder for us to remember than words like JSR. So, the assembler translates these commands into the numeric form that the computer can run.

To answer your first question, both the commands and the numbers are true machine language: They're just different forms of the same program. When an ML program is in the form of commands, it's called source code. After an assembler translates these commands into numbers, the result is called object code. So, you go from the version people can use most easily to the computer-runnable version by assembling source code into object code.

To go the other way, you use a program called a *disassembler* which looks at the pure numbers of the object code and reconstructs them into a listing of the original, three-letter commands.

As you can see, the same ML program can be printed in COMPUTE!'s GAZETTE in three forms: as source code, as object code (for MLX), or as object code which is listed in DATA statements within a little BASIC program (called a BASIC loader) which POKEs the object code into memory for you. To see examples of all three forms, take a look at last month's column. The program therein is printed as source code (Program 1), as a disassembly (Program 2), and as object code in a BASIC loader (Program 3). These are three different versions of the same program.

Where Can I Find An Advanced Assembler?

Where can I get an assembler that allows variables; automatic insert (so I can move the whole program forward in memory as many bytes as I want); and line numbering (like in BASIC)?

The LADS assembler in my new book, *The Second Book of Machine Language* (COMPUTE! Books), includes all those features.

IF, THEN, And GOTO In Machine Language

I have noticed that there are two different ways of using the CoMPare commands (CMP) in ML. I'm not sure which method works or how. They are: 1. Using BEQ or BNE after CMP to check for equal or not equal and 2. Using BCC or BCS after a CMP to check for the same thing. Would you please explain this?

The BEQ/BNE (branch if equal/branch if not equal) and BCC/BCS (branch if less than/branch if more than or equal) pairs are not checking for the same thing as we'll see in a minute.

CMP is one of the most important ML instructions. It's always used in tandem with one of the instructions beginning with the letter *B* which branch to a different part of your program depending on the results of the comparison. In other words, CMP followed by, for example, BEQ, is the equivalent of this line in a BASIC program:

10 IF A = 20 THEN GOTO 1000 20 RETURN

however you write the ML like this:

CMP #20 BEQ 1000 RTS

Whenever you use CMP, you are always CoMParing against whatever is currently in the Accumulator. So, in the example above, you will branch to *address* 1000 if the number in the Accumulator is a 20; otherwise, as in BASIC, you will go on to the next command (RTS, in this example).

By the way, be sure to remember that all the *B* instructions are limited to branches 127 bytes in either direction *from their own address*. If, in our example above, your BEQ command were assembled into memory at address 1020, that would be within range. If it were assembled to address 1500, you couldn't make a branch 500 bytes long, all the way down to 1000. You have to give a branch target which is within plus or minus 127 bytes. Many assemblers will

automatically take care of this problem for you, but if you're using a simple assembler, you'll need to watch that you don't branch out of range.

In any case, each of the important *B* instructions you mention is equivalent to one of the BASIC comparison operators: =, <>, <, or >=. BEQ is the same as =; BNE (<>); BCC (<); and BCS (>=). Since they are so important, you might want to spend a few minutes practicing with them until you understand exactly what triggers each of these various branches. Set up a little program like this (the numbers on the left are the addresses where these instructions are assembled):

830	LDA	#20
832	CMP	#20
834	BEQ	840
836	BCC	846
838	BCS	852
840	LDA	#61
842	JSR	65490
845	RTS	
846	LDA	#60
848	JSR	65490
851	RTS	
852	LDA	#62
854	JSR	65490
857	RTS	

After you've assembled this, you can SYS 830 and you should see an equals sign (=) printed on screen, proving that you made the BEQ branch. The 20 in the Accumulator was equal to the 20 being compared. Now POKE 831,15, replacing the 20 in the Accumulator with a number which is *less than* the CMP #20. When you next SYS 830, you will see that a branch based on less-than took place. The less-than symbol is printed. Finally, try POKEing in a number higher than 20.


If you have questions which you would like to see answered in this column, please write to:

ML Mailbag COMPUTE!'s GAZETTE P.O. Box 5406 Greensboro, NC 27403

Due to the volume of mail, we regret that we are unable to reply personally to individual letters.

COMPUTE!'s Gazette

TOLL FREE Subscription Order Line 800-334-0868 In NC 919-275-9808



Debugging BASIC Part 1

Todd Heimarck, Assistant Editor

Program bugs have a thousand faces. No matter how experienced a programmer might be, there's almost always a time between finishing and really completing a program—debugging time. This month we'll see what the computer does when you make a mistake. Next month, in Part 2, we'll look at some useful debugging methods as well as some of the mistakes a computer can make.

Some program bugs are easy to recognize: The program crashes and you are told what kind of error you made. Or, worse, the computer locks up. These are the deadly, or *fatal* bugs.

Other bugs are sneakier and not as easy to recognize. Perhaps you've made a slight mistake and the program seems to run, but is actually making incorrect calculations (like figuring interest rates on a 13-month year). Subtle bugs are sometimes worse than fatal ones; at least you can recognize something's wrong when the program crashes.

A bug happens when the programmer says one thing and the computer either doesn't know how to do it, or does something very different.

Some people say that computers never make mistakes, that all bugs are caused by people. That's not always true. After all, computers are designed and manufactured by people who can make mistakes. It may be a hardware bug or one built into the operating system. Or maybe the programmer just didn't understand how the computer would interpret a line—a misunderstanding rather than a mistake. But a computer is pigheaded. It knows how programs should look and won't compromise. Next month we'll look at some of the mistakes computers can make.

For now, we'll concentrate on some of the mistakes we, as programmers, can make and how the computer deals with them.

SYNTAX ERROR

There are over two dozen error messages, but SYNTAX ERROR seems to appear most often. The line number is always included.

The first thing to do, of course, is to LIST the offending line. Take a good look at it. If there are parentheses, make sure they match up. There should be an equal number of opening and closing parentheses.

Also, check all the BASIC keywords to make sure they're spelled correctly. You may have mistakenly abbreviated LEN as L SHIFT-E (which turns out to be the abbreviation for LET, not LEN). If you are writing to disk or tape files, you should note that the command PRINT# is distinct from the ordinary PRINT. The abbreviation for PRINT# is P SHIFT-R (not ?#); using a question mark won't work when working with tape or disk files.

Look at the punctuation, a common source of errors. It's easy to accidentally type a period instead of a comma, a semicolon where you meant to put a colon. Or there may be mismatched opening and closing quotation marks in a PRINT statement. If you're copying a program from a book or magazine, look closely at the look-alike characters (I and 1, O and 0).

Tokens, Keywords, And Reserved Variables

When you type a program line and press RETURN, you must have at least one BASIC keyword (command or function) in the line for it to be legal. Even the do-nothing REM is a BASIC keyword. The computer reads the line from the screen and turns all keywords into tokens before the line is stored in memory. A token is a single number between 128 and 255 which represents the command or function.

You must avoid including keywords in variable names. Say you're writing a simple accounting program which figures out the profit margin you make on different items. You need a variable for the price you pay (call it COST), another variable for the amount for which you sell it (call it LIST, for list price), and one more for the profit (MONEY). Then you calculate the margin with the formula MONEY = LIST — COST. Right? Wrong.

All three variables are illegal and will crash the program. LIST is a keyword used to list a program; you can't use it as a variable. COST doesn't look like a keyword, but the first three letters spell COS; your computer will try to find a cosine of an angle, although it will stop when it can't find parentheses and an argument. And MONEY is a problem because the keyword ON (as in ON-GOTO or ON-GOSUB) is embedded in the variable name. When you find an embedded keyword in one part of a program, there's a good chance the same variable is used elsewhere, in other sections. You'll have to find all of them and change them to something legal.

In addition to the many keywords, there are three reserved variables which you can't use in your programs. They are TI, TI\$, and ST. The first two are used for timekeeping, and ST is short for STatus, which is used in input/ouput operations. Stay away from these variable names, unless you know you want to check the time or status. You can't define TI or ST, although you can print them to the screen and use them in IF-THEN statements and logical operations. You can define TI\$, which is useful for timing programs, but it has to be a six-digit string (for example, TI\$= "103000" sets the clock to 10:30 a.m.).

A VIC or 64 is a little more forgiving with the reserved variable names than with keywords. You can't use a variable TIPS because TI is included in the first two letters of the name. But you can use a variable name like ITIN, which has a TI in the middle, because only the first two letters of a variable name count. ITON, on the other hand, is not acceptable as a variable name, because there are two BASIC words in it (TO and ON), and BASIC words cannot appear anywhere in a variable name.

Program Glue

Need a program line inserted between 10 and 20? No problem. Type a line 15 and press RETURN; the computer automatically inserts the line in its proper position. LIST 10–20 will prove that the line is there where you wanted it.

It's almost as if your VIC or 64 broke the program in two and pasted the line in its proper place.

This cut-and-paste feature, usually quite handy, can become a curse which results in two kinds of program bugs.

The first bug, truncated lines, is relatively easy to find. It usually occurs when keywords are abbreviated. If, for example, you use? instead of PRINT, or P SHIFT-O instead of POKE, you can create logical lines which are legal when they're entered, but exceed the limit when listed. Later editing of the line leads to problems.

If you use abbreviations and multistatement lines, the result is sometimes a line which looks longer than should be possible when listed. A question mark takes up only one space on a line; but LIST detokenizes and changes that single letter into five: PRINT. List such a line on a 64 and you may see two full screen lines plus a few characters on the third line. And the program runs without errors. But go back to edit the extralong line, press RETURN, and the input buffer will read only the first two screen lines into memory. The result is truncated—or chopped off—program lines. You lose the last few characters. To get around the two-line limit (four on a VIC), you have two choices. Either retype the keywords using abbreviations or break the long line into two shorter lines.

This limit on line length means it's a good idea to press RETURN only when you're editing a line. To move around the screen, use the cursor keys (or SHIFT-RETURN, which does not enter the line in program memory and is also a way to

get out of quote-mode).

The second bug, which is more difficult to find, happens when your computer seems to glue two program lines together. Say you're writing a program on a VIC-20. Line 500 uses exactly 44 characters (two screen lines). You type the line, but forget to press RETURN. The cursor is positioned at the beginning of a screen line, so you type line 510 and press RETURN. The computer treats the two lines as one because it received only one RETURN. The same thing can happen on a 64 if the first line is exactly 40 characters.

Some Other Common Errors

POKEs and SYSes can wreak havoc if improperly used. Most lockups are caused by one or the other of these powerful commands. When you're debugging, watch for transposed or missing digits in POKEs and SYSes (POKE 53820 instead of POKE 53280, for example).

Duplicate variable names can cause all sorts of problems. You might use a variable called A to hold a value at the beginning of the program, and then inadvertently use the same variable name later on. If the program returns to the beginning, the value has changed. FOR-NEXT loops sometimes lead to duplication. When you're using a variable like A, make sure you don't use it as an index in a FOR-NEXT loop. And remember only the first two characters of a variable count; the computer thinks ALT is the same variable name as ALIEN.

To avoid doubled variables, it helps to pick certain letters to be used only in loops and as "temporary" variables. For example, decide ahead of time you will always use J, K, and L in FOR-NEXT loops.

Be careful with additional statements after an IF-THEN. If the condition (between IF and THEN) is *not* true, the program jumps to the next BASIC line; it doesn't fall through to the next colon. For example, in this line:

55 IF A=1 THEN B=15: PRINT "NEXT QUESTION?" :INPUT Q

the PRINT and INPUT statements will happen only if A equals one. If not, everything after the THEN is ignored. This feature is useful if you want multiple actions under certain conditions. But it can catch you if you don't know about it.

The error message RETURN WITHOUT GOSUB is usually the consequence of the common practice of putting subroutines at the end of a program. The computer finishes the main routine and continues through to the first subroutine until it reaches the RETURN statement. The quick fix is to place an END statement between the main routine and the first subroutine. For example, if subroutines begin at line 5000, add a line 4999 END.

NEXT WITHOUT FOR, an infrequent error message, generally comes from improper nesting of loops. Loops are like onions; you can build layers which completely enclose other layers. In other words, the first loop to begin has to be the last to end.

1 FOR J=1TO5: FOR K= 3TO15: NEXT K: NEXT J 2 FOR J=1TO5: FOR K= 3TO15: NEXT J: NEXT K

Line 1 is correct because the K-loop is inside the J-loop. But line 2 spells trouble because loops cannot overlap.

The use of arrays can lead to easily rectified errors. It's best if you DIMension all arrays at the beginning of a program, or in a one-shot subroutine. Once you use DIM, you can't use it again on the same array name or you'll get a REDIM'D ARRAY error.

Order Of Operation

Most of the mistakes described above will cause your program to stop with an error message on the screen of your TV or monitor. They're situations where you tell the computer to do something and it doesn't recognize what you want. Program crashing errors are inconvenient, of course. But it's nice to have the computer tell you what kind of mistake you made and which line was wrong.

Less convenient are errors of procedure, where you write a program to do one thing, but it ends up doing something completely different. It doesn't crash, but it does strange things to the screen, or gives seemingly impossible results.

You have probably used instructions which you interpret one way, but the computer interprets another. And you can't change the way your computer does things, unless you want to completely rewrite the operating system (even changing the rules of BASIC means you have to

follow the rules of machine language). Some programmers wish they could have a new BASIC command DWIM (Do What I Mean), which would instantly straighten out procedural errors.

One of the most common problems with mathematical calculations comes from the way the computer evaluates equations. There is a definite order of operations, sometimes called the hierarchy of operators, (the items at the top of the list have a higher priority):

- () Parentheses
- Exponentiation (up arrow)
- + Plus and Minus Signs
- * / Multiply and Divide
- + Add and Subtract
- = Equals (Assignment)
- = <> Comparisons: Equals, Less Than, Greater Than
- NOT Logical NOT
- AND Logical AND
- OR Logical OR

Note that some operations, like NOT, work on a single number; they're called unary. Most need two numbers and are called binary functions. Plus and minus signs can be either unary (in the number -3, the minus sign works on a single number) or binary (the minus sign connects two numbers in the expression 10 - 6).

Because the higher operations are calculated first, you can always figure out the results of an equation. For example, J = 4 + 5 * 3 assigns 19 to J because the multiplication is done first, binary addition second, and assignment-equals third.

When you're debugging a program and one of the variables is being consistently miscalculated, there's a good chance you're a victim of the hierarchy. The quickest way to fix such an error is to liberally sprinkle parentheses throughout the suspicious equations. Your other choice is to trace through the line step by step, to find how the computer is evaluating the equation.

There's a slight chance that using too many parentheses in debugging can lead to one of the more puzzling errors, stack problems, caused by one of the various limits you have to live with.


Memory Limits: The Stack

There are two causes of OUT OF MEMORY errors. The first is programs and variables filling up all available BASIC RAM (more likely to happen with a VIC). The second is a stack overflow (the likely cause of OUT OF MEMORY errors on a 64).

Let's look at the stack first. The *stack* is a special section of memory just above zero page. It takes up most of page 1. The stack is used by the operating system for notes to itself.

When a 64 or VIC begins a FOR-NEXT loop, it writes a note about where in memory the loop

BIG ON FEATURES.



\$13999 SMALL ON PRICE.

You read that right. A full 80 column, 80 character-per-second, Commodore-compatible dot matrix thermal printer, complete (with a 90 ft. paper roll, interface cable and power pack), ready-to-run—at 800 words per minute—for only \$139.99. But your wallet isn't the only thing the HUSH 80 CD is compatible with. It's compatible with all Commodore models;

including the Commodore 64, the VIC 20, and the new Commodore 264.

And you'll find the HUSH 80 CD printer is big on lots of small things too. It weighs about one-half the amount of it's nearest competitor (it's compact size fits conveniently into a briefcase). And it's extremely quiet, with fewer working parts, which means less noise and less to go wrong.

Ask your local computer store or dealer for the HUSH 80 CD today. And if he doesn't carry it, call us at 415/322-ERGO. And find out where to get the little printer that does the big jobs.

HUSH 80.CD PRINTER

LESS PRICE, LESS NOISE, LESS SIZE.

STEVE PUNTER'S NEWEST C-64 WORD PROCESS

FEATURING:

- 40 to 160 column video display
- Single pass double column output
- 100% proportional printing capability
- Double sided printing with margin offsets
- Over 30 printers fully supported
- "Bump free" loading MSD 2 compatible
- Automatic spelling corrections with Spellpro[®]

Toll Free Order Line

-800-387-3208



755 The Queensway East, Unit 8, Mississauga, Ontario, Canada L4Y 4C5. Phone 416-273-6350

INFORMATION 1 (216) 758-0009 & IN OHIO 1 (800) 638-2617

	WORD PROCESSING:	
	WORD PRO 3 + with speller	\$65
	PAPER CLIP	59
	With speller	79
	MIRAGE CONCEPTS	69
	EASY SCRIPT	42
	EASY SPELL	18
	SPREADSHEETS:	
	CALC RESULT ADV	\$69
	CALC RESULT EASY	35
	MULTIPLAN	69
	DATA BASE MANAGERS:	
	DELPHI'S ORACLE	89
	SUPER BASE 64	69
	THE MANAGER	37
	CODEWRITER	65
	MIRAGE CONCEPTS	69
	MODEMS:	
	HES MODEM	\$47
	AUTOMODEM by Westridge	779
	COMMODORE 1600	59
	COMMODORE 1650	89
	COMPUSERVE starter Kit, 5 free hrs	25
	MIGHTY MO CALL FOR PR	
í	The second second section is a second second section in the second secon	Charles and the same

MONITORS.

monitors.	
SAKATA SC 100\$229	
AMDEK COLOR 1 + 269	
BMC 12 * Green (new)	
COMMODORE 4702	
COMMODORE 1702 CALL PRINTERS:	
GEMINI 10X/	
CARDCO INTERFACE\$309	
CEMINI AFY	
POWERTYPE 18 cps	
POWERITPE 18 CDS	
DAISY WHEEL	
OKIDATA all models CALL	
RITEMAN	
COMMODORE 1526 269	
MPS-801 218 CARDCO + G 67 TYMAC CONNECTION 79	
CARDCO + G 67	
DISK DRIVES:	
COMMODORE 1541 CALL	
HOD SOFER DRIVE	
CONCORDE	
DATASETTES:	
COMMODORE 1530 \$ 63	
PHONEMARK	

ACCESSORIES:

COMCOOL (disk drive fan)	\$ 49
(with surge protector)	69
COVERS, C-64	5
1541-1525-1526-MPS/801	. 6
GEM 10-X	. 8
1702 MONITOR	. 10
MSD DRIVE	6-7
SPECIALS (While Supply L	asts)
CHALKBOARD	. \$29
(With purchase of one software selection	ction at
\$15. Leo's Links, Music Maestro, Leo	's Paint
Brush, Bear Jam, Logic Master, Scien gramming Kit.)	ice Pro-
INFOCOM:	
PLANETFALL	\$28
SEGA:	
BUCK ROGERS	\$19
CONGO BONGO	. 19
STAR TREK	
SIERRA-ON-LINE:	
HOMEWORD	\$39
STORAGE:	
FLIP 'N FILE 25	\$14
DISK FILE 70	16

XIDEX DISKETTES, SS/DD 17

HOURS: MON.-FRI., 10 A.M. to 10 P.M. SAT., 10 A.M. to 5 P.M.

CHECK OUR LOW PRICES

begins, pushes it on the stack, and forgets about it until it comes across a NEXT statement. NEXT tells the computer that somewhere earlier in the program a FOR started a loop. It then pulls the information it needs off the stack and jumps back.

Something similar happens when there are parentheses in an equation, and when you use GOSUB. To illustrate, type NEW and try running the following program:

10 A=A+1: PRINTA 20 GOSUB 10

A very short program with only one variable counts up to 24 and then crashes. How could it possibly run out of memory? The key is the GOSUB. Every time you go to a subroutine, the return address is saved on the stack. Since there are no RETURNs in the program, more and more addresses are saved, until finally there is no stack space left. It's as if you were trying to stick more and more notes to a refrigerator, until the magnet could hold no more.

Type NEW and enter this program:

10 FORA=1TO20 20 FORB=1TO20 30 FORC=1TO20 (and so on, up to 130 FORM=1TO20)

Don't worry about adding any NEXTs, the computer will never get that far. Run the program and you'll get an OUT OF MEMORY error after only ten loops have begun. A FOR-NEXT loop uses up a lot of space on the stack—for a pointer to beginning of the loop, step size, highest value, and variable names.

When stack problems pop up, they're often caused by a GOTO in the middle of a subroutine. It can leave some garbage on the stack. The same goes for jumping out of a FOR-NEXT loop. And too many parentheses can give you either a FORMULA TOO COMPLEX error or contribute to an OUT OF MEMORY message. As the garbage on the stack builds up, it eventually reaches the limit.

Programs And Variables

The other way to run out of memory is fairly straightforward. You simply use too much BASIC RAM for the program and its variables. Try the following program:

10 T\$="ABCD":U\$=""
20 L=FRE(0):IFL<0THENL=L+2\$16
30 L=INT((L-30)/3):DIM A\$(L)
40 FORJ=1TOL
50 A\$(J)=T\$+U\$
60 PRINT J; LEN(A\$(J)), FRE(0)
70 NEXTJ

It runs on a VIC (expanded or not) or a 64. You'll run out of memory almost right away.

Now change line 50:

50 A\$(I)=T\$

Run it again and there's no loss of memory. It will run all the way through (press RUN/STOP if you don't want to watch hundreds of strings go by). The first program wasn't able to create even ten four-letter strings, the second created hundreds. The only difference is that the first program added a null string (which has a length of zero); the second did not. The first created dynamic strings, the second created static strings.

If you define a string by concatenating (adding two strings together), by dissection (dividing a string with MID\$, LEFT\$, or RIGHT\$), or by inputting it (from a tape or disk file, or the keyboard) the string is called dynamic. It has to use up part of BASIC memory. If you define it in BASIC, assigning it (A\$="ABC") or reading it from DATA statements (READA\$), the computer saves memory by remembering where the definition was in program memory. Your VIC or 64 doesn't have to use free memory to store static strings. They're already in BASIC memory.

If you define a lot of variables (as in the above program), available memory can dwindle to nothing. When you find your program running out of memory, you can try a number of things:

- Check free memory. If there seems to be a lot left, you may have a full stack, caused by too many unresolved FOR-NEXT loops or GOSUBs.
- 2). Eliminate unnecessary program lines, especially REMarks. Or combine two or more statements on a single line separated by colons (every line uses five bytes for overhead, whether it has one statement or eight).
- Cut back on variables. If you're using arrays, remember that integer arrays use less than half the space of floating point arrays.
- 4). Completely rewrite your program. It sounds drastic, but once you've figured out the procedures you're using, the second version of a program is often faster and uses less memory.
- 5). Try chaining programs. If you have a lot of instructions in a game program, you can write a loader program which prints the instructions and then loads the main program.

Next month, we'll look at some quirks of the VIC and 64, how imprecise and inaccurate math can be, why you can sometimes PRINT impossible-to-INPUT variables to a tape or disk file, why programs sometimes pause as if locked up and then continue, and more. We'll also look at a variety of methods to hunt down and eliminate bugs.

ULTRACOPY 64

Disk Duplication System for Commodore 64



\$ 2Q 95

plus \$3 shipping. Visa or Mastercard. Add \$ 2 for Foreign or COD

- Simple to use. Menu-driven. Even a beginner makes perfect copies
- Analyze disk tracks for data & errors
- Skip empty tracks to speed copying
- Copy everything incl. DOS flag & false ID
- Put errors 20,21,22,23,27 & 29 on copy as required by latest protection schemes
- Fast, reliable copying with 1 or 2 drives

98 % OF SOFTWARE CAN BE ULTRACOPY'ED BEST COPY PROGRAM YOU CAN BUY

ULTRABYTE Call (818) 796 - 0576 P.O. Box 789, La Canada, CA 91011 Write or Call - (Note New Address) Satisfaction guaranteed, 10 day return privilege

Seeking software authors - please write

Statement of Ownership, Management, and Circulation as Required by 39 U.S.C. 3685

- 1A. COMPUTE!'S GAZETTE
- 1B. N/A 2. 9-26-84
- 3. Monthly
- 3A. Twelve
- 3B. \$24.00
- 324 West Wendover Ave., Suite 200, Greensboro, NC 27408
- 5. Same
- Publisher, Gary R. Ingersoll, 324 W. Wendover Ave., Suite 200.

Greensboro, NC 27408
Editor, Robert C. Lock, 324 W. Wendover Ave., Suite 200, Greensboro, NC 27408

Managing Editor, Kathleen Martinek, 324 W. Wendover Ave., Suite 200, Greensboro, NC 27408

American Broadcasting Companies, Inc., 1330 Ave. of Americas, New York, NY 10019

Leonard H. Goldenson, 1330 Ave. of Americas, New York, NY 10019

10. Extent and Nature of Circulation

	Average no. of copies each issue during preceding 12 months	Actual no. copies of single issue published nearest to filing date
A. Total no. Copies (Net Press Run) B. Paid Circulation	318,869	395,951
Sales through dealers and carriers,		
street vendors, and counter sales	129,707	139,824
2. Mail subscriptions	108,636	155,782
C. Total Paid Circulation	238,343	295,606
Free Distribution by mail, carrier, or other means, samples, compli- mentary and other free copies	2.450	0.000
E. Total Distribution	2,469 240.812	2,226
F. Copies not Distributed 1. Office use, left over, unaccounted	240,012	297,832
for, spoiled after printing	18,767	1,068
2. Returns from news agents	59,290	97,051
G. Total	318,869	395,951

certify that the statements made by me above are correct and complete. Alice S. Wolfe, Director of Administration.

Bought expensive software lately? Brace yourself.

The Intelligent Software package for C-64™. VIC™, and PET/CBM™. \$35 for everything.

No 3-color ads, no shiny packaging, and [sorry] no games: just fifteen powerful, useful programs that will put your Commodore to work right now, in your home or office; all on one disk at a near-unbelievable price. Includes:

Database: A complete multi-keyed fixed-record-length data base manager. Sort or select (using all relational operators: =, >, <, AND, OR, NOT, wild card) on any field, perform computations on numeric fields. Any operation can be performed on all, or only selected records. All fields completely user-definable. Screen editing for records. Can be used for any number of tasks, including accounts-receivable, mailing lists, inventory control, expense account maintenance, or as an electronic rolodex. Even i you use your Commodore for nothing else, this program alone might justify its expense

Word Processor: A full-featured menu-driven word processor, including: very fast file commands (including a disk catalog), screen editing, text locating, and full control over margins, spacing, paging, indentation, and justification (all commands imbedded in text].", well done and highly functional... provides an excellent alternative to the high priced word processors... this is an excellent buy. Highly recommended."

— Midnite Saftware Gazette. "Provides good basic features." — Compute's Gazette.

Copycalc: An electronic spreadsheet. Turns your Commodore into a visible balance sheet; includes screen editing. "Excellent program for budgeting, estimating, or any math-oriented use... well worth the money, Highly recommended." Midnite Software Gasette.

Also included: ReportGen (interfaces W/P with Database to create form letters, invoices, mailing labels, other reports); Baseball Statistician [compiles batting statistics for a baseball or softball league of up to 250 players, and generates reports on a player, team, or the entire league, including standings); several W/P utilities, including Index [indexes W/P's text files]; several Database utilities, including DBmerge (facilitates multi-file database applications); also Checkbook; Inventory; Paper route; Loan Analyst: Labeler: more.

Versions of the package are available for **any and every** Commodore computer having a minimum of 12k RAM; all programs will fully support tape, disk, and printer. Price includes shipping within USA and Canada (enclose \$5 fee for C.O.D.); Calif. residents add 6%. Any two programs on cassette, \$20. This ad is the catalog; you may order documentation for any one program separately for \$2 postpaid (deductible from later order). Available only from:

Intelligent Software Box 3745-G, San Rafael, CA 94912

1541 DISK DRIVE ALIGNMENT PROGRAM

Finally, a complete disk drive alignment program! No special equipment needed! A two disk (program and calibration) program allows anyone with average mechanical skills to properly align the 1541 disk drive. Complete instruction manual. Don't be fooled by cheap imitations! This is the alignment program that works! See the review in the October issue of the Gazette. \$44.95 + \$2.50 shipping (U.S.)

> PROGRAM PROTECTION MANUAL FOR THE C - 64 2ND EDITION \$29.95 + \$2.50 shipping (U.S.)

PROGRAM PROTECTION MANUAL **VOLUME 2**

COMING SOON

PROGRAM PROTECTION NEWSLETTER

A monthly newsletter covering the latest advances in program protection. This will be a complete 'HOW' and 'WHY' approach to individual program protection schemes.

\$35.00 per year post paid in the U.S.

OMNICLONE (C - 64 VERSION)

At last — a copy program that will not only copy the disk but is also unprotected and documented. This will copy the disk and automatically place errors 20, 21, 22, 23, 27 and 29 on the destination disk. Three passes, three minutes. The source code is included on disk and printed out. Learn about half tracking, high speed data transfer and much more . . . plus updates included in the newsletter.

\$35.00 + \$2.50 shipping (U.S.)

C. S. M. SOFTWARE

P.O. Box 563, Crown Point, IN 46307 (219) 663-4335

VISA AND MASTER CARDS ACCEPTED DEALER INQUIRIES INVITED

POWER BASIC

Stop And Go

Jim Pejsa

When a program is running and the telephone rings, what do you do? This short machine language routine provides a pause button which temporarily halts the program. It also works on program listings. For VIC and 64.

A very useful function found on many other computers is missing from Commodore computers. Many computers allow the programmer to stop and restart a program listing or run using CTRL-S and CTRL-Q.

Pressing the CTRL key on the VIC or 64 will slow the listing down, but to carefully study a program it's often necessary to stop the listing. Having to continue the listing by retyping LIST followed by some line numbers (if the program is long) is an inconvenience. Additionally, there are times when you want to stop a program (maybe to study some output) and restart it at will.

Since I was anxious to try some machine language programming, I decided to write a program to add this feature. CTRL-S (for stop) and CTRL-Q (for restart) seem to be standard for these functions on many computers. The program is designed in such a way that the realtime clock will continue to be updated while processing is stopped.

The machine language for the program in the DATA statements is loaded by the BASIC program. Simply type in the program and run it to load the ML. The program loads beginning at location 679 (\$02A7) in some unused locations below the BASIC program area, so it will not interfere with any BASIC programs. The SYS statement in line 30 starts the machine language program. Unfortunately, if RUN/STOP-RESTORE is ever used to stop a program, you will find that the CTRL-S and CTRL-Q functions become inoperative. You can get them back by typing SYS 679.

Briefly, the program works as follows. When it is initially started with SYS 679 in BASIC, the hardware interrupt (IRQ) vector is changed to point to this program. The program is accessed each time the hardware interrupt occurs (every 1/60 second). The program checks for a CTRL-S keypress. If it's detected, it stops the listing or run and then checks for CTRL-Q. When CTRL-Q is pressed, the listing or run is restarted.

Program 1: Stop And Go—64 Version

```
10 FORI=679TO743:READ A:X=X+A:POKEI,A:NEX
                                  :rem 119
20 IFX<>7291THENPRINT"ERROR IN DATA STATE
  MENTS.":STOP
                                  :rem 135
                                   :rem 8
3Ø SYS679
40 DATA 120,169,180,141,20,3,169
                                  :rem 29
50 DATA 2,141,21,3,88,96,173
                                  :rem 95
60 DATA 141,2,201,4,208,42,165
                                 :rem 179
70 DATA 197,201,13,208,36,120,169 :rem 87
80 DATA 49,141,20,3,169,234,141
                                 :rem 241
                                  :rem 135
90 DATA 21,3,88,173,141,2,201
100 DATA 4,208,249,165,197,201,62 :rem 88
110 DATA 208,250,120,169,180,141,20
                                  :rem 169
                                   :rem 83
120 DATA 3,169,2,141,21,3,76
                                  :rem 224
130 DATA 49,234
```

Program 2: Stop And Go—VIC Version

10	FORI=679TO743:READ A:POKEI, A:X=X+A:NEX
	T :rem 119
20	IFX <> 7589THENPRINT "ERROR IN DATA STATE
	MENTS.":STOP :rem 145
30	SYS679 :rem 8
40	DATA 120,169,180,141,20,3,169 :rem 29
50	DATA 2,141,21,3,88,96,173 :rem 95
60	DATA 141,2,201,4,208,42,165 : rem 179
70	DATA 197,201,41,208,36,120,169 :rem 88
80	DATA 191,141,20,3,169,234,141 :rem 31
90	DATA 21,3,88,173,141,2,201 :rem 135
100	Ø DATA 4,208,249,165,197,201,48 :rem 92
110	Ø DATA 208,250,120,169,180,141,20
	:rem 169
12	Ø DATA 3,169,2,141,21,3,76 : rem 83
130	Ø DATA 191,234 :rem 14 @

Part 1

Baker's Dozen

Lawrence Cotton

A short, carefully designed program can produce some amazing results. To demonstrate, here's the first of a three-part series of 13 graphics and sound programs which entertain and amuse. A number of effective programming techniques are demonstrated also.


Program length cannot be equated with program quality. You might remember your first efforts at BASIC programming, and in looking back see how much more efficient and effective your programming methods could have been. Sometimes, just a few lines can go a long way.

In this series, we'll look at some programs which are designed to show off the graphics and sound capabilities of the 64. You'll notice that each of the programs is short and to the point. This makes the listings easier to understand so you can see what's happening and incorporate the ideas into your own programs. Or experiment with these short programs, expanding them to do more.

This month, the four selections are graphics programs: "Quilt," "Double Diamond," "Tunnels," and "Christmas Tree." As the series continues, you might want to experiment by combining sound from one program (we'll look at sound programs next month) with graphics from another. Most of the programs involve POKEing characters to the screen in visually pleasing patterns and colors. Feel free to substitute your own characters, colors, or limits. It's best to have a color TV or monitor.

Quilt

This ten-line program produces a multicolor patchwork quilt which changes repeatedly until you press RUN/STOP-RESTORE. Let's look at the program to see how it works.



Line 10 clears the screen (CHR\$(147)), changes the character color to white (CHR\$(5)), and makes the background and border colors black (POKE 53280,0 and 53281,0). In line 20, R is the amount to be added to screen memory locations to get the corresponding color memory locations. A is the increment.

Line 30 and the first half of line 40 choose random sizes of blocks to be "painted." In the last half of line 40, a random character (M) is chosen to paint the blocks.

Lines 50 and 60 make sure the selected block will fit on the screen; if not, another size is

chosen.

Lines 70–100 perform the painting of the blocks. A loop within a loop paints a block of size N characters by P characters in color Q starting at location V. Line 100 then jumps back to restart the process.


Double Diamond

This program's a bit longer (23 lines), but the effect is quite nice. It draws two superimposed diamonds of random characters and colors.

Let's look at the key lines. Lines 30 and 40 contain values for the location of the diamonds (V and W) and for the creation of the diamonds within diamonds (S and U).

Line 50 picks a random color (T).

Lines 60–120 POKE random characters and colors to the screen and increment the position of characters by A, B, C, and D to produce diagonal motion to form the left diamond. Lines 150–200



do the same for the right diamond.

Each of the diamonds (V and W) is limited in size in lines 130 and 210. Lines 220 and 230 pause then loop back to create new diamonds. Again, to stop the program, press RUN/STOP-RESTORE.


Tunnels

Probably the most interesting visual effect this month is "Tunnels."

Line 20 sets up variables for drawing the rectangles and starts at screen location 1984. Lines 30 and 70 control the number of rectangles drawn in each loop.

Lines 40, 60, and 80 determine the rectangles' positions and increase their size by one as they are drawn.

The rectangles are created in lines 120–190. Numbers 66 and 67 are the values to POKE for vertical and horizontal lines, and 73, 74, 75, and



85 are the POKE values for the four corners of each rectangle.

Christmas Tree


Finally, let's do a program in the holiday spirit. "Christmas Tree" draws a twinkling tree formed of "lights" which randomly turn on until the tree is completely filled. It then continues twinkling until you press RUN/STOP-RESTORE.


If you'd like to change the shape of the tree, be sure to change the 156 in lines 40–60 to the total number of spots you want to light up.

Line 90 POKEs the random spot with an asterisk (#42) and its corresponding color memory location with a random color code from 1 to 14 (omitting black and light gray). The DATA statements in lines 110–360 are the actual screen locations for the asterisks to be POKEd.

Feel free to experiment with the variables in these programs and see what interesting modifications you can come up with. Next month, we'll look at some programs which integrate sound and graphics.

See program listings on page 160.





A disk full of useful subroutines can be a great help when you're writing a program. But to be truly useful, two or more might need to be merged. This utility does it for you. For the VIC or 64, with a disk drive.

"Disk Merge" does just what its name says. It reads two BASIC programs from a disk and merges them into a new file on the disk. To merge more than two programs, run it more than once.

A simple appending program (see the February 1984 GAZETTE Feedback for an example) will add one program to the end of another. A merge program is more sophisticated. It must look at the line numbers and insert them in their proper place, as if shuffling a deck of cards.

Four Questions

Type in and save the program. Before running it, make sure the two programs to be merged are on the same disk. They must be PRG (program) files. Disk Merge won't work on sequential or relative files. It's a good idea to turn off any other peripherals, especially printers.

Run it and you'll be asked four questions. (The STOP key is disabled during input, so if you want to escape the program, type the asterisk (*) and press RETURN.)

Primary File?

Enter the name of the primary file you'll be merging. Keep in mind that if the two programs have a line number in common, the primary file takes precedence. For example, if they both include a line numbered 210, only the line from the primary file will appear in the final merged program.

If you have a dual disk drive, you can in-

clude the drive number by entering a quotation mark, drive number, colon, and the filename. This allows you to merge programs from two different disks. Note that this doesn't apply if you own two 1541s (device 8 and device 9). It will only work with a dual drive (drive 0 and drive 1) such as the Commodore 4040 or an MSD. With 1541s, the two programs must be on the same disk.

Secondary File?

Answer this question with the name of the second program, the one which will be merged into the first.

Merged File?

Enter a name for the new program, the output file.

Base Address? 1025

The VIC-20 and 64 automatically relocate BASIC programs on a standard LOAD, so it doesn't really matter what the number is. Simply press RETURN. However, if you want the program to work on a PET/CBM, the base address 1025 will create a program that runs on the VIC, 64, or PET/CBM models (within the usual limits of compatibility).

After answering the questions, two things will happen. You'll see the disk drive's red light turn on, and numbers will appear on the screen. The numbers tell you which line is being processed and written to disk.

On the left, you'll see the primary file's current line number. On the right is the line being merged from the secondary file.

When the program ends, you have two options. You can run it again (to merge more programs), or load the newly merged program, which should be ready to run. On large programs, the merge may take several minutes.

See program listing on page 172. @

COMPUTE!'s GAZETTE Back Issues

JULY 1983: Commodore 64 Video Update; Snake Escape; Alfabug; VIC Marquee; Word Hunt; Learning To Program In BASIC; Quickfind; 64 Paddle Reader; Machine Language For Beginners; Enlivening Programs With Sound; Using Joysticks On The 64.

OCTOBER 1983: The Anatomy of Computers; Telegaming Today And Tomorrow; Commodore's Public Domain Programs; Oil Tycoon; Re-Beep; Aardvark Attack; Word Match; Machine Language For Beginners; How To Use Tape And Disk Files; Understanding 64 Sound; Speeding Up The VIC; HOTWARE; Improving 64 Video Quality; Using The VIC's Clock.

MARCH 1984: The Electronic Castle: Managing Your Home With Your Computer; Getting Started With A Disk Drive, Part 5; CUT-OFF!; Poker; Tree Tutor For Tots; Guess America!; Sea Route To India.

APRIL 1984: Robots: The New Mobile Computers; How To Start A User Group; Bingo 64; Making Calendars; French Tutor; Hints & Tips: Adding A Second Joystick To The VIC; Power BASIC: Numeric Keypad. MAY 1984: Exploring 64 Sound; SpeedScript Revisited; Sound Sculptor For The 64; Props; Mind Boggle; Memo Writer; The Beginner's Corner: Teaching Music With Computers.

JUNE 1984: The Future Of Computer Games: Software That Thinks For Itself; 3-D Tic-Tac-Toe; Castle Dungeon; Therapy; File Copier; Power BASIC: One-Touch Keywords; The Beginner's Corner: Planning A Game Program.

JULY 1984: In Touch With Your Computer: Graphics Tablets And Light Pens; Space Patrol; Robot Math; Ultrafont +; Machine Language For Beginners: What Is Machine Language?; The Beginner's Corner: Quilt Squares.

AUGUST 1984: A Survey Of Printers For The VIC And 64; Selecting A Printer Interface; Campaign Manager; Sprite Magic; Balloon Blitz; Disk Purge; The Beginner's Corner: Using A Printer.

Issues not listed are not available.

Back issues of COMPUTE!'s GAZETTE are \$4 each. All prices include freight in the U.S. Outside the U.S. add \$1 per magazine order for surface postage, \$4 per magazine for air mail postage. ALL BACK ISSUES ARE SUBJECT TO AVAILABILITY.

In the continental U.S. call TOLL FREE 800-334-0868 (in North Carolina call 919-275-9809)

Or write to:

COMPUTE!'s GAZETTE Back Issues P.O. Box 5406 Greensboro, NC 27403

Prepayment required in U.S. Funds. MasterCard, VISA, and American Express accepted.

North Carolina residents please add 4½% sales tax.

NEWS& PRODUCTS

VIC, 64 Interfaces

Omnitronix Incorporated has released two interfaces for use with the VIC-20 or Commodore

The parallel printer interface connects to the user I/O port on either the VIC-20 or the 64 and comes with a driver software disk which allows CBM printer emulation, such as tabbing.

Printers without bitmap graphics capability can print Commodore graphics and control codes in the form of mnemonics or the CHR\$ code.

Suggested retail price is \$39.95.

The second interface, the Deluxe RS-232 Interface, which also plugs into the user I/O port, provides many RS-232 signals, including ring detect. It has three user-selectable switches allowing settings for DTE/DCE, pin 5, or pin 20 handshaking, and selection of a BUSY line polarity.

The interface comes with either a male DB25 on a three-foot cable or a PCB mounting female DB25, making it compatible as a replacement for the Commodore 1011A.

Included in the \$39.95 retail price is a BASIC terminal program which can be typed in.

Omnitronix Incorporated
P.O. Box 43

Mercer Island, WA 98040

(206) 236-2983



The NOMAD personal robot for the Commodore 64 retails for \$179.95.

Personal Robot For 64s

Genesis Computer Corporation has introduced NOMAD, a personal robot for use with the Commodore 64.

NOMAD is driven by stepper motors, and can move forward, reverse, right, and left. It has ultrasonic "eyesight" which allows it to detect objects in its path.

NOMAD's robot control language allows the user to create complex patterns of movement. The robot also can be controlled through a joystick. NOMAD plugs into the 64's user port and comes with its own power supply and a 25-foot cord.

An optional BASIC enhancement cartridge is available which adds NOMAD control commands such as AHEAD, BACK, LEFT, and RIGHT.

NOMAD has a suggested retail price of \$179.95. The BASIC cartridge retails for \$39.95.

Genesis Computer Corporation 1444 Linden Street P.O. Box 1143 Bethlehem, PA 18018 (215) 861-0850

64 Productivity Software

PFS:FILE and PFS:REPORT, previously available only for IBM and Apple computers, have been released for the Commodore 64 by Software Publishing Corporation.

PFS:FILE works like a paper filing system, allowing the user to record, retrieve, update, and review information. Data can be organized on forms which are user-designed.

PFS:REPORT sorts, calculates, formats, and prints summary tables from the information in files created with PFS:FILE. It prints multiple columns per report, including three calculated

columns.

Totals, subtotals, averages, subaverages, counts, and subcounts can be printed for every column. The software also has sorting capabilities, as well as automatic page numbering, title printing, and centering.

PFS:FILE retails for \$79.95. PFS:REPORT is available for

\$69.95.

Software Publishing Corporation 1901 Landings Drive Mountain View, CA 94043 (415) 962-8910

Real Estate Game, **Hardware For** VIC And 64

Real Estate 64, a Monopoly-type game with 3-D graphics for the Commodore 64, has been introduced by Handic Software.

The firm also has introduced Vic-Switch, a multi-user disk system for the VIC and 64; Super Box 64, an expansion unit for the 64; and a 300 baud

modem.

Real Estate 64, available on disk for \$49.95, includes traditional Monopoly features such as buying streets, going to jail, chance, and the use of dice.

The Vic-Switch was developed for educational use, but can be used in any situation where more than one person needs access to the same disk or printer. Up to eight VIC-20s or C-64s can be hooked up to one Vic-Switch. All CPUs have access to disk drive and printer. Retail price is \$149.95.

The Super Box 64 allows up to three cartridges to be plugged in simultaneously. Other features include an IEEE interface, reset function, and multi-user capabilities. It retails for \$149.95.

The 300-baud modem (\$149.95) is switch controlled, allowing either originate or answer options. It connects to the user port of the VIC or 64.

Handic Software Inc. 520 Fellowship Road Mount Laurel, NJ 08054 (609) 866-1001

VIC-20 Keyboard **Program Module**

Micromechanisms, Inc. has introduced a Keyboard Program Module which, when combined with a VIC-20, creates a multifunction ASCII encoded keyboard for use with more sophisticated computers.

The plug-in module does not physically modify the VIC-20, allowing the computer to continue to run applications and games. The module also con-

verts VIC function keys into special character codes required by the Wordstar word processor.

Suggested retail price is \$35.

Quality Electronics Inc. Micromechanisms Division Inc. P.O. Box 1150 112 Maple Avenue Dublin, PA 18917 (215) 249-0331

The address and telephone numbers for Mosaic Electronics, maker of the Access-M memory expansion system for the Commodore 64, is P.O. Box 708, Oregon City, OR, 97045; (toll free) 1-800-2ADD-RAM or (503) 653-7885. The information was inadvertantly omitted from the December News & Products section.


New Educational Software Series For The 64

Orbyte Software has introduced a line of 56 home educational software titles—Challengeware for the Commodore 64.

Geared primarily for children from pre-school through upper elementary grades, the 110 programs are divided into nine areas: pre-school concepts, mathematics, grammar, science, social studies, economics, reading, foreign language, and logic and strategy.

The programs retail for \$39.95 each.

Orbyte Software P.O. Box 948 Waterbury, CT 06720 (203) 621-9361



Biofeedback, Utility Programs For 64

The Stress Manager, a biofeed-back monitoring system, and HomePak, a utility program, have been introduced for the Commodore 64 by Batteries Included.

The Stress Manager allows home computer owners to assess their thought patterns and physiological impulses in order to gain an understanding of factors which contribute to stress.

It uses a galvanic skin resistance (G.S.R.) method to measure a user's vital statistics. A pair of fingertip pads measure fluctuations in the skin's electrical conductivity, and these impulses are transmitted to *The Stress Manager* for analysis.

After the results are interpreted, they are displayed on three graphs. Another feature is an audio cassette, which includes methods of relaxation and stress reduction.

Suggested retail price is \$79.95.

HomePak combines on one disk a telecommunications terminal program, an information management system, and a word processor for a suggested retail price of \$49.95.

Each of the *HomePak* programs is capable of reading files created by the others.


HomeTerm, the telecommunications program, features a text edit window which is available for simultaneous text creation and reception. The user can define screen color, text margins, word wrapping, and key clicking (each keystroke made audible with a beep). An on-screen clock keeps track of the time elapsed since the user logged onto a bulletin board or information service.

HomeFind, the information manager program, features an English command structure to simplify use. Printed reports from HomeFind can be used by the HomeText word processing program.

HomeText features include the ability to set margins, indentations, line centering and spacing, and placement of headers, footers, and page numbers.

It also has the ability to delete portions of text and reinsert them at any point within the text body. *HomeText* is capable of supporting most major printing functions, including boldface, underlining, and extended character width.

Batteries Included 3303 Harbor Blvd., Suite C9 Costa Mesa, CA 92626 (714) 979-0920



A scene from Spitfire Ace, a new flight simulation game from MicroProse.

Spitfire Ace For 64

MicroProse Software has announced *Spitfire Ace*, a World War II fighter pilot simulation game, for the Commodore 64.

Players maneuver their aircraft through a series of fighter tactics, including aileron rolls, loops, split S's, and Immelmann turns, while engaged in an aerial dogfight.

Suggested retail price for *Spitfire Ace* is \$29.95.

MicroProse Software 10616 Beaver Dam Road Hunt Valley, MD 21030 (301) 667-1151

Art Heist Game

The Heist, a disk-based game for the Commodore 64 which features 90 different booby trapped rooms, has been introduced by the MicroFun division of MicroLab.

The rooms are on three different levels of an art gallery, and super spy Graham Crackers must maneuver through them in order to steal the gallery's entire collection.

Terrorists have hidden doomsday plans, concealed on a microdot, on one of the pieces of art in the gallery. You must find it in time to avoid destruction.

Suggested retail price is \$35. MicroFun 2699 Skokie Valley Road Highland Park, IL 60035 (312) 433-7550

Commodore Voice Command Module

ENG Manufacturing, Inc. has introduced Chirpee, a module which allows Commodore computers to receive and interpret selected commands.

According to product developers, Chirpee can accept commands spoken in any language because of its phonetic recognition ability, and can be trained to respond to one voice, or a number of voices.

Suggested retail price for Chirpee is \$179.95.

ENG Manufacturing, Inc. 4304 W. Saturn Way Chandler, AZ 85224 (602) 961-0165

64 Math Game

Divex, a math game designed to improve children's understanding of multiplication and division, has been introduced by Intelligence Quest Software, a division of The Avalon Hill Game Company.

The game contains three difficulty levels. The player, at the controls of a laser cannon, must choose between correct and incorrect answers by destroying the wrong answers before they can touch down.

In all cases, when the player destroys a correct answer by mistake, the computer will sound out and flash the correct answer on the screen.

Divex is designed for children 8–12 years old. Suggested retail price is \$16 for the cassette version, and \$21 for the disk.

Intelligence Quest Software The Avalon Hill Game Company 4517 Harford Road Baltimore, MD 21214 (301) 254-5300

64 Advertising Display Program

AdvertiserOne, a program to display user-designed messages on the Commodore 64, has been announced by MicroAds.

The display messages are generated and maintained with the Commodore 64's standard screen editor. Displays can be based on message files and a standard command file which comes with the system, or with a user-created command file that can control the sequence, color, and text of the displays.

Message display features include: heading, subheading, and main message areas; ability to change heading, subheading, and main message text at any time; use of multiple message text and background colors; automatic text centering; and sprite graphic designs.

Suggested retail price is

MicroAds 145 East Norman Drive Palatine, IL 60067 (312) 991-9415

Typing Program For 64

Typetown Races, a touch typing tutorial for the Commodore 64. has been introduced by Softech.

The program, first in a series of self-improvement packages from Softech, contains more than 100 lessons, all of which are designed to teach touch typing. Included are the complete upper- and lowercase alphabetic, numeric, and special character keys. Users can progress at their own speed.

Typetown Races is available on disk for \$24.95.

Softech 26 Sugar Maple Street Kitchener, Ontario N2N 1X5 Canada (519) 744-5586

New product releases are selected from submissions for reasons of timeliness, uniqueness, available space, and general interest. Readers should be aware that News & Products often contains an edited version of material submitted by vendors. We are unable to vouch for its accuracy at time of publication. @

BRITISH INTELLIGENCE

INTRODUCES GAMES WITH INTELLIGENCE - AND FREE WORD PROCESSING!!!

From now until Christmas we are giving all of our customers a Christmas present. Every program we sell for the 64, IBM, VIC20 or TRS80 Color will include a free copy of Maxi-Pros - the handlest and easiest to use word processor available. Last year Maxi-Pros sold for \$29.95. This year it is FREE with all British Intelligence Programs.



DUNSEDNS OF MASDARR - Serious D of D for up to 8 players. Features full 3d GRAPHICS! You get a choice of several characters that grow from game to game and are interchangeable with characters from our famous Dungeons of Death game. A real dungeon with level after level of monsters to conquer and treasures to find - all in hi-res 3d graphics.

Available On TRSACC, IBM PC, CMO64 TAPE \$19.95

DISK 224 95

QUEST - A different kind of Graphic Adventure, it is played on a computer generated mape of Alesia You'll have to build an army and feed them through combat, bargaining, explo-ration of ruins and temples, and outright banditry! Takes 2 - 5 hours to play and is different each time.

Available Ox TRSBOC 16K, CHIOSA, VIC20 13K, MC10 16K, T89 EXT. BASIC, IBMPC TAPE 214.95 DISK \$19.95

start WW III.

ITOO NEW FOR PICTURES II
In a last minute Christmas coup, British
Intelligence has snagged the rights to
Europea most popular graphic Adventures.
BASTOW MANOR: A cult game in Europe
and Australia. SUPER SLUETH: A Sherlock
Holmes type Adventure. NUCLEARWARGAMES: A supercomputer wants to
start WW III

Phone or write for complete descriptions.

Available on Commodore 64 Only Tape or Disk \$19.95

MARS - Your ship crashed on the Red Planet and you have to get home. You will have to explore a Martian City, repair your ship, and deal with possibly hostile aliens to get home again. This is recommended as a first Adventure. It is in no way simple - playing time normally runs from 30 to 50 hours, but it lets you try out Adventuring before you battle the really tough ones. Full Graphics Adventure.

Available Dr. TRSBOC, CMO 64, IBM PC





PYRAMID - ONE OF THE TOUGHEST ADVENTURES. Average time through the pyramid is 50 - 70 hours. Clues are everywhere and some ingenious problems make this popular around the world FULL GRAPHIC ADVENTURE.

Available On TRSBOC 15K, CMO64, MC10 16K, IBM PC DISK \$24 95 BAG-IT-MAN The ultimate arcade game for TRS80C or MCD64. This one has three screens full of BAGS OF GOLD, CARTS & ELEVATORS TO RIDE IN, MINE SHAFTS, and TWO NASTY GUARDS, Great sound and color and continuous excitement.

Available On TRSBOC 32% CMD64 TAPE \$19.95 DISK 124.95



SOFTWARE PRICES ARE DROPPING! Phone or write for the latest specials.

TO ORDER: Send amount indicated plus \$2.00 shipping, per order. Include quantity desired and your preference of tape or disk. Be sure to indicate type of system and amount of memory.

BRITISH INTELLIGENCE

PHONE ORDES ACCEPTED

1-313-669-3123

CMD64 TRS80C **IBMPC** VIC20

How To Type In COMPUTE!'s GAZETTE Programs

Each month, COMPUTE'S GAZETTE publishes programs for the VIC-20, Commodore 64, Plus 4, and 16. Each program is clearly marked by title and version. Be sure to type in the correct version for your machine. Also, carefully read the instructions in the corresponding article. This can save time and eliminate any questions which might arise after you begin typing.

We publish two programs, appearing in alternating months, designed to make your typing effort easier: The Automatic Proofreader, and MLX, designed

for entering machine language programs.

When entering a BASIC program, be especially careful with DATA statements as they are extremely sensitive to errors. A mistyped number in a DATA statement can cause your machine to "lock up" (you'll have no control over the computer). If this happens, the only recourse is to turn your computer off then back on, erasing whatever was in memory. So be sure to save a copy of your program before you run it. If your computer crashes, you can always reload the program and look for the error.

Special Characters

Most of the programs listed in each issue contain special control characters. To facilitate typing in any programs from the GAZETTE, use the following listing conventions.

The most common type of control characters in our listings appear as words within braces: {DOWN} means to press the cursor down key; {5 spaces} means to press the space bar five times.

To indicate that a key should be shifted (hold down the SHIFT key while pressing another key), the character is underlined. For example, \underline{A} means hold down the the SHIFT key and press A. You may see strange characters on your screen, but that's to be expected. If you find a number followed by an underlined key enclosed in braces (for example, $\{8\ \underline{A}\}\)$, type the key as many times as indicated (in our example, enter eight SHIFTed A's).

If a key is enclosed in special brackets, § 3, hold down the Commodore key (at the lower left corner of the keyboard) and press the indicated character.

Rarely, you'll see a single letter of the alphabet enclosed in braces. This can be entered on the Commodore 64 by pressing the CTRL key while typing the letter in braces. For example, {A} means to press CTRL-A.

The Quote Mode

Although you can move the cursor around the screen with the CRSR keys, often a programmer will want to move the cursor under program control. This is seen in examples such as {LEFT}, and {HOME} in the program listings. The only way the computer can tell the difference between direct and programmed cursor control is the quote mode.

Once you press the quote key, you're in quote mode. This mode can be confusing if you mistype a character and cursor left to change it. You'll see a reverse video character (a graphics symbol for cursor left). In this case, you can use the DELete key to back up and edit the line. Type another quote and you're out of quote mode. If things really get confusing, you can exit quote mode simply by pressing RETURN. Then just cursor up to the mistyped line and fix it.

When You R	ead:	Press:	See:	When You I	Read: P	ress:	See:	When You Read:	Press:	See
{CLR}	SHIFT	CLR/HOME	4	[PUR]	CTRL	5		4		
[HOME]		CLR/HOME		[GRN]	CTRL	6		<u> </u>	SHUT	上旗
(UP)	SHIFT	CRSR •	聯	(Brn)	CTRL	7	4			
(DOWN)		CRSR 🛊	(Q)	{AET}	CTRL	8		For Commod	ore 64 Only	
{LEFT}	SHIFT	CRSR -		{F1}		n		-813	Ct 1	侧垂
{RIGHT}		CRSR -		{F2}	SHIFT	0		E28	C: 2	N808
{RVS}	CTRI		R	{F3}		f3		8:3	C: 3	
[OFF]	CTRI	. 0		{F4}	SHIFT	B		E48	C: 4	
{BLK}	CTRI			{F5}		f5		858	C = 5	-Ţ-
{WHT}	CTRI	2		[F6]	SHIFT	f 5		£63	C= 6	
{RED}	CTRI	3	題	[F7]		P		£79	C= 7	*
{CYN}	CTRI			{F8}	SHIFT	17		E83	C= 8	

The Automatic Proofreader

'The Automatic Proofreader" will help you type in program listings from COMPUTE!'s Gazette without typing mistakes. It is a short error-checking program that hides itself in memory When activated, it lets you know immediately after typing a line from a program listing if you have made a mistake Please read these instructions carefully before typing any programs in COMPUTE!'s Gazette

Preparing The Proofreader

- 1. Using the listing below, type in the Proofreader. The same program works on both the VIC-20 and Commodore 64. Be very careful when entering the DATA statements don't type an I instead of a 1, an O instead of a 0, extra
- 2. SAVE the Proofreader on tape or disk at least twice before running it for the first time. This is very important because the Proofreader erases this part of itself when you first type
- After the Proofreader is SAVEd, type RUN. It will check itself for typing errors in the DATA statements and warn you if there's a mistake. Correct any errors and SAVE the corrected version. Keep a copy in a safe place — you'll need it again and again, every time you enter a program from COMPUTE!'s Gazette.
- When a correct version of the Proofreader is RUN, it activates itself. You are now ready to enter a program listing. If you press RUN/STOP-RESTORE, the Proofreader is dis abled. To reactivate it, just type the command SYS 886 and press RETURN

Using The Proofreader

All VIC and 64 listings in COMPUTE!'s Gazette now have a checksum number appended to the end of each line, for example 'rem 123". Don't enter this statement when typing in a program. It is just for your information. The rem makes the number harmless if someone does type it in. It will, however, use up memory if you enter it, and it will confuse the Proofreader, even if you entered the rest of the line correctly

When you type in a line from a program listing and press RETURN, the Proofreader displays a number at the top of your screen. This checksum number must match the checksum number in the printed listing. If it doesn't, it means you typed the line differently than the way it is listed. Immediately recheck your typing. Remember, don't type the rem statement with the checksum number; it is published only so you can check it against the number which appears on your screen

The Proofreader is not picky with spaces. It will not notice extra spaces or missing ones. This is for your convenience, since spacing is generally not important. But occasionally proper spacing is important, so be extra careful with spaces, since the Proofreader will catch practically everything else that can go wrong

There's another thing to watch out for: if you enter the line by using abbreviations for commands, the checksum will not match up. But there is a way to make the Proofreader check it. After entering the line, LIST it. This eliminates the abbreviations. Then move the cursor up to the line and press RETURN. It should now match the checksum. You can check whole groups of lines this wa

Special Tape SAVE Instructions

When you're done typing a listing, you must disable the Proofreader before SAVEing the program on tape. Disable the Proofreader by pressing RUN/STOP-RESTORE (hold down the RUN/STOP key and sharply hit the RESTORE key). This procedure is not necessary for disk SAVEs, but you must disable the Proofreader this way before a tape SAVE

SAVE to tape erases the Proofreader from memory, so you'll have to LOAD and RUN it again if you want to type another listing. SAVE to disk does not erase the Proofreader.

Since the Proofreader is a machine language program stored in the cassette buffer, it will be erased during a tape SAVE or LOAD. If you intend to type in a program in more than one sitting or wish to make a safety SAVE, follow this procedure

- 1. LOAD and RUN the Proofreader.
- Disable it by pressing RUN/STOP-RESTORE.
- Type the following three lines in direct mode (without line numbers):

A\$="PROOFREADER.T":B\$="[10 SPACES]":FO RX=1TO4:A\$=A\$+B\$:NEXTX FORX=886 TO 1018:A\$=A\$+CHR\$(PEEK(X)):N EXTX OPEN1, 1, 1, A\$:CLOSE1

After you type the last line, you will be asked to press RECORD and PLAY. We recommend you start at the beginning of a new tape

You now have a new version of the Proofreader (PROOFREADER.T, as renamed in the above code). Turn your computer off and on, then LOAD the program you were working on. Put the cassette containing PROOFREADER.T into the tape unit and type:

OPEN1:CLOSE1

You can now get into the Proofreader by typing SYS 886. To test this, PRINT PEEK (886) should return the number 173. If it does not, repeat the steps above, making sure that A\$ (PROOFREADER.T) contains 13 characters and that B\$ contains 10 spaces

The new version of Automatic Proofreader will load itself into the cassette buffer whenever you type OPEN1:CLOSE1 and PROOFREADER.T is the next program on your tape. It will not disturb the contents of BASIC memory.

Automatic Proofreader For VIC And 64

- 100 PRINT" (CLR) PLEASE WAIT ... ": FORI=886TO 1018: READA: CK=CK+A: POKEI, A: NEXT
- IF CK<>17539 THEN PRINT" [DOWN] YOU MAD E AN ERROR": PRINT"IN DATA STATEMENTS. ": END
- 120 SYS886: PRINT" [CLR] [2 DOWN] PROOFREADER ACTIVATED. ": NEW
- 886 DATA 173,036,003,201,150,208 DATA 001,096,141,151,003,173 892 898 DATA 037,003,141,152,003,169
- 904 DATA 150,141,036,003,169,003 910 DATA 141,037,003,169,000,133
- 916 DATA 254,096,032,087,241,133
- 922 DATA 251,134,252,132,253,008 928 DATA 201,013,240,017,201,032
- 934 DATA 240,005,024,101,254,133
- 940 DATA 254,165,251,166,252,164 946 DATA 253,040,096,169,013,032
- 952 DATA 210,255,165,214,141,251
- 958 DATA 003,206,251,003,169,000 964 DATA 133,216,169,019,032,210
- 970 DATA 255,169,018,032,210,255 976 DATA 169,058,032,210,255,166
- 982 DATA 254,169,000,133,254,172
- 988 DATA 151,003,192,087,208,006 994 DATA 032,205,189,076,235,003
- 1000 DATA 032,205,221,169,032,032 1006 DATA 210,255,032,210,255,173
- 1012 DATA 251,003,133,214,076,173 1018 DATA 003

Bug-Swatter:

Modifications And Corrections

• Programs 2 and 3 from "Machine Language For Beginners" (November 1984) were inadvertently omitted from the "Program Listings" section. They are the BASIC loader programs (the equivalent of the source code included in the article) which were mentioned on page 132. The two programs follow:

VIC Memory Display

```
800 FOR ADRES=830T0859:READ DATTA
810 POKE ADRES, DATTA: NEXT ADRES
830 DATA 169, 5, 160, 0, 153, 0
836 DATA 148, 153, 0, 149, 136, 208
842 DATA 247, 162, 0, 181, 0, 157
848 DATA 0, 16, 189, 0, 2, 157
854 DATA 0, 17, 202, 76, 77, 3
```

64 Memory Display

```
800 FOR ADRES=830T0877:READ DATTA
810 POKE ADRES, DATTA:NEXT ADRES
830 DATA 169, 7, 160, 0, 153, 0
836 DATA 216, 153, 0, 217, 153, 0
842 DATA 218, 153, 0, 219, 136, 208
848 DATA 241, 162, 0, 181, 0, 157
854 DATA 0, 4, 189, 0, 2, 157
860 DATA 0, 5, 189, 0, 208, 157
866 DATA 0, 6, 189, 0, 220, 157
872 DATA 0, 7, 202, 76, 83, 3
```

• Last month, we published a suggestion from a reader in Gazette Feedback ("An End To Disk Drive Chatter"). Several readers called to inform us that it sometimes doesn't work with Easy Script, and that their drives wouldn't read any files even after turning the drive off and on. No cause for alarm, however. We duplicated the problem once, and the drive locked up (although subsequent tests worked fine, eliminating disk drive chatter). Although the suggested technique works with most commercial programs, if your drive should lock up, the solution is to initialize the drive with this command:

OPEN15,8,15,"I0":CLOSE15.

- The article for "Screen-80" (September 1984) stated that the program was compatible with the terminal software packaged with the 1650 Automodem. It is compatible, except that you can't use the function keys to change terminal parameters. If you want to be able to change parameters, follow this procedure:
- 1. Load 64 Term

- 2. Type this line (in immediate mode): POKE44,64: POKE 16384,0: NEW
- 3. Enter this short program to modify 64 Term:
- 10 FORT=4634T04644:READD:POKET,D:NEXT
 20 DATA 32,198,2,169,14,32,210,255,76,229
 ,14
- 30 POKE2283,76:POKE2284,26:POKE2285,18
- 4Ø POKE45,38:POKE46,18:POKE44,8:CLR

If the label on your terminal software says *Autoterm*, don't use the above program. Instead, enter this one:

- 10 FOR T= 5633T05643:READD:POKET,D:NEXT
 20 DATA 32,198,2,169,14,32,210,255,76,87,
 16
- 3Ø POKE2664,76:POKE2665,1:POKE2666,22 4Ø POKE45,13:POKE46,22:POKE44,8:CLR
- 4. Type RUN. The above program makes some modifications to 64 Term.
- 5. Save this new version to a new disk or tape (be sure to keep the original 64 Term).

Once you've created the new 64 Term, you can load and run Screen-80. Get out of 80-column mode with RUN/STOP-RESTORE.

Next, load and run the modified 64 Term.

Change the parameters, using f4. When finished, press the E key. Instead of exiting to BASIC, you'll enter terminal mode (with 80-columns) with the new parameters set. We have tested these two modifications with different versions of 64 Term and Autoterm. There may, however, be other versions of these two programs, and Commodore may make changes in the future.

Readers might also note that our sister magazine, COMPUTE!, is planning to run a terminal program in the first few months of 1985. This program will be compatible with Screen-80, and can be used to access standard-ASCII bulletin boards and information networks.

- Reader Barry Friedman has pointed out an error in the "Gazette Feedback" item "PEEKing The Joystick" (November 1984). The example on page 12 should read IF (PEEK(56320)AND16)=0 THEN PRINT "FIRE". The "=0" is important because joystick movements turn bits off (making them zero) rather than turning them on.
- There are no errors in the "Turtle Graphics" programs from October 1984; however, the article contained some typographical errors on page 93, under "How It Works". The start of BASIC is moved up to \$4000, leaving \$0800–\$3FFF free (not \$0800–\$03FF). The sprite definitions do not go into the last 512 bytes of this free area—they are put into \$0E00–\$0FFF (decimal 3584–4095).

Tiny MLX

For Unexpanded VIC-20

Machine Language Entry Program

Charles Brannon, Program Editor

Note To Readers

This is the final appearance of Tiny MLX in the Gazette. In order to better use space in the magazine and to help eliminate confusion for those typing in programs, all VIC machine language programs listed in MLX format will require VIC MLX. MLX, both VIC and 64 versions, will appear in alternate months. The use of VIC MLX requires 8K memory expansion, although expansion is often not required to run an MLX-entered VIC program (notes are always included in the article).

MLX is a labor-saving utility that allows almost fail-safe entry of machine language programs published in COMPUTE!'s GAZETTE. You need to know nothing about machine language to use MLX—it was designed for everyone. "Tiny MLX" is a special version for the unexpanded VIC.

MLX is a new way to enter long machine language (ML) programs with a minimum of fuss. MLX lets you enter the numbers from a special list that looks similar to BASIC DATA statements. It checks your typing on a line-by-line basis. It won't let you enter illegal characters when you should be typing numbers. It won't let you enter numbers greater than 255 (forbidden in ML). It won't let you enter the wrong numbers on the wrong line. In addition, MLX creates a ready-to-use tape or disk file.

Using MLX

Type in and save "Tiny MLX" (you'll want to use it in the future). When you're ready to type in an ML program, run Tiny MLX. Unlike regular MLX, Tiny MLX does not ask for the starting and ending address of the program to be entered. Instead, this information must be included in line 210. The values currently shown in line 210 are for the "Kablam!" program in this issue. It's also necessary to change lines 100 and 763 to use Tiny MLX with Kablam!, so be sure to check these lines if you're using an earlier version of

Tiny MLX. Refer to the article on page 60 for details.

You'll see a prompt corresponding to the starting address. The prompt is the current line you are entering from the listing. It increases by six each time you enter a line. That's because each line has seven numbers—six actual data numbers plus a *checksum number*. The checksum verifies that you typed the previous six numbers correctly. If you enter any of the six numbers wrong, or enter the checksum wrong, the computer rings a buzzer and prompts you to reenter the line. If you enter it correctly, a bell tone sounds and you continue to the next line.

MLX accepts only numbers as input. If you make a typing error, press the INST/DEL key; the entire number is deleted. You can press it as many times as necessary back to the start of the line. If you enter three-digit numbers as listed, the computer automatically prints the comma and goes on to accept the next number. If you enter less than three digits, you can press either the comma, space bar, or RETURN key to advance to the next numbr. The checksum automatically appears in reverse video for emphasis.

MLX Commands

When you finish typing an ML listing, you can then save the completed program on tape or disk. Follow the screen instructions. If you get any errors while saving, you probably have a bad disk, or the disk is full, or you made a typo when entering the MLX program itself.

Since Tiny MLX has no provisions for reloading a partially completed program, you must enter the ML program all in one sitting.

See program listing on page 173.

All programs listed in this magazine are available on the GAZETTE Disk. See elsewhere in this issue for details.

Telecommunications Software

The listing below is the second half of the C/G Bulletin Board System. Part 1 and the article with instructions on use were published last month. Do not enter Part 2 until you have completed typing in Part 1 and you understand the procedure as outlined in the Commands section of the MLX article published last month. Load MLX, and use a starting address of 2049 and an ending address of 17828. Then type SHIFT-L to load Part 1 and begin entering the listing below.

Note To Readers And Disk Subscribers

The C/G Bulletin Board as listed in this and the December issues, and as published on the December disk, runs as expected. However, the board can crash if a caller dials the board and hangs up before connecting. We have corrected this problem on the January disk and will publish the correction in next month's "Bug-Swatter." Those typing the program in should not hesitate to continue as the correction will POKE several new values into the final program. Non-disk subscribers who would rather not wait may write or call for the correction.

Also note that all user IDs must start with 1001. They can then run up to 1999. As the system operator, your built-in ID is 1000, but you can't create a user file with this number.

C/G Bulletin Board, Part 2

```
9759 :091,038,169,024,141,043,025
9765 :025,169,065,141,044,025,250
9771 :032,034,025,096,032,091,097
9777 :038,169,030,141,043,025,239
9783 :169,065,141,044,025,032,019
9789 :034,025,096,162,000,138,004
9795 :157,049,072,232,224,007,040
9801 :208,248,096,141,243,071,056
     :169,031,141,242,071,032,253
9807
     :189,022,173,243,071,096,111
9813
     :141,243,071,169,144,141,232
9819
9825 :242,071,032,189,022,173,058
9831 :243,071,096,174,161,069,149
     :224,000,208,012,174,014,229
9837
9843 :070,224,000,240,009,206,096
     :014,070,198,252,206,161,254
9849
9855 :069,096,096,238,161,069,088
9861 :174,161,069,224,000,208,201
9867 :005,238,014,070,230,252,180
9873 :096,162,000,142,014,071,118
9879 :174,014,071,189,049,072,208
9885 : 201,013,240,014,172,161,190
9891 :069,145,251,238,014,071,183
9897 :032,130,038,076,151,038,122
9903 :096,162,000,142,014,071,148
9909 :174,014,071,189,001,072,190
9915 :201,000,240,006,032,199,097
     :038,076,181,038,169,032,215
9927 :172,161,069,145,251,238,211
9933 :014,071,032,130,038,096,074
     :169,032,032,210,255,096,237
9939
9945 :169,150,133,251,169,082,147
9951 :133,252,160,000,140,161,045
9957 :069,172,161,069,177,251,104
9963 :141,243,071,141,242,071,120
9969 :032,189,022,032,130,038,172
9975 :173,243,071,201,000,208,119
9981 :232,032,120,045.032,048,250
```

```
9987 :046,032,004,038,032,176,075
9993 :025,032,189,022,173,242,180
9999 :071,201,048,208,003,076,110
10005 :088,040,041,015,141,031,121
10011 :070,173,144,082,205,031,220
10017 :070,176,006,032,240,037,082
10023 :076,254,038,206,031,070,202
10029 :173,031,070,141,225,080,253
10035 :174,225,080,189,215,080,246
10041 :141,226,080,173,031,070,010
10047 :010,141,145,082,170,189,032
10053 :126,086,141,054,072,238,018
10059 :145,082,174,145,082,189,124
10065 :126,086,141,055,072,173,222
10071 :054,072,141,049,072,032,251
10077 :213,041,173,050,072,141,015
10083 :051,072,173,054,072,041,050
10089 :015,170,189,177,067,141,096
10095 :052,072,173,055,072,141,164
10101 :049,072,032,213,041,173,185
10107 :050,072,141,053,072,173,172
10113 :055,072,041,015,170,189,159
10119:177,067,141,054,072,174,052
10125 :031,070,189,050,087,141,197
10131 :242,071,024,173,242,071,202
10137 :105,003,141,242,071,172,119
10143 :031,070,190,146,086,142,056
10149 :148,082,024,169,156,109,085
10155 :148,082,141,242,103,133,252
10161 :251,169,086,105,000,141,161
10167 : 243, 103, 133, 252, 032, 237, 159
10173 :054,162,002,142,014,071,122
10179 :162,000,142,161,069,142,103
10185 :149,070,142,150,070,032,046
10191 :204,255,172,161,069,177,221
10197 :251,174,014,071,157,226,082
10203 :067,032,210,255,032,130,177
10209 :038,238,014,071,174,014,006
10215 :071,236,242,071,208,228,007
10221 :169,001,174,160,069,160,202
10227 :002,032,186,255,173,014,137
10233 :071,162,226,160,067,032,199
10239 :189,255,032,192,255,173,071
10245 :242,071,162,001,032,198,199
10251 :255,032,204,255,169,004,162
10257 :141,242,071,032,189,022,202
10263 :032,101,022,173,242,071,152
10269 :201,017,208,246,173,051,157
10275 :072,141,242,071,032,189,014
10281 :022,173,052,072,141,242,231
10287 :071,032,189,022,173,053,075
10293 :072,141,242,071,032,189,032
10299 :022,173,054,072,141,242,251
10305 :071,032,189,022,173,226,010
10311 :080,141,242,071,032,189,058
      :022,032,101,022,173,242,157
10317
10323 :071,201,003,208,014,032,100
      :204,255,169,001,032,195,177
10335
      :255,032,089,045,076,228,052
10341 :011,201,027,208,228,162,170
      :000,142,148,070,142,149,246
10347
10353 :070,142,150,070,142,147,066
10359 :070,032,120,045,169,058,101
10365 :141,151,070,162,000,142,023
10371 :014,071,032,233,022,173,164
10377 :242,071,174,014,071,157,098
10383 :110,070,238,014,071,032,166
10389 :195,029,173,088,072,201,139
10395 :064,208,008,162,001,142,228
10401 :147,070,076,173,040,174,073
```

10407	:014,071,224,036,208,216,168	10821 :242,071,141,051,072,032,166
10413	:169,001,141,161,069,160,106	10827 :101,022,173,242,071,141,057
10419	:000,140,023,070,172,023,095	10833 :052,072,032,101,022,173,021
10425		
	:070,185,110,070,141,049,042	
10431	:072,238,023,070,174,014,014	10845 :101,022,173,242,071,141,075
10437	:071,236,023,070,144,048,021	10851 :054,072,032,101,022,173,041
10443	:032,213,041,173,050,072,016	10857 : 242,071,141,226,080,162,003
10449	:174,161,069,157,151,070,223	10863 :000,142,014,071,032,101,215
10455	:141,148,070,238,161,069,018	10869 :022,173,242,071,201,013,071
10461	:032,194,041,173,049,072,014	10875 : 240,012,174,014,071,157,023
10467	:041,015,170,189,177,067,118	10881 :121,072,238,014,071,076,209
10473	:174,161,069,157,151,070,247	10887 :115,042,174,014,071,169,208
10479	:141,148,070,238,161,069,042	
		10893 :087,157,121,072,238,014,062
10485	:032,194,041,076,183,040,043	10899 :071,174,014,071,142,160,011
10491	:173,149,070,141,049,072,137	10905 :072,142,147,082,173,226,227
10497	:032,213,041,173,050,072,070	10911 :080,141,185,103,173,051,124
10503	:174,161,069,157,151,070,021	10917 :072,141,049,072,032,231,250
10509	:238,161,069,173,049,072,007	10923 :041,173,052,072,141,049,187
10515	:041,015,170,189,177,067,166	10929 :072,032,007,042,173,049,040
10521	:174,161,069,157,151,070,039	10935 :072,141,146,072,173,053,072
10527	:238,161,069,173,150,070,124	10941 :072,141,049,072,032,231,018
10533	:141,049,072,032,213,041,073	10947 :041,173,054,072,141,049,213
10539	:173,050,072,174,161,069,230	10953 :072,032,007,042,173,049,064
10545	:157,151,070,238,161,069,127	10959 :072,141,147,072,173,146,190
10551	:173,049,072,041,015,170,063	10965 :072,205,066,104,144,045,081
1 (100) 100 (100)	100 177 067 174 1015,170,005	
10557	:189,177,067,174,161,069,130	10971 :173,147,072,205,067,104,219
10563	:157,151,070,238,161,069,145	10977 :144,037,032,204,255,169,042
10569	:169,013,174,161,069,157,048	
10575	:151,070,032,204,255,162,185	10989 :169,075,141,043,025,169,091
10581	:000,142,024,070,174,024,007	10995 :068,141,044,025,032,034,075
10587	:070,189,151,070,141,242,186	11001 :025,032,204,255,169,003,169
10593	:071,238,024,070,173,242,147	11007 :141,242,071,032,244,036,253
10599	· 071 032 189 022 172 242 064	11013 :076,228,011,056,173,066,103
	:071,032,189,022,173,242,064	11015 .070,220,011,050,175,000,105
10605	:071,201,013,208,231,032,097	11019 :104,237,146,072,141,066,009
10611	:101,022,173,242,071,201,157	11025 :104,173,067,104,237,147,081
10617	:027,208,010,174,147,070,245	
10623	:224,001,240,021,076,106,027	11037 :255,169,001,174,160,069,089
10629	:040,201,003,208,043,032,148	11043 :160,002,032,186,255,169,071
10635	:204,255,169,001,032,195,227	11049 :010,162,178,160,103,032,174
10641	:255,032,089,045,076,228,102	11055 :189,255,032,192,255,032,234
10647		11061 :102,027,174,227,080,224,119
	:011,169,005,141,242,071,022	
10653	:032,244,036,169,001,032,159	11067 :000,240,027,169,001,032,016
10659	:195,255,032,101,022,173,173	11073 :195,255,032,204,255,169,151
	.242 671 261 617 260 246 126	11070 000 141 040 000
	:242,071,201,017,208,246,130	11079 :003,141,242,071,032,244,036
10671	:032,120,045,076,228,011,175	11085 :036,162,000,142,228,080,213
10677	:201,018,208,006,032,120,254	11091 :142.227.080.076.228 011 079
	045 076 001 041 075	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
10683	:045,076,081,041,076,114,108	11097 :174,183,103,232,224,058,039
10689	:041,024,173,148,070,109,246	11103 :208,027,162,048,142,183,097
	140 070 141 140 070 170 170	
10695	:149,070,141,149,070,173,183	
10701	:150,070,105,000,141,150,053	11115 :058,208,008,162,048,142,221
10707	:070,096,173,049,072,041,200	11121 :182,103,076,127,043,142,018
		11127 .102 102 076 127,043,142,018
10713	:240,024,074,074,074,074,009	11127 :182,103,076,127,043,142,024
10719	:170,189,177,067,141,050,249	11133 :183,103,032,120,045,162,002
10725	:072,096,173,049,072,201,124	
	050 144 015 043 012,201,124	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
10731	:058,144,015,041,015,024,020	11145 :141,242,071,032,244,036,135
10737	:105,009,010,010,010,010,139	11151 :032,101,022,173,242,071,016
10743	:141,050,072,076,006,042,122	11157 -201 052 052 513 242,011,010
		11157 :201,058,208,012,032,204,096
10749	:041,015,010,010,010,010,093	11163 :255,173,242,071,032,210,114
10755	:141,050,072,096,173,049,072	11169 :255,076,200,043,201,005,173
10761	:072,201,058,144,011,041,024	11175 200 001 001 043,201,003,173
		11175 :208,024,032,204,255,169,035
10767	:015,024,105,009,141,049,102	11181 :001,032,195,255,162,002,052
10773	:072,076,030,042,041,015,041	
10779		
	:141,049,072,173,049,072,071	11193 :210,255,032,204,255,076,193
10785	:013,050,072,141,049,072,174	11199 :254,044,201,003,208,006,139
10791	:096,169,021,141,242,071,011	, , , , , , , , , , , , , , , , , , , ,
10797	.022 244 026 022 101 022 022	
	:032,244,036,032,101,022,000	11211 :173,242,071,032,210,255,162
10803	:173,242,071,201,017,240,227	11217 :174,014,071,173,242,071,186
10809	:007,201,003,208,242,076,026	11223 :157,151,070,238,014,071,148
	.000 040 020 101 000 170 007	
		11770 177 040 081 081 81
10013	:088,040,032,101,022,173,007	11229 :173,242,071,201,013,208,105

```
11235 : 228,056,173,014,071,233,234
                                           11655 : 208, 246, 238, 115, 072, 140, 130
11241 :005,141,014,071,141,240,077
                                           11661 :241,071,172,115,072,192,236
11247 :080,174,014,071,189,151,150
                                                 :001,240,006,172,241,071,110
                                           11667
11253 :070,141,049,072,032,231,072
                                           11673
                                                 :076,127,045,096,032,091,108
11259 :041,238,014,071,174,014,035
                                           11679
                                                 :038,169,231,141,043,025,038
11265 :071,189,151,070,141,049,160
                                                 :169,064,141,044,025,032,128
                                           11685
11271 :072,032,007,042,173,049,126
                                                 :034,025,096,032,048,046,196
                                           11691
      :072,141,148,072,238,014,186
11277
                                                 :032,091,038,169,148,141,028
                                           11697
11283 :071,174,014,071,189,151,177
                                           11703
                                                 :043,025,169,061,141,044,154
11289 :070,141,049,072,032,231,108
                                                 :025,032,034,025,032,004,085
                                           11709
11295 :041,238,014,071,174,014,071
                                                 :038,032,076,038,162,000,029
                                           11715
11301 :071,189,151,070,141,049,196
                                                 :142,237,071,032,101,022,038
                                           11721
11307 :072,032,007,042,173,049,162
                                                 :173,242,071,201,089,208,167
                                           11727
11313 :072,141,149,072,162,000,133
                                                 :008,162,000,142,237,071,065
                                           11733
11319 :142,014,071,142,149,070,131
                                           11739
                                                 :076,237,045,201,078,240,072
11325 :142,150,070,174,014,071,170
                                           11745 :006,032,240,037,076,174,022
11331 :024,189,151,070,141,012,142
                                           11751 :045,162,001,142,237,071,121
                                           11757 :096,169,058,141,003,065,001
11337 :071,109,149,070,141,149,250
                                           11763 :169,001,162,008,160,002,233
11343 :070,173,150,070,105,000,135
                                           11769 :032,186,255,169,010,162,039
11349 :141,150,070,238,014,071,001
11355 :174,014,071,236,240,080,138
                                           11775 :002,160,065,032,189,255,190
                                           11781 :032,192,255,096,169,058,039
11361 :144,221,173,148,072,205,036
11367 :149,070,208,068,173,149,152
                                           11787 :141,014,065,169,001,174,063
                                           11793 :160,069,160,002,032,186,114
11373 :072,205,150,070,208,060,106
11379 :162,000,142,014,071,174,166
                                           11799 : 255, 169, 007, 162, 013, 160, 021
11385 :014,071,189,151,070,141,245
                                           11805 :065,032,189,255,032,192,026
11391 :049,072,032,231,041,238,022
                                           11811 : 255, 096, 169, 164, 141, 143, 235
11397 :014,071,174,014,071,189,154
                                           11817 :029,169,069,141,144,029,110
                                           11823 :096,173,242,071,072,169,102
11403 :151,070,141,049,072,032,142
11409 :007,042,032,204,255,162,079
                                           11829 :013,141,242,071,174,023,205
11415 :001,032,201,255,173,049,094
                                           11835 :071,224,000,240,006,032,120
11421 :072,032,210,255,238,014,210
                                            11841 :189,022,076,079,046,032,253
                                            11847 : 204, 255, 173, 242, 071, 032, 024
11427 :071,174,014,071,236,240,201
11433 :080,144,204,076,127,043,075
                                            11853 :210,255,104,141,242,071,076
11439 :032,204,255,169,094,032,193
                                            11859 :096,238,094,072,174,094,083
                                            11865 :072,224,253,208,020,032,130
11445 :210,255,169,210,032,210,243
                                            11871 :212,053,032,204,255,032,115
11451 :255,238,214,080,174,214,082
11457 :080,224,005,176,021,162,093
                                            11877 :032,030,032,032,030,032,033
11463 :000,142,014,071,032,204,150
                                            11883 : 204, 255, 162, 001, 032, 201, 194
11469 :255,162,002,032,201,255,088
                                            11889 :255,096,174,239,080,224,157
11475 :169,018,141,242,071,076,160
                                            11895 :000,208,003,076,182,046,122
                                            11901 :162,001,142,204,103,142,111
11481 :140,043,169,003,141,242,187
                                                  :162,069,024,173,220,103,114
11487 :071,032,244,036,169,049,056
                                            11907
                                            11913 :141,160,072,162,000,142,046
11493 :141,043,025,169,068,141,048
11499 :044,025,032,034,025,032,171
                                            11919 :014,071,238,160,072,174,104
                                            11925 :160,072,224,253,208,005,047
11505 :089,045,032,204,255,169,011
                                                  :162,000,142,160,072,238,161
11511 :001,032,195,255,076,228,010
                                            11931
                                                  :014,071,174,014,071,224,217
11517 :011,032,117,023,032,204,160
                                            11937
                                                  :005,208,231,032,017,057,205
11523 : 255, 162, 004, 032, 201, 255, 144
                                            11943
                                                  :032,196,046,032,009,046,022
11529 :169,017,032,210,255,169,093
                                            11949
                                                  :076,165,047,162,001,142,004
11535 :032,032,210,255,162,000,194
                                            11955
                                                  :204,103,032,196,046,032,030
11541 :142,014,071,174,014,071,251
                                            11961
                                                  :238,045,076,165,047,174,168
      :189,121,072,032,210,255,138
                                            11967
11547
                                                  :244,103,142,157,072,142,033
      :238,014,071,174,014,071,103
                                            11973
11553
      :236,160,072,144,236,169,032
                                                  :004,104,174,202,103,142,164
                                            11979
                                            11985 :158,072,174,245,103,142,079
     :032,032,210,255,162,000,224
11565
                                                  :159,072,096,162,216,134,030
      :142,014,071,174,014,071,025
                                            11991
11571
                                                   :251,174,207,103,134,252,062
      :189,178,103,032,210,255,000
                                            11997
11577
                                                  :172,206,103,140,161,069,054
      :238,014,071,174,014,071,133
                                            12003
11583
                                                   :173,218,103,145,251,032,131
      :224,010,144,237,169,013,098
                                            12009
11589
                                                   :130,038,172,161,069,173,214
      :032,210,255,032,204,255,039
                                            12015
11595
                                                   :219,103,145,251,032,130,101
      :169,004,032,195,255,076,044
                                            12021
11601
                                                   :038,173,161,069,141,206,015
      :228,011,169,217,141,043,128
                                            12027
                                                   :103,165,252,141,207,103,204
                                            12033
      :025,169,066,141,044,025,051
11613
                                                   :162,144,134,251,174,211,059
                                            12039
      :032,034,025,096,169,161,104
11619
                                                   :103,134,252,172,210,103,219
                                            12045
      :133,251,169,072,133,252,091
11625
                                                   :140,161,069,173,220,103,117
                                            12051
      :169,000,141,161,069,141,024
11631
                                                   :145,251,032,130,038,173,026
                                            12057
      :014,070,096,160,000,162,107
11637
                                                   :161,069,141,210,103,165,112
                                            12063
11643 :000,142,115,072,232,224,140
                                            12069 :252,141,211,103,174,221,115
11649 :000,208,251,200,192,000,212
```

```
12075 : 103, 142, 218, 103, 174, 222, 237
                                            12495 : 208, 229, 162, 000, 142, 014, 194
 12081 :103,142,219,103,174,223,245
                                            12501
                                                  :071,174,014,071,189,175,139
 12087
       :103,142,220,103,076,132,063
                                            12507
                                                  :080,172,161,069,145,251,073
12093
       :052,162,068,134,251,174,134
                                                  :141,242,071,032,130,038,111
                                            12513
 12099
       :189,103,134,252,172,188,081
                                            12519
                                                  :238,014,071,173,242,071,016
       :103,140,161,069,173,202,153
 12105
                                            12525
                                                  :201,027,208,229,162,001,041
 12111
       :103,145,251,032,130,038,010
                                                  :142,242,080,076,063,048,126
                                            12531
 12117
       :172,161,069,173,245,103,240
                                            12537
                                                  :162,000,142,098,072,142,097
 12123
       :145,251,032,130,038,173,092
                                                   :099,072,173,161,069,141,202
                                            12543
12129
       :161,069,141,188,103,165,156
                                            12549
                                                   :244,103,141,168,002,165,060
12135
       :252,141,189,103,162,252,178
                                            12555
                                                   :252,141,004,104,173,014,187
      :134,251,174,193,103,134,074
12141
                                                   :070,141,169,002,174,205,010
                                            12561
12147
       :252,172,192,103,140,161,111
                                            12567
                                                   :103,224,000,208,126,174,090
       :069,173,244,103,145,251,082
12153
                                            12573
                                                   :245,103,224,001,240,003,077
12159
      :141,004,104,032,130,038,064
                                            12579
                                                  :076,102,051,056,169,145,122
12165 :173,161,069,141,192,103,204
                                            12585
                                                  :237,202,103,141,049,072,077
12171
      :165,252,141,193,103,174,143
                                            12591
                                                  :141,051,072,169,000,141,109
12177 : 221,103,142,202,103,174,066
                                                  :050,072,141,052,072,032,216
                                            12597
12183 :222,103,142,245,103,174,116
                                            12603
                                                  :246,054,172,192,103,140,198
12189
       :223,103,142,244,103,076,024
                                            12609
                                                  :161,069,173,193,103,133,129
12195 :043,053,174,202,103,142,112
                                            12615
                                                  :252,174,239,080,224,000,016
12201 :213,064,174,245,103,142,086
                                            12621
                                                  :240,007,162,144,134,251,247
12207
      :214,064,174,244,103,224,174
                                                  :076,090,049,162,252,134,078
                                            12627
12213 :000,240,013,169,161,141,137
                                            12633
                                                  :251,032,106,038,172,161,081
12219 :143,029,169,072,141,144,117
                                            12639
                                                  :069,177,251,141,051,072,088
12225 :029,032,120,029,169,001,061
                                            12645
                                                  :056,173,049,072,237,051,227
12231
      :032,195,255,032,103,045,093
                                            12651
                                                  :072,141,098,072,173,050,201
12237 :174,023,071,224,000,208,137
                                            12657
                                                  :072,233,000,141,099,072,218
12243
      :003,076,117,059,174,239,111
                                            12663
                                                  :173,169,002,205,099,072,071
12249
      :080,224,000,240,008,169,170
                                            12669
                                                  :144,024,173,169,002,205,074
12255 :024,141,242,071,076,235,244
                                            12675
                                                  :099,072,208,019,173,168,102
12261 :047,169,023,141,242,071,154
                                            12681
                                                  :002,205,098,072,144,008,154
12267 :032,189,022,032,204,255,201
                                            12687
                                                  :173,168,002,205,098,072,093
12273 :032,101,022,173,242,071,114
                                            12693
                                                  :208,003,076,102,051,162,239
12279
      :201,023,240,013,201,003,160
                                            12699
                                                  :000,142,171,002,142,173,017
12285
      :208,242,032,048,046,032,093
                                            12705
                                                  :002,142,175,002,142,177,033
12291
      :089,045,076,228,011,174,114
                                            12711
                                                  :002,142,180,002,142,106,229
12297
      :004,104,142,161,069,172,149
                                                  :072,142,092,072,162,001,202
                                           12717
12303
      :161,069,173,102,072,145,225
                                           12723
                                                  :142,179,002,174,239,080,227
12309
      :251,032,130,038,160,000,120
                                                  :224,000,240,035,162,121,199
                                           12729
12315
      :140,241,080,140,242,080,182
                                           12735
                                                  :142,172,002,142,174,002,057
12321
      :174,023,071,224,000,208,221
                                           12741
                                                  :162,216,134,251,162,133,231
12327
      :003,076,063,048,032,204,209
                                           12747
                                                 :142,176,002,142,178,002,077
12333
      :255,169,017,141,242,071,172
                                           12753 :162,144,134,253,162,139,179
      :032,244,036,032,101,022,006
12339
                                           12759
                                                 :142,107,072,142,093,072,075
12345
      :173,242,071,076,072,048,227
                                           12765 : 076,248,049,162,104,142,234
12351
      :032,233,022,238,241,080,141
                                           12771
                                                 :172,002,142,174,002,162,113
12357
      :173,242,071,201,009,208,205
                                           12777
                                                 :068,134,251,162,115,142,081
12363
      :003,076,046,053,172,161,074
                                           12783
                                                 :176,002,142,178,002,162,133
12369
      :069,173,242,071,145,251,008
                                           12789 :252,133,253,172,173,002,206
12375
     :032,130,038,174,023,071,043
                                           12795 :140,161,069,173,174,002,202
     :224,000,208,018,173,242,190
12381
                                           12801 :133,252,177,251,141,049,236
12387
      :071,201,026,208,021,032,146
                                           12807 :072,162,000,142,014,071,212
12393
      :204,255,169,001,032,195,193
                                           12813 :172,161,069,177,251,174,249
12399
     :255,076,249,048,173,242,130
                                           12819 :014,071,157,049,072,238,108
12405 :071,201,026,208,188,076,119
                                           12825 :014,071,032,130,038,174,228
     :249,048,174,242,080,224,116
12411
                                           12831 :014,071,224,004,144,232,208
      :000,240,003,076,063,048,047
12417
                                           12837
                                                 :032,106,038,032,106,038,133
12423
      :174,241,080,224,003,176,009
                                                 :173,161,069,141,173,002,250
                                           12843
12429
      :003,076,063,048,162,000,237
                                                 :165,252,141,174,002,174,189
                                           12849
      :142,014,071,174,014,071,121
12435
                                           12855
                                                 :050,072,236,052,072,144,169
12441
      :189,115,080,172,161,069,171
                                           12861
                                                 :031,174,052,072,236,050,164
12447
      :145,251,141,242,071,238,223
                                           12867
                                                 :072,240,023,024,173,051,138
12453
      :014,071,032,130,038,173,111
                                           12873
                                                 :072,105,144,141,049,072,144
12459
      :242,071,201,027,208,229,125
                                           12879
                                                 :141,051,072,173,052,072,128
12465
      :162,000,142,014,071,174,228
                                           12885
                                                 :105,000,141,050,072,141,082
      :014,071,189,019,072,172,208
12471
                                           12891
                                                 :052,072,032,246,054,024,059
12477
      :161,069,145,251,141,242,174
                                           12897
                                                 :173,049,072,105,252,141,121
12483
      :071,032,130,038,238,014,206
                                           12903 :049,072,173,050,072,105,112
12489
      :071,173,242,071,201,027,218
                                           12909 :000,141,050,072,172,177,209
```

149

```
13335 :172,214,103,140,161,069,114
12915 :002,140,161,069,173,178,070
                                           13341 :162,000,142,014,071,174,080
12921 :002,133,254,177,253,141,057
                                           13347 :014,071,189,049,072,172,090
     :051,072,238,161,069,174,124
12927
                                           13353 :161,069,145,251,032,130,061
12933 :161,069,224,000,208,002,029
                                           13359 :038,238,014,071,174,014,084
12939 :230,254,172,161,069,177,178
                                           13365 :071,224,003,144,232,173,132
      :253,141,052,072,173,161,229
                                           13371 :161,069,141,214,103,165,144
      :069,141,177,002,165,254,191
12951
                                           13377 :252,141,215,103,174,213,139
      :141,178,002,056,173,049,244
12957
                                           13383 : 064, 142, 221, 103, 174, 214, 221
      :072,237,051,072,141,049,017
12963
                                           13389 :064,142,222,103,174,094,108
12969 :072,173,050,072,233,000,001
                                           13395 :072,142,223,103,032,037,180
12975 :141,050,072,024,173,049,172
                                           13401 :046,174,157,072,142,244,156
12981 :072,105,252,141,049,072,104
                                           13407
                                                  :103,174,158,072,142,202,178
12987 :173,050,072,105,000,141,216
                                                  :103,174,159,072,142,245,228
                                           13413
12993 :050,072,056,173,049,072,153
                                                  :103,174,239,080,224,000,159
                                           13419
12999 :237,052,072,141,049,072,054
                                           13425 :240,023,032,017,057,162,132
13005 :173,050,072,233,000,141,106
                                           13431 :000,142,239,080,142,162,116
13011 :050,072,024,173,049,072,139
                                           13437 :069,142,204,103,076,218,169
13017 :109,098,072,141,098,072,039
                                           13443 :046,032,095,024,076,228,120
13023 :173,050,072,109,099,072,030
                                           13449 :011,032,019,054,174,201,116
13029 :141,099,072,173,169,002,117
                                           13455 :103,224,255,240,003,076,020
13035 : 205,099,072,144,030,173,190
                                           13461 :035,053,174,200,103,224,170
13041 :169,002,205,099,072,208,228
                                           13467 :255,240,003,076,035,053,049
13047 :016,173,168,002,205,098,141
                                           13473 :174,198,103,142,161,069,240
13053 :072,144,014,173,168,002,058
                                           13479 :174,199,103,142,014,070,101
13059 :205,098,072,240,006,238,094
                                           13485 :032,106,038,173,161,069,240
13065 :179,002,076,248,049,174,225
                                           13491 :141,106,072,173,014,070,243
      :239,080,224,000,240,036,066
13071
                                           13497 :141,107,072,056,173,200,166
      :024,173,179,002,010,141,038
13077
                                            13503 :103,237,106,072,141,200,026
13083 :180,002,024,173,179,002,075
                                            13509 :103,173,201,103,237,107,097
13089 :109,180,002,141,180,002,135
                                            13515 :072,141,201,103,169,001,122
13095
     :024,173,180,002,109,092,107
                                            13521 :141,198,103,169,000,141,193
      :072,141,092,072,173,093,176
13101
                                            13527 :199,103,169,049,141,224,076
13107
      :072,105,000,141,093,072,022
                                            13533 :103,169,000,141,225,103,194
13113 :032,043,055,162,000,142,235
                                                  :141,226,103,141,227,103,144
                                            13539
      :014,071,174,239,080,224,097
13119
                                            13545 :141,228,103,141,229,103,154
      :000,208,030,032,198,053,078
13125
                                            13551 :169,048,141,230,103,169,075
      :032,133,054,206,196,103,031
13131
                                            13557 :000,141,231,103,141,232,069
      :174,196,103,224,255,208,217
13137
                                            13563 :103,141,233,103,141,234,182
      :003,206,197,103,238,014,080
13143
                                            13569 :103,141,235,103,162,000,233
      :071,174,014,071,236,179,070
13149
                                            13575 :142,161,069,142,014,070,093
13155 :002,144,226,032,204,255,194
                                                 :032,185,054,032,130,038,228
                                            13581
13161 :174,239,080,224,000,240,038
                                                  :174,161,069,236,200,103,194
                                            13587
13167 :006,032,009,046,076,121,145
                                                  :144,242,174,014,070,236,137
                                            13593
13173 :051,032,238,045,032,032,035
                                                  :201,103,144,234,162,000,107
                                            13599
13179 : Ø3Ø, Ø32, Ø32, Ø3Ø, Ø32, 2Ø4, 227
                                                  :142,204,103,076,062,047,159
13185 :255,162,001,032,201,255,011
                                            13605
                                                  :076,147,053,162,000,142,111
                                            13611
13191 :162,001,142,211,080,162,125
                                                  :014,071,174,014,071,189,070
                                            13617
13197 :000,142,148,070,142,014,145
                                                  :019,072,141,012,071,201,059
13203 :071,169,000,141,094,072,182
                                            13623
                                                  :027,240,009,032,135,053,045
                                            13629
13209 :141,161,069,169,161,133,219
                                                  :238,014,071,076,051,053,058
                                            13635
13215 :251,169,072,133,252,172,184
                                                  :169,032,141,012,071,032,018
                                            13641
13221 :161,069,177,251,141,242,182
                                                  :135,053,169,040,141,012,117
13227 :071,173,242,071,032,210,202
                                            13647
                                                  :071,032,135,053,162,000,026
13233 :255,174,239,080,224,000,125
                                            13653
                                                  :142,014,071,174,014,071,065
 13239 : 240,039,174,148,070,224,054
                                            13659
13245 :000,208,032,174,094,072,001
                                                  :189,016,071,141,012,071,085
                                            13665
                                                  :032,135,053,238,014,071,134
 13251 :236,160,072,144,024,174,237
                                            13671
                                                  :174,014,071,224,004,208,036
                                            13677
 13257 :014,071,173,242,071,157,161
                                                  :234,169,041,141,012,071,015
                                            13683
13263 :049,072,238,014,071,174,057
                                                  :032,135,053,169,027,141,166
                                            13689
13269 :014,071,224,003,144,005,162
13275 :162,001,142,148,070,032,006
                                                  :012,071,032,135,053,076,250
                                            13695
13281 :084,046,032,130,038,174,217
                                            13701
                                                  :033,048,172,161,069,173,021
                                                  :012,071,145,251,032,130,012
13287 :161,069,236,244,103,144,164
                                            13707
                                                  :038,096,169,176,141,043,040
13293 :182,166,252,236,004,104,157
                                            13713
                                                  :025,169,064,141,044,025,107
13299 :144,175,162,000,142,148,246
                                            13719
                                                  :032,034,025,032,185,054,007
                                            13725
13305 :070,032,204,255,169,001,212
                                                   :169,230,141,043,025,169,172
13311 :032,195,255,162,000,142,017
                                            13731
                                                   :103,141,044,025,032,034,036
                                            13737
13317 :211,080,174,239,080,224,245
                                            13743 :025,169,187,141,043,025,253
 13323 :000,240,055,169,108,133,204
                                            13749 :169,064,141,044,025,032,144
 13329 :251,173,215,103,133,252,120
```

```
13755 :034,025,032,003,057,032,114
                                             14175 :002,173,172,002,133,252,061
 13761 :048,046,076,228,011,174,008
                                             14181 :172,171,002,140,161,069,048
 13767
       :198,103,224,255,208,003,166
                                             14187
                                                    :173,242,071,145,251,032,253
       :238,199,103,238,198,103,004
 13773
                                             14193 :130,038,173,161,069,141,057
       :096,174,213,064,224,255,213
                                                    :171,002,165,252,141,172,254
                                             14199
 13785
       :208,003,238,214,064,238,158
                                             14205 :002,173,173,002,205,188,100
 13791
       :213,064,174,213,064,224,151
:145,208,037,174,214,064,047
                                             14211
                                                   :103,208,188,173,174,002,211
 13797
                                             14217
                                                    :205,189,103,144,180,173,107
 13803
      :224,000,240,030,162,001,124
                                             14223
                                                    :171,002,141,188,103,173,153
 13809
      :142,213,064,162,000,142,196
                                             14229
                                                    :172,002,141,189,103,174,162
 13815 :214,064,174,239,080,224,218
                                             14235 :239,080,224,000,240,007,177
 13821 :000,240,008,162,001,142,038
                                             14241
                                                   :169,144,133,251,076,172,082
 13827 :203,103,076,013,054,162,102
                                             14247
                                                    :055,169,252,133,251,173,176
 13833 :001,142,205,103,162,000,110
                                             14253
                                                   :178,002,133,252,172,177,063
 13839 :142,094,072,096,174,200,025
                                             14259
                                                    :002,140,161,069,177,251,211
 13845 :103,224,255,208,003,238,028
                                             14265
                                                   :141,242,071,032,130,038,071
 13851 :201,103,238,200,103,096,200
                                             14271
                                                   :173,161,069,141,177,002,146
 13857 :162,004,142,014,071,174,088
                                             14277
                                                   :165,252,141,178,002,173,084
      :014,071,189,049,072,201,123
:000,208,006,206,014,071,038
                                             14283
                                                   :176,002,133,252,172,175,089
 13869
                                             14289
                                                   :002,140,161,069,173,242,228
                                             14295 :071,145,251,032,130,038,114
14301 :173,161,069,141,175,002,174
 13875 :076,038,054,174,014,071,222
 13881 :189,049,072,201,057,208,065
                                             14307
                                                   :165,252,141,176,002,174,113
 13887
       :059,174,014,071,224,000,093
                                             14313 :177,002,236,192,103,208,127
       :240,014,169,048,174,014,216
 13893
                                             14319 :188,174,178,002,236,193,186
       :071,157,049,072,206,014,132
 13899
13905 :071,076,054,054,169,049,042
                                             14325 :103,144,180,173,175,002,254
                                             14331 :141,192,103,173,176,002,014
13911 :141,049,072,238,014,071,160
13917
       :174,014,071,189,049,072,150
                                             14337 :141,193,103,174,239,080,163
13923 :201,000,240,011,169,048,000
                                             14343 :224,001,240,003,076,106,145
13929
       :174,014,071,157,049,072,130
                                             14349 : 056, 169, 108, 133, 251, 173, 135
13935 :076,090,054,174,014,071,078
                                             14355 :093,072,133,252,172,092,065
13941 :169,048,157,049,072,096,196
                                             14361 :072,140,161,069,177,251,127
13947 :170,232,138,174,014,071,154
                                             14367 :141,242,071,032,130,038,173
13953 :157,049,072,096,162,000,153
                                             14373 :173,161,069,141,092,072,233
13959 :142,014,071,174,014,071,109
                                             14379 :165,252,141,093,072,173,171
13965 :189,224,103,157,049,072,167
                                             14385 :107,072,133,252,172,106,123
13971
      :238,014,071,174,014,071,217
                                             14391 :072,140,161,069,173,242,144
13977
       :224,005,144,237,032,033,060
                                             14397 :071,145,251,032,130,038,216
13983
       :054,162,000,142,014,071,090
                                             14403 :173,161,069,141,106,072,021
13989
       :174,014,071,189,049,072,222
                                             14409 :165,252,141,107,072,173,215
13995
      :157,224,103,238,014,071,210
                                             14415 :092,072,205,214,103,208,205
14001
      :174,014,071,224,005,144,041
                                             14421 :188,173,093,072,205,215,007
14007
       :237,096,162,000,142,014,066
                                             14427 :103,144,180,173,106,072,101
14013
      :071,174,014,071,189,230,170
                                             14433 :141,214,103,173,107,072,139
14019
       :103,157,049,072,238,014,060
                                             14439 :141,215,103,096,162,000,052
14025
      :071,174,014,071,224,005,248
                                             14445 :142,014,071,174,014,071,083
      :144,237,032,033,054,162,101
14031
                                             14451 :189,251,103,157,049,072,168
14037
      :000,142,014,071,174,014,116
                                             14457 :238,014,071,174,014,071,191
14043
      :071,189,049,072,157,230,219
                                             14463 :224,005,144,237,032,033,034
14049
      :103,238,014,071,174,014,071
                                             14469 : 054, 162, 000, 142, 014, 071, 064
14055 :071,224,005,144,237,096,240
                                             14475 :174,014,071,189,049,072,196
14061
      :162,000,142,161,069,142,145
                                             14481 :157,251,103,238,014,071,211
      :014,070,096,162,008,142,223
14067
                                             14487
                                                   :174,014,071,224,005,144,015
      :014,071,014,049,072,046,003
14073
                                             14493 :237,096,006,253,038,254,017
14079
      :050,072,206,014,071,174,074
                                             14499 :006,253,038,254,032,220,198
      :014,071,224,000,208,240,250
14085
                                             14505 : 056, 162, 000, 134, 254, 162, 169
14091
      :014,051,072,046,052,072,062
                                             14511 :003,142,023,070,173,242,060
14097
      :014,051,072,046,052,072,068
                                             14517 :071,133,253,032,238,056,196
14103
      :056,173,049,072,237,051,149
                                             14523 :032,220,056,206,023,070,026
14109 :072,141,049,072,173,050,074
                                             14529
                                                   :174,023,070,224,000,208,124
14115 :072,237,052,072,141,050,147
                                                   :235,096,162,010,142,024,100
                                             14535
14121
      :072,096,174,239,080,224,158
                                                   :070,032,159,056,206,024,240
                                             14541
      :000,240,007,169,216,133,044
14127
                                                   :070,174,024,070,224,000,005
                                            14547
      :251,076,061,055,169,068,221
                                            14553
                                                  :208,243,096,024,165,253,182
     :133,251,162,000,142,048,027
14139
                                            14559
                                                  :109,056,072,141,056,072,217
14145 :072,173,174,002,133,252,103
                                            14565 :165,254,109,057,072,141,003
14151 :172,173,002,140,161,069,020
                                            14571 :057,072,096,006,253,038,245
14157 :177,251,141,242,071,032,223
                                            14577 : 254,006,253,038,254,006,028
14163 :130,038,173,161,069,141,027
                                            14583 :253,038,254,006,253,038,065
14169 :173,002,165,252,141,174,228
                                            14589 :254,006,253,038,254,096,130
```

```
15015 :072,046,152,072,169,216,126
14595 :174,196,103,224,255,208,139
                                            15021 :133,251,173,151,072,141,070
     :003,238,197,103,238,196,216
14601
                                                  :161,069,024,173,152,072,062
      :103,096,173,220,103,141,083
                                            15027
14607
     :242,071,173,244,103,141,227
                                            15033
                                                  :105,121,133,252,172,161,105
14613
                                                  :069,177,251,141,213,064,082
                                            15039
      :220,103,173,242,071,141,209
14619
      :244,103,141,004,104,173,034
                                                  :032,130,038,172,161,069,031
                                            15045
14625
                                                  :177,251,141,214,064,032,058
      :202,103,141,242,071,173,203
                                            15051
14631
                                                  :009,046,032,105,034,169,092
      :218,103,141,202,103,173,217
                                            15Ø57
14637
                                                  :234,141,043,025,169,068,127
      :242,071,141,218,103,173,231
                                            15063
14643
     :245,103,141,242,071,173,008
                                            15069
                                                  :141,044,025,032,034,025,010
14649
                                                  :162,000,142,014,071,032,136
14655 :219,103,141,245,103,173,023
                                            15075
                                                  :204,045,162,000,142,014,032
                                            15081
14661 :242,071,141,219,103,173,250
                                                  :071,173,154,072,141,161,243
                                            15087
     :206,103,141,242,071,173,243
14667
     :188,103,141,206,103,173,227
                                            15093
                                                  :069,173,155,072,133,252,075
14673
                                            15099
                                                  :169,108,133,251,174,237,043
      :242,071,141,188,103,173,237
14679
                                                  :071,224,000,240,003,076,103
                                            15105
     :207,103,141,242,071,173,006
14685
                                            15111
                                                  :025,059,032,106,038,032,043
      :189,103,141,207,103,173,247
14691
                                                  :106,038,032,106,038,172,249
      :242,071,141,189,103,173,000
                                            15117
14697
                                                  :161,069,169,255,145,251,045
                                            15123
14703
      :208,103,141,242,071,173,025
                                                  :032,048,046,169,250,141,199
                                            15129
14709 :190,103,141,208,103,173,011
                                                  :043,025,169,068,141,044,009
                                            15135
14715 : 242,071,141,190,103,173,019
                                                  :025,032,034,025,032,120,049
     :209,103,141,242,071,173,044
                                            15141
14721
                                                  :045,032,120,045,032,188,249
      :191,103,141,209,103,173,031
                                            15147
14727
                                                  :028,162,000,142,014,071,210
     :242,071,141,191,103,173,038
                                            15153
14733
                                                  :173,154,072,141,161,069,057
     :210,103,141,242,071,173,063
                                            15159
14739
     :192,103,141,210,103,173,051
                                                  :173,155,072,133,252,169,247
                                            15165
14745
                                                  :108,133,251,169,000,141,101
     :242,071,141,192,103,173,057
                                            15171
14751
                                                  :151,072,141,152,072,141,034
      :211,103,141,242,071,173,082
                                            15177
14757
                                                  :153,072,076,006,058,032,220
14763
      :193,103,141,211,103,173,071
                                            15183
      :242,071,141,193,103,173,076
                                                  :048,046,169,013,141,043,033
14769
                                            15189
                                                  :025,169,069,141,044,025,052
      :212,103,141,242,071,173,101
                                            15195
14775
                                                  :032,034,025,032,048,046,058
      :194,103,141,212,103,173,091
                                            15201
14781
                                                  :032,120,045,032,120,045,241
      :242,071,141,194,103,173,095
                                            15207
14787
                                            15213 :162,000,142,239,080,076,040
      :213,103,141,242,071,173,120
14793
                                            15219 :228,011,032,204,255,032,109
      :195,103,141,213,103,173,111
14799
                                            15225 :013,038,162,000,142,014,234
14805 : 242,071,141,195,103,173,114
                                            15231 :071,174,239,080,224,000,147
      :205,103,141,242,071,173,130
14811
      :203,103,141,205,103,173,129
                                            15237 :240,008,169,005,141,240,168
14817
14823 :242,071,141,203,103,096,063
                                            15243 :080,076,154,059,169,025,190
      :169,108,133,251,169,139,182
                                            15249 :141,240,080,032,016,023,165
14829
14835 :133,252,162,000,142,014,178
                                            15255 :076,157,059,032,176,025,164
                                            15261 :173,242,071,201,020,208,048
14841
      :071,142,161,069,142,014,080
                                            15267 :034,174,014,071,224,000,168
      :070,142,023,070,142,024,214
14847
      :070,172,161,069,177,251,137
                                            15273 :240,017,206,014,071,173,122
14853
      :174,014,071,157,151,072,138
                                            15279 :242,071,032,210,255,174,135
14859
                                            15285 :014,071,169,000,157,115,195
14865 :032,130,038,238,014,071,028
14871 :174,014,071,224,003,144,141
                                            15291 :080,174,239,080,224,000,216
                                            15297 : 240, 209, 076, 154, 059, 201, 108
14877 :232,238,023,070,174,023,021
                                            15303 :013,240,029,173,242,071,199
14883 :070,224,000,208,003,238,010
                                            15309 :174,014,071,157,115,080,048
14889 : 024,070,173,151,072,201,220
                                            15315 :238,014,071,173,242,071,252
14895 :255,208,008,162,000,142,054
14901 :014,071,076,006,058,205,227
                                            15321 :032,210,255,174,014,071,205
14907 :017,071,208,016,173,152,184
                                            15327 :236,240,080,144,020,076,251
14913 :072,205,018,071,208,008,135
                                            15333 :025,061,173,242,071,032,065
14919 :173,153,072,205,019,071,252
                                            15339 :210,255,174,014,071,169,104
14925 : 240,023,162,000,142,014,146
                                            15345 :027,157,115,080,076,002,186
14931 :071,174,161,069,236,214,240
                                            15351 :060,174,239,080,224,000,000
14937
      :103,144,170,166,252,236,136
                                                  :240,149,076,154,059,032,195
                                            15357
14943 :215,103,144,163,076,084,112
                                                  :047,038,162,000,142,014,150
                                            15363
14949 :059,162,000,142,014,071,037
                                                  :071,032,016,023,173,242,054
                                            15369
                                                  :071,201,020,208,030,174,207
14955 :173,161,069,141,154,072,109
                                            15375
                                                  :014,071,224,000,240,239,041
                                            15381
14961
      :165,252,141,155,072,174,048
                                                   :206,014,071,173,242,071,036
14967 : 024,070,142,152,072,174,241
                                            15387
                                            15393 :032,210,255,076,010,060,164
14973 :023,070,202,142,151,072,017
                                            15399 :174,014,071,169,000,157,112
14979 :224,255,208,007,174,152,127
                                            15405 :175,080,076,010,060,201,135
14985 :072,202,142,152,072,024,033
                                            15411 :013,240,025,173,242,071,047
14991 :173,151,072,105,144,133,153
                                            15417 :174,014,071,157,175,080,216
      :253,173,152,072,105,133,013
14997
                                            15423 :238,014,071,173,242,071,104
15003 :133,254,160,000,177,253,108
                                            15429 :032,210,255,174,014,071,057
15009 :141,094,072,024,014,151,145
```

```
15435 :224,032,144,187,032,210,136
                                             15855 :079,077,080,084,046,013,106
15441 :255,169,027,174,014,071,023
                                             15861 :013,000,213,211,197,210,065
15447
      :157,175,080,173,226,067,197
                                                   :160,201,196,160,035,032,011
                                             15867
15453 :141,244,071,169,048,141,139
                                             15873
                                                   :000,200,069,076,076,079,245
15459
      :226,067,032,188,028,169,041
                                             15879
                                                   :044,032,078,069,087,032,093
15465 :022,141,043,025,169,069,062
                                             15885 :080,069,082,083,079,078,228
15471 :141,044,025,032,034,025,156
                                             15891
                                                   :046,032,013,208,076,069,207
15477
      :032,004,038,162,002,142,241
                                             15897
                                                   :065,083,069,032,065,078,161
15483 :014,071,032,016,023,173,196
                                             15903 :083,087,069,082,032,084,212
15489 :242,071,201,013,240,070,198
                                             15909 :072,069,032,070,079,076,179
15495 :201,020,208,027,174,014,011
                                             15915 :076,079,087,073,078,071,251
15501 :071,224,002,240,235,206,095
                                             15921 :032,013,081,085,069,083,156
15507
      :014,071,173,242,071,032,238
                                             15927
                                                   :084,073,079,078,083,032,228
15513
      :210,255,174,014,071,169,022
                                             15933 :084,079,032,083,069,084,236
15519
      :000,157,226,067,076,125,042
                                             15939
                                                   :032,085,080,032,013,089,142
15525
      :060,201,003,208,003,076,204
                                             15945 :079,085,082,032,085,083,007
15531
      :025,061,201,013,240,028,227
                                             15951
                                                   :069,082,032,065,067,067,205
15537
      :174,014,071,173,242,071,154
                                                   :079,085,078,084,046,198,143
                                             15957
15543
      :157,226,067,238,014,071,188
                                            15963 :079,082,032,084,072,073,001
15549
      :173,242,071,032,210,255,148
                                             15969
                                                   :083,032,086,073,083,073,015
15555
      :174,014,071,224,013,144,067
                                            15975
                                                   :084,032,013,089,079,085,229
15561
      :179,076,025,061,169,044,243
                                            15981
                                                   :032,067,065,078,032,079,206
15567
      :174,014,071,157,226,067,148
                                            15987
                                                   :078,076,089,032,082,069,029
15573
      :238,014,071,169,080,174,191
                                            15993
                                                   :065,068,013,066,079,065,221
15579
      :014,071,157,226,067,238,224
                                                   :082,068,032,077,069,083,026
                                            15999
15585
      :014,071,169,044,174,014,199
                                            16005
                                                  :083,065,071,069,083,046,038
15591
      :071,157,226,067,238,014,236
                                            16011 :013,013,013,212,072,065,015
15597
      :071,169,082,174,014,071,050
                                            16017
                                                   :078,075,032,089,079,085,071
15603
      :157,226,067,238,014,071,248
                                            16023
                                                  :046,032,013,000,193,084,007
15609
      :169,001,162,008,160,003,240
                                                  :032,084,072,069,032,080,014
                                            16029
15615
      :032,186,255,173,014,071,218
                                            16035
                                                  :082,079,077,080,084,044,097
15621
      :162,226,160,067,032,189,073
                                                  :032,069,078,084,069,082,071
                                            16041
15627
      :255,032,192,255,032,102,111
                                            16047
                                                  :013,089,079,085,082,032,043
15633
      :027,174,227,080,224,000,237
                                            16053
                                                  :078,069,087,032,080,065,080
15639
      :240,026,032,204,255,169,181
                                            16059
                                                  :083,083,087,079,082,068,157
15645
      :001,032,195,255,032,089,121
                                            16065
                                                  :013,079,070,032,049,050,230
15651
      :045,032,120,045,032,120,173
                                                  :032,065,076,080,072,065,077
                                            16071
15657
      :045,173,244,071,141,226,173
                                            16077
                                                  :078,085,077,069,082,073,157
15663
      :067,076,228,011,173,244,078
                                                  :067,032,013,067,072,065,015
                                            16083
15669
      :071,141,226,067,169,000,215
                                            16089
                                                  :082,065,067,084,069,082,154
15675
      :174,014,071,157,226,067,000
                                            16095
                                                  :083,046,032,013,000,197,082
15681
      :238,014,071,174,014,071,135
                                            16101 :078,084,069,082,032,073,135
15687
      :224,018,144,238,162,002,091
                                            16107
                                                  :084,032,065,071,065,073,113
15693
      :142,014,071,160,000,140,092
                                            16113
                                                  :078,032,013,083,079,032,046
15699
      :161,069,174,014,071,189,249
                                            16119
                                                  :201,032,067,065,078,032,210
157Ø5
      :094,068,172,161,069,153,038
                                            16125
                                                  :086,069,082,073,070,089,210
15711
      :019,072,238,161,069,238,124
                                                  :046,032,000,208,193,211,181
                                            16131
15717
      :014,071,174,014,071,224,157
                                                  :211,215,207,210,196,032,056
                                            16137
      :007,144,231,172,161,069,123
15723
                                            16143
                                                  :000,073,083,032,073,078,098
15729
      :169,027,153,019,072,238,023
                                            16149
                                                  :086,065,076,073,068,046,179
15735
      :161,069,172,161,069,169,152
                                                  :032,212,082,089,032,065,027
                                            16155
15741
      :000,153,019,072,169,049,075
                                            16161
                                                  :071,065,073,078,046,013,123
15747
      :141,016,071,169,048,141,205
                                                  :000,013,085,083,084,065,113
                                            16167
15753
      :017,071,141,018,071,141,084
                                            16173
                                                  :084,000,013,205,193,201,229
15759
      :019,071,076,008,048,032,141
                                                  :206,032,205,197,206,213,086
                                            16179
15765
      :201,083,032,073,084,032,142
                                            16185 :013,013,032,049,041,032,237
15771
      :067,079,082,082,069,067,089
                                            16191 :210,069,065,068,032,205,200
15777
      :084,063,032,040,217,032,117
                                            16197
                                                  :069,083,083,065,071,069,253
15783
      :079,082,032,206,041,032,127
                                            16203 :083,013,032,050,041,032,070
      :000,215,069,076,067,079,167
15789
                                            16209 : 204,069,065,086,069,032,094
15795
      :077,069,013,013,201,070,110
                                            16215 :065,032,205,069,083,083,112
15801
      :032,089,079,085,032,065,055
                                            16221
                                                  :065,071,069,013,032,051,138
      :082,069,032,078,069,087,096
15807
                                            16227
                                                  :041,032,208,073,067,075,083
15813
      :044,032,084,089,080,069,083
                                            16233
                                                  :032,085,080,032,197,205,224
15819 .: 013,065,032,067,065,082,015
                                            16239
                                                  :193,201,204,013,032,052,038
      :082,073,065,071,069,032,089
15825
                                            16245 :041,032,211,069,078,068,104
15831
      :082,069,084,085,082,078,183
                                            16251
                                                  :032,197,205,193,201,204,131
      :032,065,084,013,084,072,059
                                                  :013,032,053,041,032,196,240
:079,087,078,076,079,065,087
                                            16257
15843 :069,032,213,211,197,210,135
                                            16263
15849 :032,201,196,032,080,082,088
                                            16269 : 068,032,204,073,066,082,154
```

```
16695 : 069, 065, 068, 032, 065, 078, 176
16275 :065,082,089,013,032,054,226
                                           16701 :089,087,065,089,063,013,211
16281 :041,032,213,080,076,079,162
                                           16707 :040,089,032,079,082,032,165
16287 :065,068,032,193,082,069,156
16293 : 065, 013, 032, 055, 041, 032, 147
                                           16713 :078,041,013,000,082,069,100
                                           16719 :084,085,082,078,032,061,245
16299 :195,072,065,084,032,087,194
                                           16725 :032,078,069,088,084,032,212
16305 :073,084,072,032,084,072,082
                                           16731 :077,069,083,083,065,071,027
16311 :069,032,083,089,083,079,106
                                           16737 :069,013,082,032,061,032,130
16317 :080,013,032,056,041,032,187
                                           16743 :071,079,032,084,079,032,224
16323 :206,069,087,032,080,065,222
                                           16749 :082,069,065,068,032,077,246
16329 :083,083,087,079,082,068,171
                                           16755 :069,078,085,013,077,032,213
16335 :032,079,082,032,072,065,057
                                                 :061,032,071,079,032,084,224
                                           16761
16341 : 078, 068, 076, 069, 013, 032, 037
                                                 :079,032,205,065,073,078,147
                                           16767
16347 :057,041,032,204,079,071,191
                                           16773 :032,205,069,078,085,013,103
16353 :032,079,070,070,013,013,246
                                                :000,082,069,084,085,082,029
                                           16779
16359 :000,082,069,083,069,084,106
                                           16785 :078,032,082,032,077,032,222
16365 :032,067,085,077,085,076,147
                                           16791 :040,063,061,072,069,076,020
16371 :065,084,073,086,069,032,140
                                           16797 :080,041,000,083,069,078,252
16377 :084,073,077,069,032,084,156
                                           16803 :068,032,084,079,032,073,019
16383 :079,032,090,069,082,079,174
                                           16809 :068,035,032,000,212,032,036
16389 :063,013,040,089,032,079,065
                                           16815 :049,041,032,211,084,065,145
      :082,032,078,041,032,000,020
16395
                                           16821 :084,085,083,032,207,203,107
      :013,210,197,193,196,032,090
                                           16827 :013,032,050,041,032,213,056
      :205,197,211,211,193,199,215
                                           16833 :083,069,082,032,068,069,084
16413 :197,211,013,013,212,072,235
16419 :069,032,066,079,065,082,172
                                           16839 :078,073,069,068,032,065,072
                                           16845 :067,067,069,083,083,013,075
16425 : 068,032,067,079,078,084,193
                                           16851 :000,032,206,069,087,032,125
16431 :065,073,078,083,013,077,180
                                           16857 :200,065,078,068,076,069,005
16437 : 069, 083, 083, 065, 071, 069, 237
                                           16863 :032,000,213,208,196,193,041
16443 :083,032,000,032,084,079,113
                                           16869 :212,197,032,213,211,197,011
16449 :032,000,210,069,065,068,253
                                           16875 :210,032,198,201,204,197,253
16455 :032,077,069,083,083,065,224
                                           16881 :013,000,013,195,200,193,087
16461 :071,069,083,032,070,082,228
                                           16887 :206,199,197,032,213,211,025
16467 :079,077,032,035,062,032,144
                                           16893 :197,210,039,211,013,013,168
16473 :000,013,000,013,032,049,196
                                           16899 :032,049,041,032,208,065,174
16479 :041,032,210,069,065,068,068
                                           16905 :083,083,087,079,082,068,235
16485 :032,077,069,083,083,065,254
                                           16911 :013,032,050,041,032,206,133
16491 :071,069,083,013,032,050,169
                                           16917 : 065,077,069,013,032,051,072
16497 :041,032,211,067,065,078,095
                                           16923 :041,032,195,085,077,085,030
16503 :032,077,069,083,083,065,016
                                           16929 :076,065,084,073,086,069,230
16509 :071,069,032,072,069,065,247
                                           16935 :032,084,073,077,069,032,150
16515 :068,069,082,083,013,000,190
                                                 :079,078,045,076,073,078,218
                                           16941
16521 :013,211,195,193,206,032,219
                                                 :069,032,084,072,073,083,208
                                           16947
16527 :205,197,211,211,193,199,079
16533 :197,032,200,197,193,196,140
                                           16953 :032,077,079,078,084,072,223
                                                 :013,032,052,041,032,193,170
16539 :197,210,211,013,013,000,031
                                           16959
16545
                                                 :067,067,069,083,083,032,214
      :013,066,069,071,073,078,019
                                           16965
16551 :032,087,073,084,072,032,035
                                                 :211,084,065,084,085,083,175
                                           16971
      :035,032,000,077,069,083,213
                                           16977
                                                 :013,032,053,041,032,213,209
16557
                                                 :083,069,082,032,198,073,112
      :083,065,071,069,032,035,022
                                           16983
16563
                                                 :076,069,032,195,079,077,109
16569
      :032,000,032,072,065,083,213
                                           16989
                                                 :080,076,069,084,069,013,234
                                           16995
      :032,066,069,069,078,032,025
                                                 :000,213,208,196,193,212,103
      :083,069,078,084,046,013,058
                                           17001
16581
                                                 :197,032,193,206,207,212,134
      :000,197,078,084,082,089,221
16587
                                           17007
                                                 :200,197,210,032,198,201,131
      :032,000,080,098,001,000,164
16593
                                           17013
                                                 :204,197,063,032,040,089,236
      :001,013,005,014,018,077,087
                                           17019
                                                 :032,079,082,032,078,041,217
16605 :069,083,083,065,071,069,149
                                                 :032,000,213,080,068,065,081
16611 :032,035,032,000,079,078,227
                                           17031
                                                 :084,069,032,083,089,083,069
16617
      :069,032,077,079,077,069,124
                                           17Ø37
                                                 :084,069,077,032,070,073,040
16623
      :078,084,044,032,080,076,121
                                           17043
                                           17049
                                                 :076,069,083,063,032,040,004
16629 : 069, 065, 083, 069, 046, 046, 111
                                           17055 :089,032,079,082,032,078,039
16635 :046,000,062,141,000,048,036
16641 :008,048,000,077,083,071,032
                                                 :041,000,013,032,049,041,085
                                           17061
                                                 :032,085,080,068,065,084,073
16647
      :070,073,076,069,049,000,088
                                           17067
                                                 :069,032,085,083,069,082,085
      :049,058,069,077,065,073,148
16653
                                           17073
                                                  :032,070,073,076,069,083,074
16659 :076,084,079,032,000,070,104
                                           17079
                                                 :013,032,050,041,032,085,186
16665 :082,079,077,032,000,083,122
                                           17Ø85
                                           17091
                                                 :080,068,065,084,069,032,081
16671 :085,066,074,069,067,084,220
                                                 :077,069,083,083,065,071,137
16677 :032,000,013,054,052,032,220
                                           17097
                                           17103 :069,032,070,073,076,069,084
16683 :071,082,065,080,072,073,230
                                           17109 :083,013,013,000,013,042,121
16689 : 067, 083, 045, 045, 013, 082, 128
```

```
17115 :079,080,069,082,065,084,166
17121
       :073,079,078,042,013,042,040
17127
       :067,065,078,067,069,076,141
17133
       :076,069,068,042,013,000,249
17139
       :206,065,077,069,032,000,180
17145 :083,084,082,069,069,084,208
17151 :032,065,068,068,082,069,127
17157
       :083,083,032,000,067,073,087
17163 :084,089,044,032,083,084,171
17169 : 065, 084, 069, 044, 032, 090, 145
17175 :073,080,032,000,065,082,099
 17181 :069,065,032,067,079,068,153
 17187 :069,032,000,084,069,076,109
 17193 :069,080,072,079,078,069,232
 17199 :032,078,085,077,066,069,198
 17205 :082,032,000,089,079,085,164
 17211 :039,082,069,032,078,079,182
17217 :084,032,082,069,083,080,239
17223 :079,078,068,073,078,071,006
17229 :013,083,079,032,201,039,012
17235 :077,032,072,065,078,071,222
17241 :073,078,071,032,085,080,252
17247 :046,032,194,089,069,000,013
17253 :048,058,084,065,066,076,242
17259 :069,083,032,049,041,032,157
17265 :085,080,068,065,084,069,052
17271 :032,085,083,069,082,032,246
17277 :070,073,076,069,083,013,253
17283 :032,050,041,032,085,080,195
17289 : 068, 065, 084, 069, 032, 068, 011
17295 :079,087,078,076,079,065,095
17301 :068,032,077,069,078,085,046
17307 :013,013,000,083,048,058,114
17313 :084,065,066,076,069,083,092
17319 :013,000,042,069,077,080,192
17325 :084,089,042,000,048,049,229
17331 :050,051,052,053,054,055,238
17337 :056,057,065,066,067,068,052
17343 :069,070,036,049,058,068,029
17349 :042,049,041,032,045,045,195
17355 :000,084,089,080,069,032,045
17361 :048,032,070,079,082,032,040
17367
      :077,065,073,078,032,077,105
17373 :069,078,085,013,000,049,003
17379
      :058,000,000,000,000,000,029
17385 :000,000,000,000,000,000,233
17391 :000,000,000,000,000,000,239
17397 :032,196,207,215,206,204,025
17403 :207,193,196,032,204,201,004
      :194,210,193,210,217,013,014
:013,000,013,196,069,083,125
17409
17415
17421
      :067,082,073,066,069,032,146
17427 :084,072,069,032,070,073,163
17433 :076,069,013,040,053,048,068
17439 :032,067,072,065,082,065,158
17445 :067,084,069,082,083,032,198
17451 :077,065,088,041,013,000,071
17457 :042,084,082,065,078,083,227
17463 :077,073,083,083,073,079,011
17469 :078,042,001,042,071,065,104
17475 :082,066,076,069,068,042,214
17481 :013,000,013,042,070,073,028
17487
      :076,069,032,087,079,078,244
17493 :039,084,032,070,073,084,211
17499 4042,013,000,013,042,083,028
17505 :089,083,079,080,032,073,021
17511
      :083,032,079,078,045,076,240
17517
      :073,078,069,042,013,000,128
      :013,013,212,200,197,032,014
17529 :195,193,204,204,197,210,044
```

```
17535 :032,215,193,206,212,211,172
17541 :032,212,207,032,195,200,243
      :193,212,013,013,000,013,071
17553 :042,077,065,073,078,084,052
17559 :069,078,065,078,067,069,065
17565 :032,080,069,078,068,073,045
      :078,071,042,013,000,013,124
17577
      :032,049,041,032,195,072,078
      :065,078,071,069,032,080,058
      :065,083,083,087,079,082,148
17595
      :068,013,032,050,041,032,167
17601
      :195,072,065,078,071,069,231
17607
      :032,072,065,078,068,076,078
      :069,013,032,051,041,032,187
17613
17619
      :210,069,084,085,082,078,051
      :032,084,079,032,077,065,074
:073,078,032,077,069,078,118
17625
17631
17637
      :085,013,013,032,000,069,185
17643 :082,065,083,069,063,032,117
      :040,089,032,079,082,032,083
17649
17655
      :078,041,000,071,069,084,078
17661
      :084,073,078,071,032,078,157
      :069,088,084,032,069,077,166
17667
17673
      :065,073,076,000,078,079,124
17679
      :032,069,077,065,073,076,151
17685 :000,070,073,076,069,078,131
17691
      :065,077,069,032,000,013,027
17697
      :196,079,069,083,032,089,069
17703 :079,085,082,032,083,089,233
17709
      :083,084,069,077,032,072,206
      :065,086,069,013,013,032,073
17721
      :049,041,032,079,078,069,149
17727
      :032,068,082,073,086,069,217
17733
      :044,032,035,032,048,044,048
17739 :032,068,069,086,073,067,214
17745 :069,032,056,013,032,050,077
17751 :041,032,084,087,079,032,186
17757
      :068,082,073,086,069,083,042
17763 :044,032,035,032,048,044,078
     :032,068,069,086,073,067,244
17769
17775 : 069,083,032,056,032,065,192
17781 :078,068,032,057,013,032,141
17787 :051,041,032,084,087,079,241
17793 :032,068,082,073,086,069,027
17799 :083,044,032,035,032,048,153
17805 :032,065,078,068,032,049,209
17811 :044,032,068,069,086,073,007
17817 :067,069,032,056,013,013,147
17823 :000,008,013,013,013,013,219
```

All programs listed in this magazine are available on the GAZETTE Disk. See elsewhere in this issue for details.

VIC Magic Draw

Article on page 52.

BEFORE TYPING ...

Before typing in programs, please refer to "How To Type In COMPUTE!'s GAZETTE Programs," which appears before the Program Listings.

Program 1: Magic Draw Boot

				Carrie				
2	Ø	POKE648,30:S	YS 586	648:	REM	MOVE		
		7680		-			:rem	
2	25	REM CHANGE ,	8 TO	,1	FOR	TAPE	:rem	102
3	80	PRINT" [CLR] [(34)"MA	GIC
		DRAW"CHR\$(3					:rem	
4	Ø	POKE 631,13:	POKE:	198	1:RF	EM AU	OITAMOT	PR
		ESS RETURN					:ren	
5	Ø	POKE8192,0:P	OKE4	3,1:	POKE	244,32	2:NEW:	MOV
		E BASIC TO 8	192	-	5		:rem	193
				mests.				
_	-		was the					

E BASIC TO 8192	:rem 193
Pro	
Program 2: Magic Draw	
Note: Requires at least 8K expansion.	
50 IFPEEK(648) <> 30THENPRINT" {CLR}	{DOWN}SE
T SCREEN AND BASIC": END	:rem 127
60 PRINT" [CLR] ": POKE36878, 15: GOSU	
	:rem 47
90 POKE36867,149:POKE36869,252:PO	KE368/9,
233 100 FORI=0TO7:P%(I)=2 [†] (7-I):NEXT	:rem 236
120 FORI=0TO/:Pt(1)=21(7-1):NEXT 120 FORI=0TO219:POKE7680+1,I:POKE	30400+T
Ø:NEXTI:X=88:Y=8Ø	:rem 7
200 GETA\$:POKE36876,0:IFA\$="{UP}"	THENY=Y-
1:GOTO900	:rem 114
220 IFA\$="{DOWN}"THENY=Y+1:GOTO90	Ø
	:rem 160
230 IFA\$="{LEFT}"THENX=X-1:GOTO90	Ø:rem 45
24Ø IFA\$="{RIGHT}"THENX=X+1:GOTO9	
250 IFA\$="D"THENCW%=NOTCW%:POKE36	:rem 172
25Ø IFA\$="D"THENCW%=NOTCW%:POKE36 GOSUB5ØØ:GOTO3ØØ	:rem 183
26Ø IFA\$="E"THENEW%=NOTEW%:POKE36	
GOSUB5ØØ	:rem 193
280 IFA\$=CHR\$(147)THENGOSUB980:SY	S319:A\$=
CHR\$(19)	:rem 119
290 IFA\$=CHR\$(19)THENX=88:Y=80:PC	
200:GOSUB500	:rem 120
300 IFA\$="S"THENGOSUB550:GOSUB560	: POKE251
,LEN(N\$):SYS675:SYS694:ON-(S= 96:RUN	:rem 236
310 IFA\$="L"THENGOSUB550:GOSUB560	
,LEN(N\$):SYS675:SYS712:ON-(S=	1)GOSUB9
96:RUN	:rem 221
320 IFA\$="Q"THENGOSUB550:END	:rem 181
330 IFA\$="G"THENA\$="X":GOTO410	:rem 199
340 IFA\$=CHR\$(199)THENA\$="Z":GOTO	
350 IFA\$="+"THENQ%=Q%+1:POKE36876	:rem 52
35Ø IFA\$="+"THENQ\$=Q\$+1:POKE36876 IFO\$>9ØTHENQ\$=9Ø	:rem 248
360 IFA\$="-"THENQ%=Q%-1:POKE36876	
IFQ%<1THENQ%=1	:rem 141
37Ø IFA\$="@"THENA\$="X":GOTO43Ø	:rem 198
38Ø IFA\$="Ø"THENA\$="Z":GOTO43Ø	:rem 185
390 IFA\$="{F2}"THENGOSUB2000:RUN	:rem 58
400 GOTO 900	:rem 102

410	Y=0:G%=1:FORY=0T0152STEP8:FORX=1T0168
100000	STEP8:IFX=1THENX=0:GOSUB900 :rem 120
420	GOSUB900:NEXTX,Y:G%=0:X=88:Y=80:GOTO2 00 :rem 148
430	
130	OSUB900:NEXTX:X=X%:NEXTY:G%=0:GOTO200
	:rem 110
500	
550	
	6869,240:POKE36876,0:RETURN :rem 245
560	INPUT" {BLK } NAME: ";N\$:ON-(N\$="")GOTO99 9:PRINT:INPUT"1-DISK 2-TAPE";S:IFS=ØG
	OTO999 :rem 21
570	
3,0	:N\$="@:"+N\$:POKE678,8:RETURN :rem 47
580	INPUT"TAPE OFF"; O: POKE678, 1: RETURN
	:rem 133
800	
005	ETURN :rem 8 POKEW%, PEEK(W%) AND(255-P%(C%)):IFK%<>
8Ø5	PEEK(W%)THENIFA\$<>"Z"THENPOKEW%,S%
	:rem 223
820	
900	$W_{\xi}=(YAND15)+4096+16*(22*INT(Y/16)+INT$
	(X/8)):IFW%>76Ø8GOTO2ØØ :rem 66
910	C%=XAND7:GOSUB800:GOSUB805:POKE36876,
VENEZNE	250 :rem 132
920	IFA\$="Z"THENPOKE36876,160:GOSUB805:ON -(G%=0)GOTO200:RETURN :rem 3
930	-(G%=0)GOTO200:RETURN :rem 3 IFABS(EW%)=1THENA\$="Z":POKE36876,220:
930	GOSUB805:GOTO200 :rem 131
950	IFA\$="X"ORABS(CW%)=1THENPOKE36876,225
15.00.00	:GOSUB800:IFG%=1THENRETURN :rem 149
960	GOTO200 :rem 106
970	
200	NEXT:IFS<>5648 GOTO1500 :rem 173 S=0:RESTORE:FORI=1T047:READA:NEXT:FOR
98Ø	I=319TOI+33:READA:S=S+A:POKEI,A:NEXT
	:rem 46
990	
994	
996	
	PRINTER%; ER\$, TK%; SC%: IFER%=ØTHENRETUR
000	N :rem 85 CLOSE15:END :rem 152
	CLOSE15:END :rem 152 Ø DATA169,3,162,8,160,3,32,186,255,165
100	,251,166,51,164,52,32,189,255,96
	:rem 76
101	Ø DATA169, Ø, 133, 1, 169, 16, 133, 2, 162, 195
regression.	,160,29,169,1,32,216,255,96 :rem 68
102	
102	96 :rem 121 80 DATA169,0,133,252, 169,16,133,253,16
103	2,13,160,0,169,0,145,252,136,208,249
	:rem 200
104	Ø DATA230,253,202,48,6,208,242,160,195
	,208,238,141,0,29,96 :rem 235
150	
200	
	PEN4,4:PRINT#4,CHR\$(8) :rem 18
201	Ø SIZE=((PEEK(36867)AND1)+1)*8:SC=PEEK (648)*256:UC=PEEK(ADR)/8AND1:rem 214
203	80 CH=(1-UC)*ROM+(PEEK(ADR)AND7)*1024:L
200	
000	IM=INT((5+WIDE*8)/6)*6 :rem 70
204	## FORL=#TOHIGH*SIZE-1STEP7:FORC=#TOLIM
204	FORL=ØTOHIGH*SIZE-1STEP7:FORC=ØTOLIM: A=Ø:X%=C/8:BIT=2↑(7-C+X%*8):FORR=LT
	### FORL=ØTOHIGH*SIZE-1STEP7:FORC=ØTOLIM :A=Ø:X%=C/8:BIT=2↑(7-C+X%*8):FORR=LT OR+6 :rem 117
	### FORL=####################################
205	### FORL=@TOHIGH*SIZE-1STEP7:FORC=@TOLIM
205	### FORL=####################################

2065 GETA\$:IFA\$="{F4}"ORL>154THENPRINT#4, CHR\$(15):CLOSE4:RETURN :rem 5 2070 NEXTR:PRINT#4,CHR\$(128-(C<WIDE*8)*A) ;:NEXTC:PRINT#4:NEXTL:CLOSE4:RETURN :rem 92

Trap 'Em

Article on page 54.

Program 1: Trap 'Em-64 Version

	ogram at map and or version
100	Ø CLR:GOSUB67Ø:GOSUB 52Ø:GOSUB54Ø:GOSUB
10	
110	SI=0:S2=0:GOSUB410:IFFLTHEN100:Fem 25
120	Ø PRINT" [CLR]":C=54272 :rem 181
136	
	=11ANDNP=1)THEN560 :rem 25
140	FORA=1104T01143:POKEA, 160:POKEA+C, 0:P
	OKEA+880,160:POKEA+880+C,0:NEXT
	:rem 253
150	FORA=1144T01944STEP40:POKEA,160:POKEA
- 6	+C,Ø:POKEA+39,160:POKEA+39+C,Ø:NEXT
	:rem 67
160	
176	
1/4	{RED}RED"S1"{OFF}{13 SPACES}{RVS}
100	
180	(PRE) GGORNIGO GROCON "TAB(8)" (RVS)
	[RED]SCORE"S2;SPC(8)"ROUND"R :rem 226
190	
	E254,5:POKE837,7:POKE838,11 :rem 193
200	
	FNP=1THENSC=SC*LV :rem 230
210	
220	SP=PEEK(870)+256*PEEK(871):GOSUB245:S
	2=S2+SC:GOTO12Ø :rem 46
230	SP=PEEK(872)+256*PEEK(873):GOSUB245:S
	1=S1+SC:GOTO120 :rem 49
245	
	AND128)+128:FORB=1TO400:NEXT :rem 3
250	NEXT: RETURN : rem 240
260	· LOM LID
270	POKE53281,1:PRINT"{CLR}{5 DOWN}"TAB(1
	5)"[RED]TRAP 'EM":POKE198,0 :rem 96
280	PRINT" [3 DOWN] "TAB (13) " [BLU] [RVS] 1
200	[OFE] ONE DIAVED BRANK (S. DELVE)
	[OFF] ONE PLAYER":PRINT"[2 DOWN]"TAB(13)"[RVS]2[OFF] TWO PLAYER" :rem 171
290	13)"{RVS}2{OFF} TWO PLAYER" :rem 171
290	PRINTSPC(13)"{2 DOWN} [RVS]3{OFF} QUIT
200	:rem 67
300	GETA\$:IFA\$<"1"ORA\$>"3"THEN300 :rem 52
310	IFAS="3"THENPRINT" [CLR]": END : rem 224
320	ME-VAL (A) I PUKE836 NP : PRINT" 13 DOWN!
	[BLK] "TAB(14)" [RVS]J[OFF]OYSTICK OR"
	:rem 49
330	PRINT" [DOWN] "TAB(8)" [RVS]K[OFF]EYBOAR
	D AND JOYSTICK 2" :rem 134
340	GETAS:IFAS="J"THENRETURN :rem 228
35Ø	TERCAN HIGHMANNA AG
360	PRINT" [CLR] [3 DOWN] [7 SPACES] WHICH KE
	Y TO GO UP?":WAIT198,1:A(1)=PEEK(197)
370	PRINT" [DOWN] [7 SPACES] WHICH KEY TO GO
370	DOWN?" WATER OO 1 7 (2) THE TO GO
	DOWN?": WAIT198,1:A(2)=PEEK(197): POKE 198,0
380	
300	PRINT" [DOWN] [7 SPACES] WHICH KEY TO GO
	LEFT?":WAIT198,1:A(3)=PEEK(197):POKE
200	198,0 :rem 164
390	PRINT" [DOWN] [7 SPACES] WHICH KEY TO GO

```
RIGHT?":WAIT198,1:A(4)=PEEK(197):POK
                                   :rem 249
    E198,0
400 FORA=1TO4:POKE829+A, A(A):NEXT:RETURN
                                    :rem 11
410 PRINT" [CLR] [5 DOWN] "SPC(11) "ENTER SPE
     ED (Ø-9)"
    PRINTSPC(7)"{2 DOWN}OR (C) TO CHANGE
     {SPACE}OPTIONS"
                                   :rem 161
 43Ø GETA$: IF (A$ < "Ø "ORA$ > "9") ANDA$ < > "C"THE
                                   :rem 203
     N430
 440 IFAS="C"THENFL=1
                                   :rem 127
 450 LV=VAL(A$):P=60-LV*6:POKE839,P:POKE84
     Ø,P:LV=LV+1:RETURN
                                   :rem 168
 460 PRINT" [CLR] "SPC(8)" [4 DOWN] DO YOU WAN
                                     :rem 88
     T BARRIERS?"
 47Ø GETB$:IFB$<>"Y"ANDB$<>"N"THEN47Ø
                                     :rem 54
                                    :rem 124
 48Ø RETURN
                                     :rem 57
 490 FORA=1TO30
 500 Q=RND(1)*870+1104:IFPEEK(Q)<>320R(Q>1
     463ANDQ<15Ø3)THEN5ØØ
                                   :rem 238
 510 POKEQ, 160: POKEQ+C, 0: NEXT: RETURN
                                   :rem 240
 520 REM INITIALIZE
                                    :rem 109
 530 FORA=54272T054296:POKEA, 0:NEXT:RETURN
                                     :rem 71
 540 POKE54287, 255: POKE54290, 129: POKE54273
     ,7:POKE54296,15:POKE54277,21 :rem 166
 550 POKE54278, 240: RETURN
                                    :rem 175
 560 GOSUB520:IFNP=2THEN600
                                    :rem 77
 570 PRINT" {CLR} [10 DOWN] "SPC(15)" {BLU} SCO
     RE: "S2
                                    :rem 229
 580 IFS2>HITHENHI=S2
                                      :rem 2
 590 PRINTSPC(16)" [DOWN] [RED] HIGH: "HI: GOTO
     640
                                     :rem 50
 600 W=-(S1>=100)-2*(S2>=100):PRINT"{CLR}
     {6 DOWN}"SPC(13)"{RED}PLAYER"W"WINS!"
610 PRINT" {2 DOWN } {BLU } {4 SPACES } PLAYER1:
     "S1:PRINTSPC(25)" {UP}PLAYER2: "S2
                                     :rem 93
620 WI(W)=WI(W)+1:PRINT"{2 DOWN}
     {4 SPACES}WINS{3 SPACES}: "WI(1):PRINT
     SPC(25)"{UP}WINS{3 SPACES}: "WI(2)
                                     :rem 99
630 T1=T1+S1:T2=T2+S2:PRINT"{2 DOWN}
     [4 SPACES]TOTAL[2 SPACES]:"T1:PRINTSP
    C(25)"{UP}TOTAL{2 SPACES}: "T2:rem 176
640 PRINTSPC(15)"{2 DOWN}HIT ANY KEY":POK
    E198,0
                                    :rem 71
650 GETAS: IFAS=""THEN650
                                    :rem 89
660 ONNPGOTO100,110
                                    :rem 95
670 I=49152:IFPEEK(I)=32THENRETURN:rem 97
680 PRINT" (CLR) (5 DOWN) "SPC(13) "PLEASE WA
    IT"
                                    :rem 37
690 READ A:IF A=256 THEN RETURN :rem 239
700 POKE I,A:I=I+1:GOTO 690 :rem 243
710 DATA 32,22,192,32,229,192
                                :rem 145
720 DATA 173,66,3,240,1,96
                                  :rem 255
730 DATA 32,72,193,165,197,208
                                  :rem 210
740 DATA 237,76,15,192,169,33
                                :rem 162
750 DATA 141,4,212,162,3,181
                                   :rem 87
760 DATA 251,157,102,3,202,16
                                  :rem 137
770 DATA 248,160,100,173,0,220
                                  :rem 185
780 DATA 41,15,201,15,208,3
                                   :rem 38
790 DATA 173,70,3,141,61,3
                                   :rem 251
800 DATA 141,70,3,173,1,220
                                   :rem 30
810 DATA 141,60,3,165,197,205
                                   :rem 146
820 DATA 62,3,208,4,162,254
                                   :rem 45
830 DATA 208,33,205,63,3,208
                                   :rem 94
840 DATA 4,162,253,208,24,205
                                  :rem 144
```

850 DATA 64,3,208,4,162,251	:rem 47	230	DATA	34,145,173,32,145,41	:rem 139
860 DATA 208,15,205,65,3,208	:rem 99	240	DATA	128,74,74,74,74,141	:rem 105
870 DATA 4,162,247,208,6,173	:rem 106	250	DATA	67,3,169,255,141,34	:rem 102
880 DATA 60,3,76,111,192,138	:rem 103	260	DATA	145,173,17,145,74,74	:rem 155
890 DATA 45,60,3,41,15,201	:rem 247	270	DATA	41,7,13,67,3,41	:rem 148
900 DATA 15,208,3,173,69,3	:rem 255	280	DATA	15,201,15,208,3,173	
910 DATA 141,60,3,141,69,3	:rem 247	290	DATA	70,3,141,61,3,141	:rem 87
920 DATA 136,208,166,169,32,141	:rem 253	300	DATA	70,3,141,01,3,141	:rem 241
930 DATA 4,212,206,71,3,208	:rem 40	310	DATA	70,3,169,255,141,60	:rem 91
940 DATA 154,173,72,3,141,71		310	DATA	3,165,197,205,62,3	:rem 44
950 DATA 3,160,0,162,0,185	:rem 98	320	DATA	208,4,162,254,208,33	:rem 141
960 DATA 60,3,74,176,8,169	:rem 245	330	DATA	205,63,3,208,4,162	:rem 38
970 DATA 40,32,199,192,76,190	:rem 15	340	DATA	253,208,24,205,64,3	:rem 91
976 DATA 40,32,199,192,76,190	:rem 165	350	DATA	208,4,162,251,208,15	:rem 141
980 DATA 192,74,176,8,169,40	:rem 120	360	DATA	205,65,3,208,4,162	:rem 43
990 DATA 32,217,192,76,190,192	:rem 214	37Ø	DATA	247,208,6,173,60,3	:rem 49
1000 DATA 74,176,8,169,1,32	:rem 46	380	DATA	76,139,28,138,45,60	:rem 112
1010 DATA 199,192,76,190,192,169	:rem 58	390	DATA	3,41,15,201,15,208	:rem 35
1020 DATA 1,32,217,192,232,232	:rem 179	400	DATA	3,173,69,3,141,60	:rem 246
1030 DATA 200,204,68,3,208,207	:rem 182	410	DATA	3,141,69,3,136,208	:rem 42
1040 DATA 96,141,67,3,181,251	:rem 146	420	DATA	138,140,11,144,206,71	:rem 184
1050 DATA 56,237,67,3,149,251	:rem 153			3,208,128,173,72,3	:rem 44
1060 DATA 181,252,233,0,149,252	:rem 239			141,71,3,160,0,162	:rem 31
1070 DATA 96,24,117,251,149,251	:rem 250			0,173,75,3,240,6	:rem 197
1080 DATA 181,252,105,0,149,252	:rem 239			173,61,3,141,60,3	
1090 DATA 96,160,0,173,68,3	:rem 50				:rem 244
1100 DATA 201,1,240,35,165,251				185,60,3,74,176,8	:rem 9
	:rem 174			169,22,32,236,28,76	:rem 109
1110 DATA 197,253,208,29,165,252	:rem 46			227,28,74,176,8,169	:rem 121
1120 DATA 197,254,208,23,173,27	:rem 249			22, 32, 254, 28, 76, 227	:rem 97
1130 DATA 212,16,9,169,1,141	:rem 87			28,74,176,8,169,1	:rem 8
1140 DATA 66,3,32,83,193,96	:rem 55			32,236,28,76,227,28	:rem 105
1150 DATA 169,2,141,66,3,32	:rem 41			169,1,32,254,28,232	:rem 96
1160 DATA 105,193,96,160,0,140	:rem 188			232,200,204,68,3,208	:rem 137
1170 DATA 66,3,173,27,212,16	:rem 94			207,96,141,67,3,181	:rem 104
1180 DATA 7,32,41,193,32,53	:rem 43			251,56,237,67,3,149	:rem 110
1190 DATA 193,96,32,53,193,32	:rem 156	570	DATA	251,181,252,233,0,149	:rem 195
1200 DATA 41,193,96,177,251,201	:rem 244	580	DATA	252,96,24,117,251,149	:rem 208
1210 DATA 32,240,5,169,1,141	:rem 81	590	DATA	251,181,252,105,0,149	:rem 195
1220 DATA 66,3,96,173,68,3	:rem 5	600	DATA	252,96,160,0,173,68	:rem 100
1230 DATA 201,1,240,11,177,253	:rem 177			3,201,1,240,35,165	:rem 30
1230 DATA 201,1,240,11,177,233	:rem 82			251,197,253,208,29,165	:rem 2
1240 DATA 201,32,240,5,169,2	:rem 93			252,197,254,208,23,32	:rem 200
1250 DATA 141,66,3,96,32,105	:rem 93			166,29,16,9,169,1	:rem 9
1260 DATA 193,173,68,3,201,2				141,66,3,32,120,29	:rem 41
1270 DATA 240,1,96,169,219,145	:rem 204	650	DATA	96,169,2,141,66,3	:rem 8
1280 DATA 253,165,253,24,105,0	:rem 189				:rem 48
1290 DATA 133,106,165,254,105,21		6/0	DATA	32,142,29,96,160,0	:rem 53
1300 DATA 133,107,169,6,145,106	:rem 240	680	DATA	140,66,3,32,166,29	:rem 215
1310 DATA 96,160,0,169,214,145	:rem 194	690	DATA	16,7,32,78,29,32	:rem 9
1320 DATA 251,165,251,24,105,0	:rem 180	700	DATA	90, 29, 96, 32, 90, 29	:rem 115
1330 DATA 133,106,165,252,105,21	2 :rem 75	710	DATA	32,78,29,96,177,251	
1340 DATA 133,107,169,2,145,106	:rem 240	720	DATA	201,32,240,5,169,1	:rem 35
1350 DATA 96,256	:rem 27	730	DATA	141,66,3,96,173,68	:rem 61
是其人類人類以		740	DATA	3,201,1,240,11,177	:rem 31
Decorem 2: man in tro	ondor			253,201,32,240,5,169	:rem 143
Program 2: Trap 'Em—VIC I		760	DATA	2,141,66,3,96,32	:rem 206
100 I=7168:PRINT"{CLR}{5 DOWN}{5	SPACES P	770	DATA	142,29,173,68,3,201	:rem 101
LEASE WAIT"	:rem 207	780	DATA	2,240,1,96,169,219	:rem 57
110 READ A:IF A=256 THEN 130	:rem 150	790	DATA	145, 253, 165, 253, 24, 105	:rem 252
120 POKE I, A:I=I+1:GOTO 110	:rem 226	800	DATA	0,133,106,165,254,105	:rem 185
130 S\$="LO"+CHR\$(34)+"VT"+CHR\$(3	1)+" 0."+	810	DATA	120,133,107,169,6,145	:rem 193
		820	DATA	106,96,160,0,169,214	:rem 148
CHR\$(131)	:rem 167	830	DATA	145,251,165,251,24,105	:rem 243
140 REM CHANGE 8 TO 1 FOR TAPE U	:rem 206	840	DATA	0,133,106,165,252,105	:rem 187
		850	DATA	120,133,107,169,2,145	:rem 193
150 FORI=1TOLEN(S\$):POKE630+I,AS	C(WIDS (SS	860	DATA	106,96,173,74,3,10	:rem 52
,I)):NEXT:POKE198,I	:rem 124			10,56,109,74,3,141	:rem 47
160 DATA 32,22,28,32,10,29	:rem 241				:rem 232
170 DATA 173,66,3,240,1,96	:rem 254	880	DATA	74,3,96,256	
180 DATA 32,109,29,165,197,208	:rem 208	-	-	The state of the s	
190 DATA 237,76,15,28,169,130	:rem 157	Pr	ogra	am 3:	
200 DATA 141,11,144,162,3,181	:rem 127	Tro	ip 'Er	m—VIC Main Game	
210 DATA 251,157,102,3,202,16	:rem 127				226070 15.
220 DATA 248,160,100,169,127,141	:rem 32	100	POKE	52,28:POKE56,28:CLR:POK	2300/6,13:
159 COMPLITEI's Gazette Japuani					

Program 3: Trap 'Em-VIC Main Game

	GOSUB270:GOSUB480 :rem 246
110	S1=0:S2=0:GOSUB430:IFFLTHEN100:rem 27
120	
130	
100	
	=11ANDNP=1)THEN540 :rem 23
140	
	OKEA+440,160:POKEA+440+C,0:NEXT:rem 9
150	
	+C,Ø:POKEA+21,160:POKEA+21+C,Ø:NEXT
160	:rem 60
170	
	1"{OFF}{7 SPACES}{RVS}{BLU}BLUE"S2
	:rem 136
180	IFNP=1THENPRINT" [HOME] [RVS] [RED] SCORE
	"S2" [HOME] "SPC(12) "ROUND "R :rem 133
190	POKE251,225:POKE252,30:POKE253,235:PO
	KE254,30:POKE837,7:POKE838,D1 :rem 46
200	mic-"aggagga" avazion ag zvm/m-/ca)
200	TI\$="000000":SYS7168:SC=INT(TI/60):IF
	NP=ITHENSC=SC*LV :rem 183
210	NP=1THENSC=SC*LV :rem 183 ONPEEK(834)GOTO220,230 :rem 211 SP=PEEK(870)+256*PEEK(871):GOSUB240:S
220	
	2=S2+SC:GOTO120 :rem 41
230	SP=PEEK(872)+256*PEEK(873):GOSUB240:S
	1 01.00
240	POKE36877,130:FORA=1TO6 :rem 61
250	POKESP, PEEK(SP)-2*(PEEK(SP)AND128)+12
230	PUNESP, PEER (SP)-2 (PEER (SP) AND 128)+12
	8:FORB=1TO400:NEXT:POKE36878,6-A:NEXT
	:rem 24
260	POKE36877, Ø: POKE36878, 15: RETURN
	:rem 87
270	REM OPTION ROUTINE : rem 124
280	POKE36879,25:PRINT"{CLR} [5 DOWN]"TAB(
200	7)"[RED]TRAP 'EM":POKE198,0 :rem 118
200	PRIVATE CAREFORD CONTRACTOR CONTR
290	PRINT" [3 DOWN] "TAB (5) " [BLU] [RVS] 1
	[OFF] ONE PLAYER":PRINT"[2 DOWN]"TAB(
	5)"[RVS]2[OFF] TWO PLAYER" :rem 78
300	PRINTSPC(5)"{2 DOWN}{RVS}3{OFF} QUIT"
	:rem 12
310	GETA\$: IFA\$ < "1 "ORA\$ > "3 "THEN310 : rem 54
320	IFA\$="3"THENPRINT"{CLR}":END :rem 225
330	NP=VAL(A\$):POKE836,NP :rem 222
Contract Con	DI-11 DOVE 043 G T DVD - 200 DVD 222
340	D1=11:POKE843, Ø:IFNP=2THEN380:rem 175
350	PRINT" [2 DOWN] {RVS}J{OFF}OYSTICK OR
	<pre>{SPACE}{RVS}K{OFF}EYBOARD" :rem 53</pre>
360	GETA\$:IFA\$="J"THENPOKE843,1:D1=7:RETU
	RN :rem 110
370	IFA\$<>"K"THEN360 :rem 95
380	PRINT" [CLR] [3 DOWN] WHICH KEY TO GO UP
772	":WAIT198,1:A(1)=PEEK(197):POKE198,0
	:rem 146
300	PRINT" [DOWN] WHICH KEY TO GO DOWN": WAI
330	T198,1:A(2)=PEEK(197):POKE198,Ø
-	:rem 114
400	PRINT" [DOWN] WHICH KEY TO GO LEFT": WAI
	T198,1:A(3)=PEEK(197):POKE198,Ø
	:rem 94
410	PRINT" [DOWN] WHICH KEY TO GO RIGHT": WA
	IT198,1:A(4)=PEEK(197):POKE198,0
120	FORA-I TO 4 - DOVE 920 - A A A A NEW TO PROVIDE
420	FORA=1TO4:POKE829+A,A(A):NEXT:RETURN
430	:rem 13
430	PRINT" [CLR] [5 DOWN] [3 SPACES] ENTER SP
-	EED (0-9)" :rem 38
440	PRINT" [2 DOWN] [2 SPACES] OR (C) FOR OP
	TIONS" .rem 211
450	GETAS: IF (AS < "0"ORAS > "9") ANDAS < > "C"THE
	N450 :rem 207
460	TRAC HOUSE .
470	TFA\$="C"THENFL=1 :rem 129 LV=VAL(A\$):P=60-LV*6:POKE839,P:POKE84
.,,	a p
	Ø,P:LV=LV+1:RETURN :rem 170

480	PRINT"[CLR] [4 DOWN] DO YOU WANT BARRIE
	RS?" :rem 167
490	GETB\$:IFB\$<>"Y"ANDB\$<>"N"THEN490
	:rem 58
500	RETURN :rem 117
510	FORA=1TO15 :rem 53
520	Q=RND(1)*43Ø+7746:IFPEEK(Q)<>320R(Q>7
	899ANDQ<7922)THEN520 :rem 26
530	POKEQ, 160: POKEQ+C, 0: NEXT: RETURN
	:rem 242
540	IFNP=2THEN58Ø :rem 1
550	PRINT"[CLR][8 DOWN]"SPC(7)"[BLU]SCORE
1 124	:"S2 :rem 146
560	IFS2>HITHENHI=S2 :rem Ø
570	PRINTSPC(8)"[DOWN][RED]HIGH:"HI:GOTO6
-	20 :rem 255
580	W=-(S1>=100)-2*(S2>=100):PRINT"{CLR}
	[5 DOWN]"SPC(5)"[RED]PLAYER"W"WINS!"
	:rem 51
590	PRINT" [2 DOWN] [BLU] SC[2 SPACES]: "S1:P
550	RINTSPC(12)" [UP] SC[2 SPACES]: "S2
	:rem 143
600	
000	1):PRINTSPC(12)"{UP}WINS: "WI(2)
610	:rem 93 T1=T1+S1:T2=T2+S2:PRINT"{2 DOWN}TOT :
010	"T1:PRINTSPC(12)" {UP}TOT: "T2:rem 144
620	PRINTSPC(6)"{2 DOWN}HIT ANY KEY":POKE
020	
630	· LCM LI
640	GETA\$:IFA\$=""THEN630 :rem 85 ONNPGOTO100,110 :rem 93
040	ONNPGOTO100,110 :rem 93

Magazine Indexer

Article on page 66.

BEFORE TYPING . . .

Before typing in programs, please refer to "How To Type In COMPUTE!'s GAZETTE Programs," which appears before the Program Listings.

```
100 SYS65517:Z=PEEK(781):IFZ=40THENPOKE53
    281, Ø:I$="":V=10:R$="":DIMAR$(500)
110 IFZ=22THENPOKE36879,14:I$="{2 DOWN}":
    V=5:R$="{5 RIGHT}":Q$=CHR$(13):DIMAR$
    (50)
                                    :rem 77
120 DIM H$(7),B(3),T(3),MG$(3):BL$="
    [16 SPACES]"
                                    :rem 44
130 B(\emptyset)=1:B(1)=11:B(2)=16:B(3)=31:T(\emptyset)=1
    \emptyset:T(1)=5:T(2)=15:T(3)=1
                                     :rem 9
140 J$="ARTICLES BY "
                                   :rem 118
150 H$(0)="{RVS}{YEL}MAGAZINE{OFF}{WHT}":
    H$(1)="{RVS}{CYN}DATE{OFF}{WHT}"
                                   :rem 166
160 H$(2)="{RVS}{PUR}TITLE{OFF}{WHT}":H$(
    3)="{RVS}{RED}CATEGORY{OFF}{WHT}"
                                   :rem 156
170 H$(4)="TITLE OF [RVS] {YEL} MAGAZINE
    {OFF}":H$(5)="ISSUE DATE {RVS}[CYN](M
    M/YY) [OFF]"
180 H$(6)="TITLE OF [RVS] [PUR] ARTICLE
    {OFF}":H$(7)="ARTICLE {RVS}{RED}CATEG
    ORY [OFF]"
190 PRINT" (CLR) [DOWN] (3 RIGHT) [WHT] [RVS]
    {CYN}MAGAZINE{OFF} {RVS}INDEXER{WHT}
    {OFF}{2 DOWN}"
```

200	PRINT"1. LOAD ALL ARTICLES":P	RINT"2.		GOT0600 :rem 104
	[SPACE]LIST ALL ARTICLES"	:rem 233	640	PRINT" [DOWN] [WHT] [2 RIGHT] DELETE REC
210	PRINT"3. ENTER NEW ARTICLES":	PRINT"4.		{SPACE}#"; :rem 166
	DELETE PREVIOUS "R\$"ENTRIES"	:rem 245	650	INPUT" [RVS] [WHT] [3 SPACES] [3 LEFT]
220	PRINT"5. LIST "J\$R\$H\$(Ø):PRIN			{CYN}"; A\$: IFA\$=""THEN650 : rem 21
	T "J\$R\$H\$(1)	:rem 82	660	I=VAL(A\$):IFI>NTHENPRINT"{RVS}{YEL}RE
230	PRINT"7. LIST "J\$R\$H\$(2):PRIN	T"8. LIS		CORD NOT ON FILE.";:GOTO690 :rem 241
	T "J\$R\$H\$(3)		670	AR\$(I)="":PRINT"{2 RIGHT}{RVS}{YEL}RE
	PRINT"9. SAVE DATA AND END"			CORD DELETED."; :rem 131
250	PRINT" [DOWN] [3 RIGHT] [RVS] SEL		680	N=N-1:FORJ=ITON:AR\$(J)=AR\$(J+1):NEXT
	CE(OFF) ";	:rem 26		:rem 167
260	GETC\$:C=VAL(C\$):IFC<1ORC>9THE	N26Ø	690	FORI=1T01000:NEXT:GOT0190 :rem 39
		:rem 207	700	PRINT" [CLR] DISK OR CASSETTE (D/C)"
270	PRINTC\$:FORI=1TO750:NEXT	:rem 29		:rem 42
280	ONCGOTO 700, 420, 290, 640, 510, 51	0,510,51	710	GETE\$: IF(E\$<> "D"ANDE\$<> "C")ORE\$=""THE
	Ø,700 N=N+1	:rem 100		N710 :rem 245
290	N=N+1	:rem 208	720	IFE\$="D"THENF\$="@0:ARTICLES":D1=1:GOT
300	PRINT" (CLR)"; TAB(5)" (RVS) NEW	ENTRIES		074Ø :rem 156
	{DOWN}":PRINTTAB(5)"RECORD #"	N	730	F\$="ARTICLES":D1=0:G\$="" :rem 30
	THE RESERVE AND THE PERSON SERVE	:rem 146	740	F\$="ARTICLES":DI=0:G\$="" : rem 30 IFC=9THEN780 : rem 177 IFD1=1THENG\$=",S,R" : rem 38 OPEN1,1+7*D1,8*D1,F\$+G\$:GOSUB810
310	FORK=ØTO3:PRINT" [DOWN] "H\$ (K+4);	75Ø	IFD1=1THENG\$=",S,R" :rem 38
		:rem 199	760	OPEN1,1+7*D1,8*D1,F\$+G\$:GOSUB810
320	FORJ=1TOT(K)+3:PRINT"[RVS][WH	T} ";:NE		:rem 224
	XT: FORJ=1TOT(K)+3: PRINT" {LEFT	}";:NEXT	770	INPUT#1, N:FORI=1TON: INPUT#1, AR\$(I):NE
	:INPUTMG\$(K)	:rem 63	1	XT:GOSUB810:CLOSE1:GOSUB810:GOTO190
330	IFK=lANDMID\$(MG\$(K),3,1)<>"/"	THENMG\$(. 14	
-	$K)="\emptyset"+MGS(K)$:rem 176	780	:rem 109 IFD1=1THENG\$=",S,W" :rem 46
340	MG\$(K)=LEFT\$(MG\$(K),T(K)):MG\$	(K)=MG\$(790	OPEN1,1+7*D1,1+7*D1,F\$+G\$:GOSUB810
	K)+LEFTS(BLS,T(K)-LEN(MGS(K))):NEXTK		:rem 62
	THE PARTY OF THE P	:rem 101	800	PRINT#1, N: FORI=1TON: PRINT#1, AR\$(I):NE
350	AR(N)=MG$(\emptyset)+MG$(1)+MG$(2)+M$	IG\$(3)		XT:GOSUB810:CLOSE1:GOSUB810:END
		:rem 150		
360	FORK=ØTO3:MG\$(K)="":NEXT	:rem 150	810	:rem 101 IFD1=0THENRETURN :rem 25
37Ø	PRINT" [5 DOWN] PRESS [RVS] RETU	RN (OFF)	820	IFO=ØTHENOPEN15,8,15:0=1 :rem 153
	[SPACE] FOR ADD'L ENTRIES": GOS	UB91Ø	830	INPUT#15, A, B\$, C, D: IFATHENPRINTA, B\$, C,
	* The street of	:rem 98	000	
380	GETC\$:IFC\$=""THEN380	:rem 93	840	D:STOP :rem 138 RETURN :rem 124
	IFC\$=CHR\$(13)THEN290	:rem 79		*144 * * * * * * * * * * * * * * * * * *
				PRINT" CLR WHT "HDS : PRINT : PRINT"
	IFC\$="{F1}"THEN190	:rem 89	830	PRINT"[CLR] [WHT]"HD\$:PRINT:PRINT" [RVS]REC#[OFF][2 SPACES][RVS]MAGAZINE
400	IFC\$="{F1}"THEN190 C\$="":GOTO380	:rem 89	830	[RVS]REC#[OFF][2 SPACES][RVS]MAGAZINE
400 410	IFC\$="{F1}"THEN190 C\$="":GOTO380	:rem 89 :rem 139 EL}NO ART		<pre>{RVS}REC#{OFF}{2 SPACES}{RVS}MAGAZINE {OFF}{3 SPACES}": :rem 84</pre>
400 410	IFN=ØTHENPRINT" [DOWN] [RVS] [YE	EL NO ART		<pre>{RVS}REC#{OFF}{2 SPACES}{RVS}MAGAZINE {OFF}{3 SPACES}"; :rem 84 PRINTQ\$"{RVS}DATE{OFF}{2 SPACES}{RVS}</pre>
400 410	IFC\$="{F1}"THEN190 C\$="":GOTO380 IFN=0THENPRINT"{DOWN}{RVS}{YE ICLES ON FILE.":FORJ=1T01500: 0190	EL NO ART	860	<pre>{RVS}REC#{OFF}{2 SPACES}{RVS}MAGAZINE {OFF}{3 SPACES}"; :rem 84 PRINTQ\$"{RVS}DATE{OFF}{2 SPACES}{RVS} ARTICLE TITLE{DOWN}":RETURN :rem 105</pre>
400 410 420 430	IFN=@THENPRINT" {DOWN} {RVS} {YEICLES ON FILE.":FORJ=1T01500:0190	EL)NO ART NEXT:GOT :rem 72 :rem 78	860	<pre>{RVS}REC#{OFF}{2 SPACES}{RVS}MAGAZINE {OFF}{3 SPACES}"; :rem 84 PRINTQ\$"{RVS}DATE{OFF}{2 SPACES}{RVS} ARTICLE TITLE{DOWN}":RETURN :rem 105 FORK=0T03:MG\$(K)=MID\$(AR\$(I),B(K),T(K))</pre>
400 410 420 430	IFN=ØTHENPRINT" {DOWN} {RVS} {YE ICLES ON FILE. ": FORJ=1T01500: 0190	EL)NO ART NEXT:GOT :rem 72 :rem 78	86Ø 87Ø	<pre>{RVS}REC#{OFF}{2 SPACES}{RVS}MAGAZINE {OFF}{3 SPACES}"; :rem 84 PRINTQ\$"{RVS}DATE{OFF}{2 SPACES}{RVS} ARTICLE TITLE{DOWN}":RETURN :rem 105 FORK=0TO3:MG\$(K)=MID\$(AR\$(I),B(K),T(K)):NEXT:RETURN :rem 56</pre>
400 410 420 430	IFN=@THENPRINT" {DOWN} {RVS} {YEICLES ON FILE.":FORJ=1T015@0:019@I=1 LC=@:HD\$="{RVS}LIST 'ARTICLES	EL)NO ART NEXT:GOT :rem 72 :rem 78 S' FILE	86Ø 87Ø	<pre>{RVS}REC#{OFF}{2 SPACES}{RVS}MAGAZINE {OFF}{3 SPACES}"; :rem 84 PRINTQ\$"{RVS}DATE{OFF}{2 SPACES}{RVS} ARTICLE TITLE{DOWN}":RETURN :rem 105 FORK=0TO3:MG\$(K)=MID\$(AR\$(I),B(K),T(K)):NEXT:RETURN :rem 56 X0=LEN(STR\$(I)):X1\$=LEFT\$("***",4-X0)</pre>
400 410 420 430 440	IFN=@THENPRINT" {DOWN} {RVS} {YEICLES ON FILE.":FORJ=1T01500:0190 I=1 LC=0:HD\$="{RVS}LIST 'ARTICLES {OFF}":GOSUB850	EL}NO ART ENEXT:GOT :rem 72 :rem 78 S' FILE :rem 251	86Ø 87Ø 88Ø	<pre>{RVS}REC#{OFF}{2 SPACES}{RVS}MAGAZINE {OFF}{3 SPACES}"; :rem 84 PRINTQ\$"{RVS}DATE{OFF}{2 SPACES}{RVS} ARTICLE TITLE{DOWN}":RETURN :rem 105 FORK=0TO3:MG\$(K)=MID\$(AR\$(I),B(K),T(K)):NEXT:RETURN :rem 56 X0=LEN(STR\$(I)):X1\$=LEFT\$("***",4-X0) +RIGHT\$(STR\$(I),X0-1) :rem 206</pre>
400 410 420 430 440	IFN=@THENPRINT" { DOWN } { RVS } { YE ICLES ON FILE. ":FORJ=1T015@0:019@ I=1 LC=@:HD\$="{RVS}LIST 'ARTICLES { OFF } ":GOSUB85@ LC=LC+1:GOSUB87@:GOSUB88@:I=I	EL}NO ART ENEXT:GOT :rem 72 :rem 78 S' FILE :rem 251	86Ø 87Ø 88Ø	<pre>{RVS}REC#{OFF}{2 SPACES}{RVS}MAGAZINE {OFF}{3 SPACES}"; :rem 84 PRINTQ\$"{RVS}DATE{OFF}{2 SPACES}{RVS} ARTICLE TITLE{DOWN}":RETURN :rem 105 FORK=0TO3:MG\$(K)=MID\$(AR\$(I),B(K),T(K)):NEXT:RETURN :rem 56 X0=LEN(STR\$(I)):X1\$=LEFT\$("***",4-X0) +RIGHT\$(STR\$(I),X0-1) :rem 206 PRINT" "X1\$"{2 SPACES}"MG\$(0)" "Q\$MG\$</pre>
400 410 420 430 440 450	IFN=@THENPRINT" {DOWN} {RVS} {YEICLES ON FILE.":FORJ=1T01500:0190 I=1 LC=0:HD\$="{RVS}LIST 'ARTICLES {OFF}":GOSUB850 LC=LC+1:GOSUB870:GOSUB880:I=INANDLC <>VTHEN450	EL}NO ART NEXT:GOT :rem 72 :rem 78 S' FILE :rem 251 +1:IFI<=	86Ø 87Ø 88Ø 89Ø	<pre>RVS REC# {OFF } {2 SPACES } {RVS } MAGAZINE {OFF } {3 SPACES } " : rem 84 PRINTQ\$ " {RVS } DATE {OFF } {2 SPACES } {RVS } ARTICLE TITLE {DOWN } ": RETURN : rem 105 FORK=0TO3: MG\$ (K) = MID\$ (AR\$ (I), B(K), T(K)): NEXT: RETURN : rem 56 X0 = LEN(STR\$ (I)): X1\$ = LEFT\$ ("***", 4-X0) +RIGHT\$ (STR\$ (I), X0-1) : rem 206 PRINT" "X1\$ " {2 SPACES } "MG\$ (0)" "Q\$MG\$ (1)" "MG\$ (2)" ": RETURN : rem 108</pre>
400 410 420 430 440 450 460	IFN=ØTHENPRINT" {DOWN} {RVS} {YEICLES ON FILE.":FORJ=1T01500:0190 I=1 LC=Ø:HD\$="{RVS}LIST 'ARTICLES {OFF}":GOSUB850 LC=LC+1:GOSUB870:GOSUB880:I=INANDLC <> VTHEN450 GOSUB900	EL}NO ART :rem 72 :rem 78 S' FILE :rem 251 +1:IFI<= :rem 59	86Ø 87Ø 88Ø 89Ø	<pre>{RVS}REC#{OFF}{2 SPACES}{RVS}MAGAZINE {OFF}{3 SPACES}"; :rem 84 PRINTQ\$"{RVS}DATE{OFF}{2 SPACES}{RVS} ARTICLE TITLE{DOWN}":RETURN :rem 105 FORK=0TO3:MG\$(K)=MID\$(AR\$(I),B(K),T(K)):NEXT:RETURN :rem 56 X0=LEN(STR\$(I)):X1\$=LEFT\$("***",4-X0) +RIGHT\$(STR\$(I),X0-1) :rem 206 PRINT" "X1\$"{2 SPACES}"MG\$(0)" "Q\$MG\$ (1)" "MG\$(2)" ":RETURN :rem 108 IFI<=NTHENPRINT"{DOWN}{WHT}PRESS</pre>
400 410 420 430 440 450 460 470	IFN=ØTHENPRINT" {DOWN} {RVS} {YEICLES ON FILE.":FORJ=1T01500:0190 I=1 LC=Ø:HD\$="{RVS}LIST 'ARTICLES {OFF}":GOSUB850 LC=LC+1:GOSUB870:GOSUB880:I=INANDLC <> VTHEN450 GOSUB900 GETCH\$:IFCH\$=""THEN470	EL}NO ART :rem 72 :rem 78 S' FILE :rem 251 +1:IFI<= :rem 59 :rem 179	860 870 880 890 900	<pre>RVS REC# {OFF } {2 SPACES } {RVS } MAGAZINE {OFF } {3 SPACES }"; :rem 84 PRINTQ\$" {RVS } DATE {OFF } {2 SPACES } {RVS } ARTICLE TITLE {DOWN }":RETURN :rem 105 FORK=0TO3:MG\$ (K)=MID\$ (AR\$ (I), B(K), T(K)):NEXT:RETURN :rem 56 X0=LEN(STR\$ (I)):X1\$=LEFT\$ ("***", 4-X0) +RIGHT\$ (STR\$ (I), X0-1) :rem 206 PRINT" "X1\$" {2 SPACES }"MG\$ (0)" "Q\$MG\$ (1)" "MG\$ (2)" ":RETURN :rem 108 IFI <=NTHENPRINT" {DOWN } {WHT } PRESS {RVS } RETURN {OFF } TO CONT'" :rem 93</pre>
400 410 420 430 440 450 460 470 480	IFN=ØTHENPRINT" { DOWN } { RVS } { YE ICLES ON FILE. ":FORJ=1T01500: 0190 } I=1	EL}NO ART :rem 72 :rem 78 S' FILE :rem 251 +1:IFI<= :rem 59 :rem 179 :rem 237	860 870 880 890 900	<pre>RVS REC# {OFF } {2 SPACES } {RVS } MAGAZINE {OFF } {3 SPACES }"; :rem 84 PRINTQ\$" {RVS } DATE {OFF } {2 SPACES } {RVS } ARTICLE TITLE {DOWN }":RETURN :rem 105 FORK=0TO3:MG\$ (K)=MID\$ (AR\$ (I), B(K), T(K) :NEXT:RETURN :rem 56 X0=LEN(STR\$ (I):X1\$=LEFT\$ ("***", 4-X0) +RIGHT\$ (STR\$ (I), X0-1) :rem 206 PRINT" "X1\$" {2 SPACES }"MG\$ (0)" "Q\$MG\$ (1)" "MG\$ (2)" ":RETURN :rem 108 IFI <=NTHENPRINT" {DOWN } {WHT } PRESS {RVS } RETURN {OFF } TO CONT'" :rem 93 PRINT" {WHT } PRESS {RVS } F1 {OFF } FOR MEN</pre>
400 410 420 430 440 450 460 470 480 490	IFN=ØTHENPRINT" { DOWN } { RVS } { YE ICLES ON FILE. ":FORJ=1T01500: 0190 } I=1 LC=Ø:HD\$="{RVS}LIST 'ARTICLES { OFF } ":GOSUB850 } LC=LC+1:GOSUB870:GOSUB880:I=I NANDLC <> VTHEN450 GOSUB900 GETCH\$:IFCH\$=""THEN470 IFCH\$="{F1}"ORI>NTHEN190 IFCH\$=CHR\$(13)THEN440	EL}NO ART :rem 72 :rem 78 S' FILE :rem 251 +1:IFI<= :rem 59 :rem 179 :rem 237 :rem 31	860 870 880 890 900	<pre>RVS REC# {OFF } {2 SPACES } {RVS } MAGAZINE {OFF } {3 SPACES }"; :rem 84 PRINTQ\$" {RVS } DATE {OFF } {2 SPACES } {RVS } ARTICLE TITLE {DOWN }":RETURN :rem 105 FORK=0TO3:MG\$ (K)=MID\$ (AR\$ (I), B(K), T(K)):NEXT:RETURN :rem 56 X0=LEN(STR\$ (I)):X1\$=LEFT\$ ("***", 4-X0) +RIGHT\$ (STR\$ (I), X0-1) :rem 206 PRINT" "X1\$" {2 SPACES }"MG\$ (0)" "Q\$MG\$ (1)" "MG\$ (2)" ":RETURN :rem 108 IFI <=NTHENPRINT" {DOWN } {WHT } PRESS {RVS } RETURN {OFF } TO CONT'" :rem 93</pre>
400 410 420 430 440 450 460 470 480 490 500	IFN=ØTHENPRINT" {DOWN} {RVS} {YEICLES ON FILE.":FORJ=1T015ØØ: 019Ø I=1 LC=Ø:HD\$="{RVS}LIST 'ARTICLES {OFF}":GOSUB85Ø LC=LC+1:GOSUB87Ø:GOSUB88Ø:I=INANDLC <> VTHEN45Ø GOSUB9ØØ GETCH\$:IFCH\$=""THEN47Ø IFCH\$="{F1}"ORI>NTHEN19Ø IFCH\$=CHR\$(13)THEN44Ø GOTO47Ø	EL}NO ART :REXT:GOT :rem 72 :rem 78 S' FILE :rem 251 :+1:IFI<= :rem 59 :rem 179 :rem 237 :rem 31 :rem 149 :rem 105	860 870 880 890 900 910	<pre>{RVS}REC#{OFF}{2 SPACES}{RVS}MAGAZINE {OFF}{3 SPACES}";</pre>
400 410 420 430 440 450 460 470 480 490 500	IFN=ØTHENPRINT" { DOWN } { RVS } { YE ICLES ON FILE. ":FORJ=1T01500: 0190 } I=1 LC=Ø:HD\$="{RVS}LIST 'ARTICLES { OFF } ":GOSUB850 } LC=LC+1:GOSUB870:GOSUB880:I=I NANDLC <> VTHEN450 GOSUB900 GETCH\$:IFCH\$=""THEN470 IFCH\$="{F1}"ORI>NTHEN190 IFCH\$=CHR\$(13)THEN440	EL}NO ART :REXT:GOT :rem 72 :rem 78 S' FILE :rem 251 :+1:IFI<= :rem 59 :rem 179 :rem 237 :rem 31 :rem 149 :rem 105	860 870 880 890 900 910	<pre>{RVS}REC#{OFF}{2 SPACES}{RVS}MAGAZINE {OFF}{3 SPACES}";</pre>
400 410 420 430 440 450 460 470 480 490 500 510	IFN=ØTHENPRINT" {DOWN} {RVS} {YE ICLES ON FILE.":FORJ=1T015ØØ: 019Ø I=1 LC=Ø:HD\$="{RVS}LIST 'ARTICLES {OFF}":GOSUB85Ø LC=LC+1:GOSUB87Ø:GOSUB88Ø:I=I NANDLC<>VTHEN45Ø GOSUB9ØØ GETCH\$:IFCH\$=""THEN47Ø IFCH\$="{F1}"ORI>NTHEN19Ø IFCH\$=CHR\$(13)THEN44Ø GOTO47Ø PRINT"{DOWN} {WHT}"TAB(2)H\$(C-FORJ=1TOT(C)+3:PRINT"{RVS} {WE	EL}NO ART :REXT:GOT :rem 72 :rem 78 S' FILE :rem 251 :+1:IFI<= :rem 59 :rem 179 :rem 237 :rem 31 :rem 149 :rem 105 -1):C=C-5 :rem 148 HT} ";:NE	860 870 880 890 900 910	<pre>RVS REC# {OFF } {2 SPACES } {RVS } MAGAZINE {OFF } {3 SPACES }"; :rem 84 PRINTQ\$" {RVS } DATE {OFF } {2 SPACES } {RVS } ARTICLE TITLE {DOWN }":RETURN :rem 105 FORK=0TO3:MG\$ (K)=MID\$ (AR\$ (I), B(K), T(K) :NEXT:RETURN :rem 56 X0=LEN(STR\$ (I):X1\$=LEFT\$ ("***", 4-X0) +RIGHT\$ (STR\$ (I), X0-1) :rem 206 PRINT" "X1\$" {2 SPACES }"MG\$ (0)" "Q\$MG\$ (1)" "MG\$ (2)" ":RETURN :rem 108 IFI <=NTHENPRINT" {DOWN } {WHT } PRESS {RVS } RETURN {OFF } TO CONT'" :rem 93 PRINT" {WHT } PRESS {RVS } F1 {OFF } FOR MEN</pre>
400 410 420 430 440 450 460 470 480 490 500 510	IFN=ØTHENPRINT" {DOWN} {RVS} {YE ICLES ON FILE.":FORJ=1T015ØØ: 019Ø I=1 LC=Ø:HD\$="{RVS}LIST 'ARTICLES {OFF}":GOSUB85Ø LC=LC+1:GOSUB87Ø:GOSUB88Ø:I=I NANDLC<>VTHEN45Ø GOSUB9ØØ GETCH\$:IFCH\$=""THEN47Ø IFCH\$="{F1}"ORI>NTHEN19Ø IFCH\$=CHR\$(13)THEN44Ø GOTO47Ø PRINT"{DOWN} {WHT}"TAB(2)H\$(C-FORJ=1TOT(C)+3:PRINT"{RVS} {WE	EL}NO ART :REXT:GOT :rem 72 :rem 78 S' FILE :rem 251 :+1:IFI<= :rem 59 :rem 179 :rem 237 :rem 31 :rem 149 :rem 105 -1):C=C-5 :rem 148 HT} ";:NE	860 870 880 890 900 910	<pre>RVS\REC#\{OFF\}\{2\ SPACES\}\{RVS\}MAGAZINE\{OFF\}\{3\ SPACES\}"; :rem 84\ PRINTQ\\$"\{RVS\}DATE\{OFF\}\{2\ SPACES\}\{RVS\}\ ARTICLE\ TITLE\{DOWN\}":RETURN\ :rem 105\ FORK=\OMG\\$(K)=MID\\$(AR\\$(I),B(K),T(K)):NEXT:RETURN\ :rem 56\ X\OMG=LEN\(STR\\$(I)):X1\\$=LEFT\\$("***",4-X\OMG)\\+RIGHT\\$(STR\\$(I),X\OMG-1)\ :rem 206\ PRINT\"\"X1\\$"\{2\ SPACES\}\"MG\\$(\OMG\)\"\"Q\\$MG\\$\((1)\)\"\"MG\\$(2)\"\":RETURN\ :rem 108\ IFI\<=NTHENPRINT\"\{DOWN\}\{WHT\}PRESS\\\{RVS\}RETURN\{OFF\}\ TO\ CONT\"\"\ :rem 93\\ PRINT\"\{WHT\}PRESS\\\{RVS\}F1\{OFF\}\ FOR\ MEN\\ U\";:RETURN\ :rem 137\</pre>
400 410 420 430 440 450 460 470 480 490 500 510	IFN=ØTHENPRINT" {DOWN} {RVS} {YEICLES ON FILE.":FORJ=1T015ØØ: 019Ø I=1 LC=Ø:HD\$="{RVS}LIST 'ARTICLES {OFF}":GOSUB85Ø LC=LC+1:GOSUB87Ø:GOSUB88Ø:I=I NANDLC <> VTHEN45Ø GOSUB9ØØ GETCH\$:IFCH\$=""THEN47Ø IFCH\$="{F1}"ORI>NTHEN19Ø IFCH\$=CHR\$(13)THEN44Ø GOTO47Ø PRINT" {DOWN} {WHT}"TAB(2)H\$(C-FORJ=1TOT(C)+3:PRINT" {RVS} {WEICLESTERS} INPUTMH\$	EL}NO ART :REXT:GOT :rem 72 :rem 78 S' FILE :rem 251 t+1:IFI<= :rem 59 :rem 179 :rem 237 :rem 31 :rem 149 :rem 105 -1):C=C-5 :rem 148 HT} ";:NE T}";:NEXT :rem 150	860 870 880 890 900 910	<pre>{RVS}REC#{OFF}{2 SPACES}{RVS}MAGAZINE {OFF}{3 SPACES}";</pre>
400 410 420 430 440 450 460 470 480 490 500 510	IFN=ØTHENPRINT" {DOWN} {RVS} {YEICLES ON FILE.":FORJ=1T015ØØ: 019Ø I=1 LC=Ø:HD\$="{RVS}LIST 'ARTICLES {OFF}":GOSUB85Ø LC=LC+1:GOSUB87Ø:GOSUB88Ø:I=I NANDLC <> VTHEN45Ø GOSUB9ØØ GETCH\$:IFCH\$=""THEN47Ø IFCH\$="{F1}"ORI>NTHEN19Ø IFCH\$=CHR\$(13)THEN44Ø GOTO47Ø PRINT" {DOWN} {WHT}"TAB(2)H\$(C-FORJ=1TOT(C)+3:PRINT" {RVS} {WEICLESTERS} INPUTMH\$	EL}NO ART :REXT:GOT :rem 72 :rem 78 S' FILE :rem 251 t+1:IFI<= :rem 59 :rem 179 :rem 237 :rem 31 :rem 149 :rem 105 -1):C=C-5 :rem 148 HT} ";:NE T}";:NEXT :rem 150	860 870 880 890 900 910	<pre>{RVS}REC#{OFF}{2 SPACES}{RVS}MAGAZINE {OFF}{3 SPACES}"; :rem 84 PRINTQ\$"{RVS}DATE{OFF}{2 SPACES}{RVS} ARTICLE TITLE{DOWN}":RETURN :rem 105 FORK=ØTO3:MG\$(K)=MID\$(AR\$(I),B(K),T(K)):NEXT:RETURN :rem 56 XØ=LEN(STR\$(I)):X1\$=LEFT\$("***",4-XØ) +RIGHT\$(STR\$(I),XØ-1) :rem 206 PRINT" "X1\$"{2 SPACES}"MG\$(Ø)" "Q\$MG\$ (1)" "MG\$(2)" ":RETURN :rem 108 IFI<=NTHENPRINT"{DOWN}{WHT}PRESS {RVS}RETURN{OFF} TO CONT'" :rem 93 PRINT"{WHT}PRESS {RVS}F1{OFF} FOR MEN U";:RETURN :rem 137</pre> CIRCT'S DOZEN cle on page 133.
400 410 420 430 440 450 460 470 480 490 500 510	IFN=ØTHENPRINT" {DOWN} {RVS} {YEICLES ON FILE.":FORJ=1T01500: 0190 I=1 LC=Ø:HD\$="{RVS}LIST 'ARTICLES {OFF}":GOSUB850 LC=LC+1:GOSUB870:GOSUB880:I=INANDLC <> VTHEN450 GOSUB900 GETCH\$:IFCH\$=""THEN470 IFCH\$="{F1}"ORI>NTHEN190 IFCH\$=CHR\$(13)THEN440 GOTO470 PRINT" {DOWN} {WHT} "TAB(2)H\$(C-FORJ=1TOT(C)+3:PRINT" {RVS} {WEXT:FORJ=1TOT(C)+3:PRINT" {LEFT	EL}NO ART :REXT:GOT :rem 72 :rem 78 S' FILE :rem 251 t+1:IFI<= :rem 59 :rem 179 :rem 237 :rem 31 :rem 149 :rem 105 -1):C=C-5 :rem 148 HT} ";:NE T}";:NEXT :rem 150	860 870 880 890 900 910	<pre>RVS\REC#\{OFF\}\{2\ SPACES\}\{RVS\}MAGAZINE\{OFF\}\{3\ SPACES\}"; :rem 84\ PRINTQ\\$"\{RVS\}DATE\{OFF\}\{2\ SPACES\}\{RVS\}\ ARTICLE\ TITLE\{DOWN\}":RETURN\ :rem 105\ FORK=\OMG\\$(K)=MID\\$(AR\\$(I),B(K),T(K)):NEXT:RETURN\ :rem 56\ X\OMG=LEN\(STR\\$(I)):X1\\$=LEFT\\$("***",4-X\OMG)\\+RIGHT\\$(STR\\$(I),X\OMG-1)\ :rem 206\ PRINT\"\"X1\\$"\{2\ SPACES\}\"MG\\$(\OMG\)\"\"Q\\$MG\\$\((1)\)\"\"MG\\$(2)\"\":RETURN\ :rem 108\ IFI\<=NTHENPRINT\"\{DOWN\}\{WHT\}PRESS\\\{RVS\}RETURN\{OFF\}\ TO\ CONT\"\"\ :rem 93\\ PRINT\"\{WHT\}PRESS\\\{RVS\}F1\{OFF\}\ FOR\ MEN\\ U\";:RETURN\ :rem 137\</pre>
400 410 420 430 440 450 460 470 480 490 500 510 520	IFN=@THENPRINT" {DOWN} {RVS} {YEICLES ON FILE.":FORJ=1T01500: 0190 I=1 LC=0:HD\$="{RVS}LIST 'ARTICLES {OFF}":GOSUB850 LC=LC+1:GOSUB870:GOSUB880:I=I NANDLC<>VTHEN450 GOSUB900 GETCH\$:IFCH\$=""THEN470 IFCH\$="{F1}"ORI>NTHEN190 IFCH\$=CHR\$(13)THEN440 GOTO470 PRINT" {DOWN} {WHT} "TAB(2)H\$(C-FORJ=1TOT(C)+3:PRINT" {RVS} {WEXT:FORJ=1TOT(C)+3:PRINT" {LEFT:INPUTMH\$ IFC=1ANDMID\$(MH\$,3,1)<>"/"THE	EL}NO ART ENEXT:GOT :rem 72 :rem 78 S' FILE :rem 251 H1:IFI<= :rem 59 :rem 179 :rem 237 :rem 31 :rem 149 :rem 105 -1):C=C-5 :rem 148 HT} ";:NE T}";:NEXT :rem 150 ENMH\$="0" :rem 217	860 870 880 890 900 910 B (<pre>{RVS}REC#{OFF}{2 SPACES}{RVS}MAGAZINE {OFF}{3 SPACES}";</pre>
400 410 420 430 440 450 460 470 480 490 500 510 520	IFN=ØTHENPRINT" {DOWN} {RVS} {YEICLES ON FILE.":FORJ=1T015ØØ: 019Ø I=1 LC=Ø:HD\$="{RVS}LIST 'ARTICLES {OFF}":GOSUB85Ø LC=LC+1:GOSUB87Ø:GOSUB88Ø:I=I NANDLC <> VTHEN45Ø GOSUB9ØØ GETCH\$:IFCH\$=""THEN47Ø IFCH\$="{F1}"ORI>NTHEN19Ø IFCH\$=CHR\$(13)THEN44Ø GOTO47Ø PRINT" {DOWN} {WHT}"TAB(2)H\$(C-FORJ=1TOT(C)+3:PRINT" {RVS} {WEXT:FORJ=1TOT(C)+3:PRINT" {LEFT:INPUTMH\$ IFC=1ANDMID\$(MH\$,3,1)<>"/"THE+MH\$	EL}NO ART ENEXT:GOT :rem 72 :rem 78 S' FILE :rem 251 H1:IFI<= :rem 59 :rem 179 :rem 237 :rem 31 :rem 149 :rem 105 -1):C=C-5 :rem 148 HT} ";:NE T}";:NEXT :rem 150 ENMH\$="0" :rem 217	860 870 880 890 900 910 B ({RVS}REC#{OFF}{2 SPACES}{RVS}MAGAZINE {OFF}{3 SPACES}"; :rem 84 PRINTQ\$"{RVS}DATE{OFF}{2 SPACES}{RVS} ARTICLE TITLE{DOWN}":RETURN :rem 105 FORK=0TO3:MG\$(K)=MID\$(AR\$(I),B(K),T(K)):NEXT:RETURN :rem 56 X0=LEN(STR\$(I)):X1\$=LEFT\$("***",4-X0)+RIGHT\$(STR\$(I),X0-1) :rem 206 PRINT" "X1\$"{2 SPACES}"MG\$(0)" "Q\$MG\$(1)" "MG\$(2)" ":RETURN :rem 108 IFI<=NTHENPRINT" {DOWN}{WHT}PRESS {RVS}RETURN{OFF} TO CONT'" :rem 93 PRINT"{WHT}PRESS {RVS}F1{OFF} FOR MEN U";:RETURN :rem 137 CRECT'S DOZEN Cle on page 133. BEFORE TYPING efore typing in programs, please refer to
400 410 420 430 440 450 460 470 480 490 500 510 520	IFN=ØTHENPRINT" {DOWN} {RVS} {YEICLES ON FILE.":FORJ=1T015ØØ: 019Ø I=1 LC=Ø:HD\$="{RVS}LIST 'ARTICLES {OFF}":GOSUB85Ø LC=LC+1:GOSUB87Ø:GOSUB88Ø:I=I NANDLC <> VTHEN45Ø GOSUB9ØØ GETCH\$:IFCH\$=""THEN47Ø IFCH\$="{F1}"ORI>NTHEN19Ø IFCH\$=CHR\$(13)THEN44Ø GOTO47Ø PRINT" {DOWN} {WHT}"TAB(2)H\$(C-FORJ=1TOT(C)+3:PRINT" {RVS} {WEXT:FORJ=1TOT(C)+3:PRINT" {LEFT:INPUTMH\$ IFC=1ANDMID\$(MH\$,3,1)<>"/"THE+MH\$ HM\$ MH\$=LEFT\$(MH\$,T(C)):MH\$=MH\$+1	EL}NO ART ENEXT:GOT :rem 72 :rem 78 S' FILE :rem 251 H1:IFI<= :rem 179 :rem 237 :rem 31 :rem 149 :rem 105 -1):C=C-5 :rem 148 HT} ";:NEXT :rem 150 ENMH\$="0" :rem 217 LEFT\$(BL\$	860 870 880 890 900 910 B ({RVS}REC#{OFF}{2 SPACES}{RVS}MAGAZINE {OFF}{3 SPACES}"; :rem 84 PRINTQ\$"{RVS}DATE{OFF}{2 SPACES}{RVS} ARTICLE TITLE{DOWN}":RETURN :rem 105 FORK=0TO3:MG\$(K)=MID\$(AR\$(I),B(K),T(K)):NEXT:RETURN :rem 56 X0=LEN(STR\$(I)):X1\$=LEFT\$("***",4-X0)+RIGHT\$(STR\$(I),X0-1) :rem 206 PRINT" "X1\$"{2 SPACES}"MG\$(0)" "Q\$MG\$(1)" "MG\$(2)" ":RETURN :rem 108 IFI<=NTHENPRINT" {DOWN}{WHT}PRESS {RVS}RETURN{OFF} TO CONT'" :rem 93 PRINT"{WHT}PRESS {RVS}F1{OFF} FOR MEN U";:RETURN :rem 137 CRECT'S DOZEN Cle on page 133. BEFORE TYPING efore typing in programs, please refer to How To Type In COMPUTE!'s GAZETTE
400 410 420 430 440 450 460 470 480 490 500 510 520 530 540 550 560	IFN=ØTHENPRINT" {DOWN} {RVS} {YEICLES ON FILE.":FORJ=1T01500: 0190 I=1 LC=Ø:HD\$="{RVS}LIST 'ARTICLES {OFF}":GOSUB850 LC=LC+1:GOSUB870:GOSUB880:I=I NANDLC <> VTHEN450 GOSUB900 GETCH\$:IFCH\$="THEN470 IFCH\$="{F1}"ORI>NTHEN190 IFCH\$=CHR\$(13)THEN440 GOTO470 PRINT" {DOWN} {WHT}"TAB(2)H\$(C-FORJ=1TOT(C)+3:PRINT" {RVS} {WEXT:FORJ=1TOT(C)+3:PRINT" {LEFT:INPUTMH\$ IFC=1ANDMID\$(MH\$,3,1)<>"/"THE+MH\$ HM\$=LEFT\$(MH\$,T(C)):MH\$=MH\$+I ,T(C)-LEN(MH\$)) I=1 LC=Ø:HD\$=J\$+H\$(C):GOSUB850	EL}NO ART ENEXT:GOT :rem 72 :rem 78 S' FILE :rem 251 H1:IFI<= :rem 59 :rem 179 :rem 237 :rem 31 :rem 149 :rem 105 -1):C=C-5 :rem 148 HT} ";:NEXT :rem 150 ENMH\$="0" :rem 217 LEFT\$(BL\$:rem 140 :rem 81 :rem 174	860 870 880 890 910 910 Arti	{RVS}REC#{OFF}{2 SPACES}{RVS}MAGAZINE {OFF}{3 SPACES}"; :rem 84 PRINTQ\$"{RVS}DATE{OFF}{2 SPACES}{RVS} ARTICLE TITLE{DOWN}":RETURN :rem 105 FORK=ØTO3:MG\$(K)=MID\$(AR\$(I),B(K),T(K)):NEXT:RETURN :rem 56 XØ=LEN(STR\$(I)):X1\$=LEFT\$("***",4-XØ)+RIGHT\$(STR\$(I),XØ-1) :rem 206 PRINT" "X1\$"{2 SPACES}"MG\$(Ø)" "Q\$MG\$(1)" "MG\$(2)" ":RETURN :rem 108 IFI<=NTHENPRINT"{DOWN}{WHT}PRESS {RVS}RETURN{OFF} TO CONT'" :rem 93 PRINT"{WHT}PRESS {RVS}F1{OFF} FOR MEN U";:RETURN :rem 137 CRECT'S DOZEN Cle on page 133. BEFORE TYPING efore typing in programs, please refer to How To Type In COMPUTE!'s GAZETTE rograms," which appears before the Program
400 410 420 430 440 450 460 470 480 490 500 510 520 530 540 550 560	IFN=@THENPRINT" { DOWN } { RVS } { YE ICLES ON FILE. ":FORJ=1TO1500: 0190 } I=1 LC=0:HD\$="{RVS}LIST 'ARTICLES { OFF } ":GOSUB850 LC=LC+1:GOSUB870:GOSUB880:I=I NANDLC <> VTHEN450 GOSUB900 GETCH\$:IFCH\$=""THEN470 IFCH\$="{F1}"ORI>NTHEN190 IFCH\$=CHR\$(13)THEN440 GOTO470 PRINT" { DOWN } { WHT } "TAB(2)H\$(C-FORJ=1TOT(C)+3:PRINT" { RVS } { WE XT:FORJ=1TOT(C)+3:PRINT" { LEFT :INPUTMH\$ IFC=1ANDMID\$(MH\$,3,1)<>"/"THE +MH\$ MH\$=LEFT\$(MH\$,T(C)):MH\$=MH\$+I,T(C)-LEN(MH\$)) I=1	EL}NO ART ENEXT:GOT :rem 72 :rem 78 S' FILE :rem 251 H1:IFI<= :rem 59 :rem 179 :rem 237 :rem 31 :rem 149 :rem 105 -1):C=C-5 :rem 148 HT} ";:NEXT :rem 150 ENMH\$="0" :rem 217 LEFT\$(BL\$:rem 140 :rem 81 :rem 174	860 870 880 890 910 910 Arti	{RVS}REC#{OFF}{2 SPACES}{RVS}MAGAZINE {OFF}{3 SPACES}"; :rem 84 PRINTQ\$"{RVS}DATE{OFF}{2 SPACES}{RVS} ARTICLE TITLE{DOWN}":RETURN :rem 105 FORK=0TO3:MG\$(K)=MID\$(AR\$(I),B(K),T(K)):NEXT:RETURN :rem 56 X0=LEN(STR\$(I)):X1\$=LEFT\$("***",4-X0)+RIGHT\$(STR\$(I),X0-1) :rem 206 PRINT" "X1\$"{2 SPACES}"MG\$(0)" "Q\$MG\$(1)" "MG\$(2)" ":RETURN :rem 108 IFI<=NTHENPRINT" {DOWN}{WHT}PRESS {RVS}RETURN{OFF} TO CONT'" :rem 93 PRINT"{WHT}PRESS {RVS}F1{OFF} FOR MEN U";:RETURN :rem 137 CRECT'S DOZEN Cle on page 133. BEFORE TYPING efore typing in programs, please refer to How To Type In COMPUTE!'s GAZETTE
400 410 420 430 440 450 460 470 480 490 500 510 520 530 540 550 560	IFN=ØTHENPRINT" {DOWN} {RVS} {YEICLES ON FILE.":FORJ=1T01500: 0190 I=1 LC=Ø:HD\$="{RVS}LIST 'ARTICLES {OFF}":GOSUB850 LC=LC+1:GOSUB870:GOSUB880:I=I NANDLC <> VTHEN450 GOSUB900 GETCH\$:IFCH\$="THEN470 IFCH\$="{F1}"ORI>NTHEN190 IFCH\$=CHR\$(13)THEN440 GOTO470 PRINT" {DOWN} {WHT}"TAB(2)H\$(C-FORJ=1TOT(C)+3:PRINT" {RVS} {WEXT:FORJ=1TOT(C)+3:PRINT" {LEFT:INPUTMH\$ IFC=1ANDMID\$(MH\$,3,1)<>"/"THE+MH\$ HM\$=LEFT\$(MH\$,T(C)):MH\$=MH\$+I ,T(C)-LEN(MH\$)) I=1 LC=Ø:HD\$=J\$+H\$(C):GOSUB850	EL}NO ART ENEXT:GOT :rem 72 :rem 78 S' FILE :rem 251 H1:IFI<= :rem 59 :rem 179 :rem 237 :rem 31 :rem 149 :rem 105 -1):C=C-5 :rem 148 HT} ";:NEXT :rem 150 ENMH\$="0" :rem 217 LEFT\$(BL\$:rem 140 :rem 81 :rem 174	860 870 880 890 910 910 Arti	{RVS}REC#{OFF}{2 SPACES}{RVS}MAGAZINE {OFF}{3 SPACES}"; :rem 84 PRINTQ\$"{RVS}DATE{OFF}{2 SPACES}{RVS} ARTICLE TITLE{DOWN}":RETURN :rem 105 FORK=ØTO3:MG\$(K)=MID\$(AR\$(I),B(K),T(K)):NEXT:RETURN :rem 56 XØ=LEN(STR\$(I)):X1\$=LEFT\$("***",4-XØ)+RIGHT\$(STR\$(I),XØ-1) :rem 206 PRINT" "X1\$"{2 SPACES}"MG\$(Ø)" "Q\$MG\$(1)" "MG\$(2)" ":RETURN :rem 108 IFI<=NTHENPRINT"{DOWN}{WHT}PRESS {RVS}RETURN{OFF} TO CONT'" :rem 93 PRINT"{WHT}PRESS {RVS}F1{OFF} FOR MEN U";:RETURN :rem 137 CRECT'S DOZEN Cle on page 133. BEFORE TYPING efore typing in programs, please refer to How To Type In COMPUTE!'s GAZETTE rograms," which appears before the Program
400 410 420 430 440 450 460 470 480 490 500 510 520 530 540 550 560 570	IFN=ØTHENPRINT" { DOWN } { RVS } { YE ICLES ON FILE. ":FORJ=1TO15ØØ: O19Ø I=1 LC=Ø:HD\$="{RVS}LIST 'ARTICLES { OFF } ":GOSUB85Ø :IST 'ARTICLES { OFF } ":GOSUB87Ø:GOSUB88Ø:I=I NANDLC <> VTHEN45Ø GOSUB9ØØ GETCH\$:IFCH\$=""THEN47Ø IFCH\$="{F1}"ORI>NTHEN19Ø IFCH\$=CHR\$(13)THEN44Ø GOTO47Ø PRINT" { DOWN } { WHT } "TAB(2) H\$(C-FORJ=1TOT(C)+3:PRINT" { RVS } { WE XT:FORJ=1TOT(C)+3:PRINT" { LEFT :INPUTMH\$ IFC=1ANDMID\$(MH\$,3,1)<>"/"THE +MH\$ MH\$=LEFT\$(MH\$,T(C)):MH\$=MH\$+I,T(C)-LEN(MH\$)) I=1 LC=Ø:HD\$=J\$+H\$(C):GOSUB85Ø GOSUB87Ø:IFMH\$=MG\$(C)THENGOSUB	EL}NO ART ENEXT:GOT :rem 72 :rem 78 S' FILE :rem 251 H1:IFI<= :rem 59 :rem 179 :rem 237 :rem 31 :rem 149 :rem 105 -1):C=C-5 :rem 148 HT} ";:NEXT :rem 150 ENMH\$="0" :rem 217 LEFT\$(BL\$:rem 140 :rem 81 :rem 174 JB880:LC=	860 870 880 890 910 B (Arti	{RVS}REC#{OFF}{2 SPACES}{RVS}MAGAZINE {OFF}{3 SPACES}"; :rem 84 PRINTQ\$"{RVS}DATE{OFF}{2 SPACES}{RVS}ARTICLE TITLE{DOWN}":RETURN :rem 105 FORK=0T03:MG\$(K)=MID\$(AR\$(I),B(K),T(K)):NEXT:RETURN :rem 56 X0=LEN(STR\$(I)):X1\$=LEFT\$("***",4-X0)+RIGHT\$(STR\$(I),X0-1) :rem 206 PRINT" "X1\$"{2 SPACES}"MG\$(0)" "Q\$MG\$(1)" "MG\$(2)" ":RETURN :rem 108 IFI<=NTHENPRINT"{DOWN}{WHT}PRESS {RVS}RETURN{OFF} TO CONT'" :rem 93 PRINT"{WHT}PRESS {RVS}F1{OFF} FOR MEN U";:RETURN :rem 137 CIKET'S DOZEN Cle on page 133. BEFORE TYPING efore typing in programs, please refer to How To Type In COMPUTE!'s GAZETTE rograms," which appears before the Program istings.
400 410 420 430 440 450 460 470 480 490 500 510 520 530 540 560 570 580 590	IFN=ØTHENPRINT" {DOWN} {RVS} {YEICLES ON FILE.":FORJ=1T01500: 0190 I=1 LC=Ø:HD\$="{RVS}LIST 'ARTICLES {OFF}":GOSUB850 LC=LC+1:GOSUB870:GOSUB880:I=I NANDLC <> VTHEN450 GOSUB900 GETCH\$:IFCH\$="THEN470 IFCH\$="{F1}"ORI>NTHEN190 IFCH\$=CHR\$(13)THEN440 GOTO470 PRINT" {DOWN} {WHT}"TAB(2)H\$(C-FORJ=1TOT(C)+3:PRINT" {RVS} {WEXT:FORJ=1TOT(C)+3:PRINT" {LEFT:INPUTMH\$ IFC=1ANDMID\$(MH\$,3,1)<>"/"THE+MH\$ MH\$=LEFT\$(MH\$,T(C)):MH\$=MH\$+I ,T(C)-LEN(MH\$)) I=1 LC=Ø:HD\$=J\$+H\$(C):GOSUB850 GOSUB870:IFMH\$=MG\$(C)THENGOSULC+1 I=I+1:IFI<=NANDLC<> VTHEN570 GOSUB900	EL}NO ART ENEXT:GOT :rem 72 :rem 78 S' FILE :rem 251 H:IFI<= :rem 59 :rem 179 :rem 237 :rem 31 :rem 105 -1):C=C-5 :rem 148 HT} ";:NEXT :rem 150 ENMH\$="0" :rem 217 LEFT\$(BL\$:rem 140 :rem 81 :rem 174 JB880:LC= :rem 6	860 870 880 890 910 B (Arti	{RVS}REC#{OFF}{2 SPACES}{RVS}MAGAZINE {OFF}{3 SPACES}"; :rem 84 PRINTQ\$"{RVS}DATE{OFF}{2 SPACES}{RVS}ARTICLE TITLE{DOWN}":RETURN :rem 105 FORK=ØTO3:MG\$(K)=MID\$(AR\$(I),B(K),T(K)):NEXT:RETURN :rem 56 XØ=LEN(STR\$(I)):X1\$=LEFT\$("***",4-XØ)+RIGHT\$(STR\$(I),XØ-1) :rem 206 PRINT" "X1\$"{2 SPACES}"MG\$(Ø)" "Q\$MG\$(1)" "MG\$(2)" ":RETURN :rem 108 IFI<=NTHENPRINT"{DOWN}{WHT}PRESS {RVS}RETURN{OFF} TO CONT'" :rem 93 PRINT"{WHT}PRESS {RVS}F1{OFF} FOR MEN U";:RETURN :rem 137 CRECT'S DOZEN cle on page 133. BEFORE TYPING efore typing in programs, please refer to How To Type In COMPUTE!'s GAZETTE rograms," which appears before the Program istings. OGRAM 1: Quilt
400 410 420 430 440 450 460 470 480 490 500 510 520 530 540 560 570 580 600	IFN=ØTHENPRINT" {DOWN} {RVS} {YEICLES ON FILE.":FORJ=1T01500: 0190 I=1 LC=Ø:HD\$="{RVS}LIST 'ARTICLES {OFF}":GOSUB850 LC=LC+1:GOSUB870:GOSUB880:I=I NANDLC <> VTHEN450 GOSUB900 GETCH\$:IFCH\$="THEN470 IFCH\$="{F1}"ORI>NTHEN190 IFCH\$=CHR\$(13)THEN440 GOTO470 PRINT" {DOWN} {WHT}"TAB(2)H\$(C-FORJ=1TOT(C)+3:PRINT" {RVS} {WEXT:FORJ=1TOT(C)+3:PRINT" {LEFT:INPUTMH\$ IFC=1ANDMID\$(MH\$,3,1)<>"/"THE+MH\$ HM\$=LEFT\$(MH\$,T(C)):MH\$=MH\$+I ,T(C)-LEN(MH\$)) I=1 LC=Ø:HD\$=J\$+H\$(C):GOSUB850 GOSUB870:IFMH\$=MG\$(C)THENGOSULC+1 I=I+1:IFI<=NANDLC<> VTHEN570	EL}NO ART ENEXT:GOT :rem 72 :rem 78 S' FILE :rem 251 H1:IFI<= :rem 59 :rem 179 :rem 237 :rem 31 :rem 149 :rem 105 -1):C=C-5 :rem 148 HT} ";:NEXT :rem 150 ENMH\$="0" :rem 217 LEFT\$(BL\$:rem 140 :rem 81 :rem 174 JB880:LC= :rem 6 :rem 158	860 870 880 890 910 B (Arti	{RVS}REC#{OFF}{2 SPACES}{RVS}MAGAZINE {OFF}{3 SPACES}"; :rem 84 PRINTQ\$"{RVS}DATE{OFF}{2 SPACES}{RVS}ARTICLE TITLE{DOWN}":RETURN :rem 105 FORK=0T03:MG\$(K)=MID\$(AR\$(I),B(K),T(K)):NEXT:RETURN :rem 56 X0=LEN(STR\$(I)):X1\$=LEFT\$("***",4-X0)+RIGHT\$(STR\$(I),X0-1) :rem 206 PRINT" "X1\$"{2 SPACES}"MG\$(0)" "Q\$MG\$(1)" "MG\$(2)" ":RETURN :rem 108 IFI<=NTHENPRINT"{DOWN}{WHT}PRESS {RVS}RETURN{OFF} TO CONT'" :rem 93 PRINT"{WHT}PRESS {RVS}F1{OFF} FOR MEN U";:RETURN :rem 137 CIKET'S DOZEN Cle on page 133. BEFORE TYPING efore typing in programs, please refer to How To Type In COMPUTE!'s GAZETTE rograms," which appears before the Program istings.

:rem 75

2Ø R=54272:A=1

:rem 242 :rem 222

620 IFC\$=CHR\$(13)THEN560

3Ø	N=INT(10*RND(1))+1:P=INT(10*RND(1))+1	1: 140 FORX=1TON:POKEV+D,66:POKEV+D+P,Q:V=V
	Q=INT(15*RND(1))+1 .rem 29	TO THE PARTY OF TH
40	V=INT(1000*RND(1))+1024:M=INT(255*RND	D(150 POKEV.73:POKEV+P.O .rom 10
	1))+1 :rem 254	
50	IFV+N>2023THENV=V-N:GOTO40 :rem 50	50 B:NEXT :rem 3
60	IFV+(40*P)>2023THENV=V-(V0*P):GOTO40	170 POKEV, 85: POKEV+P.O . rem 100
70	FORZ=1TOP :rem 2	23 180 FORX=1TON: POKEV+C, 66: POKEV+C+P, Q: V=V-
	FORZ=ITOP :rem ! FORX=ITON:POKEV+A,M:POKEV+A+R,Q:V=V+A	9 C:NEXT · rem 4
00	MINIM	
90	: Tem 21:	:Telli II.
	V=V+40-N :rem 9: 0 NEXTZ:GOTO30 :rem 6:	Program 4: Christmas Tree
	. Tem	
PI	ogram 2: Double Diamond	10 PRINTCHR\$(147):POKE53280,0:POKE53281,0
		2Ø FORX=1TO1000:NEXT :rem 10
10	PRINTCHR\$(147):FORX=1T0500:NEXT	20 000000000000000000000000000000000000
	:rem 116	10 10 55151
20	POKE53280,0:POKE53281,0 :rem 183	50 FORK=1TO156 PRADD(V) NEVE
30	V=1475:A=-39:B=-41:C=39:D=41:W=1491:Q=	2= 60 K=INT(156*RND(1))+1 :rem 178
	INT(255*RND(1))+1:PRINTQ:S=55753	70 B=P(K)+54272 :rem 1
10	U=55757 :rem 189 T=INT(15*RND(1))+1 :rem 132	80 C=INT(14*RND(1))+1 :rem 117
50	U=55757 :rem 3	90 POKEP(K), 42:POKEB, C :rem 48
60	T=INT(15*RND(1))+1 :rem 132 POKEV,Q:POKES,T:PRINTT :rem 191	100 GOTO60 .rom 46
70	N=1:FORX=1TON:POKEV+A,Q:POKES+A,T:V=V+	110 DATA1042,1082,1122,1161,1162,1163
	A:S=S+A:NEXT :rem 220	:rem 62
	FORX=1TON: POKEV+B, Q: POKES+B, T: V=V+B: S=	
	S+B:NEXT :rem 235	:rem 51
90	N=N+1:FORX=1TON:POKEV+C.O:POKES+C.T:V=	130 DATA1280,1281,1282,1283,1284,1320
	V+C:S=S+C:NEXT :rem 95	: rem 81
	FORX=1TON: POKEV+D, Q: POKES+D, T: V=V+D:S	S 140 DATA1320,1321,1322,1323,1324,1360
	=S+D:NEXT :rem 28	:rem 61
110	N=N+1:FORX=1TON:POKEV+A,Q:POKES+A,T:V	V 150 DATA1361,1362,1363,1364,1399,1400
	=V+A:S=S+A:NEXT :rem 128	8 :rem 89
120	FORX=1TON: POKEV+B. O: POKES+B. T. V=V+B.S	C 100 DATA1401,1402,1403,1404,1405,1439
20212	=S+B:NEXT :rem 22	2 170 DATA1440,1441,1442,1443,1444,1445
130	=S+B:NEXT :rem 22 IFV>1042THEN90 :rem 22 POKEW,Q:POKEU,T :rem 214	2
140	POKEW, Q: POKEU, T :rem 214	2 : rem 83 180 DATA1479,1480,1481,1482,1483,1484
150	N=1:FORX=1TON:POKEW+A,Q:POKEU+A,T:W=W	"
160	+A:U=U+A:NEXT :rem 20	
100	FORX=1TON:POKEW+B,Q:POKEU+B,T:W=W+B:U =U+B:NEXT :rem 35	0
170	=U+B:NEXT :rem 35 N=N+1:FORX=1TON:POKEW+C,Q:POKEU+C,T:W	
	=W+C:U=U+C:NEXT :rem 151	W . rom 97
180	FORX=1TON: POKEW+D,Q: POKEU+D, T: W=W+D: U	210 DATA1560,1561,1562,1563,1564,1565
	=U+D:NEXT :rem 45	:rem 96
190	N=N+1:FORX=1TON:POKEW+A,Q:POKEU+A,T:W	220 DATA1566,1598,1599,1600,1601,1602
	=W+A:U=U+A:NEXT :rem 145	:rem 99
200	FORX=1TON: POKEW+B, Q: POKEU+B, T:W=W+B:U	J 230 DATA1603, 1604, 1605, 1606, 1637, 1638
	=U+B:NEXT :rem 3Ø	:rem 92
210	IFW>1042THEN170 :rem 69	
220	FORX=1TO1000:NEXT :rem 30	:rem 96 250 DATA1645,1646,1647,1677,1678,1679
230	GOTO10 :rem 47	
Pre	ogram 3: Tunnels	:rem 130 260 DATA1680,1681,1682,1683,1684,1685
		.rem 110
10 I	POKE53280,0:POKE53281,0:PRINTCHR\$(147)	270 DATA1686,1687,1717,1718,1719,1720
1212	:rem 107	rem 119
2Ø F	A=1:B=-1:C=40:D=-40:N=1:P=54272:V=1984	280 DATA1721,1722,1723,1724,1725,1726
20 -	:rem 246	• I CIII 9/
	ORZ=1T012:GOSUB110 :rem 100	
50 N	7=V-39:N=N+1 :rem 85	
	'=V+42:N=N-1 :rem 81 'ORZ=1T012:GOSUB110 :rem 104	• I C III 114
	V=V+42:N=N-1 :rem 83	
90 N		· ICH IJI
100		
	Q=INT(15*RND(1))+1 :rem 174	330 DATA1806,1807,1808,1836,1837,1838
	FORX=1TON: POKEV+A, 67: POKEV+A+P, Q:V=V+	:rem 117
120		
	A:NEXT :rem 32	
	T. LYMINE	340 DATA1839,1840,1841,1842,1843,1844

350 DATA1845,1846,1847,1848,1882,1922 :rem 125 360 DATA1962,2000,2001,2002,2003,2004

Math Dungeon

Article on page 62.

Note: Requires at least 8K memory expansion to run on a VIC.

BEFORE TYPING ...

Before typing in programs, please refer to "How To Type In COMPUTE!'s GAZETTE Programs," which appears before the Program Listings.

	istings.
. ~	DIN (NG/22) (N/22) IN(5) (N(5) OP\$(1
10	DIM CM\$(22), CM(22), IN\$(5), IN(5), OB\$(1
	3),OB(13),DS\$(40),FL(10,10) :rem 157
20	SYS65517:CC=PEEK(781) :rem 173
30	
	GOSUB 700:GOSUB1620 :rem 48
	PRINT"{CLR}" :rem 255
60	
	CM(I)=1:NEXT:OB(1)=1 :rem 79
70	PR\$=DS\$(1):GOSUB2570:IFGTTHENPR\$=DS\$(
	2):GOSUB2570 :rem 188
80	IFGT=ØTHENPR\$=DS\$(3):GOSUB257Ø:rem 41
90	GOSUB2310:IFPL=2ORPL=5THENGOSUB800:GO
	TO19Ø :rem 183
90	IFPL=16ANDGT=ØTHENPR\$=DS\$(3):GOSUB257
	Ø:GOTO19Ø :rem 66
210	
20	
	GOTO170 :rem 102
40	PRINT"{CLR}":PR\$=DS\$(4):GOSUB2570
10	:rem 255
5Ø	COC
שכ	UB2310:IFPL=16THEN280 :rem 109
60	11.1
60	:rem 96
70	GOTO250 :rem 105
8Ø	GOSUB79Ø:PRINT"(CLR)":CM(1)=1:CM(3)=1
	:CM(6)=1:FORI=14TO19:CM(I)=1:NEXT :rem 241
	No 11-40 Open (12)
	CM(4)=1 :rem 30
ØØ	
	\$(6):GOSUB2570 :rem 32
10	IFMBTHENPR\$=DS\$(7):CM(7)=1:GOSUB2570:
	IFNT=1THENPR\$=DS\$(11):GOSUB 2570
	:rem 112
2Ø	IFFD=ØTHENPR\$=DS\$(8):NT=1:GOSUB2570
	:rem 99
3Ø	IFFDTHENPR\$=DS\$(9):NT=0:GOSUB2570
	:rem 247
40	GOSUB2310:IFPL=15THEN300 :rem 167
5Ø	IF(PL=18)OR(PL=19)THENGOTO300:rem 234
60	IFPL=17THENGOTO160 :rem 104
70	IF(PL=16)AND(FD=0)THEN320 :rem 153
80	IFPL=16ANDFD=ØTHEN32Ø :rem 248
90	
ØØ	
	:rem 84
10	
	:rem 212
15	
113	{SPACE}HERE!":GOTO340 :rem 99
	(SPACE) HERE: :GOTOSAN :Tell 9:

420	IFPL<>/THEN340
4 10	PR\$="THERE IS A QUESTION ON THE NOTE.
	":GOSUB2570 :rem 21
435	GOSUB1320:IFWR=1THENGOTO160 :rem 193
435	GOSUBI320:1FWR-11HENGOTOTOD :1em 193
440	PR\$=DS\$(12):GOSUB257Ø:PR\$=DS\$(13):GOS
10000	UB257Ø:FD=1:MB=Ø:GOTO34Ø :rem 57
450	GOSUB790:PRINT"{CLR}{7 DOWN}"; :rem 9
470	PR\$="A TRAP DOOR OPENS BENEATH YOUR F
470	PRS="A TRAP DOOR OPENS BENEATH TOUR F
	EET AND YOU BEGIN SLIDING DOWN A "
	:rem 53
480	PR\$=PR\$+"CHUTE. YOU PASS A NEON SIGN
400	TAVELLE CONTROL OF THE PROPERTY OF THE PROPERT
	[SPACE] THAT SAYS : ":GOSUB2570:PRINT
	:rem 75
1102020	
490	PR\$="{11 SPACES}'MATH DUNGEON'":GOSUB
	257Ø :rem 244
Managing .	
500	PRINT:PR\$="[13 SPACES]'LEVEL "+STR\$(L
	V)+"'":GOSUB257Ø:PRINT:PRINT :rem 41
	V)+ IGOSOBES/BITKINIII II III II
51Ø	PR\$="PRESS ANY KEY TO CONTINUE":GOSUB
	257Ø :rem 2Ø3
520	GETA\$:IFA\$=""THEN520 :rem 81
52A	LT=1:PX=INT(RND(1)*10)+1:PY=INT(RND(1
220	EI-I:PX-INI(NND(I) ID) II:FI-INI(ND(I
)*10)+1:FL(PY,PX)=2 :rem 0
	GOSUB790:CM(9)=1:FORI=12TO19:CM(I)=1:
540	GOSOR/AM:CW(A)=1:LOK1=15101A:CW(1)=1:
	NEXT:CM(9)=LT:CM(22)=1 :rem 251
550	IFFL(PY, PX)=2THENPRINT" {CLR}":PR\$=DS\$
	(14):GOSUB257Ø :rem 193
	(14):6050B2576
560	IFFL(PY,PX)=1THENPRINT"{CLR}":PR\$=DS\$
	(15):GOSUB257Ø :rem 194
57Ø	IFLT=1THENPR\$=DS\$(16):GOSUB2570
2.0	:rem 102
580	GOSUB231Ø :rem 227
590	
600	IFPL=12THENGOSUB970:GOTO580 :rem 192
610	IFPL=13THENGOSUB1000:GOTO580 :rem 227
620	IFPL=15ANDLO=ØTHEN55Ø :rem 1Ø
The second second	
630	IFPL=15ANDLO=1THENGOSUB1020:GOTO570
	:rem 196
640	IFPL=14THEN580 :rem 51
650	
שכט	
	III B-22 III BROOD DE 175 CO 100 CO 100 CO
	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1)
660	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1)
660	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204
660	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204
66Ø 67Ø	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204
660	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116
66Ø 67Ø 68Ø	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116
66Ø 67Ø 68Ø 69Ø	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118
66Ø 67Ø 68Ø	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT
66Ø 67Ø 68Ø 69Ø	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 G0T0670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT
66Ø 67Ø 68Ø 69Ø 7ØØ	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16
660 670 680 690 700 710	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 185
660 670 680 690 700 710	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 185
660 670 680 690 700 710	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 G@T0670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOT0720 :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON
660 670 680 690 700 710	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN
660 670 680 690 700 710	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN
660 670 680 690 700 710 720	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOTO740 :rem 64
660 670 680 690 700 710 720	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(4); :rem 190
66Ø 67Ø 68Ø 69Ø 7ØØ 71Ø 72Ø	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 16 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(4); :rem 190
66Ø 67Ø 68Ø 69Ø 7ØØ 71Ø 72Ø	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 16 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 PRINT"A MATH ADVENTURE" :rem 133
66Ø 67Ø 68Ø 69Ø 7ØØ 71Ø 72Ø	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 16 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 PRINT"A MATH ADVENTURE" :rem 133
66Ø 67Ø 68Ø 69Ø 7ØØ 71Ø 72Ø	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(4); :rem 190 PRINT"A MATH ADVENTURE" :rem 133 PRINT"{HOME}{21 DOWN}"TAB(8);:PR\$="EN
660 670 680 690 700 710 720 730 740 750	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(4); :rem 190 PRINT"A MATH ADVENTURE" :rem 133 PRINT"{HOME}{21 DOWN}"TAB(8);:PR\$="EN TER DESIRED LEVEL(1-5)" :rem 219
660 670 680 690 700 710 720 730 740 750	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(4); :rem 190 PRINT"A MATH ADVENTURE" :rem 133 PRINT"{HOME}{21 DOWN}"TAB(8);:PR\$="EN TER DESIRED LEVEL(1-5)" :rem 219
660 670 680 690 700 710 720 730 740 750	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(4); :rem 190 PRINT"A MATH ADVENTURE" :rem 133 PRINT"{HOME}{21 DOWN}"TAB(8);:PR\$="EN TER DESIRED LEVEL(1-5)" :rem 219 GOSUB2570:PRINTTAB(8);:INPUTLV:IFLV<1
660 670 680 690 700 710 720 730 740 750	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 G@TO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(4); :rem 190 PRINT"A MATH ADVENTURE" :rem 133 PRINT"{HOME}{21 DOWN}"TAB(8);:PR\$="EN TER DESIRED LEVEL(1-5)" :rem 219 GOSUB2570:PRINTTAB(8);:INPUTLV:IFLV<1 ORLV>5THENGOTO750 :rem 75
660 670 680 690 700 710 720 730 740 750	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 G@TO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(4); :rem 190 PRINT"A MATH ADVENTURE" :rem 133 PRINT"{HOME}{21 DOWN}"TAB(8);:PR\$="EN TER DESIRED LEVEL(1-5)" :rem 219 GOSUB2570:PRINTTAB(8);:INPUTLV:IFLV<1 ORLV>5THENGOTO750 :rem 75
660 670 680 690 700 710 720 730 740 750	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(4); :rem 190 PRINT"A MATH ADVENTURE" :rem 133 PRINT"{HOME}{21 DOWN}"TAB(8);:PR\$="EN TER DESIRED LEVEL(1-5)" :rem 219 GOSUB2570:PRINTTAB(8);:INPUTLV:IFLV<1 ORLV>5THENGOTO750 :rem 75 FORI=1TO22:READCM\$(I):NEXT:FORI=1TO5:
660 670 680 690 700 710 720 730 750 760 770	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(4); :rem 190 PRINT"A MATH ADVENTURE" :rem 133 PRINT"{HOME}{21 DOWN}"TAB(8);:PR\$="EN TER DESIRED LEVEL(1-5)" :rem 219 GOSUB2570:PRINTTAB(8);:INPUTLV:IFLV<1 ORLV>5THENGOTO750 :rem 75 FORI=1TO22:READCM\$(I):NEXT:FORI=1TO5: READIN\$(I):NEXT :rem 52
660 670 680 690 700 710 720 730 750 760 770	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(4); :rem 190 PRINT"A MATH ADVENTURE" :rem 133 PRINT"{HOME}{21 DOWN}"TAB(8);:PR\$="EN TER DESIRED LEVEL(1-5)" :rem 219 GOSUB2570:PRINTTAB(8);:INPUTLV:IFLV<1 ORLV>5THENGOTO750 :rem 75 FORI=1TO22:READCM\$(I):NEXT:FORI=1TO5: READIN\$(I):NEXT :rem 52
660 670 680 690 700 710 720 730 750 760 770	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(4); :rem 190 PRINTTA MATH ADVENTURE" :rem 133 PRINT"{HOME}{21 DOWN}"TAB(8);:PR\$="EN TER DESIRED LEVEL(1-5)" :rem 219 GOSUB2570:PRINTTAB(8);:INPUTLV:IFLV<1 ORLV>5THENGOTO750 :rem 75 FORI=1TO22:READCM\$(I):NEXT:FORI=1TO5: READIN\$(I):NEXT :rem 52 FORI=1TO29:READDS\$(I):NEXT:RETURN
660 670 680 690 700 710 720 730 750 760 770	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 G@T0670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOT0720 :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOT0740 :rem 64 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 219 GOSUB2570:PRINTTAB(8);:INPUTLV:IFLV<1 ORLV>5THENGOT0750 :rem 75 FORI=1T022:READCM\$(I):NEXT:FORI=1T05: READIN\$(I):NEXT :rem 52 FORI=1T029:READDS\$(I):NEXT:RETURN :rem 137
660 670 680 690 700 710 720 730 740 750 760 770	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 G@T0670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOT0720 :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOT0740 :rem 64 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 219 GOSUB2570:PRINTTAB(8);:INPUTLV:IFLV<1 ORLV>5THENGOT0750 :rem 75 FORI=1T022:READCM\$(I):NEXT:FORI=1T05: READIN\$(I):NEXT :rem 52 FORI=1T029:READDS\$(I):NEXT:RETURN :rem 137
660 670 680 690 700 710 720 730 750 760 770	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 PRINT"A MATH ADVENTURE" :rem 133 PRINT"{HOME}{21 DOWN}"TAB(8);:PR\$="EN TER DESIRED LEVEL(1-5)" :rem 219 GOSUB2570:PRINTTAB(8);:INPUTLV:IFLV<1 ORLV>5THENGOTO750 :rem 75 FORI=1TO22:READCM\$(I):NEXT:FORI=1TO5: READIN\$(I):NEXT :rem 52 FORI=1TO22:CM(I)=0:NEXTI:IFIN(5)=1THE
660 670 680 690 700 710 720 730 740 750 760 770	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 FORINT"{HOME}{21 DOWN}"TAB(8);:PR\$="EN TER DESIRED LEVEL(1-5)" :rem 219 GOSUB2570:PRINTTAB(8);:INPUTLV:IFLV<1 ORLV>5THENGOTO750 :rem 75 FORI=1TO22:READCM\$(I):NEXT:FORI=1TO5: READIN\$(I):NEXT :rem 52 FORI=1TO29:READDS\$(I):NEXT:RETURN :rem 137 FORI=1TO22:CM(I)=0:NEXTI:IFIN(5)=1THE NCM(20)=1:RETURN :rem 38
660 670 680 690 700 710 720 730 740 750 760 780	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 FORINT"{HOME}{21 DOWN}"TAB(8);:PR\$="EN TER DESIRED LEVEL(1-5)" :rem 219 GOSUB2570:PRINTTAB(8);:INPUTLV:IFLV<1 ORLV>5THENGOTO750 :rem 75 FORI=1TO22:READCM\$(I):NEXT:FORI=1TO5: READIN\$(I):NEXT :rem 52 FORI=1TO29:READDS\$(I):NEXT:RETURN :rem 137 FORI=1TO22:CM(I)=0:NEXTI:IFIN(5)=1THE NCM(20)=1:RETURN :rem 38
660 670 680 690 700 710 720 730 740 750 760 770	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 G@T0670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOT0720 :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOT0740 :rem 64 PRINTTAB(12);:GOT0740 :rem 190 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 PRINT"{HOME}{21 DOWN}"TAB(8);:PR\$="EN TER DESIRED LEVEL(1-5)" :rem 219 GOSUB2570:PRINTTAB(8);:INPUTLV:IFLV<1 ORLV>5THENGOT0750 :rem 75 FORI=1T022:READCM\$(I):NEXT:FORI=1T05: READIN\$(I):NEXT :rem 52 FORI=1T029:READDS\$(I):NEXT:RETURN :rem 137 FORI=1T022:CM(I)=0:NEXTI:IFIN(5)=1THE NCM(20)=1:RETURN :rem 38 IFPL=2ANDGT=1THENPR\$="THE GATE IS ALR
660 670 680 690 700 710 720 730 740 750 760 780	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 G@T0670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOT0720 :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOT0740 :rem 64 PRINTTAB(12);:GOT0740 :rem 190 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 PRINT"{HOME}{21 DOWN}"TAB(8);:PR\$="EN TER DESIRED LEVEL(1-5)" :rem 219 GOSUB2570:PRINTTAB(8);:INPUTLV:IFLV<1 ORLV>5THENGOT0750 :rem 75 FORI=1T022:READCM\$(I):NEXT:FORI=1T05: READIN\$(I):NEXT :rem 52 FORI=1T029:READDS\$(I):NEXT:RETURN :rem 137 FORI=1T022:CM(I)=0:NEXTI:IFIN(5)=1THE NCM(20)=1:RETURN :rem 38 IFPL=2ANDGT=1THENPR\$="THE GATE IS ALR
660 670 680 690 700 710 720 730 740 750 760 780 790	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 G@TO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 PRINT"{HOME}{21 DOWN}"TAB(8);:PR\$="EN TER DESIRED LEVEL(1-5)" :rem 219 GOSUB2570:PRINTTAB(8);:INPUTLV:IFLV<1 ORLV>5THENGOTO750 :rem 75 FORI=1TO22:READCM\$(I):NEXT:FORI=1TO5: READIN\$(I):NEXT :rem 52 FORI=1TO29:READDS\$(I):NEXT:RETURN :rem 137 FORI=1TO22:CM(I)=0:NEXTI:IFIN(5)=1THE NCM(20)=1:RETURN :rem 38 IFPL=2ANDGT=1THENPR\$="THE GATE IS ALR EADY OPEN.":GOSUB2570 :rem 12
660 670 680 690 700 710 720 730 740 750 760 780	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 G@TO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 16 PRINTTAB(1); :rem 185 PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(4); :rem 190 GOSUB2570:PRINTTAB(8);:INPUTLV:IFLV<1 ORLV>5THENGOTO750 :rem 75 FORI=1TO22:READCMS(I):NEXT:FORI=1TO5: READINS(I):NEXT :rem 52 FORI=1TO29:READDSS(I):NEXT:RETURN :rem 137 FORI=1TO22:CM(I)=0:NEXTI:IFIN(5)=1THE NCM(20)=1:RETURN :rem 38 IFPL=2ANDGT=1THENPR\$="THE GATE IS ALR EADY OPEN.":GOSUB2570 :rem 12 IFPL=2ANDGT=0THENGT=1:PRINT"OK."
660 670 680 690 700 710 720 730 740 750 760 780 790 800 810	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 16 PRINTTAB(1); :rem 185 PRINTT{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 PRINT"A MATH ADVENTURE" :rem 133 PRINT"{HOME}{21 DOWN}"TAB(8);:PR\$="EN TER DESIRED LEVEL(1-5)" :rem 219 GOSUB2570:PRINTTAB(8);:INPUTLV:IFLV<1 ORLV>5THENGOTO750 :rem 75 FORI=1TO22:READCM\$(I):NEXT:FORI=1TO5: READIN\$(I):NEXT :rem 52 FORI=1TO29:READDS\$(I):NEXT:RETURN :rem 137 FORI=1TO22:CM(I)=0:NEXTI:IFIN(5)=1THE NCM(20)=1:RETURN :rem 38 IFPL=2ANDGT=1THENPR\$="THE GATE IS ALR EADY OPEN.":GOSUB2570 :rem 12 IFPL=2ANDGT=0THENGT=1:PRINT"OK." :rem 25
660 670 680 690 700 710 720 730 740 750 760 780 790 800 810	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 16 PRINTTAB(1); :rem 185 PRINTT{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 PRINT"A MATH ADVENTURE" :rem 133 PRINT"{HOME}{21 DOWN}"TAB(8);:PR\$="EN TER DESIRED LEVEL(1-5)" :rem 219 GOSUB2570:PRINTTAB(8);:INPUTLV:IFLV<1 ORLV>5THENGOTO750 :rem 75 FORI=1TO22:READCM\$(I):NEXT:FORI=1TO5: READIN\$(I):NEXT :rem 52 FORI=1TO29:READDS\$(I):NEXT:RETURN :rem 137 FORI=1TO22:CM(I)=0:NEXTI:IFIN(5)=1THE NCM(20)=1:RETURN :rem 38 IFPL=2ANDGT=1THENPR\$="THE GATE IS ALR EADY OPEN.":GOSUB2570 :rem 12 IFPL=2ANDGT=0THENGT=1:PRINT"OK." :rem 25
660 670 680 690 700 710 720 730 740 750 760 780 790 800 810	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 PRINT"A MATH ADVENTURE" :rem 133 PRINT"{HOME}{21 DOWN}"TAB(8);:PR\$="EN TER DESIRED LEVEL(1-5)" :rem 219 GOSUB2570:PRINTTAB(8);:INPUTLV:IFLV<1 ORLV>5THENGOTO750 :rem 75 FORI=1TO22:READCMS(I):NEXT:FORI=1TO5: READINS(I):NEXT :rem 52 FORI=1TO29:READDSS(I):NEXT:RETURN :rem 137 FORI=1TO22:CM(I)=0:NEXTI:IFIN(5)=1THE NCM(20)=1:RETURN :rem 38 IFPL=2ANDGT=1THENPR\$="THE GATE IS ALR EADY OPEN.":GOSUB2570 :rem 12 IFPL=2ANDGT=0THENPR\$="THE GATE IS ALR EADY OPEN.":GOSUB2570 :rem 25 IFPL=5ANDGT=0THENPR\$="THE GATE IS ALR
660 670 680 690 700 710 720 730 740 750 760 780 790 800 810	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 PRINT"A MATH ADVENTURE" :rem 133 PRINT"{HOME}{21 DOWN}"TAB(8);:PR\$="EN TER DESIRED LEVEL(1-5)" :rem 219 GOSUB2570:PRINTTAB(8);:INPUTLV:IFLV<1 ORLV>5THENGOTO750 :rem 75 FORI=1TO22:READCMS(I):NEXT:FORI=1TO5: READINS(I):NEXT :rem 52 FORI=1TO29:READDSS(I):NEXT:RETURN :rem 137 FORI=1TO22:CM(I)=0:NEXTI:IFIN(5)=1THE NCM(20)=1:RETURN :rem 38 IFPL=2ANDGT=1THENPR\$="THE GATE IS ALR EADY OPEN.":GOSUB2570 :rem 12 IFPL=2ANDGT=0THENPR\$="THE GATE IS ALR EADY OPEN.":GOSUB2570 :rem 25 IFPL=5ANDGT=0THENPR\$="THE GATE IS ALR
660 670 680 690 700 710 720 730 740 750 760 780 800 810 820	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 190 PRINT"A MATH ADVENTURE" :rem 133 PRINT"{HOME}{21 DOWN}"TAB(8);:PR\$="EN TER DESIRED LEVEL(1-5)" :rem 219 GOSUB2570:PRINTTAB(8);:INPUTLV:IFLV<1 ORLV>5THENGOTO750 :rem 75 FORI=1TO22:READCM\$(I):NEXT:FORI=1TO5: READIN\$(I):NEXT :rem 52 FORI=1TO29:READDS\$(I):NEXT:RETURN :rem 137 FORI=1TO29:READDS\$(I):NEXT:RETURN :rem 137 FORI=1TO22:CM(I)=0:NEXTI:IFIN(5)=1THE NCM(20)=1:RETURN :rem 38 IFPL=2ANDGT=1THENPR\$="THE GATE IS ALR EADY OPEN.":GOSUB2570 :rem 12 IFPL=5ANDGT=0THENPR\$="THE GATE IS ALR EADY CLOSED.":GOSUB2570 :rem 152
660 670 680 690 700 710 720 730 740 750 760 780 790 800 810	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 193 PRINT"A MATH ADVENTURE" :rem 133 PRINT"{HOME}{21 DOWN}"TAB(8);:PR\$="EN TER DESIRED LEVEL(1-5)" :rem 219 GOSUB2570:PRINTTAB(8);:INPUTLV:IFLV<1 ORLV>5THENGOTO750 :rem 75 FORI=1TO22:READCM\$(I):NEXT:FORI=1TO5: READIN\$(I):NEXT :rem 52 FORI=1TO29:READDS\$(I):NEXT:RETURN :rem 137 FORI=1TO22:CM(I)=0:NEXTI:IFIN(5)=1THE NCM(20)=1:RETURN :rem 38 IFPL=2ANDGT=1THENPR\$="THE GATE IS ALR EADY OPEN.":GOSUB2570 :rem 12 IFPL=5ANDGT=0THENPR\$="THE GATE IS ALR EADY CLOSED.":GOSUB2570 :rem 152 IFPL=5ANDGT=0THENPR\$="THE GATE IS ALR EADY CLOSED.":GOSUB2570 :rem 152 IFPL=5ANDGT=0THENPR\$="THE GATE IS ALR EADY CLOSED.":GOSUB2570 :rem 152 IFPL=5ANDGT=1THENGT=0:PRINT"OK."
660 670 680 690 700 710 720 730 740 750 760 780 800 810 820	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 193 PRINT"A MATH ADVENTURE" :rem 133 PRINT"{HOME}{21 DOWN}"TAB(8);:PR\$="EN TER DESIRED LEVEL(1-5)" :rem 219 GOSUB2570:PRINTTAB(8);:INPUTLV:IFLV<1 ORLV>5THENGOTO750 :rem 75 FORI=1TO22:READCM\$(I):NEXT:FORI=1TO5: READIN\$(I):NEXT :rem 52 FORI=1TO29:READDS\$(I):NEXT:RETURN :rem 137 FORI=1TO22:CM(I)=0:NEXTI:IFIN(5)=1THE NCM(20)=1:RETURN :rem 38 IFPL=2ANDGT=1THENPR\$="THE GATE IS ALR EADY OPEN.":GOSUB2570 :rem 12 IFPL=5ANDGT=0THENPR\$="THE GATE IS ALR EADY CLOSED.":GOSUB2570 :rem 152 IFPL=5ANDGT=0THENPR\$="THE GATE IS ALR EADY CLOSED.":GOSUB2570 :rem 152 IFPL=5ANDGT=0THENPR\$="THE GATE IS ALR EADY CLOSED.":GOSUB2570 :rem 152 IFPL=5ANDGT=1THENGT=0:PRINT"OK."
660 670 680 690 700 710 720 730 740 750 760 780 800 810 820 830	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580
660 670 680 690 700 710 720 730 740 750 760 780 800 810 820 830	IFPL>15THENGOSUB1560:IF(LO=0)OR(WA=1) THEN580 :rem 204 ONZGOSUB1860,1860,2000 :rem 204 GOTO670 :rem 116 END :rem 118 PRINT"{CLR}{9 DOWN}":IFCC=40THENPRINT TAB(10);:GOTO720 :rem 16 PRINTTAB(1); :rem 16 PRINTTAB(1); :rem 185 PRINT"{4 SPACES}MATH DUNGEON {3 SPACES}":PRINT"{DOWN}":IFCC=40THEN PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(12);:GOTO740 :rem 64 PRINTTAB(4); :rem 190 PRINTTAB(4); :rem 193 PRINT"A MATH ADVENTURE" :rem 133 PRINT"{HOME}{21 DOWN}"TAB(8);:PR\$="EN TER DESIRED LEVEL(1-5)" :rem 219 GOSUB2570:PRINTTAB(8);:INPUTLV:IFLV<1 ORLV>5THENGOTO750 :rem 75 FORI=1TO22:READCM\$(I):NEXT:FORI=1TO5: READIN\$(I):NEXT :rem 52 FORI=1TO29:READDS\$(I):NEXT:RETURN :rem 137 FORI=1TO22:CM(I)=0:NEXTI:IFIN(5)=1THE NCM(20)=1:RETURN :rem 38 IFPL=2ANDGT=1THENPR\$="THE GATE IS ALR EADY OPEN.":GOSUB2570 :rem 12 IFPL=5ANDGT=0THENPR\$="THE GATE IS ALR EADY CLOSED.":GOSUB2570 :rem 152 IFPL=5ANDGT=0THENPR\$="THE GATE IS ALR EADY CLOSED.":GOSUB2570 :rem 152 IFPL=5ANDGT=0THENPR\$="THE GATE IS ALR EADY CLOSED.":GOSUB2570 :rem 152 IFPL=5ANDGT=1THENGT=0:PRINT"OK."

420 IFPL <> 7THEN 340

:rem 56

850	IFPL=lANDFD=lTHENPR\$="THE DOOR IS ALR		ETURN :rem 34
1000000000	EADY OPEN.":GOSUB2570 :rem 18	1270	IFIN(4)=1THENPRINT"{CLR}":PRS=DSS(29
860	IFPL=1ANDFD=0THENFD=1:PRINT"OK."):GOSUB257Ø:GOSUB252Ø :rem 53
1	:rem 251		RETURN : rem 171
87Ø	IFPL=4ANDFD=ØTHENPR\$="THE DOOR IS ALR	1290	G=INT(RND(1)*LV*10)+1:PR\$="YOU HAVE
	EADY CLOSED.":GOSUB2570 :rem 158		{SPACE}FOUND "+STR\$(G)+" GOLD PIECES
880	IFPL=4ANDFD=1THENFD=0:PRINT"OK."		." :rem 31
	:rem Ø	1300	GOSUB2570:GP=GP+G:PR\$="YOU NOW HAVE
	RETURN :rem 129		[SPACE]"+STR\$(GP)+" GOLD PIECES.":GO
900	IFPL=3ANDMB=1THENPR\$="THE MILKBOX IS		
	[SPACE]ALREADY OPEN. ": GOSUB2570	1310	CM(10)=0:RETURN :rem 142
	:rem 247	1320	CM(10)=0:RETURN
910	IFPL=3ANDMB=ØTHENMB=1:PRINT"OK. ":CM(7	1340	IF(LV<=2)AND(OP>=3)THEN1320 :rem 91
)=1 :rem 195	1350	
920	IFPL=6ANDMB=ØTHENPR\$="THE MILKBOX IS	1360	ONOPGOTO1370,1400,1430,1460 :rem 230
10000000	[SPACE]ALREADY CLOSED. ":GOSUB2570	1370	X=INT(RND(1)*LV*10):Y=INT(RND(1)*LV*
	:rem 131	1370	
930	IFPL=6ANDMB=1THENMB=Ø:PRINT"OK.":CM(7	1200	
300)=0 :rem 199	1300	IFLV>4THENX=X-INT(RND(1)*LV*5):Y=Y-I
940	RETURN :rem 125	1200	NT(RND(1)*LV*5) :rem 168
	IFIN(1)=1THENPR\$="YOU ALREADY HAVE TH	1390	Z1=X+Y:PRINTX" + "Y"?":INPUTZ\$:GOSUB
220	E LIGHT. ":GOSUB2570:RETURN :rem 118		1510:IFWR=2THEN1390 :rem 129
960	IFLT=1THENLT=0:IN(1)=1:PRINT"OK.":CM(RETURN : Tem 1/8
900		1400	X=INT(RND(1)*LV*10):Y=INT(RND(1)*LV*
070			10) :rem 28
9/0	IFIN(1)=ØTHENPR\$="YOU DO NOT HAVE A L	1410	IFLV <= 3THENIFY > XTHENT = X: X=Y: Y=T
200	IGHT.":GOSUB257Ø:RETURN :rem 89		:rem 180
980	IFLO=ØTHENPRINT"OK.":LO=1:RETURN	1420	Z1=X-Y:PRINTX" - "Y"?":INPUTZ\$:GOSUB
000	:rem 93		1510:IFWR=2THEN1420 :rem 121
	IFLO=1THENPR\$="THE LIGHT IS ALREADY O	1425	RETURN :rem 172
	N.":GOSUB2570:RETURN :rem 20	1430	X=INT(RND(1)*LV*5):Y=INT(RND(1)*LV*5
1000	IFLO=ØTHENPR\$="THE LIGHT IS ALREADY) :rem 199
	[SPACE]OFF.":GOSUB2570:RETURN	1440	IFLV>=4THENX=X-INT(RND(1)*LV*2):Y=Y-
LYMPHA	:rem 112		INT(RND(1)*LV*2) :rem 220
1010	IFLO=1THENPRINT"OK.":LO=0:RETURN	1450	Z1=X*Y:PRINTX" * "Y"?":INPUTZ\$:GOSUB
	:rem 126	1430	1510:IFWR=2THEN1450 :rem 121
1020	PRINT"{CLR}"DS\$(16-FL(PY,PX)):rem 39	1455	RETURN :rem 175
1030	EC=PX+1:DN\$="EAST":IFEC=11THENGOTO10		X=INT(RND(1)*LV*5):Y=INT(RND(1)*LV*5
	50 :rem 73	1400	
1040	IFFL(PY,EC) <> ØTHENGOSUB112Ø : rem 177	1470) :rem 202
1050	WC=PX-1:DN\$="WEST":IFWC=ØTHENGOTO1Ø7	14/10	IFLV>=4THENX=X-INT(RND(1)*LV*3):Y=Y-
	Ø :rem 87	1400	INT(RND(1)*LV*3) :rem 225
1060	IFFL(PY, WC) <> ØTHENGOSUB112Ø :rem 197		111 01111111111111111111111111111111111
1070	NC=PY-1:DN\$="NORTH":IFNC=ØTHENGOTO1Ø	1500	Z1=X/Y:IFZ1<>INT(Z1)THEN1460 :rem 5
	90 :rem 146	1500	PRINTX" / "Y"?":INPUTZ\$:rem 66
1080	IFFL(NC, PX) <> ØTHENGOSUB112Ø : rem 189	1505	GOSUB1510:IFWR=2THEN1490 :rem 240
1090	SC=PY+1: DN\$="SOUTH": IFSC=11THENGOTO1		RETURN :rem 172
	110 :rem 207	1510	IFVAL(Z\$) <> ØTHENZ2=VAL(Z\$):GOTO154Ø
1100	IFFL(SC,PX) <> ØTHENGOSUB112Ø :rem 187		
1110	, , , , , , , , , , , , , , , , , , ,		:rem 153
	RETURN : rem 163	1520	IFZ\$<>"Ø"THENPR\$="ANSWER THE QUESTIO
	RETURN :rem 163 PRINTDN\$" IS A DOORWAY.":RETURN	1520	IFZ\$<>"0"THENPR\$="ANSWER THE QUESTIO N FIRST!":GOSUB2570:WR=2:RETURN
	PRINTDNS" IS A DOORWAY. ": RETURN		IFZ\$<>"Ø"THENPR\$="ANSWER THE QUESTIO N FIRST!":GOSUB257Ø:WR=2:RETURN :rem 255
1120	PRINTDNS" IS A DOORWAY.":RETURN :rem 149	1530	IFZ\$<>"0"THENPR\$="ANSWER THE QUESTIO N FIRST!":GOSUB2570:WR=2:RETURN :rem 255 Z2=VAL(Z\$) :rem 68
1120	PRINTDNS" IS A DOORWAY.":RETURN :rem 149 IFGK=ØANDBK=ØANDRK=ØTHENPRINT"WHAT K	1530	IFZ\$<>"0"THENPR\$="ANSWER THE QUESTIO N FIRST!":GOSUB2570:WR=2:RETURN :rem 255 Z2=VAL(Z\$) :rem 68 IFZ1=Z2THENPRINT"{CLR}CORRECT!!":WR=
112Ø 113Ø	PRINTDNS" IS A DOORWAY.":RETURN :rem 149 IFGK=ØANDBK=ØANDRK=ØTHENPRINT"WHAT K EY?":RETURN :rem 115	153Ø 154Ø	IFZ\$<>"0"THENPR\$="ANSWER THE QUESTION FIRST!":GOSUB2570:WR=2:RETURN :rem 255 Z2=VAL(Z\$) :rem 68 IFZ1=Z2THENPRINT"{CLR}CORRECT!!":WR= 0:RETURN :rem 254
1120 1130 1140	PRINTDNS" IS A DOORWAY.":RETURN :rem 149 IFGK=ØANDBK=ØANDRK=ØTHENPRINT"WHAT K EY?":RETURN PRINT"OK." :rem 115	153Ø 154Ø	IFZ\$<>"0"THENPR\$="ANSWER THE QUESTIO N FIRST!":GOSUB2570:WR=2:RETURN :rem 255 Z2=VAL(Z\$) :rem 68 IFZ1=Z2THENPRINT"{CLR}CORRECT!!":WR=
1120 1130 1140 1150	PRINTDN\$" IS A DOORWAY.":RETURN :rem 149 IFGK=ØANDBK=ØANDRK=ØTHENPRINT"WHAT K EY?":RETURN PRINT"OK." :rem 95 IFGKTHENGK=Ø:IN(2)=1:RETURN :rem 242	153Ø 154Ø 155Ø	IFZ\$<>"0"THENPR\$="ANSWER THE QUESTION FIRST!":GOSUB2570:WR=2:RETURN :rem 255 Z2=VAL(Z\$) :rem 68 IFZ1=Z2THENPRINT"{CLR}CORRECT!!":WR= 0:RETURN :rem 254 PRINT"{CLR}INCORRECT!!":WR=1:RETURN :rem 133
1120 1130 1140 1150 1160	PRINTDN\$" IS A DOORWAY.":RETURN :rem 149 IFGK=ØANDBK=ØANDRK=ØTHENPRINT"WHAT K EY?":RETURN PRINT"OK." :rem 115 PRINT"OK." :rem 95 IFGKTHENGK=Ø:IN(2)=1:RETURN :rem 242 IFBKTHENBK=Ø:IN(3)=1:RETURN :rem 234	153Ø 154Ø 155Ø	IFZ\$<>"Ø"THENPR\$="ANSWER THE QUESTION FIRST!":GOSUB257Ø:WR=2:RETURN :rem 255 Z2=VAL(Z\$) :rem 68 IFZ1=Z2THENPRINT"{CLR}CORRECT!!":WR= Ø:RETURN :rem 254 PRINT"{CLR}INCORRECT!!":WR=1:RETURN :rem 133 WA=Ø:IFLO=ØTHENPR\$="I'D TURN ON MY L
1120 1130 1140 1150 1160	PRINTDNS" IS A DOORWAY.":RETURN :rem 149 IFGK=ØANDBK=ØANDRK=ØTHENPRINT"WHAT K EY?":RETURN :rem 115 PRINT"OK." :rem 95 IFGKTHENGK=Ø:IN(2)=1:RETURN :rem 242 IFBKTHENBK=Ø:IN(3)=1:RETURN :rem 234 IFRKTHENRK=Ø:IN(4)=1:BD=2:RETURN	153Ø 154Ø 155Ø	IFZ\$<>"0"THENPR\$="ANSWER THE QUESTION FIRST!":GOSUB2570:WR=2:RETURN :rem 255 Z2=VAL(Z\$) :rem 68 IFZ1=Z2THENPRINT"{CLR}CORRECT!!":WR= 0:RETURN :rem 254 PRINT"{CLR}INCORRECT!!":WR=1:RETURN :rem 133
1120 1130 1140 1150 1160 1170	PRINTDN\$" IS A DOORWAY.":RETURN :rem 149 IFGK=ØANDBK=ØANDRK=ØTHENPRINT"WHAT K EY?":RETURN :rem 115 PRINT"OK." :rem 95 IFGKTHENGK=Ø:IN(2)=1:RETURN :rem 242 IFBKTHENBK=Ø:IN(3)=1:RETURN :rem 234 IFRKTHENRK=Ø:IN(4)=1:BD=2:RETURN :rem 59	153Ø 154Ø 155Ø 156Ø	IFZ\$<>"0"THENPR\$="ANSWER THE QUESTION FIRST!":GOSUB2570:WR=2:RETURN :rem 255 Z2=VAL(Z\$) :rem 68 IFZ1=Z2THENPRINT"{CLR}CORRECT!!":WR= 0:RETURN :rem 254 PRINT"{CLR}INCORRECT!!":WR=1:RETURN :rem 133 WA=0:IFLO=0THENPR\$="I'D TURN ON MY L IGHT FIRST.":GOSUB2570:GOTO1610 :rem 73
1120 1130 1140 1150 1160 1170	PRINTDN\$" IS A DOORWAY.":RETURN :rem 149 IFGK=ØANDBK=ØANDRK=ØTHENPRINT"WHAT K EY?":RETURN :rem 115 PRINT"OK." :rem 95 IFGKTHENGK=Ø:IN(2)=1:RETURN :rem 242 IFBKTHENBK=Ø:IN(3)=1:RETURN :rem 234 IFRKTHENRK=Ø:IN(4)=1:BD=2:RETURN :rem 59 RETURN :rem 170	153Ø 154Ø 155Ø 156Ø	IFZ\$<>"0"THENPR\$="ANSWER THE QUESTION FIRST!":GOSUB2570:WR=2:RETURN :rem 255 Z2=VAL(Z\$) :rem 68 IFZ1=Z2THENPRINT"{CLR}CORRECT!!":WR= 0:RETURN :rem 254 PRINT"{CLR}INCORRECT!!":WR=1:RETURN :rem 133 WA=0:IFLO=0THENPR\$="I'D TURN ON MY L IGHT FIRST.":GOSUB2570:GOTO1610 :rem 73 C=ABS(PL=18)-ABS(PL=19):D=ABS(PL=17)
1120 1130 1140 1150 1160 1170 1180 1190	PRINTDN\$" IS A DOORWAY.":RETURN :rem 149 IFGK=ØANDBK=ØANDRK=ØTHENPRINT"WHAT K EY?":RETURN PRINT"OK." :rem 115 PRINT"OK." :rem 95 IFGKTHENGK=Ø:IN(2)=1:RETURN :rem 242 IFBKTHENBK=Ø:IN(3)=1:RETURN :rem 234 IFRKTHENRK=Ø:IN(4)=1:BD=2:RETURN :rem 59 RETURN IFGD<>170 IFGD<>171 IFGD<>172 IFGD<>172 IFGD<>173 IFGD<>174 IFGD<>174 IFGD<>175 IFGD	153Ø 154Ø 155Ø 156Ø 157Ø	IFZ\$<>"0"THENPR\$="ANSWER THE QUESTION FIRST!":GOSUB2570:WR=2:RETURN :rem 255 Z2=VAL(Z\$) :rem 68 IFZ1=Z2THENPRINT"{CLR}CORRECT!!":WR= 0:RETURN :rem 254 PRINT"{CLR}INCORRECT!!":WR=1:RETURN :rem 133 WA=0:IFLO=0THENPR\$="I'D TURN ON MY L IGHT FIRST.":GOSUB2570:GOTO1610 :rem 73 C=ABS(PL=18)-ABS(PL=19):D=ABS(PL=17) -ABS(PL=16):TX=PX+C:TY=PY+D :rem 121
1120 1130 1140 1150 1160 1170 1180 1190	PRINTDN\$" IS A DOORWAY.":RETURN :rem 149 IFGK=ØANDBK=ØANDRK=ØTHENPRINT"WHAT K EY?":RETURN PRINT"OK." :rem 95 IFGKTHENGK=Ø:IN(2)=1:RETURN :rem 242 IFBKTHENBK=Ø:IN(3)=1:RETURN :rem 234 IFRKTHENRK=Ø:IN(4)=1:BD=2:RETURN :rem 59 RETURN :rem 170 IFGD<>1THEN1220 :rem 132 IFIN(2)=ØTHENPR\$=DS\$(10):GOSUB2570:R	153Ø 154Ø 155Ø 156Ø 157Ø	IFZ\$<>"Ø"THENPR\$="ANSWER THE QUESTION FIRST!":GOSUB257Ø:WR=2:RETURN :rem 255 Z2=VAL(Z\$) :rem 68 IFZ1=Z2THENPRINT"{CLR}CORRECT!!":WR= Ø:RETURN :rem 254 PRINT"{CLR}INCORRECT!!":WR=1:RETURN :rem 133 WA=Ø:IFLO=ØTHENPR\$="I'D TURN ON MY L IGHT FIRST.":GOSUB257Ø:GOTO161Ø :rem 73 C=ABS(PL=18)-ABS(PL=19):D=ABS(PL=17) -ABS(PL=16):TX=PX+C:TY=PY+D :rem 121 IFTX=11ORTX=ØORTY=11ORTY=ØTHENPRINT"
1120 1130 1140 1150 1160 1170 1180 1190 1200	PRINTDN\$" IS A DOORWAY.":RETURN :rem 149 IFGK=ØANDBK=ØANDRK=ØTHENPRINT"WHAT K EY?":RETURN PRINT"OK." :rem 115 PRINT"OK." :rem 95 IFGKTHENGK=Ø:IN(2)=1:RETURN :rem 242 IFBKTHENBK=Ø:IN(3)=1:RETURN :rem 234 IFRKTHENRK=Ø:IN(4)=1:BD=2:RETURN :rem 59 RETURN :rem 17Ø IFGD<>1THEN122Ø :rem 132 IFIN(2)=ØTHENPR\$=DS\$(1Ø):GOSUB257Ø:R ETURN :rem 26	153Ø 154Ø 155Ø 156Ø 157Ø	IFZ\$<>"0"THENPR\$="ANSWER THE QUESTION FIRST!":GOSUB2570:WR=2:RETURN :rem 255 Z2=VAL(Z\$) :rem 68 IFZ1=Z2THENPRINT"{CLR}CORRECT!!":WR= 0:RETURN :rem 254 PRINT"{CLR}INCORRECT!!":WR=1:RETURN :rem 133 WA=0:IFLO=0THENPR\$="I'D TURN ON MY L IGHT FIRST.":GOSUB2570:GOTO1610 :rem 73 C=ABS(PL=18)-ABS(PL=19):D=ABS(PL=17) -ABS(PL=16):TX=PX+C:TY=PY+D :rem 121
1120 1130 1140 1150 1160 1170 1180 1190 1200	PRINTDN\$" IS A DOORWAY.":RETURN :rem 149 IFGK=ØANDBK=ØANDRK=ØTHENPRINT"WHAT K EY?":RETURN PRINT"OK." :rem 115 PRINT"OK." :rem 95 IFGKTHENGK=Ø:IN(2)=1:RETURN :rem 242 IFBKTHENBK=Ø:IN(3)=1:RETURN :rem 234 IFRKTHENRK=Ø:IN(4)=1:BD=2:RETURN :rem 59 RETURN :rem 17Ø IFGD<>1THEN122Ø :rem 132 IFIN(2)=ØTHENPR\$=DS\$(1Ø):GOSUB257Ø:R ETURN :rem 26 IFIN(2)=1THENPR\$=DS\$(27):GOSUB257Ø:M	153Ø 154Ø 155Ø 156Ø 157Ø 158Ø	IFZ\$<>"0"THENPR\$="ANSWER THE QUESTION FIRST!":GOSUB2570:WR=2:RETURN :rem 255 Z2=VAL(Z\$) :rem 68 IFZ1=Z2THENPRINT"{CLR}CORRECT!!":WR= 0:RETURN :rem 254 PRINT"{CLR}INCORRECT!!":WR=1:RETURN :rem 133 WA=0:IFLO=0THENPR\$="I'D TURN ON MY LIGHT FIRST.":GOSUB2570:GOTO1610 :rem 73 C=ABS(PL=18)-ABS(PL=19):D=ABS(PL=17) -ABS(PL=16):TX=PX+C:TY=PY+D :rem 121 IFTX=11ORTX=0ORTY=11ORTY=0THENPRINT" THERE IS A WALL THERE.":WA=1:GOTO161 0 :rem 176
1120 1130 1140 1150 1160 1170 1180 1190 1200	PRINTDN\$" IS A DOORWAY.":RETURN :rem 149 IFGK=ØANDBK=ØANDRK=ØTHENPRINT"WHAT K EY?":RETURN PRINT"OK." :rem 95 IFGKTHENGK=Ø:IN(2)=1:RETURN :rem 242 IFBKTHENBK=Ø:IN(3)=1:RETURN :rem 234 IFRKTHENRK=Ø:IN(4)=1:BD=2:RETURN :rem 59 RETURN :rem 170 IFGD<>1THEN1220 :rem 132 IFIN(2)=ØTHENPR\$=DS\$(10):GOSUB2570:R ETURN :rem 26 IFIN(2)=1THENPR\$=DS\$(27):GOSUB2570:M A=1:CM(11)=1:CM(1)=Ø:RETURN :rem 254	153Ø 154Ø 155Ø 156Ø 157Ø 158Ø	IFZ\$<>"Ø"THENPR\$="ANSWER THE QUESTION FIRST!":GOSUB257Ø:WR=2:RETURN :rem 255 Z2=VAL(Z\$) :rem 68 IFZ1=Z2THENPRINT"{CLR}CORRECT!!":WR= Ø:RETURN :rem 254 PRINT"{CLR}INCORRECT!!":WR=1:RETURN :rem 133 WA=Ø:IFLO=ØTHENPR\$="I'D TURN ON MY LIGHT FIRST.":GOSUB257Ø:GOTO161Ø :rem 73 C=ABS(PL=18)-ABS(PL=19):D=ABS(PL=17) -ABS(PL=16):TX=PX+C:TY=PY+D :rem 121 IFTX=11ORTX=ØORTY=11ORTY=ØTHENPRINT" THERE IS A WALL THERE.":WA=1:GOTO161 Ø :rem 176 IFFL(TY,TX)=ØTHENPRINT"THERE IS A WA
1120 1130 1140 1150 1160 1170 1180 1190 1200 1210	PRINTDN\$" IS A DOORWAY.":RETURN :rem 149 IFGK=ØANDBK=ØANDRK=ØTHENPRINT"WHAT K EY?":RETURN PRINT"OK." :rem 95 IFGKTHENGK=Ø:IN(2)=1:RETURN :rem 242 IFBKTHENBK=Ø:IN(3)=1:RETURN :rem 234 IFRKTHENRK=Ø:IN(4)=1:BD=2:RETURN :rem 59 RETURN :rem 17Ø IFGD<>1THEN122Ø :rem 132 IFIN(2)=ØTHENPR\$=DS\$(1Ø):GOSUB257Ø:R ETURN :rem 26 IFIN(2)=1THENPR\$=DS\$(27):GOSUB257Ø:M A=1:CM(11)=1:CM(1)=Ø:RETURN :rem 254 IFBD<>1THEN125Ø :rem 124	153Ø 154Ø 155Ø 156Ø 157Ø 158Ø	IFZ\$<>"Ø"THENPR\$="ANSWER THE QUESTION FIRST!":GOSUB257Ø:WR=2:RETURN :rem 255 Z2=VAL(Z\$) :rem 68 IFZ1=Z2THENPRINT"{CLR}CORRECT!!":WR= Ø:RETURN :rem 254 PRINT"{CLR}INCORRECT!!":WR=1:RETURN :rem 133 WA=Ø:IFLO=ØTHENPR\$="I'D TURN ON MY LIGHT FIRST.":GOSUB257Ø:GOTO161Ø :rem 73 C=ABS(PL=18)-ABS(PL=19):D=ABS(PL=17) -ABS(PL=16):TX=PX+C:TY=PY+D :rem 121 IFTX=11ORTX=ØORTY=11ORTY=ØTHENPRINT" THERE IS A WALL THERE.":WA=1:GOTO161 Ø :rem 176 IFFL(TY,TX)=ØTHENPRINT"THERE IS A WALL THERE.":WA=1:GOTO161Ø :rem 217
1120 1130 1140 1150 1160 1170 1180 1190 1200 1210	PRINTDN\$" IS A DOORWAY.":RETURN :rem 149 IFGK=ØANDBK=ØANDRK=ØTHENPRINT"WHAT K EY?":RETURN PRINT"OK." :rem 95 IFGKTHENGK=Ø:IN(2)=1:RETURN :rem 242 IFBKTHENBK=Ø:IN(3)=1:RETURN :rem 234 IFRKTHENRK=Ø:IN(4)=1:BD=2:RETURN :rem 59 RETURN :rem 170 IFGD<>1THEN1220 :rem 132 IFIN(2)=ØTHENPR\$=DS\$(1Ø):GOSUB257Ø:R ETURN :rem 26 IFIN(2)=1THENPR\$=DS\$(27):GOSUB257Ø:M A=1:CM(11)=1:CM(1)=Ø:RETURN :rem 254 IFBD<>1THEN125Ø :rem 124 IFIN(3)=ØTHENPR\$=DS\$(1Ø):GOSUB257Ø:R	1530 1540 1550 1560 1570 1580 1590 1600	IFZ\$<>"Ø"THENPR\$="ANSWER THE QUESTION FIRST!":GOSUB257Ø:WR=2:RETURN :rem 255 Z2=VAL(Z\$) :rem 68 IFZ1=Z2THENPRINT"{CLR}CORRECT!!":WR= Ø:RETURN :rem 254 PRINT"{CLR}INCORRECT!!":WR=1:RETURN :rem 133 WA=Ø:IFLO=ØTHENPR\$="I'D TURN ON MY LIGHT FIRST.":GOSUB257Ø:GOTO161Ø :rem 73 C=ABS(PL=18)-ABS(PL=19):D=ABS(PL=17) -ABS(PL=16):TX=PX+C:TY=PY+D :rem 121 IFTX=11ORTX=ØORTY=11ORTY=ØTHENPRINT" THERE IS A WALL THERE.":WA=1:GOTO161 Ø :rem 176 IFFL(TY,TX)=ØTHENPRINT"THERE IS A WA LL THERE.":WA=1:GOTO161Ø :rem 217 PX=TX:PY=TY :rem 37
1120 1130 1140 1150 1160 1170 1180 1200 1210 1220 1230	PRINTDN\$" IS A DOORWAY.":RETURN :rem 149 IFGK=ØANDBK=ØANDRK=ØTHENPRINT"WHAT K EY?":RETURN PRINT"OK." :rem 95 IFGKTHENGK=Ø:IN(2)=1:RETURN :rem 242 IFBKTHENBK=Ø:IN(3)=1:RETURN :rem 234 IFRKTHENRK=Ø:IN(4)=1:BD=2:RETURN :rem 59 RETURN :rem 170 IFGD<>1THEN1220 :rem 132 IFIN(2)=ØTHENPR\$=DS\$(10):GOSUB2570:R ETURN :rem 26 IFIN(2)=1THENPR\$=DS\$(27):GOSUB2570:M A=1:CM(11)=1:CM(1)=Ø:RETURN :rem 254 IFBD<>1THEN1250 :rem 124 IFIN(3)=ØTHENPR\$=DS\$(10):GOSUB2570:R ETURN :rem 30	1530 1540 1550 1560 1570 1580 1590 1600 1610	IFZ\$<>"Ø"THENPR\$="ANSWER THE QUESTION FIRST!":GOSUB257Ø:WR=2:RETURN
1120 1130 1140 1150 1160 1170 1180 1200 1210 1220 1230	PRINTDN\$" IS A DOORWAY.":RETURN :rem 149 IFGK=ØANDBK=ØANDRK=ØTHENPRINT"WHAT K EY?":RETURN PRINT"OK." :rem 95 IFGKTHENGK=Ø:IN(2)=1:RETURN :rem 242 IFBKTHENBK=Ø:IN(3)=1:RETURN :rem 234 IFRKTHENRK=Ø:IN(4)=1:BD=2:RETURN :rem 59 RETURN :rem 170 IFGD<>1THEN1220 :rem 132 IFIN(2)=ØTHENPR\$=DS\$(10):GOSUB2570:R ETURN :rem 26 IFIN(2)=1THENPR\$=DS\$(27):GOSUB2570:M A=1:CM(11)=1:CM(1)=Ø:RETURN :rem 254 IFBD<>1THEN1250 :rem 124 IFIN(3)=ØTHENPR\$=DS\$(10):GOSUB2570:R ETURN :rem 30 IFIN(3)=1THENPR\$=DS\$(28):GOSUB2570:C	1530 1540 1550 1560 1570 1580 1590 1600 1610	IFZ\$<>"Ø"THENPR\$="ANSWER THE QUESTION FIRST!":GOSUB257Ø:WR=2:RETURN
1120 1130 1140 1150 1160 1170 1180 1200 1210 1220 1230 1240	PRINTDN\$" IS A DOORWAY.":RETURN :rem 149 IFGK=ØANDBK=ØANDRK=ØTHENPRINT"WHAT K EY?":RETURN PRINT"OK." :rem 95 IFGKTHENGK=Ø:IN(2)=1:RETURN :rem 242 IFBKTHENBK=Ø:IN(3)=1:RETURN :rem 234 IFRKTHENRK=Ø:IN(4)=1:BD=2:RETURN :rem 59 RETURN :rem 170 IFGD<>1THEN1220 :rem 132 IFIN(2)=ØTHENPR\$=DS\$(10):GOSUB2570:R ETURN :rem 26 IFIN(2)=1THENPR\$=DS\$(27):GOSUB2570:M A=1:CM(11)=1:CM(1)=Ø:RETURN :rem 254 IFBD<>1THEN1250 :rem 124 IFIN(3)=ØTHENPR\$=DS\$(10):GOSUB2570:R ETURN :rem 30 IFIN(3)=1THENPR\$=DS\$(28):GOSUB2570:C M(8)=1:RK=1:CM(1)=Ø:RETURN :rem 232	1530 1540 1550 1560 1570 1580 1590 1600 1610 1620	IFZ\$<>"0"THENPR\$="ANSWER THE QUESTION FIRST!":GOSUB2570:WR=2:RETURN
1120 1130 1140 1150 1160 1170 1180 1200 1210 1220 1230 1240	PRINTDN\$" IS A DOORWAY.":RETURN :rem 149 IFGK=ØANDBK=ØANDRK=ØTHENPRINT"WHAT K EY?":RETURN PRINT"OK." :rem 95 IFGKTHENGK=Ø:IN(2)=1:RETURN :rem 242 IFBKTHENBK=Ø:IN(3)=1:RETURN :rem 243 IFRKTHENRK=Ø:IN(4)=1:BD=2:RETURN :rem 59 RETURN :rem 170 IFGD<>1THEN1220 :rem 132 IFIN(2)=ØTHENPR\$=DS\$(10):GOSUB2570:R ETURN :rem 26 IFIN(2)=1THENPR\$=DS\$(27):GOSUB2570:M A=1:CM(11)=1:CM(1)=Ø:RETURN :rem 254 IFBD<>1THEN1250 :rem 124 IFIN(3)=ØTHENPR\$=DS\$(10):GOSUB2570:R ETURN :rem 30 IFIN(3)=1THENPR\$=DS\$(28):GOSUB2570:C M(8)=1:RK=1:CM(1)=Ø:RETURN :rem 232 IFRD<>1THEN1280 :rem 146	1530 1540 1550 1560 1570 1580 1590 1600 1610 1620	IFZ\$<>"Ø"THENPR\$="ANSWER THE QUESTION FIRST!":GOSUB257Ø:WR=2:RETURN
1120 1130 1140 1150 1160 1170 1180 1200 1210 1220 1230 1240	PRINTDN\$" IS A DOORWAY.":RETURN :rem 149 IFGK=ØANDBK=ØANDRK=ØTHENPRINT"WHAT K EY?":RETURN PRINT"OK." :rem 95 IFGKTHENGK=Ø:IN(2)=1:RETURN :rem 242 IFBKTHENBK=Ø:IN(3)=1:RETURN :rem 234 IFRKTHENRK=Ø:IN(4)=1:BD=2:RETURN :rem 59 RETURN :rem 170 IFGD<>1THEN1220 :rem 132 IFIN(2)=ØTHENPR\$=DS\$(10):GOSUB2570:R ETURN :rem 26 IFIN(2)=1THENPR\$=DS\$(27):GOSUB2570:M A=1:CM(11)=1:CM(1)=Ø:RETURN :rem 254 IFBD<>1THEN1250 :rem 124 IFIN(3)=ØTHENPR\$=DS\$(10):GOSUB2570:R ETURN :rem 30 IFIN(3)=1THENPR\$=DS\$(28):GOSUB2570:C M(8)=1:RK=1:CM(1)=Ø:RETURN :rem 232	1530 1540 1550 1560 1570 1580 1590 1600 1610 1620	IFZ\$<>"0"THENPR\$="ANSWER THE QUESTION FIRST!":GOSUB2570:WR=2:RETURN

		1:IFFL(Y,X)=3THEN1630	:rem 51		030	:rem 155
,	610	FL(Y,X)=3:I=I+1:IFI<=NMTHEN		2070	GOSUB227Ø:GOSUB22ØØ	:rem 146
7	040	FE(1, K) - 3:1-1:1:11 :	:rem 127		GOSUB231Ø	:rem 16
_		many 1 mayuta	:rem 4	2000	IFPL=20THENGOSUB2850:GOTO2	
		FORI=1TONM*2		2090	TFPL=ZWIHENGOSUBZOSWEGOTOZ	COTO 2070
1	.660	X=INT(RND(1)*10)+1:Y=INT(RN	D(1)*10)+	2100	IFPL=15ANDLOTHENGOSUB1020:	G0102070
		1	:rem 68			:rem 173
1	670	IFFL(Y,X)=3THEN1660	:rem 137	2110	IFPL=15ANDLO=ØTHEN2Ø6Ø	:rem 100
		FL(Y,X)=Ø:NEXTI	:rem 190	2120	IFPL=14THEN2Ø8Ø	:rem 139
1	600	FORI=1TO10:FORJ=1TO10	:rem 79	2130	IFPL=11THEN2490:GOTO2080	:rem 203
1	700	IFFL(I,J)=3THENGOSUB178Ø	.rom 232	2140	IFPL=8THENGOSUB1130:GOTO20	
				2140	IFPL=1THENGOSUB1190:GOTO20	00 .rem 24
]	1710	NEXTJ:NEXTI	:rem 20	2150	IFPL=ITHENGOSUBI190:GOTOZO	00 : I em 24
]	1720	GOSUB1840:GX=X:GY=Y:IF(BX=X	(ANDBY=Y)O	2160	IFPL=10THENGOSUB1290:GOTO2	080:rem /4
		R(RX=XANDRY=Y)ORFL(Y,X)=ØTH	HEN1720	2170	IFPL=22THENGOSUB2470: RETUR	N :rem 44
			:rem 78	2180	IFPL>15THENGOSUB1560:IF(LO	$=\emptyset$)OR(WA=1
	1730	GOSUB1840:BX=X:BY=Y:IF(GX=X	(ANDGY=Y)O)THEN2Ø8Ø	
		R(RX=XANDRY=Y)ORFL(Y,X)=ØTH	IEN173Ø	2190	RETURN	:rem 172
		K(KA-KHIDKI-I)OKI B(I/K)-DIL	:rem 80		IF(X1=PXANDY1=PY)ANDGD<>2T	
١.				2200		
	1740	GOSUB1840:X1=X:Y1=Y:IF(X2=X		parties a second	(17):GOSUB257Ø:GD=1:CM(1)=	
		R(X3=XANDY3=Y)ORFL(Y,X)=ØTF		2210	IF(X2=PXANDY2=PY)ANDBD<>2T	HENPK\$=DS\$
		The second secon	:rem 200		(19):GOSUB2570:BD=1:CM(1)=	1 :rem 117
	1750	GOSUB1840:X2=X:Y2=Y:IF(X1=>	(ANDY1=Y)O	2220	IF(X3=PXANDY3=PY)ANDRD<>2T	HENPR\$=DS\$
		R(X3=XANDY3=Y)ORFL(Y,X)=ØTH			(18):GOSUB257Ø:RD=1:CM(1)=	1 :rem 151
			:rem 202	2230	IF(X1<>PXORY1<>PY)ANDGD<>2	THENGD=Ø
	1760	GOSUB1840:X3=X:Y3=Y:IF(X1=>		2200	II (MI WINGHII WII) III DOD	:rem 209
11.	1 / 60			2010	IF(X2<>PXORY2<>PY)ANDBD<>2	
		R(X2=XANDY2=Y)ORFL(Y,X)=ØTE		2240	IF(XZ<>PXORYZ<>PY)ANDBD<>2	
			:rem 204			:rem 202
1	1770	RETURN	:rem 175	2250	IF(X3<>PXORY3<>PY)ANDRD<>2	THENRD=Ø
	1780	FORK=JTO10:GOSUB1800:NEXTK:	:FORK=JTO1			:rem 237
		STEP-1:GOSUB1800:NEXTK	:rem 124	2260	RETURN	:rem 170
	1790	FORK=ITO10:GOSUB1820:NEXTK			IFBX=PXANDBY=PYANDIN(3)=ØT	
33	1,00	STEP-1:GOSUB1820:NEXTK:RETU		22,0	(21):GOSUB257Ø:BK=1:CM(8)=	
		STEP-1:GOSUBIOZU:NEXIK: REIG		2200	IFGX=PXANDGY=PYANDIN(2)=ØT	
			:rem 153	2280		
	1800	IFFL(I,K)=ØTHENFL(I,K)=INT			(20):GOSUB2570:GK=1:CM(8)=	
		+1	:rem 209	2290	IFRX=PXANDRY=PYANDIN(4)=ØT	
	1810	RETURN	:rem 170		(22):GOSUB2570:RK=1:CM(8)=	1 :rem 219
	1820	IFFL(K,J)=ØTHENFL(K,J)=INT		2300	RETURN	:rem 165
Ī		+1	:rem 213	2310	INPUTC\$: PL=0: FORI=1TO22: IF	CM\$(I)=C\$T
			:rem 172	2310	HENPL=I:I=23	:rem 16
	1830	RETURN	: rem 1/2	2220		:rem 6
	1840	X=INT(RND(1)*10)+1:Y=INT(R	ND(1),10)+	2320	NEXT	
		1:IFFL(Y,X)=ØTHEN184Ø	:rem 54	2330	IFPL=ØTHENPRINT"YOU CAN'T	DO THAT!
	1850	RETURN	:rem 174		GOTO231Ø	:rem 200
	1860	GOSUB790:FORI=12TO19:CM(I):	=1:NEXT:CM	2340	N\$="":I=1	:rem 173
	1000	(22)=1	:rem 62	2350	T\$=MID\$(C\$,I,1)	:rem 7
	1070	PRINT" {CLR}": PR\$=DS\$(16-Z)		2360	IFASC(T\$)=32THENL=I:GOTO23	90:rem 222
	18/0	PRINT (CLR) :PRO-DSO(10-2)	:rem 56	2370	IFI=LEN(C\$)THENGOTO2410	:rem 167
		:IFLO=1THENGOSUB1030			I=I+1:GOTO235Ø	:rem 53
		GOSUB227Ø:GOSUB22ØØ	:rem 154			:rem 202
	1890	GOSUB2310:IFPL=15ANDLOTHEN	GOSUB1020:	2390	N\$=MID\$(C\$,L+1,LEN(C\$))	
		GOTO188Ø	:rem 68	2400	IFCM(PL)=ØTHENPRINT"I SEE	NO "NS" HE
	1900	IFPL=20THENGOSUB2850:GOTO1	890:rem 87		RE!":GOTO2310	:rem 54
		IFPL=15ANDLO=ØTHEN187Ø	:rem 115	2410	IFC\$="INV"THENGOTO2430	:rem 92
	1020	IFPL=1THENGOSUB1190:GOTO18		2420	RETURN	:rem 168
			:rem 155		PRINT "YOU ARE CARRYING :"	:rem 8
	1930	IFPL=14THEN1890		2440	FORI=1TO5:IFIN(I)=1THENPRI	
	1940	IFPL=11THENGOSUB2490:GOTO1	.890:rem 91	2440		:rem 62
	1950	IFPL=8THENGOSUB1130:GOTO18	190 : rem 40		I)	
	1960	IFPL=22THENGOSUB2470: RETUR	N : rem 50	2450	NEXTI: IFGP <> ØTHENPRINTGP"	
	197Ø	IFPL>15THENGOSUB1560:IF(LC	0=0) OR (WA=1		S. "	:rem 1
	- Service)THEN1890	:rem 54		RETURN	:rem 172
	1000	RETURN	:rem 178	2470	PX=INT(RND(1)*10)+1:PY=INT	(RND(1)*10
		GOSUB790:FORI=10TO19:CM(I))+1:IFFL(PY, PX)=ØTHEN247Ø	:rem 118
	2000		:rem 120	2480	Z=FL(PY,PX):RETURN	:rem 223
		M(22)=1				
	2010	PR\$=DS\$(23):GOSUB2570:PR\$=	=DS\$(24):GO	2490	IFIN(5)=1THENPR\$="YOU ALRI	SADY HAVE T
		SUB2570:GOSUB1320:IFWR=ØTH			HE MAPI":GOSUB2570:RETURN	:rem 4
			:rem 132	2500	IFMA=ØTHENPRINT"WHAT MAP?	: RETURN
	0000	GP=Ø:PR\$=DS\$(25):GOSUB2576		5.00		:rem 188
	2000		The second secon	2510	PRINT"OK.":IN(5)=1:MA=0:CN	
	2020		:rem 27	2310	PRINT UK. IINISTELIMAEDICI	M(20)=1:GD=
		ØØØ:NEXTW	:rem 27			rem 148
		000:NEXTW X=INT(RND(1)*10+1):Y=INT(1	RND(1)*10)+		2:RETURN	:rem 148
	2030	<pre>000:NEXTW X=INT(RND(1)*10+1):Y=INT(1 1:IFFL(Y,X)=0THEN2030</pre>	RND(1)*10)+ :rem 38	2520	2:RETURN PRS="{2 DOWN}YOU HAVE FOUN	rem 148
	2030	<pre>000:NEXTW X=INT(RND(1)*10+1):Y=INT(1 1:IFFL(Y,X)=0THEN2030 PX=X:PY=Y:Z=FL(PY,PX):RETURN </pre>	RND(1)*10)+ :rem 38 URN:rem 199	2520	2:RETURN	:rem 148 ND YOUR WAY ":GOSUB2570
	2030	<pre>000:NEXTW X=INT(RND(1)*10+1):Y=INT(1 1:IFFL(Y,X)=0THEN2030</pre>	RND(1)*10)+ :rem 38 URN:rem 199	2520	2:RETURN PR\$="{2 DOWN}YOU HAVE FOUN OUT OF THE MATH DUNGEON.	:rem 148 ND YOUR WAY ":GOSUB2570 :rem 109
	2030 2040 2050	<pre>000:NEXTW X=INT(RND(1)*10+1):Y=INT(1) 1:IFFL(Y,X)=0THEN2030 PX=X:PY=Y:Z=FL(PY,PX):RETU PR\$=DS\$(26):GOSUB2570:FL(1)</pre>	RND(1)*10)+ :rem 38 URN:rem 199 PY,PX)=2 :rem 207	252Ø 253Ø	2:RETURN PR\$="{2 DOWN}YOU HAVE FOUL OUT OF THE MATH DUNGEON." PR\$="{DOWN}{2 SPACES}YOU I	:rem 148 ND YOUR WAY :GOSUB2570 :rem 109 HAVE WON "+
	2030 2040 2050	<pre>000:NEXTW X=INT(RND(1)*10+1):Y=INT(1 1:IFFL(Y,X)=0THEN2030 PX=X:PY=Y:Z=FL(PY,PX):RETURN </pre>	RND(1)*10)+ :rem 38 URN:rem 199 PY,PX)=2 :rem 207	252Ø 253Ø	2:RETURN PR\$="{2 DOWN}YOU HAVE FOUN OUT OF THE MATH DUNGEON.	:rem 148 ND YOUR WAY :GOSUB2570 :rem 109 HAVE WON "+

2540	EY.":GOSUB2570 :rem 125 PRINT"{DOWN} PLAY AGAIN";:INPUT A\$	{SPACE}MAPI":RETURN :rem 191 2860 PRINT"{CLR}":PRINT :rem 251
	:rem 173 :rem 190 :rem 164	2870 FORI=1TO10:TB=1:FORJ=1TO10 :rem 142 2880 IFI=PYANDJ=PXTHENPRINTTAB(TB)"{GRN}*
	IFLEN(PR\$) <= CCTHENPRINTPR\$: RETURN	";:GOTO2930 :rem 20 2890 IFFL(I,J)=3THENPRINTTAB(TB)"{BLK}M";
2580	:rem 238 T\$=MID\$(PR\$,CC,1):IFASC(T\$)=32THENI=	:GOTO2930 :rem 139 2900 IFFL(I,J)=2THENPRINTTAB(TB)"[BLU]R":
	CC:GOTO2620 :rem 43 I=CC-1 :rem 58 T\$=MID\$(PR\$,I,1):IFASC(T\$)=32THENGOT	:GOTO2930 :rem 22 2910 IFFL(I,J)=1THENPRINTTAB(TB)"{PUR}H";
	O2620 :rem 161 I=I-1:GOTO2600 :rem 49	:GOTO2930 :rem 137 2920 PRINTTAB(TB)"{RVS}{YEL} {OFF}";
2620	A\$=MID\$(PR\$,I+1,LEN(PR\$)):B\$=MID\$(PR	:rem 217 2930 TB=TB+2:NEXTJ:PRINT:PRINT:NEXTI
	IFLEN(A\$) <= CCTHENPRINTA\$: RETURN	2940 PRINT"{BLU}":RETURN :rem 167 :rem 217
264Ø 265Ø	PR\$=A\$:GOTO257Ø :rem 117 DATAOPEN DOOR,OPEN GATE,OPEN MILKBOX ,CLOSE DOOR,CLOSE GATE,CLOSE MILKBOX	Chomper
2660	DATAGET NOTE, GET KEY, GET LIGHT, GET G	Article on page 56.
2670	OLD, GET MAP, LIGHT ON, LIGHT OFF, INV :rem 108	BEFORE TYPING
2070	DATALOOK, N, S, E, W, MAP, MAP, ALGEBRA, LIG HT, GREEN KEY, BLUE KEY, RED KEY, MAP : rem 154	Before typing in programs, please refer to "How To Type In COMPUTE!'s GAZETTE
2680	DATAYOU ARE FACING NORTH. A GATE IS {SPACE}IN FRONT OF YOU., THE GATE IS {SPACE}OPEN. ?rem 40	Programs," which appears before the Program Listings.
	DATATHE GATE IS CLOSED., YOU ARE IN A DENSE FOREST. : rem 186	Program 1—chomper—VIC Version
2700	DATAYOU ARE IN FRONT OF AN OLD HOUSE . THERE IS A MILKBOX BY THE DOOR.	10 PRINT"{CLR}"SPC(183)"CHOMPER":FORI=1TO 2000:NEXT:GOTO610 :rem 170
2710	DATATHE MILKBOX IS CLOSED., THE MILKB OX IS OPEN., THE DOOR IS CLOSED.	20 M=M+1:X=45+G-INT(TI/60):IFX<0THEN240
2720	DATATHE DOOR IS OPEN., THE DOOR IS LO CKED. YOU DO NOT HAVE THE RIGHT KEY.	30 PRINT" {RVS} {HOME} "SPC(7) "TIME"X" {LEFT} ":GOSUB590:X=X+X1:Y=Y+Y1:IFY=0THENY=2 2 :rem 60
2730	DATATHERE IS A NOTE IN THE MILKBOX.,	2 :rem 60 40 IFY=23THENY=1 :rem 228 50 IFX=-1THENX=21 :rem 14 60 IFX=22THENX=0 :rem 226 70 IF-((PAND32)=0)THEN510 :rem 127
	THE DOOR FLIES OPEN WITH A BANG! :rem 201	6Ø IFX=22THENX=Ø :rem 226 7Ø IF-((PAND32)=Ø)THEN51Ø :rem 127
2740	DATATHE NOTE DISAPPEARS AND THE MILK BOX CLOSES. :rem 171	8Ø POKEC, 32:C=FNA(Ø):X1=X:Y1=Y:Z=PEEK(C): IFZ=32THENPOKEC, 36:GOTO14Ø :rem 186
2750	DATAYOU ARE IN A COLD AND DAMP ROOM. , YOU ARE IN A LONG AND NARROW HALLWA	90 POKEC, 37: POKEVO, 8: IFZ=34THENS=S+150:GO SUB190: GOTO120 :rem 215
2760	Y. :rem 12 DATATHERE IS AN UNLIT LIGHT HERE.,TH	100 IFZ=35THENS=S-450:GOSUB200:GOTO130 :rem 74
	ERE IS A GREEN DOOR HERE. : rem 90 DATATHERE IS A RED DOOR HERE. THERE	110 POKEC, 33:GOTO250 :rem 160 120 IFS>=LTHENPOKES2, 0:POKES3, 0:GOTO210
278Ø	[SPACE] IS A BLUE DOOR HERE. : rem 207 DATATHERE IS A GREEN KEY HERE., THERE	:rem 204 130 POKES1,0:POKES2,0:POKES3,0:POKES4,0:P
2790	IS A BLUE KEY HERE. : rem 208 DATATHERE IS A RED KEY HERE., BEFORE	RINT" [RVS] [HOME] [RIGHT] [LEFT] "S" [LEFT] " :rem 162
2000	{SPACE}YOU CAN GET A GOOD LOOK AT THE AREA :rem 111	135 REM**DROIDS' ROUTINE** :rem 55 140 Z=M/F:IFZ<>INT(Z)THEN20 :rem 178 150 IFW=C1THENW=0 :rem 32
	DATAA MONSTER JUMPS OUT AND SAYS 'YO U MUST ANSWER THIS QUESTION!:rem 245	160 W=W+1:X=X(W):Y=Y(W):X=X+(-(X1>X)+(X1<
	DATA'NOW I'LL TAKE ALL YOUR GOLD AND TRANSPORT YOU AWAY! :rem 107	X)):Y=Y+(-(Y1>Y)+(Y1 <y)):poked(w),32 :rem 28</y)):poked(w),32
2020	DATATHE MONSTER DISAPPEARS. [17 SPACES]YOU SEE SOME GOLD HERE!	170 D(W)=FNA(Ø):X(W)=X:Y(W)=Y:Z=PEEK(D(W)):POKED(W),33:IFZ>35THEN250 :rem 96 180 GOTO20 :rem 52
283Ø	DATATHERE IS A MAP HERE!, THERE IS A [SPACE] RED KEY HERE! :rem 233	185 REM*SOUND ROUTINES : rem 174
2840	[SPACE] RED KEY HERE! :rem 233 DATATHERE IS A SUDDEN FLASH AND YOU [SPACE] FIND YOURSELF AMIDST SOME TRE	190 FORX=160TO198STEP3:POKES2,X:POKES3,X: NEXTX:RETURN :rem 49
	ES. : rem 127 IFIN(5)=ØTHENPRINT"YOU DON'T HAVE A	200 POKES4,178:POKES1,178:FORX=150TO1STEP -3:POKEVO,(X/10):NEXT:POKEVO,8:RETURN :rem 1
		· · · · · · · · · · · · · · · · · · ·

005	REM**BONUS** :rem 170	500	PRINT"{CLR}" :rem 249
110	V=V+1:PRINT" (RVS) (HOME) "SPC(15) "*EX*	505	PRINT"{CLR}" :rem 249 REM**SCREEN SETUP** :rem 119
SID	{2 SPACES}{2 LEFT}"V:L=S+2999:G=G+R:R	510	POKE36869, 255: FORA=34TO35: FORY=1TO70
	{2 SPACES}{2 LEFT} V:L=S+2999:G=G+R:R	סדפ	PORE36669, 255: FORA-541055: FORI-11076
	=R-5:IFV<>6THEN20 :rem 231		:rem 160
220	PRINT" {CLR} {RVS} "SPC(5) "BONUS SCREEN	520	X=7701+FNB(484):Z=FNB(8)-1:IFZ=6THENZ
	{SPACE}":FORX=1TO750:NEXT:PRINT"{CLR}		
		E 2/4	=7 :rem 14 IFZ=2THENZ=3 :rem 233
	":M=Ø:G=Ø:R=45 :rem 82	530	
23Ø	PRINT" (RVS) (HOME) "SPC(15)" *EX*	540	POKE30720+X,Z:POKEX,A:NEXTY,A :rem 58
	{2 SPACES}{2 LEFT}"V:GOTO510 :rem 246	55Ø	POKEVO, 8:FORX=128TO255:POKES2, X:NEXT:
225	REM**GAME OVER** :rem 124		POKES2, Ø:POKEC, 36:IFM <> ØTHEN20:rem 41
233	PRINT" [HOME] ":FORX=1T010:PRINT:NEXT:P	555	REM**DROID SETUP** :rem 46
240	PRINT" (HOME) ": FORX=ITOID: PRINT: NEXT: F	333	
	RINT" (RVS) (6 SPACES) TIME'S UP" : FORX=1	560	FORZ=1TOC1:X=FNB(22)-1:Y=FNB(22):D(Z)
	TO1000:NEXT:GOTO260 :rem 223		$=FNA(\emptyset):X(Z)=X:Y(Z)=Y : rem 214$
250	FORX=23ØTO15ØSTEP-1:POKES3,X:POKES1,X	570	POKED(Z).33:NEXT :rem 197
250		FOR	=FNA(Ø):X(Z)=X:Y(Z)=Y :rem 214 POKED(Z),33:NEXT :rem 197 TI\$="ØØØØØØ":GOTO2Ø :rem 212 REM**JOYSTICK** :rem 158
	:NEXT:POKES3, Ø:POKES1, Ø :rem 108	280	113= 000000 :GO1020 :1em 212
260	PRINT" {HOME } ": FORX=1TO11: PRINT: NEXT: P	585	REM**JOYSTICK** :rem 158
	RINTSPC(6)"[RVS]GAME OVER" :rem 136	590	POKED, 127: P=PEEK(PA): X=-((PEEK(PB)AND
274	FORZ=1TO100STEP4:POKE36879,Z:POKES2,1		128)=Ø)+((PAND16)=Ø):POKED,255:rem 95
210		Manager 1	120/-0/+((FAMDIO)-0/:FONED/255:Tem 55
	28+ABS(INT(SIN(Z)*127)):NEXT:POKES2,Ø	600	$Y=(-((PAND8)=\emptyset))+((PAND4)=\emptyset): RETURN$
	:rem 75		:rem 191
275	FORI=1TO1000:NEXT :rem 25	605	REM**CHARACTERS** :rem 7
280	POKE36879,110:PRINT"[CLR]":POKE36869,	PIN	FORX=7424TO7431:POKEX, Ø:NEXT:FORY=33T
	240 :rem 113		O37:FORX=ØTO7:READZ:POKE7168+8*Y+X,Z:
285	REM**HIGH SCORE?** :rem 6		NEXTX,Y :rem 10
	240 :rem 113 REM**HIGH SCORE?** :rem 6 IFS <bsthen310 17<="" :rem="" td=""><td>630</td><td>DATA 60,66,90,66,60,36,36,102,0,0,0,2</td></bsthen310>	630	DATA 60,66,90,66,60,36,36,102,0,0,0,2
	ne a primiliare/f\ apprim contil	036	
300	BS=S:PRINT"{CLR}"SPC(5)"GREAT SCORE!!		4,24,0,0,0,126,129,165,129,153,189,12
	":PRINT" [HOME] [3 DOWN] INPUT YOUR NAM		9,126 :rem 226
	E":INPUT" ";N\$:rem 67	640	DATA 60,126,90,126,235,129,213,126,60
2015	REM**AGAIN?** :rem 195	-	,126,90,255,255,255,255,126:GOTO390
			:rem 46
310			:rem 40
311	PRINT" {CLR} {3 DOWN} {5 RIGHT} SCORE: "; S	D-	Ocurema 2 Champar 64 Version
	:PRINT"[3 DOWN][2 RIGHT]SESSION HIGH:	PI	ogram 2—Chomper—64 Version
	";BS:PRINTSPC(8)"BY" :rem 220	Prog	ram translation by Kevin Mykytyn.
224		_	
320	PRINT"{2 RIGHT}"; N\$:PRINT"{HOME}":FOR	491	52 :032,136,198,169,162,141,070
	Z=1TO11:PRINT:NEXT:PRINTSPC(6)"TRY AG	491	58 :095,195,169,003,141,112,209
	AIN?" :rem 175	401	64 :003,169,016,141,114,003,202
330	PRINT:PRINTSPC(7)"YES{DOWN}" :rem 158	491	70 :169,039,141,115,003,169,142
		491	70:169,039,141,115,003,109,142
340	PRINTSPC(8)"W":PRINTSPC(7)"W W NEW GA	491	76 :000,141,032,208,141,033,067
	ME":PRINTSPC(8)"W":PRINTSPC(8)" (DOWN)	491	82 :208,169,147,032,210,255,027
	NO" :rem 82 GOSUB590:IFX=1THEN390 :rem 16	491	88 :032,229,192,160,007,185,073
250	GOSUB590:IFX=1THEN390 :rem 16	401	94 :035,198,153,123,005,136,180
350	GOSOBS90:1FX=1THENS90 :1em 10	491	94 :035,198,153,125,005,130,100
36Ø	IFY=-1THENM=-1:GOTO390 : rem 66	492	00:016,247,160,010,185,043,197
370	IFY=1THENPOKE36879,27:PRINT"{CLR}	492	06:198,153,198,005,136,016,248
	[BLU]":END :rem 194	102	12:247,169,001,141,107,003,216
200		492	12 .247,105,001,111,1207,000,000
		492	18:160,005,185,054,198,153,053
385	REM**VAR SETUP** :rem 166	492	24 : 027,006,136,016,247,169,161
390	PRINT" {CLR}": POKE36869, 240: POKE36879,	492	30 :001,141,113,003,165,162,151
-	110:X=0:Y=0:Z=0:L=3000:S=0:G=0:V=0:R=	192	36 :105,010,197,162,208,252,250
		400	10 172 112 002 141 202 005 215
	45:W=Ø :rem 14	492	42 :173,112,003,141,203,005,215
400	X1=11:Y1=11:C=7933:DEF FNA(A)=768Ø+Y*	492	48 :173,107,003,009,048,141,065
	22+X:DEF FNB(A)=INT(RND(TI)*A+1)	492	54 :083,005,173,000,220,074,145
	:rem 73	492	60 :176,016,238,107,003,173,053
410	S1=36874:S2=36875:S3=36876:S4=36877:V	400	66 :107,003,041,007,240,246,246
410	S1=368/4:52=366/3:53=366/0:54=366/7:V	492	66 :107,003,041,007,240,240,240
	O=36878:D=37154:PA=37137:PB=37152:POK	492	72 :141,107,003,076,082,192,209
	E37139,Ø :rem 82	492	78 :074,176,001,000,074,176,115
420	IFM<ØTHENM=Ø:GOTO51Ø :rem 208	492	84 :008,169,210,141,111,003,006
	REM**LEVEL?** :rem 222	100	90 :076,191,192,074,176,007,086
		492	90 :070,191,192,074,170,007,000
430	M=0:PRINT"{CLR}{WHT}ENTER LEVEL":PRIN	492	96 :169,160,141,111,003,208,168
	T" [3 DOWN] [3 SPACES] TWO DROIDS": PRINT	493	02:040,074,176,029,173,113,243
	"{DOWN}"SPC(8)"W" :rem 141	493	08:003,208,179,173,095,195,241
	(DOTAL) DEC(O) II . LCM LTL	400	14 :073,011,141,095,195,173,082
	partimula appearaTuran to the maculi appropria		14 :0/3,011,141,033,133,173,002
440	PRINT" [2 SPACES] HARD W W EASY": PRINTS	493	00 110 000 070 001 141 110 000
440	PRINT"{2 SPACES HARD W W EASY":PRINTS PC(8)"W":PRINT"{2 DOWN} T3 SPACES USE	493	20 :112,003,073,001,141,112,098
440	PC(8)"W":PRINT"{2 DOWN}\T3 SPACES}USE	493	20 :112,003,073,001,141,112,098 26 :003,169,001,141,113,003,092
	PC(8)"w":PRINT"{2 DOWN}T3 SPACES}USE {SPACEJOYSTICK" :rem 67	493	20 :112,003,073,001,141,112,098 26 :003,169,001,141,113,003,092
450	PC(8)"W":PRINT"{2 DOWN}\[3 SPACES\] USE \[SPACE\] JOYSTICK" : rem 67 \[FORZ=1T0600:NEXT : rem 250 \]	493 493 493	20 :112,003,073,001,141,112,098 26 :003,169,001,141,113,003,092 32 :076,082,192,169,000,141,072
450	PC(8)"W":PRINT"{2 DOWN}\T3 SPACES\USE {SPACE\TJOYSTICK" :rem 67 FORZ=1T0600:NEXT :rem 250 GOSUB590:IFX=-1THENC1=1:F=3:GOT0500	493 493 493 493	20 :112,003,073,001,141,112,098 26 :003,169,001,141,113,003,092 32 :076,082,192,169,000,141,072 38 :113,003,076,082,192,032,172
45Ø 46Ø	PC(8)"W":PRINT"{2 DOWN}\[3 SPACES\] USE \[SPACE\] JOYSTICK" : rem 67 \[FORZ=1T0600:NEXT : rem 250 \] GOSUB590:IFX=-1THENC1=1:F=3:GOT0500 : rem 125	493 493 493 493	20 :112,003,073,001,141,112,098 26 :003,169,001,141,113,003,092 32 :076,082,192,169,000,141,072 38 :113,003,076,082,192,032,172 44 :192,195,032,029,196,032,100
45Ø 46Ø	PC(8)"W":PRINT"{2 DOWN}\[3 SPACES\] USE \[SPACE\] JOYSTICK" : rem 67 \[FORZ=1T0600:NEXT : rem 250 \] GOSUB590:IFX=-1THENC1=1:F=3:GOT0500 : rem 125 \] IFX=1THENC1=1:F=4:GOT0500 : rem 250	493 493 493 493 493	20 :112,003,073,001,141,112,098 26 :003,169,001,141,113,003,092 32 :076,082,192,169,000,141,072 38 :113,003,076,082,192,032,172 44 :192,195,032,029,196,032,100 50 :249,192,032,081,195,032,211
45Ø 46Ø 47Ø	PC(8)"W":PRINT"{2 DOWN}\[3 SPACES\] USE \[SPACE\] JOYSTICK" : rem 67 \[FORZ=1T0600:NEXT : rem 250 \] GOSUB590:IFX=-1THENC1=1:F=3:GOT0500 : rem 125 \] IFX=1THENC1=1:F=4:GOT0500 : rem 250	493 493 493 493 493	20 :112,003,073,001,141,112,098 26 :003,169,001,141,113,003,092 32 :076,082,192,169,000,141,072 38 :113,003,076,082,192,032,172 44 :192,195,032,029,196,032,100

```
49368 :088,193,032,153,196,173,027
                                            49782 :233,004,013,079,003,176,114
49374
      :141,002,240,233,076,221,111
                                            49788 :013,165,251,024,105,192,106
      :192,169,001,160,000,153,135
49380
                                            49794 :133,251,165,252,105,003,015
49386 :000,216,153,000,217,153,205
                                            49800 :133,252,165,251,233,232,122
      :000,218,153,000,219,136,198
49392
                                            49806
                                                   :141,079,003,165,252,233,247
49398 :208,241,096,160,018,185,130
                                                   :007,013,079,003,144,013,151
                                            49812
49404 :077,198,153,010,004,136,062
                                            49818
                                                   :165,251,056,233,192,133,160
      :016,247,056,173,077,003,062
49410
                                            49824 :251,165,252,233,003,133,173
      :237,062,003,141,079,003,021
49416
                                            49830 :252,177,251,201,035,208,010
      :173,078,003,237,063,003,059
                                            49836 :042,173,062,003,024,105,069
49428 :013,079,003,176,041,238,058
                                            49842 :150,141,062,003,173,063,002
49434 :081,003,173,077,003,024,131
                                            49848 :003,105,000,141,063,003,243
49440 :105,184,141,077,003,173,203
                                            49854 : 201, 253, 144, 003, 076, 182, 025
49446 :078,003,105,011,141,078,198
                                            49860 :198,169,038,141,070,003,047
49452 :003,173,073,003,024,109,173
                                            49866 :169,129,141,004,212,169,002
49458 :076,003,141,073,003,173,007
                                                  :009,141,001,212,076,063,198
                                            49872
49464 :076,003,240,006,056,233,158
                                                  :195,162,128,142,004,212,033
                                            49878
49470 :005,141,076,003,096,169,040
                                            49884
                                                  :206,109,003,174,109,003,056
49476
      :000,141,064,003,173,062,255
                                                  :142,001,212,224,010,208,255
                                            49890
49482
      :003,141,071,003,173,063,016
                                            49896
                                                  :005,162,034,142,011,212,030
      :003,141,072,003,032,151,226
                                            49902
                                                  :162,037,142,070,003,201,085
49494 :193,096,169,015,141,064,252
                                            49908
                                                  :036,208,065,056,173,062,076
      :003,173,073,003,141,065,038
                                            49914
                                                  :003,233,209,141,079,003,150
      :003,169,000,141,066,003,224
                                                  :173,063,003,233,040,013,013
                                            49920
49512
      :032,168,193,173,081,003,242
                                            49926
                                                  :079,003,176,013,169,016,206
      :141,065,003,169,000,141,117
                                            49932
                                                  :141,062,003,169,039,141,055
      :066,003,169,032,141,064,079
                                                  :063,003,076,040,195,173,056
                                            49938
      :003,032,168,193,096,206,052
                                            49944
                                                  :062,003,056,233,194,141,201
      :075,003,208,018,206,073,199
49536
                                                  :062,003,173,063,003,233,055
                                            4995Ø
49542
      :003,173,073,003,201,255,074
                                            49956
                                                  :001,141,063,003,169,035,192
49548
      :208,003,076,130,197,169,155
                                            49962
                                                  :141,011,212,169,020,141,224
49554 :009,141,075,003,096,173,131
                                                  :008,212,141,109,003,076,085
                                            49968
49560
     :071,003,056,233,016,141,160
                                                  :063,195,201,034,208,003,246
                                            49974
49566
     :065,003,173,072,003,233,195
                                                  :076,130,197,160,000,173,028
                                            4998Ø
49572
     :039,141,066,003,169,000,070
                                            49986
                                                  :070,003,145,251,165,251,183
49578 :141,067,003,141,068,003,081
                                            49992
                                                  :141,060,003,165,252,141,066
49584 :141,069,003,162,015,014,068
                                            49998
                                                  :061,003,096,160,000,173,059
49590
     :065,003,046,066,003,120,229
                                            50004 :027,212,074,074,074,074,107
49596
     :248,173,067,003,109,067,087
                                                  :074,201,006,240,244,169,000
49602
     :003,141,067,003,173,068,137
                                            50016 :001,153,040,216,153,000,147
49608 :003,109,068,003,141,068,080
                                            50022 :217,153,000,218,153,230,049
49614 :003,173,069,003,109,069,120
                                            50028 :218,200,208,227,162,027,126
49620 :003,141,069,003,216,088,220
                                            50034 :032,127,193,202,208,250,102
49626 : 202,016,216,162,002,189,237
                                            50040 :162,070,169,232,133,253,115
49632 :067,003,072,074,074,074,076
                                            50046 :169,003,133,254,160,004,081
49638 :074,032,244,193,104,041,150
                                            50052 :173,027,212,024,101,253,154
49644 :015,032,244,193,202,016,170
                                            50058 :133,253,165,254,105,000,024
49650 :236,096,009,048,238,064,165
                                            50064 :133,254,136,208,239,165,255
49656 :003,172,064,003,153,000,131
                                            50070 :253,056,233,040,165,254,127
49662 :004,096,165,162,105,005,023
                                            50076
                                                  :233,004,144,218,160,000,147
49668
     :197,162,208,252,032,127,214
                                            50082
                                                  :173,027,212,016,004,169,251
     :193,096,165,162,197,162,217
49674
                                            50088
                                                  :035,208,002,169,036,145,251
49680
      :240,252,096,072,138,024,070
                                                  :253,032,012,194,202,208,051
                                            50094
      :101,251,133,251,165,252,151
49686
                                            50100
                                                  :197,160,039,169,001,153,131
49692
      :105,000,133,252,104,096,206
                                            50106
                                                 :000,216,136,016,250,096,132
49698
      :072,134,254,165,251,056,198
                                            50112
                                                  :120,165,001,041,251,133,135
      :229,254,133,251,165,252,044
49704
                                                  :001,160,000,185,000,208,240
                                            50118
4971Ø
      :233,000,133,252,104,096,096
                                            50124
                                                  :153,000,056,185,000,209,039
49716
      :160,000,173,060,003,133,069
                                            50130
                                                  :153,000,057,136,208,241,237
      :251,173,061,003,133,252,163
49722
                                            50136 :165,001,009,004,133,001,017
49728
      :169,032,145,251,173,000,066
                                            50142 :173,024,208,041,240,009,149
      :220,074,176,005,162,040,235
49734
                                            50148 :014,141,024,208,088,160,095
49740
      :032,034,194,074,176,005,079
                                            50154 :039,185,245,195,153,016,043
      :162,040,032,019,194,074,091
49746
                                            50160 :057,136,016,247,096,060,084
49752
      :176,005,162,001,032,034,242
                                            50166 :066,090,066,060,036,036,088
49758
      :194,074,176,005,162,001,194
                                            50172 :102,000,000,000,024,024,146
49764
      :032,019,194,074,176,003,086
                                            50178 :000,000,000,126,129,165,166
      :032,081,195,165,251,233,039
                                            50184 :129,153,189,129,126,060,026
49776 :039,141,079,003,165,252,023
                                            50190 :126,090,126,235,129,213,165
```

```
50196 :126,060,126,090,255,255,164
50202 : 255, 255, 126, 169, 147, 032, 242
50208 :210,255,169,006,141,032,077
50214 : 208, 141, 033, 208, 169, 016, 045
50220 :141,062,003,169,039,141,087
50226 :063,003,169,204,141,060,178
50232 :003,169,005,141,061,003,182
50238 :169,048,141,073,003,169,153
50244 :045,141,076,003,169,009,255
50250 :141,075,003,169,199,141,034
50256 :077,003,169,050,141,078,086
50262 :003,169,000,141,081,003,227
50268 :162,008,169,006,157,093,175
50274 :003,173,027,212,157,083,241
50280 :003,202,016,242,169,003,227
50286 :141,108,003,160,023,169,202
50292 :000,153,000,212,136,016,121
50298 :250,169,015,141,024,212,165
50304 :169,017,141,005,212,141,045
50310 :012,212,169,245,141,006,151
50316 :212,141,013,212,169,129,248
50322 :141,015,212,141,018,212,117
50328 :096,169,000,141,082,003,131
50334 :173,027,212,205,111,003,121
50340 :176,003,076,069,197,173,090
50346 : 060,003,172,061,003,032,245
50352 :084,197,142,104,003,141,079
50358 : 103,003,172,082,003,185,218
50364 :083,003,133,251,185,093,168
50370 :003,168,133,252,165,251,142
50376 :032,084,197,142,106,003,252
50382 :141,105,003,169,032,160,048
50388 :000,145,251,173,105,003,121
50394 : 205, 103, 003, 240, 015, 144, 160
50400 :008,162,001,032,034,194,143
50406 :076,238,196,162,001,032,167
50412 :019,194,173,106,003,205,168
50418 :104,003,240,015,144,008,244
50424 :162,040,032,034,194,076,018
50430 :005,197,162,040,032,019,197
50436 :194,160,000,177,251,201,219
50442 :037,144,003,076,130,197,085
50448 :201,034,208,013,172,082,214
50454 :003,185,083,003,133,251,168
50460 :185,093,003,133,252,172,098
50466 :082,003,165,251,153,083,003
50472 :003,165,252,153,093,003,197
50478 :160,000,169,034,145,251,037
50484 :165,251,024,105,000,133,218
50490 :251,165,252,105,212,133,152
50496 :252,169,001,145,251,238,096
50502 :082,003,173,082,003,205,106
50508 :107,003,240,003,076,184,177
50514:196,096,141,079,003,152,237
50520 :056,233,004,141,080,003,093
50526 :162,000,173,080,003,208,208
50532 :007,173,079,003,201,040,091
50538 :144,021,173,079,003,056,070
50544 :233,040,141,079,003,173,013
50550 :080,003,233,000,141,080,143
50556 :003,232,076,096,197,096,056
50562 :032,229,192,169,032,160,176
50568 : 200, 153, 039, 004, 136, 208, 108
50574 : 250,056,173,062,003,237,155
50580 :114,003,141,079,003,173,149
 50586 :063,003,237,115,003,013,076
 50592 :079,003,144,012,173,062,121
 50598 :003,141,114,003,173,063,151
 50604 :003,141,115,003,169,001,092
 50610 :141,113,003,169,000,141,233
```

50616 :032,208,141,033,208,141,179 :008,212,160,008,185,011,006 50628 :198,153,055,004,136,016,246 50634 :247,160,014,185,020,198,002 50640 :153,132,004,136,016,247,128 50646 :160,009,185,060,198,153,211 50652 :211,004,136,016,247,173,239 50658:114,003,141,071,003,173,219 50664 :115,003,141,072,003,169,223 50670 :220,141,064,003,032,151,081 50676 :193,173,000,220,041,016,119 50682 : 208,008,173,113,003,208,195 50688 :244,076,023,192,169,000,192 50694 :141,113,003,240,234,007,232 50700 :001,013,005,032,015,022,100 50706 :005,018,032,016,018,005,112 50712 :019,019,032,020,018,009,141 50718 :007,007,005,018,032,030,129 50724 :032,004,018,015,009,004,118 50730 :019,005,001,019,025,060,171 50736 :032,062,008,001,018,004,173 50742 :022,032,017,021,009,020,175 50748 :032,008,009,032,019,003,163 50754 :015,018,005,032,003,008,147 50760 :015,013,016,005,018,020,159 50766 :009,013,005,032,032,032,201 50772 :032,032,032,032,032,032,020 50778 :032,032,042,005,024,042,011 50784 :025,015,021,032,001,018,208 50790 :005,032,015,014,005,032,205 50796 :015,006,032,020,008,005,194 50802 :032,006,005,023,032,020,232 50808 :015,032,023,009,014,032,245 50814 :001,020,032,003,008,015,205 50820 :013,016,005,018,032,029,245 50826 :196,169,000,160,150,153,198 50832 :063,003,136,208,250,032,068 50838 :229,192,160,006,185,070,224 50844 :198,153,200,005,136,016,096 50850 :247,160,014,185,020,198,218 50856 :153,020,006,136,016,247,234 50862 :173,000,220,041,016,208,064 50868 :249,096,169,147,032,210,059 50874 : 255,032,229,192,160,039,069 50880 :185,096,198,153,184,005,245 50886 :136,016,247,076,130,197,232

Kablam!

Article on page 60.

BEFORE TYPING . . .

Before typing in programs, please refer to "How To Type In COMPUTE!'s GAZETTE Programs," which appears before the Program Listings.

Program 1: Kablam!—64 Version

```
140 PRINT" OK":PRINT"CHARACTERS":FORX=102
                                              58Ø POKE53281,1:CLOSE1:SK=ABS(SL-16)*15+1
     40TO10575:READA:POKEX,A:NEXT :rem 123
                                                   5: POKE24838, SK
                                                                                 :rem 217
                                              590 POKEV+6,0:POKEV+7,0:POKEV+23,0:POKEV+
 150 PRINT"SPRITES":FORX=12800T013056:READ
     A: POKEX, A: NEXT
                                     :rem 34
                                                   42,8
                                                                                 :rem 188
                                     :rem 38
                                              600 GOTO180
    POKE53281,1
                                                                                 :rem 104
 170 GOTO460 : REM GOTO TITLE PAGE
                                    :rem 97
                                              610 REM **** MACHINE LANGUAGE DATA ****
 180 POKE53272,27:PRINT"{CLR} [5] {DOWN}"; CH
                                                                                  :rem 30
     R$(8):POKE53280,7
                                    :rem 58
                                              620 DATA 162,0,169,10,157,192,7
                                                                                 :rem 244
 190 PRINTTAB(30)" [RED] [DOWN] '$$$$$$$$"
                                              630 DATA 169,0,157,192,219,232,224
                                    :rem 142
                                                                                 :rem 143
 200 PRINTTAB(30)"{UP}#KKKKKKKKK"
                                    :rem 69
                                              640 DATA 40,208,241,120,169,98,141
 210 FORX=0TO1:PRINTTAB(30)"{UP}#KKKKKKKKKK
                                                                                 :rem 139
                                      :rem Ø
                                              650 DATA 21,3,169,66,141,20,3
                                                                                 :rem 138
 220 PRINTTAB(30)"[UP]#KKMRVRNKK"
                                   :rem 101
                                              660 DATA 88,32,149,97,76,168,96
                                                                                  :rem 28
 23Ø PRINTTAB(3Ø)"[UP]#KKX&%&WKK"
                                   :rem 241
                                               670 DATA 169,0,170,168,24,109,167:rem 100
 24Ø PRINTTAB(3Ø)"{UP}#KKPTUTOKK"
                                   :rem 110
                                              680 DATA 2,144,1,200,202,208,247
                                                                                  :rem 25
 25Ø PRINTTAB(3Ø)"{UP}#KKKKKKKKK"
                                    :rem 74
                                               690 DATA 152,73,255,141,0,208,173
                                                                                  :rem 90
    PRINTTAB(30)"{UP}#KKMRVRNKK"
 260
                                   :rem 105
                                               700 DATA 30,208,41,5,201,5,240
                                                                                 :rem 174
 270 PRINTTAB(30)" [UP] #KKX&%&WKK"
                                   :rem 245
                                               710 DATA 3,76,97,96,172,3,208
                                                                                 :rem 160
 28Ø PRINTTAB(3Ø)"{UP}#KKPTUTOKK"
                                               720 DATA 140,5,208,174,2,208,232
                                   :rem 114
                                                                                  :rem 30
290 PRINTTAB(30)"[UP]#KKKKKKKKK":NEXT
                                               730 DATA 232,232,232,232,232,232
                                    :rem 199
                                                                                 :rem 221
300 PRINTTAB(30)"{UP}#[8]JJJJJJJJ {HOME}"
                                               740 DATA 232,232,142,4,208,32,162 :rem 78
                                   :rem 235
                                                   DATA 97,169,255,141,64,3,76
                                               75Ø
                                                                                  :rem 10
310 PRINT"{HOME}{5 DOWN}E7]LLLLLLLLLLLL
                                               760 DATA 97,96,165,197,201,60,240:rem 106
     LLLLLLLLLLLLLL"
                                    :rem 79
                                                  DATA 3,76,49,234,169,0,141
                                               77Ø
                                                                                 :rem 204
    PRINT" [HOME] "TAB(13) "YZ[£] 10000000
                                               78Ø DATA 24,212,173,1,220,201,251 :rem 71
     {DOWN}"SPC(5)"(4)]YIC"
                                   :rem 124
                                               790
                                                  DATA 240,2,208,247,169,15,141 :rem 93
330 POKEV+21,31
                                    :rem 57
                                               800 DATA 24,212,76,49,234,165,251 :rem 92
    POKEV, 128: POKEV+1, 226: POKEV+2, 20: POKE
                                               810 DATA 240,18,174,2,208,169,1
                                                                                 :rem 243
    V+3,69:POKEV+4,30:POKEV+5,69 :rem 141
                                               820 DATA 133,251,232,224,225,240,6
350 POKE830,1:POKE832,255:POKEV+30,0
                                                                                  :rem 127
                                    :rem 54
                                               830 DATA 142,2,208,76,190,96,174
                                                                                  :rem 50
36Ø SYS24573
                                   :rem 157
                                               840 DATA 2,208,169,0,133,251,202
                                                                                   :rem
                                                                                       29
370 A1=210:A2=30:A3=40:A4=215:A5=190:POKE
                                              850 DATA 224,17,240,226,142,2,208
                                                                                  :rem 82
    V+21,26
                                   :rem 100
                                              860 DATA 76,190,96,172,3,208,140
                                                                                  :rem 50
38Ø POKE24838,2:FORQ=1T01Ø
                                    :rem 21
                                              870 DATA 5,208,174,2,208,232,232
                                                                                  :rem 38
390 POKEV+8, INT(RND(1)*A1)+A2:POKEV+9, INT
                                              880 DATA 232,232,232,232,232,232,232
     (RND(1)*A1)+A3
                                   :rem 184
                                                                                 :rem 227
400 POKEV+6, INT(RND(1)*A4)+A2:POKEV+7, INT
                                              890 DATA 232,142,4,208,172,5,208
                                                                                  :rem 40
     (RND(1)*A5)+A3
                                   :rem 179
                                              900 DATA 200,192,223,240,12,140,5
                                                                                  :rem 67
410 SYS24897:NEXT
                                    :rem 27
                                              910 DATA 208,32,255,96,32,39,97
420 FORX=VTOV+9:POKEX,0:NEXT:POKEV+21,0
                                                                                   :rem 7
                                              920 DATA 76,128,96,120,173,77,4
                                                                                   :rem 4
                                     :rem 4
                                              930 DATA 240,35,206,77,4,174,4
                                                                                 :rem 198
430 FORI=1TO2000:NEXT:PRINT"{CLR}":POKE53
                                              940 DATA 208,142,8,208,162,0,142
                                                                                  :rem 34
    272,21
                                   :rem 172
                                              950 DATA 4,208,172,5,208,140,9
                                                                                 :rem 197
440 PRINT" [HOME] [12 DOWN] "TAB(15) "GAME OV
                                              960 DATA 208,32,65,97,169,255,141:rem 109
    ER":FORI=1T02000:NEXT:GOT0160 :rem 48
                                              970
                                                  DATA 9,208,141,64,3,88,76
450 REM TITLE PAGE
                                                                                 :rem 165
                                    :rem 28
                                              980 DATA 168,96,234,76,43,98,173
                                                                                  :rem 74
460 V=53248:S=2040:SI=54272:PRINT"{CLR}
                                              990 DATA 62,3,141,60,3,169,235
                                                                                 :rem 200
    {BLU}":POKE53280,7
                                   :rem 101
                                              1000 DATA 141,61,3,206,61,3,208
                                                                                 :rem 223
470 POKEV+39,9:POKEV+40,12:POKEV+41,0:POK
                                              1010 DATA 251,206,60,3,208,241,169
    EV+29,26:POKEV+43,8:POKEV+42,15
                                                                                 :rem 126
                                    :rem 36
                                              1020 DATA 5,141,62,3,169,64,141
480 POKES, 200: POKES+1, 202: POKES+2, 201: POK
                                                                                 :rem 235
                                              1030 DATA 96,3,206,96,3,173,96
    ES+4,203:POKES+3,203
                                                                                 :rem 204
                                    :rem 67
                                              1040 DATA 3,208,245,96,162,32,142
490 POKEV+21,12:POKEV+23,8:POKESI+24,15
                                                                                 :rem 83
                                              1050 DATA 6,212,174,64,3,202,142
                                                                                  :rem 23
                                    :rem 26
500 POKEV+4,160:POKEV+5,50:POKESI+6,240
                                              1060 DATA 64,3,142,1,212,162,10
                                                                                :rem 221
                                              1070 DATA 142,0,212,162,17,142,4
                                    :rem 20
                                                                                 :rem 18
510 FORK=50T0130:POKEV+5,K:POKESI+1,255-K
                                              1080 DATA 212,96,32,149,97,169,240
    :POKESI,100:POKESI+4,17:NEXT
                                   :rem 11
                                                                                 :rem 152
                                              1090 DATA 141,13,212,162,4,169,8
520 POKESI+1,0:POKESI,0:POKESI+4,0:rem 59
                                                                                 :rem 32
530 POKEV+21,8:POKEV+6,153:POKEV+7,122
                                              1100 DATA 141,8,212,169,100,141,7 :rem 69
                                             1110 DATA 212,169,129,141,11,212,160
                                   :rem 214
540 POKE24838, 255: SYS24897: OPEN1, 0
                                                                                :rem 218
                                             1120 DATA 15,140,62,3,32,255,96
                                  :rem 217
                                                                                :rem 236
550 PRINT" {CLR} {14 DOWN}"
                                              1130 DATA 169,4,141,8,212,169,129 :rem 90
                                  :rem 236
   PRINT" {DOWN } "TAB(8) " [8] ENTER SKILL LE
                                             1140 DATA 141,11,212,202,208,220,169
    VEL(1-15){2 RIGHT}";
                                  :rem 187
                                                                                :rem 215
   INPUT#1, SL$:PRINT:SL=VAL(SL$):IFSL>15
                                              1150 DATA 5,141,8,212,169,129,141 :rem 83
    ORSL<1THEN550
                                             1160 DATA 11,212,160,160,140,62,3 :rem 63
                                  :rem 197
```

	DIMI 20 AFF OC 160 AGG 140 10	
1170	DATA 32,255,96,162,200,142,13	,102,102,124,102,102,0 :rem 208
	:rem 129	1700 DATA 0,126,96,120,96,96,126,0,0,102,
	DATA 212,169,2,141,62,3,32 :rem 233	102,126,102,102,102,0,0 :rem 28
1190	DATA 255,96,202,208,242,32,149	1710 DATA 126,24,24,24,126,0,0,0,0,0,0
	:rem 193	,0,0,0,0,24,24,0,0,24 :rem 143
1200	DATA 97,96,162,0,232,169,0 :rem 244	
		1720 DATA 24,0,102,102,102,102,0,0,0,0,22
1210	DATA 157,0,212,224,22,208,246	Ø,222,220,216,220,222 :rem 155
No. of the last of	:rem 122	1730 DATA 220,216,255,255,0,255,255,119,3
	DATA 96,173,24,4,201,9,240 :rem 237	4,0,24,24,24,255,255 :rem 182
1230	DATA 4,238,24,4,96,173,23 :rem 194	1740 DATA 24,24,24,0,0,0,255,255,0,0,0,25
1240	DATA 4,201,9,240,24,169,0 :rem 181	5,255,192,223,222,220 :rem 197
	DATA 141,24,4,238,23,4,206 :rem 232	1750 DATA 216,216,0,96,96,96,96,96,124,0,
	DATA 6,97,206,6,97,206,6 :rem 157	Ø,102,102,102,102,60,24,0 :rem 159
	DATA 97,206,6,97,206,6,97 :rem 216	
	DATA 96,173,22,4,201,9,240 :rem 241	1770 DATA 0,0,0,0,0,0,3,128,7,3,192,15,3,
	DATA 12,169,0,141,23,4,141 :rem 230	255,255,3,255,255,1 :rem 98
	DATA 24,4,238,22,4,96,173 :rem 191	1780 DATA 255,254,1,255,254,0,255,252,0,2
1310	DATA 21,4,201,9,240,12,169 :rem 227	55,252,0,255,252,0,127 :rem 22
1320	DATA Ø,141,22,4,141,23,4 :rem 117	1790 DATA 248,0,127,248,0,0,0,0,0,0,0,0,0,0
1330	DATA 238,21,4,96,173,20,4 :rem 189	,0,0,0,0,0,0,0,0,0,0 :rem 165
	DATA 201,9,240,15,169,0,141 :rem 24	1800 DATA 0,0,0,0,0,0,0,0,0,0,0,0,0,0,128,0
	DATA 21,4,8,49,4,141,23 :rem 86	
		,4,32,Ø,1,128,Ø,3,8,Ø,6 :rem 212
	DATA 4,238,20,4,96,173,19 :rem 199	1810 DATA 32,0,6,0,0,15,0,0,15,0,0,63,192
	DATA 4,201,9,240,15,169,0 :rem 185	,0,255,240,1,255,248,3 :rem 228
1380	DATA 141,20,4,141,21,4,141 :rem 221	1820 DATA 255,252,3,255,252,3,255,252,3,2
1390	DATA 22,4,238,19,4,96,162 :rem 202	55,252,1,255,248,0 :rem 85
	DATA Ø,169,0,157,19,4,232 :rem 185	1830 DATA 255,240,0,127,224,0,31,128,0,0,
	DATA 224,7,208,248,96,120,169	127,0,0,255,128,0,65 :rem 149
	:rem 145	1840 DATA 0,0,148,128,0,128,128,0,93,0,0,
1420		
	DATA 234,141,21,3,169,49,141 :rem 81	34,0,0,28,0,1,255 :rem 251
	DATA 20,3,88,173,21,208,41 :rem 236	1850 DATA 128,6,8,96,8,0,16,8,201,16,9,0,
	DATA 18,141,21,208,76,149,97 :rem 98	144,8,129,48,4,129 :rem 95
1450	DATA 72,152,72,138,72,173,0 :rem 38	1860 DATA 32,4,129,32,3,195,192,1,231,128
1460	DATA 220,41,4,208,11,173,167 :rem 79	,2,195,64,2,0,64,1 :rem 75
1470	DATA 2,173,167,2,105,4,141 :rem 235	1870 DATA 255,128,0,16,8,8,58,28,92,111,5
	DATA 167,2,173,0,220,41,8 :rem 187	4.246,195,99,227,1 :rem 115
	DATA 208,9,56,173,167,2,233 :rem 49	
	DATA 4,141,167,2,104,170,104 :rem 68	1880 DATA 128,0,0,0,0,164,200,149,164,168
		,149,170,169,93,202 :rem 137
	DATA 168,104,76,35,96,0,0 :rem 193	1890 DATA 201,93,206,169,213,170,169,85,1
	DATA Ø,2,0,0,0,46,0 :rem 118	70,169,84,170,205,85 :rem 218
1530	DATA Ø,Ø,Ø,Ø,128,Ø,119 :rem 17	1900 DATA 0,0,0,0,0,0,192,236,3,98,187,6,
1540	DATA 20,255,227 :rem 213	55,147,116,29,1,220 :rem 111
	REM ****** CHARACTER DATA ******	1910 DATA 8,0,136,0,0 :rem 247
1330	:rem 162	
	120 202	Extracts of Later Print Asia Tracks MUSEU Alectors. The
1260	DATA 126,102,102,230,230,230,254,0,2	Program 2: Kablam!—VIC Version
W	4,24,24,56,56,56,56,0,254 :rem 152	See special instructions in article before typing in.
157Ø	DATA 198,6,254,224,224,254,0,254,6,6	see special instructions in article before typing in.
	,62,14,14,254,Ø,198,198 :rem 93	6291 :011,016,000,000,158,052,128
1580	DATA 198,254,14,14,14,0,254,192,192,	6291 :011,010,000,000,130,032,120
	254,14,206,254,0,254,198 :rem 139	6297 :049,048,057,000,000,000,051
1590	DATA 192,254,230,230,254,0,254,198,1	6303 :169,000,141,092,003,141,193
1330		6309 :093,003,169,024,141,015,098
1000		
1600		6315 :144,032,130,020,032,100,117
	DATA 102,254,230,230,254,0,254,198,1	6315 :144,032,130,020,032,100,117
_	DATA 102,254,230,230,254,0,254,198,1 98,254,14,206,254,0,255 :rem 74	6315 :144,032,130,020,032,100,117 6321 :016,032,012,018,032,074,105
1610	DATA 102,254,230,230,254,0,254,198,1 98,254,14,206,254,0,255 :rem 74 DATA 255,255,255,255,255,255,239	6315 :144,032,130,020,032,100,117 6321 :016,032,012,018,032,074,105 6327 :017,169,007,141,074,003,082
	DATA 102,254,230,230,254,0,254,198,1 98,254,14,206,254,0,255 :rem 74 DATA 255,255,255,255,255,255,239 ,239,239,0,127,127,127,0 :rem 150	6315 :144,032,130,020,032,100,117 6321 :016,032,012,018,032,074,105 6327 :017,169,007,141,074,003,082 6333 :169,003,141,064,003,173,230
	DATA 102,254,230,230,254,0,254,198,1 98,254,14,206,254,0,255 :rem 74 DATA 255,255,255,255,255,255,239 ,239,239,0,127,127,127,0 :rem 150	6315 :144,032,130,020,032,100,117 6321 :016,032,012,018,032,074,105 6327 :017,169,007,141,074,003,082 6333 :169,003,141,064,003,173,230 6339 :076,003,016,024,032,235,069
	DATA 102,254,230,230,254,0,254,198,1 98,254,14,206,254,0,255 :rem 74 DATA 255,255,255,255,255,255,255,239 ,239,239,0,127,127,127,0 :rem 150 DATA 255,66,36,24,24,36,66,255,255,2	6315 :144,032,130,020,032,100,117 6321 :016,032,012,018,032,074,105 6327 :017,169,007,141,074,003,082 6333 :169,003,141,064,003,173,230 6339 :076,003,016,024,032,235,069 6345 :017,172,074,003,196,251,146
1620	DATA 102,254,230,230,254,0,254,198,1 98,254,14,206,254,0,255 :rem 74 DATA 255,255,255,255,255,255,259 ,239,239,0,127,127,127,0 :rem 150 DATA 255,66,36,24,24,36,66,255,255,2 55,192,192,192,192 :rem 61	6315 :144,032,130,020,032,100,117 6321 :016,032,012,018,032,074,105 6327 :017,169,007,141,074,003,082 6333 :169,003,141,064,003,173,230 6339 :076,003,016,024,032,235,069 6345 :017,172,074,003,196,251,146 6351 :208,003,076,077,016,032,107
1620	DATA 102,254,230,230,254,0,254,198,1 98,254,14,206,254,0,255 :rem 74 DATA 255,255,255,255,255,255,259 ,239,239,0,127,127,127,0 :rem 150 DATA 255,66,36,24,24,36,66,255,255,2 55,192,192,192,192 :rem 61 DATA 192,255,255,3,3,3,3,3,3,3,3,3,3,3,3	6315 :144,032,130,020,032,100,117 6321 :016,032,012,018,032,074,105 6327 :017,169,007,141,074,003,082 6333 :169,003,141,064,003,173,230 6339 :076,003,016,024,032,235,069 6345 :017,172,074,003,196,251,146 6351 :208,003,076,077,016,032,107
162Ø 163Ø	DATA 102,254,230,230,254,0,254,198,1 98,254,14,206,254,0,255 :rem 74 DATA 255,255,255,255,255,255,255,239 ,239,239,0,127,127,127,0 :rem 150 DATA 255,66,36,24,24,36,66,255,255,2 55,192,192,192,192 :rem 61 DATA 192,255,255,3,3,3,3,3,3,3,3,3,3,3,3,3,3,3,	6315 :144,032,130,020,032,100,117 6321 :016,032,012,018,032,074,105 6327 :017,169,007,141,074,003,082 6333 :169,003,141,064,003,173,230 6339 :076,003,016,024,032,235,069 6345 :017,172,074,003,196,251,146 6351 :208,003,076,077,016,032,107 6357 :055,019,032,030,019,169,025
162Ø 163Ø	DATA 102,254,230,230,254,0,254,198,1 98,254,14,206,254,0,255 :rem 74 DATA 255,255,255,255,255,255,255,239 ,239,239,0,127,127,127,0 :rem 150 DATA 255,66,36,24,24,36,66,255,255,2 55,192,192,192,192 :rem 61 DATA 192,255,255,33,3,3,3,3,3,3,3,3,3,3,3,3,3,3	6315 :144,032,130,020,032,100,117 6321 :016,032,012,018,032,074,105 6327 :017,169,007,141,074,003,082 6333 :169,003,141,064,003,173,230 6339 :076,003,016,024,032,235,069 6345 :017,172,074,003,196,251,146 6351 :208,003,076,077,016,032,107 6357 :055,019,032,030,019,169,025 6363 :010,141,076,003,206,076,219
162Ø 163Ø 164Ø	DATA 102,254,230,230,254,0,254,198,1 98,254,14,206,254,0,255 :rem 74 DATA 255,255,255,255,255,255,255,239 ,239,239,0,127,127,127,0 :rem 150 DATA 255,66,36,24,24,36,66,255,255,2 55,192,192,192,192 :rem 61 DATA 192,255,255,33,3,3,3,3,3,3,3,3,3,3,3,3,3,3	6315 :144,032,130,020,032,100,117 6321 :016,032,012,018,032,074,105 6327 :017,169,007,141,074,003,082 6333 :169,003,141,064,003,173,230 6339 :076,003,016,024,032,235,069 6345 :017,172,074,003,196,251,146 6351 :208,003,076,077,016,032,107 6357 :055,019,032,030,019,169,025 6363 :010,141,076,003,206,076,219 6369 :003,032,140,017,032,131,068
162Ø 163Ø 164Ø	DATA 102,254,230,230,254,0,254,198,1 98,254,14,206,254,0,255 :rem 74 DATA 255,255,255,255,255,255,255,239 ,239,239,0,127,127,127,0 :rem 150 DATA 255,66,36,24,24,36,66,255,255,2 55,192,192,192,192 :rem 61 DATA 192,255,255,33,3,3,3,3,3,3,3,3,3,3,3,3,3,3	6315 :144,032,130,020,032,100,117 6321 :016,032,012,018,032,074,105 6327 :017,169,007,141,074,003,082 6333 :169,003,141,064,003,173,230 6339 :076,003,016,024,032,235,069 6345 :017,172,074,003,196,251,146 6351 :208,003,076,077,016,032,107 6357 :055,019,032,030,019,169,025 6363 :010,141,076,003,206,076,219 6369 :003,032,140,017,032,131,068 6375 :016,032,078,019,032,219,115
162Ø 163Ø 164Ø	DATA 102,254,230,230,254,0,254,198,1 98,254,14,206,254,0,255 :rem 74 DATA 255,255,255,255,255,255,255,239 ,239,239,0,127,127,127,0 :rem 150 DATA 255,66,36,24,24,36,66,255,255,2 55,192,192,192,192 :rem 61 DATA 192,255,255,33,3,3,3,3,3,3,3,3,3,3,3,3,3,3	6315 :144,032,130,020,032,100,117 6321 :016,032,012,018,032,074,105 6327 :017,169,007,141,074,003,082 6333 :169,003,141,064,003,173,230 6339 :076,003,016,024,032,235,069 6345 :017,172,074,003,196,251,146 6351 :208,003,076,077,016,032,107 6357 :055,019,032,030,019,169,025 6363 :010,141,076,003,206,076,219 6369 :003,032,140,017,032,131,068

:rem 233

:rem 144

:rem 150

6387 :076,245,018,169,000,141,124

6393 :060,003,141,061,003,141,146

6399 :074,003,141,108,021,141,231

6405 :064,003,032,074,017,169,108

6411 :003,141,072,003,169,010,153

6417 :141,076,003,096,169,239,229

6423 :141,019,145,173,017,145,151

1660 DATA 255,24,24,24,24,24,24,255,255,2

1670 DATA 24,3,3,3,255,255,3,3,3,192,192,

1680 DATA 192,0,60,102,48,12,102,60,0,0,6

1690 DATA 0,60,102,102,102,102,60,0,0,124

55,255,24,24,24,24,24

192,255,255,192,192

0,102,96,96,102,60,0

```
6429 :041,016,208,003,206,108,099
6435 :021,169,127,141,034,145,160
6441 :173,032,145,041,128,208,000
6447
     :003,238,108,021,173,108,186
     :021,041,015,141,108,021,144
6453
     :208,006,201,002,176,002,142
6459
6465
     :169,001,201,011,144,002,081
6471
     :169,012,141,064,003,168,116
     :162,002,185,162,031,208,059
     :008,169,032,153,162,031,126
     :032,055,017,185,184,031,081
6489
     :208,008,169,032,153,184,081
6495
6501
     :031,032,055,017,185,206,115
     :031,208,008,169,032,153,196
     :206,031,032,055,017,200,142
6513
     :202,016,213,172,064,003,021
6519
6525
     :196,252,240,071,164,252,020
     :169,032,162,003,153,184,066
6531
     :031,153,206,031,200,202,192
6537
6543 :016,246,172,064,003,169,045
6549 : 027, 153, 184, 031, 153, 206, 135
6555 :031,132,252,169,000,153,124
6561 :184,151,153,206,151,200,182
6567 :169,028,153,184,031,153,117
6573 : 206,031,169,000,153,184,148
6579 :151,153,206,151,200,169,185
6585 : 029, 153, 184, 031, 153, 206, 173
6591 :031,169,000,153,184,151,111
6597 :153,206,151,096,173,082,034
6603 :003,240,003,206,082,003,228
6609
     :238,060,003,173,060,003,234
     :208,003,238,061,003,162,122
6615
6621
     :004,160,016,024,032,240,185
     :255,174,060,003,173,061,185
     :003,032,205,221,056,173,155
6633
6639
     :060,003,237,092,003,133,255
6645
     :170,173,061,003,237,093,214
     :003,005,170,144,012,173,246
6651
6657
     :060,003,141,092,003,173,217
6663
     :061,003,141,093,003,162,214
     :008,160,016,024,032,240,237
     :255,174,092,003,173,093,041
     :003,032,205,221,096,169,239
     :206,133,167,169,031,133,102
6687
6693
     :168,173,141,002,208,251,212
6699
     :169,228,133,170,169,031,175
6705 :133,171,169,228,133,180,039
6711 :169,151,133,181,162,021,104
     :160,021,177,167,208,012,038
     :072,169,032,145,167,104,244
     :145,170,169,000,145,180,114
6735 :136,016,237,056,165,167,088
    :233,022,133,167,165,168,205
6747
     :233,000,133,168,056,165,078
6753 :170,233,022,133,170,165,222
    :171,233,000,133,171,056,099
6765 :165,180,233,022,133,180,254
6771 :165,181,233,000,133,181,240
     :202,016,193,096,032,148,040
6783 :224,165,142,162,003,010,065
6789 : 202, 208, 252, 024, 101, 142, 038
6795 :010,101,142,105,003,133,121
6801 :142,074,074,056,233,012,224
6807
     :176,252,105,015,133,251,059
6813
     :096,169,128,141,019,145,087
6819
     :169,255,141,034,145,169,052
6825
     :147,032,210,255,162,011,218
     :160,005,024,032,240,255,123
6837 :160,000,185,244,019,032,053
6843 :210,255,200,192,012,208,240
```

```
6849 : 245, 169, 014, 032, 210, 255, 094
6855 :162,013,160,005,024,032,083
6861 :240,255,160,000,185,000,021
6867 : 020,032,210,255,200,192,096
 6873 :012,208,245,032,228,255,173
6879 :240,251,201,049,144,247,075
 6885 : 201, 054, 176, 243, 056, 233, 168
 6891
      :048,073,255,141,063,003,050
      :169,147,032,210,255,032,062
 6897
      :202,020,174,063,003,024,221
 6903
 6909 :169,000,105,048,202,208,217
 6915 :251,141,082,003,162,003,133
 6921 :160,016,024,032,240,255,224
      :160,000,185,062,020,032,218
 6927
 6933 :210,255,200,192,007,208,069
 6939 :245,162,006,160,016,024,128
 6945 :032,240,255,160,000,185,137
 6951 :069,020,032,210,255,200,057
 6957
      :192,012,208,245,162,010,106
6963 :160,016,024,032,240,255,010
 6969 :160,000,185,081,020,032,023
6975 : 210, 255, 200, 192, 007, 208, 111
6981 :245,162,013,160,016,024,177
6987
     :032,240,255,160,000,185,179
      :088,020,032,210,255,200,118
6993
6999
      :192,015,208,245,162,022,163
7005
      :160,001,024,032,240,255,037
      :160,000,185,111,020,032,095
7011
 7Ø17
      :210,255,200,192,019,208,165
      :245,169,000,141,019,145,062
      :173,017,145,041,032,208,221
     :249,160,021,169,032,153,139
     :228,031,136,208,248,096,052
7Ø47
     :160,002,162,022,024,032,025
     :240,255,160,000,185,012,225
     :020,032,210,255,200,192,032
7065
     :018,208,245,032,228,255,115
     :240,251,201,089,240,007,163
7071
     :201,078,240,006,076,010,008
7083
     :019,076,029,016,000,164,219
7Ø89
     :251,140,074,003,162,001,040
7095 :024,032,240,255,160,000,126
7101
     :185,030,020,032,210,255,153
7107
     :200,192,017,208,245,096,129
7113 :172,074,003,162,001,024,125
7119 :032,240,255,160,000,185,055
7125 :047,020,032,210,255,200,209
     :192,014,208,245,096,160,110
7131
7137
     :021,185,228,031,208,028,158
7143 :169,036,153,228,031,169,249
7149
     :000,153,228,151,072,152,225
7155
     :072,032,182,019,032,219,031
     :019,104,168,104,206,072,154
7167
     :003,076,116,019,136,208,045
     :220,169,032,153,228,031,070
7173
7179
     :162,011,160,016,024,032,160
7185 : 240, 255, 173, 082, 003, 205, 207
7191
     :084,003,240,013,160,000,011
7197
     :185,103,020,032,210,255,066
7203 :200,192,008,208,245,173,037
7209
     :082,003,141,084,003,056,154
7215 :073,255,170,169,000,032,234
7221
    :205,221,162,015,160,016,064
7227
     :024,032,240,255,174,072,088
     :003,169,000,032,205,221,183
7239
     :096,169,015,141,014,144,138
     :169,129,141,013,144,162,067
     :010,138,072,032,219,019,061
     :104,170,202,208,246,169,164
7263 :000,141,014,144,024,173,079
```

```
7269 :082,003,105,016,141,082,018
7275 :003,096,172,082,003,162,113
7281 :080,202,208,253,136,192,160
     :255,208,246,056,173,013,046
7287
7293 :144,233,012,009,128,141,024
7299
     :013,144,096,144,032,032,080
7305 :075,065,066,076,065,077,049
7311 :032,032,032,076,069,086,214
     :069,076,032,040,049,045,204
7317
7323 :053,041,063,080,076,065,021
7329
     :089,032,065,071,065,073,044
7335 :078,032,089,032,079,082,047
7341 :032,078,063,031,032,157,054
7347
     :017,094,095,157,157,017,204
7353
     :033,035,017,157,157,144,216
7359
     :017,064,144,032,157,017,110
7365
     :032,032,157,157,017,032,112
7371
     :032,017,157,157,017,028,099
7377
     :083,067,079,082,069,144,221
7383 :030,072,073,017,157,157,209
7389 : 083, 067, 079, 082, 069, 144, 233
7395 :156,083,080,069,069,068,240
7401 :144,066,079,077,066,083,236
     :017,157,157,157,157,157,017
7407
7413 :076,069,070,084,032,032,096
7419 :032,032,157,157,157,157,175
7425 :080,082,069,083,083,032,174
7431 :070,073,082,069,032,084,161
7437 :079,032,083,084,065,082,182
7443 :084,160,000,185,000,128,064
7449 :153,000,028,200,208,247,093
7455 :160,000,185,000,129,153,146
7461 :000,029,200,208,247,160,113
7467 :007,185,020,021,153,000,173
7473 :028,136,016,247,160,039,163
7479 :185,028,021,153,216,028,174
7485 :136,016,247,160,007,185,044
7491 :068,021,153,008,029,136,226
7497
     :016,247,160,031,185,076,020
7503 :021,153,024,029,136,016,202
7509 : 247, 169, 255, 141, 005, 144, 022
7515 :096,162,021,169,059,133,219
7521 :167,169,030,133,168,160,156
7527 :006,169,037,145,167,024,139
7533 :165,168,105,120,133,168,200
7539 :169,002,145,167,056,165,051
7545 :168,233,120,133,168,136,055
7551 :208,231,024,165,167,105,003
7557 :022,133,167,165,168,105,125
7563 :000,133,168,202,208,213,039
7569 :160,015,169,038,153,088,000
7575 :030,136,016,248,160,015,244
7581 :169,002,153,088,150,136,087
     :016,248,096,048,008,008,075
7587
7593 : 060, 126, 126, 126, 060, 255, 154
7599 :255,255,063,031,015,007,033
7605 :003,255,255,255,255,255,179
7611 :255,255,255,255,255,255,181
     :252,248,240,224,192,015,084
7617
7623 :018,016,010,005,060,064,116
7629 :072,240,072,008,080,160,069
7635 : 056,004,036,072,072,072,011
7641 :072,119,064,064,063,036,123
7647 :036,036,036,220,004,004,047
7653 :248,200,084,156,212,051,156
7659 :043,048,035,238,238,238,051
7665 :000,187,187,187,000,255,033
 7671 :065,036,024,024,036,065,241
 7677 :255,058,013,013,013,013,106
```

Disk Merge

Article on page 135.

BEFORE TYPING . . .

Before typing in programs, please refer to "How To Type In COMPUTE!'s GAZETTE Programs," which appears before the Program Listings.

	The state of the s
100	GOTO390 :rem 102
110	GET#FI, BY\$: IFBY\$ <> " "THENPRINT#3, BY\$;:
100	GOTO110 :rem 146
120	
130	
130	:rem 107
140	
150	DV=WD/256:HI=INT(DV):LO=WD-HI*256:PKI
	NT#3, CHR\$(LO); CHR\$(HI); : RETURN
	:rem 141
160	GOSUB130:LO=BY:GOSUB130:LI(FI)=BY*256
	+LO :rem 186
170	GOSUB130:LO=BY:GOSUB130:LN(FI)=BY*256
	+LO :rem 192
180	IFLI(FI)>ØTHENPRINTTAB((FI-1)*9);LN(F
	I);"{UP}" :rem 85
190	CA(FI)=CA(FI)+LS(FI):LS(FI)=LI(FI)-CA
	(FI):RETURN :rem 95
200	LI(3)=LI(3)+LS(FI):WD=LI(3):GOSUB150:
200	WD=LN(FI).GOTO150 :rem 187
210	GOSUB200:GOSUB110:GOTO160 :rem 251
220	IFLI(1)=ØANDLI(2)=ØTHENRETURN :rem 14
230	IFLI(2)=ØTHENFI=1:GOSUB21Ø:GOTO22Ø
230	:rem 41
240	IFLI(1)=ØTHENFI=2:GOSUB21Ø:GOTO22Ø
240	:rem 42
050	
250	IFLN(1) < LN(2) THENFI=1: GOSUB210: GOTO22
	Ø :rem 27
260	IFLN(1)>LN(2)THENFI=2:GOSUB210:GOTO22
	Ø :rem 31
270	FI=1:GOSUB210:FI=2:GOSUB280:GOTO220
	:rem 118
280	GET#FI, BY\$:IFBY\$<>""THEN280 :rem 38
290	GOTO160 :rem 107
300	GOSUB130:LO=BY:GOSUB130:CA(FI)=BY*256
	+LO: RETURN :rem 191
310	WD=CA(3):GOTO150 :rem 125
320	PRINT PROMPTS; "{5 SHIFT-SPACE}
020	{5 LEFT}"; :rem 19
33Ø	170
340	NULL=FC\$="{SHIFT-SPACE}":QUIT=FC\$="*"
340	:RETURN :rem 9
350	
360	INPUT#15, EN, EM\$, ET, ES :rem 220
We see that	THE THE PROPERTY PROFILE PARTY
370	
380	
390	DIM CA(3),LI(3),LN(2),LS(2) :rem 90
400	NUS=CHR\$(Ø) :rem 26
410	PRINT: PRINT "{RVS} [5 SPACES] DISK MERG
(3)	E[5 SPACES]" : rem 218
420	OPEN 15,8,15 :rem 36
430	FI=1:PROMPT\$="{2 SPACES}PRIMARY FILE"
	:rem 153
	GOSUB 320:IF NULL THEN 440 :rem 120
450	IF QUIT THEN 700 :rem 49
460	GOSUB 350: IF ERR THEN 440 :rem 43
470	FI=2:PROMPT\$="SECONDARY FILE" :rem 34
-	

480	GOSUB 320:SECNULL=NULL :rem 121
490	IF SECNULL THEN PRINT "*RELOCATE ONLY
	*":GOTO530 :rem 50
500	
510	AF\$=FI\$:rem 49
520	GOSUB 350:IF ERR THEN 480 :rem 44
530	FI=3:PROMPT\$="{3 SPACES}MERGED FILE"
	:rem 44
540	GOSUB 320:IF NULL THEN 540 :rem 122
55Ø	
560	FI\$=FI\$+",P,W":GOSUB 350:IF ERR=0 THE
	N 620 :rem 228
57Ø	IF EN<>70 THEN 540 :rem 103
58Ø	PRINT "{UP} [16 SPACES] [UP]" : rem 144
59Ø	BF\$=FI\$:CLOSE 2:GOSUB 350:E2=ERR
	:rem 69
600	FI=2:FI\$=AF\$:GOSUB350:FI=3:FI\$=BF\$
	:rem 202
610	
620	
	{2 SPACES}1025{6 LEFT}"; BASE\$:rem 125
630	
	:rem 213
640	CA(3)=VAL(BASE\$):LI(3)=CA(3) :rem 234
65Ø	FI=1:GOSUB 300:GOSUB 160 :rem 54
660	IF NOT SECNULL THEN FI=2:GOSUB 300:GO
	SUB 160 :rem 253
670	GOSUB 310 :rem 177
680	GOSUB 220 :rem 178
690	PRINT#3, NU\$; NU\$; :rem 178
700	CLOSE 3:CLOSE 2:CLOSE 1:CLOSE 15
	:rem 25
710	END :rem 111

Tiny MLX

Article on page 145.

BEFORE TYPING . . .

Before typing in programs, please refer to "How To Type In COMPUTE!'s GAZETTE Programs," which appears before the Program Listings.

100	POKE56,24:POKE55,146:CLR:POKE	788,	194
		:re	m 76
210	S=6291:E=7682	:rem	136
300	PRINT"{CLR}";CHR\$(14):AD=S	:ren	m 56
	PRINTRIGHT\$("ØØØØ"+MID\$(STR\$(AD)	2).5
);":";:FORJ=1T06	:rem	
320	GOSUB570:IFN=-1THENJ=J+N:GOTO		254
320	GOSOBS/W:IFN=-ITHENS=S+N:GOTO		000
		:rem	100 100
480	IFN<ØTHENPRINT:GOTO31Ø	:rem	168
490	A(J)=N:NEXTJ	:rem	199
500	CKSUM=AD-INT(AD/256)*256:FORI	=170	5:CK
	SUM=(CKSUM+A(I))AND255:NEXT		
510			
	III Etaasiin ka lahaili waxaa ah ii	:rem	- (CD) (CD)
515	IFN=CKSUMTHEN53Ø	:rem	
520	PRINT: PRINT"LINE ENTERED WRON		
	"RE-ENTER": PRINT: GOSUBIØØ: GO	TO310	5
	- Continues of the second seco	:rem	129
530	GOSUB2ØØØ	:rem	
540	FORI=1TO6:POKEAD+I-1,A(I):NEX		
55Ø	AD=AD+6:IFAD <ethen310< th=""><th>:rem</th><th></th></ethen310<>	:rem	
560	GOTO71Ø		
57Ø	N=Ø:Z=Ø	:rem	
3/10	N-M: 7-M	:rem	1 88

580	PRINT"[+]"; :rem 79
581	GETA\$:IFA\$=""THEN581 :rem 95
585	PRINTCHR\$(20);:A=ASC(A\$):IFA=13ORA=44
303	
590	TIA, TEOTHERIN MINERALIA
600	IFA<>20 THEN 630 :rem 10
610	GOSUB690:IFI=1ANDT=44THENN=-1:PRINT"
	{LEFT} {LEFT}";:GOTO690 :rem 172
620	
Carlotte Control	
630	IFA<480RA>57THEN580 :rem 105
640	PRINTA\$;:N=N*10+A-48 :rem 106
650	IFN>255 THEN A=20:GOSUB1000:GOTO600
	:rem 229
660	
A COMP BRADE AND A	
670	IFZ=ØTHENGOSUB1ØØØ:GOTO57Ø :rem 114
680	PRINT",";:RETURN :rem 240
690	S%=PEEK(209)+256*PEEK(210)+PEEK(211)
	:rem 149
692	FORI=1TO3:T=PEEK(S%-I) :rem 68
	TOTAL AANDONA FORWARD OF TO A NOW
695	IFT <> 44ANDT <> 58THENPOKES%-I, 32:NEXT
	:rem 205
700	PRINTLEFT\$("{3 LEFT}",I-1);:RETURN
	:rem 7
710	
, 10	
700	:rem 236
720	
730	PRINT: PRINT" 12 DOWN RVS T OFF APE OR
	[RVS]D[OFF]ISK: (T/D)" :rem 228
740	GETA\$: IFA\$<>"T"ANDA\$<>"D"THEN740
,	:rem 36
75Ø	
150	DV=1-7*(A\$="D"):IFDV=8THENF\$="Ø:"+F\$
	:rem 158
760	T\$=F\$:ZK=PEEK(53)+256*PEEK(54)-LEN(T\$
):POKE782,ZK/256 :rem 3
762	POKE781, ZK-PEEK(782)*256: POKE780, LEN(
, 02	
	T\$):SYS65469 :rem 109
763	POKE780,1:POKE781,DV:POKE782,0:SYS654
	66 :rem 68
765	POKE254, S/256: POKE253, S-PEEK(254) *256
100000	*POKE780 253
766	POKE782, E/256: POKE781, E-PEEK(782)*256
700	
770	:SYS65496 :rem 124
77Ø	IF(PEEK(783)AND1)OR(ST AND191)THEN780
	:rem 111
775	PRINT" {DOWN } DONE. ":END :rem 106
780	PRINT" [DOWN] ERROR ON SAVE. [2 SPACES] T
-	
701	RY AGAIN.":IFDV=1THEN720 :rem 171
781	
	;E2\$:CLOSE15:GOTO720 :rem 103
782	
845	POKE780,1:POKE781, DV:POKE782,1:SYS654
THE	
1000	ilem 78
1000	REM BELL TONE :rem 250
TOOL	POKE36878,15:POKE36874,190 :rem 206
	P FORW=1TO300:NEXTW :rem 117
1003	B POKE36878, Ø: POKE36874, Ø: RETURN
	:rem 74
2000	DEM DELL GOUND
2001	
2001	
	76,240:NEXTW :rem 22
2002	POKE36876, Ø:RETURN : rem 119

MLX For The 64

10	REM	LINES	S CHANGEI	FROM	MLX	VERSION	2.0
						:ren	
20	REM	LINE	CHANGED	FROM	MLX	VERSION 2	2.01
		300				:rem	
100	PR	NT" {	CLR] [6]";	CHR\$	(142)	; CHR\$(8);	: PO
	KES	3281	1:POKE53	3280,1		:rem	1 67

	DOWN TOO TO DEM DICABLE DIN STOD	E 40	FORI=1TO6:POKEAD+I-1,A(I):NE	VT. POKESA
INI	POKE 788,52:REM DISABLE RUN/STOP	540		:rem 227
	:rem 119		272,0:POKE54273,0	
110	PRINT" (RVS) (39 SPACES)"; :rem 176	550	AD=AD+6: IF AD <e 310<="" td="" then=""><td>:rem 212</td></e>	:rem 212
120	PRINT"[RVS][14 SPACES][RIGHT][OFF][*]	560	GOTO 710	:rem 108
120	£[RVS][RIGHT] [RIGHT][2 SPACES][*]	570	$N=\emptyset \cdot 7=\emptyset$:rem 88
	Topp) 5+3 c(pyc) c(pyc) (14 cpacec)".	500	GOTO 710 N=0:Z=0 PRINT"E£3";	:rem 81
	TOFF) [*] £[RVS] £[RVS] [14 SPACES]";	380	PRINT ELA ;	.1611 01
	:rem 250	581	GETA\$:IFA\$=""THEN581	:rem 95
130	PRINT" (RVS) [14 SPACES] [RIGHT] [G]	582	AV=-(AS="M")-2*(AS=",")-3*(A	\$=".")-4*
	[RIGHT] [2 RIGHT] [OFF] £[RVS] £[*]		(A\$="J")-5*(A\$="K")-6*(A\$="L	"):rem 41
	[OFF][*][RVS][14 SPACES]"; :rem 35	583	AV=AV-7*(A\$="U")-8*(A\$="I")-	9*(AS="0"
140	PRINT" [RVS] [41 SPACES]" : rem 120): IFA\$="H"THENA\$="Ø"	:rem 134
140	PRINT (RVS)(41 SPACES) PRINT"(2 DOWN) (PUR) (BLK) MACHINE LANG	E04	IFAV>ØTHENA\$=CHR\$(48+AV)	
200	PRINT" (2 DOWN) (PUR) (BLK) MACHINE LANG	564	TEAVYOTHENAS-CHRS (40+AV)	-120DA-44
	UAGE EDITOR VERSION 2.02[5 DOWN]"	585	PRINTCHR\$(20);:A=ASC(A\$):IFA	=130KA=44
	:rem 238		ORA=32THEN67Ø	:rem 229
210	PRINT"[5][2 UP]STARTING ADDRESS?	590	IFA>128THENN=-A: RETURN	:rem 137
	[8 SPACES] [9 LEFT]"; :rem 143	600	IFA<>20 THEN 630	:rem 10
215	INPUTS:F=1-F:C\$=CHR\$(31+119*F)	610	GOSUB690: IFI=1ANDT=44THENN=-	-1 : PRINT"
213	:rem 166	OID	[OFF] [LEFT] [LEFT]";:GOTO690	
-				
220	IFS<2560R(S>40960ANDS<49152)ORS>53247	620	GOTO57Ø IFA<48ORA>57THEN58Ø	:rem 109
	THENGOSUB3000:GOTO210 :rem 235 PRINT:PRINT:PRINT :rem 180	630	IFA<480RA>57THEN580	:rem 105
225	PRINT:PRINT:PRINT :rem 180	640	PRINTA5; : N=N - 10+A-48	: rem 100
230	PRINT"[5][2 UP]ENDING ADDRESS?	650	IFN>255 THEN A=20:GOSUB1000:	GOTO600
200	[8 SPACES] [9 LEFT]";:INPUTE:F=1-F:C\$=	2000		:rem 229
	CHR\$(31+119*F) :rem 20	cca	Z=Z+1:IFZ<3THEN580	:rem 71
- Barranes		שסט		
240	IFE < 2560R (E > 40960ANDE < 49152) ORE > 53247		IFZ=ØTHENGOSUB1ØØØ:GOTO57Ø	:rem 114
	THENGOSUB3000:GOTO230 :rem 183	680	PRINT", "; : RETURN	:rem 240
250	IFE < STHENPRINTC\$; " {RVS} ENDING < START	690	S%=PEEK(209)+256*PEEK(210)+1	PEEK(211)
	[2 SPACES]":GOSUB1000:GOTO 230			·rem 149
	:rem 176	691	FORI=1TO3:T=PEEK(S%-I)	:rem 67
0.00		605	IFT <> 44 ANDT <> 58 THEN POKES %-I	22 NEVT
260	PRINT:PRINT:PRINT :rem 179	695	IFT <> 44ANDT <> 58THENPORES 6-1	, 32 INEAT
300	PRINT" [CLR]"; CHR\$(14): AD=S : rem 56			:rem 205
310	A=1:PRINTRIGHT\$("0000"+MID\$(STR\$(AD),	700	PRINTLEFT\$("{3 LEFT}",I-1);	RETURN
	2),5);":"; :rem 33			:rem 7
215	2),5);":"; :rem 33 FORJ=ATO6 :rem 33	710	PRINT" (CLR) (RVS) *** SAVE ***	* [3 DOWN]"
	GOSUB570:IFN=-1THENJ=J+N:GOTO320	, 10	111211 (0211)(1110)	:rem 236
320	GOSOBS/W:IFN=-IIIIENO-0/N:GOTOSES	715	PRINT" [2 DOWN] (PRESS [RVS]R	
- Service Service	:rem 228 IFN=-211THEN 710 :rem 62 IFN=-204THEN 790 :rem 64	115	PRINT (2 DOWN) (PRESS (RVS)R	III - TOTAL
	IFN=-211THEN 710 :rem 62	31500	ALONE TO CANCEL SAVE) [DOWN	; : rem 100
400		720	F\$="":INPUT" {DOWN} FILENAME	";F\$:1FF\$=
410	IFN=-206THENPRINT: INPUT" (DOWN) ENTER N		""THENPRINT: PRINT: GOTO310	:rem /1
	EW ADDRESS"; ZZ :rem 44	730	PRINT: PRINT" {2 DOWN } {RVS}T{	OFF JAPE OF
415	IFN=-206THENIFZZ <sorzz>ETHENPRINT"</sorzz>		[RVS]D[OFF]ISK: (T/D)"	:rem 228
413	[RVS]OUT OF RANGE":GOSUB1000:GOTO410	710	GETAS: IFAS <> "T"ANDAS <> "D"TH	EN740
		740	GETAG: ITAG () I ANDAG () D III.	:rem 36
	:rem 225	-	Gitte Holl) Topus Omittin	
417	IFN=-206THENAD=ZZ:PRINT:GOTO310	750	DV=1-7*(A\$="D"):IFDV=8THENF	\$= 0: +r\$:
	:rem 238		OPEN15,8,15,"S"+F\$:CLOSE15	:rem 212
420	IF N<>-196 THEN 480 :rem 133	760	T\$=F\$:ZK=PEEK(53)+256*PEEK(54)-LEN(T\$
430	PRINT: INPUT "DISPLAY: FROM"; F: PRINT, "TO):POKE782,ZK/256	:rem 3
450	";:INPUTT :rem 234	762	POKE781, ZK-PEEK(782)*256:PO	KE78Ø.LEN(
440	IFF (SORF) EORT (SORT) ETHENPRINT AT LEAS	702	T\$):SYS65469	:rem 109
440	TEF (SORF) EURI (SORT) ETHEMPRIMI AT LEAS	700		
	T";S;"{LEFT}, NOT MORE THAN"; E:GOTO43	/63	POKE780,1:POKE781,DV:POKE78	2,1:515054
	Ø :rem 159		66	:rem 69
450	FORI=FTOTSTEP6:PRINT:PRINTRIGHT\$("000	765	K=S:POKE254,K/256:POKE253,K	-PEEK (254)
	0"+MID\$(STR\$(I),2),5);":"; :rem 30		*256:POKE780,253	:rem 17
451	FORK=ØTO5:N=PEEK(I+K):PRINTRIGHT\$("ØØ	766	K=E+1:POKE782,K/256:POKE781	K-PEEK (78
431	"+MID\$(STR\$(N),2),3);","; :rem 66	, 00	2)*256:SYS65496	:rem 235
450		770	IF(PEEK(783)AND1)OR(191ANDS	
460	GETA\$:IFA\$>""THENPRINT:PRINT:GOTO310	110	IF (PEER (763) ANDI) OR (191ANDS	
	:rem 25	and the same of the		:rem 111
470	NEXTK:PRINTCHR\$(20);:NEXTI:PRINT:PRIN	775	PRINT" { DOWN } DONE . { DOWN } " : GO'	ro310
	T:GOTO310 :rem 50			:rem 113
480	IFN<Ø THEN PRINT:GOTO310 :rem 168	780	PRINT" [DOWN] ERROR ON SAVE. [2 SPACES T
	A(J)=N:NEXTJ :rem 199		RY AGAIN. ": IFDV=1THEN720	:rem 171
	CKSUM=AD-INT(AD/256)*256:FORI=1T06:CK	701	OPEN15,8,15:INPUT#15,E1\$,E2	
ששכ	CROUM-NO-INI (ND/ 250) - 250 FORI-1100 CR	101		:rem 103
	SUM=(CKSUM+A(I))AND255:NEXT :rem 200		;E2\$:CLOSE15:GOTO72Ø	+ (2 porna)
510	PRINTCHR\$(18);:GOSUB57Ø:PRINTCHR\$(146	790	PRINT" (CLR) (RVS) *** LOAD **	- (2 DOWN)
); :rem 94			:rem 212
511	IFN=-1THENA=6:GOTO315 :rem 254	795	PRINT" [2 DOWN] (PRESS [RVS]R	ETURN (OFF)
	PRINTCHR\$(20):IFN=CKSUMTHEN530		ALONE TO CANCEL LOAD)"	:rem 82
	:rem 122	800	F\$="":INPUT"{2 DOWN} FILENAM	
520	PRINT: PRINT"LINE ENTERED WRONG : RE-E	500	\$=""THENPRINT:GOTO310	:rem 144
320	NTER":PRINT:GOSUBIØØØ:GOTO310:rem 176	010	PRINT: PRINT" {2 DOWN } {RVS }T{	
F 20		910	(DUC)D(OPP) TOV. (M/D)	:rem 227
230	GOSUB2000 :rem 218		${RVS}\underline{D}{OFF}ISK: (\underline{T}\underline{D})$ "	: Lem 22/

820	GETA\$:IFA\$<>"T"ANDA\$<>"D"THEN820
	:rem 34
830	DV=1-7*(A\$="D"):IFDV=8THENF\$="Ø:"+F\$
-	:rem 157
840	T\$=F\$:ZK=PEEK(53)+256*PEEK(54)-LEN(T\$
040):POKE782,ZK/256 :rem 2
841	POKE781, ZK-PEEK(782)*256: POKE780, LEN(
041	T\$):SYS65469 :rem 107
845	POKE780,1:POKE781, DV:POKE782,1:SYS654
0.15	66 :rem 70
850	POKE78Ø,Ø:SYS65493 :rem 11
860	IF (PEEK (783) AND1) OR (191 ANDST) THEN 870
000	:rem 111
865	PRINT" [DOWN] DONE. ": GOTO310 : rem 96
870	PRINT" [DOWN] ERROR ON LOAD. [2 SPACES] T
	RY AGAIN. [DOWN] ": IFDV=1THEN800
	:rem 172
880	
10000	;E2\$:CLOSE15:GOTO800 :rem 102
1000	REM BUZZER :rem 135
	POKE54296,15:POKE54277,45:POKE54278,
	165 :rem 207
1002	POKE54276,33:POKE 54273,6:POKE54272,
	5 :rem 42
1003	FORT=1T0200:NEXT:POKE54276,32:POKE54
	273,0:POKE54272,0:RETURN :rem 202
2000	
2001	.Tem /o
	47 :rem 152
2002	*1Cm 132
2002	.0 :rem 86
2003	
	:rem 57
3000	
	GOTO1000 :rem 89

COMPUTE!'s Gazette Subscriber Services

Please help us serve you better. If you need to contact us for any of the reasons listed below, write to us at:

COMPUTE!'s Gazette

P.O. Box 961

Farmingdale, NY 11737

or call the Toll Free number listed below.

Change of Address. Please allow us 6-8 weeks to effect the change; send your current mailing label along with your new address.

Renewal. Should you wish to renew your Gazette subscription before we remind you to, send your current mailing label with payment or charge number or call the Toll Free number listed below.

New Subscription. A one-year (12-month) U.S. subscription to COMPUTE!'s Gazette is \$24 (2 years, \$45; 3 years, \$65. For subscription rates outside the U.S., see staff page). Send us your name and address or call the Toll Free number listed below.

Delivery Problems. If you receive duplicate issues of COMPUTEI's Gazette, if you experience late delivery, or if you have problems with your subscription, please call the Toll Free number listed below.

COMPUTE!'s Gazette 800-334-0868 In NC 919-275-9809

TUSSEY MT. SOFTWARE and Peripherals

Guaranteed Lowest Prices! "Find a lower price and we'll beat it!"

Toll Free Order Line: 800-468-9044 Information and PA orders: 814-234-2236 Phone lines open 10-8 Mon-Fri, 10-5 Sat

-Order with confidence. We honor manufacturer's warranties -UPS second day air available, \$3.00 extra on software

-We ship COD on everything except printers, monitors, and disk drives -Next day shipping on instock items

-We accept Mastercard and Visa -Free 20 page catalog available

MONTHLY SPECIALS Prices expire 01/31/85

Specials change every month Gemini 10X \$249.00 Cardco LQ1 (Commodore Ready) \$254.00

WP64, Spellpro 64, Power 64, or Pal 64

by Proline .. \$39.99 each Toolbox by Proline ...\$69.99

PRINTERS Delta 10, 160 cps. 8k buffer \$389 00 Powertype 18cps, letter quality . . . \$ 349.00 Radix 10. Radix 15 printers from

Star Micronics . All above printers come with a 180-day warranty, which we honour with immediate replacement upon receipt of failed unit.

Cardco LO1 letter quality printer \$454.00	n
Cardco LO2 \$299.00	
Cardco LO3 Cal	
Grappler CD printer interface Cal	d
Panasonic KXP 1090 \$239.00	a
Panasonic KXP 1091 \$299.00	a
Xetex GPI \$ 76.99	
Xetec SPI/B 59.95	
Xetec SPI \$ 43.99	9

WORD PROCESSORS

WP64 by Proline(d)	\$ 39.99
Wordpro 3+/64 w/Spellright(d)	\$ 59.00
Paperclip(d)	\$ 59.00
Paperclip w/spellpack(d)	\$ 76.99
Cardco Write Now/64 (cart)	\$ 37.00
Mirage Professional W.P.(d)	59.00
Mirage Personal W.P.(d)	\$ 29.00
Omni Writer/Speller(d)	\$ 45.00
Word Writer(d) by Timeworks	

SPREADSHEETS

Calc Result Adv (d, cart)	\$ 67.00
Calc Result Easy(cart)	\$ 33.99
Hesware Multiplan(d)	\$ 65.00
P.S. (Prog. Spreadsheet)(d)	\$ 54.99
Practicalc 64(d)	\$ 36.00
Practicale 64(t)	\$ 34.00

MONITORS

Zenith	12" Amber	\$ 97.00
	12" Green	
	SC100 Color Monitor	\$239.00
Amdek	Color 1 Plus	\$259.00
Cable	for monitors	\$ 9.95

HARDWARE

MSU SU1, single disk drive \$334.00
MSD, SD2, double disk drive Call
81-80 batteries included 80 column card with
Basic 4.0 built in \$137.99
Bus Card II by Batteries included Call

CARDCO

Printer int. w/graphics	\$ 67.00
Printer interface/B	\$ 44.00
Light pen	
Numeric keypad	\$ 35.00
5 slot exp. interface CB/5	\$ 58.00
Mail Now/64	\$ 32.00
Spell Now	 Call
File Now	
Graph Now	Call

UTILITIES The Last One(d), a Basic program

Power 64 Basic by Proline(d) \$ 39.9 Toolbox 64 both Pal 64 and \$ 69.9 Power 64(d) \$ 69.9 Copy Plus by Blue Sky(d) \$ 26.9 SuperBasic 64 by Blue Sky(d) \$ 29.9 Add on-Basic by Blue Sky(d) \$ 29.9 Lamada ArM backup program \$ 33.94 Simmer's Basic \$ 33.95	Pal 64 assembler by Proline(d)	\$	39.99
Power 64(d) \$ 69.91 Copy Plus by Blue Sky(d) \$ 26.91 SuperBasic 64 by Blue Sky(d) \$ 29.91 Add-on-Basic by Blue Sky(d) \$ 29.91 Canada A/M backup program \$ 39.91	Power 64 Basic by Proline(d)	1	39 99
Copy Plus by Blue Sky(d) \$ 26 9! SuperBasic 64 by Blue Sky(d) \$ 29 9! Add-on-Basic by Blue Sky(d) \$ 29 9! Canada A/M backup program \$ 39 9!	Toolbox 64, both Pal 64 and		
SuperBasic 64 by Blue Sky(d) \$ 29.9! Add-on-Basic by Blue Sky(d) \$ 29.9! Canada A/M backup program \$ 39.9!	Power 64(d)	\$	69.99
Add-on-Basic by Blue Sky(d) s 29 9: Canada A/M backup program s 39 9:	Copy Plus by Blue Sky(d)	5	26.99
Canada A/M backup program \$ 39.99	SuperBasic 64 by Blue Sky(d)	5	29 99
	Add-on-Basic by Blue Sky(d)	\$	29 99
Simon's Basic	Canada A/M backup program	5	39.95
	Simon's Basic	5	39.95

DATABASES	ħ	
The Consultant (formerly	d	
Delphi's Oracle)(d)	\$	63 !
Mirage Database Manager(d) and		
Report Generator	5	69 5
Superbase 64(d)	\$	64.5
Data Manager II(d) by Timeworks	\$	37.0
Practifile by MS(d)	\$	37.0

MODEMS

Commodore 1600	56 00
Commodore 1650 autoanswer,	
autodial	89 99
Hesmodem I \$	45 00
Hesmodem II	Call
Compuserve starter kit	26.95
Westridge modem \$	76 95
Mighty Mo, new modern from USI	Call
VIP terminal package by Softlaw \$	39 95
Vidtex terminal pack and	
Compuserve starter kit	59.99

MISCELLANEOUS

INIOOETTEANTEOUS.	
Koalpad w/painter(d) \$ 65.0	0
Spellpro 64(d) by Proline \$ 39 5	9
Mailpro 64 \$ 39 9	19
Complete Personal Accountant(d) \$ 54 0	0
Vertatim Datalife ss/dd disks (10) \$ 23 9	19
Maxell MD1 ss/dd disks (10) \$ 21 9	9
1541 Express by RTC	111
Smart Cable	11
Musicale 1	15
Musicalc 2 \$ 27.9	5
Musicalc 3 \$ 27.9	
SAM, Software Automatic Mouth \$ 47.9	5
Mirage Advanced Report Generator . s 39 9	5
The Home Accountant	5
Timeworks Inventory, A/P,A/R, Cash Flow	
Management, General Ledger, Payroll	
Management	h
64 Dacter 5 24 9	5
FCM. First Class Mail	5
Super Sketch	9

Tussey Mt. Software Box 1006 State College, PA 16804 To Order By Mail - Send personal check, money order, or certified check for fastest service send money order or certified check. Allow 2 weeks for personal checks to clear

personal checks to clear

Shipping & Tarms — Add \$2.50 per order for shipping software and accessories. Add \$6.00 per order for COD. Add \$10.00 to ship printers and disk drives. \$8.00 to ship monitors. COD orders not accepted on printers and monitors. Foreign orders, APO, FPO, AX, and Hi require additional amounts for shipping. We pay shipping on backorders. Orders shipped UPS unless noted otherwise. All prices reflect cash discount. Visa. Mastercard add 3 a Manufacturer's warranty honored with our invoice and original packaging. PA residents add 5% sales tax. Prices subject to change.

COMPUTE!'s Gazette for Commodore AUTHOR GUIDE

COMPUTE!'s Gazette for Commodore is looking for interesting, useful articles aimed at beginning to intermediate VIC-20 and Commodore 64 users. If you have an article idea or a good original program, we'd like to see it. Don't worry if you are not a professional writer. We are more concerned with the content of an article than its style. Simply try to be clear in your writing and check your program for any bugs.

COMPUTE!'s Gazette for Commodore is a consumer-oriented magazine for VIC-20 and Commodore 64 users who want to get the most out of their computers in a non-technical way. It is aimed primarily at home users, not all of whom necessarily want to become expert programmers. If your article covers a more advanced or technical topic, you may choose to submit it to our companion publication, **COMPUTE!**. If you submit an article to one of our magazines and we believe it would be more suitable to the other, we will transfer your submission to the right editors. The basic editorial requirements for publication are the same for both magazines; so are the payment rates.

The following guidelines will permit your good ideas and programs to be more easily edited and published. Most of these suggestions serve to improve the speed and accuracy of publication:

 The upper left corner of the first page should contain your name, address, telephone number, and the date of submission.

2. The following information should appear in the upper right corner of the first page. If your article is specifically directed to either the VIC-20 or Commodore 64, please state which one. In addition, please indicate the memory requirements of programs.

3. The underlined title of the article should start

about 2/3 of the way down the first page.

4. Following pages should be typed normally, except that in the upper right corner there should be an abbreviation of the title, your last name, and the page number. For example: Memory Map/Smith/2.

5. Short programs (under 20 lines) can easily be included within the text. Longer programs should be separate listings. It is essential that we have a copy of the program, recorded twice, on a tape or disk. The tape or disk should be labeled with your name and the title of the article. Tapes are fairly sturdy, but disks need to be enclosed within plastic or cardboard mailers (available at photography, stationery, or computer supply stores).

It is far easier for others to type in your program if you use CHR\$(X) values and TAB(X) or SPC(X) instead of cursor manipulations to format your output. For five carriage returns, FOR I=1TO 5:PRINT:NEXT is far more "portable" to other computers with other BASICs and also easier to type in. And, instead of a dozen right-cursor symbols, why not simply use PRINT SPC(12)? A quick check through your program –

making these substitutions – would be greatly appreciated by your editors and by your readers.

6. If your article is accepted and you have since made improvements to the program, please submit an entirely new tape or disk and a new copy of the article reflecting the update. We cannot easily make revisions to programs and articles. It is necessary that you send the revised version as if it were a new submission entirely, but be sure to indicate that your submission is a revised version by writing "Revision" on the envelope and the article.

7. All lines within the text of the article should be spaced so that there is about 1/2 inch between them. A one-inch margin should be left at the right, left, top, and bottom of each page. No hyphens should be used at the ends of lines to break words. And please do not justify. Leave the lines ragged.

 Standard typing paper should be used (no onionskin or other thin paper) and typing should be on one side of the paper only (upper- and lowercase).

9. Sheets should be attached together with a paper

clip. Staples should not be used.

10. A good general rule is to spell out the numbers zero through ten in your article and write higher numbers as numerals (1024). The exceptions to this are: Figure 5, Table 3, TAB(4), etc. Within ordinary text, however, the zero through ten should appear as words, not numbers. Also, symbols and abbreviations should not be used within text: use "and" (not &), "reference" (not ref.), "through" (not thru).


11. For greater clarity, use all capitals when referring to keys (RETURN, TAB, ESC, SHIFT), BASIC words (LIST, RND, GOTO), and three languages (BASIC, APL, PILOT). Headlines and subheads should, however, be initial caps only, and emphasized words are not capitalized. If you wish to emphasize, underline the word and it will be italicized during

typesetting.

between \$75 and \$1000 for published articles. In general, the rate reflects the length and quality of the article. Payment is made upon acceptance of an article. Following submission (Editorial Department, COMPUTE!'s Gazette for Commodore, P.O. Box 5406, Greensboro, NC 27403) it will take from four to six weeks for us to reply. If your work is accepted, you will be notified by a letter which will include a contract for you to sign and return. Rejected manuscripts are returned to authors who enclose an SASE. We do not consider articles which are multiple submissions. If you wish to send an article to another magazine for consideration, please do not submit it to us.

13. Articles can be of any length – from a single-line routine to a multi-issue series. The average article is about four to eight double-spaced, typed pages.

14. If you want to include photographs, they should be 5x7, black-and-white glossies.



A Printer For All Reasons!

The GP-550-CD is an extra high quality graphic printer that offers both standard dot matrix printing and near letter quality printing all in a single unit.

PRINTING	DOT MATRIX (H x V)	NUMBER OF	PRINT SPEED	CHARACTER SPACING	PASS
MODE	& SPACES	COLUMNS	(CPS)	(CPI)	
DP Mode:					
Pica	9×8+3	80	50	10	1
Elite	9 x 8 + 1	96	60	12	1
Condensed	5x8+2	136	86	17	1
NLQ Mode: NOT	E: There is expa	nded (double-widt	h) printing fund	tion in every charac	ter mode
Pica	9 x 16 + 3	80	25	10	2
Elite	9 x 16 + 1	96	30	12	2
Proportional	N x 16		_		2
Super/Subscript	5 x 8	136	43	17	2
Italic Cursive	12 x 16	80	25	10	2

Line Spacing Paper Feed Paper Width Paper Type Ribbon Dimensions **Printing Method Printing Format** Character Kinds Graphics **Multiple Copies**

6, 8, 7½, 12, or N/120 (N = 0-99) lines per inch. Pin-feed and friction-feed (single sheet) Adjustable from 4.5 to 10 inches (fanfold paper) Fanfold or cutsheet paper

Single color, special self-inking cassette 12" (D) x 16.5" (W) x 4.5" (H) (including paper separator)

Two-hammer 9 x 8 (DP); 9 x 16 (NLQ) 96 ASCII + 44 characters and symbols Arbitrary combination of 8 dots or 16 dots. 3 including original

1 year parts & labor warranty



FEATURES:


- Two print modes: Data Processing (DP) mode, Near Letter Quality (NLQ) mode.
- Lower noise level.
- High cost-performance.
- Two matrix configurations: 9 (H) x 8 (V) dots in DP mode; 9 (H) x 16 (V) dots in NLQ mode.
- Capable of printing 140 different characters: 96 ASCII characters plus 44 European characters and symbols.
- Various character modes for special effects: DP mode: Pica, Elite, Condensed NLQ mode: Pica, Elite, Italic Cursive, Superscript, Subscript and Proportional.
- Graphic printing of vertical 8-dot or 16-dot graphic data.

only

for VIC-20 or C-64

So easy to use - simply plug-in and print. Includes all cables & Includes all Commodore Graphics

FOR ORDERS CALL TOLL FREE: 1-800/962-5800 USA 1-800/962-3800 CALIF.



CASH PRICES CHARGE CARDS ADD 3%

15 Day Money Back Guarantee

APROPOS TECHNOLOGY

1071-A Avenida Acaso

Camarillo, CA 93010

805/482-3604



HAVE YOU BEEN DRIVEN CRAZY TRYING TO BACKUP YOUR EXPENSIVE SOFTWARE? NOW YOU CAN RELAX!

DITTODISK.EL"

DITTODISK 64 is a utility program that has been tested and found to be capable of copying most protected disks produced by the major software houses. A notable attribute of this copy program is its lack of a large manual. There are no menus and no disk analysis routines. The screen prompts will be all that you'll need to get you through 99+% of your copying.

DISK

ONLY **\$39**95

THE BEST

VIC & 64

BE A COPY C A D (CASSETTE AIDED DUPLICATOR) NOW YOU CAN MAKE BACKUP COPIES OF ALL THE COSTLY, NON-SAVEABLE CASSETTE PROGRAMS YOU BOUGHT.

OUR BACKUP V1.0 UTILITY PROGRAM WILL LET YOU MAKE DUPLICATES THAT RUN.

BACKUP VIOWILL WORK WITH A STANDARD SK UNEXPANDED VIC. MEMORY EXPANSION IS REQUIRED TO COPY PROGRAMS LONGER THAN 3K BYTES.

\$24.95

YOU CAN BUY

ORDERING INFORMATION

ADD \$2.00 PER ORDER FOR SHIPPING. WE ACCEPT VISA, MASTERCARD. CHECKS, M.O. C.O.D. ADD \$3.00 EXTRA. California Residents, Add 6%

Sales Tax to Orders

Dealers inquiries invited!!!



6201 C Greenback Lane

SOFTWARE PLUS

(916) 726-8793



Citrus Heights, CA 95610

ALL THE BEST PRICES

@commodore

Call for CBM 4 Plus



M-801 Dot Matrix Parallel	\$219.00
MCS 801 Color Printer	\$499.00
1520 Color Printer/Plotter	\$129.00
1530 Datasette	\$69.99
1541 Disk Drive	\$249.00
1600 Vic Modem	\$59.99
1610 Vic Term 40	\$59.99
1650 Auto Modem	\$89.99
1702 Color Monitor	\$249.00
DPS Daisywheel Printer	
Desk Organizer Lock	
1311 Joystick each	\$4.99
1312 Paddles	
1110 VIC 8K	\$42.99
	11111400100
IEEE/RS-232 Interface	\$42.99
1211 Super Expander	\$53.99
MSD DRIVES	
SD 1 Disk Drive	
SD 2 Disk Drive	\$589.00
Light Pen CARDCO	
3 Slot VIC Expansion Interface	\$32.99
6 Slot Expansion Interface	
Cassette Interface	
Parallel Printer Interface	
Parallel Interface w/Graphics	
Cassette Deck	\$39.99
ORANGE MICRO	(GO)(O)(O)
Grappler CD Interface	\$119.00
なかさいしゅん レフィン・レン・レン・ス・ス・ス・ス・ス・ス・ス・ス・ス・ス・ス・ス・ス・ス・ス・ス・	1050111111111

TYMAC

C64 Printer Interface...... PERSONAL PERIPHERALS
Super Sketch Graphics Pad......\$3 KOALA

C64 Koala Pad ROM

\$79.99

SX-64 Portable	\$799
Commodore 64	\$199
VIC 20	CALL
MONITOR	RS
300 Green AMDEK	\$129.00
300 Amber	\$149.00

	MONITORS	
	AMDEK	
	300 Green	\$129.00
	300 Amber	\$149.00
	New Color 300	\$269,00
	New Color 300. 1201 (12" Green). 9191 Plus Color.	eessaariist.
	1201 (12" Green)	\$88.99
	9191 Plus Color	\$249.00
	CODILLA	
	122" Green GORILLA	
	12" Amber	\$89.99
E	NEC	mann)
ģ	JB 1201 Green. NEC JB 1208 Amber	\$139.99
	JB 1205 Amber	\$149.99
	JB 1215 Color	
2	SAKATA	
	SC-100 Color	\$269.00
	SG-1000 GreenSG-1000 Amber	\$129.00
		\$139.00
	100 12" Green TAXAN	*100.00
	105 12" Amber	\$120.00
ì		2119.00
	Pi 1, 9" Green	egg og
	Pi 2, 12" Green	\$110.00
	P) 3 12" Amber	\$199.00
	Pi 3, 12" Amber Pi 4, 9" Amber	\$110.00
	1400 Color	\$240.00
	ZENITH	
	ZVM 122 Amber	\$89.00
	ZVM 123 Green	\$84.00

DDIMMEDO

	PRINTERS
	C. ITOH
	Prowriter 8510P\$339.00
	Prowriter 1550P\$599.00
	A10 (18 cps) Son of Starwriter\$569.00
	F10-40 Starwritter\$949.00
Z	F10-55 Printmaster \$1249.00
g	COMREX
N	ComWriter II Letter Quality\$449.00
	EPSON
	RX-80, RX-SOFT, RX-100, FX-80, FX-100 CALL
	JUKI
	6100\$469.00
	MANNESMAN TALLY
	160L \$989 00
8	180L\$749.00
Z	Spirit 80\$259.00
g,	NEC
	8027 Dot Matrix\$369.00
	OKIDATA
	82, 83, 84, 92, 93, 2350, 2410 CALL
	OLYMPIA
	Compact 2\$479.00
7	Compact RO\$509.00
	Needlepoint Dot Matrix\$329.00
g	SMITH CORONA
Ź	TP-1000 SMITH CORONA \$449.00
	SILVER REED
	500 Letter Quality \$449.00
	550 Letter Quality \$549.00
	770 Letter Quality\$869.00
	TOSHIBA
	1340
	\$1369,00
	1361 \$1369.0

SOFTWARE

ATARISOFT (C 64/VIC)	
Dig Dug	\$34.99
Defender	.\$34.99
Robotron 2084	\$34.99
PacMan	
Donkey Kong	\$34.99
Centipede	
Stargate	\$34.99
COMMODORE (64)	
C-64 Reference Guide	\$18.99
EasyCalc	\$65.00
Easy Finance I. II, III, IV	\$19.99
Easy Mail	
Easy Script	\$39.99
CBS (64)	
Addition & Subtraction	\$16.99
Linear Equation	
Multiplication & Division	\$16.99
Quadratic Equations	
CONTINENTAL SOFTWARE	(64)

CSA (64)	481818
PractiCalc	\$39.99
PractiFile	\$39.99
DESIGNWARE (64)	
Cryto Club	\$29.99
Tran-a-Zoid	
DYNATECH (64)	111111111111111111111111111111111111111
Codewriter	\$75.99
ELECTRONIC ARTS (64	1)
Pinball Construction	\$29.99
Cut & Paste	
Hard Hat Mack	\$75.99
EPYX (6-64/VIC)	
Temple of Apshai	\$29.99
Upper Beaches of Apshai	
Jumpman Juntor	\$29,99
HES (64)	
Tvi math	.\$22.99
The Pit	\$12.99
Ghost Manor	\$12.99
Pool Challenge	
Hes Mon 64	\$29.99

INFOCOM (64)	anasan
Zork I, II, III	\$27.99
Deadline	\$29.99
Witness	\$29.99
PROFESSIONAL SOFTWAF	RE (64)
Word Pro 64 plus Spell	\$59.99
Trivia Fever	\$29.99
PROGRAM INTERNATI Superbase 64. SPINNAKER (64)	ONAL \$49.99
Snooper Troops 1 or 2	\$29.99
Delta Drawing	
Kids on Keys	
SCREENPLAY (64)
Wylde	\$22.99
Kaiv	\$22.99
Pogo Joe	\$20.99
SUB LOGIC (64) Flight Simulator II	640.00
SAN VOE (84)	0000040099

800-648-3311

In NV call (702)588-5654 Order Status Number: 588-5654 P.O.Box 6689, Dept.115 Stateline, NV 89449

canada Ontario/Quebec 800-268-3974 Other Provinces800-268-4559

In Toronto call (416) 828-0866 Telex: 06-218960

Protector II


In PA call (717)327-9575 Order Status Number: 327-9576

\$23 99

Telex: 06-218900 Customer Service Number 32, 2505 Dunwin Drive, Unit 3B, Dept.115 477 E. 3rd St., Dept.115, Williamsport, PA 17701 No risk, no deposit on C.O.D. orders and no waiting period for certified checks or money orders. Add 3% (minimum \$5) shipping and handling on all orders. Larger shipments may require additional charges. NV and PA residents add sales tax. All items subject to availability

Software Discounters of America

For Orders Only 1-800-225-SOFT* Inquiries and PA 412-361-5291



S.D. of A.

- · Free shipping on orders over \$100 in continental USA
- No surcharge for VISA/MASTERCARD

	Commodore	64 Software	
ACCESS	CONTINENTAL	Heist (D)\$21	Questron (D)\$25
Beach Head (T or D) .\$21	FCM (D) \$33	MICROPROSE	RDF 1985 (D)\$25
Beach Head II call	Get Rich Series call	F-15 (T or D)\$23	Rails West (D) \$25
Raid Over Moscow	Home Accountant \$47	Helicat Ace (D) \$19	Ringside Seat (D) \$25
(T or D) \$25	Home Cataloger (D) .\$33	Solo Flight (T or D) \$23	Tigers in Snow (D) \$25
Scrolls of Abadon (D) \$23	DATASOFT	Spitfire Ace (D) \$19	SUBLOGIC Flight Simulator II
ACTIVISION	Bruce Lee (T/D) \$23 Conan the Barbarian	MUSE Coatle Welfacetele	(D) \$35
Decathalon (D)\$25 Ghostbusters (D)\$25	(T or D)\$25	Castle Wolfenstein	Night Mission
Pitfall II (D) \$25	Dallas Quest (D)\$23	(D)	Pinball (T or D) \$21
River Raid (D) \$25	Letter Wizard w/	Ultima III (D) \$39	SYNAPSE
Space Shuttle (D) \$25	Speller (D) \$47	PRECISION SOFTWARE	Blue Max (T or D) \$21
ARTWORX	Mr. Do (T or D) \$25	Superbase 64 (D) \$65	Ft. Apocalypse
Bridge 4.0 (T or D) \$16	Pooyan (T or D)\$19	PROFESSIONAL	(T or D) \$21
Monkeymath (T or D) \$21	EPYX	SOFTWARE	Necromancer (T or D) \$21
Strip Poker (D) \$21	Gateway Apshai (R) .\$25	Trivia Fever (D) \$25	Pharoah's Curse
BATTERIES INCLUDED	Impossible Mission	Word Pro 3 + /Spell	(T or D)\$21
Buscard II\$135	(D)	Right (D) \$57	Sentinel (T or D)\$21 Zaxxon (T or D)\$25
Checkbook (D)\$21 80 Column Card\$145	Pitstop II (D)\$25	RESTON Miner 2049er (R)\$25	Zeppelin (T or D) \$21
Electronic Address	Robots of Dawn (D) \$25	Movie Maker (R) \$33	TIMEWORKS
Book (D)\$21	Summer Games (D) \$25	SCARBOROUGH	Cave Word Wizard (D) \$23
Home Inventory (D) \$21	Temple of Apshai	Mastertype (D or R) \$25	Data Manager (T or D) \$17
Mail List (D) \$21	(T or D) \$25	Net Worth (D) \$49	Data Manager 2 (D)\$33
Paperclip (D)\$59	World's Greatest	Songwriter (D)\$25	Elect. Checkbook
Paperclip w/ Spellpak \$79	Baseball (D)\$23	SIERRA ON LINE	(T or D)
Recipes (D)\$21	FISHER PRICE	Grog's Revenge (D) \$23	Evelyn Wood Reader
Spellpak (D) \$33	Alpha Build (R)\$19	Homeword (D) \$43	(D)
Stamps (D)	Dance Fantasy (R) \$19	Mickey's Space	Programming Kit 1, 2
The Consultant (D) \$67	Hop Along Counting (R)\$19	Adventure (D)\$25	or 3 (T or D)\$17
BOOKS Book of Adv. Games . \$16	Linking Logic (A) \$19	Story Maker (D) \$23 Ultima II (D) \$39	Robbers Lost Tomb
Book of Commodore	Memory Manor (R)\$19	Ulysses (D) \$23	(T or D)
Software 85 \$13	Number Tumbler (R) . \$19	Winnie the Pooh (D) \$25	Spellbound (T or D) . \$17
Commodore 64 User's	Sea Speller (R) \$19	Wizard & Princess (D) \$19	Word Writer (D)\$33
Encyclopedia\$13	Up & Add 'Em \$19	Wiz-Type (D) \$23	TRILLIUM
Commodore 64 Color	FUTUREHOUSE	SPINNAKER	Amazon (D) \$23
Graphics\$12	CPA (D) \$47	Adventure Creator (R) \$21	Dragonworld (D) \$23
Games Commodores	Light Pen (T or D)\$19	Aegean Voyage (R) \$21	Fahrenheit 451 (D) \$23 Rendezvous with
Play\$12	Peripheral Vision (D) . \$23	Aerobics (D) \$25	Rama (D)\$23
Kids and the C64 \$16	Computer SAT (D) \$59	Alphabet Zoo (R) \$21 Bubble Burst (R) \$21	Shadowkeep (D) \$23
Shortcut Through Adventureland I\$9	HES	Delta Drawing (R)\$21	TRONIX
Shortcut Through	Graphics Basic (D)\$23	Facemaker (R) \$21	Chatterbee (D) \$25
Adventureland II	HES Modem I \$44	Fraction Fever (R) \$21	Pokersam (D) \$19
(Infocom)	HES Mon 64 (R) \$25	Grandma's House (D) \$21	S.A.M. (D) \$39
BRODERBUND	HES Games 84 (D) \$23	Hey Diddle (D) \$19	WAVEFORM
Bank St. Writer\$33	Millionaire (D)\$25	Jukebox (R) \$21	Musicalc 1 (D) \$35
Castles Dr. Creep (D) \$21	Multiplan (D)\$59	Kids on Keys (R) \$21	Musicalc 2 or 3 (D) \$23
Championship	Space Station (D)\$25	Kidwriter (R)\$21	Colortone Keyboard . \$59
Loderunner (D) \$23	INFOCOM	Kindercomp (R) \$21	WINDHAM CLASSICS
Drol (D)	Enchanter (D) \$23 Hint Books \$6	Most Amazing Thing (D)\$23	Below The Root (D) \$19
Karateka (D) \$21 Mask of the Sun \$25	Hitchhiker's Guide to	Ranch (R) \$21	Gulliver's Travels (D) . \$19
Music Shop \$33	the Galaxy (D)\$23	Snooper Troops 1 (D) \$23	Swiss Family Robinson
Operation Whirlwind	Infidel (D) \$23	Snooper Troops 2 (D) \$23	(D)
(D)\$25	Planetfall (D)\$23	Story Machine (R) \$21	Wizard of Oz (D) \$19
Raid on Bungeling	Sea Stalker (D) \$23	Trains (D) \$23	ACCESSORIES
Bay (D)\$21	Sorcerer (D)\$26	SSI	BASF SS. DD \$16 Bx
Serpent's Star (D)\$25	Witness (D) \$23	Baltic 85 (D) \$25	Cardco Access call Commodore Dust Co-
Spelunker (D) \$21	Touch Tablet w/	Battle Normandy (D) . \$25 Broadsides (D) \$25	vers (All Models) \$6
Whistler's Brother (D)\$19	Painter (D)\$65	Carrier Force (D)\$39	A 10 10 10 10 10 10 10 10 10 10 10 10 10
Astro Grover (D)\$25		Combat Leader (D) \$25	(5 hrs.) \$25
Big Bird Funhouse	Painter (R)\$75		Disk Case
(R) \$25	Muppet Learning	(D) \$25	(holds 50) \$12
Big Bird Spc Delivery	Keys \$49	Computer QB (D)\$25	Disk Case
(R)	LEARNING CO.	Cosmic Balance (D) .\$25	(holds 100) \$19
Dinosaur Dig (D)\$33	Addition Magician	Epidemic (D) \$23	Disk Drive Cleaner
Duck's Ahoy! (R) \$19	(D)	Field of Fire (D) \$25	Sakata 13" Color
Ernie's Magic Shapes	Moptown Hotel (D) \$25 Rocky's Boots (D) \$33		Monitor \$229
(R) \$19		Geopolitique 1990 (D) \$25	Sakata 12" Green \$89
Match Wits (D) \$19 Math Mileage (D) \$19			Wico Boss \$12
Mastering SAT (D) \$99			Wico Bat Handle \$19
Murder by Dozen (D) .\$23		Pro Tour Golf (D) \$25	Wico Trackball \$29
		=	45004

P.O. BOX 278—DEPT CG—WILDWOOD, PA 15091

*Ordering and Terms: Orders with cashier check or money order shipped immediately. Personal/company checks, allow 3 weeks clearance. No C.O.D.'s. Shipping: Continental U.S.A.—Orders under \$100 add \$3 free shipping on orders over \$100. PA residents add 6% sales tax. AK, HI, FPO-APO—add \$5 on all orders. International—add \$15 or 15% of order whichever is greatest. Defective merchandise will be replaced with same merchandise—NO CREDITS! Return must have authorization number (412)361-5291. Prices subject to change without notice. Order today, get it tomorrow! Overnight delivery is just \$17.50 - software orders only in Continental USA

COMPUTEREYES

VIDEO IMAGES ON YOUR COMMODORE!

Finally -an integrative solar from CoMMODORE!

Finally -an integrative way for Capture real-word image on your Commodore's 14-fest deplay (COMNUTEREYS) is an innovative slow-scan deliver that connects between my standard valor loaner (wideo tape recorder, wideo carriers, videocitis, etc.) and the Commodore's Liber IIIO Part. Limites implicate software controls, a thriv makey a required in less than five technical. A make multi-scan mode also provides realized grey-scale enables than decided of applications.

Pickage includes interface module, complete easy to use software support on disk or tape (specify), dwirer's manual, and one year warrange. COMPLITEREE'S is available from your desire or direct from DIGITAL VIPON for just \$129.95 plus \$4.00 S&H (UZA).



Also available as a complete package including:

• COMPUTEREYES**

• Coulity bitw video camera

• Connecting cable
for only \$349.95 plus \$9.00 SBH.

Mass residents add 5% sales tax Mastercard, Visa accepted 10 order, or for more information, write or



Screen dumps of actual COMPUTEREYES* images

Also available for Apple II series

IMMERIIIIDIGITAL VISIONIIIIEE

DIGITAL VISION, INC. 14 Oak Street - Sulte 2 Needham, MA 02192 (617) 444-9040

AA COMPUTER EXCHANGE "SOUTH'S LARGEST COMMODORE 64 DEALER" **OVER 2000 ITEMS IN STOCK**

COMPLETE REPAIR SERVICE FOR COMMODORE 64 AND C-64 PERIPHERALS

ORDER LINE: 1-800-447-0088 INQUIRIES & FL: 904-388-0018

REQUEST OUR FULL CATALOG TODAY HERE ARE A FEW OF OUR MAIL ORDER PRICES

HARDWARE & ACC.	PRECISION SOFTWARE
Plus/4	9 Superbase
C-64 Computer 199 1541 Disk Drive 239 1702 Color Monitor 239 MSD Dual Drive 55 HES Modem I 49	BATTERIES INC. Paper Clip w/Spellpack 82 The Consultant 68 Home Organizer Ser. (ea) 20
HES Auto Modern II	9 PRACTICORP 6 64-Doctor 20 9 Practicalc 64 37 0 Practifile 37
ACCESS SOFTWARE Beach Head 2: Raid Over Moscow 2: Master Composer 2:	4 Wordpro 3+ w/Speller 54
COMPUSERVE Starter Kit (5 hr) 2 Executive Kit (2 hr) 5	2 W.P. Pers. Version 26
Vidtex 2 EPYX SOFTWARE Summer Games 2	"1541 Flash" Disk Drive Speed-Up Kit 69
World's Grt Baseball 2 Robots of Dawn 2	4 SUBLOGIC
KOALA Koala Pad 5 Spider Eater 1 Programmers Tool Kit 2	8 Smart 64 Term

2726 PARK ST., JACKSONVILLE, FL 32205

Orders with cashiers check, money order and VISAMC shipped promptly • For personal company checks allow 3 weeks for clearance • No CODs • For VISAMC add 3% • Shipping charges extra, \$3.00 minimum • Prices may differ in As stores • Florida residents add 5% tax • Prices subject to change without notice.

FAST DELIVERY Fast Service, Experience and Affordable Prices

Call Us For and Affordable Prices

Software



Solo Flight \$24.95 F-15 EAGLE \$29.95

25.5	3
INFOCOM Zork I, II, III. '27 ea. Suspended '27 Starcross '27 Deadline '27 Sea Stalker.	Z INK
ORIGIN	
Ultima III	139
WORD PROCES	
Paper Clip with Speller	
Word Pro 64 & Speller	
EZ Spell	117
PROGRAMMING	SERIES
Assembler 64	
Logo	
Simon Basic	\$34
Screen Editor Nevada Fortran Nevada Cobol	139
ACCOUNTING	
Home Accountant .	
Tax Advantage	
General Ledger	
A/R, A/P, Payroll.	
The Manager	
DATA BASES	
Code Writer Mirage Database Mgr	64
Super Base 64	67
	The second secon

Special of the Month

The Consultant


Delphi Oracle \$65.00

Multiplan *63

Practicalc *38

SPREAD SHEET

Hardware



1541 \$Call

Special of the Month

MSD DISK DRIVE SD1 Disk Drive \$335 SD2 Disk Drive \$545

ELEPHANT DISK

SS/SD 115.50	SS/DD 116.50
Verbatim, Data	life 119.95
Maxell	19.95

HOLIDAY SPECIAL 1650 AUTO MODEM \$87



1520 Color Plotter 109
MPS 801 Printer \$205
1530 Datasette *64
1526 Printer \$265
Magic Voice Speech '49.95
1011 RS 232 Interface 49
1702 Monitor
00011



COMPUTER COVERS



Features canvas

	waterproof.
Reg. \$1595	CMD 64 \$6.99 VIC 20 \$6.99
\$6.99	Disk Drive \$6.99 Espon MX 80 \$7.99 Espon MX 80 FT \$7.99 Okidata 92 \$7.99

Ordering & Payment Policy


Prices reflect a cash discount. For C.O.D., Visa, and Mastercard add 3% Immediate delivery with certified check or wired funds. N.J. resident add 6%. Prices subject to change.

Shipping

For shipping and handling add 3%. (\$3 minimum) Larger shipments require additional charge

Printers

\$349



Number one selling dot matrix printer, Gemini 10X, prints 120 cps bi-directionally, with logic-seeking printerhead control. There's both friction and tractor paper feed. Prints high resolution graphics. POWERTYPE.... \$325.00

RADIX 10......\$524.95 DELTA 10 \$359.00 RADIX 15......\$624.00 DELTA 15 \$495.00

EPSON RX80



The most compatible dot matrix printer, prints 100 cps. bidirectionally. Call for RX-100, FX-80 and FX-100 prices.



The most advanced dot matrix printer, prints 100cps, bidirectionally. Correspondence quality at 40 cps.

OKIDATA 93 \$599.00 OKIDATA 84 \$699.00

PRINTER INTERFACES Micrografix MW350 \$74

Tymac Connection \$79 Cardco + G Interface 566 Cardco B Interface \$39 Grappler CD \$102

SURGE PR	OTECTORS
1 Outlet	'14
4 Outlet	'38
6 Outlet	'69
6 Outlet &	
Noise Filter	'88

Special Offer With Printer Purchase!

STARTER PAK

For Gemini or Okidata 300 Sheets & Ribbon

FOR EPSON \$10.95


Limit One Per Customer



P.O. Box 3354 Cherry Hill, N.J. 08034







- er er de d
- . Speed disk clamping Radial head alignment
 Mechanical stop location
- Includes new quiet drive stop

FINANCE MANAGER 149.95

BOOTION SOLVER Cardinal Software

Other programs available:

- Grade Organizer
- Chessmate 64
- Screendump
- Disk Organizer
- Menu Driven Disk Operating System
- CP/M Term
- CP/M Utilities



TAX AID

TAX AID

TO PREPARE YOUR INCOME TAX RETURN

■ Developed by an experienced accounting firm, TaxAid is accurate, easy to use, and comes with a detailed manual. Your tax data is permanently stored on tape or disk. The cost is tax deductible and low cost yearly updates are available. ■ TaxAid is menu driven with advanced editing features and will prepare any IRS form 1040. Calculations are automatic and all tax tables including income averaging are built in. Results can be directed to the monitor or the printer.

Call or write for complete brochure

FOR VIC 20 WITH 16K

FOR COMMODORE 64

Disk or Cassette: \$29.95 + 1.50 shipping

TAXAID SOFTWARE, INC.



606 N. Second Avenue Two Harbors, MN 55616 (218) 834-5012 or 834-3600



TAX AID

TAX AID

TAX AID

TAXAID IS A TRADEMARK OF TAXAID SOFTWARE, INC.





Lyco Computer Marketing & Consultants

TO ORDER

SUB LOGIC-64

oTOLL FREE 800-233-8760

Lyco Compute:

Flight Simulator II\$32,75 Night Mission Pinball\$22.75 **EASTERN HOUSE-64** Rabbit Rom.....\$34.75 TelStar 64\$39.95 Assembler Rom. KOALA-64 Koala Pad \$69.95 Geometric Design \$22.50 MITEY MO 69.95 **PROFESSIONAL** Word Pro 64/Spell...... \$62.50 PERSONAL PERIPHERALS-64 Super Sketch Graphics . \$39.95 Joystick \$7.75 **Batteries Included** Paper Clip \$59.95 Spell Pak \$34.95 Consultant \$64.95 Paper Clip with Spell Pak \$79.95 Home Pak \$34.95 BUS CARD \$139.95 80 Column Board \$139.95 DISKETTES

SYNAPSE-64	1
Blue Max	
Shamus	
Shamus II	
Zeppelin	
Zaxxon	
CONTINENTAL	-64
Home Accountant	.\$44.75
Tax Advantage	.\$35.75
C-64 Users Encyclopedia	1.\$12.50
MICROPROSE	-64
Solo Flight	\$22.75
NATO	
Spitfire	
F-15 Strike	\$22.75
Air Rescue	\$22.75
STRATEGIC SIMUL	ATIONS
Baseball	
Germany 1984	
50 Missions	·· \$21.75
Timeworks	
Inventory	\$32.75
Sales	
Accts. Rec	\$32.75
G. Ledger	
Data Mgr	
Checkbook	
Star Battle	
Cave of Word	\$18.75
	1/41

2.75 2.75 2.75 2.75 2.75 2.75	JJPGT
1.75 5.75 2.50	BSAC
2.75 2.75 9.95 2.75 2.75 2.75 ONS 2.75	7 0000
2.75 1.75 2.75 2.75 2.75 2.75	00000
4.75 4.75 4.75 8.75	SPNN

EPYX-64	HESWARE-64
mpman\$27.75	Microsoft \$51.99
mpman Jr \$27.75	Type\$15.9
stop \$27.75	Turtle G\$28.99
teway to Apshai \$27.75	Hes Card \$26.99
mple of Apshai\$27.75	Maze Master \$14.7
	Grid Runner \$14.7
BRODERBURD-64	Omni Writer \$39.9
nk St. Writer\$31.75	Turtle Toyland Jr \$21.9
ellmaker\$19.95	Time & Money Mgr \$39.99
isk of Sun\$24.95	Paint Brush \$12.95
oplifter\$24.95	Hes Games \$24.9
de Runner \$22.95	The Factory \$21.95
	Minn. Fats Pool \$19.95
CARDCO-64	INFOCOM CA
G Printer Interface \$69.75	INFOCOM-64
B Printer Interface \$39.75	Enchanter \$32.7
/1 Numeric Keypad \$34.75	Infidel\$32.7
/1 Cassette Recorder \$39.75	Planetfall\$32.7
/5 5-Slot Expansion \$54.00	Witness\$32.7
/1 Light Pen\$29.75	Sorcerer\$32.7
/1 Cassette Interface : \$29.75	SPINNAKER-64
02 Write Now \$34.75	
01 Mail List \$26.75	Alphabet Zoo\$18.7
04 Spell Now \$26.75	Kindercomp\$23.7
	Kids On Keys\$18.7
SCARBOROUGH	Facemaker\$23.7
ngwriter\$24.75	Delta Drawing\$26.7
Beta F\$24.75	Fraction Fever\$23.7
stertype\$24.75	Cocmic Life \$23.7
t Worth\$24.75	Up For Grabs \$26.75
	THE RESERVE OF THE PERSON OF T
DOLA	ITEDO

00 - 233 - 8760

SKC-DSDD

5¼"SSSD 5¼"SSDD \$14.75

\$17.99



Gemi	ni	10									•		. :	\$2
Gemir	ni i	15	×		,			4					. :	\$3
Delta	10)							*					\$3
Delta	15		. ,	,			,	,						\$4
Radix														
Radix	15	5												558
Power														
Sweet														

IN-STOCK

STAR

_	
	CARDCO
	LQ1\$449.00 LQ3\$339.00
,	PRINTER INTERFACE \$39.75
5	PRINTER INTERFACE W/
,	FULL GRAPHICS\$65.75
	MANNESMANN

SPIRIT 80......\$269.00 MTL-160L.....\$549.00

\$749.00

\$309 \$429 \$349 \$449



MONITORS

TAXAN
210 Color RGB \$259.00
100 Green \$115.00
105 Amber \$125.00
400 Color RGB \$295.00
410 Color RGB \$349.00
420 Color RGB-IBM . \$459.00
121 Green-IBM \$145.00
122 Amber-IBM \$149.00
ZENITH
ZVM122A Amber \$ 95.00
ZVM123G Green \$ 85.00
ZVM124 Amber-IBM . \$129.00
ZVM131 Color \$275.00
ZVM133 RGB \$389.00
ZVM135 Composite \$449.00
ZVM136 HI RES Color \$589.00
GORILLA
12" Green \$ 82.00

\$589.00

X 80	····· \$0	
	PRINTER	
IN	TERFACING	
A	vailable	
	-	
	JUKI	

Juki 6100\$389
Tractor kit
Epson
RX80 \$239
RX80FT\$279
RX100 \$379
FX80 \$389
FX100\$559
JX80 \$529
LQ1500P includes Kit \$1089
LQ1500S \$1149

Citoh
Prowiter 8510A
8510BC2
8510BP1
8510SP
8510SR

8510	SR,			٠.	,	*		,		ě					À,	.54	9
8510	SCP															\$5	1
8510	SCR										·					\$5	6
1550	P					*										54	9
1550	BCD								,					,		\$5	8
A10-2	OP						,									\$4	6
F1040	DPU	0	1	R	D	ı	J									\$8	9
F105																	
	PA	1	V	1	١		S		())	P	V	I	1	C	
1090			*							,						\$2	2
1091								0		į	ì	ĺ			9	\$2	R

1092 \$439

ì	E	M	I	N	I	1	0	X
		5	5	23	35)		

BLUE	-	Contract Contract
M12010 C-64		\$279.0
D4015		\$1399.0
OKID	AT/	4
80		\$159
82A		\$299
B3A		\$549
84		\$669
92	CONT.	\$369
		3000

880 .					,			,	,			4	,	,			3	2	59.0
1000	ï								ļ	,	,				٠		5	2	79.0
1200	0					×	,	,	,			,	*	*	y	,			CAL
1500														į.					CAL
1081	Ý	×	8	6					á	8			8		í	į	ij		CAL

93 \$579

Lyco Computer

Marketing & Consultants

TO ORDER CALL TOLL FREE 800-233-8760

Color 4T-IBM .





In PA 1 717-327-1824

or send order to Lyco Computer P.O. Box 5088 Jersey Shore, PA 17740 liek Eron


No deposit on C.O.D. orders; free shipping on prepaid cash orders within the continental U.S.

POLICY

1-717-327-1825

All products subject to availability and price change.
APO, FPO, and international orders add \$5.00 plus 3% for priority mail service. PA residents add sales tax. Advertized prices show 4% discount for cash; 4% for Master Card or Visa.

THE AMAZING VOICE MASTER



- · Record & playback speech in your own voice
- Recognize your spoken commands
- Hum or sing to compose or play music in real time notes and chords!

All this and more for only: \$89.95

Add \$4.00 for shipping & handling

You won't believe it until you hear it!

ASK YOUR DEALER NOW FOR A VOICE MASTER DEMONSTRATION

Or call (503) 342-1271 for a telephone demonstration and receive a FREE audio cassette demo tape.

Note: Early Voice Masters have trade in value! Call for details.



COVOX INC.

675-D Conger St., Eugene, OR 97402 Telex 706017 (AV ALARM UD)

Now there's PASCAL for the Commodore 64. And at a mini price.

Kyan PASCAL is a full-featured implementation of PASCAL not a subset! With these features:

- ☐ high-performance compiler and comprehensive set of error messages for faster debugging
- ☐ speeds up to 40 times faster than Commodore Basic ☐ built-in full screen editor
- ☐ support for files, pointers, record types, sets and ordinal types used in sophisticated data structures.
- Dplus, a comprehensive tutorial manual illustrating the speed and power of PASCAL through sample programs.

Kvan PASCAL lets you develop programs on your Commodore 64 that are transportable to most mainframes. So it's perfect for students and working at home.

Try it for 15 days.

Order Kyan PASCAL, and if you're not completely satisfied, return the diskette and manual within 15 days for a full refund.

Kyan PASCAL with complete tutorial manual \$49.95 (Add \$4.50 per copy for postage and handling, \$9.50 outside North America. California residents add 6.5% sales tax.)

To order, call 415/775-2923.

(VISA and MasterCard accepted.)

Or send check or money order to: Kyan Software, Suite 183, 1850 Union Street, San Francisco, CA 94123. Sorry, no C.O.D. orders accepted.



NEXUS: A Commodore computer user's group providing low-cost distribution of Public Domain software.

Each member receives, upon joining, a directory diskette containing: Listings of all programs offered

CURRENT CATEGORIES: Business, Graphics, Languages, Education, Math & Science, Sound, Telecommunications, Utilities, Miscellaneous and, of course Games.

- TPUG Members can access entire TPUG library.
- Associate members receive directory disk, quarterly updates (on disk), and access to our regular BBS for \$25/yr.
- Full members receive same as Associates PLUS access to our TOLL-FREE BBS. Fees vary according to when the Full member wishes to access the BBS. The periods of access are Night/Weekend, Evening, and Day as defined by the telephone company. In addition, EVE members get N/W access, and DAY members get EVE & N/W access. Fees are N/W - \$50/yr, DAY - \$65/yr.
- Members can earn BONUS points to be applied to the purchase of software disks.


Address: NEXUS

3547 Brookview Drive Lexington, KY 40503

Phone: (606) 272-0276 (VOICE) (606) 272-6340 (MODEM)

Payment by check, money order, Mastercard, VISA & American Express.

All software disks are tailored to the desires of the member. Compare what we offer with what other PD software distributors offer. They sell everyone the same disk containing the same software whether you want it or not.



A DISK AND MEMORY EDITOR
Peek A Byte is more than a disk editor - it features a C-64 memory display in HEX, ASCII, or screen code and a full page editor with cursor control.

YOU CAN PEEK A BYTE...

Change file or disk names, recover "lost" programs, compare disk data, dis-play free sector map, convert HEX/decimal, read disk drive memory, disassemble disk or memory data, print most screen displays... and much more!

IT'S EASY TO USE! All commands are simple, easy to remember keystrokes and HELP screens are always available. Complete error handling for key entries and disk read/write errors. Tutorial manual for beginners and pros!

PEEK A BYTE IS FAST ML CODE
Above BASIC and compatible with many BASIC programs, ML routines, and the DOS Wedge 5.1. Doesn't "lock up" the computer.

QUANTUM SOFTWARE P.O. Box 12716, Dept. 4 Lake Park, Florida 33403 ALL FOR \$29.95

US POST PAID

PEEK A BYTE is a trademark of Quantum Software.

To order send check or money order, US funds. Foreign add \$4 for shipping and handling. Florida residents add 5% sales tax. For US COD orders add \$2. Phone orders call (305) 840-0249.

FREE! CONVERSION TABLES for converting between HEX, decimal, high decimal, binary, characters, and BASIC tokens. Send a selfaddressed, \$.20 stamped business envelope for info.

MICRO-SYS DISTRIBUTORS.

Ccommodore

SOFTWARE FOR C-64		
Business		
Multiplan (Spreadsheet)	\$	63.00
Calc Result (Advanced)	5	79.95
Superbase 64	S	75.00
Mirage Concepts (Data Base)	S	89.00
Mirage Concepts (Word Processor)	.000	
(40/80 column & 30K Dictionary) .	\$	89.00
B.I. Paperclip W/Spellpac (W/P)	S	85.00
Home Accountant (Continental)	\$	45.00
Tax Advantage (Continental)	\$	35.00
Info Designs G/L	S	19.95
Southern Solutions Accounting G/L,		
A/R, A/P, P/R, I/M each	S	49.95
Tri Micro Accounting C64 & Plus 4	T	
G/L, A/R, A/P, P/R, I/M each	S	49.95
Smart64 Term +3	Š	39.95
Hellcat Ace (game)	Š	25.00
Solo Flight (game)	Š	25.00
Utilities		
Printer Utility Program (Cardco)	S	19.95
Disk Utility Program (Fast copy, File	4	13.30
copy, Disassembler, For 1541)	s	49.95
Bits and Pieces (Backup & Utility,	9	43.33
Screen Dump & More for		
MSD Drive)	\$	49.95
Simon's Basic	Š	39.95
80 Column Expander (Cartridge)	Š	60.00
64 Relay Cartridge	Š	45.00
Oxford Pascal	Š	69.95
Tool 64 (Handic)	5555	39.95
Graf 64 (Handic)	Š	39.95
Stat 64 (Handic)	Š	39.95
Forth C4 (Handie)	0	20.05

MSD Super Disk Drive (single) MSD Super Disk Drive (dual)	1.00	349.00
MCD Cuper Dick Drive (dual)	3022	
MISD Super DISK Drive (dual)	S	575.00
Hayes Smart 300 Modem	\$	229.00
Vic 1530 Datasette	\$	65.00
Cardco Datasette	S	55.00
Cardco Numeric Key Pad	\$	39.95
Alien Voice Box	S	95.00
When I'm 64 (Voice Box Sings)	5	25.00
Voice Box Dictionary	\$	25.00

Forth 64 (Handic)..... \$ 39.95

B.I. 80 Column Display	S	159.95
1541/Flash	Š	89.95
Sock It To Me (For 8032)	\$	29.00
(Auto Answer/Auto Dial)	\$	89.95
Telearning (Auto Answer/Auto Dial)		
Modern With software	\$	95.00
CBM 4023 Ribbons	\$	10.95
CBM 1526 Ribbons	\$	10.95
CBM 8023P Ribbons	\$	8.75
CBM 6400 Ribbons	5	8.75
LQ1 Ribbons	5	8.75
Diablo Daisy Wheel	\$	13.95
Abati Daisy Wheel	S	13.95
Flip N' File 10, 15, 25, 50		Call
Power Strips (Surge Protector)	S	49.95
Computer Glow Care Kit	\$	10.95
Disk Drive Cleaning Kit	Š	10.95
	-	
MONITORS		
Panasonic TR120 (Amber) For Apple		
or IBM Computers	S	156.00
Green & Amber (For Apple & IBM)	Š	85.00
RGB Monitor Cable:	9	00.00
ET-101C (Apple)	S	33.80
El Toto (Apple)	9	00.00
		-

INTERFACES		
BussCard II (Batteries Included)		
IEEE, Cartridge Slot, Basic 4.0		159.95
BussCard Printer Cable	\$	29.95
SuperBox 64 (Handic) IEEE, Reset,		
3-Slot	S	139.95
Interpod (Intelligent IEEE		
& RS-232)	S	139.95
Cardco + G Parallel Interface	S	THE VALUE OF STREET
Cardco B Parallel Interface	S	
The Connection (by Tymac)	Ť	10.00
(Commodore Graphics + 2K		
Buffer) Epson, Gemini, Okidata,		
Panasonic	S	95.00
Turbo/GT (Telesys) With optional	~	30.00
16K or 32K Buffer	S	89.95
Vic Switch (Handic)	Š	A CONTRACTOR
ADA1800 IEEE to Centronics	1076	149.95
Pet to IEEE Cable	130	
IEEE to IEEE Cable	1000	39.00
Notworking For C C4 9 CD14	3	49.00
Networking For C-64 & CBM		Call

LETTER QUALITY PRINTERS

Abati (20 CPS) W/Interface \$ 475.00

DOT MATRIX PRINTERS

	-	and we wastern
Smith Corona Fastex 80 (80 CPS) .	S	259.00
Smith Corona 100 (120 CPS)	\$	315.00
Smith Corona 200 (140 CPS)	\$	456.00
Smith Corona 300 (140 CPS, 15in)	\$	589.00

BUSINESS SOFTWARE --- B128

Superscript II (40K Dictionary)	S	199.00
Superbase (Data Base)	S	199.00
Calc Result	S	199.00
Complete Accounting System From	10	
Software Design (G/L, A/R, A/P,		
P/R, I/M) each	S	375.00

BUSINESS SOFTWARE --- 8032/8096

WordPro 4 + or 5 +	S	225.00
Calc Result	S	199.95
SuperBase (8096 only)	S	225.00
Complete Accounting System From		
Software Design (G/L, A/R, A/P,		
P/R, I/M) each	S	375.00

TERMS

Orders under 50.00 add 10.00 Handling fee MasterCard, VISA, Money Order, Bank Check COD (add 5.00) Add 3% For Credit Cards

All Products In Stock Shipped Within 24 Hours

F.O.B. Dallas, Texas All Products Shipped With Manufacturers 90 Day Warranty

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

AUTHORIZED WHOLESALE DISTRIBUTOR FOR ALL COMMODORE BUSINESS MACHINE PRODUCTS.

BECOME A COMMODORE DEALER. AND SEE WHY IT'S THE BEST DEAL IN NEW COMPUTER PRODUCTS.

FOR PRODUCT CATALOG & PRICE LIST WRITE OR CALL MICRO-SYS DISTRIBUTORS.

ORDERS ONLY CALL 1-800-527-1738

Micro-Sys

INQUIRIES & INFORMATION PLEASE CALL
1-214-231-2645

DISTRIBUTORS

FREE

10 DISKETTES 20 C-20 CASSETTES

A subscription to the 'Cassette of the Month' gets you a tape or disk full of 10 quality Commodore 64 programs delivered to you by first class mail every month. The documentation included will help you run great utilities like 'Word Processor,' and 'Budget Analyzer,' or enjoy great games like 'Frogjump' and 'Caterpillar Cave' FOR AS LITTLE AS 50 CENTS EACH!

★ Limited offer ★ Subscribe for a year on cassette and receive 20 Free C-20 cassettes or subscribe for a year on disk and receive 10 Free 51/4 single sided double density diskettes!



PRICES TAPE DISK 6000 7500 1 YR (12 ISSUES)

3500 4500 6MO (6ISSUES) 900 Single Copies

over three years! acquiring

★ Over 4000 satisfied color computer owners

★ Commodore 64 required



Mich. Res. add 4% ★ We've been in business for Overseas ADD \$10 to subscription and \$1.00 to single issues.

PERSONAL CHECKS WELCOME!

T & D Subscription Software P.O. BOX 256-C HOLLAND, MI 49423

(616) 396-7577





You'll hop right out of your chair playing this exciting new arcadestyle video game! Challenging fun, seven treacherous levels of play, hours of fast, colorful entertainment!

Please specify disk or tape. Future Computer Applications P.O. Box 6140 Santa Fe, New Mexico 87502

We pay shipping. Kanga is in machine language, joystick regd.

ALMOST-FREE-SOFTWARE

FOR VIC 20 AND COMMODORE 64

10 SELECTIONS FOR \$25 FOR THE VIC-20. ALL SELECTIONS RUN ON AN UNEXPANDED VIC-20 AND ARE SUPPLIED ON CASSETTE TAPE OR DISK.

PAK 1	PAK II	PAK III	PAK IV	PAK V	CHECK YO	UR SELECTION	
Tiny Kong Race Depth Charge Star Chase Detlection Forest Driver Arrow Snake Freighter Star Wars	UFO Attack Robot Chase Firing Tank Money Manager Ping Pong Pinball Dam Buster Crayy Balloon Moon Lander Invaders	Checkers Mastermind Othello Letter Squares Mini Golf Artillery Blackjack Dragon Maze Deadly Maze Chuck A Luck	Budgel Checkbook Inventory Car Cost MailList Mortgage Calc Date Book Recipe Filer Price List Monthly Report	Speed Read Algebra Math Drill Long Division Typing Orill Capitals Presidents Cash Register ELECTIONS ARE \$5.95	VIC-20 Pak II Games Pak III Games Pak III Combination Pak IV Math Pak Pak V Edu Pak Individual Selection: 1 2 3	Disk ☐ \$25,00 ☐ \$25,00 ☐ \$25,00 ☐ \$25,00 ☐ \$25,00	Cassette D \$25.00 D \$25.00 D \$25.00 D \$25.00 D \$25.00 D \$25.00 S \$9.95 \$9.95

10 SELECTIONS FOR \$25 FOR THE COMMODORE 64. ALL SELECTIONS RUN ON THE COMMODORE 64 AND ARE SUPPLIED ON CASSETTE OR DISK.

PAKI	PAK II	PAK III	PAK IV	PAK V	PAK VI	CHECK YO	UR SELECTION		
Backgammon Monopoly Hangman U Boat Murder Mansion Yahtree Master Mind Draw Poker Skeet	Ato Blackjack Concentration Quick Reaction	Monopoly Magic Piano Boirythm Time Card Titrate Murder Mansion Microtyping Hawaii Ferry	Decimals Percent Division Arithmetic Dart Fractions Powers Integers Hex Demo	Vectors Planes Lines Conics Linear Systems Matrix Solution Triangle Solving General Anova Heat Solver	Grammar Antonyms Definition Speed Read Q's and Z's Spelling Mad Lib Microtyping Word Ladder	Commodore Pak I Games Pak II Games Pak III Combination Pak IV Math Pak Pak V Math Pak Pak VI Combination Individual Selection: 1	Disk	Cassette D \$25.00	
Limerock	Artillery	Date Book	Small Math	Root Finder	Computer Poetry	2		\$9.95	
				INDIVIDIAL SELEC	CTIONS ARE \$995	1		\$9.95	

ddress	State		Zip
Master Card#	7010	Exp	Date
I Visa /		Exp	Date
Check or Money Orde	r Enclosed		
Signature			

Mail Check or Money Order to:


Almost-Free-Software 78 Main St. Littleton, N.H. 03561 Or Call: (603) 444-2668 Days 9AM-5PM MONEY BACK GUARANTEE

TURBO 64

Turbo 64 will turn your 1541 into a super fast and efficient disk drive. Loads programs five to eight times faster, works with 99% of your basic and machine language programs. The master disk allows you to put unlimited Turbo 64 boot copies on all your disks. This disk also includes:

Auto Run Boot Maker

Auto Run Boot Maker will load and auto run your basic or machine language programs.





\$19.95

DMS-Errors 20,21,22,23,27 & 29 Format Single Tracks Read Disk Errors

1/2 Track Reader-read and select 1/2 track

1/2 Track Formatter-Format a disk with 1/2 tracks. This is where the next protection schemes are coming from.

Drive Mon-Disk Drive assembler/disassembler. For your 1541.

The Doc-Disk Doctor that reads code under errors

Sync Maker-Place a sync mark on any track out to 41. Also used for protection.

Sync Reader-Check for Sync bits on any track out to 41.

Change Drive No.-Changes drive number (7-30)

Disk Logger-Finds starting track, sector; start and end addresses.

Disk Match-Compare any two diskettes. Byte for Byte.

New Wedge-Easier to use DOS

ID Check-Check ID's on any track

Unscratch-Restore a scratched

View RAM-Visual display of the free and used sectors on a diskette

Read/Write Test-1541 performance test.

TECTION

This book "BLOWS THE LOCKS OFF" protected DISKS, CARTRIDGES.

and TAPES! Protection "secrets" are clearly explained along with essential information and procedures to follow for breaking protected software. An

arsenal of protection breaking software is included with all listings, providing

you with the tools needed! Programs include high speed error check/logg-

ing disk duplicator . . . disk picker . . . disk editor . . . Cartridge to disk/tape

saver and several others for error handling and advanced disk breaking. The

cartridge methods allow you to save and run cartridges from disk or tape!

The tape duplicator has never been beaten! This manual is an invaluable

reference aid including computer and disk maps, as well as useful tables and

Book & Disk of all programs \$29.95 US

THIS MANUAL DOES NOT CONDONE PIRACY *SHIPPING: \$2.00

Repair a track-Repair a track with checksum errors. Reads code under errors and restores track

Fast Format-Format a disk in just 10 seconds (with verify!).

WAR GAMES AUTODIALER



- 1-Auto Dial will automatically dial a set of numbers you choose.
- 2-Review Numbers will review numbers that were answered by a computer.
- 3-Save Numbers will save numbers where a computer answered.
- 4-Hardcopy of Numbers will print out list of numbers where a computer answered.
- 5-LOAD Numbers will load in numbers to continue where it left off.
- 6-Continue will pick up dialing where it was interrupted.

\$29.95

GEMINI BIT COPIER

99.9% Effective!

- · 3 Minute copy program-
- · Copies Bit by Bit
- Eliminates worries of all Commodore DOS errors
- · Very simple to use
- Half tracks
- 100% machine language
- Will not knock disk drive
- Copies quickly
- Writes errors automatically 20, 21, 22, 23, 27 & 29
- Errors are automatically transferred to new disk

- Copies identical syncs
- Supports use of two disk drives
- Unlocks disks to make your actual copies
- No need to worry about extra sectors
- This program covers all the latest protection schemes.

\$**29.9**5

BULLETIN BOARD

Set up and operate your own bulletin board with a single 1541 disk drives. This one has all the features and you can customize it easily yourself.

- 1-RUN MEGASOFT BBS
- 2-CREATE MEGA FILES
- 3-ADD TO SYSOP'S CORNER
- 4-NEW SYSOP'S CORNER
- 5-READ MESSAGES
- 6-SCRATCH MESSAGE
- 7-CYCLE MESSAGES
- 8-READ SYSOP MESSAGES
- 9-WRITE OPENING MESSAGE
- 10-READ LOG
- 11-CYCLE LOG
- 12-READ DOWNLOAD FILE
- 13-SCRATCH DOWNLOAD FILE
- 14-ADD TO OTHER SYSTEMS
- 15-CREATE OTHER SYSTEMS

\$39.95

Two Drive System: Includes everything listed above plus direct file transfer, dule passwords, for signon and updown load sections and many more options!

\$59.95

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery, 2 to 7 days for phone orders. Canada orders must be in U.S. Dollars.

charts. (212 pages 11 programs) C64 Book only

All Programs are for C-64

VISA

MegaSoft Limited

P.O. Box 1080, Battle Ground, Washington 98604 Phone (206) 687-5205

VISA - MASTER CARD - C.O.D.

C-64 / VIC-20

MFJ-1238

Provides RS-232 voltage conversion for C-64/VIC-20 serial port. Use

RS-232 printers, modems, speech synthesizers, other peripherals. Switch reverses transmit/receive lines. Use as null modem. 25 pin RS-232 connector. Plugs into user's port. 21/4x21/4 inches.

C-64/VIC-20

MFJ-1237

High performance Texas Instrument single chip design. For C-64/VIC-20. Plug into user port. For single or multiline phones. Plugs into phone base. 300 baud, Direct connect, Originate/Answer Full duplex, Carrier detect LED, Crystal controlled Includes Basic listing of Terminal Program.

Order from MFJ and try it. If not delighted, return within 30 days for refund (less shipping). One year unconditional guarantee.

Order yours today. Call toll free 800-647-1800. Charge VISA, MC. Or mail check, money order.

CALL TOLL FREE ... 800-647-1800 Call 601-323-5869 in MS, outside continental USA

ENTERPRISES INCORPORATED

921 Louisville Road, Starkville, MS 39759

HAVE YOU GOT THE **1541 BLUES?**



WE'VE GOT THE PERMANENT FIX!!

Send us your sick 1541 and a check for \$69.95 plus 5.00 shipping and we'll not only align your drive, we'll fix it so it will STAY THAT WAY.

We guarantee it for 6 months.

We also service the complete COMMODORE COMPUTER LINE with a 48-hour turn-around time.

C-64 .																	•					50	0.0	00
1541 .																						6	5.0	00
1702 .																						8	5.0	00
DATA																								
1525 .																						5	0.0	00
1526 .																								
MPS80	1																					5	0.0	00
CALL	F	0	F	1	F	11	EI	P	A	1	R		P	R	1	C	E	S	1	O	1	1	AI	L
OTHE	R		C	o	٨	Al	M	IC	וכ	D	O	F	1	E	1	E	Q	L	I	P	N	1E	N	T
We als	0	6	re	D	a	ir		c	וכ	K	11	D	A	1	7	٩	1	P	R	1	N	T	EI	35
and	1	T	E	Ĺ	E	١	/	I	וכ	E	O	K	C	C	10	M	P	U	17	E	ΕI	RS	;	

Please send \$5.00 for S/H Our BBS No. is 1-919-765-3892

TRIAD COMPUTERS 3068 Trenwest Dr. Winston-Salem, NC 27103 (919)765-0433

CONVERSE WITH YOUR COMPUTER

AT LAST! A FULL IMPLEMENTATION of the original ELIZA program is now available to run on your Commodore 64! gram is now available to run on your Commodore

Created at MIT in 1966, ELIZA has become the world's most celebrated artificial intelligence demonstration program, ELIZA is a non-directive psychotherapist who analyzes each statement as you type it in and then responds with her own comment or question—and her remarks are often amazingly appropriate!

Designed to run on a large mainframe, ELIZA has never before been available to personal computer users except in greatly stripped down versions lacking the sophistication which made the original program so fascinating.

Now, our new Commodore 64 version possessing the FULL power and range of expression of the original is being offered at the introductory price of only \$25. And if you want to find out how she does it for leach her to do more) we will include the complete SOURCE PROGRAM for only \$20 additional.

Order your copy of ELIZA today and you'll never again wonder how to respond when you hear someone say, "Okay, let's see what this computer of yours can actually do!"

READ WHAT THE EXPERTS SAY ABOUT OUR VERSION OF ELIZA: "Much more than a mere game...You'll be impressed with ELIZA... A convincing demonstration of Artificial Intelligence."

—PC MAGAZINE

"Delightful entertainment...An ideal medium for showing off your — MICROCOMPUTING MAGAZINE

"ELIZA is an astounding piece of software... A fascinating program to use and study." —BARON'S MICROCOMPUTER REPORTS

"ELIZA is a great way to introduce your friends to computers...A very funny party game. "ELIZA is an exceptional program, one that's fun to use, shows off

your machine, and has great historical interest."
—POPULAR COMPUTING MAGAZINE

"This version of ELIZA is the best we have seen. As a party game, it is unmatched."

—HOME APPLICATIONS FOR THE C-64

ELIZA IS AVAILABLE IN THE FOLLOWING FORMATS:

(Please specify Disk or Cassette) 1 Protected Version (Protected Version can be run but not listed or modified)

ource Version can be listed and modified as well as run)

Both versions include a six people as well as run) 2. Un-protected Commodore 64 BASIC Source Version .

Please add \$2.00 shipping and handling to all orders (California residents please add 61/2% sales tax)

ARTIFICIAL INTELLIGENCE RESEARCH GROUP



921 North La Jolla Avenue, Dept. G Los Angeles, CA 90046 (213) 656-7368 (213) 654-2214 MC, VISA and checks accepted

General Overall Design™ -Presents-

GRAX^{IM}

GRAphics eXtensions for C-64 BASIC V2

Draws Points and Lines Draws & Fills Boxes & Circles Allows Easy Sprite Manipulation Plots in all Modes: Text. Bit Mapped Regular & Multi-Color Easy Access to Three Voice Sound Supports Definable Character Sets Includes Character Editor and Two Sample Character Sets Uses a Minimum of User Memory Includes a DOS Wedge No Copy Protection Multi-User & Commercial Licensing

Agreements Available Disk \$14.29 Indiana Residents add 5% tax All others add 5% S&H (Comes to \$15 for everyone) Send Check or Money Order to: General Overall Design P.O Box 2039 West Lafayette IN 47906

TEXAS 75074 COMPARE **OUR LOW PRICES** ON POPULAR COMPUTER ACCESSORIES, MONITORS AND PERIPHERALS by MAR

8401 UHF/VHF TV MONITOR TUNER \$85.85 **EV-2114 COMPOSITE COLOR MONITOR**

Green Screen Switchable. 6 Front \$229.95 Controls, 13" Diag. picture EV-1251C 11" 80 Col. Composite Green \$134.95 or Amber Swivel included

SWIVEL BASES FOR MONITORS. Tilt, Turn & Lock Standard \$19.95, Large \$25.95 DATA CASSETTE for C-64 and VIC-20

\$39.95 Ready to connect CABLES - 6' PRINTER/DRIVE for \$9.95

Commodore. 6 pin DIN each end. 3' UNIVERSAL MONITOR CABLE, 5 pin \$7.95 DIN to 4 RCA plugs & adapter

DUST COVERS. Brown vinyl with cloth backing \$3.95 For Commodore Computers \$3.95

\$2.00 BRINGS YOU OUR FULLY ILLUSTRA-TED BROCHURE BY FIRST CLASS MAIL, WITH \$2.00 REFUND CERTIFICATE—GOOD ON ANY ORDER. SEND TODAY!

For Commodore Disk Drives

Prices do not include shipping, handling or insurance. Ask for complete copy of order terms.

E MART, INC. Dept "G". P.O. Box 454
Plano, Texas 75074

ORDER TOLL FREE 1-800-631-1112 IN TEXAS CALL 214-423-4199





Home Application Program that can actually Pay for itself, over and over again...

SHOPPING MANAGER A Grocery Shopping System

SHOPPING MANAGER: Displays all the items in your supermarket to you, an aisle at a time, starting at the store entrance and finishing at the checkout line. Function keys allow you to note coupon or sale items or add personal comments to any item. The printed shopping list is arranged in the same order that you will be walking through the store. No more forgotten items or backtracking.

MARKET MAPPER: Painlessly converts the SAMPLE data-file into an accurate map of YOUR supermarket. Nine datafile editing options include: printer dump: make a new file; edit existing; rearrange and merge aisles of an old file to create a new file; transfer and copy datafiles with disk or tape or both. Function keys make editing easy.

SAMPLE: a complete 1300 item supermarket datafile, which can be used "as is" or easily converted into an accurate map

The system pays for itself through savings in time, money and gasoline wasted on "extra" trips to the store. You will shop less othen and in less time. The system is very *User Triendly* with prompts and menus throughout.

For the C-64 or VIC-20 (w/16K expn) with Disk or Tape and Printer. The complete System for \$31.45

ALSO AVAILABLE: COLOR DEVICE-Plugs into the 5 pin video port on the C-64 and enhances the sharpness of your color TV. \$8.95 (Make sure your C-64 has a 5 pin port and not

Specify C-64 or VIC-20, Tape or Disk and send check or

SERENDIPITY SOFTWARE

8438 Lynda Sue Lane W. Jacksonville, Fla. 32217

FLA residents add 5% tax

LOAD SOFTWARE 5 TIMES FASTER

NICK'S SWIFT LOADER

"Tired of waiting for your programs to load?"

- . Loads most programs FIVE TIMES FASTER using the Commodore 1541 disk drive
- THREE MINUTE BACKUP of an entire unprotected disk
- Loads individual files in SECONDS!
- Loads games, word processors and BASIC files in SECONDS! (PaperClip, Mirage and Word Pro in less than 20 seconds)
- Full disk EDITING COMMANDS, and SECTOR EDITOR
- Load programs into any user specified address
- USER RELOCATABLE
- ACCESS "NICK'S SWIFT LOADER" from easy menu-driven commands or directly from within BASIC programs
 Fully documented; \$19.95 (disk)

NICK'S SWIFT COPY

Much more than just "THE BEST COPY PROGRAM" it is a SUPER DISK UTILITY SYSTEM

- Copies almost all protected disks automatically
- THREE MINUTE backup of your standard disks (and many protected disks also)
- Copies and/or creates errors 20, 21, 22, 23, 27, 29 on any track/sector
- 15 second disk format: copies file types SEQ.USR.PRG.REL
- Sector editor with drive monitor / disassembler; view and edit sector headers
- Full DOS support including: lock, unlock, undelete, re-close files; view files in hex, decimal, ASCII, assembly and BASIC
- Parameter files for backup of heavily protected disks
- DISK ANALYZER analyzes disk for: ½ tracking, extra sectors, bad sectors (tracks 1-37) and non-standard SYNC (analyzes for newest protection schemes)
- Supports 1 or 2 1541 disk drives
- · Drive head never "kicks" or "chatters" when copying
- ABSOLUTELY no hardware modification required
- All of this and so much more for only \$34.95 (disk)

NICK'S BASIC

Adds over 128 POWERFUL COMMANDS to the C-64 BASIC language

"The ultimate BASIC extension" say our users!

Full support for HI-RES graphics • Music • SUPER FAST DOS • File Handling • Text Control • String Handling • Sprites • Character Graphics . Program Editing . Game Commands . Fully Documented, complete with examples. See our ad in the NOVEMBER COMPUTEI'S GAZETTE for a partial description or write for details. All this for only \$39.95 (disk); cartridge (inquire).

NICK'S TERMINAL 64

Supports Auto Answer/Auto Dial • Upload/Download PRG, USR and SEQ Files • 128 Definable Functions • Alarm Clock • Dump to Printer • Supports all baud, parity and word lengths. \$29.95 (disk).

NICK'S BASIC UTILITIES

RENUMBER • Find/Replace • Delete • ML Relocator • File Merger Character Editor • (25 utilities) only \$17.95 (disk).

DELIVERY: Shipping and handling add \$3.00 per order. For fast delivery use cashier's check or money order. VISA and MASTERCARD add \$2.00. For a complete description of these programs and for our other in house Commodore 64 programs send a stamped, self addressed envelope to:

Computer Division

Southern Oregon Video Enterprises, Inc. P.O. Box 400 • Ashland, Oregon 97520 • (503) 482-5054

C-64 is a Tm of Commodore Electronics, LTD.; PaperClip is a Tm of Batteries Included; Mirage is a Tm of Mirage Concepts, Inc.; Word Pro 3 plus is a Tm of Professional Software, Inc.

LEROY'S CHEATSHEET KEYBOARD OVERLAYS GRAN & CHICALON FOR COMMODORE (VIC-20 also available) LEROY'S CHEATSHEETS™ are plastic laminated keyboard overlays designed for use with popular software and hardware for Commodore's VIC-20 & C-64 computers. These cut-it-out yourself overlays are designed to fit over the keyboard surrounding the keys with commands and controls grouped together for easy references. LEROY'S CHEATSHEETS™ make life easier for you WORD PROCESSORS DATA BASES EASY SCRIPT THE CONSULTANT (Delphi's Oracle) HES WRITER MANAGER (CBM) PAPER CLIP SUPER BASE 64 QUICK BROWN FOX SCRIPT 64 SPREADSHEETS SPEEDSCRIPT (GAZETTE) CALC RESULT (ADVANCED) WORDPRO 3/PLUS CALC RESULT (EASY) EASY CALC PRINTERS MULTIPLAN (HES/MICROSOFT) COMMODORE 1525, MPS-801 ☐ PRACTICALC 64/PLUS COMMODORE 1526 EPSON RX-80 MISCELLANEOUS **GEMINI 10X** ☐ BLANKS (3 ea-NOT laminated) ☐ FOR THE BEGINNER TERMINALS * 0 GAZ SPRITES ONLY TERM 64 FLIGHT SIMULATOR II THE SM. THE SMART 64 Terminal * DOODLE LANGUAGES Qty. X \$3.95 \$ & UTILITIES BASIC 1.00 Shipping & handling \$ HESMON 64 LOGO (CBM-sheet 1) LOGO (CBM-sheet 2) 6% sales tax PILOT (CBM) (PA residents only) * NEW TOTAL Dealer inquiries welcome Name -Address . Zip CHEATSHEET PRODUCTS™ VISA P.O. Box 8299 Pittsburgh PA. 15218 (412)731-9806 or see your local dealer !



- · Foot controlled line advancing keeps your hands on the keyboard
- No magnets
- · The only foot controlled copy holder for MAGAZINES
- Sturdy Construction
- Shop & Compare \$3995*

*Batteries Not Included

HONTOO PRODUCTS, INC.

P.O. Box 430 Three Rivers, MI 49093

Easy Guitar

Lessons & theory for all auitarists and soon-to-be auitarists

On disk for the Commodore 64 \$29.95

(206) 883-9257

VISA and MC Accepted or send check or money order to:



10636 Main St., Suite 414, Bellevue, WA 98004 Dealer inquiries welcome

TEN - FORTY

R. DILLON SOFTWARE

Not to be confused with other programs. TEN-FORTY is a complete easy to use tax program with over 12 features including:

- . On screen facsimilies of forms and schedules
- · Scrolling using function keys
- . Built-in tax tables ... does what if calculations
- Entire return is refigured for each change
- · Prints reports
- · Annual update available
- . Schedules A, B, C, D, E, G, W, Plus...

Let your Commodore 64 ™ do your tax return and others for cash!!

\$35 postpaid check or money order

R. DILLON SOFTWARE BOX 262, SIDMAN, PA 15955 (814) 487-4091

PA residents add 6% sales tax

-FREEDOM-ASSEMBLER

6502--6510--65C02

INTRODUCING A POWERFUL, FAST, EASY TO USE. SYMBOLIC ASSEMBLER. FULL FEATURED. PROFESSIONALLY WRITTEN IN ASSEMBLY CODE

- → USER FRIENDLY—sourcefiles load and save like BASIC programs. Machine code can be run at once or saved.
- COMPLETE MANUAL with sample program
- → DISASSEMBLER
- DEXCELLENT ERROR DETECTION -- nine types.
- → PRINT UTILITY with alphabetical cross reference list.
- SAVE UTILITY -- save code to disk or tape. → ROM CHIP BASED--leaves maximum RAM for your programming.
- NO SPECIAL EDITOR NEEDED -- PRINTER OPT
- CARTRIDGE PLUGS INTO EXPANSION PORT
- QUALITY CIRCUIT BOARD with gold contacts.
- → VIC -20 or COMMODORE -64 539.95 ←

Send check or money order (c.o.d. add \$3.00 -u.s.or for \$39.95 (Canadian andforeign orders add \$3.00 shipping) with name, address and VIC-20 or C-64 (Mich. res. add 4% tax) to

HUGHES ASSOCIATES dept. G1 45341 Harmony Lane Belleville, MI

MEMOREX FLEXIBLE DISCS

WE WILL NOT BE UNDER-SOLD!! Call Free (800)235-4137

for prices and information. Dealer inquiries invited and C.O.D.'s accepted



PACIFIC

EXCHANGES 100 Foothill Blvd

San Luis Obispo, CA 93401 In Cal call (800)592-5935 or 805)543-1037



The Librarian

Protect and organize your valuable magazines while building a reference library. Binders are rich brown leather-like vinyl and make an

attractive addition to your computer work station. Each binder holds up to 12 issues and contains a special card and a clear vinyl pocket on the binder spine, allowing you to write magazine name, volume and year for easy identification

\$6.50 each plus \$1.50 postage and handling (Ind residents add 5% sales tax) \$8.00 post paid

Make check payable to

GDS Associates P.O. Box 27433 Indianapolis, IN 46227

Please allow 4-6 weeks for shipment

IA PALI

The designers at FALCON GAMES have worked to other software designers considered impossible: to create a mystery that is not a mere process of elimination, but a mystery with the diversity and detail of more than one hundred novels.

Our designers know the importance of realism. Real investigators don't mark suspects off of a list until only one is left; the truly proficient sleuth finds subtle clues, which would be overlooked by a novice. They are the clues that point the finger of justice toward the guilty. Just as in real life-experience is the key to success

The setting is as important in a great software mystery as it is in a great novel. FALCON has chosen a magnificent chateau in the South of France. The entire grounds and four totally accessible floors with dozens of rooms require a thorough investigation. This is a real mystery for a real detective.

Chateau d'Orleans uses the exclusive interactive disk-text system for the Commodore 64 from FALCON. Send twenty-four dollars, postage paid, for a copy of the game and a detective's handbook to:

FALCON GAMES

P.O. Box 237 Alamo, IN. 38001 Dealer Inquiries Invited

Home Inventory System Commodore 64

The simple way to make permanent records of your valuable possessions

Selected Features & Benefits

- · Protect against losses from fire or theft
- Store thousands of records on tape or disk
- Documentation for insurance or tax purposes
- All screen menus and help programs
- 9 types of information stored and sorted
- Edit, update and delete records Scan records or view in detail
- Print single item or entire file
- Visual and audio feedback

Send \$19.95 plus \$2 postage & handling to:

HOME SOFTWARE SYSTEMS

Post Office Box 85 Sterling Heights, MI 48077 (313) 268-8166

Commodore 64 is a trademark of Commodore Electronics Ltd.

READ THIS BEFORE YOU BUY!

WE CAN SAVE YOU MONEY. We are MOORE ADVANCED SOFTWARE, specializing in high quality, public domain, software. After review-

ing hundreds of programs from North America and Europe, we have put together a few collections of only the finest, most refined programs available in the public domain. We are pleased to offer our DISK TOOL KIT collection. Included are complete, easy to follow, instructions and a disk with a complete library of disk utilities, such as programs which allow you to:

COPY ALMOST ANY DISK IN LESS THAN 4

COPY ALMOST ANY DISK IN LESS THAN 4
MINUTES, including copy-protected disks.
COPY SINGLE FILES FAST.
FIND BAD SECTORS FAST (no head-kick either).
CREATE ERRORS ON ANY TRACK & SECTOR
(as required by some protection methods).
VIEW AND EDIT ANY TRACK & SECTOR.
FORMAT DISK IN 17 SECONDS.
CATALOG YOUR DISK PROGRAMS.

You get these and many more programs on one disk. Requires Commodore-64 and a Commodore 1541 Disk Drive. Price . . \$15.95, including 1st class postage and handling. To order, send Check or Money Order to:

MOORE ADVANCED SOFTWARE

P.O. BOX 1071 MUKILTEO, WA. 98275

Watch for our ad in the March issue of this Magazine for new releases

NEW



GLOBAL CONQUEST



The ULTIMATE Christmas Gift

\$29.95 Disc or Cassette For the Commodore 64 & Atari Computers

CALIFORNIA DREAMERS

P.O. Box 178. Seven Mile. Ohio 45062

Presenting

********** FLYERS **********

Tired of shooting spaceships? Tired of running around in mazes? Flyers will give you a change... You are a bird. You are trying to get food... insects, frogs. But there are dangers. Watch out for the hawks and eagles! Beware of the hunter!

> \$29.95 C-64/Disk/Joystick required

Send check or money order to: SIRJ 906 S. ANN BLVD.

HARKER HEIGHTS, TX 76541



BASF Diskettes at competitive price. Call TOLL FREE (800) 235-4137 for prices and information. Visa and Master Card accepted. All orders sent postage paid.



The Gardener's Assistant to Plan and Plot Your Garden Efficiently



- Graphic display of garden layout
- Recommended planting dimensions
- Planting/harvesting dates for your region ■ Quantity to buy and plant
- For the novice gardener, operates with minimal input Easy to use
- For the experienced gardener, allows tailoring and expansion of all data including addition of specialty crops
- Data on Over 50 Vegetables Included

Commodore 64, \$29.95 - Apple II+, \$39.95 IBM PC, IBM PCjr, \$45.00

(VA add 4% sales tax)

Shannon Software, Ltd. PO Box 6126 Falls Church, VA 22046 Phone (703) 573-9274

DISK SLEUTH

finds missing programs!

A DELUXE DISK ORGANIZING SYSTEM for the Commodore 64 that creater DATA-BASE of your disk program lib

*ALPHABETIZED MASTER DIRECTORY

up to 2000 disk program names can be printed, rolled, or searched. *COMPLETE PROGRAM INFORMATION - name, disk,

index number, load address, file type, program block length, plus your own personal program comments. *3 TYPES OF NAME SEARCHES — wild cards.

- *EASY TO USE input from your disks.
- 100 DISK INDEX LABELS INCLUDED.
- *WINDOWS for disk program information.
 *INTRODUCTORY PRICE.....

ELECTRONIC CIRCUIT ANALYSIS\$29.95

Analyzes the response of most circuits up to 25 nodes, 40 branches (resistors, caps, coils, FET's, NPN's & Op-Amps), and ladder circuits up to 200 branches.

ELECTRONICS DESIGN UTILITIES \$19.95 13 programs to solve design proble

All programs available on disk only for the Commodore 64. Prices Postpaid. California residents add 6. % sales tax.

Nth DIGIT SOLUTIONS

3243 Arlington Avenue, No. 195 Riverside, CA 92506

C-64 OWNERS

"SIMPLE INTERFACE"

system connects the real world to your expansion port

PEEK 8 ttl inputs

POKE 8 150 mA outputs Construct light displays, security systems, energy controller, science fair projects, more.

Comes ready to use with data, sample program, list of

Add-On Conditioning Plug-in Boards Add \$2. for Sh. & H. Ohio Res. add 6% tax

PROTEUS ELECTRONICS INC. PO BOX 693, SPAYDE RD. RD 2 BELLVILLE, OHIO 44813 419-886-2296

MasterCard and VISA accepted



POOR MAN'S COPY PROGRAM FOR THE C64 (1) 4 MINUTE BACKUP/25 MINUTE BACK-(2) CREATES ERRORS 20, 21, 22, 23, 27 & 29 (3) COMPLETE DOS UTILITY: FILES + DISK (4) WRITE/UNWRITE PROTECT DISK (5) REFORMAT TRACK (REMOVE ERRORS) (6) ERROR CHECKER :: 1 THRU TRACK 40 ALL THIS FOR ONLY \$18.95 DISK-LOCK/SOFTWARE & DISK PROTECTION FOR THE C64 (1) WILL STOP ANY FULL DISK COPIER IN ITS TRACKS (2) NO NEED FOR YOUR PROGRAM TO REFERENCE DISK-LOCK (3) USE DISK-LOCK ON EXISTING PROGRAMS (4) USE DISK-LOCK ON NEW PROGRAMS A GREAT UTILITY FOR ONLY \$26.95 VISA AND MASTERCARD ACCEPTED C.O.D./MONEY ORDERS ACCEPTED SHIPPING AND HANDLING \$1.50 EACH DEALER INQUIRIES INVITED

ELECTRONIC TECHNICAL SVC 3841 CHATHAM RD LOUISVILLE, KY 40218

COMMODORE 64 & 1541 IS A TRADE-MARK OF COMMODORE ELECTRONICS

(502) 459-1908

PROTECTION

USE YOUR VIC-20 OR COMMODORE 64 TO MONITOR YOUR HOME OR BUSINESS, BUT MORE IMPORTANTLY.... PROTECT YOUR FAMILY.

THIS PROGRAM WAS DESIGNED WITH SECURITY IN MIND. BECAUSE SECURITY IS OUR ONLY BUSINESSI

PROGRAM CAPABILITIES INCLUDE: MONITORING OF DOORS INDEPENDENTLY FROM WINDOWS AND MOTION DETECTORS. CODED PRESET ENTRY KEY, ENTRY & EXIT TIME DELAY, INTERNAL & EXTERNAL ALARMS, YARD AND/OR HOUSEHOLD LIGHTING FOR UNAUTHORIZED INTRUSION. BATTERY BACK-UP.

□ V-20 □ TAPE 24.95

CHECK OR MONEY ORDER (NO CASH) C-64 DISK 28.95 DVISA OR MASTERCARD

ADD \$1.50 SHIPPING

C.O.D. ADD \$3.50 SHIPPING & HANDLING

OKLAHOMA RESIDENTS ADD 6% SALES TAX

SOFTWARE SECURITY SYSTEMS 6960 E. 13 ST.

TULBA, OKLA. 74112

VISA OR MC CALL (918) 836-2052

STATE

VISA | MC | CARD NO. __ EXP. DATE._ #FOR VIC-20 ONLY

V-20 & C84 ARE TRADEMARKS OF COMMODORE ELECT. LTD.

ADVERTISERS INDEX

Rea	der Service Number/Advertiser	Page	Reader Service Number/Advertiser Page
	AA Computer Exchange		149 Limbic Systems Inc
103	Abacus Software	103	Loadstar106
	Abacus Software		Lyco Computer
	Abacus Software		150 MegaSoft Limited
106	Academy Software	101	151 MFJ Enterprises Incorporated
107	Access Software Incorporated	67	Micol Systems100
	Activision, Inc.		152 Microcomscribe
	Activision, Inc.		Micro-Sys Distributors
	Activision, Inc.		153 Micro-W Distributing, Inc
111	Activision, Inc.		154 Mimic Systems Inc
	A.L.C. Electronics		155 Mindscape, Inc
112	Almost-Free Software		156 Mindscape, Inc
440	Apropos Technology		Moore Advanced Software
113	BASIX		158 Nexus
	Batteries Included		159 Nibble Notch Computer Products
	Batteries Included		Nth Digit Solutions
114	Baudville		160 Orange Micro Inc
115	Bible Research Systems	102	161 Orbyte Software
	Big Bytes		162 Pacific Exchanges
	Blue Chip Electronics		162 Pacific Exchanges
	British Intelligence		163 Parsec Research
119	Brøderbund Software	FC & 1	164 PC Gallery
120	Brøderbund Software	21	Penguin Products56
	Brøderbund Software		165 Playnet, Inc
and the Street Land	California Dreamers		166 Practical Programs, Inc
123	Cardco, Inc.	1000000	167 Professional Software, Inc.
	Cardinal Software		Pro-Line Software
124	Cheatsheet Products		168 Protecto Enterprizes
	Commodore		Protecto Enterprizes 118,119 169 Proteus Electronics Inc. 19
405	ComputAbility		170 PSI
	CompuServe		Quantum Software
	Computer Management Corporation		171 Quicksilva Inc
	Computer Novelty Corp.		172 Radix Marketing
128	Computer Profit Systems, Inc		173 R. Dillon Software
	Computron Business Systems		R. J. Brachman Associates, Inc
	Covox Inc		Schnedler Systems3
	Creative Software		174 Sega Enterprises, Inc
	Crown Custom Covers		175 Serendipity Software
132	C.S.M. Software	124	SIRJ
	Custom Programming Group, Inc. Davidson & Associates		176 Skyles Electric Works
	Digital Vision, Inc.		Softlaw9
	D J Software	190	177 Software Discounters of America
136	Eastern House	96	178 Software Plus
	Electronic Arts		Software Publishing Corporation
	Electronic Technical Services	191	Software Security Systems19
137	E Mart, Inc.	188	Southern Oregon Video Enterprises, Inc
138	Eng Mfg., Inc.	61	179 Southwest Micro Systems
	EPÝX		180 Starpoint Software 8 Strategic Simulations Inc. 4
	EPYX		181 subLOGIC Corporation9
	EPYX		182 subLOGIC Corporation9
139	Ergo Systems, Inc.		183 TaxAid Software, Inc
	Falcon Games	190	184 T & D Subscription Software
140	Future Computer Applications	186	185 Telesys
	Gamestar, Inc.	65	186 Timeworks, Inc
	GDS Associates	190	187 Timeworks, Inc
141	General Overall Design	188	Triad Computers
142	Genesis Computer Corp.	112	188 Tussey Mt. Software
	The Gold Disk		Ultrabyte
	Hontoo Products, Inc.		189 Votalker
140	Hughes Associates		190 Woodbury Software
146	Indus Systems	109	191 Word, Inc
147	Inforunner Corporation	59	
	Intelligent Software	131	
	Jason-Ranheim		COMPUTEI's Gazette Disk
1	KSOFT Co		COMPUTE's Gazette Subscription
148	Kyan Software	184	

CARDCO "NOW" SOFTWARE

... available now for your Commodore-64[™]and more!

A fine line of software developed by CARDCO for your Commodore-64 computer with all the features you should expect in much more costly software. CARDCO's "NOW" Series provides many unique and exclusive features and are packaged for easy reference, simple storage, instant recognition.

"WRITE NOW"...WORD PROCESSOR SOFTWARE...An excellent time saver, CARDCO offers the "Write Now" C/ 02 word processor program with built-in 80 column display. You see exactly what will print. All special codes can be transmitted to printers maintaining justification. Easy full-screen editing; works with any printer.

"MAIL NOW"... MAILING LIST SOFTWARE... CARDCO's D/ Ø1 "Mail Now" quickly (in memory) sorts by zip, category, name and state; fully compatible with "Write Now". Other fine features include: user-oriented; menu-driven operation; each disk supports 600 entries. Format can print single, double or triple labels across.


"SPELL NOW"... Cardware D/ Ø4... a fine program designed as a spell checker for use with "Write Now" on the Commodore-64. A 34,000 word dictionary with two additional user constructed dictionaries. Menu-driven operation for ease of use. And "Spell Now" allows you to see each misspelled word in the context of your document for correction.

"FILE NOW" ... D/ 05 ... is a totally integrated, menu-driven database software package which interfaces with both the "Write Now!" for the 64 and the "Spell Now." 40K of working storage space is available with "File Now". "File Now"

appears on the screen as index cards for easier manipulation of your data base; you see 5 index cards at a time. Cards are user defineable, i.e., user determines what goes where on the "index cards" and can sort by any given field. Every card has a general topic field which allows for quick sorting through cards.

"GRAPH NOW" INCLUDING... "PAINT NOW"...D/ 66
... This disk-based graphic/logo generator is totally menudriven. Allows for the development of pies, charts, bar graphs and other vivid graphic illustrations. Also has the ability to design, and print logos and high resolution pictures. "Commodore-ready"; interfaces with CARDCO'S "Write Now" Word Processor, "Mail Now", "Spell Now" and "File Now".

Write for illustrated literature and prices or see CARDCO Computer Accessories and Software wherever Computers are sold.





cardco, inc.

300 S. Topeka Wichita, Kansas 67202 (316) 267-6525

"The world's largest manufacturer of Commodore accessories."

LOOK WHAT'S ON TELEVISION TONIGHT.

6:00

THE HULK

The first comic attraction in the QUESTPROBE**
Adventure Series. You become a super hero. A joint (ad)venture of Scott Adams, Inc. and Marvel Comics Group. (Diskette)



6:30

MATH

(Ages 5 to 10) (Micro School) Educational TV Practice in basic math facts Several levels. (Easy to hard) (Diskette)



7:00



FRENZY/ FLIP FLOP

(Ages 6 to 14) (Milliken Edufun) FRENZY (subtraction and division) The hungry gator arrives. save the lish... play the BONUS game... FLIP FLOP (transformed geometry) look at the two figures... do they need to flip. turn or slide? (Diskette)

7:30

SOLAR FOX

It's erase or be erased as you navigate spaceship over a grid of colorful pulsating entities, armed with laser. Unlimited levels. A BALLY MIDWAY original. (Cartridge)



8:00



EASY

Our best wordprocessor. Displays 764 lines by 40 characters. Prints over 130 columns. Global/local search/replace/hunt/find. Super/subscripts. Insert/ delete characters, lines, sentences, paragraphs. (Diskette)

8:30

THE

A powerful database management system. For business, educational or personal files. Not for Rockford's files. With four built-in applications. Or design your own. (Diskette)



9:00



MAGIC DESK I

The scene opens on an office desk, complete with digital clock, typewriter, wastebaskel and file cabinet. Select functions (typing, filing, editing) by pointing animated finger (Cartridge)

9:30

INTER-NATIONAL SOCCER

(Gold Medallion Game) Sports highlight, With passing, kicking, diving goalies, even trophies! Great color, 3-D realism. No locker room interviews. (Cartridge)



10:00

SIMONS' BASIC

Rated PG. Expands Commodore BASIC by an additional 114 commands. Convenient programming commands such as RE-NUMBER and TRACE plus graphics plotting command. (Cartridge)



Announcing the most exciting variety show on television.

Featuring many of the stars of arcade games, education and the business world.

Produced by (and for) Commodore, the people who bring you the Commodore 64. a 64K computer that would be a value at three times its price. In fact, many of its competitors are three times its price.

Produced in living high resolution graphics with 16 available colors and with eight 3-dimensional sprites. With a real high fidelity sound that covers a 9-octave range.

And a supporting cast of lowprice, high capacity disk drives, printers, monitors (a better way to watch Commodore 64) and modems.

modems.
So, if you're not pleased with what's on your tv set tonight, simply turn on your Commodore 64.

COMMODORE 64

IT'S NOT HOW LITTLE IT COSTS, IT'S HOW MUCH YOU GET.

