The Innovative School: Putting Computers To Good Use

FOR COMMODORE PERSONAL COMPUTER USERS

X BASIC:

Add 33 enhanced BASIC commands to your 64 with the program in this issue



Gradebook

A fast, full-featured organizational tool for teachers. Both a database and a spreadsheet. For the 64.

C: Language Of The Future?

Fast and flexible, C is emerging as a popular applications programming language.



Picking The Right Printer

There are dozens of excellent printers available. Here's how to decide which one's best for you. (And how to set it up when you get it home.)


Also in This Issue:

Hints & Tips: Problem Solvers

Simple Answers To Common Questions


Software Reviews

And More



Turnabout

Offense or defense? Everyone plays this unique 64 strategy game a little differently.



With Commodore 128's instead of Apple IIc's, these kids would be on computers instead of in line.

Meet the Commodore 128.™ The new personal computer that's already destined to be at the head of its class. It not only outsmarts the Apple® IIc in price, it comes out way ahead in performance.

A lower price is welcome news to any tight school budget. But it's not the only way the 128 saves you money. You only need to buy one external disk drive to network eight Commodore 128's from a teacher's desk. The Apple IIc has a built-in disk drive.

That adds a built-in extra cost for a feature your classroom doesn't really need. There's even more to the Commodore 128 than being able to put more students on computers for less money.

There's more intelligence.

As your students grow smarter, so does the Commodore 128. It's a computer they'll find more useful because it's capable of expanding from 128K to 512K memory. The Apple IIc doesn't expand, making

it less versatile. It also doesn't have the Commodore 128's expanded keyboard that offers more commands for easier programming and more varied use of graphics and text. Or a numeric keypad that's a real necessity when using a computer in math or science classes.

More software.

The Commodore 128 is one new personal computer you won't have to wait for software

You communicate—and the story responds—in full sentences. Which means that at every turn, you have literally thousands of alternatives. So if you decide it might be wise, for instance, to wrap a towel around your head, you just say so:

>WRAP THE TOWEL AROUND MY HEAD

And the story responds:

THE RAVENOUS BUGBLATTER BEAST OF TRAAL IS COMPLETELY BEWILDERED. IT IS SO DIM IT THINKS IF YOU CAN'T SEE IT, IT CAN'T SEE YOU.

But be careful about what you say. Or one moment you might be strapped down, forced to endure a reading of the third worst poetry in the galaxy; the next you could be hurtling through space with Marvin the Paranoid Android aboard a stolen spaceship.

And simply staying alive from one zany situation to the next will require every proton of puzzle solving prowess your mere mortal mind can muster. Even simple tasks can put you at wit's end:

>OPEN THE DOOR

And the story responds:

THE DOOR EXPLAINS, IN A HAUGHTY
TONE, THAT THE ROOM IS OCCUPIED BY A
SUPER-INTELLIGENT ROBOT AND THAT
LESSER BEINGS (BY WHICH IT MEANS YOU)
ARE NOT TO BE ADMITTED, "SHOW ME SOME
TINY EXAMPLE OF YOUR INTELLIGENCE,"
IT SAYS, "AND MAYBE, JUST MAYBE I MIGHT
RECONSIDER,"









Other interactive science fiction stories from Infocom include PLANETFALL," in which you're stranded on a mysterious deserted world. STARCROSS," a puzzling challenge issued eons ago and light-years away. SUSPENDED," the race to stabilize an entire planet's life support systems. And A MIND FOREVER VOYAGING," a radically new work of serious science fiction in which you explore the future of mankind.

But don't panic. You'll be accompanied every light-year of the way by your trusty Hitchhiker's Guide, which you can always depend on for up-to-the-nanosecond information. Well, almost always:


>CONSULT THE HITCHHIKER'S GUIDE ABOUT THE MOLECULAR HYPERWAVE PINCER

And the story responds:

SORRY, THAT PORTION OF OUR SUB-ETHA DATABASE WAS ACCIDENTALLY DELETED LAST NIGHT DURING A WILD OFFICE PARTY.


So put down that beer, take that towel off your head, open the door, hitchhike down to your local software store today and pick up THE HITCH-HIKER'S GUIDE TO THE GALAXY. Before they put that bypass in.

Still not convinced? Try our Sampler Disk which includes portions of four different types of stories for a paltry \$7.95. If it doesn't get you hooked on the addictive pleasures of Infocom, return it for a full refund. If it does, you can apply the price toward any Infocom story. You can't lose!



INFOCOM

For more information call 1-800-262-6868. Or write to us at 125 CambridgePark Dr., Cambridge, MA 02140. "Calc Result cut 10 years out of the mortgage time for my house".



Tony is a CPA, and works in Windsor Locks, CT. Tony bought his Calc Result two years ago.

He was looking for a spread sheet program for the Commodore and found Calc Result.

"I think Calc Result is the best spread sheet on the market. It is very easy to use and logically built up. I have found the capacity I need in the program, and you can understand I have some demands, as I am an accountant. I did not believe that a homecomputer equipped with Calc Result could be so powerful.

I use the program for business as well as at home. The most frequent business use is loan amortization. With Calc Result it is a lot faster to see the status of a loan, and also how a change in the amortization will affect the payment time.

Calc Result showed me how a slight increase of 10—20 dollars per month on the house amortization could cut 10 years out of the amortization period for my house. Incredible!

Calc Result is a program that is very easy to use, and very powerful. I can really recommend it."

If you want some more information about Calc Result or any of Handic's products for Commodore 64, send in the coupon or call.

Calc Result is available in two versions, the Advanced version with 32 pages (discdrive required), or the Easy version (cartridge-based). Order either of the programs NOW, and we will include the book Applied Calc Result (value \$14.95) for free.



THE COUNTY OF TH		oney. Please rush me:
The state of the s	Advanced \$ 79.95 Easy \$ 49.95 and include	de the book Applied
Calc Resul	FREE. N.J. residents ad	ld 6% sales tax.)
	nclosed (check or mone ster Card American Ex	
	ster eard Erimertean E	tpress
Acct.no	Exp. date	Signature
☐ Yes, plea	se send me your cata	alogue FREE.
Name	Ministra de la composición del composición de la composición de la composición de la composición de la composición del composición de la c	In case of the contract of
Address		
City	State	Zip
	e, inc. 400 Paterson Plank	Rd, Carlstadt, N.J. 07072



factoria a	
features	
The Innovative School: Putting Computers to Good Use Selby Bateman	•
Commodore in Education	
Picking the Right Printer Charles Brannon	
C: Language of the Future? Charles Brannon	Live computer
reviews	
The Evelyn Wood Dynamic Reader Neil Randall	
PROMAL Tom Emerson	
The Argos Expedition Neil Randall	
Know Your Own IQ/Know Your Own Personality Dan Gutman	
Also Worth Noting	
	d a wind
games	
The Farm Game Daniel M. Seurer	64/V/+4/16
Turnabout Mark Tuttle and Kevin Mykytyn	64
Atom Shoot George F. Clement 52	64/V/+4/16
education/home applications	din verment ultipe solitare
Gradebook Stephen Levy and Kevin Mykytyn	64
Programming Power BASIC: USR Joystick Reader X BASIC Kevin Martin Tim Gerchmez 94 X BASIC Kevin Martin 96	64/V
Automatic Syntax Checker Philip I. Nelson 104 Kaleidoscope Sam Bowne 107 BASIC Magic: Taking Center Stage with Screen Titles Michael S. Tomczyk 108 Hints & Tips: Problem Solvers 113 Machine Language for Beginners: The Creature in its Cage Richard Mansfield 116	64 64 64/V/+4/16 64/V/+4/16 64/V/+4/16
Automatic Syntax Checker Philip I. Nelson	64 64/V/+4/16 64/V/+4/16 64/V/+4/16
Automatic Syntax Checker Philip I. Nelson	64 64/V/+4/16 64/V/+4/16 64/V/+4/16
Automatic Syntax Checker Philip I. Nelson	64 64/V/+4/16 64/V/+4/16 64/V/+4/16 64/V
Automatic Syntax Checker Philip I. Nelson	64 64/V/+4/16 64/V/+4/16 64/V/+4/16 64/V
Automatic Syntax Checker Philip I. Nelson	64 64/V/+4/16 64/V/+4/16 64/V/+4/16 64/V
Automatic Syntax Checker Philip I. Nelson	64 64/V/+4/16 64/V/+4/16 64/V/+4/16 64/V
Automatic Syntax Checker Philip I. Nelson	64 64/V/+4/16 64/V/+4/16 64/V/+4/16 64/V
Automatic Syntax Checker Philip I. Nelson 104 Kaleidoscope Sam Bowne 107 BASIC Magic: Taking Center Stage with Screen Titles Michael S. Tomczyk 108 Hints & Tips: Problem Solvers 113 Machine Language for Beginners: The Creature in its Cage Richard Mansfield 116 Cepartments The Editor's Notes Richard Mansfield 6 Gazette Feedback Editors and Readers 10 User Group Update 40 Simple Answers to Common Questions Tom R. Halfhill 111 Horizons: The Operating System Charles Brannon 112	64 64/V/+4/16 64/V/+4/16 64/V/+4/16 64/V
Automatic Syntax Checker Philip I. Nelson	64 64 V +4 16 64 V +4 16 64 V +4 16 64 V
Automatic Syntax Checker Philip I. Nelson	64 64/V/+4/16 64/V/+4/16 64/V/+4/16 64/V
Automatic Syntax Checker Philip I. Nelson	64 64 V +4 16 64 V +4 16 64 V +4 16 64 V

*=General, V=VIC-20, 64=Commodore 64, +4=Plus/4, 16=Commodore 16, 128=Commodore 128

COMPUTEI'S GAZETTE is published monthly by COMPUTEI Publications, Inc., Post Office Box 5406, Greensboro, NC 27403 USA. Phone: (919) 275-9809. Editorial offices are located at 324 West Wendover Avenue, Greensboro, NC 27408. Domestic Subscriptions: 12 issues, \$24. Send subscription orders or change of address (P.O. Form 3579) to Circulation Dept., COMPUTEI'S GAZETTE, P.O. Box 10957, Des Moines, IA 50340. Second class application pending at Greensboro, NC 27403 and additional mailing offices. Entire contents copyright (91985 by COMPUTEI Publications, Inc. All rights reserved, ISSN 0737-3716.

COMPUTEI Publications, Inc., One of the ABC Publishing Companies: ABC Publishing, President, Robert G. Burton; 1330 Avenue of the Americas; New York, New York 10019.

editor's notes

The Commodore 64, first introduced in 1982, went on to become the world's most popular computer. Now, nearly four years later, a new generation of computers is just arriving at the retail stores. What will this mean to the millions of 64 owners?

There's been a great deal of excitement recently over Commodore's new Amiga computer. It has extraordinary graphics and sound capabilities, great speed, multitasking, a large memory, and sophisticated operating systems and language support. Will this new machine eclipse the best-selling computer of all time? Will Commodore continue to support the 64, or turn it into an "orphan?"

Commodore will not release sales figures, but the 64 ad campaign shows no signs of slowing down, and reliable industry insiders observe that sales of the 64 and associated software and peripherals continue to be strong. Commodore has officially stated that it will continue to sell the 64 and continue to support it with software and replacement parts.

Other personal computers have withered relatively quickly after the introduction of a strong, new-generation challenge. The original Commodore PET computer, for example, was relegated to obscurity by the introduction of the VIC and later the 64. It is now nearly impossible to find software, magazine articles, or books for the PET.

However, this phenomenon is dependent on scale: A large base of owners gives a machine impetus. The VIC, of course, is still covered in this magazine and others, and is still supported by books and software. Sales of the VIC continue overseas. What is true of the VIC is even more true of the 64. With an estimated installed base of over three million, the 64 will continue to be supported, regardless of the market performance of the new Amiga.

This support will, of course, also continue in the GAZETTE and in COMPUTE! Books. We will continue to bring you the best utilities, the most exciting games, the most informative columns, and fullest coverage of the 64 available. In this issue, "X BASIC" will greatly expand your 64's BASIC. It adds 33 commands that make programming graphics and sound much easier. If you're a teacher, you'll doubtless find many uses for "Gradebook," a powerful organizational tool for teachers. It's fast, flexible, and has many features usually found only in spreadsheets and databases.

Also, there are three excellent games: "The Farm Game,"
"Turnabout," and "Atom
Shoot." There are versions of
"Farm" and "Atom" for four
different computers—64, VIC,
Plus/4, and Commodore 16.

Upcoming issues will include a short and extremely powerful assembler; "Preview-80," a SpeedScript enhancement program which lets you see on screen exactly what your document will look like when printed; "Backgammon" and "Power Poker," full simulations of the popular traditional games; useful disk utilities, and much more.

Commodore expects sales of the 64 to continue to be strong and COMPUTE! Publications will continue its coverage of this computer. Although the Amiga is an extraordinary computer, it cannot collapse the huge audience of 64 owners. The 64 is, after all, the most popular computer ever.

Richard Mansfeld

Senior Editor

SYLVIA PORTER'S PERSONAL FINANCIAL PLANNER DOES MORE THAN MANAGE YOUR MONEY

IT PLANS YOUR FINANCIAL FUTURE TOO

Sylvia Porter, and the editors of Sylvia Porter's Personal Finance Magazine, now combine with all the computer tools you'll ever need to help manage your money on a day-to-day basis and plan your financial future, too. In Sylvia Porter's style, without complicated financial jargon or "computerese".

Volume 1

Your Personal Financial Planner:

Helps you track your day-today financial data, then combines this information with your future financial objectives to produce the most comprehensive and easily-understood financial planning program available.

For Your Day-to-Day Affairs:

- Maintains your electronic checkbook and credit card system.
- Writes your checks and balances your checkbook. (We even built in a calculator and memo pad for you.)
- Prepares and monitors your budget.
- Classifies and tracks your taxable income and expenses.
- Calculates your net worth and generates customized personal financial statements.
- Tracks your financial assets and your insurance policies.
- Graphically generates supplemental data, such as percentages, ratios and charts.
- You get our Toll-Free Hotline and our Customer Technical Support Team at no charge.
- You get Timeworks' Money Back Guarantee. (Details in each package.)

For Your Financial Future:

- You'll be led step-by-step through a series of questions regarding your life and lifestyle, your financial goals, and your current financial condition. Your answers will enable a computer to determine and print a summary of the amounts you must save each year to meet your financial objectives - in both real and inflated dollars.
 - Helps you plan for protection against major medical adversities and other financial setbacks.
 - Each program interfaces with others in this series. Your information can be incorporated into letters and reports produced by Timeworks' Word Writer.
 - Everything is integrated. You need to enter data only once.

Available for Apple, IBM and Commodore computers.

Moderately Priced - from your favorite Dealer or contact

Timeworks for the Dealer closest to you.

Next in this integrated series: Your Personal Investment Manager.


anner

From Americal Adviser Other Timeworks Programs: The Evelyn Wood Dynamic Reader Word Writer with Spell Checker - Data Manager 2 - SwiftCalc with Sideways - Business Systems - Swiftax -Cave of the Word Wizard Wall Street



More power for your dollar.

TIMEWORKS, INC., 444 Lake Cook Rd., Deerfield, IL 60015, 312-948-9200





Publisher James Casella Editor in Chief Robert C. Lock Director of Administration Alice S. Wolfe Senior Editor Richard Mansfield Managing Editor Kathleen Martinek **Editor** Lance Elko **Assistant Editor Todd Heimarck Production Director Tony Roberts**

Editors

Tom R. Halfhill, Editor, COMPUTE! Magazine; Stephen Levy, Editor, COMPUTE! Books Division; Gail Cowper, Production Editor; Ottis R. Cowper, Technical Editor; Charles Brannon, Program Editor; Selby Bateman, Features Editor

Assistant Editors

Gregg Keizer, J. Blake Lambert (Books); John Krause, George Miller, (Technical); Philip Nelson (COMPUTE! Magazine); Kathy Yakal, Feature Writer; Mark Tuttle, Submissions Reviewer

Editorial Programmers

Patrick Parrish (Supervisor), Tim Victor, Kevin Mykytyn, Kevin Martin

Programming Assistant

David Florance

Copy Editors

Joan Rouleau, Ann Davies

Administrative Staff

Susan Young, Laura MacFadden, Julia Fleming, Iris Brooks, Jan Kretlow

Production

Irma Swain, Production Manager; Janice Fary, Art & Design Director, Lee Noel, Assistant Editor, Art & Design; De Potter, Mechanical Art Supervisor; Terry Cash, Carole Dunton, Typesetting

Dabney Ketrow (Publications), Debbie Bray (Books); Harry Blair, Illustrator

Associate Editors

Jim Butterfield (Toronto), Harvey Herman (Greensboro), Fred D'Ignazio (Roanoke)

Customer Service

Philippa King, Customer Service Manager; Gail Jones, Dealer Sales Supervisor; Judy Taylor, Customer Service Supervisor; Dealer Sales Staff: Rhonda Savage, Debi Goforth, Liz Krusenstjerna; Customer Service Staff: Betty Atkins, Gayle Benbow, Mary Hunt, Jenna Nash, Chris Patty

Lonnie Arden, Warehouse Manager; Staff: Howard Ayers, Steve Bowman, David Hensley, Larry O'Connor

Data Processing

Leon Stokes, Manager; Chris Cain, Assistant

Accounting

Paul J. Megliola, VP, Finance & Planning; R. Steven Vetter, Director, Finance & Planning; Robert Bean, General Accountant; Karen K. Rogalski, Financial Analyst; Staff: Dale Branch, Jill Pope Credit

Barry L. Beck, Credit Manager; Staff: Sybil Agee, Anne Ferguson, Pat Fuller, Doris Hall, Linda Miller, Mary Waddell, Jane Wiggs

Purchasing

Gregory L. Smith, Purchasing Manager

Promotion

Caroline Dark, Promotion Assistant

Advertising Sales

Ken Woodard, Director of Advertising Sales; Patti Stokes, Production Coordinator; Kathleen Hanlon, Administrative Assistant

Sales Representatives

Jerry Thompson Ed Winchell 415-348-8222 213-378-8361 Harry Blair 919-275-9809

Jules E. Thompson, Inc. National and Canadian Sales Representatives 1290 Howard Avenue, Suite 303 Burlingame, CA 94010

Address all advertising materials to: Patti Stokes, COMPUTE!'s GAZETTE

324 West Wendover Ave., Suite 200, Greensboro, NC 27408

Sales Offices, The Thompson Company 617-720-1888 New England 212-772-0933 919-275-9809 Mid-Atlantic Southeast Midwest 312-726-6047 Texas 713-731-2605 Northwest, Nevada 408-354-5553 Northern CA 415-348-8222 Southern CA 213-378-8361 213-378-8361 Arizona New Mexico 213-378-8361 Colorado 303-595-9299

COMPUTEI Publications, Inc., publishes

COMPUTEI

COMPUTEI Books

COMPUTEI'S GAZETTE

Corporate Office:

324 West Wendover Ave., Suite 200, Greensboro, NC 27408

Mailing Address:

Post Office Box 5406, Greensboro, NC 27403

Distribution Center

500-A Radar Road, Greensboro, NC 27419

Telephone: 919-275-9809

Office Hours: 8:30 AM to 4:30 PM Monday-Friday

President Robert G. Burton Vice President, Finance & Planning Paul J. Megliola

Executive Assistant Debi Nash **Assistant** Anita Armfield



Subscription Information

COMPUTE!'s GAZETTE Circulation Dept. P.O. Box 5406, Greensboro, NC 27403

> **TOLL FREE Subscription Order Line** 800-334-0868 In NC 919-275-9809

COMPUTE!'s GAZETTE **Subscription Rates**

(12 Issue Year): US (one year) \$24. Canada, Mexico and Foreign Surface Mail \$30. Foreign Air Mail \$65.

The COMPUTE's GAZETTE subscriber list is made available to carefully screened organizations with a product or service which may be of interest to our readers. If you prefer not to receive such mailings, please send an exact copy of your subscription label to: COMPUTE's GAZETTE, P.O. Box 10957, Des Moines, IA 50340. Include a note indicating your preference to receive only your subscription.

Authors of manuscripts warrant that all materials submitted to COMPUTE'S GAZETTE are original materials with full ownership rights resident in said authors. By submitting articles to COMPUTE'S GAZETTE, authors acknowledge that such materials, upon acceptance for publication, become the exclusive property of **COMPUTEI** Publications, Inc. No portion of this magazine may be reproduced in any form without written permission from the publisher. Entire contents copyright © 1985, COMPUTEI Publications, Inc. Rights to programs developed and submitted by authors are explained in our author contract. Unsolicited materials not accepted for publication will be returned if author provides a self-addressed, stamped envelope. Where programs are included in an article submission, a tape or disk must accompany the submission. Printed listings are optional, but helpful. Articles should be furnished as typed copy (upper and lowercase, please) with double spacing. Each article page should bear the title of the article, date, and name of the author. **COMPUTE!** Publications, Inc., assumes no liability for errors in articles or advertisements. Opinions expressed by authors are not necessarily those of **COMPUTEI** Publications, Inc. **COMPUTEI** Publications assumes no responsibility for damages, delays, or failure of shipment in connection with authors' offer to make tape or disk copies of programs published herein.

PET, CBM, VIC-20, and Commodore 64 are trademarks of Commodore Business Machines, Inc., and/or Commodore Electronics Limited. Other than as an independent supplier of quality information and services to owners and users of Commodore products, **COMPUTEI** Publications, Inc., is in no way associated with Commodore Business Machines, Inc., or any of its subsidiaries.

"If you know BASIC and want to learn machine language, this is the place to start Building on your experience as a BASIC programmer, Mansfield very gently takes you through the fundamentals of machine language."

Whole Earth Software Cataloa

COMPUTE! Books' Best-selling Machine Language Books

"Understandable"-The New York Times


"Presents the machine language novice with a very good tutorial in simple, understandable terms."

-Antic

"I highly recommend Machine Language for Beginners as your first introduction to the world of -Commodore Power/Play machine language."

The LADS Disk

LADS, the assembler used in The Second Book of Machine Language, is available on disk for only \$12.95. This is a great accompaniment to the book, saving you hours of typing time by providing the complete source and object programs for all versions of the assembler, and more. And LADS disks are specific to your Apple, Atari, or Commodore computers.




Machine Language for Beginners

Richard Mansfield

Most commercial software is written in machine language because it's far faster and more versatile than BASIC. Machine Language for Beginners is a step-by-step introduction. Includes a simple assembler, a disassembler, and utilities, to help beginners write programs more quickly and easily. \$14.95

ISBN 0-942386-11-6



Machine Language for Beginners and The Second Book of Machine Language: everything you need to learn machine language programming on your Apple, Atari, and Commodore personal computers.

The Second Book of Machine Language

Richard Mansfield

The follow-up to the best-selling Machine Language for Beginners, this book leads the programmer deeper into the most powerful and efficient programming techniques available for personal computers. Fully tutorial, with easy step-by-step explanations, the book shows how to construct significant, effective machine language programs. Included is a highspeed, professional-quality, label-based assembler. Everything that's needed for optimized programming on the Commodore 64, Apple, Atari, VIC-20, and PET/CBM computers. \$14.95

ISBN 0-942386-53-1

To Order: Call Toll Free 800-334-0868 (in NC 919-275 - ment to COMPUTE! Books, P.O. Box 5058, Greensboro,	9809) or mail this coupon NC 27403.	with your pay-
The Second Book of Machine Language, \$14.95 Machine Language for Beginners, \$14.95 LADS Disk (Apple) \$12.95 LADS Disk (Atari) \$12.95	1 Book for 2 Books for LADS Disk for	\$14.95 \$25.00 \$12.95
LADS Disk (Ardii) \$12.95 LADS Disk (Commodore), \$12.95	NC residents add 4.5% sales tax	\$
☐ Payment Enclosed (check or money order) ☐ Charge ☐ MasterCard ☐ Visa ☐ American Express Acct. No	Shipping and handling (\$2.00 per book \$1.00 per disk)	\$
Signature	Total Paid	\$
NameAddress	All orders must be prepaid. Please allow 4-6 weeks for delivery.	
State Zip	COMPUTE! Publications,	Inc. 650 75A1111

feedback

Do you have a question or a problem? Have you discovered something that could help other Commodore users? Do you have a comment about something you've read in COMPUTEI'S GAZETTE? We want to hear from you. Write to Gazette Feedback, COMPUTEI'S GAZETTE, P.O. Box 5406, Greensboro, NC 27403. We regret that due to the volume of mail received, we cannot respond individually to programming questions.

Safety Saves

The "MLX" program allows you to type part of a machine language program, save it to disk, and return later to complete it by listing the new line. Are there any commands available to do this with BASIC programs?

Ancel W. Norris

It's a good idea to periodically save a copy of a program you're working on, whether it's in BASIC or machine language. Computer memory is active only as long as the power is on. If the power were to fail, even for a brief moment, you would lose everything you had typed since the last save. Some people make a safety save every ten minutes, while others may wait half an hour.

The "MLX" program does two things when you type SHIFT-S to save. First, it takes the program name you've chosen and tries to scratch a program by that name from the disk (if there's no program under that name, nothing happens). Then it saves the new copy of the program.

The reason for scratching first is that the disk drive does not allow you to save a program if there's another program with the same name already on the disk. If a disk contained two programs named "adventure" and you tried to LOAD"0: ADVENTURE", 8 the disk drive wouldn't know which program you wanted.

So if you're accustomed to using the same name for partially typed MLX programs, you'll have problems saving unfinished BASIC programs. You could scratch the earlier version before saving, or just number the different versions of a program: ADV1, ADV2, ADV3, and so on. When you've finished, use the question mark wild card to scratch all of the earlier

versions (OPEN 15,8,15, "S0:ADV?" will scratch all programs with a four letter name beginning with the letters "ADV"). But make sure you don't scratch the final version—give it another name or save a copy to another disk.

Joystick Rapid Fire

Several months ago, "Gazette Feedback" said POKE 650,128 makes keys repeat when they're held down. Is there a POKE to give rapid fire for the joystick?

Brian Patz

The fire button is an electrical switch. As long as you hold down the button, the circuit is live. So, in a sense, the joystick button already repeats.

So why do some games make you press the button again and again to get rapid fire? Many such programs look first for the button to be pressed and then take the appropriate action (a character jumps, a laser is fired, or whatever). The program then waits for the button to be released. You would have to rewrite parts of the software to allow a rapid fire effect. It might also be possible to alter the wiring of the joystick to cause the button to send pulses rather than a steady current. A modification like this would cause the button to repeat. But there isn't a single POKE you can enter; you have to change either the software or the joystick.

Unusual Lines

I have two questions about "Dynamic SID Editor" in the June issue. How is it possible to use just one quote mark in a PRINT statement (line 50310)? And what is the purpose of starting a line with a colon (line 50330)?

Dennis R. Waldron

Quotation marks signal the beginning and end of a string to be printed, PRINT "LIKE THIS" for example. The second quotation mark is required if you want to add a colon and another command to the line. But if it's the last item on a line, the second quote is unnecessary. The computer assumes that the end of a line is also the end of a print statement. The technique of leaving off the final quotation mark is often found in programs for the unexpanded VIC because it saves one byte of memory.

Colons, like quotes, are also delimiters; they separate commands on a line. BASIC automatically throws away extra spaces between a line number and the first command on the line. But if a line begins with a colon, you can add as many spaces as you want. Some programmers like to indent FOR-NEXT loops using colons followed by spaces because it makes listings easier to read. You can also put a single colon on an otherwise blank line or two, to separate different sections of a program.

Starting A User Group

There are 20–30 Commodore owners in my area, but no user groups in sight. I was wondering if you could give me some tips on starting one.


Mike Scott

All you need to start a user group is several interested people, someone who is willing to do the initial organizing, and a place to meet. It sounds like you already have the first two requirements.

Set a time and place for your first meeting. It could be at someone's home (if you think the group will be small enough), a school classroom, the back room of a local computer store, or anyplace else that is available. Advertise the meeting by posting notices in public places—stores, laundromats, restaurants, schools—and try to get the notice printed in your local newspaper or announced on a radio station. Also, some cable TV systems have a public notice channel for various announcements.

Your first meeting will probably be spent determining the group's interests and goals. Officers will need to be appointed or elected. They'll be responsible for planning and leading future meetings, and taking care of other administrative tasks. You could have everyone fill out a sheet indicating what kind of equipment they own, what they want from the group, and also what they feel they could contribute. Suggestions for content of future meetings is also important.

Each meeting should allow time for two things: information for the group members (software reviews, news from Commodore, demonstrations of peripherals, tutorials, speakers on topics of interest, etc.); and input and questions from the group members. Stay in close touch with the group, and modify the structure when necessary (breaking off into subgroups for special interests, or starting a



THE BETTER LETTER BOX

Introducing EasyPlex. The new, easy-to-use electronic mail system from CompuServe.

Finally! Electronic Mail that's so easy to use you can start composing and sending messages the first time you get online.

Designed for various experience levels, EasyPlex has a menu mode with simple, easy-to-follow directions for beginners, and it lets experienced users save time by working in the prompt or command modes. With EasyPlex, you can compose, edit, send, file, and take advantage of sophisticated options previously available only with more expensive services.

CompuServe's EasyPlex lets friends and relatives, associations and club members communicate any time of the day or night. And small business owners, real estate professionals, insurance agents, lawyers, writers, etc. can communicate quickly and simply—either interoffice or interstate. "It's Easy." "Just Plex it!"

Best of all, EasyPlex is available to all CompuServe subscribers. And, along with EasyPlex, you get hundreds of valuable and entertaining computing options. Plus the assurance of belonging to the largest, fastest growing computer information service in the world and the premier supplier of business information to FORTUNE 500 companies.

Start communicating! To buy a CompuServe Subscription Kit, see your nearest computer dealer. To receive our informative brochure or to order direct, call or write:

CompuServe[®]

Information Services, P.O. Box 20212 5000 Arlington Centre Blvd., Columbus, Ohio 43220

800-848-8199 In Ohio, call 614-457-0802

An H&R Block Company

bulletin board system to facilitate better communication, for example).

Some user groups arrange for discount rates on blank disks or group purchases at a lower price than software from local computer stores. In some states or cities you may have to obtain a tax permit or vendor's license to legally sell items like this. Most groups also maintain a library of public domain software—programs written by members and donated to the user group for free distribution to other members.

You may want to get in touch with other user groups to see how they got started. Commodore provides support to user groups—contact Pete Baczor, Commodore Business Machines, 1200 Wilson Drive, West Chester, PA 19380, (215) 431-9264.

Another Way To Quash Question Marks

In the March issue someone asked about how to get rid of the question mark in an INPUT statement. Your suggestion of OPENing a file to the keyboard is one way to do this. Here's another:

- 10 POKE19,1
- 20 INPUT"=>"; A\$
- 30 POKE19, 0: PRINT: PRINTAS

Location 19 controls whether or not a question mark is printed. The PRINT is needed to move the cursor to the next line. I hope this method is useful to your readers.

Louis M. Rastelli

Thanks for the tip.

Reading Trivia Randomly

How can I READ random items in DATA statements to make a trivia program?

Dan Lackey

Reading from DATA statements is sequential, which means the computer starts reading at the beginning and continues until there are no more DATA statements. It's possible to reset some pointers, to jump into the middle of a group of DATA statements (see "Hints & Tips" in the September issue for more details), but there's a much easier way.

First, put all the data into an array. An array is like a numbered list. You can then pick a number at random and look up that item in the array. Here's a simple trivia program:

- 10 READA\$:IFA\$<>"END"THENT=T+1
 :GOTO10
- 20 T=T/2:DIMQ\$(T,1)
- 3Ø RESTORE:FORJ=1TOT:READQ\$(J, Ø),Q\$(J,1):NEXT
- 40 R=INT(RND(1)*T+1):PRINTQ\$(R,0)
- 50 FORJ=1T02500:NEXT
- 60 PRINTQ\$(R,1):PRINT:GOTO40

- 100 DATACAPITAL OF NEBRASKA, LI
- 110 DATAMOUNTAINS BETWEEN FRAN CE AND SPAIN, PYRENEES
- 120 DATAPRESIDENT AFTER TRUMAN ,EISENHOWER
- 130 DATAEND

Each DATA statement has one question followed by a comma and the answer. You can add to or change the data as you like, as long as the last statement contains an END. Line 10 READs through all the DATA statements until it finds "END." Line 20 DIMensions the array according to how many questions and answers were found in line 10. In line 30 the two-dimensional array is filled with the questions (Q\$(J,0)) and answers (Q\$(J,1)).

Line 40 prints a question, 50 is a delay loop (time enough for someone to call out an answer), and line 60 prints the answer. Add a scoring routine and some more questions and you'll have a workable trivia program.

VIC Expansion

I've been looking for 8K or 16K memory expansion for my VIC-20. A mail order company lists them but doesn't have them in stock. The May GAZETTE requires at least 8K for the VIC programs. Where can I find VIC memory? I don't want a 64.

Robert Day

We called the toll-free Commodore customer support line at 800-247-9000. They said Commodore has VIC expanders in stock, and you can order directly from Commodore in Pennsylvania (or ask your Commodore dealer to order for you). Also, some stores still carry 8K and 16K VIC memory expanders.

One Letter At A Time

I write programs that use a lot of printed messages. In several commercial programs I have seen messages that are printed letter by letter, which looks better than just having messages appear. How would I add this feature to a program?

Kevin Smith

What you're asking for is fairly easy to do with the MID\$ function and a delay loop. MID\$ breaks a string into a smaller string. For example, N\$ = "ABCDEFG": PRINT MID\$(N\$,2,3) would print "BCD" because the MID\$ function started at the second position within N\$ and continued for three characters. To pull out individual characters, use a 1 as the second number. Here's the subroutine you need:

- 10 A\$="LETTERS ONE BY ONE":GOS UB500
- 499 END
- 500 FORJ=1TOLEN(A\$):PRINTMID\$(A\$,J,1);:FORK=1TO500:NEXTK ,J:PRINT:RETURN

Whenever you want to print a string one letter at a time, put it into A\$ and GOSUB 500. Change the length of the K loop for longer or shorter delays. If you're feeling ambitious, you could add a short sound after you print each letter and a random length delay loop, to make it sound like a typewriter.

Adding And Subtracting Line Feeds

I typed in one of your programs that allows you to print out the results. The problem is that everything prints on the same line. The paper doesn't advance. How can I add a line feed instruction?

Joseph O'Keefe

I own a daisywheel printer. Regardless of the software I use, I'm unable to print a spreadsheet or letter without it being double spaced. Is it possible to suppress the extra linefeed?

Ronald J. Belanger

The problem of too many or too few linefeeds is fairly common. To fix it, you'll have to adjust one of the DIP switches on your interface. Check the interface manual for the exact settings.

Pressing RETURN causes the screen cursor to move to the beginning of the next line down. But the term "carriage return" for this action originally described the return of the printer carriage (the part that does the printing) to the beginning of a line. Some printers need two instructions: first return the carriage, then feed the paper one line up. The ASCII code for a carriage return is CHR\$(13), ASCII for a linefeed is CHR\$(10). But on other printers, the two actions are combined—a CHR\$(13) causes a carriage return plus a linefeed.

Because printers use one or the other method, most interfaces allow you to set whether or not a linefeed is added to every carriage return.

PEEKing The Joysticks

I have both a VIC-20 and a 64, and would like to know how to PEEK the joystick inside a program.

Patrick Toal

The following statement can be used to read the value of joystick port 2 on the 64 (for port 1, change the 56320 to 56321):

J=15-(PEEK(56320) AND 15)

The values of J can be interpreted as follows:

- 0 nothing
- 1 up
- 2 down
- 4 left
- 5 up and left
- 6 down and left
- 8 right
- 9 up and right
- 10 down and right

To read the joystick fire button, use

EXCELLENCE!"

"So far as we are concerned,
Paper Clip is the top word processor
running on a micro computer."

-Home Applications For The C-64

to Mural Street

4B 1B5 CANADA


elex: 06-21-8290

416) 881-9941

Richmond Hill, Ontario

"Paper Clip is one of the easiest of the professional word processors to use, with a sensible manual and plenty of aids for the accident-prone."

-Computing Now



FROM CLAY TABLETS, THROUGH PARCHMENT, GUTENBERG AND BEYOND, MAN HAS SEARCHED FOR THE ULTIMATE METHOD TO STORE, SORT AND PRINT THE WRITTEN WORD. NOW, BATTERIES INCLUDED PROVIDES THAT METHOD, THE PAPER CLIP FAMILY. AN OUTSTANDING WORD PROCESSOR AND SPELLING CORRECTION SYSTEM FOR ALL COMMODORE COMPUTERS — AND COMING SOON FOR APPLE AND ATARI.



"The Energized Software Company!"

WRITE TO US FOR FULL COLOUR CATALOGUE of our products for COMMODORE, ATARI, APPLE and IBM SYSTEMS
FOR TECHNICAL SUPPORT OR PRODUCT INFORMATION PLEASE PHONE (416) 881-9816

17875 Sky Park North, Suite P Irving, California USA 92714 (416) 881-9816 MS Telex: 509-139 this expression (for joystick 1, change 56320 to 56321):

IF (PEEK(56320) AND 16)=0 THEN the fire button is pressed

The VIC joystick is a little more complicated to read because one of the memory locations is needed for reading the keyboard. Use the following line to read the VIC joystick (the values of I will be the same as above):

POKE 37139.0: POKE 37154.127: =15-((PEEK(37137) AND 28)+(PEEK(37152) AND 128)/4)/4: POKE 37154,255

Use the following expression to find out if the fire button is pressed:

IF (PEEK(37137) AND 32)=0 THEN the fire button is pressed

The Plus/4 and 16 have a built-in BASIC statement, JOY(n), to read the joysticks.

Writing Adventure Games

One of my friends is writing a text adventure game like Zork. I would like to write one of my own, but don't understand how to use random files. Please explain random files.

Brant Phillips

SAVE and other file handling commands like LOAD, OPEN, PRINT#, INPUT#, and GET# are high-level commands, because a single command does a lot of work. The computer takes care of the details like reading through memory from the beginning to the end of the program. The disk drive gets the signals, transfers them to the disk, puts a new entry in the directory, and protects the sectors used by the program.

Random files, on the other hand, are low-level because you have to do all the work. They're not even really files, they're just reading and writing directly to disk.

Let's say you want to create a random file. First, you would open a memory buffer in the disk drive, write to it, and copy the buffer to a sector on disk. To read it, open a buffer, copy from disk to the buffer,

and read the buffer.

Now things get complicated. There will be no entry in the disk directory, you'll have to remember which track and sector you used. If you accidentally choose a sector that's part of a program file, the program will be overwritten. If you choose a safe sector, it may later be scrambled by a file (because the block has not been allocated). You could use the block-allocate command (B-A), but it contains a bug. If you try to allocate a block that's already allocated, the whole track will be allocated.

Random files are complicated and messy. There's no real advantage to using them in an adventure game. You'd be better off with either sequential or relative files.

49152—The Magic Number

Why do so many of your machine language programs start with SYS 49152? Isn't it possible to use other areas of memory or SYSes? When two programs use the same locations, you can't merge or append one ML program with another to get the maximum use from your computer.

G. Gorham

There's nothing magic about the number 49152. You can put a machine language program almost anywhere in memory. But many machine language (ML) programmers use location 49152 because it's a safe place to put a program. The 4096 bytes of memory from 49152 to 53247 (hexadecimal \$C000-CFFF) were intended to be a safe zone; BASIC doesn't use this area for anything (although many programs on cartridge use this part of memory). Locating ML programs here helps ensure that they won't get in the way of BASIC, and vice versa.

Another good place for machine language is the cassette buffer, located at 828-1019 (\$033C-03FB) on both the 64 and the VIC. BASIC uses the cassette buffer for temporary storage during tape operations. At other times, it's just free memory. However, this area is much smaller than the one mentioned above, and its contents are destroyed whenever the cassette drive is used.

A third option is to locate a routine somewhere in the BASIC program space, which stretches from 2049 to 40959 (\$0801-\$9FFF) on the 64, or 4097-7679 (\$1001-1DFF) on the unexpanded VIC. Using part of BASIC memory can be hazardous, though, since BASIC programs need it for storing variables. If you're careless, it's easy to crash your computer by putting ML into locations already used for something else. Or, you may cause a crash if you let part of your BASIC program (like dynamic strings) write over the machine language.

You can prevent interference by carving out a protected zone for your ML program within the BASIC program area. Locations 55 and 56 hold a two byte pointer address that tells the computer where BASIC user RAM ends. By lowering the value in this pointer, you can keep BASIC from using any of the locations between your new top of memory and the "real" top of memory. Another thing you can do is move up the bottom of BASIC program memory by changing the pointers at 43 and 44.

Finally, you can use an advanced method called bank switching, which lets you use the RAM memory locations underneath the BASIC or KERNAL ROM. Theoretically, you could write a program for the 64 that uses all 64K of available memory. The problem with bank switching is that since BASIC is turned off, the program must be written entirely in machine language.

So ML programmers like to start programs at 49152 because the cassette buffer is often too small, BASIC RAM can be hazardous, and bank switching is complex.

Your last comment points up a perennial problem-where to put ML programs (especially utilities). The memory at 49152-53247 and 828-1019 is convenient, so most ML programs are put there. If both of your favorite utilities start at location 49152, however, you probably can't use them together.

If one of the programs is relocatable, you may be able to move it to a different part of memory. It's difficult to make programs completely relocatable because you have to avoid two useful instructions: JMP and JSR (similar to BASIC's GOTO and GOSUB). And even if you have a relocatable program, it may interfere with the operation of the other program.

Color Nybbles

I think there's something wrong with the PEEK command. If I enter POKE 1024,2: POKE55296,1, a white "B" appears in the upper lefthand corner. But PRINT PEEK(55296) results in 193, 81, 241, or some other numbers. If you POKE a 1 into color memory, shouldn't PEEK show that there's a 1 there? Is the computer defective or am I doing something wrong?

Austin J. Moe

There are a few cases, including color memory, where PEEKing doesn't give you quite the right number. A Commodore 64 has 16 colors, numbered 0-15, so color memory is wired for only four bits rather than eight. Four bits, half a byte, is called a "nybble." When you PEEK color memory, the low nybble is correct, but the high nybble will contain random values because those four bits are not hooked up.


To strip off the top four bits, enter a modified PEEK: PRINT PEEK(55296) AND15. The AND function should take

care of your problems.

Another instance where PEEK won't work is the SID chip (the chip that creates sound on the 64). You can't PEEK into the registers there. The POKEs to make a sound do not go to regular memory, they're fed directly into the SID chip. PEEKing that area yields numbers unrelated to the values POKEd there. You might call it write-only memory.

Moving BASIC Around

I'm writing a 64 program that uses custom characters, but the program is overrunning the character set. The Programmer's Reference Guide says the highest location for the start of a character set is 14336, but it's still not high enough in memory. I tried POKE



Superstars aren't just the best in their fields. They're the best, year after year. In the wide world of sports simulations, SSI's COMPUTER QUARTERBACK™ and COMPUTER BASEBALL™ stand out as true superstars. To date, tens of thousands of enthusiastic fans and dozens of magazine reviewers alike have cheered their superb display of realism and excitement. By consistently outplaying the competition, our games stand head and shoulders above the crowd.

If you're scouting for the best football and baseball strategy games around, take a good look at ours - the ones with the proven performance. You'll know these are the superstars you want to play on your computer. Sign them up at your local computer/software or game store today!

If there are no convenient stores near you, VISA & M/C holders can order these \$39.95 games direct by calling 800-227-1617, x335 (toll free). In California, 800-772-3545, x335.

Please specify computer format and add \$2.00 for shipping and handling.

To order by mail, send your check to:

Strategic Simulations, Inc., 883 Stierlin Road, A-200, Mountain View, CA 94043. (California residents, add 7% sales tax.) All our games carry a "14-day satisfaction or your money back" guarantee.

WRITE FOR A FREE COLOR CATALOG OF ALL OUR GAMES TODAY.

Computer Quarterback is on diskette for 48K APPLE II® series, ATARI® home computers, and the COMMODORE 64™. Computer Baseball is on diskette for APPLE, ATARI, C-64 and IBM PC® and PCjr.

APPLE, ATARI, COMMODORE 64 and IBM PC/PC/r are trademarks of Apple Computer, Inc., Atart, Inc., Commodore Electronics, Ltd., and International Business Machines Corp., respectively.



STRATEGIC SIMULATIONS, INC.

Now Commodore smarter, richer, more po



64 owners can be pular, and well-traveled.

Here's the on-line service you've been waiting for. You'll love how it saves you time and bucks. How it's a cinch to use. How it runs in color. And how you can try it for \$9.95.

Viewtron will make your life much cushier. It'll help you do drudge work like paying bills and shopping. Viewtron also brings information to you on a platter. Things like up-to-the-minute news, financial analysis, weather, sports, software reviews, and

an encyclopedia.

Viewtron is backed by the resources of America's leading newspaper publisher. It's the first complete service that runs in color on Commodore 64's. And it's easier to use and easier to read than other services. You don't need to memorize gobbledygook to get at the stuff you want. Just type plain, everyday words like "football scores", "encyclopedia", "stock quotes" or "airfares".

Viewtron costs just 9 cents a minute, weekday nights (after 6 pm) and weekends; 22 cents a minute weekdays." And unlike other services we don't charge extra if you use a 1200-baud modem.

Smarter.

Viewtron makes you more savvy, and saves you time gathering valuable information. You'll get Commodore software reviews and ratings. Software and hardware advice from experts. Answers to your questions. Current stock prices plus detailed investment analysis. Up-to-the-minute news, and weather forecasts. Continuously updated sports scores. Consumer reports. Movie and book reviews. And use of a very impressive encyclopedia, kept up-to-date.

Richer.

Now you can use your computer to shop for bargains, right from your home. You'll get discounts on top-selling Commodore software. Get big discounts on computer hardware, other electronics, fashion merchandise, gifts, travel, and more. Plus Viewtron has unique electronic auctions where the prices constantly drop instead of rise. The bargains are sensational on products ranging from a Sony Walkman to a sporty red Corvette. In fact, Viewtron subscribers have been saving an average of 44% off retail prices.

More popular.

Viewtron lets you make friends with other Commodore owners in your city, or nationwide. Send messages, join special interest clubs, carry on CB chatter, run classified ads, catch the bulletin boards. How else can you get to know so many nice people who share your interests?

Well-traveled.

Viewtron offers late-breaking vacation bargains for someone ready to travel on short notice. You'll save a bundle. On cruises, air travel, and resort holidays. You'll get car rental discounts. And you can save time before you fly by getting schedule infor-

mation from our airline bible: the Official Airline Guide. You'll also be able to find the cheapest fares to any particular destination.

For only \$9.95, you're off and running.

Send for our software starter kit. Just \$9.95. And we'll throw in a FREE hour of Viewtron.* If you don't think Viewtron is the best thing since sliced bread, you can return your starter kit and we'll refund your \$9.95. Incidentally, you'll need a major credit card to sign on to Viewtron.

If you need a modem – rejoice! Now you can get Viewtron and a modem for just \$39.95. (A \$109 value.)

Here's a real honey of a deal. Viewtron, plus a 300-baud Westridge 6420 by Anchor Automation. The modem plugs into your Commodore 64 and has Auto-Dial and Auto-Answer. Or get Viewtron and a high-speed 1200-baud Volksmodem 12, by Anchor, for \$189.95. It's a \$309 value. Satisfaction is guaranteed. So order now.

Viewtron

To order call 1 (800)543-5500. Ask for operator 829. Satisfaction Guaranteed.

Viewtron® is a service of Viewdata Corporation of America, Inc., which is a wholly-owned subsidiary of Knight-Ridder Newspapers, Inc. Commodore 64™ is a trademark of Commodore Electronics, Ltd.

*Viewtron is not available in all cities. Prices

may vary in some cities.

*Your free hour is available weekends and weekdays after 6 p.m.

56,48:CLR and got an out of memory error. How can I move the bottom of BASIC up to 4096 or thereabouts so I can put the characters at 2048?

Walter Wright

On a 64, BASIC programs fit into memory beginning at 2049 (the "bottom" of BASIC) and ending at 40959 (the "top"). Whatever memory is left over can be used by variables. It's quite possible that your variables are interfering with the custom character set.

On the VIC, 64, Plus/4, and 16, locations 43-44 point to the bottom of BASIC, while 55-56 point to the top. By POKEing a 48 into location 56 (followed by a CLR, which is necessary when you lower the top of memory), you moved the top of BASIC all the way down to 12288 (48*256), which leaves only about 10K of memory for your BASIC program.

It would be preferable to leave the top of BASIC untouched and move the bottom up. This line will do just that:

POKE 44,64: POKE 64*256,0: NEW

Now you can load the custom characters program; the variables won't interfere with the character definitions. The beginning of BASIC has been moved to 64*256, which is 16384. If you prefer to put BASIC at 4096 (16*256), change the 64 to 16 in the two POKEs.

The Save-With-Replace Bug

In your February issue you wrote about the save-with-replace bug. I too have

come across the problem.

I was working on a program called "ESF" when I remembered that I needed to change something in another program called "ARTILLERY." So I used save-with-replace on the current copy of "ESF," loaded "ARTILLERY," made a change, and saved-with-replace. Later, I tried to load "ESF" but got "ARTILLERY" instead. My best guess is that the program is still there, but I can't get it off the disk.

Matthew Whiting

The Commodore save-with-replace command (SAVE "@:filename",8) has been the focus of controversy for years. Some experts have steadfastly denied that there is anything wrong with it.

There was no hard proof of a bug until now. The full details will be published in an upcoming issue of our sister magazine, COMPUTEL. Here's a brief

explanation:

Save-with-replace does several things. First, the new copy is saved (if there's not enough room on the disk for a complete copy of the program, you'll have problems, of course). Each filename in the directory contains a pointer that indicates where to find the program, so the directory is changed to point to the new version of the replaced program. Finally, the block

allocation map (BAM) is updated. Disk sectors used by the old version are marked as free, while the sectors occupied by the new version are marked as allocated. The routine to update the BAM is where the bug happens.

In certain situations, the BAM is incorrectly written back to the disk. Right after a faulty save-with-replace, the program name is in the directory, the pointer to the program is correct, and the new version is on the disk. You can load the program and even verify it. But the blocks used by the program are not allocated. The next time you save a program, it may be put into those blocks, and your previous (replaced) program is gone and cannot be recovered. If you load the directory, the number of blocks used by programs plus the number of free blocks should total 664. When the bug happens, the total is often more than 664.

The roots of the problem go back to the PET dual drives (drives 0: and 1:). The disk operating system (DOS) of the 1541, a single drive, was translated and modified from the original dual drive DOS. So there's a sort of "phantom" drive 1 in the 1541. One expert on the Commodore DOS has said the 1541 spends half its time convincing itself that it's drive zero and not drive one. Sometimes the 1541 mistakenly sets aside a buffer for the phantom drive, which can, under certain circumstances, lead to the SAVE@ bug.

There are three ways to avoid the bug, and safely save-with-replace. First, you can validate the disk after every save-with-replace. This isn't such a good solution because it often takes more time than scratching the old version and doing a regular SAVE.

The second solution is to always use the "0:" prefix when you use the disk. Here are some examples:

LOAD "0:programname",8 LOAD "\$0",8 SAVE "0:programname",8 OPEN 15,8,15,"10"

The third solution is to turn the disk drive off and then on right before a save-with-replace. And be sure to include a zero (SAVE "@0:programname",8). Another way to reset the disk drive is to enter these two lines (they should be on separate lines, don't put them on a single line with a colon between them):

OPEN 15,8,15,"UJ0" CLOSE 15

Seeking Status

Where is the status register located? I don't mean the I/O status register.

John McNamara

It's deep inside the chip that runs your computer; it does not have a memory location you can PEEK, although after a machine language program exits to BASIC,

you can find the most recent value of the processor status register (P) by PEEKing 783. Individual bits of P correspond to the carry, zero, interrupt, decimal, break, overflow, and negative flags. So, if you clear the carry flag with CLC, then add two numbers to get a result that's more than 256, the carry flag (one of the bits in P) will be set afterwards, indicating a number that won't fit into eight bits (in decimal, for example, 9+1=0, with a carry of 1). Most machine language instructions directly affect the A, X, and Y registers, and many will also set or clear individual flags in P.

It's sometimes necessary to preserve the processor status during a subroutine or interrupt, so there are instructions to push it on the stack (PHP) and pull it off the stack (PLP). If you'd like to read the status register, use PHP followed by PLA (push P on the stack, and pull the number back into the Accumulator).

Opening Multiple Files

We're trying to write a farm management program for our sow herd. In order to run the program efficiently, we have to be able to have two files open at once. After a lot of research, we still don't know how to do this. Can you help?

Delle deSwart

Theoretically, up to ten different files can be open at the same time. But there are certain rules to follow, and there are limits.

With the exception of relative disk files, once a file is open, you can read or write, but not both. In addition, certain devices have one-way communication—you can only read from the keyboard, and you can only write to a printer. If you owned two cassette drives, you could read from one and write to the other (Commodore PETs had this capability), but there's only one cassette port on the VIC, 64, Plus/4, and 16. So you can only talk (read or write, but not both) to one cassette file at a time.

You can communicate with more than one disk file, though, as long as you open them with different logical file numbers and different channels. So you could OPEN 3,8,5, "0:FIRSTFILE,S,R" and OPEN 5,8,9, "0:OTHERFILE,S,W" to read (INPUT#3 or GET#3) from file 3 on disk channel 5 and write (PRINT#5) to file 5 on channel 9.

It's also possible to use more than one disk drive, as long as they have different device numbers. The same applies to printers (the MPS-803, for example, has a switch on the back for choosing device number 4 or 5).

Relative disk files are a special case. You cannot have more than one relative file open at any one time (although you can open other types of disk channels).



99.9%

EFFECTIVE

Shadow is a new and revolutionary way to back up your most protected software. It encompasses all the latest advances in software, as well as a highly sophisticated piece of hardware. This is absolutely **the best** utility available today. You may not even need updates, but if you do, the Shadow's unique design allows for updates to be available for a nominal fee.

By the time you place your order we expect the Shadow to back up 100% — that's right, 100% — of all software available for the C-64.

Order by phone 24 hrs./7 days or send cashier's check/money order payable to Megasoft. Visa, MasterCard include card # and exp. date. Add \$3.50 shipping/handling for continental U.S., \$5.50 for UPS air. CODs add \$7.50, Canada add \$10.00 Other foreign orders add \$15.00 and remit certified U.S. funds only. Distributors invited and supported.

MegaSoft

OFFER \$89.95

P.O. Box 1080 Battle Ground, Washington 98604
Phone (206) 687-5116 • BBS 687-5205 After Hours Computer to Computer Ordering

And, once a relative file is open, you can | read and write to it.

Checking A Disk For Free Blocks

How do you find out how many blocks are left on a disk? Is there a program to access the disk drive (maybe PEEKs or POKEs) and then print the number?

David Ross

Here's a short routine you can add to your. program. First, it opens a file to the part of the directory (\$) containing all USR files named "Z." Because there are probably no such files on your disk, the subdirectory will be empty, containing only the header (disk name) and the number of blocks free. (Incidentally, the program won't work if you do have a USR file named "Z.") Next, the first 34 bytes are thrown away, which leaves the answer in low-byte/high-byte format. In line 50, the number of blocks free (variable BF) is printed.

- 10 OPEN1,8,0,"\$0:Z=U"
- 20 FORJ=1TO35:GET#1,X\$:NEXT
- 30 GET#1,Y\$:CLOSE1
- 40 BF=ASC(X\$+CHR\$(0))+256*ASC(Y\$+CHR\$(Ø))
- 50 PRINT BF"BLOCKS FREE"

Animating Sprites

How can you make a sprite that has moving parts—a sprite person that walks along with legs that move, for example?

Geoff Hill

Once you've defined a sprite shape, and POKEd the information into memory, you have to tell the computer where in memory it can find the shape. The sprite shape pointers are located at 2040-2047 (corresponding to sprites 0-7). The number in 2040, times 64, is the beginning of the shape for sprite 0, for example.

To create an animated sprite, you'll have to design two or more shapes for that single sprite. A walking sprite might need four shapes: 1) feet together on the ground, 2) one foot forward in the air, 3) feet apart, both on the ground, and 4) one foot be-

hind, in the air.

You could put these four shapes into 16128, 16192, 16256, and 16320 (each sprite shape needs 63 bytes). These numbers divided by 64 are 252, 253, 254, and 255. To give sprite 0 the first shape, POKE 2040,252. To give it the last shape, POKE 2040,255. With a single POKE to the sprite pointer, the whole shape of the sprite changes. Cycling through the different shapes would make it look like the sprite is walking in place. If you then gradually increase the X-coordinate, it would seem to be walking across the screen.

Can You Rearrange A Directory?

I would like to change the order of program and filenames in some of my disk directories. Is this possible? Or will I have to copy the files onto a new disk in the desired order?

David Voelker

If you scratch a program from disk and then save a different program, the new program shows up in the same place in the directory as the program that was scratched. So you could load a program, save it under a different name (to the same disk), and then scratch the original. The next program or file would go into the empty slot.

But there's a simpler way—the COPY command, which makes an exact copy of a file on the same disk, under a different name. The syntax is OPEN15,8,15: PRINT#15, "C0:newname = 0: oldname": CLOSE15. Let's say you have a sequential file and a program on a disk in this order:

10 "FILE1" 23 "PROGRAM1" PRG

To switch the order, enter the following commands in immediate mode:

OPEN15,8,15 PRINT#15,"C0:TEMPFILE=0:FILE1" PRINT#15,"S0:FILE1" PRINT#15,"C0:TEMPPRG=0:PROGRAM1 PRINT#15,"S0:PROGRAM1" PRINT#15,"R0:PROGRAM1=0:TEMPPRG PRINT#15,"C0:FILE1=0:TEMPFILE" PRINT#15,"S0:TEMPFILE" CLOSE15

First, FILE1 is copied (C0:) to a file called TEMPFILE (in the third spot on the disk). The directory now contains FILE1, PROGRAM1, and TEMPFILE, in that order. Scratching FILE1 (S0:) leaves a space open at the beginning. Next, PROGRAM1 is copied to TEMPPRG (which is now in the first slot). After the second copy, the directory should look like this:

"TEMPPRG" "PROGRAM1" 23 PRG "TEMPFILE" SEQ

Now, PROGRAM1 is scratched (leaving the second slot open), TEMPPRG is renamed (RO:) to PROGRAM1 and TEMPFILE is copied to FILE1. Finally, TEMPFILE is scratched.

Converting A Number To ASCII

How do I convert a number to ASCII codes that can be printed? If I have a byte containing a 65 and try to print it, won't it appear as an "A"? How can I make a 65 into the characters "6" and

Lonnie De Cloedt

As you've noted, LDA #\$41:JSR \$FFD2: RTS will put an "A" on the screen. The ASCII values for "6" and "5" are 54 and 53 (hex \$36 and \$35). So the routine you need will have to PEEK a byte and translate it to one or more ASCII numbers.

Since the number may be anything from 000 to 255, you'll need to set aside three memory locations. First, put 48s (hex \$30) into the three locations because the character "0" is ASCII 48. Load the Accumulator with the number to be translated, and compare it with 100 (CMP #\$64). If the carry is set, the number is higher than 99, so you can subtract 100 (SEC:SBC #\$64) and increment the first of the three memory locations (representing the hundreds column). Keep comparing the number to 100 and subtracting 100 as long as the carry is set. When the carry is clear, the number will be in the range 0-99. Then do the same for the tens column: compare to ten (CMP #\$0A) and if the carry is set, subtract ten and increment the tens column. When you've gotten to a number less than 10, you can just add it to the third memory location. Now print the three ASCII numbers you've generated.

Not surprisingly, there's a ROM routine that translates numbers to their ASCII equivalents and prints them. To call it, load the Accumulator with the low byte, load the X register with the high byte, and JSR \$BDCD on a 64 (\$DDCD on a VIC). The number will print wherever the cursor happens to be.

Peculiar Vectors: A 6502 Bug

Machine language programmers should exercise caution when using an indirect jump on the 64.

If the indirect vector crosses a page boundary, JMP (\$10FF) for example, the low byte of the address will go into one page (\$10FF) and the high byte into the beginning of the next page (\$1100). The JMP instruction, however, will take the low byte from \$10FF, and the high byte from \$1000 and not \$1100, as it should.

In the three books I've read on the 6502, I have never seen this mentioned, and I thought your readers would appreciate this information.


Kernie E. Houser

This bug in the 6502 and 6510 chip affects not only the 64, but the VIC, Atari, Apple II, and any other computer built around that family of chips.

Because of this quirk of the 6502, you should either avoid indirect jumps altogether or put your vectors in a place that you know is definitely not a page boundary.

For readers who aren't familiar with indirect jumps, here's a brief explanation. An absolute jump is like GOTO in BASIC. JMP \$C200 sends a machine language program to whatever ML program is currently at \$C200. An indirect jump, signalled by an address in parentheses, does something different. The instruction JMP (\$0330) does not jump to a program at \$0330, it gets an address from \$0330-0331 and jumps to that address. So \$0330 is a vector or pointer to another routine, and an indirect jump bounces off the pointer to somewhere else in memory.

TAKE A BREAK! Commodore 64



WITH NIGHT MISSION PIBALL

You deserve the best. You've earned it. Now reward yourself with a session of Night Mission PINBALL, the most realistic and challenging arcade simulation ever conceived! ■ Stunning graphics and dazzling



sound effects put Night Mission PINBALL in a class by itself. Game features: multiball and multi-player capabilities, ten different professionally designed levels of play, and an editor that lets you create *your own* custom modes. ■ So take a break with Night Mission PINBALL from SubLOGIC. Winner of *Electronic Games* magazine's 1983 Arcade Award for Best Computer Audio/Visual Effects.


See your dealer . . . or write or call for more information.

Order Line: 800 / 637-4983

SubLOGIC

Corporation 713 Edgebrook Drive Champaign IL 61820 (217) 359-8482 Telex: 206995


Putting Computers To Good Use



The Innovative School

Selby Bateman, Features Editor

Computer use in the classroom is entering a second stage of development. The frustrations experienced by some school systems are dwindling as more educators learn new ways to integrate the machines into the learning process. A growing number of interested, more experienced administrators, teachers, and parents are proving that computers in the schools can be productive, dynamic tools when used properly.





r. Mary Lou Simon listened to the school superintendent's voice at the other end of the telephone line. The words were familiar:

I just put 20 computers in two elementary schools, he said. And I want to send a couple of my principals to see how you use computers in your school system.

Why did you buy them? Dr. Simon asked.

The superintendent paused, then said: I want computers in our schools.

But what do you want to do with them? Dr. Simon asked.

Another pause. Well, said the superintendent, I promised parents in our school system that their children would be using computers 20 minutes a day.

Dr. Simon has had plenty of those telephone conversations in her position as science and computer coordinator for the South Brunswick Schools in New Jersey. She knows that many well-meaning educators and administrators in school systems across the nation have been trying to do the right things with computers; eagerly launching their new machines only to see them flounder for lack of direction, trained staff, and realistic goals.

Along with other educators, Dr. Simon has witnessed frustration among some teachers, parents, and students as schools attempt to bring computers to the classroom. The problems, say these educators, are almost always the same: too few computers, or machines poorly al-

located; software inappropriate to particular courses; teachers not given the chance to learn to use the machines; and planning based on too little computer knowledge.

But these complaints are slowly changing as experience grows and educators are better able to incorporate computers into the curriculum.

"People have just been interested in throwing in the hardware with no sense educationally of what they want to do," says Dr. Simon. "In getting your goals straight, it's critical that you spend a fair amount of time finding out what computers can do. Based on that and based on what your school district's needs are, then set your goals for the microcomputers."

"The first DO is to have a plan," adds Dr. Stanton Leggett, editor of Microcomputers Go to School: Where and How to Get the Most from Them (Teach'em, Inc.). "Don't be enamored of the machine. Think of it as a useful tool. The whole educational system is what you look at; how the computer fits into it. What are the most likely areas where you can get immediate gratification for a minimal amount of money—a cost benefit analysis."

The most common situation for many schools in the past has often been a classic Catch-22 predicament: To effectively use computers in the classroom requires sound planning; to initiate sound planning requires a familiarity with computers.

"What I've found is that schools sometimes need to have a few computers around for a while in order to make a good choice," says Dr. Steve Tipps, West Professor of Education at Midwestern State University in Texas and a leader in training teachers in the Logo computer language.

In other words, administrators and teachers can't be expected to make a plan unless they have some context in which to make choices. Now that many teachers and administrators have been working with computers—at least minimally—for a couple of years, an increasing number of them better understand what the machines can do. Consequently, planning and goal-setting have begun to improve in many schools using computers as a part of the teaching process.

In Kentucky's Jefferson County Public Schools, for example, a longrange computer acquisition program was recently instituted when educators, parents, and business leaders coordinated their efforts. Based on their experience with computers already being used in all of the high schools and some middle schools, community leaders in 1984 embarked on a three-year plan to raise more than four million dollars to equip all 85 elementary schools in the Louisville system with computers. Already, almost a million and a half dollars have been raised.

Much of the success of the program, both in terms of community support and school system coordination, stemmed from an earlier \$150,000 pilot project funded by Louisville-based Humana, Inc., a major health-care corporation. The donation allowed the school system to equip Roosevelt-Perry Elementary School with 75 computers. The benefits of that project are already being felt as students begin to transfer computer skills to writing, language arts, social studies, and math instruction, says Jay Beck, principal of Roosevelt-Perry.

Beck is convinced that the introduction of computers has made a major difference in the learning process: "The computer is here to stay. It is not a fad. Understanding computers and how they work for

Networth scores "abul's-eye" with critics and you!

"Until Your Personal Net Worth came into our lives, our budget was non-existent, and our financial planning was reminiscent of the Stone Age."

Betsy Byrne Albuquerque, NM

"...this comprehensive package is much more than a method of adding up one's accumulated financial worth as its title might imply. It's an extremely flexible home-budgeting and accounting program, with a well-written manual that explains simple accounting principles for the uninitiated."

Family Computing

"Congratulations! Your Personal Net Worth is the best home budget program I have seen yet..."

Walter C. Repak Bloomfield, NJ

"A program that is powerful and versatile, yet very easy to use..."

Tribune, San Diego

The home money manager. The program that manages your family most and budgets...quickly and easily it's all you'll ever need in a home finances program.

IBM PC: XT. PCir (128K, B0 coumn land) all pour land of the program of the pour land of th

"Your Personal Net Worth, from Scarborough Systems, is easy to like, if not love. It's home accounting without tears...Best of all, the program's probably tax-deductible."

PC World

"First, let me congratulate you on an excellent program... yours is by far the most professional, fastest, and most comprehensive."

Ronald J. Misk Beaverton, OR "This program was written exclusively for individuals...It has scored a bull's eye by providing them with a helpful, flexible, easy-to-understand financial program that makes money management simple and fast."

PC Magazine

Try Your Personal Net Worth yourself and see how versatile and infinitely usable it is. It's only business is managing your home finances. No other program does it more quickly, more easily, more directly. You can even track your invest-ments and household inventories. With more great features than programs selling at twice the price, Your Personal Net Worth is sure to score points with you too.

> Get a free subscription to **Money** or **Fortune** when you buy this program.

The Scarborough Systems, Inc., 55 S. Broadway, Tarrytown, N.Y. 10591.

us is basic. We need to teach our students the new communication skills. We must augment the three Rs with the three Cs—computing, calculating, and communicating through technology. Students must possess technological literacy. The answer is the computer."

nother area of common concern as computers increasingly enter the classroom has been how well teachers are able to understand and use the machines.

"For computers to be valuable, teachers must be trained," says Pat Walkington, formerly a teacher for ten years and now manager of education marketing for Commodore Business Machines. "Teacher training is absolutely the key." (See "Commodore in Education," also in this issue.)


Assisting teachers to understand and get the most from their computers is a cornerstone of Commodore's efforts in the schools nationally, says Walkington.

"The burden of change is on the teacher," agrees Leggett, "and the teacher is already overloaded. The teacher can't stop and drop everything and pick up a computer to learn how to use it. We're expecting too much from teachers." But he's convinced that, with the right approach, teachers not only can become more knowledgeable about computer use, but they can also become enthusiastic about it.

At its worst, says Midwestern State's Steve Tipps, a teacher's introduction to computers in education has in the past been the arrival of a boxful of computer equipment—no instruction and no predetermined goals. That, too, is changing.

"Teachers have to get together and ask what goals they're going toward with the computers," he says. "Are we going toward the computer as a problem-solving tool, an applications tool, an instructional system, computer-aided instruction?"

Teacher support groups, much like computer user groups, have begun to spring up in various locales, notes Tipps. The Texas Educational Association has even established a telecommunications network, but teacher use of modems is still quite limited.



"For computers to be valuable, teachers must be trained. Teacher training is absolutely the key."

"The important thing to realize is that many teachers have been out of college a good many years," says Mary Lou Simon. "Computers are brand new. We might as well be integrating Russian into the school. It takes time for teachers to learn something they know nothing about. The mistake that a lot of districts make is they think they can give their teachers a day of training and they'll come back and be experts."

In Jefferson County, Colorado, the school system has adopted an effective approach through its central office, says Tipps. A computer support group—composed of four teachers on leave from the classroom—work with other teachers to carry out in-service computer training, curriculum development, and

related support of computer activities. The results, in terms of morale and productivity, have been impressive.

ow can educators, parents, and students help to make sure that computers are used effectively in the classroom? Based on interviews with innovative educators and computer education specialists, here's a checklist of DO's and DON'T's for your school system:

- Start with specific goals, followed by step-by-step planning: Set realistic goals before you begin acquiring hardware and software, and certainly before asking teachers to incorporate the machines into daily use.
- Teacher training: Hands-on in-service training for teachers is a must; teacher support groups also help teachers dealing with similar subject areas to find out what to do.
- Access/scheduling: This is a challenging management problem when too many students and teachers are chasing too few computers. Computer literacy classes—no; computers in the regular curriculum—yes. Computers should be supplementing and complementing the curriculum, not disrupting it.
- Developing support: From raising funds for hardware and software to raising the computer consciousness among parents, this is a crucial area for most schools now and in the future. Parents can be involved as well as community and business groups.
- The computer is a tool, not a second teacher: "Teachers shouldn't be regarding software as the functional equivalent of a reel of 16 mm film that you put on a projector and show to students who just sit there and absorb education," argues Mark Tucker, executive director of the Carnegie Forum on Education and the Economy.
- Dispelling the computermath myth: Educators and parents must realize that computers and mathematics are not one and the same thing. "Teachers have been delighted to find out that they don't have to be mathematicians to get the computer to do wonderful things like word processing," says Tipps.

Commodore In Education

s school systems across the continent race to stay abreast of the educational computing wave, many of them are finding the Education Department at Commodore Computer Systems Division to be both a knowledgeable coach and a well-connected booster.

Consider the following:

- Donations—Through its CREWS (Commodore Resources in Education With States) program, Commodore has donated well over a thousand computer systems to more than 25 states. The project encourages state departments of education to promote teacher training and curriculum development for microcomputer use.
- Matching Grants—Commodore provides matching grants to schools for the purchase of computer systems. More than a million dollars in grants have been awarded, with over 100 grants so far this year.
- Young Astronaut Program—As the first of 14 national sponsors of this space exploration program for youngsters, Commodore is the official supplier for all microcomputer products. Dr. Dan Kunz, Commodore's executive director of government marketing, is on extended leave to direct the program's activities.
- Telecommunications—Commodore's efforts in the educational field will increasingly include the growing area of telecommunications, with several initiatives still in the planning stages for late 1985 and 1986.
- A Presidential Classroom for Young Americans—Commodore is a primary sponsor for this annual weekin-Washington series of seminars, lectures, and meetings for selected high school juniors and seniors.
- Olympics of the Mind—More than 150,000 students from 4,500 school districts in the United States and Canada took part during 1985 in this creative problem-solving competition cosponsored by Commodore.

The empha in all of these efforts is on teacher training, school program incentives, and student hands-on involvement, says Pat Walkington, director of Commodore's educational marketing division.

"We think that schools ought to do their own (teacher) training because each system is unique," she says. "We feel they have the resources for training, and what they need from us is equipment."

But, she adds, Commodore's efforts are aimed at more than simply putting machines in front of teachers and students. That's been the premise behind making the donation, matching grant, and related programs work on an incentive basis. School systems make written proposals for innovative uses of computers, and Commodore tries to work with those schools in a variety of ways.

In Texas, for example, where a recent mandate urges all junior high school teachers to become computer literate, Commodore has donated 60 computer systems, including monitors and disk drives. All five boroughs in New York City have benefited in some way from Commodore's school programs, including almost 2,000 teachers in the Bronx who have been involved in computer training.

The matching grants program reflects a similarly wide range of support. In Brooklyn, New York, a Commodore matching grant helped School District 18 begin using the Logo computer language as an art medium. Another grant is aiding the University of Houston's College of Optometry to develop simulation software for the teaching of clinical practices in optometrics. And yet a third matching grant to the Hillhouse Computer Association in Pittsburgh helped start an inner-city after-school computer club for students as well as evening computer classes for adults.

ommodore's education staff members, most of whom were teachers or educational administrators, feel that the low price of Commodore computers in addition to the wealth of available software is responsible for recent upsurges of interest in Commodore among school systems. And with the national student-computer ratio still at approximately 97:1, Walkington is convinced that the biggest growth is yet to come.

One example of the growing momentum in educational computing is The Young Astronaut Program, notes Kunz. Conceived by nationally syndicated columnist Jack Anderson and kicked off in 1984 by President Ronald Reagan, this program tries to involve students in grades one through nine in activities related to space exploration under the direction of the Young Astronaut Council.

Council chapters composed of from 5 to 30 students can be formed through schools or, in some cases, independent of schools. The cost is \$20 annually per chapter, with the bulk of the costs being picked up by corporations and other businesses. Included are activity packages, such as model rocket building kits; AstroNet, a telecommunications service for use among chapters; and educational materials to supplement school curriculums.

"The key here is the flexibility of the program, and the fact that it's a supplement to the curriculum," says Kunz. "Teachers can use it in association with any part of the curriculum."

Beginning September 14, CBS will begin airing a weekly Saturday morning animated educational program for children entitled *The Young Astronauts*, Kunz adds. All of the material used in the series will be educationally and scientifically accurate.

Commodore is eager for school systems, teachers, parents, and students to take advantage of the many programs under way. The following addresses and telephone numbers should help you get started:

Commodore Business Machines, Inc. Education Dept. 1200 Wilson Dr. West Chester, PA 19380 (215) 431-9100 Commodore Toll-Free Hotline: 1-800-247-9000

Young Astronaut Council P.O. Box 65432 Washington, D.C. 20036

Olympics of the Mind OM Association, Inc. Dr. Samuel Micklus P.O. Box 27 Glassboro State College Glassboro, NJ 08028 (609) 881-1603

A Presidential Classroom For Young Americans 441 N. Lee St. Alexandria, VA 22314 Appropriate software: Programs which can be integrated into the classroom with the current curriculum should be a central goal.

The appropriateness of different types of computer software for education remains one of the most hotly debated topics in the field today.

"Most of the software that we need already exists and it's in the form of what the rest of the world calls productivity software," says Carnegie Forum's Tucker. "Special databases, word processing programs, spreadsheets." The trick, he adds, is to adapt the programs to particular subjects while at the same time deciding how and when to adapt classes to take advantage of the new materials.

"We don't teach much writing to elementary school children. We don't even start teaching writing before junior high school," he adds. "But it's fairly clear now from the point of what's happening with word processors that we can teach writing in the elementary schools."

Sophisticated science software is already available to let students simulate laboratory instruments,

Tucker notes. Not only can traditional science instruction be carried out with this software, but even more complex comparative work can be simulated with a wide range of variables. "You cultivate a real intuitive sense about how these variables are related, not just memorizing the stuff that's in the text-book," he says.

It is this conception of the computer as tool rather than instructional device which Tucker and others promote as the most effective way to use computers in the classroom. "Whether you're using ready-made applications software, making your own program, or something in-between, you're still-using the computer as a tool to get some tasks done. The computer is not a course, it's a tool."

Related to this idea is the fact that computer-aided instruction is currently based around short 15–20 minute programs which are difficult to integrate into a school's standard curriculum format, says Dr. Larry Fedewa, executive director of the National Education Association's (NEA) Educational Computer Services.


"From this derive all sorts of problems—scheduling, equipment access," he says. "So, what's coming in the future is curricula on a network system." students how to think. "So this becomes a goal—to say that what we're working toward is teaching thinking, teaching sophisticated reasoning. Otherwise," he concludes, "it's not worth doing."

Commodore's Pat Walkington sees three important factors relating to the evolution of this educational software. First, much of the initial "home-school" software available didn't work out, she notes, largely because parents didn't have any better idea than their children what to buy.

Second, the "tool" software programs mentioned by Tucker—word processors, spreadsheets, and databases, for example—are beginning to appear in a few schools as real-world teaching tools, she says. However, the number of teachers now using them is small.

And third, Walkington points out that traditional textbook publishers—who know curriculum content—are beginning to produce course materials as textbooksoftware combinations, a trend which is bound to increase the presence of computers in schools.

a seducators continue to find these and other ways to incorporate the computer into the classroom, the debate over methods and approaches is sure to continue. What is not under debate is the computer's continued presence there.



SOLO FLIGHT

"The only Flight Simulator that gives you the real feel and thrill of Primary Flight Training with the FUN, Ease of Use and challenge even for the best fighter pilot!"



Major Bill 3,000 Flying Hours



NOW INCLUDES:

MAIL PILOT MISSION

Brave the wind, weather, and mechanical failures in an exciting and increasingly challenging race to deliver the mail to 21 different airports from Kansas to Colorado!

INSTRUCTOR PILOT OPTION

On screen guidance from a real instructor pilot to help you make your first Solo!

CESSNA and MICRO PROSE

present the Great American

LEARN TO FLY A REAL AIRPLANE

Contest

\$30 OFF COUPON AND FREE FLYING LESSONS!!!

You get a coupon worth up to \$30 towards a Cessna "Discovery Flight" in every flying simulation product box — Plus you can win a complete flight training course from Cessna. Details in every box, or see your local dealer.

A Truly Unique Flying Experience -

Solo Flight is an exciting and sophisticated Primary Flight Training Simulator that makes learning to fly Fun and Easy! Designed by a real fighter pilot, who taught more than 200 Air Force Lieutenants how to fly, Solo Flight takes you from your first taxi to take-off; through your first solo; and all the way up to the challenge of the Mail Pilot Mission!

Solo Flight features full instrumentation, multiple air navigation maps, emergency procedure practice, the unique "in-the-slot" 3-Dimensional flight perspective, and fun and challenge for pilots of all ages!

SIMULATION

USA TODAY - SOLO FLIGHT

there's a revised pecking order in the air... easier to master (than another famous flight simulator) (Solo Flight) ... loses none of the subtlety of flight, even when you've logged dozens of hours. Marc Randolph

CREATIVE COMPUTING - SOLO FLIGHT

.. is a flight simulator designed with fun in mind... it's easier to fly than Sublogic's Flight Simulator John Anderson and...it is more fun to play.

COMPUTE!'s GAZETTE - SOLO FLIGHT

... The word that best describes Solo Flight is Fun... it's (for those who) don't wish to spend a lot of time reading, but would rather be flying."

David Florance

NEW & IMPROVED! For Commodore, Atari & IBM Introducing:

- Instructor Pilot Software Speech
- New Maps & Cockpit



Experience the reality of these other great simulations from Micro Prose:

Solo Flight is available for Commodore 64/128, Apple II Family, IBM PC/Jr., and Atari XL/XE and Macintosh computers. Suggested retail is only \$34.95. For Macintosh only - \$39.95. Call or write for more information or MC/VISA orders.

120 Lakefront Drive

Hunt Valley, Maryland 21030

301-667-1151

SOFTWARE

The Thrilling Submarine Simulation


II CAIT



Challenging and Exciting You are in Command— Air Combat from the D-Day to the Modern Electronic Cockpit! Battle of the Bulge!



COMMODORE 64, ATARI, APPLE and IBM are registered trademarks of Commodore Business Inc., Atari Inc., Apple Computer Inc., and International Business Machines Inc., respectively.



Charles Brannon, Program Editor

If you're considering buying a printer or don't really understand the one you have, this article can eliminate some of the confusion. It explains current printer technologies, what they offer, and discusses the basic considerations involved in choosing the right one.

omputers are supposed to eliminate paperwork, but it's a fact that paper is still the universal medium of communication. Perhaps when everyone has a computer or terminal, paper will no longer be necessary.

There's little disagreement, however, that a printer is an exceptionally valuable addition to any computer. But if you decide to buy one, you'll face a plethora of choices. There's a dazzling array of printing technologies, interfaces, paper requirements, DIP switches, ESCape codes, ribbons, and character sets. And getting your printer to work with your software can be tricky at first.

There's an answer to the confusion. It's important to be informed before you buy your printer, but equally important to


know how to use it when you bring it home. Get to know the features of printers in general, form a solid idea of what you need in a printer, then consider what options you can afford.

All printing technologies have one thing in common—they use energy (force, heat, or even laser beams) to change the color of the paper.

Impact printers forcibly strike a section of ribbon against the paper, transferring a bit of ink. Inked cloth ribbons are reusable. The entire length of the ribbon can usually be recycled several times, and even reinked indefinitely. Carbon film ribbons are not reusable. The thin black coating is removed from the plastic ribbon, leaving a blank hole behind. If that portion of ribbon

comes back around, printing will be spotty and uneven. The additional cost of these ribbons is offset by their high-quality solid impression.


Impact printing includes both dot-matrix and letter-quality printers. Most "letter quality" printers use a wheel or ball of formed characters. The actual shape of the character is rotated into position and slammed into the ribbon. Most typewriters rely on this method. A few printers (mostly teletype machines) use the IBM hemisphere "ball." The entire ball is twisted and tilted to bring the proper character to the front, then knocked






COMPUTE!'s Gazette Disk

Now you can enjoy the exciting programs from COMPUTE!'s Gazette on a ready-to-run disk




Timesaving

Using COMPUTEI's Gazette Disk saves you time. Instead of spending hours typing in each program from COMPUTEI's Gazette, you can load all the fun and fascinating programs in just a few minutes with the Disk. You have more time to enjoy Budgeteer, Mystery at Marple Manor, Vocab Builder, and many other exciting games and applications.



Inexpensive

And COMPUTEI's Gazette Disk is inexpensive, only \$69.95 for a one-year subscription. That means the Disk costs you \$5.83 a month, a savings of 55 percent off the single disk price of \$12.95. And what price can you put on the hours of typing time you save?



GOMPUTE's 母母宮廷丁丁E DISK




Risk-Free

All *Disks* are fully tested before they're shipped to you. And full documentation for all programs is in the corresponding issue of *COM-PUTEI's Gazette*. But if you should have a problem with a disk, just call toll free 800-334-0868 and a member of our Customer Service Staff will assist you.



COMPUTEI's Gazette Disk gives you access. As soon as you read about a new and challenging program in COMPUTEI's Gazette, you can load the Disk and begin using it immediately—the Disk is ready when you are



Enjoy the quality programs from COMPUTEI's Gazette on the convenient, ready-to-use COMPUTEI's Gazette Disk.

To order COMPUTEI's Gazette Disk

Call toll free 800-334-0868 (in NC call 919-275-9809) or mail your prepald coupon to *COMPUTEI's Gazette Disk*, P.O. Box 10960, Des Moines, IA 50340

Individual issues of the *Disk* are available for \$12.95 (plus \$1.00 shipping and handling.) Call 800-334-0868 to order.

☐ Save 55% off the single issue price, 1 year subsction, \$69.95	
All Di	isk orders must be prepaid.
☐ Payment enclosed (check or ☐ Charge ☐ MasterCard ☐ V	
Acct. No. Signature Name Address City	
State	Zip
(Outside U.S. and Canada, add \$36.00 per Please allow 4-6 weeks for delivery.	r year for shipping and handling.) 35AD02

like a rapper against the ribbon and paper. The ball was never designed for any speed beyond normal typing rate, so using a Selectric as a printer can rack up some massive service bills (not to mention warranty conflicts).

superior technique uses a acentral wheel with radiating spokes, each tipped with a complete character. Superficially reminiscent of a flower, these printing wheels are known as daisywheels. Often a printer using a daisywheel is also called a daisywheel, or simply "daisy." The wheel is spun so that the desired letter is in position, then a small solenoid (an electromagnetic hammer) stamps the tip against the paper. Another formed-character variation is the band printer, which uses something like a high-speed chain. The chain has all the characters arranged serially. As the chain whizzes past, the printer waits for the desired letter to come by, then strikes it against the ribbon and

The formed character printers create beautifully sculptured print, but can be inefficient. Your repertoire of characters is limited to those actually present on the wheel or ball (although you can switch character sets just by replacing the ball or wheel). You can't reproduce graphics (though some daisywheel printers let you "draw" with periods). The printer has to spin each character into place, which takes some time and quite a bit of coordination. Many daisywheel printers use slow stepper motors (which advance one click at a time), or light-beam links to synchronize the printer's timing with the actual speed of the wheel. It's a complicated contraption. And all that slamming, stamping, striking, and rapping is hard on the printwheel (not to mention quite noisy). Metal printwheels are expensive, and plastic ones wear out quickly. At least for now, though, the print quality of daisywheels is hard to

A far more flexible way to produce characters is to create them a dot at a time. Text is printed within a matrix of tiny squares or dots. A similar technique is used to

display characters on your display screen, or on marquees. Many dot-matrix printers produce text that looks "computery," although some have such a tight matrix that it's hard to detect the dots without magnification. Some printers can go back for a second pass to fill in the line by shifting over one half-dot, or by moving the paper up a fraction of an inch, before over-striking.

Most dot-matrix printers print by sweeping a thin column of pins or wires across the paper. Impact dot-matrix printers fire tiny solenoids against these pins to strike them against the ribbon. The sound of these pins beating across the paper is loud and screeching, though recent advances in printheads and soundproofing have reduced this to a bearable level.

But impact isn't the only way to put an image on paper. Why not build the ink into the paper itself? A thermal printer uses a column of "hot spots." The heat-sensitive paper darkens when touched by the hot thermal pads. Since there's no impact, thermal printing is very quiet. The printing assembly is quite simple, so thermal printers are relatively inexpensive. An interesting feature of thermal paper is that it also tends to change color in your glove compartment on a hot summer day.

Electrostatic printers use a column of minute "spark plugs." As the column sweeps across the paper, these little shockers emit tiny sparks that evaporate a silvery coating, revealing an underlying black surface. Reading black on silver is difficult, but the paper photocopies well, giving it a more conventional appearance.

It seems printer manufacturers will try anything. Inkjet printers spray liquid or powdered ink through tiny jets. Again, these jets are arranged in a column, and sweep across as they spray. Ink-jet printers are fast and quiet, yet can print on any paper. But because the technology is still a bit new, these printers cost more than comparable dotmatrix or thermal printers.


A promising new technology is a variation of thermal printing. Instead of heating up unusual paper, or smacking against it, thermal-

transfer printers heat up a waxlike ink. The paper, the ink, and the printhead are sandwiched together. The ink melts and fuses with the paper—at least in theory. Many thermal-transfer printers require close contact between ribbon, paper, and printhead. Unfortunately, these printers darken only the raised surface of the paper, so nubby paper (like bond) shows a venetian-blinds effect, or worse, looks like it was printed by a wornout printhead with a used-up ribbon. Like carbon film ribbons, thermal-transfer ribbons are not reusable. So although these printers promise to have the quiet manner of thermal printing while not requiring special paper, most thermal-transfer printers do require especially smooth paper. New advances in thermal-transfer have solved these problems, but at a higher price.

Laser printers have finally arrived. Although they're expensive (\$3000-\$5000), nothing can match the quality. In fact, laser printers can produce typeset-quality text, like you're reading now. Laser printers use the "engine" from a photocopy machine. A statically charged drum attracts dry ink dust, except when the charge is removed by intense light. The drum rolls the powdered ink impression onto paper. In a photocopy machine, the image of the paper is focused onto the drum. In a laser printer, a scanning laser writes directly onto the drum, permitting almost any image to be drawn. The laser printers work as fast as a copy machine, spitting out a complete page in seconds.

our computer is a colorful creature, but printing has always been in boring shades of black. Some printers can accept different colors of ribbon, but can't print in more than one color. However, there are several ways to achieve true color printing. Most work by mixing several primary colors. For example, red plus yellow equals orange; red plus blue equals purple. A few years back, a product appeared which added color capability to any printer. It consisted of a supply of red, blue, and yellow carbon paper, plus some graphics printing software. You taped the red carbon pa-

TYMAC PRINTER INTERFACES GIVE YOU MORE FOR YOUR MONEY... And That's What It's All About



"The Connection"™ A Fully Intelligent Parallel Printer Interface for Commodore® Computers

Now, TYMAC provides a parallel printer interface designed exclusively for Commodore Computers, including Commodore 64[™], Commodore 128[™], Plus/4[™], Commodore 16[™] and VIC 20[®]. TYMAC's "The Connection" gives you complete control over your printing capabilities and offers you top-notch quality, unequalled by other interfaces of its kind. "The Connection" is compatible with virtually all Commodore software.

"The Connection" makes your investment in a printer interface worthwhile. "The Connection" simply plugs into the serial disk port to ultimately produce refined, finished documents. TYMAC has applied leading computer technology to equip "The Connection" with two modes: an emulation mode (imitates Commodore 1525 printers) and a transparent mode (information goes straight through—no interpretation). For a suggested retail price of only \$69.95 (non-Epson) or \$73.95 (Epson), TYMAC gives you the best printer interface available for your money.

With "The Connection," you can execute standard print commands (OPEN, PRINT#, and CLOSE) and create finished documents and graphics to your own specifications. Various options include column tabbing, dot tabbing, graphic repeat, dot addressable graphics, and more. Full printer self-test, LED status indicator, printer reset switch, skip over perf, margin set, and programmable line length give you maximum flexibility for optimum performance. "The Connection" also features a 2K buffer, an exclusive feature offered by no other printer interface on the market. "The Connection" is compatible with any parallel printer that is equipped with a standard Centronics interface, including Star, Riteman, Smith-Corona/Epson, Panasonic, BMC-80, Mannesman Tally, Olympia/Okidata, Canon/C. Itoh, NEC/Seikosha, Gorilla Banana/and Universal.

TYMAC backs "The Connection" with an outstanding reputation in the computer field since 1973. TYMAC tests every product 100% before it leaves the factory to guarantee flawless performance and the best value for your money. Each "Connection" comes with a full, one-year warranty. For information and literature about "The Connection," write or call TYMAC today. Or contact your local computer retailer to purchase "The Connection."



Established in 1973

TYMAC CONTROLS CORPORATION
127 Main Street Franklin, NJ 07416 201-827-4050

Tymac is a registered trademark of Tymac Controls Corporation.
Commodore, Commodore 64, Commodore 128, Plus/4, Commodore 16, and VIC 20 are registered tradmarks of Commodore Electronics Limited.

per to a blank piece of paper, inserted the whole thing in the printer, then printed the portion of the text or graphics that contained red. You next removed the red carbon, substituted the blue, and overprinted the sections that required blue. You finished it up with the yellow carbon. If you'd properly aligned the paper each time, you'd get a multicolor image.

Most color printers these days use multicolored ribbons. The ribbon can be made up of a series of yellow, red, and blue strips, each strip the width of the paper. One whole segment of ribbon is used for each line, with three segments necessary to print one line. Even if a certain color isn't used, that segment must still be skipped over so


that the next line starts with the right color. This uses up ribbon fast. Another trick is to stack several colors vertically. The ribbon is installed at an angle so that the printhead can print across all the primary colors, creating multiple colors on the same line in a single pass. Rather than using a ribbon installed at an angle, another color printer just shifts the ribbon up and down to get to the right color, but it can't print more than one color in one pass; it must go back and overstrike. In any case, you'll need custom software to take advantage of the color capability. Some color printers may include the necessary color graphics program.

You should also consider the type of paper you'll be printing on. The least expensive printers use a friction feed mechanism to drive the paper through, using a roller (platen) much like a typewriter's. Friction feed can transport almost any paper, including cut-sheet (letterhead) and inexpensive roll paper, but is prone to misalignment. All it takes is a few paper slippages to give you skewed printing, especially at high speed.

To circumvent this problem, the computer industry developed a special kind of paper, called pinfeed, tractor, or fanfold paper. This paper is bound on both sides with a strip of punched holes. Each sheet is attached to the next with a serration.

This lets a toothed cog grab the edges of the paper and roll it through continuously. The perforated strips can usually be pulled off and each sheet detached to transform each page into normal letter-size paper. If you don't want anyone to know it was printed with a computer, you can buy special paper that allows you to tear off the strips and separate the sheets cleanly with barely visible rough edges.

Your printer must have a tractor-feed mechanism to use this paper, unless the friction-feed carriage is wide enough to accommodate the extra width of pinfeed paper. Many printers have both friction- and tractor-feed. With tractor-feed, you needn't worry about paper slippage, although



some tractor-feeds that push the paper through the carriage from behind can bunch up the paper. If the paper supply does not flow smoothly, the paper can tear free from the tractor cogs. You must also be careful to prevent the ejected paper from rolling back into the carriage. Paper separators are included with most printers to help prevent this problem. If you need to print wide reports, you may want to look into a wide-carriage printer. Most 80-column printers have a condensed mode that gives 132 characters per line. Wide-carriage printers can print on 15-inch wide paper. In condensed mode, you can fit 255 characters on a line.

Whatever type of ribbon your printer needs, make sure it's easy to get replacement ribbons. A printer

ribbon doesn't last as long as you may think it would, especially when printing reams of listings. Many printers use the widely available ribbon cartridge originally used with the Epson MX-80. Others can use ordinary typewriter ribbon spools. Some printers use ribbons only available from the manufacturer, at a premium price.

When shopping for a printer, always get a printed sample of the character set. Inexpensive dot-matrix printers can be fine for rough drafts and listings, but when you want to make a good impression (especially for business correspondence), you must have letter-quality, or at least the near letter-quality available on some dot-matrix printers. For word processing,

you'll probably want to know what fonts and styles are available, such as doublewidth, condensed, boldface, italics, and especially underlining. Before you buy your word processor, make sure it can support your printer. And if you already have a word processor, check to see which printers it supports before buying. Some word processors will work with any printer, letting you embed printer codes for special fonts and typestyles. If you want to dump screen graphics onto paper, make sure the printer supports the graphics mode used by the screen-dump program.

ow patient are you? The speed L L of a printer is important to many people. The higher-priced printers often can claim no more features than the lower-priced ones, but can print as much as twice as fast. Speed is usually measured in "throughput," not the actual speed of the printhead. Many printers print bidirectionally. Instead of wasting the time spent in returning the carriage, these printers can print from right to left on the return trip. Logic-seeking printers don't waste time printing a space, but skip the printhead to the next non-space position. And instead of feeding paper a line at a time, some printers can eject paper quickly to skip vertically or between pages. For dot-matrix printers, the rated speed is usually



Mitey Mo turns your Commodore 64 into a telecommunications giant. It's the best-performing modem with upload/download.

Mitey Mo is being hailed as "the best price/performance communications package available." Its software has received the endorsement of the U.S. Commodore Users Group, which gives a money-back guarantee to members. It is truly the industry standard, and no wonder. It's the most user-friendly modem you can buy—it will take you online faster and easier than anything else.

Mitey Mo opens up a world of practical and exciting uses for your C-64. It lets you send and receive electronic mail, link up with community bulletin boards, play computer games with people in distant places, tap into library resources, and much more. All at your convenience.

Until Mitey Mo, Commodore's 1650 Automodem was the obvious choice when you went looking for a modem for your computer. Like

Mitey Mo, it has "auto answer"—it receives data while unattended. And both modems are "auto dialers"— you dial right on the computer's keyboard. But that's about

Mitey Mo can dial up to 9

where the simi-

MODEM FEATURES	MITEY MO	COMMODORE AUTOMODEM
Auto Dial/Answer	YES	YES
Auto Redial	YES	NO
Smart 64 Software	YES	NO
Function Keys		
Programmable	YES	NO
Upload/Download		
Text & X-Modem	YES	NO
VT-52/VT-100 Emulation	YES	NO
Menu Driven	YES	NO
28K Software Buffer	YES	NO
Easy-to-Use Manual	YES	NO
Bell 103 Compatible	YES	YES
Multiple Baud Rates	YES	YES
Cable Included	YES	YES
Single Switch Operation	YES	NO
Warranty	3 years	90 days

Some mighty interesting features – ours and theirs. Yours to decide.

numbers sequentially. But suppose you dial a number and find it's busy. Mitey Mo has "auto redial"—it hangs up and redials immediately until it gets through. With the other modem you have to redial each time—and somebody with auto redialing can slip in ahead of you.

Mitey Mo is menu driven. It lists the things
you can do on the screen.
Select a number and you're
on your way. Since Automodem isn't menu driven,
you'll be hunting through

the manual a lot.
With Mitey Mo

With Mitey Mo, your computer's function keys are programmable—you can save yourself plenty of keystrokes. Not so with the other modem. And only Mitey Mo lets you store data to review or print it later.

Mitey Mo has just one switch, the Smart 64 software does the rest. With the other modem you'll have to remember to check three switches, otherwise you may be answering when you mean to be originating.

Mitey Mo is half the size of the other modem. The very latest technology allows miniaturization and increased reliability, as well. Mitey Mo is so reliable, we gave it a full three-year warranty. The other modem gives 90 days, then you're on your own.

Not only will you find Mitey Mo mighty useful, you'll find it mighty reasonably priced. When you buy it, you'll get \$15 of CompuServe access time and 2 hours of PlayNet free, as well. See your dealer or call us directly to order your Mitey Mo.





Computer Devices Int'l 1345-A2 Doolittle Drive San Leandro, CA 94577 (415) 633-1899 for the lowest quality but fastest printing draft mode.

No matter how fast your printer is, you still have to wait for printing to finish before you can use the computer. The computer is tied up by sending characters to the printer. This can be alleviated with a printer buffer. The buffer is memory built into the printer or interface. The buffer accepts characters as fast as the computer can send them, then sends these characters to the printer at a more leisurely rate. As long as the buffer doesn't fill up, the computer is free to do other things. When the buffer fills up, the computer waits until enough of the buffer is sent out to accept more characters from the computer. If you're printing short letters, a 2K buffer is enough to quickly free up your computer. Otherwise, a buffer only shortens the time the computer is tied up.

Some interfaces include a buffer, some printers offer a buffer as an option (most have a one-line buffer by default), and you can buy a special buffer that attaches between your interface and the printer. Some buffers allow as much as 256K of buffer space, enough for a small book, but they're extremely expensive. These super-buffers often allow you to print selected portions of the buffer. One external buffer even has a video port to let you scroll through the buffer and delete unwanted data before printing.

fter selecting a printer, it's time to hook it up to your computer. It's easy with Commodore printers—just plug the round serial jack into the back of your computer or disk drive. Some third-party printers also include a built-in Commodore interface. But most printers are marketed for a broad spectrum of computers.

There are two industry standard interfacing protocols: Centronics parallel and RS-232 serial. A parallel interface sends an entire character at a time, all eight bits of it, through eight parallel wires. Serial interfaces transfer characters one bit at a time over a single wire. Although serial cabling can be less expensive, a parallel interface is usually faster and easier to use. Beware of RS-232 printers

for Commodore computers. Very little software supports it. Parallel interfaces attached to the user port require special software printer drivers, which are vulnerable to destruction by other RAM-resident software or require a ROM cartridge that can make the system incompatible with some programs.

The best interface for thirdparty printers attaches to the standard round serial port. The interface translates the serial output and sends it out over a standard Centronics parallel cable.

t's important that interfaces also translate the characters coming across. Most third-party printers use the industry standard ASCII (American Standard Code for Information Interchange) codes for sending characters as numbers. For example, the capital letter A is defined as the number 65, B as 66, lowercase a as 97, b as 98, and so on. Commodore, though, uses its own variation of ASCII, a vestige from the days of the Commodore PET. In effect, Commodore ASCII exchanges the position of upperand lowercase in the character set. The interface must translate these nonstandard characters for the sake of true ASCII printers, or else print comes out in all uppercase or with upper- and lowercase switched.

An exception to this is when the computer is sending graphics bytes across. These bytes represent the shape of a column of dots. The translation will interpret these bytes as characters, switch them, and mangle the graphics image. Most interfaces provide a transparent mode to bypass the translation.

Also, many programs were written to work with Commodore printers, especially the 1525 and MPS-801. Some take advantage of the printer's graphics character set, reproducing the graphics characters on the keyboard. Others use MPS-801/1525 tab setting codes, reverse field, graphics mode, or setting for uppercase/graphics or upper/ lowercase mode. Many printer interfaces can emulate the MPS-801/1525 for better software compatibility. With the interface, your third-party printer can act just like a Commodore printer. A graphics interface can even reproduce Commodore graphics


characters, MPS-801/1525-style graphics mode, reverse field, and cursor and color control symbols. This emulation, however, can prevent you from accessing your printer's more sophisticated printing features. The transparent or graphics mode of an interface can be used to bypass the emulation when required.

Many printer interfaces include bonus features like listing mode, where cursor and color controls are spelled out, as in [CLR] for the clear-screen character. Others let you set left and right margins, skip over the paper perforation automatically, and enable/disable linefeeds.

The linefeed can be one of the biggest headaches you encounter. After a line has been printed, the printer has to do two things: move the paper up a line, and move the printhead back to the left margin. The linefeed just moves the paper up a line. A carriage return, strictly defined, just moves the printhead back to the start of the line. Many computers send a linefeed automatically with a carriage return, so the printers don't add a linefeed of their own to prevent unwanted double-spacing.

Commodore machines don't send this linefeed unless told to do so by a program, so the printer must supply these linefeeds automatically. If your printer can't do this, most interfaces have a linefeed mode or setting to do this for you. But with all these possibilities, you can get all printing on the same line (no linefeed), unwanted doublespacing (the printer's linefeed plus the interface's or computer's), even triple-spacing (everyone's sending a linefeed). It can be maddening. The solution is to make sure only one of the parties is controlling the linefeed.

Next month, we'll discuss using the printer with various kinds of software. We'll also explore programming your printer in BASIC and machine language, using your printer's fonts and styles, and solving many common printer problems. We'll look at some sample programs, including a graphics screen dump, text screen dump, and techniques for formatted output.



To order, COMPUTE!'s Commodore 64/128 Collection and Disk, mail this coupon to COMPUTE! Books, P.O. Box 5058, Greensboro, NC 27403 or call toll-free 800-334-0868 (in NC 919-275-9809).

shipping and handling.)

Please send me:	
COMPUTE's Commodore 64/128 C	
shipping charges.)	the U.S., \$5.00 airmail or \$2.00 surface mail
COMPUTE!'s Commodore 64/128 C	Collection Disk (973CMD), \$12.95 ea.
(\$2.00 shipping charges)	
	Subtotal
ALL-ORDERS	NC residents add 4.5% sales tax
AAUST/BE	Shipping charges (for each item)
PREPAID IN US FUNDS	Total paid
ICHECK, CHARGE, OR. MICHEL DRIVERS	
Payment enclosed (check or money order)	
□ Charge □ Visa □ MasterCard □ Americ	can Express
Account No.	Exp. Date
Signature	
Name	
Address	
	State Zip

COMPUTE! Publications, Inc.

324 W. Wendover Avenue, Suite 200. Greensboro, NC 27408. 919-275-9809.

User Group Update

When writing to a user group for information, please remember to enclose a stamped, self-addressed envelope.

Send additions, corrections, and deletions for this list to:

COMPUTE! Publications P.O. Box 5406 Greensboro, NC 27403 Attn: Commodore User Groups

Announcements And Changes

A group of six bulletin board system operators (sysops) has formed in the Long Island area. Information about LISA (Long Island Sysop's Association) and its boards, which offer only public domain software, may be obtained by contacting the group's public relations officer, Frank Imburgio, 34 Inwood Rd., Port Washington, NY 11050. Phone contact may be made at the following numbers: (516) 883-7017 (home, voice); (516) 944-6860 (business, voice); or (516) 944-6594 (modem).

The Pets Around Livermore computer club (PALS) has a new president, Culley Union, and a new mailing address: PALS, P.O. Box 1068, Livermore, CA 94550.

The new address for the Napa Valley Commodore Computer Club is P.O. Box 2324, Napa, CA 94558.

Commodore Owners of Lafayette, IN (C.O.O.L.) also has a new address: P.O. Box 5763, Lafayette, IN 47903.

Another group with a new address is Louisville Users of Commodore of Kentucky (L.U.C.K.Y.). Correspondence should be sent to P.O. Box 19032, Louisville, KY 40219-0032.

A new club has formed for people interested in meeting other Commodore users around the world. For more information, contact the Commodore International Users Group, c/o Don Kovatch, 1904 Van Buren, Baltimore, MD 21222.

The Commodore 64 User Group of Southfield, MI has disbanded.

The contact person for the Mid-Missouri Commodore Club is Jim DeMian, Secretary. Correspondence may be sent to him in care of the club at P.O. Box 7026, Columbia, MO 65205-7026.

The Monadnock (NH) Commodore 64 Users Group is now the Monadnock Users Group (M.U.G.) for Commodore Owners. The new president and contact person is P. Kirkpatrick, 135 Liberty Lane, Keene, NH 03431.

The new contact person for the Tulsa Area Commodore Users Group is Craig Bowman, Secretary. The mailing address remains the same: 7804 N. 117th E. Ave., Owasso, OK 74055.

Abilene Cursor Control, P.O. Box 6261, Abilene, TX 79608, also has a new contact person, Larry Prince. Mail to the club should now be sent to his attention.

The new address for the Commodore (Houston) User Group (C.H.U.G. Inc.) is P.O. Box 612, Tomball, TX 77375. Contact persons are John and Mary Howe.

The Fredericksburg Commodore Club was incorrectly listed as the Fredericksburg Computer Club in a previous update. The group also has a new address. Send inquiries to the club's president, George Walker, c/o Shelken Associates, 313 William St., Fredericksburg, VA 22401.

In Richmond, VA, The Richmond Area Commodore Enthusiasts (T.R.A.C.E.) also has a new contact person and address: E. M. (Rex) Rexrode, Jr., 2920 Pinehurst Rd., Richmond, VA 23228.

The Lewisburg (WV) Commodore User Society has changed its name to People Addicted to Computers Klub (PACK) Program Exchange. The address remains the same: c/o David Haynes, 17 Silo Sq., Lewisburg, WV 24901.

Commodore Hobbyists Involved in Personal Systems (CHIPS) has a new mailing address: CHIPS, P.O. Box 1006, West Bend, WI 53095. Contact persons are Terry Westerbeke, President, or Dick Kraemer, Club Librarian.

In Canada, the Brantford Hackers have changed their name to STPG (Shop-Taker Programming Guild). For information, write to the club in care of Syd Bolton, 25 Frontenac Ave., Brantford, Ontario, Canada N3R 3B7.

New Listings

ARIZONA

Commodore Users Group of ARizona (COUGAR Inc.), c/o Margarete Herr, 933 S. Acorn, Tempe, AZ 85281

ARKANSAS

The Southwest Arkansas Commodore Users Group, David DuBurk, 404 S. Greening St., Hope, AR 71801

CALIFORNIA

Lowest Users Group in the United States (LUGITUS), Rusty Bayne, 650 S. Imperial Ave., Brawley, CA 92227

West Valley Commodore Users Group, Ed Brown, President, 23455 Justice St., Canoga Park, CA 91306

PLUG (Plus/4 Users' Group), Box 1001, Monterey, CA 93940

Vacaville Commodore Users Group (VCUG), E. Brecht, 530 Burlington Dr., Vacaville, CA 95688

GEORGIA

Athens Commodore Enthusiasts (ACE), Stanton Robertson, 130 St. James Dr., Athens, GA 30606 North East Georgia Commodore User Group, Randy Shuler, Rt. 2, Box 226, Oakwood, GA 30566

ILLINOIS
Fox Valley 64 Users Group, Frank Christensen, P.O.
Box 28, North Aurora, IL 60542

IOWA

The John Deere Tractor Works Commodore Computer Companions, Marshall Nielsen, 7412 W. Bennington Rd., Cedar Falls, IA 50613

Syntax Errors Anonymous Commodore User Group, c/o Stephen K. Graff, R. R. Box 6845, Spirit Lake, IA 51360

Waterloo Area Commodore Club, c/o Rick Volker, 645 Lowell Ave., Waterloo, IA 50702

KENTUCKY

Commodore Users' Group of Central Kentucky, c/o John A. Rea, 173 Forest Ave., Lexington, KY 40508

LOUISIANA

Worldwide Commodore User Group, Ark-La-Miss Division, P.O. Box 371, Quitman, LA 71268

MARYLAND

Baltimore Commodore Users Group (BCUG), Steve Michalek, 402 Waverly Ave., Baltimore, MD 21225-3437

TriTech's Commodore Users Group, Brent Goldberg, 10100 Ormond Rd., Potomac, MD 20854

MINNESOTA

Redwood Falls Area Computer Exchange, James Weiss, President, 815 E. Spring St., Redwood Falls, MN 56283

NEVADA

C-RUN (Commodore Reno Users Network), Rick Cooke, Box 8566, Reno, NV 89507

NEW YORK

The Rainbow International C-64 Users' Group, Victor LaDouceur, Sr., President, 947 Harrison Ave., Niagara Falls, NY 14305

NORTH CAROLINA

Commodore 64 User Group, Timothy Macking, P.O. Box 1635, Banner Elk, NC 28604

Raleigh Area Commodore Enthusiasts, John DeVere, President, 904 Davidson St., Raleigh, NC 27609-5547


PENNSYLVANIA

Beaver County Area Commodore User's Group (B.C.A.C.U.G.), H. J. "Jack" Hemer, Secretary, 112 Spruce Dr., Monaca, PA 15061


SOUTH DAKOTA

Port 64 User Group, Roxann Pappas, Vice President, 929 Lemmon St., Rapid City, SD 57701


GREAT Sound and Graphics



COMPUTEI's Reference Guide to Commodore 64 Graphics, John Hellborn, \$12.95 A complete tutorial on creating graphics displays, pictures, and animation on the Commodore 64.



COMPUTEI's First Book of Commodore 64 Sound and Graphics, Edited, \$12.95 Clear, useful explanations of the 64's sound and graphics capabilities including tutorials and example programs.



COMPUTEI's Beginner's Guide to Commodore 64 Sound, John Heilborn, \$12.95 Complete descriptions and numerous examples show you how to program sound and music on the 64.

COMPUTE! Books offers you three fascinating, informative books on sound and graphics for your COMMODORE 64 at a special savings.

Buy all three books for only \$29.00. That's 25 percent off the retail price!



These books give you up-to-date, easy-to-understand tutorials, programs, and examples to help you maximize the sound and graphics features on your Commodore 64. Order today to receive all three books for only \$29.00. This offer expires November 10, 1985.

Order directly from COMPUTE! Books by mailing the attached form with your payment to COMPUTE! Books, P.O. Box 5058, Greensboro, NC 27403. For the fastest service, call toll-free 800-334-0868 (in NC call 919-275-9809).

Order Form		ALL ORDERS MUST BE PREPAID IN U.S. FUNDS					
Please send me:		☐ Payment enclosed (check or money order)					
64 Sound (I's Beginner's Guide to Commodore (54-X), \$12.95 I's First Book of Commodore 64 d Graphics (21-3), \$12.95	Charge MasterCard Visa American Express Account No. Exp. Date (Required)					
COMPUTEI 64 Graphic	I's Reference Guide to Commodore ics (29-9), \$12.95 AVINGS—ALL THREE BOOKS FOR	Signature					
	Subtotal	Address					
	NC residents add 4.5% tax Shipping charges*	City State Zip					
*(\$2.00 per book in U.	.\$. and surface mail: outside U.S. \$5.00 airmail per book) Total paid	COMPUTEI Books are available in the U.K., Europe, the Middle East, and Africa from Holt Saunders, Ltd., 1 St. Anne's Road, Eastbourne, East Sussey BN21-31 IN Fooland					

TEXAS

Sherman Commodore Users Group (SCUG), Jason Gilley, President, 827 W. Sears, Denison, TX 75020

The Great Northwest Commodore 64 Users Group,

P.O. Box 380732, San Antonio, TX 78280 TOTCOM (Top of Texas Commodore), Box 2851, Pampa, TX 79066-2851

WASHINGTON

758 Commodore 64 Users Group, Makah Air Force

Station, Neah Bay, WA 98357
Olympic Peninsula User Group (O.P.U.G.), Mike Ryan, President, 836 West Sixth St., Port Angeles, WA 98362

WEST VIRGINIA

The Kanawha Valley Commodore Computer Club, Floyd Steele, P.O. Box 252, Dunbar, WV 25064

Northern West Virginia C-64 Club, John W. Byam, Jr., President, 228 Grand St., Morgantown, WV

OUTSIDE THE U.S.

AUSTRALIA

Commodore Computer Users Group (QLD) Inc., P.O. Box 274, Springwood Q 4127, Brisbane, Australia

Geelong Commodore Computer Club, c/o 15 Jaca-randa Place, Belmont 3216, Geelong, Australia

The Griffith Computer Association, c/o Secretary, P.O. Box 425, Griffith 2680, Australia

Class of 64, c/o Robert Wheeler, 37 Kuran St., Chermiside, Queensland 4012, Australia

Commodore Computer Users Group (Townsville), 1 Paxton St., Townsville 4810, Australia

Australian Computer Education Association, P.O. Box 194, Corinda 4075, Old Australia

VIC-UPS Computer Users Group, P.O. Box 1103, Booragoon, Western Australia 6154

BELGIUM

L'Amiral Club C-64 & C-128, c/o Alain Trinteler, P.O. Box 41, B-1090, Brussels, Belgium

CANADA

Hinton Computer Club, K. Bartlett, Box 2431, Hinton, Alberta, Canada TOE 1C0

Medicine Hat Commodore Users Group, P.O. Box 764, Medicine Hat, Alberta, Canada T1A 7G7

K.C.C.U.G., Chris Larson, 195 Mars Rd., Kelowna, British Columbia, Canada V1X 1H3

International C-64/VIC-20 Users Group, c/o Jason Belsey, 22559 Hinch Cres., Maple Ridge, British Columbia, Canada V2X 7H5

Beaver Valley Commodore Club, Box 495, Montrose, British Columbia, Canada V0G 1P0

Fundy C-64 Users Group, c/o 32A Cannon Rd., Quispamsis, New Brunswick, Canada E0G 2W0

The Great White North Computer Club, T.E. Vieira, President, 358 Grenville St., Orillia, Ontario, Canada L3V 2K7

Niagara Commodore Users Group, 15A Neilson

Ave., St. Catherines, Ontario, Canada L2M 5V9
Midland Commodore Users Group, c/o Frank
Murphy, P.O. Box 375, Victoria Harbour, Ontario,
Canada L0K 2A0

TRACK 36 Users' Club, Wayne Chapman, 491 Kenilworth Ave. North, Hamilton, Ontario, Canada L8H 4T6

C.U.G.S., Gordon Glew, 1635 Fleet St., Regina, Saskatchewan, Canada S4N 5S2

The POKEr's Club, Kris Finnestad, Box 75, St. Louis, Saskatchewan, Canada S0J 2C0

COLUMBIA

Columbia 64 Group, c/o Rodrigo Chaves, P.O. Box 6713, Cali, Columbia, South America

FINLAND

User's Club of PTT, c/o Sakari Natri, Teletutkimuslaitoksen, Mikrotietokonekerho, Kiviaidankatu 2 F, 00210 Helsinki 21, Finland

IRELAND

CLUB64, 85 Upper Drumcondra Rd., Dublin 9, Ireland

ITALY

IHT Division: Users, c/o Massimiliano Lisa, Via Borgonuovo 19, Milano 20121, Italy

Commodore 64 Computer Users Group of Rome, c/o Pluchinotta Via di S. Agnese 22, 00198, Rome, Italy

JAPAN

Commodore Users Club of Yokosuka Japan, Dennis E. Vickland, COMNAVFORJ (N-34) Box 12, FPO Seattle, WA 98762

MEXICO

Commodore 64 User's Group, APDO 86, Calle Zaragoza 414, Puerto Vallarta, Jalisco, Mexico 48300

NEW ZEALAND

East Coast Bays Commodore User Group, P.O. Box 35-034, Browns Bay, Auckland 10, New Zealand

Marlborough Commodore Users Group, Robin Vercoe, 42 Rogers St., Blenheim Marlborough, New Zealand

PAKISTAN

Commodore Computer User Club, attn: Khalid Khanani, P.O. Box 6121, Karachi-2, Pakistan

SWEDEN

Computer Club Sweden, Hans Engstrom, Secretary, P.O. Box 7040, S-103 86 Stockholm, Sweden

SWITZERLAND

C-64 Anwender Club, Postfach 194, 8029 Zurich, Switzerland

WEST GERMANY

Commodore Users (Bitburg/Spangdahlem/Pruem), MWR Division, APO New York 09132

SEMBACH AB Commodore Users Group, Attn: Zac Thomas, Box 939, APO New York 09130

Zweibrucken Commodore Computer Club, Hank White, PSC Box 2312, APO New York 09860

WEST INDIES

Saturn Software User Group 64, Mario Flores, Alablancaweg 71, Curacao, Netherland Antilles

NEW UPDATED VERSION Now Includes **1541 FAST NIBBLER**

ANOTHER MASTERPIECE

The Programmer MIKE J. HENRY has done it AGAIN with

THE COMMODORE 64

DUAL DRIVE MSD

SINGLE 1541

- Automatic back-up of nearly all protected disks in 68 Seconds!
- Using unique track analyzation process, protection schemes are treated as normal data giving you an original back-up.
- Equipped with Special Auto-Back-up.**
- FASTEST single drive back-up ever made, less than 2 Minutes!
- Backs-up all standard disks in only 3 Passes!
- Nibbles protected disk in less than 3 Minutes!

TWO DRIVES 1541

- Automatically backs-up a standard disk in only 35 Seconds!
- Nibbles protected disk in less than 60 Seconds!
- Also equipped with Special Auto-Back-up**

Dealer Inquiries Welcome!

**SPECIAL

Auto-Back-up After booting up, the computer is no longer necessary, and may be disconnected. The drives automatically detect the disk being inserted and removed. An absolute must for multiple back-ups!!! All routines are highly reliable and include full verify option.

EASY TO USE

ALL VERSIONS ON ONE DISK

ONLY \$29.95 ADD \$3.00 SHIPPING



Check, Money Order, VISA, MASTERCARD



Accepted Add \$3.00 for C.O.D.'s

ALWAYS SAME DAY SHIPPING

BASEMENT BOYS SOFTWARE P.O. Box 30901 Portland, OR 97230-0901

(503) 256-5506



MAKES **GREAT COFFEE!!**

The 1541 is the slowest disk drive on planet earth. Even simple operations seem to take forever. Quickloaders and Fastloaders that software-patch the operating system are vulnerable to being knocked out of memory, rendering them totally useless. Even Flashier products that require permanent modifications to the 64 and 1541 can't compete with the blinding speed of STARDOS.

STARDOS accelerates every (yes, we said every) function of the 1541 disk drive. Other fast loaders only load PRG files faster. STARDOS also speeds up SEQ, REL, USR and DIRECT ACCESS files. Everything including FORMAT, VERIFY, SCRATCH, VALIDATE, INITIALIZE and COPY are much faster. In addition STARDOS adds a vast array of easy to use commands all at the touch of a key.

A sampling of STARDOS features:

- Accesses ALL types of files up to 1,000% faster!
- · Saves up to 300% faster than normal (with extended verify)
- · DOES NOT CHANGE THE SPEED AT WHICH THE DRIVE MOTOR SPINS
- Makes your 1541 MORE RELIABLE and LESS PRONE TO BREAK DOWN or OVERHEAT!
- · STARDOS is fully expandable for multiple fast disk drives
- · Easy (5 minute) plug in installation. User friendly manual
- 100% compatible with software and serial bus peripherals
- · Adds years of life to your disks and drive in reduced wear
- Cures a number of bugs in the Commodore 64 and 1541 disk drive including :
 - The damaging 'Head Knock' that can mis-align your 1541
 - . The @: Save with replace bug!!
 - . The Editor lock-up bug

- · Harness the full power of your disk drive with the built in DOS wedge
- Lock/unlock files and protect/unprotect disks from the keyboard
- Powerful sector editor allows direct viewing of diskette
- · Upgrades computer and drive to the latest Commodore specifications
- · Instant access to the built in mini-wordprocessor for short notes and memos
- Built in copier copies all file types (even relative) easily and effectively
- · Built in disk duplicator copies an entire diskettte in less than 3 minutes
- Fully expanded machine language monitor, always
- Quality hardware. Full 120 day repair or replace warranty
- Satisfaction guaranteed or money back—no questions
- . (Oh, by the way, we lied, STARDOS makes LOUSY COFFEE)

Simply the best. \$74.95

[Take advantage of our introduction special at \$64.95]

Personalize your C64! for a \$10 (non-refundable) charge we will include a 21 character power-on message with your favorite screen, border and text colors. Example:

MIKE'S COMMODORE-64

Text Green Background Black Border Red

Write of phone for additional information.


rademark of Commodore Business Machine

. . . WRITE OR PHONE . . STERPOINT SOFTWARE Gazelle, CA 96034 [916] 435-2371


When ordering by mail


- \$64.95 + 3.00 shipping
- . Calif. residents add 6% sales tax • \$64.95 + 4.00 COD orders • VISA or Mastercard accepted

- Shipping out of USA \$6.00 Please allow 4-6 weeks for delivery.



The Farm Game





Daniel M. Seurer

What's it like to manage a farm? How are your decisions affected by an ever-changing market? When is the best time to sell? How much of your crop should you store? This educational and entertaining simulation puts you in the shoes of the American farmer. For the 64, VIC (16K required), Plus/4, and Commodore 16.

You're the owner of a 200-acre farm in the Midwest. You have \$20,000 to invest and must make sound decisions if you're to survive—what and when to plant, how much insecticide and herbicide to use, when to store or sell crops, and so on.


"The Farm Game" is more than a game, it's a simulation based on real decisions facing the farmer. Along the way you'll learn that making money at farming isn't that easy. The program was written after researching crop market prices, the futures market, and the factors which affect crop prices and yields. My father-in-law, a farmer, also provided valuable first-hand experience to help make this simulation realistic.

You own five fields, each 40 acres, to be planted with wheat, corn, or soybeans. Inflation affects the cost of everything, and the prices paid for your crops will vary

with the changing market conditions. If crop prices at harvest time are not high enough to cover your expenses, or you just want to gamble for higher prices, you can store your crops and sell them at a later time on the futures market.

Plant And Harvest

The program is divided into two parts: Planting Time and Harvest Time. After typing in the program, save a copy. It's written completely in BASIC, so just type RUN to start play. (It might be helpful to have a pencil and pad on hand to take notes before you begin play-it's probably too difficult to keep track of all the numbers in your head as the game develops.) You are first asked how long you wish to manage the farm. The answer should be in number of years. You can type in any number, but you should start with five years until you become more familiar with the program.



- The LATEST breakthrough in copy technology!
- · Copies NEW custom G.C.R. code protection
- Accesses & copies NEW no-sync data blocks!
- Now includes NEW long data-block logic
- Copies normal & PROTECTED data up to track 40
- 3 New IMPROVED copiers Includes FAST Copier, VARI-SECTOR Copier, and AUTO-LOGIC Nibbler
- · Actually copies a FULL disk in only 2.75 minutes!

- Includes one FREE Masterkey Module!
- · Inexpensive MODULE releases keep you up-to-date
- · MODULES available individually or by subscription
- Works with DiskMaker TOOLKIT and FAT-TRACK Kit
- · Requires standard 1541 disk drive or SX-64
- · Special version available for INDUS GT drive!
- PRODUCT SUPPORT tel. # & future module updates
- · You've tried the rest, now get the BEST!!

THE FASTEST NIBBLE COPIER YOU CAN BUY!

ONLY \$49.95 for copier system

To order CALL **805-687-1541 ext. 64**Technical line 805-682-4000 ext. 99





Order by phone 24 hrs / J days or send cashier's check/money order payable to BASIX. Visa, MasterCard & American Express include card # and exp. date, CA residents add 6% tax. Allow 2 weeks for clearance of personal and co. checks. Add 53:50 shipping/handling for continental U.S. 35:50 for UIS air COD's shipped to 48 states only, add 54:00. AK. HI, APO, EPO, add 57:50. CANADA acid \$10:00. Other Europa orders add \$15:00, and remit certified U.S. funds only. No credit card orders from outside North America. Dealers & Distributors invited & supported.

DISKMAKER...THE ONLY COPY SYSTEM YOU'LL EVER NEED!



Next, the Planting Season menu is displayed. You have four choices, each selection made by pressing one of the function keys:

Planting Season

f1...Market news f3...Your financial status f5...Planting f7...Sell crops on futures

Market news (f1) contains essential information for playing the game. You should always consult this item first. You'll see: 1. Yearly inflation rate, which affects all costs and can vary from 0 to 5 percent; 2. Fuel cost per gallon; 3. Herbicide and insecticide costs per unit; 4. Overhead costs (which include expenses for machinery, repairs, etc.); 5. Basic cost per acre (which includes taxes, land improvements, etc.); 6. Cost per bushel of grain seed (wheat, corn, and soybeans); and 7. Futures market price for each of the three crops. This last item is very important later in the game when it comes time to sell your stored crops. Press any key to return to the planting menu.

To review your current financial status, press f3. The screen displays the money currently in your bank account, the amount you owe the bank, the number of bushels of grain (wheat, corn, and soybeans) you have in storage, and your monthly grain storage fees (one and



Although the money situation is tight, this farmer has grain to sell later.

a half cents per month for each hushel). Again, pressing any key returns you to the planting menu.

Planting (f5) puts you into the main part of the game, which we'll look at a bit later. To sell crops, press f7. The going price was noted in the futures market item displayed in market news (f1). On your first year of play you'll have

no grain in storage and therefore none to sell. When you do have grain to sell later in the game, this screen will display how many bushels of each of the three crops you have in storage as well as the current futures market prices for each of the crops.

You'll then be asked if you wish to sell wheat (f1), corn (f3),



Based on the futures market, planting wheat looks like the smartest move.

soybeans (f5), or none (f7). If your response is "none" (f7), you're returned to the planting menu. Otherwise, select the crop to be sold. You're then prompted to enter the number of bushels you wish to sell (up to the total you have in storage). You can sell any amount. If you suddenly decide not to sell at this point, enter 0. After entering the amount of grain you wish to sell, you're asked if you want to sell more. Press Y if you do, otherwise, N returns you to the planting menu.

The main part of the game is Planting (f5). Unlike the other menu options above, you can't return to the menu once you've committed to planting. If you wish to look at your financial status, the market news, or sell crops on the futures market, do so before planting.

After selecting Planting, a message appears explaining that you have five fields of 40 acres each and that fields 1, 2, and 3 are average or slightly above average in yield, while fields 4 and 5 are slightly less than average producers.

For each of the five fields, you choose which of the three crops to plant. For field 1, enter 1 for wheat, 2 for corn, or 3 for soybeans, then repeat the process until all five fields have been planted. (It takes 1.5 bushels of seed to plant an acre of either wheat or soybeans, and

0.334 bushels of seed to plant an acre of corn.)

Next, the total acreage planted in the three crops is displayed and you're asked how many units per acre of insecticide and herbicide you wish to apply. Not applying enough herbicide and/or insecticide can drastically reduce your yields, but applying these chemicals beyond a certain level will not result in further benefits. The proper amount lies somewhere between 15 and 35 units per acre, but I'll leave it up to you to determine the optimal amount. Even with the correct amount applied there's still a slim chance that weeds, insects, or inadequate rainfall may reduce your yield.

After crops have been planted and the chemicals applied, the planting costs (seed, chemicals, and so on) are automatically deducted from your bank balance. If your balance drops below zero, you'll have to borrow money from the bank. The bank will let you have up to \$50,000 at a yearly interest rate of 12 percent. The minimum loan payment, due at harvest time, amounts to one-third of the loan balance. If you need to borrow over the \$50,000 limit, you are considered bankrupt, thus ending the game.

Reaping What You've Sown

After planting, the game moves directly into harvest time. At this point, you may sell or store your crop harvest, pay bills, and receive your futures crop check (if any).

A lot of important information appears on the screen at this time: 1. Selling price per bushel of each crop at the current market rate and the yield of each crop planted; 2. Your bank balance (after deducting planting expenses); 3. The amount of money you received from the sale of any stored crops on the futures market; 4. The value of this year's harvest if all were sold at the current market prices; 5. The minimum loan payment due; 6. Harvesting costs; 7. Fuel expense; 8. Cost per acre charges; 9. Overhead expenses; and 10. Crop storage fees. Also displayed are your total assets (bank balance + futures crop check + this year's harvest if sold at the current market rate) and your total

A SPECIAL OFFER from **COMPUTE!** Books

for Owners and Users of Commodore Computers

Buy any 2 of these books and receive a 15% Discount. You pay \$22.00 and save \$3.90! Buy all 3 books and get a 25% Discount. You pay only \$29.00, a savings of \$9.85!

An excellent resource for users of the 64, with something for everyone: BASIC programming techniques, a memory map, a machine language monitor, and information about writing games and using peripherals. This 264-page, spiral-bound book includes many ready-totype-in programs and games. \$12.95

Continues in the tradition of the First Book of Commodore 64 in presenting some of the best programs and articles from COMPUTE! Publications, many revised or never before published. There's something for almost any Commodore 64 user in this 289-page book: arcade and text adventure games in BASIC and machine language, a commercial software-quality word processor, a program which adds

41 new commands to BASIC, an electronic spreadsheet, tutorials about programming sound and graphics, and utilities for saving, copying, and retrieving files. \$12.95

COMPUTEIL MMODORE \$12.05

A collection of outstanding games, applications, tutorials, and utilities from the most recent issues of COMPUTE! magazine and COMPUTEI's Gazette, including several programs never before published. Commodore 64 users of all ages and experience will find this book informative, entertaining, and educational. Create an 80-column display, play educational and arcade-quality games, compose music, move sprites easily and quickly, and see how to program more efficiently and effectively. \$12.95

Buy Now—This Offer Expires November 10, 1985.


Yes! I want to save money while I enjoy COMPUTE! Books. COMPUTE!'s First Book of Commodore 64, \$12.95 COMPUTE!'s Second Book of Commodore 64, \$12.95 COMPUTE!'s Third Book of Commodore 64, \$12.95 All Orders Must Be Prepaid	To Order Call Toll Free 800-334-0868 (in NC call 919-275-9809) or mail this coupon with your payment to: COMPUTE! Books, P.O. Box 5406, Greensboro, NC 27403
☐ Payment Enclosed (check or money order) ☐ Charge ☐ MasterCard ☐ VISA ☐ American Express Acct. No Exp. Date Signature	Please send me: 1 Book for \$12.95 2 Books for \$22.00 3 Books for \$29.00
NameAddress	NC residents add 4.5% sales tax Add \$2.00 per book for shipping Total Paid
StateZip	Please allow 4-6 weeks for delivery. 75A1122

Get more out of your Commodore with

COMPUTE'S CANDINATION

FOR COMMODORE PERSONAL COMPUTER USERS

More fun



Martian Prisoner, The Viper, Skydiver, Snake Escape, Demon Star, Cyclon Zap, and Oil Tycoon are just a few of the ready-to-run games you'll find exclusively in *COMPUTE!'s Gazette* each month. Just type in the programs and watch your screen explode with colorful new computer game excitement.

More challenge

Ready to tackle more advanced projects? In COM-PUTE's! Gazette, you'll learn how to use tape and disk files, how to program the function keys, writing transportable BASIC, how to make custom graphics characters, new ways to enliven programs with sound, one-touch commands for the 64, how to use machine language, speeding up the VIC-20—and much more!

Children will learn and develop new skills with States & Capitals Tutor, Wordmatch, Munchmath, Wordspell, Connect the Dots, Aardvark Attack, and Alfabug. Computing for Kids, a regular monthly feature, will uncover new ways to involve your children in computing.



More programs

Programs to help you balance your checkbook, store your addresses, keep tax records, manage your personal business. You can create your own programs and games, improve your word processing, spreadsheets, and data base management, load and run faster with 64 Searcher, VIC/64 Program Lifesaver,

with a word or trucker of the control of the contro

Quickfind, Word Hunt, Disk Menu, VIC Timepiece, The Automatic Proofreader and more.

\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$

More buying guidance

You'll profit from comprehensive reviews of everything from data-quality cassette tapes to software to graphics plotters and modems. Virtually anything that's compatible with your Commodore is reported on in *COMPUTEI's Gazette*. With this kind of expert help, every computer purchase you make can be the right one!

Order now

All you do is mail the postpaid card bound into this issue. But don't delay! Subscribe now to start receiving every issue of COMPUTE!'s Gazette.

For Faster Service Call Toll-Free 1-800-334-0868 debits (loan payment due + harvest costs + fuel expense + overhead expense + basic cost per acre

+ crop storage fees).

Take special note of this information (again, writing it down can be the key to making careful decisions), then press any key to begin selling or storing your crops. You may sell all, none, or any portion of your total yield. You're asked how many bushels of each grain you wish to sell at the current market price. You may enter any number up to the total yield of that crop. Next, you're told how much money you would receive for that much grain. To change the amount, press f1 and reenter the number of bushels of grain to be sold. If the amount



Several crucial decisions are made at harvest time.

you first entered is OK, press f3. The unsold crop balance (if any) is automatically put into storage.

After all the grain has been sold or stored, you are asked to make at least a minimum payment on your loan (if you owe the bank any money). If, after selling or storing your crops and deducting all expenses, your bank balance dips below zero, you will again need to borrow money. The minimum amount you need to borrow is also displayed. Provided you're still solvent, the program cycles back to the planting menu and the game continues into the next year.

After playing for the number of years selected at the beginning, the final screen appears. The display includes your current bank balance,

the number of bushels in storage with their cash value, and the amount of money you owe the bank. These figures determine your ending bank balance. If the final balance is at or above the \$20,000 you started with, you've managed to make money (or at least to break even) and can be considered a good farmer. If your balance is below \$20,000, you were not successful.

Playing Strategies

Those who playtested this simulation during its developmental stages commented that this game is too much like real life—it's hard to make any money. True, it's not too easy to win, but it's not impossible either. With some thoughtful planning and good decision making (and maybe a little luck), you can make some money and win. Here are some suggestions that will help you succeed.

The amounts of herbicide and insecticide applied are crucial in determining your crop's success. As mentioned above, you should apply somewhere between 15-35 units per acre to get the best yield. The data in the table will help you decide if you've been applying enough of these chemicals. In the harvest cycle, the yield (in bushels per acre) of each crop planted is displayed. The table shows what the average yields of each of the three crops should be. Other factors can affect crop yields, but if you're getting consistently poor results, check to see if you've been applying enough insecticide and/or herbicide.

Your decision to sell or store your crops will depend on the price being paid for your crops at harvest time. If it's below the base prices for the crops shown in the table, or if you just want to gamble on even higher prices, you may want to store some or all of your harvest. But storing too much grain over a period of years can easily lead to bankruptcy, so be careful. Even though you sell your crops on the

futures market at planting time, you won't receive payment until harvest time. So if your planting expenses push you over the \$50,000 limit, you'll be bankrupt and the game will end.

Each of the three crops has its own special characteristics which you may want to consider at planting and selling time. Wheat and soybeans are the least expensive crops to plant while corn is by far the most expensive. However, your chances for a bumper crop (and therefore greater profit) are best with a judicious corn planting. Soybeans tend to be a steady producer, but the prices can vary greatly. The prices paid for wheat and corn tend to be the most steady.

Sometimes it will be necessary to store most, if not all, of your harvest and hope for a better price on the futures market in order to turn a profit. In this case, it may be necessary to go into debt temporarily to make money in the long run. Waiting for higher prices on the futures market can be a good way to earn a handsome profit, but if prices remain depressed for several years in a row it can be very costly (with high crop storage fees and the interest on your bank loan). Playing the futures market can either make a lot of money or result in bankruptcy.

Typing In The Program

The Farm Game, originally written for the 64, also runs on the VIC, Plus/4, and Commodore 16. All versions are in BASIC, so after typing in the program for your computer, save it, and type RUN. You should see the title screen within seconds. If you own a VIC, be sure to insert at least 16K memory expansion. Plus/4 and Commodore 16 owners must type in the Commodore 64 version and then add the substitution lines in Program 3.

If you'd rather not type in the program, I'll make a copy (64 version only). Send a tape (with at least five minutes per side) along with a self-addressed, stamped mailer and \$3 to:


Daniel M. Seurer 6818 Schroder Rd., Apt. 5 Madison, WI 53711

Fuel Costs Base Price Base Yield Crop Gallons/Acre Per Bushel Bushel/Acre 50 62 \$2.80 Wheat 85 100 \$2.33 \$6.30 31 60 Soybeans

See program listings on page 130.

Turnabout

Mark Tuttle and Kevin Mykytyn



This fast-moving strategy game finds you in quick retreat from the intelligent but unpredictable "whirligigs." Your only hope is to trap them. For the Commodore 64. A joystick is required.

From the moment you start, you're running to escape the menacing whirligigs, intelligent boomeranglike objects that home in and try to destroy you. There's no time to catch your breath. But surviving isn't the real goal. As you avoid them, you must be planning a strategy to trap them.

Swinging Doors

Before beginning the game, be sure to have a joystick plugged into port 2 on the 64. When the game starts, you're positioned near the middle of the screen, and the whirligigs begin their relentless pursuit immediately. The screen has a gridlike appearance with green lines connecting vertically aligned dots. Each line represents a door you can swing in any of four directions (up, down, left, or right) provided the space to which you push it is vacant.

To swing a door, simply push it away from you. (Fortunately, the whirligigs cannot move the doors.) There are two very good reasons why you need the doors to work for you: first, as temporary makeshift barriers when the whirligigs are very close on your tail; and second, to box them in.

The whirligigs are almost pure on the bonus timer plus an extra energy and must keep moving to 100 points multiplied by the num-

survive. If one is forced into a stationary position for even the slightest amount of time, it disintegrates. Thus, your job is to surround a whirligig by hemming it in on all four sides. Each whirligig must be surrounded by four adjacent doors—you won't destroy them if you trap two or more together.

If you wish to pause the game at any time, press SHIFT or SHIFT-LOCK. Press it again to resume play.

Increasing Difficulty


You begin the game at level 1 with three lives. At this point, there are only two whirligigs to contend with, but two are a handful as you'll see. By eliminating all whirligigs on one level, you progress to the next level and earn points. Each successive level (through 6) introduces one extra whirligig. At levels 7 and higher, the number of whirligigs remains the same (seven), but their speed increases while yours remains the same.

Scoring is directly related to the speed of your success. You receive 50 points for each whirligig eliminated. If you succeed in completing a level, you are awarded points equal to the time remaining on the bonus timer plus an extra 100 points multiplied by the num-

ber of the current level. You do not receive any points for just surviving.

The bonus timer starts at a number 100 times the current level and slowly winds down. If it reaches zero, the speed of both your player and the remaining whirligigs will increase until you lose a man or clear the screen of whirligigs.

The number of lives remaining is represented by the figures at the lower left of the screen. These figures include your current life. You gain an extra life after the completion of two levels, but you can never have more than three lives at any point. If you advance two levels and still possess three lives, you receive a bonus of 250 points. Any contact with a whirligig results in the loss of one life. The game is over when you've exhausted your supply of lives.



Two whirligigs are temporarily trapped, but the third is hot on the player's trail.


Remember, whirligigs are extremely intelligent and never relinquish their pursuit. It is recommended that you constantly move about to temporarily confuse the whirligigs, thus allowing time to plan your strategy.

Typing It In

Since "Turnabout" is written entirely in machine language, you must use MLX to type it in. MLX is published frequently in the GAZETTE. First load and run MLX, then when prompted for the starting and ending addresses, enter 49152 and 51569, respectively.

After typing it in, be sure to save a copy. To load, type LOAD "filename",8,1 and to run, enter SYS 49152.


See program listing on page 124.



... available today!



Super C - Most advanced C package for the C-64/C-128. Since Super C supports the full K&R language (w/o bit fields), programs are transportable to other computers. It's a perfect learning tool for schools and industry. Super C package includes a complete source editor with 80 column display using horizontal scrolling, search/replace, 41K source files. Linker binds up to 7 separate modules. I/O library supports standard functions like printf and fprintf. Includes runtime package. \$79.95



For C-64/C-128 on diskette

Super Pascal - Not just a compiler, but a complete development system. It rivals even Turbo Pascal[©] in features. Super Pascal includes an advanced source file editor; a full Jensen & Wirth compiler; system programming extensions, a builtin assembler for specialized requirements, and a new high speed DOS which is 3X faster than standard 1541. Produces fast machine code. Supports program overlays, high precision 11 digit arithmetic, debugging tools, graphic routines and more. \$59.95

Call now for our free software and book catalog and the name of your nearest dealer. If he's out of stock, have him order our products for you. Credit card orders call 616/241-5510. Add \$4.00 shipping and handling per order (foreign add \$8.00/item).

Abacus Soft

P.O. Box 7211 Grand Rapids, MI 49510 For fast service call 616/241-5510

Atom Shoot

George F. Clement

The rules are simple, but you can't win without some intelligent deductions—and maybe a little luck. A challenging game of logic for the 64, Plus/4, 16, and unexpanded VIC.

In this game, you're a physicist engaged in important research into subatomic particles. As part of the research, you must find 25 quarks within a superthin quartz crystal.

The rules are fairly simple: You shoot atoms into the small crystal (which is only 15 atoms wide, 10 atoms deep). If there are no quarks blocking the path, the atom follows a straight path and comes out the other side. But if a quark is in the way, the atom bounces away at a right angle. And it's possible for atoms to ricochet off several quarks. They might even exit exactly opposite the entry point, making it look like the atom followed a straight path.

If you think you've found a quark, you can take a guess about the quark's location and type. You gain points for a correct guess, but lose points if you're wrong. There are more points available at the beginning of the game, when fewer atoms have been used up. You have a supply of only 25 atoms, so they must be used wisely. When you've used them all, the game is over and you'll be shown any quarks you didn't find.

Two Types Of Quarks


Atoms shot into the grid can be deflected by one of two kinds of quarks, left-handed or right-handed. If you shoot an atom upward (from south to north), a left-handed quark changes the atom's direction to the left (or west). A right-handed quark deflects the atom to the right.

The quarks act like a two-sided mirror:

Atom Shot From	New Direction
Left-Hande	d Quarks
North	East
South	West
East	North
West	South
Right-Hand	ed Quarks
North	West
South	East
East	South
West	North

Typing Instructions

There are two versions of "Atom Shoot," one for 40-column Commodore computers (64, Plus/4, and 16) and one for the 22-column VIC.




Some quarks can be found easily—others are more elusive (64 version).

Commodore 64 owners should enter Program 1 and save to tape or disk before running it. For the Plus/4 and 16, type in Program 1 (the 64 version), but substitute this line:

10 COLORØ,1:COLOR4,1:POKE1344, 128:CLR:KB=239:POKE2025,255 :ZZ=1000

The VIC version runs without memory expansion. Remove or disable memory, type in Program 2, and save it to tape or disk. The rules



Confused by Mail Order Ads???

Price is not the only concern. You should ask . . .

- 1. Do you have the advertised product in stock?
- 2. If the product is defective who handles the warranty?
- 3. What is the total price delivered to my door?

For the straight answers to these and all your questions, call us!

NEW C-128!!! Call for pricing, availability & software.



Send A Stamped, Self-Addressed Business Envelope for A Complete Product Listing!!! C-64 Hardware Still Available, CALL!

C-128 HARDWARE

1700 128K Expander	1571 Drive	350K DS/DD
1750 384K Expander	1670 Auto Modem	. 1200 Baud
1902 Color Monitor 13" RGB/Com	posite . 80/40 Col	lumn Display
Teknika MJ22 Same Specs as 1902		
1350 Mouse		

C-128 SOFTWARE

... Integrated Software for use with 1350 Perfect Calc/Writer/Filer, . . . Powerful CP/M Business Software



STAR SG10 2K Buffer NLQ Mode

We stock a complete selection of ribbons

Powertype Daisywheel 18 CPS	Xetec Super Graphics NEW,
with Xetec \$354	8K Buffer, NLQ Mode, Downloadable
Okidata 182 Call	Fonts, A BEST BUY Call
Riteman C+ Call	MW-350 Interface Call

MONITORS

C 10" A	675	Taknika MI10	\$180
Comrex 12" Amber .	3/3	Teknika Wij 10	 \$105

MODEMS

Master Modem by Video 7 NEW, 300 Baud, Auto Dial/Answer Up/Download Software, CompuServe Sample, American Made Best Buy \$49 Commodore 1660 \$59 VIP Terminal Call CompuServe Starter Kit & Vidtex . . . Both for 39.95

ACCESSORIES

Com Cool Drive Fan \$49	Power Pak \$27
Com Cool Plus w/ surge 69	Surge Protector 4-Plug 25
- CDECIAL . Vider Diskettes	SS/DD \$10.95 . SPECIAL .

SPECIAL Xidex Diskettes SS/D NAUGAHYDE COVERS by AMERICAN COVER Commodore C-128 or 1571 Drive each \$ 8 1702 Monitor C-64 or 1541 Drive . . . ea. \$6 1525/MPS 801 8 MSD Drives 1/2 6/7 1526/MPS 802 9 Gemini 10X & SG-10 9

DATABASE MANAGERS

DATABASET	
The Consultant \$59	PFS:File
Super Base 64 49	PFS:Report 49
WORD DRO	OCESSORS

WO	IND IN	OCLOSORIO							
Paper Clip/& speller	\$55/69	Easy Script .			٠				\$35
Fleet System 2	Call	Easy Spell				• •	•		17
		THE PARTY OF THE P	140	ME				40	

MOST ORDERS SHIPPED WITHIN 48 HOURS! Advertised prices are for bank check or money order. VISA/MC orders add 3.5%, NO C.O.D ORDERS. Personal or company checks delay orders 21 days. All sales are final — defective merchandise exchanged for same product only. Call for return authorization number. All returned products are subject to a restocking fee unless they are defective and returned for exact exchange. In the continental U.S. add 3% for shipping [\$2.50 min.] Please call for shipping on monitors. Ohio residents add 5.5% sales tax. Prices & availability subject to change.

HOURS: MONDAY-FRIDAY 11 AM to 7 PM · SATURDAY 10 AM to 5 PM

38-26 ORDER INFORMATION & IN OHIO 216/758-0009



1301 BOARDMAN-POLAND ROAD POLAND, OHIO 44514

STARPOINT SOFTWARE proudly presents

0 + 0 + 0 + 0 + 0 + 0 + 0 + 0 = 0

DB CHIP GRACEY

[say |cepick], a revolutionary new concept in software back up for the Commodore 64. ISEPIC is not a disk duplication system, but an extraordinary hardware/software combination that actually bypasses any disk protection scheme. ISEPIC captures and saves the protected program as it runs in the 64's memory, this "snapshot" becomes accessible to the user for complete inspection and alteration. From this image, ISEPIC can automatically create a compact, auto-booting, fast-loading file which is completely unprotected and self contained.

- Backs up almost ALL memory-resident software
- ISEPIC'd programs load many times faster than originals
- ISEPIC is invisible to software—cannot ☆ be defeated
- Eliminates drive "knock" due to antique protection schemes
- Automatically backs up protected programs into single, auto-booting, superfast loading files
- Place multiple programs on a single diskette
- Create auto-booting, fast-loading versions of your own programs
- Back up programs are completely selfcontained and run independently of the ISEPIC adapter
- Backs up software with a flick of a switch
- ISEPIC comes complete and ready-torun, just plug into expansion port
- Programs backed up by ISEPIC may be used on MSD or 4040 drives as well as hard disks regardless of original protection schemes
 - . FOR ARCHIVAL PURPOSES ONLY .

When ordering by mail:

- * \$64.95 + 3.00 shipping * \$64.95 + 4.00 COD orders
- Calif. residents add 6% sales tax
- VISA or Mastercard accepted
- * Shipping out of USA \$6.00

Please allow 4-6 weeks for delivery.

. . . WRITE OR PHONE . . STARPOINT SOFTWARE

Gazelle, CA 96034

[916] 435-2371

"Most Exciting Fall Lineup... Activision."

-Dennis Lynch Computer Games

"A spectacular combination of sight and sound...you'll love this game."

-Charles Ardai/Computer Entertainment



A spectacular journey through space and time. The king is dead and you must help the young prince prove his mental and physical worth. Reassemble the magic lamps and return the mischievous genies to their rightful place and the prince to the throne. Designed by Russell Lieblich and Peter Kaminski.

Created for the Commodore 64/128, the Apple II series and Atari 800, XE, XL and compatible computer systems. "...no limit to the complexity..."

-Marc Randolph/USA Today



Enter Alcazar. The crown jewel of castles in a mysterious moorish landscape. To reach the coveted fortress, you must venture through a broad countryside of ancient castles. But beware, each is filled to the turrets with fantasy, magic and danger. Designed by Tom Loughry.

Created for the Commodore 64/128 and the Apple II series.

"The unknown surprises lurking behind closed doors keep you playing...on and on."

-Computer Entertainer Newsletter



An underground energy plant powers all of North America. But, somewhere deep within its core, a tiny glitch threatens a transcontinental blackout. You must assemble a force of skilled robot commandos, investigate the problem and repair it before the shutdown activator counts down to zero. Designed by Creative Sparks.

Created for the Commodore 64/128 and the Apple II series.

"...Road Race is now the best racing game on the market."

-Edward Semrad/Milwaukee Journal



Strap yourself in! You're about to start the race of a lifetime. A high speed, coast-to-coast rally up, down and across three thousand grueling miles of changing weather, changing terrain and traffic, traffic, traffic. Monitor changing road conditions, speed, fuel, RPM's, destination times and, of course...your police radar detector. You just may drive yourself into the top ten finisher board at the end of the race. Designed by Alex DeMeo.

Created for the Commodore 64/128, the Apple II series and Atari 800, XE, XL and compatible computer systems.

The Next Generation.

The Excitement Starts Here:

ALABAMA
Software City
Toys R' Us
Zayre
ARIZONA
Labelle's
Wherehouse
CALIFORNIA
Computer Junction
Computer Video Depot
Comsoft
Feghead Software
Kunz Photo
Personal Computers Etc.
Software Center
Software House
Toys R' Us
Wherehouse

COLORADO Labelle's Software Centre Wherehouse CONNECTICUT

CONNECTICOT
Caldor
Caldor
Child World/Children's Palace
Danbury Video & Computer
Derric Electronics
Electronic Boutique/
Games N' Gadgets
Kiddytown

Kiddytown Software Kingdom Success Software 20th Century Toys R'Us Video Connection

DELAWARE Electronic Boutique/ Games N' Gadgets Toys R' Us FLORIDA

Computer Image
Computer Specialties
Data Base
Discount Video
Electronic Boutique/
Games N' Gadgets
Micro Computer Center
Rainbow Computer
Software City

Toys R'Us 2004 The Computer Store Zayre

GEORGIA Electronic Boutique/ Games N' Gadgets Software City Toys R' Us Versatile Video Zayre IOWA Child World/Children's Palace Zayre

IILINOIS
Child World/Children's Palace
Complete Computing
Computer Outlet
C.R. Technologies
Family Software Inc.
Protecto
Software Plus
Toys R'Us
Zavre

INDIANA Child World/Children's Palace Computer Corner The Computer Statement Toys R' Us Zayre

KANSAS Child World/Children's Palace Wichita Software Center

KENTUCKY Child World/Children's Palace Toys R' Us Video Visions Zayre LOUISIANA

Toys R'Us

MASSACHUSETTS
Barnes & Noble
Caldor
Child World/Children's Palace
Computer Concepts
Electronic Boutque/
Games N' Gadgets

LCA Video Nichol's Electronics The Whiz Computer Store Toys R'Us Tycom Inc. Zayre

MARYLAND Caldor Compuvision Electronic Boutique/ Games N Gadgets Instant Replay KSI Program Store

KSI Program Store
The Software Store
Toys R' Us
Waldorf Computer
Zayre
MAINE

Child World/Children's Palace Electronic Boutique/ Games N' Gadgets Toys R' Us Zavre MINNESOTA Boffin Ltd. Budget Software Computer Exercise World Computer Food Computer of Woodbury

Computer food Computer of Woodbury Computer Plus Computer Satisfaction First Tech Labelle's North Woods Computer

Saylor's Software First Shopco Software Centre Wizard Works

MICHIGAN Computers Today E&S Video Labelle's Micro World Toys R' Us Zayre

MONTANA Child World/Children's Palace Labelle's

MISSOURI Child World/Children's Palace Zayre

MISSISSIPI Zayre NORTH CAROLINA

Brendle's Electronic Boutique/ Games N' Gadgets Selective Software Zayre

NORTH DAKOTA Labelle's NEBRASKA

NEBRASKA Computers Plus Software City NEVADA Toys R'Us

Toys R' Us Wherehouse NEW HAMPSHIRE Caldor Child World/Children's Palace

Child World/Children's Palac Electronic Boutique/ Games N' Gadgets Toys R' Us Zayre NEW JERSEY

Bayonne Computer Center Caldor Child World/Children's Palace Computer Discount of NJ. Computer Pros Computer Sales Company Computer Software Plus Electronic Boutique/ Games N'Gadgets

Games N' Gadgets Family Computer Center Gemini Enterprises Igor Records Ippy's Kearny Electronics Little Computer Store Prince Range

Frince Kange Softec Software Center Software City Software Spectrum Software Station The Program Store Toys R' Us Video Connection

Video Connection Video Dynamics Video Mania Village Computer

NEW MEXICO Labelle's NEW YORK Adirondack Computer Supply Advanced Camera Annex Outlet

Barnes & Noble
Broadway Computer
Buffalo Family Computers
Byte Shop
Caldor
Child World/Children's Palace

CIA. Software
Computer at D.O.A.
Computer Factory Outlet
Computer Factory Outlet
Computer World
Duane Sales
East 33rd Street Typewriter

Electronic Boutique/ Games N' Gadgets

Electronic Man
Focus Electronics
45th Street Electronics
Four Guys
4th Street Computer
Glossy Photo
Great American Software
Inter-Continental
J&R Music World
J&S
Leigh's Computer
Leon's Computer Man
Lloyd's Corner

London Luggage Mibro Micro Electronic Micro Images Montgomery Grant Park Avenue Video Photo Sound Programs Plus Quartz Electronics Quovadis

17 Software Place Show & Tell Softique Software Centre Software City Software House Software Link Software Seller Software Super Mar

Software Super Market The Software Place Toys R' Us Typewriter Technicians Video Update Wall Street Camera Willoughby's

OHIO
Abbey's Software
Basic Computer Shop
Child World/Children's Palace
Dunn Hardware

Dunn Hardware
Electronic Connexion
Fairborn Home Computer
Games N' Gadgets
Maumee Valley Computer Center

Microcenter Microwave Magic North Coast Programming Toys R'Us Video Express Video H.Q.

Zayre
OKLAHOMA
Toys R'Us
OREGON
Espherad Software

Egghead Software Software Shuttle Toys R'Us Wherehouse PENNSYLVANIA

Basic Computer
Child World/Children's Palace
East Coast Software
Electronic Boutique/
Games N' Gadgets

Home Computer
Second Childhood
Some Hole in the Wall
Toys R'Us
Zayre
RHODE ISLAND

Caldor Child World/Children's Palace Electronic Boutique/ Games N' Gadgets Future Images Toys R' Us Zayre

SOUTH CAROLINA Electronic Boutique/ Games N' Gadgets SOUTH DAKOTA

Labelle's
TENNESSEE
Cardinal Computers
Child World/Children's Palace
Toys R' Us

Child World/Children's Palace Toys R' Us Zayre TEXAS Child World/Children's Palace

TEXAS Child World/Children's Palace Frisco Electronics Toys R'Us

UTAH Armadillo Brothers Electronic Boutique/ Games N' Gadgets Labelle's

Stokes Brothers

VIRGINIA
Games N' Gadgets
New Age Electronics
Metro Software
Software Market
Software Plus
Toys R' Us
Zavre

VERMONT Zayre

WASHINGTON
Egghead Software
Media Man
Software Plus
Toys R'Us
Wherehouse

WASHINGTON D.C. Program Store Toys R'Us

WISCONSIN
Computer Software Center
Fox Valley Personal Computer
Mayfair Computers
Starting Computers
Top Tech
Zayre

WEST VIRGINIA Child World/Children's Palace Computers Plus WYOMING

For additional new product information, call any weekday 800-227-9759 (in California call 415-960-0410).

Not all stores carry each product.



are somewhat different to accommodate the VIC's 22-column screen and the smaller amount of memory. See the VIC Programmer's Notes for details.

Shoot Or Guess

You have three options at the beginning of each round: shoot, guess, or quit. Press S, G, or Q accordingly. If you choose to shoot, a letter appears in the top left corner. The letters start at A, and end at Y. They represent the 25 atoms you have in supply. Use the greater-

than (>) and less-than (<) keys to move the letter around the edge of the grid. When you've reached the spot you've chosen, press RETURN to shoot the atom.

The atom flies into the grid, bounces off quarks, and exits at another position, which will be marked with the same letter. The entry point will always be different from the exit (except in the VIC version—see Programmer's Notes).

After shooting an atom, you again have the option of shooting or guessing. Remember that the early guesses are worth more

points. If you choose to guess, press G. The computer asks where you think the quark is: which column and which row. Next, a pointer appears in the corner. Use the "<" and ">" keys to position the pointer to the type of quark you think you've found. If the guess is right, the quark appears on the grid. If not, a checkerboard shape is printed.

The Quit option ends the game, with an invitation to play again. The game also ends after you shoot the last atom (letter Y). Either way, the undiscovered quarks are

VIC Programmer's Notes

John Krause, Assistant Technical Editor

Atoms are so tiny that we can't see them, but we know they exist. How do we know? By observing the way they affect other things.

In the VIC version of "Atom Shoot," you try to deduce the position of five atoms within an 8 × 8 matrix by bombarding the matrix with electron beams, and observing how they're affected by the atoms. The object is to use the least number of beams.

When you run the program, you'll see the space matrix in the center of the screen. It appears as a square array containing 64 possible positions for the atoms. You send a beam into the matrix by using the joystick to move the cursor to one of the 32 locations on the perimeter of the matrix, and pressing the fire button.

An Invisible Beam

Since electron beams are invisible, you can't see the beam as it travels through the matrix. All you see is the end result. It takes about one second for the beam to complete its journey, at which point the computer records the result by placing color-coded squares on the perimeter.

Once a beam enters the matrix, three results are possible. One is that the beam exits the matrix at one of the other positions on the perimeter. This is a miss. The beam

may go straight through to the other side, but if an atom is close to the beam's path, the beam will be deflected as shown in Figure 1. It may deflect off of several atoms before finally exiting the matrix. A miss is indicated by two red squares—one marking the entrance and another, the exit. To avoid confusing the squares of one miss from those of other misses, each miss is assigned a unique letter, and the paired squares are labeled with the corresponding letter.

Another possible result is that the beam doesn't exit the matrix. This is called a hit and is indicated by a purple square at the entrance. It occurs when an atom is directly in the beam's path as shown in Figure 2. The atom stops the beam by absorbing all of its energy.

A third possibility is that the beam exits the matrix at the same position that it entered. This is known as a reflection, and it can occur in two ways. One is if two atoms are on both sides of the beam's path as in Figure 3. The beam deflects off of both atoms simultaneously, causing it to reverse direction and retrace its path back to the entrance.

A reflection can also occur if an atom is adjacent to the entrance as shown in Figure 4. In this case, the beam barely enters the matrix before being deflected back out.



Winning requires strategic shots and logical thinking (VIC version).

Both types of reflections are indicated by a yellow square at the entrance.

Only One Guess

You can guess the position of the atoms at any time, but you get only one guess. If you're wrong, you lose the game, so it's best to wait until you're pretty sure you know where they all are. You make your guess by placing atom markers on five of the 64 positions within the space matrix. A marker appears as a white ball and is placed by moving the cursor to the appropriate position and pressing the fire button. If a marker is already there, it will be removed, allowing you to reposition a marker if you change your mind.

You don't have to place all five markers down at once. It's a good idea to place one down as soon as you think you know where an atom is. Your guess is not complete until

You've Stumbled Into An Unknown Computer System. Now What?

Welcome To The Next Generation Of Home Computer Software.

"Plunge into every hacker's dream."

-Rick Manning/Louisville Times

"Just like in real life, there are no rules, no clues, no instructions."

-David Greising/Technology Memo

"... the most mysterious game ever."

—Rawson Stovall/"The Vid Kid"

"An open screen says 'logon please.'
That's it, no instructions."
—Technology Notebook/Gannett News Service

Hacker[™]

TEMPTATION. get to start with. To stumble Into somebody else's That's It. From computer system. there, it's up to you. To be some-If you're clever place you're really not supenough and smart enough posed to be. And to get the you could you've never before experienced on your computer.

What more can we say? Well, someone as clever and smart as you certainly wouldn't want any hints, right? So all we'll say is it was created by legendary designer, Steve Cartwright.



ACTIVISION HOME COMPUTER SOFTWARE

The Next Generation.

Lyco Computer





DISKETTES

SKC (Box 10) 10 100 500 13.75 12.99 11.99 15.75 14.99 14.25 **ELEPHANT (Box 10)** SSSD SSDD DSDD 13 50 14 99 16 99 Premium SSDD 15 95 Premium DSDD 17 95 MAXELL (Box 10) 5¼ MD-1 16.75 15.75 14.75 5¼ MD-2 22.99 21.99 20.99 VERBATIM (DataLife) (Box 10) 514 SSDD 19 99 18 99 17 99 514 DSDD 24 99 23 99 22 99

NO LABEL DISKETTES

NL 5¼" SSDD...10.99 (Box 10) NL 5¼" DSDD...15.99 (Box 10) Free Diskette Writer Pen! Free Storage Case! *Lifetime Warranty!

PRINTING PAPER

3000 SHEETS FANFOLD ... \$42.75 1000 SHEETS FANFOLD 1000 SHEETLETTER \$21.95 200 SHEETS LETTER \$8.99 150 RAG STATIONARY \$10.99 MAILING LABELS (1in.) \$9.95 14 x 11 1000 FANFOLD \$24.75

COMPUTER CARE

NORTRONICS DISK DRIVE CLEANER with software REG. 49.95 NOW 19.95

COMMODORE SOFT-WARE

WICO Joysticks

15-9714	Bat Handle	16.75
50-2030	Boss	.11.99
50-2002	Super 3-Way	19.99
50-0110	IBM-Analog	29.95
50-1030	Apple-Analog.	29.95
72-4545	Trackball	29.95
12-4545	Hackball	23.33

INNOVATIVE CONCEPTS Fip-n-File 10 Fip-n-File 15 Fip-n-File 25 Lock Fip-n-File 50 Lock Fip-n-File 50 Lock Fip-n-File Rom

COMMODORE

C-128 NEW	CALL
1571 Drive	CALL
1572 Drive	CALL
1902 Monitor	CALL
1670 Modem	CALL
C-64 Computer	CALL
MPS801 Printer	189
MPS801 Printer	LOW
1702 Monitor	
Simon's Basic	24.75
Assembler 64	34.75
Super Expander	22.75
Logo 64	
Pilot 64	38.75
Easy Cale	
Easy Script	38.75

SPINNAKER (C-64ROM)

Cosmic Life ROM	19	75
Jukebox	19	.75
Alphabet Zoo	17	.75
Alf in Color Caves		.75
Up for Grabs	19	.75
Delta Drawing	19	.75
Kids on Keys		.75
Kindercomp		.75
Facemaker	17	.75
Fraction Fever	17	.75

EACTEDN HOUGE

EASTERN HOL	っつこ
Rabbit C-64	19.95
Rabbit VIC-20	19.95
MAE C-64	27.95
Telstar 64	19.95
M.L. Monitor 64	18.95

KOALA

(C-64) Koala Pad.....59.95

CARDCO

189.95
34.95
54.00
49.95
29.00
29.00
29.00
29.00
29.95

HES

HES Games 84	22.95
Omni Writer/Spell	34.95
HES Mon 64	23.95
Microsoft Multiplan	55.00
Type N Write	19.95
Turtle Graphics II	23.95
Cell Defense	22.95
Paint Brush	12.95
Tri Math	22.95
Graphics Basic	27.95
HES Kit	29.95
Millionaire	23.95
64 Forth	24.95
HES Writer 64	24.95
	_

CONTINENTAL

(C-64)
Home Accountant44.7
1984 Tax Advantage 35.75
1985 C-64 Book of Software 16.9

ADVENTURE

Diskey	32.95
Ultra Disassembler	32.95

MICROPROSE (C-64)

Kennedy Approach	21.7
Crusade in Europe	24.7
Decision in Desert	24.7
Solo Flight	20.7
Nato Commander Spitfire Ace	20.7
F-15 Strike Eagle	20.7
Hellcat Ace	18.7

SCARBOROUGH (C-64)

Build A Book	24.7
Improved Mastertype	23.7
NET WORTH	48.7
Mastertype Filer	22.7

SSI (C-64)

Colonial Conquest24.75	
Wings of War24.75	
Computer Ambush34.75	
Field of Fire24.75	
Fighter Command36.75	
Kampfgruppe36.75	
Mech Brigade36.75	
Market Garden29.75	
Warket Garden29.75	
Six Gun Shootout24.75	
Computer Baseball24.75	
Computer Quarterback24.75	
Imperium Galactum24.75	
Phantasie 24.75	
Phantasie	
50 Mission Crush24.75	
Questron 24.75	

EPYX

(C-64)	
Fast Load	26.75
Breakdance	23.75
Greatest Baseball	24.75
Summer Games	26.75

BATTERIES INCLUDED Paper Clip 59.95 Spell Pak 34.95 Consultant 59.95 Paper Clip WSpell Pak 75.95 Home Pak 34.95 Bus Card 129.95 80 Column Board 109.95

BRODERBUND (C-64)

The Print Shop	28.75
Graphics Library	.10./3
Graphics Library II	.19.75
	19.75
Bank St. Writer	32.75
Loderunner	20.75
Mask of the Sun	.24.75
	19.75
Serpent's Star	.24.75 18.75
	18.75

SUB LOGIC (C-64) Flight Simulator II....32.75 Night Mission Pinball....20.75

QR & D

Copy Q......27.95 GPC Printer Interface....65.00

PERSONAL PERIPHERALS

Super Sketch 64 32.75 Printer Utility 18.75

AMERICA'S MAIL ORDER HEADQUARTERS LYCO COMPUTER

WORLD'S LEADER IN SALES & SERVICE

TO ORDER CALL TOLL FREE 800-233-8760 In PA 1 717-327-1824 Lyco Computer P.O. Box 5088 Jersey Shore, PA 17740

Lyco Computer



Marketing & Consultants



SAVE

ON THESE



-	MOIXA	
GP550AT GP550CD GP550PC GP550AP GP700AT GP700AP ELITE5CD GP100AT	(C-64 (IBM) (Apple) (Atari) (Apple) (C-64)	239 239 229 269 439 439 229 CALL
	ITOIL	

GP100AT (Atari)	CAL
C. ITOH	
PROWRITER 8510AP. 8510AP.+ 8510BP. 8510SP. 8510SCP. 8510SCR. 7500AP. 7500AR. 1550P. 1550BCP. 410-30P. F10-40P or S. F10-55P or S.	29 30 37 42 44 46 20 24 43 45 46 44 85
F10 Tractor F10 Sheet Feeder	24

CARDCO 32K BUFFER (C-64)	59
CITIZEN	
MSP-10 MSP-15	289 449 449
MSP-20 MSP-25 Sheetfdr (10/20) Sheetfdr (15/25)	569
	199
CORONA	2699
LP300 Laser Printer 200361 Toner Cartridge	89

EPSON	
LX8O (NEW)	22
FX80+	34
FX100+	47
JX8O Color	48
HOMEWRITER 10 (New)	36
HOMEWRITER 10 (New)	CAL
CR220 (C-64)	15
LQ1500 Par	
LQ1500 Ser	105
HI80 Color Plotter	37

JUKI	
Juki 6100 RS232 Serial Board	375
6100 Tractor	119
6100 Tractor 6100 Sheet Feeder Juki 6300	209 765
OKIDATA	
Okimate 10	CALL

Okimate 10 Okimate 20	CALL CALL 215
192	349
92P 93P	349
92 Imagewriter *IBM versions also	
IBM Versions also	

BROTH	ER
HR-15XL-P HR-15XL-S	35
HR-35P HR-35S	83
2024L-P M1009-P	94

LEGEND

DIGITAL	
16K BUFFER 32K BUFFER 64K BUFFER	75 89 125
TOSH P351	IIBA 559 1289
MICRO Microstuffer	BITS 99

14110100101101	
DIAB	LO
D25 630API	1599
630ECS	1759
D801F P32CQ1	2395
P38 C150	1749
C150	999

PANASO	NIC
1091 1090 1092 1093 3151 Letter 4K Buffer	239 185 375 429 429
SILVER F	REED
EXP400 EXP500 EXP550	249 295 409

EXP770	749
STAR MICH	ONICS
SG-10	215
SD-10	339
SD-15 SR-10	445
SR-15	585
Powertype SB-10	305 CALL
SG-10C-64 (NEW)	CALL

MONITORS

AMDEK 300 Green 1 300 Amber 1 310 Amber IBM 1 Color 300 Audio 2 Color 500 Composite 3 Color 600 4 Color 710 5	39 55 45 69 29	SAKATA SG1000 12' Green SA1000 12' Amber 10' SG1500 12' Green TTL SA1500 12' Amber TTL SC100 13' Color Comp SC200 13' RGB STSI Tilt Stand 25'
	95 35 35 75 65 39	PRINCETON GRAPHICS MAX-12 Amber 199 HX-12 RGB 475 SR-12 RGB 599 X-TRON Comcolor Composite Green 185
PANASONIC DT 1300 RG1 composite2	299	TAXAN
ZENITH ZVM 122A Amber ZVM 123G Green ZVM 124 Amber IBM 1 ZVM 131 Color 2 ZVM 133 RGB 2 ZVM 135 Composite 4 ZVM 136 Hi Res Color 5	75 29 75 89	115 12 Green Composite CALL 116 12 Amber Composite CALL 121 12: Green TTL 13 122 12: Amber TTL 14 220 14 Color Composite 25 410 12: RGB Hi Res IBM 323 420 12: RGB Super Hi IBM 403 440 12: RGB Ultra Hi Res 56 Tilt Stand 33

DRIVES

MSD SD1 Drive (C-64)
INDUS GT ATARI GT COMMODORE 235

INTERFACING

QRD	AXIOM
GPC (C-64)	Parallax (C-64)
CARDCO G-Wiz (C-64) 54 C/7 + G (C-64) 45 C/7PS (C-64) 49 C/7B (C-64) 39	DIGITAL DEVICES U-Print C (C-64)49
TYMAC	ORANGE MICRO
Connection (C-64)55	Grappler CD (C-64) 79

MODEMS

HAYES		
SMARTMODEM 300 139 SMARTMODEM 1200 379 SMARTMODEM 1200B 349 SMARTMODEM 2400 599 MICROMODEM IIE 135		
ANCHOR		
Volksmodem		

NOVATION
IBM 300/1200 MS-DOS ext 319
IBM 300/1200 CPM-86 ext 319
IBM 300/1200/2400 ext 529
IBM 300/1200/2400 MS-DOS 579
IBM MS-DOS int
IBM CPM-86 int
Macmodem 300/1200 31:
Macmodern 300/1200/2400 58
Apple Cat II
Upgrade Apple Cat II

	ORANGE MICRO
.55	Grappler CD (C-64) 79
_	

TELE LEARNING

WESTRIDGE MODEM (C-64) MITEY MO MODEM (C-64) Compuserve 15

Total Telecommunications (C-64) AP-250 (300 Baud Apple) IB-250 (300 Baud IMB)



TO ORDER



CALL TOLL FREE

800-233-8760

or send order to Lyco Computer PO Box 5088

Customer Service 1-717-327-1825 Jersey Shore PA 17740

RISK FREE POLICY

In-stock items shipped within 24 hours of order. No deposit on C O D. orders. Free shipping on prepaid cash orders within the continental U.S. Volume discounts available. PA residents add sales tax. APO. FPO. and international orders add \$5.00 plus 3% for priority mail service. Advertised prices show 4% discount for cash, add 4% for MasterCard or Visa. Personal checks require 4 weeks' clearance before shipping. Als about UPS Blue and Red label shipping. All merchandise carried under manufacturer's warranty. Free catalog with order. All items subject to change without notice. to change without notice.

printed to the screen in a different color.

Strategies

At the beginning of the game, shoot along the edges. Quarks there are usually easier to find.

Don't waste atoms shooting from a known exit point. Exits and entries are symmetrical (if you shoot from location A and the exit is at location B, then shooting from B will always end up at A). Pathways are also unique; each entry point has a single exit point which no

other entry point shares.

Pay attention to the time the atom takes between entry and exit. Longer pathways take more time.


It helps to keep track of which pathways have been "solved." Write down the letters A-Y and cross them out when you discover an explanation for each path. When more quarks are discovered, go back and see if you can trace through the unsolved pathways.

Although it's possible for an atom to bounce off eight (or more) quarks, assume that there are only one or two bounces, until you're

proven wrong. Go for the simplest hypothesis as it's often correct.

You may encounter a frustrating situation: All pathways seem to be explained, but you've discovered only 24 of the 25 quarks. In such a case, look for a path that crosses itself. There may be a quark at the intersection. When the atom reaches that point, it bounces the other way rather than traveling straight through.

It's not always possible to find every quark through logic alore. But with reason and a little luck, you can usually solve the grid. See program listings on page 128.



MSD Sure Copy

At last a complete utility package for the MSD Dual Drive. This is the first MSD utility program that does it all. The main menu options include:

Sure Copy will put all errors automatically on disk: 20, 21, 22, 23, 27 and 29's.

- Copy Protected Disk
- Copy Files
- Format a Disk
- Change Disk Name
- Quit
- Copy Unprotected Disk
- Scratch a File
- Rename a File
- View Directory

\$**3Q**95

TOP SECRET STUFF I



- 1/2 Track Reader Track Formatter
- **Drive Mon**
- Sync Maker
- Sync Reader
- Change Drive No.
- Disk Match
- New Wedge ID Check
- Unscratch
- View RAM
- Read/Write Test
- Repair a Track Fast Format

\$19.95

TOP SECRET STUFF II

All C128 Compatible

- Spilt Screens (Horizontally)
- Smooth Scrolling
- Save Ram From Under Roms
- No Drive Rattle On Errors
- Triple Drive Head Speed **Autoboot Maker**
- Koala Screen Dump
- Display GCR
- Fast Disk Eraser
- Protect Scheme For Your Disks
- Write Protect Disk
- Unwrite Protect Disk
- Mini D.O.S. Wedge
- Fast Diskmatcher **Data Statement Maker**
- Unnew
- 3 Minute Copy
- D.M.S.

The perfect companion

WAR GAMES AUTODIALER



- 1-Auto Dial will automatically dial a set of numbers you choose.
- 2-Review Numbers will review numbers that were answered by a computer
- 3-Save Numbers will save numbers where a computer answered
- 4-Hardcopy of Numbers will print out list of numbers where a computer answered
- 5-LOAD Numbers will load in numbers to continue where it left off
- 6-Continue will pick up dialing where it was interrupted

\$29.95



D-CODER

- Translates any machine language program into easy-toread English descriptions with complete explanations of
- Makes complete notations of all important memory locations accessed by the program! (SID, VIC, MOS, KERNAL, etc.)
- Gives you three ways of accessing programs:
 - 1) Will read and list programs from DIS
- 2) Will read and list programs from MEMORY
- 3) Direct user imput (from magazines, etc.)
- Can be used to locate and examine any machine language program's protection routines!
- Can be used to easily break apart machine language programs for study and examination!
- Printer option for complete hard copy listings!



You Now Longer need to be an EGGHEAD to read Machine Language.

\$1995

⁵19.95

PROTECTION

THIRD EDITION! NOW AVAILABLE!

If you're tired of being harassed by protected software and too many copy programs, then this is the book for you! This 224 page manual covers the gambit from legalities to protection methods to step-by-step back up procedures. Now you can learn both how to protect and unprotect software! The techniques covered include copying cartridges to tape or disk, tape pro-tection, and disk protection. Disk protection covers error no.'s 20, 21, 22, 23, 27 and 29 plus single track formatting, header modification, header swapping, half track reading and writing, reading and writing modified bit densities, formatting illegal tracks/sectors, sync writing and more! The Third edition explains, tells how to detect and how to write them with included software. Eleven useful utilities and many protection listings! Our disk analysis programs reveal the protection methods used on your originals. A diskette with all software is available for a minimum extra charge. This may not be the only book your should have for the C-64, but it is certainly the one book you should not be without!

C64 Book only

\$19.95 US

Book & Disk of all programs

Cart. & Tapes only

\$29.95 US

SHIPPING: \$2.00

Vic 20 book

\$9.95 US

THIS MANUAL DOES NOT CONDONE PIRACY

Enclose Cashiers Check, Money Order, or Personal Check, Allow 14 days for delivery 2 to 7 days for phone orders. Canada orders must be in U.S. Dollars. VISA — MASTER CARD.— C.O.D.

Software Submissions Invited.

Programs for C-64

\$2 00 S & H on all orders



N-CODER

the machine

program to D-CODER! language manipulator. Allows you to easily make changes in machine language

programs... right on the disk! Rewrite ability allows code to be altered and then

- rewritten directly to the disk! Features sector-by-sector scrolling assembly language
- display of machine language programs! Notation of ASCII text equivalents for easy spotting of
- embedded text strings! handy reference display of all assembly language commands and their ML numerical equivelents!
- Byte splitter for easy splitting of decimal addresses into low byte-high byte format!

Bulletin Board

Set up and operate your own bulletin board with one or two disk drives. This one has all the features and ou can customize it easily yourself.

- 1-RUN MEGASOFT-BBS 2-CREATE MEGA FILES
- 3-ADD TO SYSOP'S CORNER 10-READ LOG 4-NEW SYSOP'S CORNER 11-CYCLE LOC 5-READ LOG 6-SCRATCH MESSAGE 12-READ DW 6-SCRATCH MESSAGE 14-ADD TO 0
- \$59.95
- 8-READ SYSOP MESSAGES 9-WRITE OPENING MESSAGE
- 11-CYCLE LOG 12-READ DOWNLOAD FILE 13-SCRATCH DOWNLOAD FILE 14-ADD TO OTHER SYSTEMS
- 15-CREATE OTHER SYSTEMS (
- Leveled Access
- Private Message Base Up to 300 Passwords
- Expert Mode
- Open Chalk Board for **Highest Level Access**

P.O. Box 1080, Battle Ground, Washington 98604

Phone (206) 687-5116 • BBS 687-5205 After Hours Computer to Computer

CALL TOLL FREE 1-800-631-1003





INTERFACES

Telesys Turboprint GT Prints Enhanced Graphics, 4 Different Type Faces & Reverse Characters



DISKETTES

Nashua	1095
Scotch	1395
Maxell	1395
Memorex	1195*
*After \$3 Mfr.'s Rebate	





35	395
Cardo G+	Call
Microworld	Call
PPI	4495



than Commodore 1541

CCA EXCLUSIVE



\$**274**95

(commodore Letter 1101 **Quality Printer**

Ccommodore

THE NAME YOU CAN TRUST

(commodore 1702 Monitor

7495

(commodore 64

\$14495

(commodore 1541 Disc Drive

169⁹⁵



PRICE



Single 17995



AMMINIMAN I

MONITORS

monthion	
BMC Color	14995
Pan 1300 RGB & Comp	28995
Sharp Green	
Sharp Amber	. 6995

EPYX JUMP MAN

288

SOFTWARE SPECIALS

Quest Transylvania Sword of Kadash Xyphus	19.9 19.9
Graphics Magician Picture Painter	
Professional Software Fleet System 2—Word Processor with built-in 70,000 word spell check	59.95
Barbie Epyx	19.99

Dr. Seuss Fix up The Mix-up	
Puzzier	19.99
Sesame Street Letter-Go-Round	19.99
Big Bird's Fun House	19.99
The Sea Voyager	
Weather Tamers	
Movie Musical Madness	9.99
Success w/Decimals	
(Add/Subt) D-T	14.99
Success w/Decimals	
(Mult/Div) D-T	14 99
Success w/Fractions	14.00
(Add/Subt) D-T	14 99
Success w/Fractions	14.00
(Mult/Div) D-T	14.99
Duck's Ahoy	
Ernie's Magic Shapes	23.99
Mastering The SAT	
Murder by the Dozen	23.00
Peanut Rutter Pagie	24.00

Neutral Zone-D/T	20.05
	20.95
Spritemaster-D/T	20.95
Beachhead-D/T	20.95
Master Composer-D	23.95
Commodore	
	17.95
Easy Finance I, II, III, IV,-D	19.95
	64.95
	39.95
	19.95
Logo-D	40.05
The Manager-D	
General Ledger-D	
Accts. RecD	
Accts. Pay-D	37.95
Magic Desk-D	
Zork I, II or III-D	29.95
Suspended-D	
Starcross-D	29.95
Silent Butler	24.95
Deadline-D	29.95
Clay Tenund	27.00

IN NEW YORK STATE CALL TOLL FREE 1-800-221-2760 or 516-349-1020 OR WRITE: COMPUTER CENTERS OF AMERICA, 81 TERMINAL DRIVE, PLAINVIEW, NY WE HAVE A FULL LINE OF COMPACT DISC PLAYERS





- Fast Load
- Breakdance
- Jet Combat Simulator

•G.I. Joe Summer Games YOUR CHOICE



Simons Basic

Commodore Programmers' Reference Guide

888



- Ghostbusters
- Pitfall
- ·Pitfall II
- Space Shuttle



PRINTERS

Gemini SG10	. 20995
Gemini SG15	25005
Gemini SG10C w/Built-in	
Commodore Interface	Call
Gemini SR 10/15 NEW!	Call
Gemini SB10 NEW!	Call
Silver Reed 400	24995
Panasonic 1091	Call
HUSH 80CD Smaller, Quieter	







\$1288 THE BOSS 1488 The Bat 1988 3-Way



MODEMS

Mighty Mo	64 ⁹⁵ 79 ⁹⁵
Total Telecommunications .	Call

INTU THE TOWN HUBUTS.

Includes Computer, Interface and Disk
Ocreate, Save, Retrieve and Mix Your Programs
Ocreate, Save, Retrieve and Disk
Ocreate, Save, Retrieve and Mix Your Programs
Ocreate, Save, S

WE NOW HAVE A LARGE CTION OF COMPACT DISCS

BILLY JOEL'S GREATEST HITS Michael Jackson - Thriller EK 38112 Whaml - Make It Big CK 39595 Barbra Streisand - Emotion CK 39480 Johnny Mathis - Right from the Heart Billy Joel - An Innocent Man ..CK 38837 Julio Iglesias - 1100 Bel Air Place Bruce Springsteen - Born in the USA ... CK 38653

Warner/Elektra Atlantic

Phil Collins - Hello I Must	
Be Going80	0035
John Fogerty - Centerfield25	
Eagles - Greatest Hits	
1971-75	. 105
Al Jarreau - Breaking Away	3576
Carly Simon - The Best of	. 109
Prince & The Revolution -	
Purple Rain2	5110
Madonna - Madonna 2	3867

CALL FOR

OUR PRICES

Joe Williams - Nothin' But	
the Blues	
Bobby Shew/Chuck Findley	
Trumpets No End	4003
Mavis Rivers - It's A Good	Day 4002
Maria Callas - Cherubini —	
Medea	ACDOCL 201
Jerry Lee Lewis, Little Rich	nard,
Bill Haley - Kings of Roc	k
'n Roll	290-13-007
Survivor - Eye of the Tiger	290-14-021

TELARC

tti tureCD80041
ebirdCD80039
veland "Eroica" CD80090
Liuidaobooobo


J	I.S. Ba	ach -	Trio i	n D I	Minor	 C37-	7093
						C38	7061
F			with			C38	7004

WE'RE PROUD OF OUR PRICES — SATISFACTION GUARANTEED
Check, Money Order, MC or VISA accepted / No additional charge for MasterCard and Visa / Call for shipping and handling information / NYS residents add applicable sales tax / Prices and availability are subject to change without notice / All factory fresh merchandise with manufacturer's warranty. Dealers Welcome. Call for recent price reductions and new rebate information. Plus shipping and handling. No returns without return authorization number.



PIKIDM 8

A Complete Pro Football Prediction Program For The 1985 NFL SEASON



63% +

Accurate vs 'Spread' Since 1981 More Features - More Information In 1985 To . .

BEAT THE SPREAD

* * FEATURES * *

- Predicted Scores Each Week
- Season Schedule By Week/Team
- Records & Results: Scores By Week Scores By Team **Division Standings** Stats - Accumulated & Average 1983-1984 Data Base
- Auto Opponent Input
- Auto Data Update
- Printed Copy All Screens
- Easy Update-Playoffs/1986
- Dealer Inquiries Invited

4995 INCLUDES DISC DOCUMENTATION

- Apple II IIe III
- Commodore 64
- IBM PC
- TRS-80, MIII/IV
- Tandy 1000/1200/2000

STATS NEEDED TO RUN PROGRAM AVAILABLE IN LOCAL NEWSPAPERS OR

WE WILL FURNISH STATS BY MAIL & MODEM ALL 20 WEEKS — SEASON PRICE . . . 4000

PROGRAM COMES UPDATED THRU CURRENT WEEK OF SEASON . . . NO EXTRA CHARGE



Orders Call Collect 24 Hrs. C.O.D.



MARATHON SOFTWARE DEPT. C

P. O. BOX 1349 JACKSONVILLE, TEXAS 75766 (214) 586-8212

THE ULTIMATE DISK UTILITIES FOR YOUR 64 & 1541 DRIVE!

DirleMalter WORLD'S FASTEST & LATEST CODECRUNCHERS!

FAT-Track

ONLY \$39.95

To Order CALL 805-687-1541 ext. 65 Technical line 805-682-4000 ext. 95

WORLD'S FASTEST DATA COPIER actually backs-up unprotected disks in just ONE MINUTE!!! Removes errors while copying to recover lost data! SUPER-FAST (8 second) format to track 40. SUPER-QUICK Scan for errors & Half-Tracks! FAT-TRACK™ CONSTRUCTION KIT with State-of-the Art FAT-TRACK **
EMULATOR allows most 1541's to put on new "wide-track" protection & speeds loading of NEW "wide-track" protected products. True GCR editor for analysis from track 1-40 WITH Clock-Rate & Half-Track control! Display & edit headers, sync & data blocks of any length in HEX, ASCII, & GCR bytes! Use with DiskMaker* to duplicate extra-tough protection. Package also includes to MSD Drive Disassembler, MSD Speedloader, completed by Alignment package, and more!!

3463 State Str ND - Santa Barbara - CA 93105

Order by phone 24 Prs. 77 Erys or send cashiers check/money order payable to BASIX. Visit, MisterCard is, American is people of the CA residents add 6% fax. Allowar weeks for clearance of personal and co. checks, Add 53.50 shippings problems of the CA residents add 6% fax. Allowar weeks for clearance of personal and co. checks, Add 53.50 shippings problems of the CADA shipped to 48 safets only add 54.00 AK, Ell, APO, EPO, add 57.50 CANADA and 510.00 Other Foreign and remit certified U.S. funds only Neignedit card orders from outside North american Degless & Distributors invited & support

Gradebook

Stephen Levy and Kevin Mykytyn

A gradebook is an important recordkeeper for a teacher. An electronic gradebook is an efficient, convenient, and even more valuable organizational tool. This all machine language program—which includes some of the features of databases and spreadsheets—handles up to 70 students with 100 grades each. It also alphabetizes names, averages weighted grades, and much more. For the Commodore 64.

Schools continue to buy computers for students. But teachers need the time-saving convenience offered by computers as much as anyone. "Gradebook," designed especially for teachers, is a utility that efficiently handles classroom record-keeping, replaces the periodic drudgery of averaging grades, and is easy to use.

Gradebook keeps a record of up to 100 grades for as many as 70 students in one file. In addition, the program will average grades, display them to the screen, sort (by name or grade), and print out the results.

A Great Big Work Sheet

When Gradebook is first run, you'll see a work sheet filled with meaningless characters. Press SHIFT-CLR/HOME to clear the work sheet. A gray screen with six columns filled with asterisks then appears. What you're seeing is a window on a much larger work sheet. The top row contains the assignment number, one per column. If you could view the entire work sheet, you'd see that it contains 101 columns, the first one for student names and the next 100 for individual assignments.

Press the cursor-left/right key so that the cursor is anywhere in the column for assignment 1. Now press the cursor-up/down key a few times. Notice how easy it is to move around the work sheet. If you move the cursor to the far right column and press cursor-left/right, all columns scroll to the left to make room for the next column. Pressing SHIFT-cursor-left/right moves the cursor left, and SHIFT-cursor-up/down moves it up.

The left-arrow key (at the upper left on your keyboard) functions like a "toggle," and enables you to move at fast or normal speeds around the work sheet. To move quickly, press the left-arrow key once. Now each time you press one of the cursor-movement keys, you'll move five rows or columns. To return to single-step movement, press the left-arrow key again.

Anytime you wish to move to the top left of the work sheet, press CLR/HOME.

Entering Names And Grades

Move the cursor to the upper-left corner of the work sheet by pressing CLR/HOME. The cursor now appears as a long white bar in the column for names. Each name must start on the left margin, so be sure not to type a space as the first character. There's no need to type names in alphabetical order because the program will do that for you (see below). Be sure to enter last names first if you wish to have students alphabetized by last




Student names may be entered in any order, and grades may be typed in and edited at any time.



A single keypress alphabetizes names, another keypress produces the final average and weighted average.

names. After entering a student name, press RETURN or cursor-up/down to enter another. Do not leave blank lines between names—each name must immediately follow the one above.

Before you can enter grades for an assignment, you must first enter the perfect mark (a whole number between 0 and 200) and percentage (weight) of grade for the assignment. To begin entering individual grades, move to the cell (column and row coordinate) for the student and assignment number you want to enter. All grades must be whole numbers between 0 and the perfect mark you've determined for that assignment. To change a student name or grade, go to the appropriate location and type it in. It will



With Gradebook, your screen becomes a window on a workspace with an effective area of more than 17 square feet.

automatically replace the old data. If you make an error while entering, use the INST/DEL key as you normally would to erase the previous character.

Calculating Grades

At the top of each column is displayed the assignment number and a place to enter the perfect mark and the percentage (weight) of the grade.

The program uses the perfect mark value for each assignment to calculate a percentage grade for each mark. This feature offers an added convenience: You don't have to figure all grades on a 100 percent base. You can enter a mark based, say, on the actual number of correct answers.

Percentage of grade allows you to give different weights to various tests, finals, midterms, and so on. For example, suppose you give seven tests during a quarter. Two of the seven are unit tests which count more heavily than the other five. All you need to do is assign a higher percentage for the unit tests. Note, however, that the total of all the percentages of grades must equal

100. In our example, we might have the two unit tests each count as 25 percent of the total and the other five tests each count as 10 percent (25, 25, 10, 10, 10, 10, 10, for a 100 percent total).

Once the perfect marks and percentages of grades are entered, press the £ key to calculate grades. You'll get two types of calculations. Ave is the unweighted average (all marks are added together and divided by all the perfect marks added together.) Fin is the weighted average, which is calculated with this formula:

Uni-Koo

DISK DRIVE FAN FOR COMMODORE



Designed to work with Commodore Disk Drive Models 1540, 1541, SFD 1001, the quiet C-100 fan enclosure moves cool, filtered air through the top vents of the disk drive cooling the drive and thereby reducing the misalignment problems caused by heat build-up. A custom filter keeps room dust from entering the disk loading opening. This greatly increases the life span of the disk drives, and decreases the maintenance required to keep the drive functioning properly. Only \$39.95 plus \$2.50 for 115 vac

shipping and insurance.

Money Order, Checks or C.O.D. Only 6-month warranty

Jni-Kool

(503) 476-1660 909 Williamson Loop, Grants Pass, OR 97526

Commodore is a registered trademark of Commodore Business Systems

\$5 SOFTWARE

THE BEST C64 **PUBLIC DOMAIN SOFTWARE**

We offer you the best selection, best documentation, and the Best Price.

Most user supported public domain librairies are impossible to use being both incredibly disorganized and lacking in documentation. We at 64 Gold have taken a professional approach to the problem and publish a library of outstanding selections of the best C64 public domain software in existance for only \$5.00 a diskette. Each diskette is FULL of software to help you get more out of your Commodore 64.

Write Or call Today for free brochure listing selections or choose one of the following.

- Starter Kit one each, utility disk, game disk and 44 page documentation catalog of individual programs \$10 (\$15 value)
- Our documentation catalog 44 pages about the programs in the library with valuable information on individual programs, \$5
- Set of 5 introductory disks with documentation catalogtop games, utilities and educational programs. \$29
- . Set of 10 "Solid Gold" disks the ten best disks in our library includes, documentation catalog, directory index utility, fast copy, word processor, machine language tutor, and super games! \$49.
- Complete set of 64 disks with documentation catalog \$256 - Save \$64

California Residents add State Sales tax Add \$3.50 Shipping and handling include payment with order VISA/MC Ok

64 GOLD

3219 Folsom St. San Francisco, CA 94110 (415) 550-8222

MUST LIQUIDAT

LIMITED INVENTORY OF ULTRA FAMOUS

FAR BELOW DEAL



Millions sold at regular prices . . . and STILL being sold at regular prices!

Sorry, we're NOT permitted to print the brand name. But if you phone us, all details can be divulged.

Phone Toll-Free: 1-800-328-0609

PLENTY OF SOFTWARE AVAILABLE! Thousands upon thousands of programs are available for it from computer stores across the nation.

FOR BUSINESS! This is an ideal entry level business computer. Use the computer for word processing, data base, accounts payable/receivable, general ledger, payroll, inventory, tax accounting, spreadsheets, mailing lists . . . and much, MUCH more!

FOR EDUCATION! Perfect for everyone from Ph.D. candidates to preschool youngsters. A vast number of programs are available to challenge and educate the mind.

FOR HOME! Use for analysis of personal investments, income tax planning, storage of recipes and household data. And of course, there are hundreds of exciting, fast-paced arcade games available!

Units sold SINGLY or in any combination you desire.	Original List Price	YOUR
64K COMPUTER	\$200.00	\$99
DISK DRIVE	\$269.00	\$148
PRINTER Item H-618-63831-00	\$200.00	\$118
We reserve the right to limit quantity purchases.	\$669.00	\$365

COMPUTER
64K RAM. 20K ROM standard (includes operating systems and BASIC interpreter). Text characters. High resolution graphics. 320 x 200 pixels. Music synthesizer produces 3 independent voices, each with a range of 9 octaves.

Typewriter keyboard with 66 keys for upper and lower case letters, numerals, symbols, re-verse characters. 2 cursor con-trol keys. 4 function keys, pro-grammable to 8. Input/output ports for user, serial, ROM car-tridge. 2 joystick/paddles, vi-deo, cassette drive interface. 16 background, border, character

DISK DRIVE

DISK DRIVE
Intelligent, high-speed. External 5'4" floppy diskette recorder. 2K RAM, 16K ROM. Maximum storage of 170K formatted data: 35 tracks. Uses single sided, single density disk. Serial interface. Second serial port for chaining second drive or printer. Data transfer rate of 400 bytes

DOT MATRIX PRINTER

Bi-directional 6x7 dot matrix impact printer, 60 characters per second. Has upper and low-er case letters, numerals and symbols. All PET graphic char-acters. Standard friction feed. Maximum of 80 columns width, dot addressable. CBM ASCII character codes. Original plus maximum of two copies. Paper width: 4.5" to 8.5". Size: 13"W x 8"D x 3¼"H. Weight: 6½ lbs. Power requirements: 120 volts AC, 60 Hz.

Factory Reconditioned With Factory Warranty.

*NOTE: If you do not have a monitor, you can use your TV as a display unit. The computer comes already to be hooked up to your TV.

Credit card customers can order by phone 24 hours a day. 7 days a week VISA MonterCord AMERICAN D

Toll-Free: 1-800-328-0609

Your check is welcome! No delays in orders paid by check

Authorized Liquidator 14605 28TH AVENUE NORTH MINNEAPOLIS, MINNESOTA 55441-3397

C.O.M.B. CC).®	Item H-61	8
		MN 55441-3397	
end the following	items: (Indicate qu	uantity of each):	
THE RESIDENCE OF THE PARTY OF T			

64K Computer(s) Item H-618-63553-00 at \$99 each plus 88 each for shipping, handling. Disk Drive(s) Item H-618-63553-01 at \$148 each plus \$8 each for shipping, handling. Printer(s) Item H-618-63831-00 at \$118 each plus \$7 each for shipping, handling.

(Minnesota residents add 6% sales tax. Allow 3-4 weeks for dolivery. Sorry, no C.O.D. orders.)

My check or money order is enclosed. (No delays in processing orders paid by check, thanks to TeleCheck.)

	Charge: ☐ MasterCard® ☐ VISA ☐ Am. E	
ı	Acct. No.	Exp
ï	Acct. No PLEASE PRINT CLEARLY Name	
•	Name	
ı	Address	

City State Phone

Sign here .

If the total percentage of grades doesn't add up to 100, you won't get a figure in the Fin column. Also, any student missing a grade will not have an average in the Fin column.

Press any key to return to the work sheet.

Deleting Grades And Names

Let's say you decide that all the grades for a single assignment should be eliminated. First, move the cursor anywhere on the column of grades to be deleted and press CTRL-D. When prompted, press C for column. Asterisks will fill the column. Now, you can either ignore them or reuse the column.

Likewise, if a student leaves your class and his or her grades are no longer needed, move the cursor to the row containing the student's name and press CTRL-D. But this time, when prompted, press R for row. Instantly, the row disappears and all rows below are moved up.

Deleting grades can serve another very useful purpose. At the end of each quarter or grading period, you can load in a work sheet from disk or tape (see below for loading instructions). Delete all grades, column by column, as discussed above. Then either enter new grades for the new quarter or save out just the names for later use. By saving the names using a different filename on disk or on another tape, you'll preserve the grades from the past quarter for future reference.

To delete a single grade, replace it with an asterisk. To delete all entries, both names and grades, press SHIFT-CLR/HOME. Use all delete commands carefully, as data recovery is impossible.

Saving And Loading

Once you've entered some names and grades and are ready to save the file, press CTRL-S. You'll be prompted for a filename (12 characters maximum) and asked to press T or D for tape or disk. If you use a filename that's already on your

disk, it will be replaced by this new file.

Remember to save anytime you enter new names or grades. And it's best to use a different filename each time you save.

Loading is also easy: Just press CTRL-L and answer the prompts.

Printing And Sorting

Gradebook will print out any column to any Commodore printer (or any Commodore-emulating printer). To print a column, move the cursor to the desired column and press CTRL-P. Be sure your printer is turned on before pressing CTRL-P. Otherwise, Gradebook will print to the screen, scrambling the format you've set up.

If you ask for a column of grades, the name of each student will appear with the student's grade for that one assignment. If the cursor is in the column of student names and you ask for a printout of the column, you'll get a list of student names.

To get a printout of all student averages, press £ to go to calculations. Once the averages are displayed, press CTRL-P.

CTRL-A will sort any column. Move the cursor to the column with the student names, press CTRL-A, and the names will be sorted in alphabetical order. And the grades will move to the proper row. Place the cursor in a column of marks and

press CTRL-A, and that list will be arranged in descending order. Again, all corresponding data will be rearranged.

The sorting function gives Gradebook flexibility. You could sort assignment 1 and then print out all the student grades for assignment 1. This would give you a list of names and grades, sorted by grades from highest to lowest. You can save multiple files with the same data, but sorted and arranged in different ways.

Gradebook has only a few commands, but, as with any program, it takes a little getting used to. The first few times you use the program, refer to the table of commands. Once you've used it a bit, you'll find that entering and averaging grades will be quick and easy.

Typing It In

Gradebook is written entirely in machine language, so you must use "MLX," the machine language entry program published frequently in the GAZETTE. After typing in and saving MLX, run it and enter the following information when prompted:

Starting address: 49152 Ending address: 52259

Once Gradebook has been saved to disk or tape, load it with

LOAD "filename",8,1 for disk

or

LOAD "filename" for tape

where *filename* is the name used to save Gradebook using MLX. Once the file is loaded, type NEW, press RETURN, and enter **SYS49152** to activate the program.

See program listing on page 138.

Gradebook Command Summary

CTRL-A
CTRL-D
CTRL-P
CTRL-S
SHIFT-CLR/HOME
£
cursor-left/right
SHIFT-cursorleft/right
Cursorup/down

SHIFT-cursorup/down

CLR/HOME

Sort row or column
Delete row or column
Load names and grades
from tape or disk
Print row or column
Save names and grades to
tape or disk
Delete all entries
Calculate averages
Move cursor right
Move cursor left
Move cursor down
Move cursor to upper left
Toggle cursor speed control

FASTER? EASIER ORE POWERFUL?

"If languages interest you, this one is well worth a look... It's inexpensive to try. You may find that it's just what you have been looking for."

- Jim Butterfield COMPUTEI

"I can recommend a better, faster, and cheaper programming language. It's a flashy little European import called COMAL...

the most user-friendly language around."

- Mark Brown, INFO 64

"...overall COMAL averages out to about three times faster than BASIC." - Loren Wright MICRO

"combines some of the best features of languages like Logo, Modula, Pascal, and Ada in an easy-to-use format"

> "COMAL was just what I was looking for." - Colin Thompson, RUN

Where else do you get all this...

The complete COMAL 0.14 System for Commodore 64™ includes the Tutorial Disk* (teaches you the fundamentals of COMAL), plus the Auto-Run DEMO Disk* (demonstrates 26 COMAL programs including games, graphics, sprites and sounds), all for just \$7.00.

> You can add the reference book, COMAL from A to Z, for just \$4.00 more.

> > \$7 or \$11 -- either way you're a winner!

COMAL STARTERS KIT

as rated by The Book of Commodores 64 Software 1985.

Overall Rating Ease of Use

Error Handling

Reliability

Value for Money Documentation

Published by Arrays, Inc., The Book Division

If you want only the best, get the COMAL Cartridge Pak. Includes: 64K COMAL Cartridge, 2 books, and 5 demo disks* Over \$140.00 value - now only \$89.95 plus \$4.00 shipping.

For more information or to place an order call (608) 222-4432. Visa or Master Card accepted.

All orders prepaid - no C.O.D.

Send check or money order in U.S. dollars to:



6041 Monona Drive, #104, Madison, WI 53716 phone: (608) 222-4432

*Shipments may include 2 disks of programs on 1 double sided diskette. Commodore 64 is a trademark of Commodore Electronics.

MUST LIQUIDA

Commodore Compatible Total Telecommunications™



- Access the stock market, take college classes, do your shopping, and a whole lot more!
- For Commodore 64K or SX64!
- Has modular jacks for quick, easy hookup to your phone system!
- Works on TouchTone® and Rotary (Pulse) dialing system (not PBX)!

Liquidation due to an overstock! This single communications package connects your Commodore 64K or SX64 for on-line telephone use. No special computer knowledge is required. Super-intelligent software is completely menudriven!

Features: 30K software buffer. 300 Baud, auto dial, auto answer helps eliminate complex modem steps. Works on Tone and Rotary phone systems (not on PBX). Upload and download of text, programs, data files. Prints or stores downloaded files. Captures and displays high resolution, mapped graphics files. Color selection menu. Connect-time clock keeps track of log-on time. ASCII or Commodore characters. Smooth screen rolling. Includes 6-ft. modular phone cord. Equipment needed: C64, Monitor, and disk drive or SX64.

NOTE: Price includes trial subscription to over 52 data base services for vast information. Initial sign-up fee is FREE. All you pay is the on-line time you se, plus monthly rate.

Mfr. List: \$109.95 Liquidation Priced At ...

Item H-612-63646-00 Ship, handling: \$4.00 Price subject to change after 60 days. Sales outside continental U.S. are subject to special conditions.
Please call or write to inquire.


Credit card customers can order by phone, 24 hours a day,







Toll-Free: 1-800-328-0609



C.O.M.B. CO.® 14605 28th Ave. N./Mir	Item H-612-63646-00 nneapolis, MN 55441-3397
shipping, handling, (Minne	44 each, plus \$4,00 each for esota residents add 6% sales ery. Sorry, no C.O.D. orders.)
cessing orders paid by ch	is enclosed. (No delays in pro- heck, thanks to TeleCheck.)
	VISA Am. Ex. Diners Club
Acct. No	Exp
PLEASE PRINT CLEARLY	
Name	
Address	The state of the s
City	
State	ZIP
Phone	

14605 28TH AVENUE NORTH MINNEAPOLIS, MINNESOTA 55441-3397

reviews

The Evelyn Wood Dynamic Reader

Whatever criticism speed-reading has received, the fact remains that it has a valid purpose. Much of our reading is perfunctory, and it would be nice to get through it more quickly. No one is going to suggest reading King Lear or The Sound and the Fury using the Evelyn Wood method, but anyone who has ever waded through a poorly written feasibility study, or an encyclopedia article from which you want only one fact, knows how time-consuming and boring such things can be. Speed-reading can help improve both speed and comprehension, allowing us to make more efficient use of our reading time.

Billed as "Personal Improvement" software, the Evelyn Wood Dynamic Reader uses your 64 as a speed-reading

instructor. A detailed, informative manual explains the techniques, goals, and functions of the Evelyn Wood concept of dynamic reading. The basic training includes making use of your index finger as a "pacer," and teaching your eyes to move where you want them to. The idea is to eliminate the tendency to reread, usually caused by allowing the mind to wander. Speed-reading is mostly an exercise in intensive concentration, and this Timeworks program provides the appropriate materials.

Each person using the Dynamic Reader must use his own data disk, on which the program records his progress. You begin by reading one of the ten passages provided in a book of readings; the computer times you and presents a ten-question quiz to test your comprehension. The program then records the results-reading speed and comprehension—on your data disk and displays them on the screen. Referring to these results, you set speed and comprehension goals for yourself, and the date by which you want to attain them. For example, if you're currently reading at 300 words per minute (about average), with a 70 percent comprehension rate, you may decide you want to attain 450 words per minute and an 85 percent comprehension rate at the end of five weeks. You enter this, and the program stores it on the data disk.

Each time you perform a reading, the program updates your progress. You can ask for a progress report whenever you wish; the screen displays a graph of the results of each reading, or you can dispense with the graph and just view the numbers. There are ten passages in the Readings book and ten more on the disk. While there is no provision for entering your own readings, there are detailed instructions for working with outside sources and keeping the results meaningful. We can hope that Timeworks will provide periodic disks full of new readings, if only to keep us in practice.

In addition to the Readings and Reports, the Dynamic Reader offers several types of skills and drills. The Phrase test, for example, displays a phrase followed by several one-line sentences. Only one of the sentences contains the exact phrase, while the others each have a close approximation. When you see the sentence with the exact phrase, you type the corresponding number beside the sentence and the computer keeps track of your time. In addition to Phrase tests, there are Character and Word tests, and Eye exercises. The drills force you either to reread a passage in progressively less time, or to read progressively more material in a given amount of time.

If you set a regular schedule (daily or every other day) and stick to it, the Evelyn Wood Dynamic Reader can help your reading. Like all personal improvement programs, though, whether computerized or not, it will be effective only if you make such a commitment. But this program is detailed and highly useful, and it is designed to be easy to

BACKUP PROTECTED SOFTWARE with COPY II 64"

From the team who first brought you COPY II PLUS (Apple), COPY II PC (IBM) and COPY II MAC (Macintosh) comes a revolutionary new copy program for the Commodore 64, COPY II 64!

- Copies most* protected software automatically.
- Copies even protected disks in just 3½ minutes.
- Maximum of four disk swaps on a single drive.
- Copies half and full tracks.
- Requires just one 1541 drive on the Commodore 64.

Call M-F 8-5:30 (W. Coast time) with your : 503/244-5782. Or send a check (add \$3 s/h, \$8 overseas) to



\$39.95

ENTRAL POINT Software, Inc.

9700 SW Capitol Hwy. #100 Portland, OR 97219

We update Copy II 64 regularly to handle new protections; you as a registered owner may update at any time for 1/2 price! (To update, just send original disk and \$20.)

This product is provided for the purpose of enabling you to make archival copies only.

use. If you're interested in increasing your reading speed and comprehension, the Dynamic Reader is worth a serious look.

-Neil Randall

Timeworks, Inc. 444 Lake Cook Rd. Deerfield, IL 60015 \$49.95 (disk)

PROMAL

PROMAL, the PROgrammers Micro Application Language, is a program development system for the Commodore 64. In addition to the PROMAL language—similar in structure to C or Pascal—several utilities for writing and debugging programs are included in the package, as well as complete documentation and a tutorial to help get you started.

You enter programs (as source code) via the Editor, which is as good as some commercial word processors. Block moves and deletes are achieved through highlighting, and editing commands such as global search and replace are supported. The use of each function key is displayed in a window at the bottom of the screen. To assist you in remembering the commands, a help screen is available at all times.

The language allows complex constructs such as IF-THEN-ELSE and REPEAT-UNTIL. There are 45 Library commands which handle most of the input/output. One strong feature of PROMAL is the ability to direct output to any one of many devices. Included on the program disk are a set of mathematical and trigonometric functions, a set of RS-232 commands, and a series of relative file commands. In comparing PROMAL to other languages and compilers, it stands up to SMA's claim that it runs 70-200 percent faster than other languages for the 64.

The PROMAL Executive operating system replaces the BASIC interpreter within the computer. From the Executive, you control the entire PROMAL system. The Executive's 24 commands allow you to display areas of memory, access files, and manage the system. There is also a complete help screen.

PROMAL includes a very fast, one-pass compiler. It takes a source file as input and generates an object file, a program. If the compiler finds an error, it stops and asks if you want to edit the program. The compiler also supports recursion. When it finishes compiling, it gives a byte count and returns you to the Executive. To run the program, just type its name. If PROMAL doesn't find

GET THE KNOW-HOW TO REPAIR EVERY **COMPUTER ON THIS PAGE.** AND MORE.



Troubleshooting Any Brand of Computer

The biggest growth in jobs between now and 1995, according to Department of Labor estimates, will occur in the computer service and repair business, where demand for trained technicians will actually double.

You can cash in on this opportunity, once you've learned all the basics of computers the NRI way. NRI's practical combination of "reason-why" theory and "hands-on" building skills starts you with the fundamentals of electronics, then guides you through advanced electronic circuitry and on into computer electronics.

You Build—and Keep—a 16-bit Sanyo personal computer

The vital core of your training is the step-by-step building of the 16-bit Sanyo MBC-550 series computer. Once you've mastered the details of this IBM-PC compatible machine, you'll be qualified to service and repair virtually every major brand of computer, plus many popular peripheral and accessory devices.

With NRI training, you learn at your own convenience, in your own home. You set the pacewithout classroom pressures, rigid night-school schedules, or wasted time. You build the Sanyo IBM compatible computer from the keyboard up, with your

troubleshooting of the "intelligent" keyboard, power supply, and disk drive, plus you'll check out the 8088 microprocessor functions, using machine language. You'll also prepare the interfaces for future peripherals such as printers and joysticks.

100-Page Free Catalog Tells More

Send the coupon today for NRI's big 100-page color catalog on electronics training, which gives you all the facts about NRI courses in Microcomputers and other growing high-tech career fields. If the coupon is missing, write to NRI Schools, 3939 Wisconsin Ave., NW, Washington, D.C. 20016.



teaching circuit design and operations; a Digital Multimeter, Bundled Spread Sheet and Word Processing

AGGraw-Hill Continuing Education Cent 939 Wisconsin Avenue, Washington, Di Ye'll give you tomorrow. ☑ CHECK ONE FREE CATALOG ONLY ☐ Computer Electronics with Microcomputers	☐ Electronic Design Technology ☐ Digital Electronics	approved under GI bill. check for details.
Data Communications Robotics & Industrial Controls Video Electronics Servicing	☐ Satellite Communications ☐ Communications Electronics ☐ Industrial Electronics	☐ Telephone Servicing ☐ Small Engine Servicing ☐ Building Construction
Name (Please Print)		Age

it in memory, it checks the disk drive.

The documentation is a 200-plus page manual which consists of three parts: a tutorial, a PROMAL users' guide, and a reference manual. The books are well written, although they leave a bit to be desired when it comes to programming graphics and sound.

Overall, PROMAL is a very good addition to any 64 programmer's library.

—Tom Emerson


Systems Management Associates (SMA) 3700 Computer Dr. Dept. MP-1 Raleigh, NC 27609 \$49.99 disk

The Argos Expedition

Since playing games is a social activity, it seems a bit strange that solitaire gaming is so popular. A controversial issue in gaming magazines for the past decade, solitaire play has been encouraged by electronic games of all types. There is a reason for this: If you want a computer game to sell, it must have a solitaire option.

The Argos Expedition is thus a bold experiment. It encourages cooperation, and it does not include a solitaire mode. Playable by two, three, or four players, only with four does it show its full potential. Its subtitle, "Work Together to Conquer the Final Frontier," sums up the game's purpose quite nicely. The Argos Expedition demands that players work together.

The game is graphically excellent,



and it includes a lovely theme song reminiscent of "Chariots of Fire." The players control a spaceship whose goal is to track down alien artifacts and bring them back to mission control. The first player uses the keyboard, the second a joystick, and the other two use paddles. (This is probably the game's only seri-

ous limitation, since not everyone has paddles.) To capture the artifact and avoid obstacles, the players have to use their controls together. The game makes creative use of sound and graphics to make the cooperation both challenging and exciting.

But players also have a secret personal goal, determined by selecting a "goal" card before the mission starts. They're forced throughout the game to weigh personal goals against the needs of the overall mission. The game designers want to demonstrate that this is what social activity is about, and they succeed admirably. Players bid with each other to conduct tests, and at some points they may have to burn an artifact to get energy for the ship. The advanced game includes a secret goal called space sickness, which further complicates matters.

The game requires a lot of thought for all four players. Designed for an age group from 10 to 16, it should appeal to older groups as well. With its demand for cooperation in the face of personal advancement, it's a perfect investment for schools and gaming clubs.

COMMON STOCK ANALYSIS
WITH YOUR COMPUTER
WALLSTREET MICROSCOPE

Available for: Commodore-64;
Apple II+, II E, II C; IBM and Compatibles

Stocks Judged by 10 Criteria
5 By Price (Cap Gains Potential)
5 By Financial Stability (Safety)

Criteria Values May Be Set By User

Eight Computer Programs
Thorough Documentation

Comes Complete With 1500 Company Data Base

\$135.00

(Updates Available By Subscription)

Search Capabailities . Market Averages

DEMONSTRATION DISK-\$10

(\$13—C.O.D.)
Order Demo Direct or From Your Dealer.

(Dealer Inquiries Invited)

"As a Powerful Financial Planning Tool, Wallstreet Microscope is Top—Notch . . . Wallstreet Microscope Gives You Your Money's Worth And More—As a Reliable,

Computerized Stock Manager and

(The Book of Commodore 64 Software 1985)

WALLSTREET CORP. Call: (402) 390-3372 (24 Hrs.) for C.O.D.

Write: 1438 South 76th Street

Omaha, NE 68124

Single or Batch • Graphics

Processing

Forecaster.'

-Neil Randall

Children's Television Workshop CBS Software One Fawcett Place Greenwich, CT 06836 \$34.95 (disk)

for everyone in your family... No disk drive necessary? Menu driven? Flexible, powerful, practical? for the C-64 Affordable? **DECISION MAKING** COMMUNICATIONS Choosing a family car? 300/1200 BAUD Considering vacation alternatives? Access information systems Build decision models Complete parameter setting FINANCE CALCULATIONS Compute loans and investments Checkbook balancing Compute payment schedules Insert formulas Menu driven Full screen display

Name _

City _

State __

Address _

roware Solutio

☐ \$24.95 (Cart.)

Add \$3.00 Shipping and Handling

Enclose Check or Money Order Payable to

PROWARE SOLUTIONS

☐ \$19.95 (Disk)

Signature

575 E · REMINGTON, NO. 9H • SUNNYVALE, CALIFORNIA 94087

Zip.

Know Your Own I.Q./Know Your Own Personality

"Self-enrichment software" is hot right now, and Bantam enters the field with two programs for the 64 on the same disk-Know Your Own I.Q. and Know Your Own Personality. I.Q. (intelligence quotient) is a very controversial topic. Experts don't agree on what intelligence means, how it should be tested, or even if it exists. However, this test was developed by two of the best in the field of human intelligence, H. J. Eysenck and Glenn Wilson.

Like other I.Q. tests, Know Your Own I.Q. is very tough. People who consider themselves geniuses may be in for a rude awakening. The program contains four I.Q. tests. Each has 40 questions, which must be completed in 30 minutes (there's a time clock onscreen). Some of the questions are verbal, others are graphic. Results can be printed out.

Bantam wants you to know your I.Q., but they don't want to hurt anyone's feelings. You only receive a specific numerical score if your I.Q. falls between 100 and 130. The computer will inform you if you've scored below or above that range, but it won't tell you the exact score. So the smartest and dumbest people don't learn their I.Q.

The real power of this test is that it can be used to practice for future I.Q. tests. Unlike others, this one tells you the correct answers afterward and tells you why each answer was correct. When you read the explanations, you can learn how to get the same question right on an I.Q. test in school or at work. This program can possibly help you raise your I.Q. score, though Bantam never mentions this with the program.

In Know Your Own Personality, the computer asks 210 yes/no questions ("When climbing stairs, do you generally take them two at a time?") to test for three personality traits: Extraversion/ Introversion, Emotional Stability/ Adjustment, and Tough-/Tender-Mindedness. At the end of the test you're presented with bar charts comparing your various traits, and a paragraph describing your personality.

Like the I.Q. test, the personality test may bring bad news. You may find out, "You have a low opinion of yourself. You believe you are an unattractive failure. You are characteristically pessimistic, gloomy and depressed. You are disappointed with your existence and at odds with the world."

I.Q. and personality tests work perfectly well with pencil and paper. The advantage of the computer is that you

get your results about a second after completing the last question of the test. This program can help you understand yourself or another person better, and it can be a lot of fun-as long as you're intelligent and have a sparkling personality. Of course, the computer may also tell you that you're not so smart and have a bad personality. That's a chance you'll have to take.

-Dan Gutman

Bantam Software 666 Fifth Ave. New York, NY 10103 \$34.95 (disk)

Donald Duck's Playground

This educational program uses the popular Disney cartoon character, Donald Duck, and his three nephews in a game format for children ages 7 to 11. Available for the Commodore 64, it does an excellent job of teaching the basics of money handling, sorting items, and making logical decisions. Using a joystick to move Donald around town, the player has him work for money, then spend what he's earned on playground equipment for Donald's nephews, Huey, Louie, and Dewey.


Donald may work at any of four places: McDuck Airlines, where he sorts and moves packages from a convevor belt to an airplane baggage tram; a produce market, where he catches produce thrown from a truck and drops it into the correct bin; a toy store, in which he places toys on the appropriate shelves; and the Amquack Railroad, where Donald is in charge of the junction switches for the trains delivering packages. You choose the length of time for a work shift, then get paid according to your performance.

Across the street are three stores from which Donald purchases items for the playground. He can shop at Minnie's 5 & 10, Mickey's Hardware Store, and Goofy's Junk Shop. At each store you flip through catalog pages to see what items may be purchased. But you're not allowed to select something if there isn't enough money in Donald's

To pay for an item, a cash register is displayed at the top of the screen, and Donald's account at the bottom. Using a joystick, you select coins and place them at the top, then point to the TOTAL key on the cash register. If you've overpaid, a cash drawer comes out so you can receive your change.

The next activity is constructing the playground with the items purchased. Move Donald to the end of the street, across a railroad track, and into the park. (As Donald moves to the track, he always checks both ways to be sure there are no trains approaching.)

With the joystick, you build and arrange playground equipment, then press a key to see one of Donald's nephews at play.



A young child may need help from an adult to understand the instruction manual the first time, but then he or she can easily enjoy the program alone. The variety of activities step a child through many important learning procedures, and the program is so much fun it will hold a child's interest for hours.

-C. Regena

Sierra On-Line Coarsegold, CA 93614 \$34.95 (on disk)

COMPUTE!'s GAZETTE

TOLL FREE Subscription Order Line 800-334-0868 In NC

919-275-9809

COMMODORE 64

5 **1 3 9** 95

COMPUTER AND SOFTWARE SALE

CALL BEFORE YOU ORDER

PRICES MAY BE LOWER

C128 COMMODORE

COMPUTER

(Order Now)

- 340K 1571 Disk Drive \$259.00
- Voice Synthesizer \$39.95
- 12" Green or Amber Monitor \$69.95
- Printer/Typewriter Combination \$249.95

170K Disk Drive \$149.95

- Tractor Friction Printer \$159.95
- 13" Hi-Res Color Monitor \$169.95

COMMODORE 64 COMPUTER \$139.95

You pay only \$139.95 when you order the powerful 84K COMMODORE 64 COMPUTER! LESS the value of the SPECIAL SOFTWARE DISCOUNT COUPON we pack with your computer that allows you to SAVE OVER \$500 off software sale prices!! With only \$100 of savings applied, your net computer cost is \$39.95!

170K DISK DRIVE \$149.95

You pay only \$149.95 when you order the 170K Disk Drive! LESS the value of the SPECIAL SOFTWARE DISCOUNT COUPON we pack with your disk drive that allows you to SAVE OVER \$500 off software sale prices!! With only \$100 of savings applied, your net disk drive cost is \$49.95.

13" HI-RES COLOR MONITOR \$169.95

You pay only \$169.95 when you order this 13" COLOR MONITOR with sharper and clearer resolution than any other color monitors we have tested! LESS value of the SPECIAL SOFTWARE DISCOUNT COUPON we pack with your monitor that allows you to save over \$500 off software sale prices!! With only \$100 of savings applied, your net color monitor cost is only \$69.95. (16 Colors).

80 COLUMN 80 CPS TRACTION/FRICTION PRINTER \$159.95

You pay only \$159.95 when you order the Comstar T/F deluxe line printer that prints 8½x11 full size, single sheet, roll or fan fold paper, labels, etc. Impact dat matrix, bidirectional. LESS the value of the SPECIAL SOFTWARE DISCOUNT COUPON we pack with your printer that allows you to SAVE OVER \$500 off software sale prices!! With only \$100 of savings applied your net printer cost is only \$59.95.

80 COLUMN BOARD \$59.95

Now you program 80 COLUMNS on the screen at one time! Converts your Commodore 64 to 80 COLUMNS when you plug in the 80 COLUMN EXPANSION BOARD!! PLUS 4 slot expander!

80 COLUMNS IN COLOR PAPERBACK WRITER 64 WORD PROCESSOR \$39.95

This PAPERBACK WRITER 64 WORD PROCESSOR is the finest available for the COMMODORE 64 computer! The ULTIMATE FOR PROFESSIONAL Word Processing, DISPLAYS 40 or 80 COLUMNS IN COLOR or black and white! Simple to operate, powerful text editing complete cursor and insert/delete key controls line and paragraph insertion, automatic deletion, centering, margin settings and output to all printers! List \$99.00. SALE \$39.95. Coupon \$29.95.

SPECIAL SOFTWARE COUPON

pack a SPECIAL SOFTWARE DISCOUNT COUPON with every COMMODORE 64 COMPUTER, DISK DRIVE, PRINTER, or MONITOR we sell! This coupon allows you to SAVE OVER \$500 OFF SALE PRICES!!

(Examples)

PROFESSIONAL SOFTWARE **COMMODORE 64**

Name	List	Sale	Coupon
Paperback Writer 64	\$99.00	\$39.95	\$29.95
Paperback Data Base	\$69.00	\$34.95	524.95
Paperback Dictionary	\$24.95	\$14.95	\$10.00
Practicale II	\$69.95	\$49.95	\$44.95
Print Shop (Disk)	\$44.95	\$32.95	\$26.95
Practicale	\$59.95	\$24.95	\$19.95
Programmers Reference Guide	\$20.95	\$16.95	\$12.50
Programmers Helper (Disk)	\$59.95	\$29.95	\$19.95
80 Column Screen (Disk)	\$59.95	\$29.95	\$19.95
Disk Filer (by Flip-N-File)	\$39.95	\$14.95	\$12.95
Deluxe Tape Cassette	\$89.00	\$44.95	\$34.95
Pro Joy Stick	\$19.95	\$12.95	\$10.00
Light Pen	\$39.95	\$14.95	\$ 9.95
Dust Cover	\$ 8.95	\$ 6.95	\$ 4.60
Simon's Basic	\$29.95	\$22.95	\$19.95
Pitstop II Epyx	\$39.95	\$22.95	\$19.95
Super Graphics Expander	\$29.95	\$22.95	\$19.95
Music Calc 1	\$59.95	\$29.95	\$12.95
Filewriter	\$59.95	\$29.95	\$24.95

(See over 100 coupon items in our catalog)

Write or call for Sample SPECIAL SOFTWARE COUPON!

C128 COMMODORE COMPUTER \$289.95

We expect a limited supply the 1st week in July. We will ship on a first order basis. This all-new revolutionary 128K computer uses all Commodore 64 software and accessories plus all CPM programs formatted for the disk drive.

List \$349.00. SALE \$289.95.

340K 1571 COMMODORE DISK DRIVE \$259.00

Double Sided, Single Disk Drive for C-128 allows you to use C-128 mode plus CPM mode. 17 times faster than 1541, plus runs all 1541 formats. List \$349.00. Sale \$259.00.

SUPER AUTO DIAL MODEM \$39.95

Easy to use. Just plug into your Commodore 64 computer and you're ready to transmit and receive messages. Easier to use than dialing your telephone. just push one key on your computer! Includes exclusive easy to use program for up and down loading to printer and disk drives. Best in U.S.A. List \$129.00. SALE \$39.95.

VOICE SYNTHESIZER \$39.95

For Commodore-64 computers. Just plug it in and you can program words and sentences, adjust volume and pitch, make talking adventure games, sound action games and customized talkies!! FOR ONLY \$19.95 you can add TEXT TO SPEECH, just type a word and hear your computer talk — ADD SOUND TO "ZORK", SCOTT ADAMS AND OTHER ADVENTURE GAMES!! (Disk or tape.) List \$89.00. SALE \$39.95

12" GREEN OR AMBER MONITOR \$69.95

Your choice of green or amber screen monitor, top quality, 80 columns x 24 lines, easy to read, anti-glare! PLUS \$9.95 for connecting cable. Com-64 or VIC-20. List \$159.00. **SALE \$69.95**.

PRINTER/TYPEWRITER COMBINATION \$249.95

"JUKI" Superb letter quality, daisy wheel printer/typewriter combination. Two machines in one - just a flick of the switch. 12" extra large carriage, typewriter keyboard, automatic margin control and relocate key, drop in cassette ribbon! (90 day warranty) centronics parallel or RS232 serial port built in (Specify). List \$349.00. SALE \$249.95. (Ltd. Qty.)

13" RGB & COMPOSITE MONITOR \$279.00

Must be used to get 80 columns in color with 80 column computers (C128 & Atari ST). (Add \$14.50 shipping) List \$399.00. SALE \$279.00.

ATTENTION

Computer Clubs

We Offer Big Volume Discounts CALL TODAY!

PROTECTO WARRANTY

All Protecto's products carry a minimum 90 day warranty. If anything fails within 90 days from the date of purchase, simply send your product to us via United Parcel Service prepaid. We will IMMEDIATELY send you a replacement at no charge via United Parcel Service prepaid. This warranty proves once again that We Love Our Customers.

LOWEST PRICES
 15 DAY FREE TRIAL

BEST SERVICE IN U.S.A. • ONE DAY EXPRESS MAIL

PHONE ORDERS

8 a.m. - 8 p.m. Weekdays 9 a.m. - 12 noon Saturdays

 90 DAY FREE REPLACEMENT WARRANTY OVER 500 PROGRAMS
 FREE CATALOGS

* Add \$10.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA.

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail!

VISA - MASTER CARD - C.O.D. No C.O.D. to Canada, APO-FPO. PROTECTO

We Love Our Customers 22292 N. Pepper Rd., Barrington, Illinois 60010

GIANT PRINTER SALE

10"/151/2" COMSTAR 10X/151/2 X 120-140 CPS

COM-STAR PLUS + (Tractor-Friction Printer)

Tractor Friction Printer

 Dot Matrix, Impact, Prints Single Sheets or Continuous Feed Paper, 10" or 15½" Carriage

- Print buffer
- 9 x 9 Dot Matrix, Double Strike
- Near Letter Quality, High Resolution, Dot Bit Image
- Underlining, Left-Right Margin
- True Low Descenders, Super and Subscript
- Prints Standard, Block Graphics, Italics
- Centronics Parallel Interface

COM-STAR 10X List \$399 Sale \$179 COM-STAR 151/2 X List \$599 Sale \$249

Com-Star

One Year Free Replacement Warranty

PRINTER

Impact Dot Matrix

PRINT HEAD

9 Wire (User Replaceable)

PRINT SPEED — Bi-directional Logic Seeking

Super 10X 120-140; Super 151/2 X 120-140

PAPER SLEW SPEED

10 LPS at 1/6" Spacing

PRINT BUFFER

One Line Standard

PRINT SIZE

10, 12, 17, 5, 6, 8.5 CPI

NUMBER OF COLUMNS

Super-10X: 80, 96, 136 (40, 48, 68 Double Width) Super-15½ X: 136,164, 232 (68, 82, 116 Double Width)

CHARACTER MATRIX

9 x 9 Standard, with True Descenders
18 x 9 Emphasized
18 x 18 Double Strike
6 x 6 Block Graphics
60 x 72 Low Resolution, Bit Image Graphics
120 x 144 Hi Resolution, Bit Image Graphics
240 x 144 Ultra Hi Resolution, Bit Image Graphics

CHARACTER SETS

96 Standard ASCII, 32 Block Graphic Characters, 96 Italics Characters

CHARACTER FONTS

Normal (10 CPI) Elite (12 CPI) Condensed (17 CPI) Enlarged (5, 6, 8.5 CPI) Emphasized Double Strike Super and Sub Script

SPECIAL FEATURES

Self-Test
Macro Instruction
Continuous Underline
8 Bit Selectable Interface
Column Scan Bit Image Graphics
Vertical and Horizontal Tabs
Skip Over Perforation
15.5" Carriage (Super-15½ X Only)

LINE SPACING

1/6", 1/8" Plus Programmable by n/144" or n/72"

PAPER HANDLING

RIBBON

Super 10X Cartridge Ribbons \$9.95, Super 151/2 X Cartridge \$14.95

INTERFACE

Standard Parallel (Centronics Compatible)

DIMENSIONS - in inches & WEIGHT - in lbs.

SUPER-10X 14W X 10 9/16D x 2 7/8H, 11 lbs.

All product data subject to change without notice.

Parallel Interfaces:

Commodore 64 - \$39.00

Apple II, IIe, II + -\$59.00

Atari - \$59.00

Add \$10.00 (\$14.50 for 151/4" Printers) for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA.

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail!

VISA — MASTER CARD — C.O.D. No C.O.D. to Canada, APO-FPO

PROTECTO

We Love Our Customers
22292 N. Pepper Rd., Barrington, Illinois 60010
312/382-5244 to order


GIANT PRINTER SAL

10"/151/2" COMSTAR 160 150-170 CPS

COMSTAR 160 + High Speed (Tractor-Friction Printer)

- Tractor Friction Printer
- Dot Matrix, Impact, Prints Single Sheets or Continuous Feed Paper, 10" or 151/2" Carriage
- 9 x 9 Dot Matrix, Double Strike
- Near Letter Quality, High Resolution, Dot Bit Image
- Underlining, Backspacing, Left-Right Margin
- True Low Descenders, Super and Subscript
- Prints Standard, Block Graphics
- Better than Gemini 10X
- Centronics Parallel Interface

10" COMSTAR 160 List \$499 Sale \$229 151/2" COMSTAR 160 List \$699 Sale \$299



One Year Free Replacement Warranty

Emphasized

PRINTER

Impact Dot Matrix

PRINT HEAD

9 Wire (User Replaceable)

PRINT SPEED — Bi-directional Logic Seeking

10" ComStar 160: 150-170 CPS; 15½" ComStar 160: 150-170 CPS

PAPER SLEW SPEED

10 LPS at 1/6" Spacing

PRINT BUFFER

PRINT SIZE

10, 12, 17, 5, 6, 8.5 CPI

NUMBER OF COLUMNS

10" ComStar 160: 80, 96, 136 (40, 48, 68 Double Width) 151/2" ComStar 160: 136, 164, 232 (68, 82, 116 Double Width)

CHARACTER MATRIX

9 x 9 Standard, with True Descenders

18 x 9 Emphasized

18 x 18 Double Strike

6 x 6 Block Graphics

60 x 72 Low Resolution, Bit Image Graphics

120 x 144 Hi Resolution, Bit Image Graphics

240 x 144 Ultra Hi Resolution, Bit Image Graphics

CHARACTER SETS

96 Standard ASCII, 64 Special, 32 Block Graphic, 96 Downloadable, 88 International Characters

Parallel Interfaces:

CHARACTER FONTS

Normal (10 CPI) Elite (12 CPI) Condensed (17 CPI)

Double Strike Super and Sub Script Enlarged (5, 6, 8.5 CPI)

SPECIAL FEATURES

Self-Test

15.5" Carriage (151/2" ComStar 160 Only) Macro Instruction Continuous Underline 8 Bit Selectable Interface Column Scan Bit Image Graphics

Vertical and Horizontal Tabs Skip Over Perforation

LINE SPACING

1/6", 1/8" Plus Programmable by n/144" or n/72"

PAPER HANDLING

Roll Paper: Cut Sheet: Sprocket: Copies:

10" COMSTAR 160 8.5" to 10" Wide 8" to 10" Wide 3" to 10" Wide 3 Carbonless Sheets 151/2" COMSTAR 160 8.5" to 15" Wide 8" to 15" Wide 5" to 15.5" Wide 3 Carbonless Sheets

10" ComStar 160 Cartridge \$9.95, 15½" Comstar 160 Ribbon \$14.95

Standard Parallel (Centronics Compatible)

DIMENSIONS — in inches

10" COMSTAR 160 15.36W X 12.6D x 5H

151/2" COMSTAR 160 23.4W x 14.3D x 5.2H

WEIGHT — in pounds

10" COMSTAR 160: 11 lbs.

151/2" COMSTAR 160: 18.7 lbs.

All product data subject to change without notice.

Commodore 64 - \$39.00

Apple II, IIe, II + -\$59.00

Atari - \$59.00

Add \$10.00 (\$14.50 for 15%" Printers) for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA.

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! VISA - MASTER CARD - C.O.D. No C.O.D. to Canada, APO-FPO PROTECTO

We Love Our Customers 22292 N. Pepper Rd., Barrington, Illinois 60010

ANT PRINTER SAL 165-185 CPS omstar

Super Letter Quality 10" ComStar 2000 Plus Super High Speed

Lifetime Warranty*

- Tractor Friction Printer
- 165 185 CPS Dot Matrix Impact, prints single sheet or continuous form paper
- Letter Quality Mode 40 CPS
- 9x9 or 17x17 dot matrix
- 256 user definable characters
- Super script, subscript
- Pica, elite, proportional and italics
- Super bit image graphics
- 1920 byte print buffer
- Lifetime printhead warranty*
- Better than Epson FX80
- Automatic dark mode

ComStar 2000 List S599

One Year Fre Replacement Warranty Sale \$259

PRINTING METHOD

Impact dot matrix system

PRINT SPEED

160-180 cps PICA; 40 cps FINE MODE (Letter Quality)

PAPER FEED SPEED

100 msec/line (in case of 1/6 inch line feed)

CHARACTER FONT

9x9 matrix (pica, elite, condensed), 9xn matrix (proportional), 17x17 matrix (fine mode) 2 pass

BIT IMAGE GRAPHICS

480, 640, 960, 1280, 1920 dots/line

PRINT DIRECTION

Bi-directional in text mode with logic seeking Uni-directional in bit image graphic mode

CHARACTER PITCH

1/10" (pica), 1/12" (elite), 7/120" (condensed), 2/10" (double width pica), 2/12" (double width elite), 14/120" (double width condensed)

CHARACTERS PER LINE

137 characters (condensed)

96 characters (elite)

80 characters (pica)

68 characters (double width condensed)

48 characters (double width elite)

40 characters (double width pica)

HORIZONTAL TAB

Programmable positions & manual selection by control panel switches

VERTICAL TAB

Programmable

LINE FEED PITCH

1/6", 1/8", 7/72" (programmable pitch), 1/72" (programmable pitch), n/72" (programmable pitch), n/216" (programmable pitch)

CHARACTER SET

Full ASCII 96 characters with descenders. International characters: USA, Germany, Italy, U.K., France, Denmark, Sweden, Spain

PAPER FEED SYSTEM

Adjustable sprocket feed, friction feed

FORM HANDLING, FANFOLD PAPER

Width: 4-10"; number of copies, original & 2 copies without carbon

RIBBON

Cartridge ribbon

PAPER END SENSOR

Mechanical switch (printer stops printing 0.6 inches from end of paper)

Parallel (Centronics compatible) Buffer memory size: 1920 byte

RELIABILITIES: PRINTER LIFE

MTBF: 5,000,000 lines; ribbon life, 3,000,000 chars.

DIMENSIONS & WEIGHT

Width 16.0"; depth 11.8"; height 4.72"; weight 14 lbs.

All product data subject to change without notice.

Parallel Interfaces:

Commodore 64 - \$39.00

Apple II, IIe, II + -\$59.00

Atari - \$59.00

Add \$10.00 for shipping, handling and insurance, Illinois residents please add 6% tax, Add \$20.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail!

VISA - MASTER CARD - C.O.D. No C.O.D. to Canada, APO-FPO PROTECTO

We Love Our Customers 22292 N. Pepper Rd., Barrington, Illinois 60010

Commodore 64


Commodore 64



List \$99.00

Sale

Coupon \$29.95



Telecommunications

Lowest Price In the U.S.A.



List \$99.00

Sal

Coupon \$29.95

FOR CHILDREN-ADULTS-BUSINESS

Complete Auto Dial Telecommunications Package

"The only telecommunications package you will ever need." (Exclusive Easy To Use Features)



Total Telecommunications

- 300 Baud Modem
 Auto Dial
 Auto Answer
 Upload & Download 52 Database Services (UPI News, etc.) Phone Numbers Included

Reach Out and Access Someone

- Educational courses
- Financial Information
- Banking at Home
- Popular Games
- News Updates and Information
- Electronic Shopping
- Research and Reference Materials

The Total Telecommonications Package offers you all this plus ...

- Auto Log-on
- Dialing from Keyboard
- On-line Clock
- Capture and Display High Resolution Characters
- Download Text, Program or Data Files
- Stores on Disk Downloaded Files
- Reads Files from Disk and Uploads Text or Program Files
- Select Any Protocol (access almost any computer or modem)
- · Plus Much, Much More

List \$99.00

95 Coupon

We are so sure this is the only telecommunications package you will need we will give you 15 days Free Trial.

Add \$3.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$6.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA: Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail!

VISA - MASTER CARD - C.O.D. No C.O.D. to Canada, APO-FPO

PROTEC

We Love Our Customers 22292 N. Pepper Rd., Barrington, Illinois 60010

COLOR MONITOR Salet SALE!! Scolors

(Premium Quality)

- Built in Speaker and Audio
- Front Panel Controls
- For Video Recorders
- For Small Business Computers
- Apple Commodore -Atari - Franklin - etc.

Add \$14.50 shipping, handling and insurance. Illinois residents please add 6% tax. We do not ship to foreign countries (including Canada), Alaska, Puerto Rico, APO-FPO.

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail!



13" Color Computer Monitor

*Connecting cable \$9.95

(Premium Quality)

- Beautiful Color Contrast
- High Resolution
- Separated Video
- Sharp Clear Text
- Anti-Glare Screen
- 40 Columns x 24 Lines
- Supports 80 Columns

List \$32900

tor \$16995

13" RGB & COMPOSITE MONITOR

List \$399.00

Must be used to get 80 columns in color with 80 column computers (C128 & Atari ST). (add \$14.50 shipping)

Sale \$27900

14" COMMODORE 1702 COLOR MONITOR

(add \$14.50 shipping)

List \$299.00

Sale \$17900*

15 Day Free Trial - 90 Day Immediate Replacement Warranty

12" XTRON SUPER HI-RESOLUTION MONITOR

Sale \$10995

80 Columns x 24 Lines, Super Hi-Resolution 1000 lines Green or Amber Super-Clear "Easy to Read" text with special anti-glare screen! (Ltd. Qty.) List \$249.00

12" TENITH HI-RESOLUTION GREEN OR AMBER TEXT DISPLAY MONITOR

80 Columns x 24 Lines, Hi-Resolution, crisp clear easy to read text with anti-glare screen! A MUST for word processing. (Ltd. Qty.) List \$199.00

Sale \$8995

12" MONITOR GREEN OR AMBER TEXT
80 Columns x 24 Lines, easy to read up front controls (Ltd. Qty.)

List \$159.00

Sale \$6995

* Connecting cable \$9.95
• LOWEST PRICES • BEST SERVICE IN U.S.A. • ONE DAY EXPRESS MAIL • OVER 500 PROGRAMS • FREE CATALOGS

Add \$10.00 for shipping, handling and insurance, Illinois residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders, Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA. Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail!

VISA — MASTER CARD — C.O.D.

No C.O.D. to Canada, APO-FPO

PROTECTO

We Love Our Customers
22292 N. Pepper Rd., Barrington, Illinois 60010

MORD PROFESSIONS SAL

40 or 80 Columns in Color

Paperback Writer 64

40 or 80 Columns in Color

This is the easiest to use and most powerful word processor available for the Commodore 64. As you type on the screen, you will see your letters and words appear on the screen exactly as they will be printed (i.e. Italics will be Italic, Bold Face will be Bold Face). With the printer files you can customize Paperback Writer 64 to use all the fancy features of your printer. Loads EZ Script®, Paperclip®, & Wordpro 64® Files so you can easily upgrade your past wordprocessing text that you've written with obsolete wordprocessors.

- Take a look at some of the other features:
 - Wordwrap No Words Break At The Edge Of The Screen.
 Flexible Cursor Movement, Including Tabs And Other Timesavers.
 - Deletion And Insertion Of Characters, Lines And Blocks Of Text.
 - On-screen Text Enhancement, Such As Bold Face, Italics, Underlining, Superscripts And Subscripts, And Foreign And Other Characters.
 - Manipulation Of Blocks (ranges) Of Text For Functions Such As Moving And Deleting, Even Between Files.
 - Sorting Lists In Order Of Numbers And Letters.
 - Aligning And Adding Numbers In Columns, Helpful With Tables.
 - Variable Margins At Left And Right, And Paragraph Indentation.
 - · Lines Centered, Justified Or Aligned At The Right Side.
 - Variable Page Lengths And Line Spacing.
 - Borders At Top Or Bottom With Optional Title Lines And Page Numbers.
 - Linked Files To Print Extra-long Documents In Sequence.
 - Flexible Printer Set-up To Allow Use With Any Printer.
 - Find And Replace Text Functions That Can Be Automatic.
 - Complete Or Selective Directories Of Files On The Disk.
 - Sequential Files For Mail Lists And Communication With Other Computers.
 - Spelling Checker, Checks Your Spelling.

INTRODUCTORY PRICE

WORD

PROCESSOR

\$2995 COUPON

Sale Price \$39.95

☆ ☆ ☆ Plus ☆ ☆ ☆

Full help screens on line with additional help on the disks mean you don't even need a manual. If you're in the middle of a page and you want to know how to use a special function just hit F7 and the information will appear before your eyes. If you still don't understand hit F7 again and a more detailed explanation

appears. Then simply hit F8 and you're back in the letter where you left off. No manual lookup necessary. This is the easiest word processor in the world to use. List \$99.00.

Introductory Sale Price \$39.95. Coupon \$29.95.

PAPERBACK DATABASE (Datafax) List \$69.00. Sale \$34.95. * Coupon \$24.95.

DOUBLE PROTECTO FREE TRIAL

We are so sure this is the easiest and most powerful word processor available, we will give you 30 days to try it out. If you are not completely satisfied, we will refund your purchase price.

Add \$3.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$6.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES EXCEPT CANADA.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail!

VISA — MASTER CARD — C.O.D.

No C.O.D. to Canada, APO-FPO.

PROTECTO

We Love Our Customers
22292 N. Pepper Rd., Barrington, Illinois 60010

Super Summer Sizzler Sale Ends 9-15-85

Prices will go back to regular sale prices

FLOPPY DISKS SALE *69° ea. Economy Model or Cadillac Quality

We have the lowest prices!

*ECONOMY DISKS

Summer Sale Prices Only

Good quality 51/4" single sided single density with hub rings.

Bulk Pac

100 Qty.

69° ea.

Total Price

\$69.00

10 Qty. 89° ea. Total Price 8.90

CADILLAC QUALITY (double density)

Each disk certified

• Free replacement lifetime warranty

Automatic dust remover

For those who want cadillac quality we have the Loran Floppy Disk. Used by professionals because they can rely on Loran Disks to store important data and programs without fear of loss! Each Loran disk is 100% certified (an exclusive process) plus each disk carries an exclusive FREE REPLACEMENT LIFETIME WARRANTY. With Loran disks you can have the peace of mind without the frustration of program loss after hours spent in program development.

100% CERTIFICATION TEST

Some floppy disk manufactures only sample test on a batch basis the disks they sell, and then claim they are certified. Each Loran disk is individually checked so you will never experience data or program loss during your lifetime!

FREE REPLACEMENT LIFETIME WARRANTY

We are so sure of Loran Disks that we give you a free replacement warranty against failure to perform due to faulty materials or workmanship for as long as you own your Loran disk.

AUTOMATIC DUST REMOVER

Just like a record needle, disk drive heads must travel hundreds of miles over disk surfaces. Unlike other floppy disks the Loran smooth surface finish saves disk drive head wear during the life of the disk. (A rough surface will grind your disk drive head like sandpaper). The lint free automatic CLEANING LINER makes sure the disk-killers (dust & dirt) are being constantly cleaned while the disk is being operated. PLUS the Loran Disk has the highest probability rate of any other disk in the industry for storing and retaining data without loss for the life of the disk.

Loran is definitely the Cadillac disk in the world

Just to prove it even further, we are offering these super LOW INTRODUCTORY PRICES

List \$4.99 ea. INTRODUCTORY SALE PRICE \$2.49 ea. (Box of 10 only) Total price \$24.90

\$3.33 ea. (3 quantity) Total price \$9.99

All LORAN disks come with hub rings and sleeves in an attractive package.

DISK DRIVE CLEANER \$19.95

Everyone Needs A Disk Drive Doctor

FACTS

- 60% of all drive downtime is directly related to poorly maintained drives.
- Drives should be cleaned each week regardless of use.
- Drives are sensitive to smoke, dust and all micro particles.
- Systematic operator performed maintenance is the best way of ensuring error free use of your computer system.

The Verifin disk drive cleaner can be used with single or double sided 5¼" disk drives. The Verifin is an easy to use fast method of maintaining efficient floppy diskette drive operation. The Verifin cleaner comes with 2 disks and is packed in a protective plastic folder to prevent contamination. List \$29.95. Sale \$19.95. * Coupon \$14.95.

Add \$3.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$6.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail!

VISA — MASTER CARD — C.O.D.

No C.O.D. to Canada, APO-FPO

PROTECTO

We Love Our Customers
22292 N. Pepper Rd., Barrington, Illinois 60010

Commodore 64 SALE CARDCO SALE

Fulfill All Your Personal & Business Needs "NOW"

S'MORE Cartridge Sale \$49.95

57% More Memory For BASIC

C128 Programming on your Commodore 64

For the first time, the Commodore 64 computer owners can make use of the full memory that came inside their Commodore 64 without having to learn sophisticated assembly or machine language programming. The new S'more BASIC Cartridge allows BASIC programmers to use over 60K of RAM for BASIC programs. This 57% gain in available memory is not restricted in any way, it can be used for arrays, variables and BASIC programs which would over-load the capacity of an un-expanded Commodore 64. List \$69.95 **Sale \$49.95**

S'MORE (for Super Memory Optimized RAM/ROM Expansion) is a powerful cartridge-based program which provides...

- * 61,183 bytes of C-64 RAM memory freed for BASIC programming (57% more than the 38,911 now free). This gain is not restricted in any way, and can be used for arrays, variables, and BASIC programs which would overload the un-expanded C-64's capacity
- * Over 60 new and enhanced BASIC commands & functions
- Full error trapping, and an automatic error help which lists the error line and places a flashing cursor at the beginning of the program statement containing the error
- * No peeks or pokes because S'MORE provides direct access to normally peeked/poked items
- * Full up-down scrolling through program listings for easier program editing

Relative File Commands: DOPEN# & RECORD #. Print Using And Other Formatting Tools: PRINT USING, PUDEF (define format for the PRINT USING function), & PRINT AT (row, col.). Full Error Trapping: TRAP, EL (returns error line #), ER (returns error #), ERR\$ (returns error description), RESUME, & RESUME NEXT. Structured Programming Commands: DO, LOOP, EXIT, UNTIL, & WHILE. Formatted Input Commands: GETKEY, INLINE, INPUT (improved), INPUT AT (row, col.), INFORM (limits allowed response keys and length of response). Peeks & Pokes Not Needed: Direct access to normally peeked/poked items is provided with commands like BORDER, PAPER, INK, VID(x) (x—screen memory location), COL(x) (x—color memory location), VIC(x), SID(x), CIA(x), NORM, UPPER, & LOWER.

A BRIDGE TO THE C-128: Commodore 64 owners get immediate memory expansion from S'MORE. S'MORE's command structure is similar to the C-128, allowing programmers to make use of advanced programming techniques available on the C-128's new BASIC 7.0 so that programs written on S'MORE BASIC may be more easily converted to run on the C-128.

Write Now! — Word Processor Sale \$34.95

Easy To Use Cartridge Based Word Processor for the C-64, With Full 80 Column On-Screen In Color View Mode

The WRITE NOW! word processor provides you with the easiest to use, fastest to learn format available for your Commodore 64 computer. It will give you all the fetures you would expect in a professional word processor and some features not found in any other Commodore 64 word processor. (Cartridge) List \$49.95. Sale \$34.95. Coupon \$29.95.

- Program is on cartridge and loads instantly so there is no waste of time loading from unreliable tapes or disks.
- Built in 80 column display allows you to see exactly what you will print including headers, footers, justification, page numbers and page breaks.
- Can send all special codes to any printer, even in the middle of a line without losing proper justification.
- Page numbering in standard numbers or upper or lower case Roman numerals.
- Full string search and search/replace functions.
- Direct unlimited use of previously stored text from tape or disk called from within text during the print out so it uses no memory space and allows creation of unlimited length documents.
- Full scrolling up and down through text.
- No complicated editing modes or commands.
- Multiple line headers and footers.
- Justification and text centering.
- Block copy and delete commands.
- Save text to tape or disk.
- Easy full screen editing.
- · Works with any printer.
- Easy to understand instruction booklet.
- · 4 help screens included.

Spell Now — Spell Checker Sale \$19.95

"Spell Now" is a disk based professional spelling checker that interfaces with the "Write Now" word processor for the C-64. Use "Spell Now" to check the spelling in your "Write Now" files. It includes all features of the most expensive spelling checkers on the market. (Disk) List \$39.95. Sale \$19.95.

Graph Now / Paint Now — Graphic/Logo Generator Sale \$19.95

A full graphics package capable of generating line, bar graphs and graphic art designs such as logos and pictures to be used with "Write Now" for the C-64. Save your graph or logo in a "Write Now" compatible file and print it out along with your "Write Now" text file. (Disk) List \$39.95. Sale \$19.95.

Add \$3.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$6.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA.

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail!

VISA — MASTER CARD — C.O.D.

No C.O.D. to Canada, APO-FPO.

PROTECTO

We Love Our Customers
22292 N. Pepper Rd., Barrington, Illinois 60010

Economy* to Arcade Quality

JOYSTICK



Low As

Low As

\$8.95 SALE \$8.95

Ultimate Arcade Quality Model

Commodore 64 VIC 20 PLUS All Atari Machines

Coin Controls 5000

Rated No. 1

Unconditional 2 Year Warranty

List \$24.95

\$16.95

5200 Joystick

Allows keypad hook-up List \$29.95 Sale \$24.95

Professiona Cadillac

Model

"Three Way Firing" **Options**



Add \$3.00 for shipping, handling and insurance, Illinois residents please add 6% tax. Add \$6.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA.

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! VISA - MASTER CARD - C.O.D.

No C.O.D. to Canada, APO-FPO

*Single Button **Economy Model**



List \$12.95

Sale \$8.95

DOT ECTO


We Love Our Customers 22292 N. Pepper Rd., Barrington, Illinois 60010 312/382-5244 to order



that DLV




Makes your Computer into a Fun Classroom




Alphabet Circus. All the color and excitement of the big top are here, along with play-and-learn activities that enhance letter recognition, alphabet order, and text creation. The six games for one or two players are: Alphabet Circus, Meet the Circus, Alphabet Parade, Secret Letter, Juggler, and Marquee Maker. (Disk) List \$29.95. Sale \$17.95.

Commodore 64 Sale

Alien Addition. The fast action and colorful graphics of arcade games motivate players of all ages to learn fundamental math skills. Alien addition provides practice in basic addition facts using an "Alien invasion" theme complete with spaceships and laser cannons. (Disk) List \$34.00. Sale \$19.95.





Spelling Wiz. A colorful wizard who uses his magic wand to zap missing letters into words, assists players in spelling more than 300 words commonly misspelled. (Disk) List \$34.00. Sale \$19.95.

\$17%.\$19% Early Christmas Sale

Alligator Mix. Players build skills in addition and subtraction as they feed hungry alligators. Very challenging, with great graphics. (Disk)
List \$34.00. Sale \$19.95.





Number Farm. Here's a bumper crop of activities design to develop recognition of numbers and number words and an understanding of the concept of numbers. The six games for one or two players are: Number Farm, Old McDonald, Hen House, Animal Quackers, Horseshoes, and Crop Count. (Disk)
List \$29.95. Sale \$17.95.

Commodore 64 Sale

Meteor Multiplication. Have fun blasting meteors, while learning basic multiplication facts. Requires motivation as players practice and are drilled in multiplication skills. Fast action and colorful graphics keep interest of all ages. (Disk)
List \$34.00. Sale \$19.95.



Add \$3.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$6.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA.

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail!

VISA — MASTER CARD — C.O.D.

No C.O.D. to Canada, APO-FPO.

PROTECTO

We Love Our Customers 22292 N. Pepper Rd., Barrington, Illinois 60010 312/382-5244 to order Commodore 64

Computer Learning Pad

Makes Graphic Tablets Obsolete

Includes Special Printer Feature

Sale!

\$3795

Hi-Resolution!

Now you get this Fantastic Tech Sketch Computer Light Pen Program with a Professional Light Pen Free! (\$39.95 value) plus the Micro Illustrated Graphics Pen Program that allows you to draw on your T.V. or monitor screen (better than Gibsons \$99 light pen). Whatever you can draw on the screen you can print on your printer (A Tech Sketch Exclusive.) (Disk) List \$59.95 Sale \$37.95.



Also available is Lite Sprite, a light pen driven sprite builder (List \$39.95 Sale \$29.95).


MUSIC PORT

The ultimate music synthesizer and multi-track recording system for the Commodore 64. A **Full-sized REAL Keyboard** and all software including preprogrammed songs are included. (Disk) List \$149.95 **Sale \$99.00**.


Fully Responsive
"MUSICIANS" Keyboard

Sale!

\$9900



No Extra Software Required



Add \$3.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$6.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA. Enclose Cashiers Check, Money Order or Personal Check. Allow 14

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail!

VISA — MASTER CARD — C.O.D.

No C.O.D. to Canada, APO-FPO

PROTECTO

We Love Our Customers
22292 N. Pepper Rd., Barrington, Illinois 60010

Commodore 64

BEST VALUE

EDY Commodore 64

BEST

VALUE

The Best Arcade Games Around

Winter Games — Experience the challenge of six winter sporting events. In the Bobsled, you're right in the tube careening along the walls. At the SkiJump, you control your form in take-off, flight and landing. In Figure Skating, timing counts for the transitions, the jumps and landings.



Choreograph your own routine in Free Style Skating. Hot Dog Aerials push your agility to new heights. The Biathlon challenges your endurance in cross-country skiing. There's even an opening ceremony, complete with national anthems. One to Eight Players. (Disk) List \$39.95. Sale \$22.95.

The World's Greatest Football Game - This one has it all strategy, action, three views of the field. It's in a class all its own! Finally, a football game that not only puts you on the field, but also on the sidelines in the coach's shoes. Use the "Playbook" or design your own



offensive and defensive plays. Then, grab the joystick and put your strategy to the test. You control key players to run a sweep, make a tackle, throw a pass and even kick a fieldgoal. All the action and all the strategy make this your favorite football game. (Disk) List \$39.95. Sale \$22.95.



Jet Combat Simulation. Flight simulation programs are the most requested in the country. The key to a good one is realism, the sensation of being in the cockpit — guiding the plane through take-offs, landings and air to air — air to ground combat. You are an Air Force pilot and your mission is critical. Your success in completing your orders depends on how quickly and accurately you react. Very Intense — Fantastic Graphics, animation and control elements. (Disk) List \$39.95. Sale \$22.95.

Barbie — The biggest name in dolls. Browse through Barbie's closet full of beautiful clothing and dress her for the party. You can cut her hair or make it longer and color it or change the style. Buy new clothing at the boutique or any of the six other specialty shops, or even go to the dress shop and create Barbie's designer clothes with the help of the computer. The combinations are endless and so is the fun. One or two players. (Disk) List \$39.95. Sale \$24.95.





Ballblazer — Unique split-screen, 3-D graphics give you and your opponent a first person view of the field of play. You race across the playfield in your Rotofoil trying to capture the ball and fire it through the goal before your opponent. The winner is the player with the most points at the end of the timed competition. Hold onto your joystick and keep that finger on the fire button, this is the type of two player head-to-head action you've been waiting for. Two Players. (Disk) List \$29.95. Sale \$24.95.

Summer Games II — The original Summer Games was last Summer's No. 1 seller. Carry on the tradition with another chance to "Go for the Gold!" Introducing Summer Games II with 8 new Olympic events including Kayaking, cycling, fencing, diving, track & field, gymnastics and equastrian. The excitement of Olympic competion is present in this new version as it was in the original. Great graphics and sound effects. This one's a winner! (1 to 8 players). (Disk) List \$39.95. Sale \$24.95.





G.I. Joe — The best selling toy soldier is now available as an activity toy on the home computer. Select the battle situation then choose the equipment you think you will need to get the job done. Choose from a number of uniforms and weapons in your well stock arsenal and get ready for the action. Play alone or with a friend, if you plan the right strategy you will complete the mission if not you will have to try again. One or two players. (Disk) List \$39.95. Sale \$24.95.

Rescue On Fractalus! — Your mission is to fly your Valkyrie Fighter through the Jaggi defenses and rescue the downed Ethercorps pilots. Sounds easy, but don't let it fool you. It's tough enough just to navigate the mountains and canyons of Fractalus, but try doing it while destroying enemy gun emplacements or dodging suicide saucers. We supply the Long Range Scanner, Dirac Mirror Shield and Anti-Matter Bubble Torpedoes ... YOU supply the skill and guts! One Player. (Disk) List \$29.95. Sale \$24.95.



Add \$3.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$6.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! VISA - MASTER CARD - C.O.D.

No C.O.D. to Canada, APO-FPO

PROTECT


We Love Our Customers 22292 N. Pepper Rd., Barrington, Illinois 60010

SALE Weekly Reader Commodore 64 SALE

XEROX Educational Programs

Stickybear Bop

Rack up points by bopping all kinds of objects — planets, stars, ducks, and more... First, you'll flip balls at an animated shooting gallery of whizzing targets that appear. Bop as many as you can. Bop more, score more!... To pile up points in succeeding rounds, you must bop the assorted objects Mr. and Mrs. Stickybear are juggling...don't get bopped by the sandbags Stickybear drops when he sails across the top of the screen in his balloon... and watch out for a pair of silly birds who will try to steal the little balls you need to play with. The game continues with more shooting galleries, sandbags, a bigger flock of silly birds, and more of everything to be bopped. (Disk) List \$34.95. Sale \$24.95.





Stickybear Numbers


There are colorful groups of big moving objects, such as ducks, birds and bears, that reinforce numbers and counting skills. You can use the space bar to learn to count up and down. The many possible picture combinations work to captivate youngsters with an endless variety of picture shows and give them plenty of hands on computer experience. (32 page book, disk, colorful Stickybear poster, Stickybear stickers.) (Disk) List \$34.95. Sale \$24.95.

Stickybear Basketbounce

Your goal is to win as many points as you can by catching colorful, bouncing, falling objects including bricks, donuts, and stars — before running out of baskets. While trying to accumulate points, Stickybear must duck falling objects and dodge moving ground obstacles that try to trip you. Keep score on the computer to see which player's on top.

New obstacles and falling objects in each successive round require more and more skill in order to score. The rounds increase in difficulty as you progress through each level, making Stickybear Basketbounce a game that is fun and challenging for all ages. (Disk) List \$34.95. Sale \$24.95.





Stickybear Opposites Award Winner!

Stickybear floats across the screen on unicycles, in cars, on hot air balloons and other delightful vehicles to teach beginners about opposites and build reasoning skills.

Such concepts as up/down, full/empty, in front/behind and more soon become crystal clear as Stickybear does his stuff with fun activities and eye-popping animation. A colorful book and a poster provide additional opposites for 3- to 6-year-olds to learn. (Disk) List \$34.95. Sale \$24.95.

Outstanding Software Award — Preschool Education — Creative Computing.

Stickybear ABC Award Winner!

Beautifully animated pictures help children learn their ABC's and become familiar with computers. Two full-screen, full-color pictures with sound represent each letter in the alphabet.

Besides helping boys and girls become familiar with computers, Stickybear ABC teaches younger children to recognize and name the letters. Older children begin to recognize words on sight. (Disk) List \$34.95. Sale \$24.95.

Best Software of the Year — Learning Magazine Parents' Choice Award — Parents' Choice.





Stickybear Shapes

Three delightful, full-color games help 3- to 6-year-olds identify circles, squares, triangles, rectangles and diamonds. When the youngster makes a correct choice, a big, bright picture comes alive with colorful animation! Even older children who have already learned these shapes will enjoy experimenting with Stickybear Shapes!

A special book and poster that accompany the disk provide additional activities for building shapes recognition, an essential school skill. (Disk) List \$34.95. Sale \$24.95.

Add \$3.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$6.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! VISA - MASTER CARD - C.O.D.

No C.O.D. to Canada, APO-FPO.

ROTECI

We Love Our Customers 22292 N. Pepper Rd., Barrington, Illinois 60010

Sale LOW AS

\$29.95

Program Your Commodore 64 In Plain English

(No need to know Basic)

New Program Generators!!

CodeWriter List \$39.95

FileWriter — lets you control information so you can enter it, find ReportWriter — Lets you make 'data' into information that can


screen you want to handle your data whether its information about bills, taxes, club memberships, collections or your new home business. It will calculate automatically, hold grand totals, test for bad information for one form or hundreds. There is no need to "program" or know anything about computers. Most of the instructions you'll need are right on the screen for you. (Disk)

it and change it, just the way you'd like. Simply draw any kind of be reorganized and presented to help you make decisions. You



Writer

need invoices turned into commission reports. customer leads tuned into mailing labels, accounts receivable turned into letters to your customers. ReportWriter can handle all of these requests. You create your own report ideas with ReportWriter. A report can be simple columns of figures, a memo, a check, a label, whatever you need. You may create as many reports as you like from the same files; it will report to the computer screen or to your printer. (Disk) List \$39.95. Sale \$29.95. Coupon \$24.95.



programs together so the user can select the program he needs by pressing just one key. Where good program design calls for several different files or reports to load smoothly and quickly, MenuWriter does the job. You set up screen after screen (up to 21) of simple clear menu formats to link your programs together. Menus can call programs to auto-load or simply call other menus. You control the whole process -from color selection to screen layout, to key choice. Whether you're working with

AdventureWriter - You think

games is exciting? How about the

thrill of creating your own? It's all in this package. Your own heroes

magicians, castles and coffins. You

create complete adventure games without programming, which run

on your disks. As many adventures

as you can dream up - your

treasures, your own fiendish riddles, and your treache

rous plots for your friends to figure

treasures, hazards, characters, all

villians,

You

the fastest growing around. Send them

(Disk) List \$39.95. Sale \$29.95.

descriptions

computer adventure

monsters

control locations,

and the

CodeWriter programs or your own,
MenuWriter will give you professional menu results the first time. (Disk) List \$39.95. Sale \$29.95. Coupon \$24.95.

MenuWriter

SpeedWriter — What do you do with a BASIC program that you wrote (or bought, or typed) that is nice, does what you wanted it to do, but is just too slow to suit your needs? SpeedWriter makes BASIC FLY! A must for the sophisticated programmer, yet easy enough for the novice. Reduces program size up to 50%. in addition to speeding up your program to run 10-30 times faster. Couldn't be simpler! (Disk) List \$49.95. Sale \$39.95. Coupon \$34.95.

Dialog — You can create all the EDUCATIONAL programs you can imagine without programming with the DIALOG program. Dialog is a simple on-screen

process which allows you to create the first time you try, programs to educate children, inform adults, or just to entertain. Everything from simple tests to training manuals to complete novels. You control all the text, questions and answers. Any presentation is made more alive with the human give and take of real questions and answers. The Dialog system writes all the computer code onto your disk -to distribute any way to like. Graphics included. (Disk) List \$49.95. Sale \$39.95. Coupon \$34.95

Computer adventures are one of hobbies ELF System — Finally, a simple way to create calculation/print programs. These are NON-FILE programs which let you: (A) Collect information; (B) Number crunch with all the conditional evaluation, we could market them calculations you need; (C) Display the results to the screen or printer any way you'd like. It's like for you. * graphics included in a spreadsheet without rows and columns an a super calculating word processor without the Commodore. Com-64 Version hassle. (Disk) List \$39.95. Sale \$29.95. Coupon \$24.95. (Disk) List \$49.95. Sale \$39.95. Coupon \$34.95. Atari Version

Programming Made Easy

Add \$3.00 for shipping, handling and insurance, Illinois residents please add 6% fax. Add \$6.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA.

plot.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! VISA - MASTER CARD - C.O.D.

No C.O.D. to Canada, APO-FPO

PROTECT

We Love Our Customers 22292 N. Pepper Rd., Barrington, Illinois 60010

American Educational \$24.95 Computer \$24.95


• Learn at home • Easy To Use • Colorful Graphics • Motivating and Fun • Teacher Designed

All programs were written by teachers and have been classroom validated. These programs teach in a standard classroom format with rewards as the user gets through the various lessons.


Atari & Commodore 64

EasyReader Series


There are three programs in this series designed and tested by teachers from the appropriate grade levels for accurate content. Each disk keeps track of the students name, ensuring that the user completes one lesson before starting a new one. Animation, Graphics and sound are used in a successful way that keeps the child's interest as he learns each new skill. Correct answers are rewarded and wrong answers are corrected. Very easy to use, with most instructions appearing on the screen when needed.












Phonics. A program designed to teach beginning phonics: the sound of vowels and consonants. Helps child to develop skills for successful reading. The material covered follows the same guidelines of most textbooks. 8 disk sides; for Kindergarten through grade 4. (Disk)

Learn To Read. Provides work with structural word skills — contractions, prefixes, suffixes, synonyms and more. Prepares child for material that will be covered in the classroom as well as building on traditional school curriculum. Grades 1-4. (Disk) List \$39.95. Sale \$24.95.

Reading Comprehension. Helps child to develop reading skills with an accent on understanding the material presented. Teaches cause and effect, similarities and differences, predicting outcomes, main ideas and more. Grades 1-8. (Disk)
List \$39.95. Sale \$24.95.

Atari & Commodore 64



AEC Spelling — A series of seven educational software programs for grades 2 through 8. It teaches the spelling of 4,000 words most commonly used in writing (98% of most people's writing vocabulary). The word lists used are the result of over 25 years of research into the writing/spelling needs of children and adults. Each grade level consists of one two-sided disk with word lists on one side and study activities on the other. The activities are designed to develop mastery in spelling utilizing a Test/Teach/Test approach. A pre-test is used to find out which words a user cannot spell correctly. These are recorded on a "Words To Study" list. The activities for learning these words are provided. Finally, a post-test is taken by the learner to measure progress. The approach is simple and rewards are built in. (Grades 1-8) List \$39.95. Special Sale — 8 programs/4 disks \$24.95.



(Disk)

Add \$3.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$6.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA.

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail!

VISA — MASTER CARD — C.O.D.

No C.O.D. to Canada, APO-FPO.

PROTECTO


We Love Our Customers
22292 N. Pepper Rd., Barrington, Illinois 60010

Fantastic Sale!

HES Special Programs For Your Computer

While They Last!! \$995 Call Today!! \$995 First Come Basis!!

Cell Defense — Quick. Deadly viruses are rapidly multiplying. If you don't act fast, they'll infiltrate your entire bloodstream. And in seconds it'll be over. So blast the invaders with interferon. And annihilate them with macrophages. With Cell Defense, you control your own immune system. You'll discover basic concepts in biology. And explore exciting scientific strategies. While at the same time, leading an attack against a host of deadly viruses. So get yourself the science simulation game Cell Defense. Your life may depend on it. (Disk) List \$34.95. Early Christmas Sale \$9.95.





Super Zaxxon — Use the skills and tactics you learned in Zaxxon to master the new patterns and dangers in Super Zaxxon. Floating foretresses but with deadlier weapons and tighter passageways. 3-dimensional perspective but with even more realistic graphics. 3-dimensional flight but with a perilous tunnel requiring even more precise control. And a fire-breathing dragon that makes Zaxxon's robot look like a wimp. (Disk) List \$29.95. Early Christmas Sale \$9.95.


Early

Typing Tutor — Give your children an education they'll never get in school. Just think how much a child could learn if they had their very own private teacher at home. That kind of specialized help is now available through educational software programs from HesWare. There's Type 'N' Write, for the Commodore 64, that introduces your children to keyboard skills. Touch typing. And even word processing, for creating and editing up to eight pages. (Disk) List \$29.95. **Early Christmas Sale \$9.95**.



Pool Challenge

Christmas



Turtle Graphics II (LOGO) — An exciting and fun way to discover computer programming concepts. Turtle Graphics II is an easy-to-learn computer language that enables the beginning programmer to master the computer in just a few minutes. By telling an imaginary turtle how to roam about on the screen, the Turtle Graphics II programmer can create colorful and artistic pictures. As one becomes more and more adept at teaching the turtle to paint, he or she is painlessly learning all of the basics of computer programming. This not only develops computer awareness but enriches one's math, logic, communication and artistic skills as well. List \$29.95. Early Christmas Sale \$9.95.

Sale

POOL CHALLENGE — 6 Games in One • Endorsed by Minnesota Fats • Great Action Now you can play pool on your Commodore-64. Sharpen your aiming accuracy and shooting finesse. Using only a joystick and a few keystrokes you choose where to aim and how much power to use. Fantastic action. (Cartridge). List \$29.95. **Early Christmas Sale \$9.95.**

No C.O.D. to Canada, APO-FPO

Add \$3.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$6.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA. Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail!

PROTECTO

We Love Our Customers 22292 N. Pepper Rd., Barrington, Illinois 60010

Strategic Simulations Inc. More Than Just A Game It's An Experience

Commodore 64 · Commodore 64 · Commodore 64 · Commodore 64

Broadsides — A tactical simulation of ship-to-ship combat between sailing ships of the Napoleonic era. You will match yourself against another ship commanded by the computer or by a human opponent. To be victorious you may use various types of ammunition for your cannons, or you may attempt to board the other ship and engage in close combat using swords and muskets. (Disk)
List \$39.95. Sale \$24.95.



Computer Quarterback — This game offers true realism in a very playable format! Two players compete by selecting plays and then watching the animated action of their teams clash on the gridiron. The use of the game paddles allows each team to enter their plays in secret (as if in their respective huddles) until the offense "hikes" the ball. Fantastic Action. (Disk)






Field of Fire — World War II combat that allows you to direct fire, order assault and movement of fireteams on a scrolling hi-res. screen. Lead Easy Company of the First Infantry Division through eight historical battles in North Africa and Europe. (Disk). List \$39.95. Sale \$23.95.




Computer Ambush — A simulation of squad versus squad (man to man) combat in France during World War II. Uncertainty factors are applied to all movement to create a realism unsurpassed by other wargames. By playing the game many times, you will begin to get a feel for what to expect, but you will never know for sure. Thus, we have here a game that truly creates the "fog or war". Fantastic Realism. (Disk) List \$59.95. Sale \$39.95.

Computer Baseball — Allows you to manage some of baseball's greatest teams, and make key managerial decisions yourself. Manipulate pinch hitters, infield positions, relief pitchers and base runners, trying to obtain that small statistical edge which can mean the difference between victory and defeat. (Disk) List \$39.95. Sale \$24.95.



Imperium Galactum — You design your own legion of starships ranging from explorers to battleships. Your goal is to conquer a universe, a planet at a time, either by negotiating an alliance or in combat. Fantastic Graphics and Realistic Combat make this a must for everyone. (Disk). List \$39.95. Sale \$26.95



Add \$3.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$6.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA.

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail!

VISA — MASTER CARD — C.O.D.

No C.O.D. to Canada, APO-FPO.

PROTECTO

We Love Our Customers 22292 N. Pepper Rd., Barrington, Illinois 60010 312/382-5244 to order

MUST LIQUIDATE BELOW DEALER COST! HOWELL Commodore Compatible LEADS TO AN UNPROFIT-Dot Matrix Computer Printers 100% U.S.A. made!

PUBLIC NOTICE

INTENSE COMPETITION IN COMPUTERS AND PERIPHERALS ABLE LINE FOR **BELL & HOWELL**

C.O.M.B. authorized to liquidate current model printers at BELOW dealer cost!

Bell & Howell

P-100

- It's very FAST! Prints 100 characters per second!
- It's a heavyduty model for those BIG jobs!
- Ideal for office, business use!

With selection of interface cables for use on Commodore Computers!

Save big on this heavy-duty Bell & Howell print-er . . . compatible with your Commodore Computer! Fits your system perfectly as a supplementary printer for everyday use . . . even if you already have another dot matrix and/or letter quality printer! With proper interface, it can also be used with IBM or Apple personal computers.

Both the P-100 & P-150 Printers are fast and trouble-free! Both have memory buffers which allow data storage WHILE printer is running. Variety of fonts, long-life ribbon, crisp printing. With purchase, you get a TOLL-FREE phone number to call for useful tips and answers!

MODEL P-100 SPECS.

Size: 16"W x 101/2"D x 6"H. Wt.: 15 lbs

Character Set: Full upper and lower case 96 character ASCII set with descenders and underlining. Software selectable single or double wide character fonts. Graphics: High resolution dot addressable

Print Format: 8" line length; 80 char. per line at 10 CPI; 136 char. per line at 17 CPI.

Paper Slew (advance): 10 lines per second, stepper motor controlled. User selectable pressure roller or tractor feed. Input Power: 115 volts.

Data Input: Parallel. Centronics type 7-bit ASCII. TTL levels with STROBE. ACKNOWLEDGE returned to indicate data was received. Serial: RS232C. With BUSY handshake. 10 or 11 bits: 110, 150, 300, 600, 1200 Baud.

Print Rate: 100 characters/second. Data Buffer: 1K. (Optional expandable to 2K).

1K. (Optional expandable to 2K).

Operational Controls: Power on/off, set top of form, select/deselect, line/forms feed.

Media: Roll paper: 8½"W x 5" dia. single ply or pressure sensitive multiple copy paper. 0.12" max. thickness. Fan fold paper: 1" to 9½" sprocket (including sprocket margins). 0.12" max. thickness. Cut sheet paper: max. width, 9½". Type of Printing: Impact bidirectional, 7x9 dot matrix for data printing. 11 x 9 matrix for correspondence printing. Ribbon: Continuous loop cartridge. 20 yards by

Ribbon: Continuous loop cartridge, 20 yards by 1/2" ribbon, 5 million character life









Credit card members can order by phone, 24 hours a day, 7 days a week

Toll-Free: 1-800-328-0609



Your check is welcome! No delays when you pay by check!

Authorized Liquidator 14605 28TH AVENUE NORTH MINNEAPOLIS, MINNESOTA 55441-3397

P-150 PRINTER It's even faster (150 CPS). Tractor feed. 2K data buffer (Optional: expandable to 4K and/or 68K). Impact logic seeking printing. 50 yd. ribbon/10 million characters. Choose the P-150 for higher speed and capacity.

90-Day Limited Factory Warranty on Printer Parts & Labor.

P-100 PRINTER (100 characters/second)

Mfr. List: \$599.95

Factory New!

First Quality!

Liquidation Priced At . .

Item H-614-63327-00 Ship, handling: \$7.50

P-100 PRINTER with Interface for Commodore 64 or SX64 .

Item H-614-63327-10 Ship, handling: \$10.00

P-150 Printer (150 characters/second) Mfr. List: \$1,04500

Liquidation Priced At ..

Item H-614-63327-01 Ship, handling: \$11.00

P-150 PRINTER with Interface for Commodore \$ 64 or SX64 ...

Item H-614-63327-11 Ship, handling: \$14.00

Price subject to change after 60 days. Sales outside continental U.S. are subject to special conditions. Please call or write to inquire.

C.O.M.B. CO.®

14605 28th Ave. N./Minneapolis, MN 55441-3397 Please send items indicated below. (Minnesota residents add 6% sales tax. Allow 3-4 weeks for delivery, Sorry, no C.O.D.)

sales tax. Allow 3-4 weeks for delivery. Sorry, no C.O.D.) –P-100 Printer(s) at \$196 each plus \$7.50 each for ship-ping, handling: Item H-614-63327-00. P-100 Printer(s) w/interface for C64 or SX64 at \$238 ea. plus \$10 ea. S/H. Item H-614-63327-10. P-150 Printer(s) at \$258 each plus \$11.00 each for ship-ping. handling. Item H-614-63327-01. P-150 Printer(s) w/interface for C64 or SX64 at \$288 ea. plus \$14 ea. S/H. Item H-614-63327-11.

☐ My check or money order is enclosed. (No delays in processing orders paid by check, thanks to TeleCheck.

Charge: ☐ MasterCard® ☐ VISA ☐ Am. Ex. ☐ Diners Club

Acct. No. _ Exp

PLEASE PRINT CLEARLY

Name Address City . State Phone _

Sign here _

This Publication is available in Microform.



University Microfilms International

Please send additional information for _ Name Institution__ Street___ City___

___ Zip___ 300 North Zeeb Road

Dept. P.R. Ann Arbor, Mi. 48106

also worth noting

Paperback Writer 64

There are a number of word processors for the 64 which are either too difficult for the occasional user or too simplistic for heavy users. Paperback Writer 64 is in neither category. It's very easy to use, but includes many advanced features as well. Although the manual is thorough and well-written, you probably won't need to consult it very often: The program disk contains 38 different help screens. If you need guidance or have a problem, simply call up a help screen to get the information you need, then go right back to writing your document.

Another handy feature is the spelling checker, which automatically checks the spelling of every word in your document. The spelling checker builds up a dictionary on disk by reading words from your documents (so the more you use it, the more it knows). When it finds a word it doesn't know, you have the option of adding it to the dictionary as a new word or immediately correcting the misspelling in your document file.

Paperback Writer works with many popular printers and offers 40- or 80column screen display. 80-column mode lets you see exactly what the finished document will look like as you type it. However, this mode is (unavoidably) slower than 40 columns, and while the 80-column display is acceptable with a monochrome monitor, it's somewhat hard to read on a Commodore monitor. The authors are aware of this and suggest writing in the fast 40-column mode, then previewing the document format in 80 columns before printing. A version for the Commodore 128 and 1541 disk drive is also available.

Digital Solutions, Inc. P.O. Box 345, Stn 'A' Willowdale, Ontario Canada M2N 5S9 64 version \$39.95 (disk) 128 version \$49.95 (disk)

Super Bowl Sunday

If you're a pro football fan and have a 64, this game is a must for your software library. Included are 20 of the greatest all-time Super Bowl teams (optional season disks are available). Each team is a carefully detailed reproduction of the original team, with statistics defining the strengths and weaknesses of individual players. All 22 players are

graphically displayed, and each is animated as the play begins. By selecting from dozens of available offensive and defensive formations via menus, you call the game. If you call a running play, you choose who carries the ball. If you suspect an end-run, you decide which linebacker blitzes. Statistics are available at all times to monitor player effectiveness in any situation.

Game play is realistic—offsetting penalties, timeouts, injuries, double-teaming receivers, fatigue factors, and so on—and up-to-the-minute individual team and game statistics are available at any time. Super Bowl Sunday also offers three modes of play: You can play against the computer or a human opponent, or sit back and watch the computer play against itself. (The latter mode is an interesting way to see which is really the best-ever Super Bowl team.) Super Bowl Sunday is a feature-laden, yet easy-to-play game that will please even the most avid pro football fan.

The Avalon Hill Game Company 4517 Hartford Rd. Baltimore, MD 21214 \$30 (disk)

Phantasie

SSI has created an excellent fantasy role-playing game which should keep you glued to your 64 for a long time. Very much in the tradition of the best of this kind of adventure game, Phantasie lets you put together a band of adventurers to search the Isle of Gelnor. Overcoming the Black Knights and their leader, the Dark Lord, is your quest. You'll need to choose your band of heroes well, since interaction among them is crucial to your success. The game employs a vertical split screen approach, showing you both the area in which you're traveling and the party of adventurers. You'll battle monsters, collect treasure, wield magic, and explore wilderness and dark dungeons. The graphics are excellent, and playability is one of the game's strongest features. If you're just getting started with adventure gaming, this is a very good first choice. If you're experienced, you'll appreciate all of the attention to

Strategic Simulations, Inc. 883 Stierlin Rd., Building A-200 Mountain View, CA 94043-1983 \$39.95 (disk)

Davidson is "1, "1, "1, & "1 in Education

For math, speed reading, spelling and vocabulary, Davidson's award winning software outsells all others. Why? Because enough people choose to buy the educational software that works.

MATH BLASTER makes it more fun to add, subtract, multiply, divide, and learn fractions, decimals



and percents. First through sixth graders master 600 math facts with exciting graphics, animation, sound effects...even an arcade game.

Apple™, Macintosh™, IBM™,
Commodore 64/128™, Atari™. 49.95.

SPEED READER II can quadruple your reading speed and improve your comprehension. Develop



good reading habits, chart your progress, and have fun! For high school age through adult. Apple II™, Macintosh™, IBM™, Commodore 64/128™. 69.95

WORD ATTACK lets students ten through adult discover the meanings and usages of 675 new words.



Includes a fun, fast action arcade game and add-your-own-words editor. Apple™, IBM™, Commodore 64/128™, Atari™. 49.95

SPELL IT teaches ten year olds and older how to spell a thousand and one of our most commonly



misspelled words. Vivid graphics, animation, sound effects, a lively arcade game and add-your-ownwords editor, too! Apple™, IBM™, Commodore 64/128™, Atari™. 49.95

Davidson & Associates, Inc. 800-556-6141 (In Calif., 213-534-4070)

Davidson



Davidson & Associates, Inc. 3135 Kashiwa St. / Torrance, CA 90505

Please send me a FREE COLOR BROCHURE and the name of my nearest Davidson Dealer.

Name		
Address		

State_

Educational Software that Works

Tim Gerchmez

Programming the joystick in BASIC may give disappointing results. It's just too slow. This program offers the speed of machine language for use in BASIC programs. For the 64 and VIC-20.

One of the most important decisions a computer manufacturer makes when designing a new computer is how many features to include. The more features, the higher the cost. In order to keep the price of the VIC and 64 competitive while still maintaining superior sound and graphics, Commodore decided to take a few shortcuts with the BASIC language. Simply reading the joystick, for example, requires a complex series of POKEs and PEEKs. It's not only complicated but also slow.

"USR Joystick Reader" makes reading a joystick quicker and easier. It employs the USR function to simulate the JOY function found in the much larger versions of BASIC included with the Plus/4, 16, and 128.

The Mysterious USR

USR (which stands for *user*) is not a fitting name for this function. It's hardly *used* at all because most people don't know how to make it work or what it does.

USR is like a cross between SYS and FN. Instead of defining the function in BASIC using the DEF FN statement, the function is written in machine language (ML). First, you either POKE or load the ML into memory. Then you tell the computer where your ML routine is by POKEing locations 785 and 786

(locations 1 and 2 on the VIC) with the low- and high-byte of the starting address.

Now that you've defined the function, you're ready to put USR in your BASIC program. As with FN, USR is followed by a numeric expression in parentheses. It can be a number as in USR(6), a variable like USR(X), or a complex expression such as USR(PEEK(X)+ 256*PEEK(X+1)). When the USR function is executed, the computer evaluates the expression in parentheses and puts that value into floating-point accumulator 1 (FAC1). (For more information on FAC1 and USR, refer to Programming the 64 or Programming the VIC, published by COMPUTE! Books.)

It then executes your ML routine, which takes the floating point number in FAC1, processes it in some manner, and stores the result back into FAC1. If you end your routine with an RTS instruction, the computer returns to BASIC and makes USR equal to the new value in FAC1. USR can then be treated like any other value as in Y=USR(X) or PRINT USR(3).


USR is easier to use than SYS because you can pass values between BASIC and ML and you don't have to specify an address. It's faster than FN because the function is defined in ML. But it's more difficult to set up than either one.

Putting USR To Work

Fortunately, you don't have to know anything about USR to add USR Joystick Reader to your own programs. Just type in the appropriate version for your computer and save it on tape or disk. Now type RUN. The program is a BASIC loader which POKEs an ML joystick reader into memory and points the USR vector to it. If "DATA ERROR" is displayed, you've made a typing error in the

DATA statements and you should correct your mistake and resave the program.

Now instead of typing a series of PEEKs and POKEs, just use A=USR(1) to read a joystick in port 1 or A=USR(2) to read port 2 (since the VIC has only one joystick port, use A=USR(1) only). The value of A will be a number from 1 to 8 corresponding to the eight directions and 0 if the joystick is in the center position (see the figure). To read the fire button, use B=USR(3) for port 1 or B=USR(4) for port 2 (on the VIC, B=USR(2) only). The value of B will be 1 if the button is pressed, and 0 if it's not.



Joystick directions


To use USR Joystick Reader in your own program, include it at the beginning. You can add the following lines to the loader program to check if the joystick (port 1 on the 64) is pointing to the right:

200 A=USR(1):IF A=2 THEN PRINT
"RIGHT"
220 GOTO 200

You can also check for the fire button by adding this line (on the VIC, use USR(2)):

210 B=USR(3):IF B=1 THEN PRINT "FIRE"

See program listings on page 126.



POWER & KNOWLEDGE ...at your fingertips

PowerPlan - SUPER SPREADSHEET Start with an easy to learn spreadsheet, convenient menus and 90+ help screens. Add fast, shortcut commands for the advanced user. Build in a full range of flexible features for use with complex worksheets. Combine it with graphics for 2D/3D charts and graphs so you can display your "what-if' data both visually and numerically. Finally price it low enough for everyone's budget. That's what we call powerful software. \$49.95

XPER - KNOWLEDGE BASE SOFTWARE Ordinary data bases are good at memorizing and playing back facts. But expert systems help you wade through hundreds of items to make important decisions. XPER has an easy-to-use entry editor to quickly build your knowledge base from raw information; a sophisticated inquirer to guide you through the complex decision-making criteria; complete data editing and reporting features for analyzing your data. \$59.95

Call now for **free** software and book catalog and the name of your local dealer. If he is out of stock, have your dealer order our quality products for you. To order by credit card call 616/241-5510. We accept MC, VISA and AMEX. Add \$4.00 postage and handling per order (foreign \$8.00 per item). Michigan residents add 4% sales tax.



P.O. Box 7211 Grand Rapids, MI 49510 For Fast Service Call (616) 241-5510

BASIC

Kevin Martin, Editorial Programmer

This powerful BASIC extension for the Commodore 64 focuses on two of the most complex areas to program: graphics and sound. With 33 new commands, it offers control of high-resolution screens, character and screen display functions, sprites, and sound.

Two of the most complex and tedious areas of programming on the 64 are graphics and sound. Even some of the most elementary graphics and sound routines require a lot of programming time and long strings of POKEs. "X BASIC" (eXtended BASIC) is a programmer's language that does much of the difficult programming for you, allowing you more time to design and experiment.

Written entirely in machine language, X BASIC adds 33 graphics and sound commands to BASIC: 7 commands for hi-res; 7 for screen and character functions; 6 for sprite creation and manipulation; 10 for sound; 2 for joystick control; and 1 for exiting the program.

Typing Instructions

X BASIC is written entirely in machine language and requires "MLX" to type in. MLX appears frequently in COMPUTE!'s GAZETTE. After loading MLX, run it. When prompted for the starting and ending addresses, enter 49152 and 52073, respectively, then enter X

BASIC. When finished typing in the program, save a copy. To load X BASIC, type LOAD "filename",8,1 (disk) or LOAD "filename",1,1 (tape). To activate it, type SYS 49152.

All commands can be used in direct mode as well as program mode. Some commands need to be followed by one or more parameters consisting of numbers or strings. The parameters can be variables (X or N\$) or actual values (5 or "HELLO"). Numeric parameters must be within a specified range. Attempting to use a number that's outside the range of legal values results in an ILLEGAL QUANTITY error. Also, if you try to use a number for a parameter which requires a string, or vice versa, you'll receive a TYPE MISMATCH ERROR. (Note: All X BASIC commands are in boldface capital letters. Command parameters follow in boldface lowercase letters.)

Hi-Res Graphics Commands

HIRES: Turns on the hi-res screen and sets it to multicolor mode. (All hi-res graphics in X BASIC are set

up for multicolor mode.) The hi-res screen is located underneath the Kernal ROM starting at \$E000. You can POKE directly to the screen, but you can't PEEK the screen unless you switch out the Kernal.


TEXT: Returns to normal text mode. Always use TEXT to go from hi-res mode to normal display. Do not exit hi-res with RUN/STOP-RESTORE.

CLEAR color0,color1,color2, color3: Clears the hi-res screen and lets you choose the colors for plotting. Color0 corresponds to the 01 bit pair, color1 the 10 bit pair, and color2 the 11 bit pair. Color3 is the background color. The values for the colors correspond to the POKE values in the range 0–15.

COLR color#: Selects the color for the PLOT and LINE commands on the hi-res screen. Its parameter allows you to select one of the four colors (0-3) defined by the CLEAR command.

PLOT *x,y*: Plots a point on the hires screen in the current color. If the color is 3 (the background color), it effectively erases a point. The x-coordinate is the distance from the left edge of the screen and ranges between 0–159. The y-coordinate is the distance from the top of the screen between 0–199.

LINE x1,y1 TO x2,y2: Draws a line between x1,y1 and x2,y2 in the current color (or erases like PLOT). The x-coordinates range between 0–159, the y-coordinates between 0–199.



HPRNT string: Prints a string on the hi-res screen at the location set by LOCATE (see below). When the hi-res screen is in multicolor mode, the characters will appear distorted. Multicolor mode can be turned off with the MULTI 0 command. HPRNT defaults to the uppercase/graphics character set. If you'd prefer the upper/lowercase set, enter this line: POKE 50819,216. To return to uppercase/graphics, POKE 50819,208. You can mix characters from the two character sets on the same screen.

Screen And Character Commands

BRDR color#: Sets border color. Color# must be a number from 0-15.

SCREEN color#: Sets screen color. Color# must be a number from 0-15.

CENTER string: Centers a string of characters on the current line of text, then prints a RETURN. The string must be 1-38 characters long.

LOCATE *x*, *y*: Positions the current printing location on the text or hires screen to x, y. X must be between 0–39, and Y between 0–24.

MULTI 0 or MULTI 1, color1, color2: MULTI 0 turns off multicolor mode. MULTI 1 (with the two color parameters, between 0-15) turns on multicolor mode. Color1 corresponds to the 01 bit pair, and color2 the 10 bit pair.

EXTND 0 or EXTND 1,color1, color2,color3: EXTND 0 turns off extended background mode. EXTND 1 (with background color parameters, between 0–15) turns on extended background mode. Characters with a POKE value of 64–127 use color1 for the background, characters 128–191 use color2, and characters 192–255 use color3. Note: extended background color mode cannot be used when the hi-res screen is turned on.

CSET block: Copies the uppercase character set from ROM to RAM at block*1024. Block should be a number between 1–15. This command is handy when using custom characters. You may have to prevent BASIC and the character set from interfering with each other by moving the bottom (or top) of memory.

Here's a short program that demonstrates the use of some of the

hi-res and screen and character commands above. After X BASIC is activated, type in this program and run it. You might try changing some of the X BASIC command parameters for various effects.

100 BRDRØ
110 HIRES
120 CLEAR 1,2,3,4
130 LOCATE 10,10
140 HPRNT "HELLO"
150 FORI=0TO3
160 COLRI
170 LINE 0,0TO159,159
180 LINE 0,199 TO 159,0
190 NEXT
200 GETA\$:IFA\$=""THEN150
210 TEXT
220 END

Sprite Commands

All of the sprite commands are for use in text mode only. You cannot use these commands for putting sprites on a hi-res screen.

SPRITE *sprite* #, *block*, *color*: Defines a sprite. *Sprite* # is the sprite number (0–7), *block* is the block number of the sprite definition (0–255), and *color* is the sprite color (0–15). The sprite shapes can be put in any free area of memory from 0–16383. You may have to move the bottom or top of memory to avoid memory conflicts.

SPRAT sprite #, xexp, yexp, priority,multi: Sets the sprite attributes (characteristics). To turn an attribute on, use 1; to turn it off, use 0. Xexp expands in the x-direction, yexp in the y-direction. The priority parameter determines whether the sprite has priority over screen characters. For example, if you want a sprite to pass over a screen character, the sprite has priority, thus a parameter of 1. If the sprite is to pass under a screen character, the parameter should be 0. The multi parameter makes the sprite multicolored. The colors are specified with SPRMULT.

SPRMULT color1, color2: SPRMULT sets the two additional sprite colors used in multicolor mode. The parameters must be within 0–15.

ASPRITE sprite#: Activates a sprite. Sprite# must be 0-7.

DSPRITE *sprite*#: Deactivates a sprite. *Sprite*# must be 0–7.

MOVE *sprite* #, x, y: Moves a sprite to the coordinates (x,y), based on the upper lefthand corner of the sprite. *Sprite*# must be 0–7. X must

be in the range 0–511, y in the range 0–255. Note that the coordinates do not correspond to the screen coordinates; some locations may cause sprites to be partially or completely off the visible screen area.

This short program is a basic example of how to create and animate a sprite:

100 BRDR 0:SCREEN 11
110 SPRITE 1,123,7
120 SPRMULT 1,3
130 ASPRITE 1
140 FORJ=0TO1:SPRAT 1,J,J,J,J
150 FORI=0TO350
160 MOVE 1,I,100
170 NEXTI,J

Sound Commands

SID: Clears the SID (sound) chip. **VOL** *volume* #: Sets the volume register. *Volume*# must be 0–15.

ENVELOPE voice #, ad, sr(, pulse width): Sets the attack, decay, sustain, release, and optionally (parentheses indicate an optional parameter) the pulse width. Voice# must be 1–3. Ad (attack and decay) and sr (sustain and release) each must be in the range 0–255. Pulse width must be in the range 0–4095.

WAVE voice #, waveform(sync) (ring): Sets the waveform. You must specify the voice number followed by T, S, P, or N for triangle, sawtooth, pulse, and noise, respectively. Optionally, you can add s for synchronization, and r for ring modulation. Here are some examples: WAVE 1,TSR (triangle waveform with synchronization and ring modulation); WAVE 3,PR (pulse waveform with ring modulation); WAVE 2,SS (sawtooth waveform with synchronization).

FRQ voice#, frequency: Sets the frequency in the range 0-65535. Voice# must be 1-3.

GATE voice #, on / off: Gates a voice on or off. Voice# must be 1-3 followed by 0 to turn the gate bit off or 1 to turn it on.

The following sound commands deal only with filters. Some programmers may not be interested in these, but if you have a serious interest in 64 sound, you'll find these handy.


FCUT *cutoff*: Sets the cutoff frequency. *Cutoff* must be in the range 0–2047.

the upper lefthand corner of the sprite. Sprite# must be 0-7. X must onance. Resonance must be in the

Now there is an even better structured, compiled programming environment than PROMAL. Introducing PROMAL 2.0 for the IBM PC, the Apple II, and the Commodore 64.

Until now, the best next language for the serious programmer was PROMAL.™ Now, it's the new PROMAL—PROMAL 2.0.

PROMAL 2.0 provides the same sophisticated structured programming environment, the same fast one-pass compiler, the same speed of execution, the same powerful commands of the earlier release—plus a host of useful new features.



PROMAL—the PROgrammer's Micro Application Language—provides you with a complete programming environment, including a structured, high level language, a powerful program Editor, and a compiler that quickly turns your source code into compact, rapidly executing object code. Plus a library of integrated machinelanguage subroutines for frequently used tasks. And for the Apple II and the Commodore 64, PROMAL provides a DOS-like operating system Executive.

PROMAL 2.0— Even more of a good thing.

In addition to all of the features that have made PROMAL users declare it "the best language I've ever used," PROMAL 2.0 provides:

 Overlays that can be compiled separately for modular programming.

• Program size greater than 64k. (IBM PC only). • True machine-to-machine portability.

• True 808X object code for the IBM PC.

Let us prove that PROMAL is your best next language!

Buy PROMAL 2.0 and try it for 15 days. If you don't believe it's your best next language, just return it for a full refund.

PROMAL Features

- Structured language with indentation.
- Fast, one-pass compiler.
- Simplified syntax.
- No line numbers.
- Multi-dimensional arrays, strings and pointers.
- Long variable names.
- Global, Local variables.
- Byte, Word, Integer & Real types.
- Decimal or Hex numbers.
- Functions and procedures with passed arguments.
- Built-in I/O library.
- Control Statements: IF-ELSE, IF, WHILE, FOR, CHOOSE, BREAK, REPEAT, INCLUDE, etc.
- Compiler I/O from/to disk or memory.

Executive*

Command oriented with line editing.

Allows multiple user programs in memory at once. Function key redefinition. Program abort or pause.

22 resident system commands.
Unlimited user-defined commands.
Prior command recall/edit.
I/O redirection to disk or printer.
Batch jobs.

Editor

Full-screen, cursor driven.
Function key controlled.
Line insert, delete, search.
String search and replace.
Block copy/move/delete/
read/write.
Auto indent, undent support.
Edit after error.

Library

50 machine language commands.
Memory resident.
Call by name with arguments.
Formatted real output, string operations and much more.

*Apple II and Commodore 64 only. Requires one disk drive and 80-column card for Apple (IIe, IIc only).

1-800-762-7874

In NC: 919-878-3600

Systems Management Associates 3325 Executive Drive, Dept. GP-1 Raleigh, North Carolina 27609



☐ My check is enclosed. ☐ Please charge to my — Visa — Mastercard

NEW for PROMAL The Graphics Toolbox*

Twenty fast subroutines for creating sophisticated, high-resolution graphics, including windows, clipping, scaling, and text-on graphics using scaled, rotated, user-defined fonts. \$29.95.

*Available for the Apple II and the Commodore 64

Order Form

My system is (check one) □ IBM PC/100% compatibles □ Apple IIc/IIe □ Commodore 64/128

- Developer's Version-Compiler, Editor, Library, Demo disk, 280-page manual, (plus Executive for Apple and C-64) and standalone program generation. \$99.95 + 5.00 s/h.
- □ End-User System for Apple II and Commodore 64-all features of Developer's version except stand-alone program generation. \$49.95 + 5.00 s/h.
- ☐ Demo System 32-page "Meet PROMAL" manual and demonstration disk. \$10.00 + 2.50 s/h.
- ☐ Graphics Tool Box for PROMAL—Available for Apple and C-64 only. \$29.95 + 2.50 s/h.

Card Number Expiration Date
Signature
Name
Address
City, State, Zip

NC residents add 4-1/2% sales tax. Foreign orders add \$15.00 additional s/h.



LEARN PROGRAMMING



MASTER COMPUTERS IN YOUR OWN HOME

Now you can write programs and get a computer to do just what you want. Get the most out of any computer, and avoid having to pay the high price of pre-packaged software.

LEARN AT YOUR OWN PACE IN YOUR SPARE TIME

Our independent study program allows you to learn about computers, operations, applications and programming in your spare time, at home. Our instructors provide you with one-on-one courseling.

LEARN EVEN BEFORE YOU DECIDE ON A COMPUTER

Everything is explained in simple language. You will enjoy learning to use a computer – EVEN IF YOU DON'T OWN ONE. Learn to program on any personal computer; IBM, APPLE, COMMODORE, TRS, and more.

BE YOUR OWN COMPUTER EXPERT

Programming is the best way to learn to use computers, and we can show you the best—and most economical—way to learn programming! Send today for your free information package. No obligation. No salesman will call.

halix	CENTER FOR COMPUTER EDUCATION
INSTITUTE	1543 W. Olympic = 226 Los Angeles, CA 90015-389
HALIX INSTITUT 1543 W OLYMPI	E CENTER FOR COMPUTER EDUCATION DEPT. 6.2 A C = 226 LOS ANGELES, CA 90015-3894
YESI Send me in gramming a	formation on how I can learn about computers and pro- at hornel
Name	Age
Address	
City	State/Zip

range 0-15.

FMODE *type*: Selects the filter type. *Type* can be H for high band filters, L for low band, B for bandpass, or a combination of these. For example, FMODE HBL for all types; FMODE HL for high and low.

FILTER voice#,on/off: Turns the filter on or off. Voice# must be in the range 1–3 followed by 0 to turn off the filter or 1 to turn it on.


To demonstrate the sound commands, type in this program. By playing with the parameters, you can produce some most unusual effects.

100 SID 110 VOL 15 120 FORI=1TO3 130 ENVELOPE 1,15,240,2000 140 FILTER I,1 150 NEXT 160 FRSN 15 170 FMODE H 180 WAVE 1, TSR 190 WAVE 2,SS 200 WAVE 3,P 210 GATE 1,1 220 GATE 2,1 23Ø GATE 3,1 240 FRQ 1,4000 250 FRQ 2,6000 260 FORI=100TO2000 270 FCUT I:FRQ 3,20000-I*10 280 NEXT 29Ø SID

Joystick Commands

The parameters for these commands require parentheses (). Note the examples in the descriptions below.

STICK joystick#: Reads the joystick direction. Joystick# must be 1 to read port 1, or 2 for port 2. This command returns a value in the range 0-8, so it must be used like a function (X = STICK(1), for example). Values 1-8 correspond to the eight possible directions as shown in the figure. The value is 0 if the joystick is centered.



BTN joystick#: Returns a value of 1 if the firebutton is pressed, or 0 if it's not. Joystick# must be 1 or 2. As with STICK, this command is a function. A good way to use it is within an IF-THEN statement (IF BTN(1)=1 THEN ...).

Reset Command

QUIT: Disengages *X* BASIC by resetting all vectors to normal.

Space doesn't permit a lengthy discussion of how to program graphics and sound on the 64. If you've had experience in these areas, you'll find this utility an efficient tool. If you're a beginning programmer, you may wish to consult the Programmer's Reference Guide for specific information on programming graphics and sound.

Quick Reference Chart for X BASIC Commands

Hi-Res Graphics Commands

HIRES TEXT CLEAR color0,color1,color2,color3 COLR color#

PLOT x,y LINE x1,y1 TO x2,y2

HPRNT string

Screen And Character Commands

BRDR color# SCREEN color# CENTER string LOCATE x,y

MULTI 0 or MULTI 1,color1,color2 EXTND 0 or EXTND 1,color1,color2,color3 CSET block

Sprite Commands

SPRITE sprite #, block, color SPRAT sprite #, xexp, yexp, priority, multi SPRMULT color1, color2 ASPRITE sprite # DSPRITE sprite # MOVE sprite #, x, y

Sound Commands

VOL volume#
ENVELOPE voice#,ad,sr(,pulse width)
WAVE voice#,waveform(sync)(ring)
FRQ voice#,frequency
GATE voice#,on/off
FCUT cutoff
FRSN resonance

FMODE type FILTER voice#,on/off

Joystick Commands

STICK joystick# BTN joystick# (joystick#'s must be in parentheses)

Reset Command

QUIT

See program listing on page 136.

nless you learn to program, your use of a computer will always be limited to entering or extracting information from "canned" applications software. Commercial software continues to become easier to use while growing more powerful and more flexible. But it's hard to trace your family tree with a database, plot a biorhythm with your graphing utility, or manage your paper route with a spreadsheet. Programmers are not limited by what programs they can buy, but are free to design their own custom applications.

By programming, you gain full control over your machine. The simplest computer is a far more powerful tool in the hands of the programmer. Even beginning programmers have more control over their machines than the savviest

dBASE users.

BASIC was designed especially for the beginner. The acronym (Beginner's All-purpose Symbolic Instruction Code) is a bit contrived, but the language is indeed easily picked up. There are about 50 commands to memorize, but you don't need to learn them all at once. Once you're able to break down your idea into a detailed recipe-like sequence of steps, you can translate these steps into BASIC instructions.

BASIC is built into or available for almost every computer, and is the most popular general-purpose programming language. However, BASIC does not meet everyone's needs. It's too slow for system functions, games, heavy number crunching, or intensive disk access. BASIC programs can be unbearably slow, though the language is fast enough for many applications.

Designed for the beginner, BASIC cramps the style of the more advanced programmer. Its archaic use of a line-number-based editor is one example; today's modern languages (including special versions of BASIC) use word-processor-style

Language Of The Future

Charles Brannon Program Editor

Although C has been a popular mainframe and minicomputer programming language for several years, it is now perceived as a hot new language, demanding attention as a unique programming tool for microcomputers. It's used as the primary language for applications programmers on the IBM PC, Apple Macintosh, Atari ST, and Commodore Amiga. C is faster and more flexible than BASIC. As better C compilers and interpreters are becoming available, some suspect that C could emerge as a new standard for microcomputers, toppling even the long reign of BASIC

editors. GOTOs are replaced with structures like WHILE/WEND. Meaningless line-number references like GOSUB 10023 are replaced by meaningful statements like DISPLAY.SCORE.

odern language concepts permit variables to be either specific to a subroutine or shared between all parts of a program. Also, some languages are extensible: New functions can be written in the language. Once you write a function, it can become a new word in the language, just like any command. Function libraries can be built up and programs designed by combining pretested routines.

Many of these beyond-BASIC languages, including Pascal, C, Ada, and Modula-2, are compiler languages. You lose some of the convenience of BASIC programming when using a compiler. You write your program in the editor, submit it to the compiler, wait for the program to compile, then link the compiled program with other subprograms and library routines to create a runnable program.

You have to go through the entire load editor/load program/edit program/save program/load compiler/compile program/load linker/link program/execute program sequence every time you want to correct and test even a trivial bug. This alone discourages many beginners from even trying to program in a compiled language. The interactive, forgiving environment of BASIC is better to learn with. However, there are C interpreters available for some machines. The interpreters are ideal or learning the language or interactively programming in C, although they're slower and may not permit all the options supported by a true compiler. However, once the program works, you can go through the formal compile/link process to produce a fast, efficient program module.

The primary advantage of a compiler is increased execution speed. Instead of an interpreter examining and translating each statement of a program while the program runs, a compiler converts the program to machine language all at once. For the computer, it's like the difference between understanding French by tediously translating it into English versus being born and raised in France.

A compiler/linker also facilitates the sharing of prewritten/ pretested routines. Why constantly reinvent the wheel when you can pick and choose from a huge inventory of subprograms?

hile BASIC, Pascal, and machine language have been vying for programmers' attention, C quietly sneaked in and took over applications programming in some environments. C was used to write a number of major software products, from Lotus 1-2-3 to the AT&T Unix multitasking operating system for minicomputers. C represents an efficient mix of low-level, fast operations and high-level language constructs, such as arrays, record structures, and user-defined variable types.

C is also highly transportable, so you can write long, complex programs that will run fairly quickly on any other machine's C compiler. Programmers can develop on their favorite machine, then transport most of their code to another computer with few changes.

C is the inner language of the Amiga. In fact, much of the operating system and nearly all the Amiga applications are written in C. In practice, C is the machine language of the Amiga, with real machine language used only for speed-critical subroutines. The entire operating system is designed to interface with C, so, in effect, all of the Kernal is part of your language. C is amazingly fast on the Amiga, even with the advanced windowing and multitasking features.

C code is terser and harder to read than BASIC, but the compact style of the code makes the compiler's job simpler. C is designed around the concept of "smaller is better." It has only a handful of statements and operators, making it a tiny language, but the language is

effectively extended by subroutines. For example, there are no input/output statements like PRINT built into C, but the printf function, which works something like PRINT USING, is always available in the standard library.

The best way to understand a language is to follow an example program. We'll assume that you're familiar with BASIC, so we'll compare a C program to the equivalent BASIC. The example is a simple bubble sort demo that scrambles a list of 100 numbers, then sorts it.

Both the BASIC and C programs are written in their respective styles. The BASIC is standard Commodore 64 BASIC. The C program was written with the Super C Language Compiler for the 64 from Abacus Software.

The C program is formatted with plenty of space to show nesting. It's broken up into small, individually testable modules. It uses long, meaningful variable names, and most commands are on a line of their own. Nothing prevents you from writing the program all mashed together as one huge program line, but since the compiler throws out spaces, there's no reason to compact a program to save memory or make it run faster. Most C programmers follow this "prettyprinting" style when programming. Some editors and compilers even insert the indentation for you.

The BASIC program is written compactly to conserve memory, which makes an interpreter run faster. Commodore BASIC does not safely permit long variable names or named subroutines, so GOSUB is needed. There is no repeat command, so GOTO is substituted. The BASIC program is harder to read. It could have been written with one statement per line with plenty of extraneous REMarks to identify the meaning of the GOSUBs, and with indenting. Few BASIC programmers do so.

Finally, some readers might conclude that the benchmark makes BASIC look bad or find the C code inefficient, but no benchmark can accurately compare such different languages. These programs are intended to be illustrative rather than ideal.

he C program starts out with commands preceded by #'s. These are commands to the compiler's preprocessor, not actual C commands. The #include command tells the compiler to include the library functions from a library "stdio" standard to all C languages. The standard input/output (stdio) library permits the use of printf. The #define commands effectively substitute the constant for the all-caps macro names. This is not the same as using a variable, since this substitution is done during the compilation, not during the program run. The #define's permit us to use meaningful constants without the speed or memory constraints of variables.

Line 5 of the C program is the equivalent of DIMensioning an integer array. The prefix *static* causes the array to be initialized to zero and *unsigned* makes the range of the integers from 0-65535 instead of from -32768-32767.

The main() loop is like a "wish list" of the program recipe. It does not perform the actual functions, but choreographs the execution of the program. The program flows like this: (1) Scramble the list; (2) Display the list to see that all the numbers are scrambled; (3) Sort the list; (4) Display the list to see that the list is sorted. Notice how each statement ends with a semicolon. Statements are not terminated at the end of a line as in BASIC, but only by semicolons. The semicolons let you write long, extended sections of code. Open and closed braces are used to define a block of code which will be seen as a single entity.

The function scramble_list defines a variable for its own use in line 14. Variables are defined as needed, then discarded after use, saving memory and preventing variable name conflicts between subroutines. You can also define variables to be global, available at all times to all parts of a program.

The C equivalent of FOR-NEXT includes the starting value of the index, the ending condition of the loop, and a statement to change the value of the index. The ++ operator increments the index through the loop. You could alternately multiply I by two, decrement it, change it from a list, skip by

four—whatever it takes to iterate your loop. Either a single statement or a block of code set off with braces can be repeated. The C FOR statement is more flexible than the simple BASIC counterpart.

We need to define our own random function, since C does not include one. The formula is straightforward with * for multiplication, + for addition, and % for

modulo (the remainder after an integer division). As you can see, functions can live up to their name by returning a value. This is roughly like using DEF FN in BASIC.

The display_list function dumps the integer array to the screen. The for loop works the same as before, and the %u (unsigned display of an integer) option of printf displays our 16-bit integers

```
without interpreting some numbers as negative. As you can see, the printf function works like the PRINT USING found in some BASICs.
```

The sorting program is completely parallel to the BASIC program. A bubble sort works by comparing adjacent items in a list, and switching the pair if they're out of order. By repeated passes through the list, the lower numbers are swapped towards the top of the list ("bubbling" to the top) while the higher numbers move toward the bottom of the list. When no pair has been exchanged after a pass through the list, we know the list is in order.

Our C bubble sort repeats the loop as long as the exchange flag is TRUE (nonzero). Each time we start a pass through the array, we set the exchange flag to FALSE. The indexed item and its successor are compared with the IF statement, which works similarly to BASIC's IF. Notice that == is used for a test for equality; the = symbol assigns values.

The C program took 1 minute and 35 seconds to sort the list (the time taken to scramble and display the list are not counted), with BASIC clocking in at 2 minutes even.

This is not the kind of difference in performance that makes you want to abandon BASIC and embrace C. However, with relatively simple changes, the sort module can sort any array of any size, making it a useful language command, not just a subroutine. The #define's let us easily change the size of the array throughout the program. In practice, C programmers first write their application in C and then replace time-critical sections with pure machine language, just as many BASIC programmers do.

Unless you're using C on other machines, it may not be worth your while to use C on the 64. However, using a C compiler on the 64 is a great way to learn C, to prepare yourself for programming another machine, like the Amiga. Also, the convenience of using an extensible, powerful language is more apparent when you design large, complex programs.

BASIC Version—Bubble Sort Demo

C Version—Bubble Sort Demo

```
1 #include "stdio.c"
2 #define SIZE 100
 3 #define TRUE 1
4 #define FALSE 0
5 static unsigned list[SIZE];
7 ( scramble_list(); display_list();
      printf("\nSorting...\n");
8
      sort list();
9
      printf("\nFinished.\n");
10
      display_list();
0000
12 3
13 scramble list()
14 ( int i;
     For (i=0;i(SIZE;i++) listEiJ=rnd();
15
16/2
17 int rnd()
18 ( static unsigned seed=1;
     return seed=(seed=257+31415)%65536;
19
20 0
21 display_list()
22 ( int 1;
      For (i=0;i<SIZE;i++) printf("%u ",list[i]);
23
24 )
25 sort list()
26 ( int i, exchanged, hold;
27
     do
     ( exchanged=FALSE;
28
        For (1=0;1<51ZE-1;1++)
29
        f if (list[i]>list[i+13)
30
31
         { hold=list[i];
            list[i]=list[i+1];
32
            list[i+1]=hold;
33
34
            exchanged=TRUE;
35
36
37
38
     while (exchanged==TRUE);
39/2
40
```

Automatic Syntax Checker

Philip I. Nelson, Assistant Editor

How many times have you typed PRNIT instead of PRINT, or LIT instead of LIST? When it comes to typing, none of us is perfect. This automatic utility for the Commodore 64 can save you a lot of time by catching such mistakes before they're added to your programs.

Unlike some other computers, the Commodore 64 doesn't check BASIC lines for errors as you type them in. We all know a line like 010 MONKEY(BIZ)*5-DOGA\$# is nonsense, but in many ways the computer treats it as normal BASIC. You can type in that line, list it, renumber it, even save it as a program and load it back into memory without any protest from your 64.

When a line starts with a number, the computer simply stores it in BASIC memory—no questions asked. The 64, like all other Commodore computers, can't find mistakes until it's running a program. As a result, after spending hours writing a program, you may spend hours more watching it crash until you've corrected all the typing errors.

"Automatic Syntax Checker" eliminates that headache by adding automatic error checking to your Commodore 64's BASIC. Once the Syntax Checker is installed, the computer automatically checks every BASIC line you type in. If the line is free of typing errors, it's added to your program as usual. If not, the Syntax Checker prints an error message and lets you try again. Since the line isn't correct, the Syntax Checker doesn't add it

to your program.

Getting Started

Automatic Syntax Checker is written entirely in machine language, so you'll need to use MLX, the machine language entry program published frequently in the GAZETTE. Though it's written in machine language, you can use this program without understanding machine language at all. If you're using tape, change POKE782,1 to POKE782,0 in line 763 of MLX before running MLX. Here's the information you need to type in Automatic Syntax Checker with MLX:

Starting address: 49152 Ending address: 50109

Once you've saved the program, load and run it as you would any BASIC program. Do not try to start this program with SYS. Because it handles like BASIC, it's easy to make new copies of the Syntax Checker as well. Simply save it on a new disk or tape as you would a BASIC program.

When you run the Syntax Checker, it moves itself from BASIC program space to a safe memory location at 49152. After a brief preparation, it performs a NEW to let you type in your own programs. When you see the mes-


sage CHECKER ON, you know the Checker is ready to go. Since this utility does NEW after installing itself, you should always run it before you load or type in any other program.

Although you can run BASIC programs while the Syntax Checker is active, some programs may POKE into the same memory space at 49152 or disrupt it in other ways. Thus, it's wise to turn the Syntax Checker off before you run any BASIC program. Type SYS 49152 and press RETURN: The message CHECKER OFF tells you the system is back to normal. To turn the Checker back on, enter SYS 49152 again (it won't do a NEW this time). Once the Syntax Checker is installed, SYS 49152 turns it on or off safely, whenever you want, without disturbing the BASIC program in memory.

Automatic Error Checking

When the Syntax Checker is active, it analyzes every line you type into the computer. If you type a command in direct mode (without a line number), the Syntax Checker simply passes it along to the computer (Commodore BASIC can find direct mode errors by itself). Thus, you can use direct commands as usual to load and save programs, and so on.

However, when you put a number at the beginning of the line, the Syntax Checker scans everything in the line to make sure it's correct BASIC. If no error message appears, then you know the line is correct—that is, it's all BASIC that the computer can understand. To



Disk drive alignment problems? Drive out of alignment again? Tired of waiting two weeks or more to get your drive fixed??

WE HAVE THE ANSWER!!

With the 1541 DISK DRIVE ALIGNMENT PROGRAM you can align the drive yourself in an hour or so. Not only that, you can do it at home AND no special equipment is required. Anyone with average mechanical skills can do it! !

INSTRUCTIONS INCLUDED FOR "THE FIX"-It may just keep your drive from ever going out of alignment again.

WHY BE AT THE MERCY OF **REPAIR SHOPS?**

Align the drive yourself with CSM's 1541 DISK DRIVE ALIGNMENT PROGRAM.

What the review in Compute!s Gazette said about...

THE 1541 DISK DRIVE ALIGNMENT PROGRAM

"... with 1541 Disk Drive Alignment from CSM Software, you can fix it [the disk drive] yourself in an hour or so and the program will pay for itself the first time you use it . . . No technical expertise is required to accomplish the alignment procedures, and the manual accompanying the program thoroughly describes the procedures."

"1541 Disk Drive Alignment. . .a wise addition to your home disk library." From COMPUTE!'s Gazette, Oct., 1984 1541 DISK DRIVE ALIGNMENT PROGRAM **VERSION 2.0**

\$44.95 plus shipping

OTHER QUALITY CSM PRODUCTS

PROGRAM PROTECTION MANUAL FOR THE C-64 VOLUME II \$34.95 plus shipping

CSM PROGRAM PROTECTION MANUAL FOR THE C-64 VOLUME I \$29.95 plus shipping

> **DELUXE NUMERIC KEYPAD** \$64.95 plus shipping


CARTRIDGE BACKER \$54.95 plus shipping

PROGRAM PROTECTION NEWSLETTER \$35.00 post paid in U.S. & Canada \$45.00 First Class post paid Foreign

VISA AND MASTERCARD ACCEPTED DEALER INQUIRIES INVITED

Shipping \$3.50 per item in U.S.; foreign orders extra

Available through your local software dealer or call:



POST OFFICE BOX 563, CROWN POINT IN. 46307, PHONE (219) 663-4335

demonstrate, run the Syntax Checker, then type in the following line:

10 PRINT "HI"

Since this line has no errors, the 64 behaves normally. After you press RETURN, the blinking cursor goes to the next line on the screen. You can list this program to confirm that it's there, or run it to see if it works. Now let's force an error. Move the cursor up and type over line 10 so it looks like this:

10 PNIRT "HI"

Because PNIRT isn't a BASIC word, the Syntax Checker prints SYNTAX ERROR. List the program again to see whether the computer replaced the good line with a bad one. As you'll see, the first (correct) version of line 10 is still there. The Syntax Checker won't let you add or change any lines in a program unless they're free of typing errors. This feature makes it handy for editing existing programs as well as writing new ones.

For instance, say that you get a program from a friend or enter one from the GAZETTE and decide to add an improvement. Even if you originally typed the program in with the "Automatic Proofreader," the Proofreader can't help when you add new lines. By catching errors before it adds anything to a program, the Syntax Checker prevents you from unintentionally "disenhancing" a program that already works.

Phantom BASIC

The Syntax Checker does far more than check BASIC keywords like PRINT for correct spelling. It passes judgment on everything else in the BASIC line as well. Using a modified version of BASIC, it performs a phantom execution of each new line, performing most of the same error checks BASIC would use if you ran the line in a program.

To do this, the Syntax Checker switches out the computer's BASIC and switches in a special, modified BASIC which it prepared when you started it up. The phantom BASIC "runs" the line to perform normal error checks, but stops short of actually completing the commands. This method can flush out a multitude of errors, including missing

colons in multistatement lines, misplaced commas and parentheses, type mismatches (putting a string where a number belongs, and vice versa), missing parameters, illegal operations (like A\$=B\$-C\$) and many illegal quantity errors as well.

Runtime Errors

But there are certain things the Syntax Checker cannot do. A program can contain innumerable flaws even when each of its lines is *syntactically* correct. To illustrate, type NEW and press RETURN, then type in the following line and enter RUN.

1000 NEXT

The NEXT statement in line 1000 is perfectly good BASIC—the 64 understands exactly what it means-but NEXT only makes sense when it's preceded with a matching FOR statement. This is a runtime error, so called because it can't possibly be detected without running the program. When you type in this line by itself, the Syntax Checker can tell that NEXT is a word from the BASIC language, but there's no way it can tell whether it's logical to put NEXT at that particular point in the program. There are many runtime errors (DEVICE NOT PRESENT, OUT OF DATA, etc.) which can't be found until a program is finished and running.

Thus, while the Syntax Checker looks after the fundamentals, catching obvious mistakes, it's up to you, the programmer, to make sure your creation makes sense as a whole. It can't read your mind to figure out what you really meant the program to do. Though it eases the burden of programming, the Syntax Checker can't perform magic: There's no way it can turn a badly structured, illogical program into something that works, and certain errors are simply beyond its scope.

Quirks And Compatibility

You should also keep in mind that ordinary BASIC lets you do some very odd things without signalling an error. LIST 10–30ABCDEF looks very strange, but doesn't cause an error. DIM A(5.001,26.3) is silly (you can't dimension a fractional number of array elements), but there's no 'illegal fraction' error

message to tell you about it.

In short, BASIC has some built-in limitations when it comes to error checking. Fortunately, most of its quirks are rarely encountered, and the ones shown above don't cause any real harm. But because the Syntax Checker uses existing BASIC routines, it's subject to the same quirks and anomalies. It doesn't sense errors that BASIC itself can't detect.

You may already have wondered whether the Syntax Checker can be used along with other programs like the Automatic Proofreader or "MetaBASIC." Though the Syntax Checker and the Proofreader work together just fine, they're designed for different purposes, so you'd rarely have reason to use them together. The Proofreader verifies the checksums in published programs that have already been tested for errors. The Syntax Checker is for use when you're writing your own original programs (for which no checksums exist).

The Syntax Checker also works with MetaBASIC. However, MetaBASIC's QUIT command turns off the Syntax Checker, too. So unless you want to turn off both programs at once, you must restart the Checker with SYS 49152 whenever you QUIT MetaBASIC. As you may know already, the more utilities concurrently active, the more fragile the system is likely to become. No matter what other programs you're using at the time, it's always best to disable the Syntax Checker with SYS 49152 before you run a BASIC program.

Space doesn't permit a detailed explanation of how this program works, but here's a brief synopsis. When the Syntax Checker sets up, it copies BASIC and the computer's operating system (OS) from their normal places in ROM (Read-Only Memory) into underlying free memory, then modifies them extensively. When you enter a numbered line, the program turns off the computer's ROM and uses the modified BASIC and OS. After it scans the input line, the Syntax Checker either adds it to the program or signals an error. In both cases, ROM is turned back on before the blinking cursor reappears.

See program listing on page 124.

Sam Bowne

Remember your fascination as a child looking through a kaleidoscope? This electronic version entertains the same way—but you have control. Originally written for the 64, we've added versions for the unexpanded VIC, Plus/4, and Commodore 16.

THE COMPRET HE DISPLAY, TYPE THESE THARACTERS HE REMAINS

F.E. THROUGH F.S. CONTROL COMPLEXITY

O THROUGH '9 CONTROL SPEED

B. BLACK AND MAITE

C. 16-COLORS

SPACE FREEZE DISPLAY

D.S. CLEAR SCREEN

H. HELP!

Q. QUIT

HIT DAY KEY TO START THE KOLETODSCOPE

Press H to see the Help screen (64 version).

Here's a program that lets your Commodore computer show off. "Kaleidoscope" displays a multicolored, constantly changing but symmetrical pattern which might remind some of a Persian rug, but is most like a kaleidoscope.

But unlike the kaleidoscopes that children (and some adults) enjoy, this one lets you control the speed, complexity, and a number of other things.

Simple Operation

After typing in the correct version for your computer, save it to disk or tape and run it. After a few seconds, you'll see either the title screen or an error message. If the program says ERROR IN DATA STATEMENTS, check the DATA statements in the last section of the program. (To help ensure a correct typing entry the first time, I recommend using the "Automatic Proofreader," published frequently in the GAZETTE.)

The first time running, don't worry about the screen instructions. Just press RETURN twice after you see the title page, and you'll see the kaleidoscope in action. Next, type H (for Help) to get to the menu. (H may be pressed any time during the running of the program.) Here's the menu with comments on how to use it:

f1-f8: The eight function keys control the complexity of the pattern; f1 is the most complex and f8 the simplest. (On the Plus/4, note that f8 is equivalent to the HELP function key.)

0–9: The ten digits 0–9 control the speed with which the pattern changes. Zero is the fastest, and 9 causes a delay of about five seconds between pattern changes.

B: Displays black and white only. This is for purists or people with black and white TV sets.


C: Returns to color mode.

SPACE: Freezes the display until another key is pressed. **SHIFT-CLR:** Clears the screen momentarily. (At high speed, the pause is almost unnoticeable).

H: Help. Returns to the menu.

Q: Quit. Ends the program.


See program listing on page 126.



A less complex pattern (VIC) gives you larger colored areas . . .



... while increased complexity creates a splash of colors—up to 121 on the Plus/4 and 16.





Michael S. Tomczyk

Michael S. Tomczyk is a former Commodore marketing executive and product designer. His recent book, The Home Computer Wars, describes the rise of Commodore and is published by COMPUTE! Books.

This month, we'll explore some simple techniques for creating and centering screen titles, which you can mix and match to customize your opening program "headlines."

These programs are designed to work on the Commodore 64, VIC-20, Plus/4, 16, and 128 (64 mode). All programs are written for 40-column displays. To adjust any program for use on the VIC, substitute the number 22 in place of the number 40 wherever it appears in our examples and in the text.

Displaying A One-Line Title

To display a title at the top of your screen, begin by clearing the screen, which puts the cursor at the upper left corner, then print your title. The title can include words, numbers, graphics, and different colors. Your title doesn't have to extend all the way across the top of the screen; but if you print it in reverse characters, it'll look much nicer with enough spaces to make the line extend all the way across. Here are a few quick examples:

10 PRINT CHR\$(147)"BLAND OPENING

Type RUN and press the RE-TURN key. (Pretty boring title more like no title at all.) All we did was clear the screen and print some words. When you PRINT CHR\$(147) it's the same as clearing the screen. Now try this:

10 PRINT CHR\$(147) CHR\$(18) "REVERSE OPENING TITLE"

Run this program. As you can see, most titles look nicer when they're printed in reverse characters. In this example, we begin by clearing the screen, then using CHR\$(18), which is the same as CONTROL-RVS ON. Now anything that follows in this PRINT line will be displayed in reverse. But this simple title is still a little sloppy. To create a more professional-looking title, we need to extend the reverse bar all the way to the right edge of the screen. Try this:

10 PRINT CHR\$(147) CHR\$(18)
"REVERSE OPENING TITLE{19
SPACES}"

All we did here was add 19 blank spaces at the end of the line. To add the spaces, press the space bar 19 times after the title and before the final quotation marks. (VIC users should type only one space after the title.)

If your title is longer or shorter than our example, just count the characters and spaces in your title, subtract from 40 (22 for the VIC) and that's how many spaces you need at the end. For instance, in a title like "FACTS ABOUT HAL-LEY'S COMET" there are 26 characters including spaces. Subtract 26 from 40, take the result (14), and put 14 spaces after the title to make the reverse bar extend across the screen. An even easier way to print a full line is to notice the location of the first quote mark and space over, until the last space in the line is directly underneath the quotation mark. If you use this technique, make allowances for non-printing characters like CTRL-RVS ON or color changes.

Centering

Most good screen titles are centered—so let's try that with the HALLEY'S COMET example (VIC users type 4 spaces instead of 13):

10 PRINT CHR\$(147)"{13 SPACES}
HALLEY'S COMET"

or move it down one line: 10 PRINT CHR\$(147):PRINT"{13 SPACES}HALLEY'S COMET" or print it in reverse and centered at the top of the screen:

10 PRINT CHR\$(147) CHR\$(18)"{13 SPACES}HALLEY'S COMET{13 SPACES}"

or print it in reverse and centered one line down on the screen:

10 PRINT CHR\$(147):PRINT CHR\$(18)
"{13 SPACES}HALLEY'S COMET{13
SPACES}"

REM: In our "top of the screen" examples, the difference between putting the title on the top line and putting it on the second line involves the use of separate PRINT commands.

Every PRINT statement automatically moves down to the next line in BASIC, unless you "glue" them together with a semicolon (;).

If you type:

PRINT"X":PRINT "Y":PRINT"Z"

and press RETURN, these three letters will appear on different lines. But if you type:

PRINT"X";:PRINT"Y";:PRINT"Z"

they will appear on the same line because the semicolons "glue" them together.

In our first screen title examples, the title appears on the first line because we put the clear screen command and the title in one PRINT statement.

In some of the examples, we inserted a blank line by using two separate PRINT statements instead of one to print the clear command and then print the title. The computer sees two separate PRINT commands and puts each one on a different line—first it clears the screen, then moves one line down to print the title.

Getting A Little Fancier

We can vary our titles by making them "deeper"—using two or three lines instead of one:

10 PRINT CHR\$(147);:FOR SP = 1

TO 40:PRINT CHR\$(18)" ";:N EXT 12 PRINT CHR\$(18) "[13 SPACES]

HALLEY'S COMET[13 SPACES]"; 14 FOR SP = 1 TO 40:PRINT CHR\$
(18) " ";:NEXT

Line 10 clears the screen and uses a semicolon to stay on the top line (otherwise the computer would skip one line down). Then we use a FOR-NEXT loop to repeat an action. In this case, we print one reverse space, and the FOR-NEXT loop causes it to be repeated 40 times. A reverse space appears on your screen as a solid block. Finally, the NEXT command ends the loop (see the REM note below).

Line 12 prints the "ReVerSe ON" command (remember, printing a CHR\$(18) is the same as printing a RVS ON). Then we have 13 spaces (press the space bar 13 times), the title, and 13 more spaces. The semicolon at the end of this line is like glue. (Try running the program without the semicolon and see what happens).

Line 14 is similar to line 10 except we don't have to clear the screen.

REM: To repeat an action, we use FOR-NEXT loops. The FOR part of the loop specifies how many times the action will occur. For example, "FOR SP=1 TO 40" tells the computer to "count" from 1 to 40 which is how we get 40 repetitions. Whatever comes between the FOR and NEXT in the program is the action, or actions, which will repeat. While the loop is active, the variable SP is counting from 1 to 40 one number at a time.

In BASIC programming you can start the FOR part of the command on one line, include several lines of commands you want to repeat, and end the loop with the NEXT command. This is why in some programs you may see a FOR, then a number of program lines, then a NEXT all by itself. These are very long FOR-NEXT loops.

Automatic Centering

So far, we've centered our titles manually. Now we can make the computer center the titles automatically-here's how:

10 H\$ = "HALLEY'S COMET":GOSUB 1000

20 FOR L = 1 TO 40:PRINT CHR\$(96);:NEXT

30 PRINT: PRINT: PRINT "HALLEY'S COMET IS COMING IN 19861" 999 END

1000 FOR C = 1 TO (40-LEN(H\$)) /2:PRINT "";:NEXT:PRINT [SPACE]HS:RETURN

Line 5 clears the screen. Line 10 defines your title as the string variable "H\$." From now on, H\$ is the same as the title. The GOSUB command means "GO TO SUB-ROUTINE" so GOSUB 1000 means GO TO THE SUBROUTINE AT LINE 1000. The computer now jumps to line 1000 and executes that line.

Line 1000 looks more complicated than it is. The first part begins a FOR-NEXT loop. Look inside the parentheses first. LEN(H\$) means the LENgth of the title represented by the variable H\$. In this program, H\$ represents "HALLEY'S COMET," and since there are 14 characters including spaces in "HALLEY'S COMET," LEN(H\$) equals 14. Using LEN(H\$) is the same as using the number 14.

Now look a little farther. 40-LEN(H\$) is the same as 40-14, which is the same as 26. Thus, the calculation inside the parentheses represents the number 26. Next, we go outside the parentheses to divide that number by 2. The result is 26/2 or 13.

So the first part of line 1000 means FOR C equals 1 to 13, print a space. The semicolon glues the spaces together on the same line. NEXT closes the loop after the 13 spaces have been printed.

Now that we are properly centered on the screen, we print H\$, which is the same as printing our title. The RETURN command sends the computer back to the end of line 10. It now continues on to line 20.

Line 20 uses a FOR-NEXT loop to print a horizontal line across the screen using the graphics character represented by CHR\$(96).

Line 30 uses PRINT commands all alone to insert two blank lines, then prints a message. This is where our program—a quiz, test, or list of facts about Halley's Cometwould continue.

Line 999 contains an END command-you should always include an END command just before

the GOSUB routine.

To print and center the title in reverse characters, add the following lines to the program.

1000 FOR C = 1 TO (40-LEN(H\$))/2:PRINT CHR\$(18)" ";:NEX T: PRINT HS;

1010 FOR C = 1 TO 40-(LEN(H\$)+ INT((40-LEN(H\$))/2)):PRIN T CHR\$(18)" ";

1020 NEXT: RETURN

This new subroutine displays the title in reverse and centers it on the screen. Our new line 1000 includes CHR\$(18) to print the spaces and title in reverse.

Line 1010 adds together the total number of spaces on the left side of the title and the number of characters in the title (H\$), then subtracts that number from 40 to give the number of reverse spaces that have to be printed on the right side of the title. This is necessary because if you have a title with an uneven number of characters, you won't get the same number of spaces on each side of the titleone side will be one off. So we take the left side spaces and the number of title characters, add them together, and subtract them from 40. The remainder is how many reverse spaces we need on the right side of the title to fill up the rest of the line.

Next month, we'll continue with this topic and look at some slightly more sophisticated techniques.

Copies of articles from this	
publication are now available fr	rom
the UMI Article Clearinghouse	

Yes! I would like to know more about UMI Article

ordering through the fol	
☐ DIALOG/Dialorder	☐ ITT Dialcom

- OCLC ILL Subsystem OnTyme Other (please specify)_
- I am interested in sending my order by mail. Please send me your current catalog and user instruc-

tions for the system(s) I checked above.

Institution/Company___ Department___

__State____ __Zip_

UMI Article Clearinghouse

Mail to: University Microfilms International 300 North Zeeb Road. Box 91 Ann Arbor, MI 48106

In Search Of The Computer Sandbox Part 2

computing for families

Fred D'Ignazio Associate Editor

In this month's column, we'll see how you can turn your computer into a sandbox using software you may already own. And I've prepared a checklist you can use to evaluate software and computer activities to see if they are up to "sandbox" standards.

You don't need to purchase commercial "problem-solving" programs in order to turn your computer into a problem-solving environment. Much of the software you already own can be used to help children develop skills in problem solving, communication, and critical thinking. The key is to turn your staid and stuffy machine into a computer sandbox. The important thing is not the software but how you use it.

Recipe For Sandbox Activities

Here's a quick checklist of characteristics that all good sandbox activities should have:

First, create activities that are playful, that encourage children to experiment with different ideas and styles of thought. In some cases, there may be only one right answer, but the activities should let the child approach that answer on many different paths.

Second, look for activities (and software) that teach the child real-world skills, even in the context of a make-believe world. Facts are something that a child may or may not remember, but skills are things a child can practice and use the rest of her life.

Third, look for software (and create activities) that encourages your child to be thoughtful. The activities should not push a child to press a button or look for a quick fix. Instead they should challenge her to turn something over in her mind before she makes a choice

and presses a key.

Most of all, sandbox activities should mimic a real sandbox and attract the child, like a magnet. Like a real sandbox they should offer your child:

- Freedom. A "sandbox" is a world where adults are welcome but where children make the big decisions.
- Fantasy. A child should be encouraged to soar to the outer reaches of her imagination.
- Props. There should be a rich array of props for the child to wheel onto her make-believe "sandbox" stage and incorporate into her world's drama.
- Plot. Storymaking and storytelling give meaning to this makebelieve world. Decisions and events can have life-or-death significance.
- Heroics. A child enters a new world when she climbs into a sandbox—and she becomes an argonaut, adventurer, voyager, explorer, discoverer. Her stage is tiny, but she is at its center and in control.
- Sand in the hands. One of sand's great joys is its infinite malleability. It can be shaped into anything a child can imagine. Computer software should have this same attribute.
- Sandy revisions. Sand can be "edited" effortlessly. A child can edit a structure by lopping off a tower or by adding a new moat, tunnel, or bridge. Or if she wants to start over, she can erase it instantly.
- The perfect medium. Sand is a medium that's just right for small hands. It doesn't fetter a child or dampen her limited motor skills. Instead it enhances and amplifies her abilities. Most important of all, it stimulates confidence and self-esteem, two primary ingredients for intelligence and later academic success.

Puzzles And Clouds

When we use a computer, we need to let it do what it does best, and it should help us do what we do best. One of the things we do much better than computers is create and recognize patterns. Our ability to solve problems is a direct result of our skill in recognizing patterns and creating new patterns out of a rich association of memories, ideas, and experiences.

Playing in a sandbox is a good example of pattern creation and recognition. Out of the amorphous sand come villains, heroes, trucks, dragons, and crocodiles. It's a bit like watching the play of clouds in the sky—only much more dynamic because we can interact with the patterns that we create and reshape.

According to Hans Moravec, a roboticist and artificial intelligence scientist at Carnegie-Mellon, patterns are like pieces in a puzzle. And there are puzzles inside of other puzzles (patterns inside patterns). We go through life like scavengers searching for new pieces of these larger puzzles. Gradually more of the missing pieces are filled in, and the really big puzzles, or patterns, begin to make sense.

The computer can help us in this lifelong quest if it helps us discover new pieces for our puzzles, if it encourages us to become active seekers, and if it equips us with skills to make our search more efficient, fruitful, and joyous.

If you have any thoughts about sandbox activities, write Fred D'Ignazio, c/o COMPUTEI's GAZETTE, P. O. Box 5406, Greensboro, NC 27403.

simple answers to common questions

Each month, COMPUTEI'S GAZETTE tackles some questions commonly asked by Commodore users and by people shopping for their first home computer. If you have a question you'd like to see answered here, send it to this column, c/o COMPUTEI'S GAZETTE, P.O. Box 5406, Greensboro, NC 27403.

I see that Commodore's new Amiga and the Atari ST are being described as 16-bit computers. Can you explain the difference between an 8-bit and 16-bit computer and why 16-bit is better?

A. Describing a computer as an 8-bit or 16-bit machine refers to the microprocessor chip which is its central processing unit, or CPU. The CPU is a silicon chip—about the size of a fingernail—which is the computer's main brain. It's responsible for fetching program instructions from memory, carrying out the instructions, and storing the results of calculations back into memory. Basically, it controls or supervises everything that happens in the computer, much as your brain controls your body.

At the chip level, all information is coded in electrical signals which represent binary numbers. The binary numbering system consists of only two digits: 0 and 1. Since electrical signals can be either on or off, they're ideal for representing binary digits. An off-signal equals 0; an on-signal equals 1. The term bit is an abbreviation of binary digit. Thus, a bit is either a 0 or 1. By stringing bits together in various patterns, numbers larger than 1 can be represented.

Some CPU chips are designed to handle larger strings of bits than others. Many pocket calculators are driven by four-bit chips; they can accept and manipulate information

CPU Chip	Type	Computers
6502	8-bit	VIC-20, PET, Apple II/II+, Atari 400/800/XL
6502B	8-bit	Apple IIe (6502-compatible)*
6502C	8-bit	Atari 130XE (6502-compatible)
65C02	8-bit	Apple IIc (low-power 6502-compatible)
6510	8-bit	Commodore 64 (6502-compatible)
7501	8-bit	Commodore Plus/4, 16 (6502-compatible)
8502	8-bit	Commodore 128† (6502-compatible)
6809	8-bit	TRS-80 Color Computer
Z80	8-bit	Commodore 128†, Coleco Adam, Sinclair ZX80/ZX81,
		Timex TS1000, TRS-80 I/II/III, MSX, Mattel Aquarius,
9000000	0000000	Osborne CP/M, Kaypro CP/M, other CP/M computers
80C85	8-bit	TRS-80 Model 100 (low-power 8085-compatible)
8088	8/16-bit	IBM PC, PCjr, XT, Tandy 1000
8086	16-bit	Compaq, most IBM PC compatibles
80286	16-bit	IBM AT
TMS9900	16-bit	TI-99/4A
68000	16/32-bit	Amiga, Atari ST series, Macintosh

*For increased compatibility, Apple recently replaced the 6502B in the Apple IIe with the same low-power 65C02 chip found in the Apple IIc. †The Commodore 128 contains two independent CPUs, an 8502 and Z80. The 8502 is for the 64/128 modes, and the Z80 is for CP/M mode.

which is fed to them in strings of only four bits at a time. Most home computers have CPU chips which can handle eight bits. Higher-end personal computers usually can process data in strings of 16 bits. Some CPUs are hybrids and are referred to as 8/16-bit or 16/32-bit chips. As computer technology advances, engineers are able to design chips which can process larger and larger chunks of information. (The accompanying table lists the common CPU chips found in home and personal computers.)

What makes a 16-bit computer better than an 8-bit computer? As a general rule, a CPU which handles larger strings of bits can process data faster. Naturally, that means the computer runs your programs faster. There are exceptions, however. For instance, the Texas Instruments TI-99/4A home computer (discontinued in 1983) has a 16-bit CPU, but other design factors make it run slower than most 8-bit home computers such as the Commodore 64 and VIC-20.

Also, a CPU that can process larger strings of bits usually can access more memory as well. Most

8-bit computers can directly address only 64K of memory without special tricks such as bank-switching. Most 16-bit computers can address at least a megabyte (1,024K) and sometimes as much as 16 megabytes.

There are many other considerations when judging a computer, of course, including cost, software availability, and suitability to the task at hand. So a 16-bit computer isn't necessarily "better" than an 8-bit computer. But it is potentially more powerful.

When reading about CPUs you may also see a phrase like "the microprocessor is clocked at 1 MHz." This refers to the speed of the chip.

A higher CPU clock speed usually means a faster computer, but too many other design factors also affect performance to make this a hard and fast rule. It's not unusual for a program on a 1 MHz computer to outrun the same program on a 2 MHz computer. Raw specifications are useful guides for comparisons, but balancing the value of one computer against another involves many more variables.

horizons

Charles Brannon Program Editor

Computer terminology is filled with flavorful terms—byte, floppy, nybble—as well as mundane—file-spec, CPU, and raster-scan. These terms are used to tersely communicate complicated concepts, but are too often spoken without a solid understanding of their meaning. Novices and even experienced users may find themselves with a mental mishmash of how computers work. A prime example is the concept of an operating system.

The most important distinction to make is that the operating system, although often stored in permanent read-only memory (ROM), is not part of the hardware of your computer. ROM is simply an unerasable form of RAM. The memory chips that store your programs are part of the hardware, but the information in them is ethereal, comprised of the state of thousands of tiny switches. A switch is hardware, the position of a switch is not.

It's also incorrect to describe a function of a video chip as being performed by "the operating system." The operating system can only control video indirectly via the video hardware. A video chip is a hard-wired maze of intricately interconnected switches. It's not appropriate to think of a video chip as a program. Software describes a process; hardware performs the process.

The operating system (OS) of a computer is made of programs and routines, the same kind of programming that makes up a game, a word processor, or the BASIC language. The operating system is the underlying programming of a computer, the routines that create the personality of your computer. It provides a host of useful sub-programs that can be used by other programs. The operating system makes a computer system a coherent environ-

ment rather than just a bunch of chips.

Nuts And Bolts

If you designed your own computer, you would start with a microprocessor, then add RAM and ROM. This minimal computer is bereft of communication. You'd have to add some matrix-scanning chips and circuitry to support a keyboard (or go all the way and put a microprocessor in the keyboard as well). Next, you would add video circuitry to support screen output, from a simple character display to full color high-resolution bitmapped graphics.

The computer is still not very useful without some input/output chips to support printer output, tape or disk input/output, and the use of modems. Finally, you'd add the optional extensions such as joystick, paddle, and lightpen ports, an expansion port for extra memory and/or ROM cartridges, and specialized chips for floating point math and sound synthesis.

You have a computer now—but it's still useless without an operating system. The smallest ROM operating system is a bootstrap routine to load a complete operating system from disk into RAM. This technique is used on some CP/M computers, as well as the new Atari 520ST and Commodore Amiga.

Few programmers want to reinvent the wheel every time they
program. Even printing text to the
screen is tedious without an operating system; you have to POKE the
byte representing each character
into the proper cell of screen memory. Getting input from the keyboard involves scanning the
keyboard yourself, converting the
keycode to ASCII, echoing the
character to the screen, permitting
corrections, and storing the characters in a buffer (block of memory).

operating system makes a computer system a coherent environroutines like character printing and keyboard input are built into the computer. In fact, there are hundreds of subprograms that are general enough to be used by a majority of programs. For text printing, a good operating system supports functions such as setting the cursor position, printing a character, printing a string of text, supporting carriage return/linefeed or clear-screen, as well as supplying graphics functions to change colors, draw a pixel, line, circle, rectangle, and perform area fills.

Similar detail is supported for screen-oriented input, peripheral programming, direct memory access (DMA) for high-speed disk data buffering, memory management, interrupt and event processing (such as cursor flash and keyboard type-ahead), object management (support for the windows, menus, and dialog boxes found on the Macintosh, 520ST, and Amiga), even multitasking (simultaneous execution of multiple programs).

An extension of the operating system, the disk operating system (DOS, pronounced "doss"), is also stored in RAM, excepting the rare case of Commodore's disk drives. A DOS may carry the entire operating system with it, but it's especially concerned with disk-specific routines to read or write a disk block, allocate/de-allocate disk blocks, support named files, rename and delete files, create nested directories and multiple volumes (simulating multiple disk drives within a single unit as in a hard disk), and much more.

The operating system is rarely explained because It's taken for granted. Although you may never actually see or use the operating system, it comes alive when you turn the power on, hums quietly to itself in the background, and orchestrates every function of the machine. An almost invisible entity, the operating system is the most important part of your computer.

hints extips

If you've discovered a clever timesaving technique or a brief but effective programming shortcut, send it to "Hints & Tips," c/o COMPUTE!'s GAZETTE. If we use it, we'll pay you

Escape From Quote Mode

Joseph R. Charnetski

Quote mode is both a handy and a frustrating feature of Commodore computers. If you've programmed at all, you know how convenient it is to control actions such as clearing the screen or cursor movements from quotes within a PRINT statement. But you also know how sticky matters can get when you edit while locked into quote mode. There are occasions when it needs to be turned off. Here are a few solutions:

- · Pressing RETURN always turns off quote mode, insert mode, and reverse characters. Insert mode is similar to quote mode, except that DELete shows up as a reverse-T (turn insert mode on by pressing SHIFT-INST/DEL).
- A sometimes unwelcome side effect of pressing RETURN is that the current program line is either added to the program or executed immediately. SHIFT-RETURN functions like a regular RETURN, but the program line is not put into memory. You can then cursor up and make corrections.
- Both kinds of RETURNs bring you to the beginning of the next line. To cancel quote mode while staying in place, just type SHIFT-2 (to get out of quote mode) and then DELete, to erase the quotation mark.

These three ideas work fine when you're writing or editing a program, but what about when a program is running? You might be GETting information from the user of the program or reading a sequential file. Anytime the computer prints quotation marks, quote mode is toggled on or off. To make sure it's off, you can POKE 212,0 (on a VIC or 64) or POKE 203,0 (on a Plus/4 or 16).

Default INPUTs

Norman E. Hovis, Jr.

The INPUT statement is an excellent way to get information from a person using your program. But what happens if the user just presses RETURN without entering anything? What does INPUT default

If a numeric variable in an IN-PUT statement has not previously appeared in the program, the default value is zero. A string variable not yet used defaults to a null string-an empty string with a length of zero.

But if the INPUT variable already has a value and the user presses RETURN, the variable keeps its old value. For example, say your program asks for a last name with INPUT"LAST NAME"; A\$ and then later on INPUT"ZIP CODE''; A\$. The user enters "Swanson" for the last name, but doesn't know the zip code and presses return. Since A\$ was defined as "Swanson" earlier in the program, the zip code becomes "Swanson."

There's a way to solve the problem: by building default values into INPUT statements. (VIC owners should delete the first semicolon. There's a bug in the way VICs handle prompts longer than 22 characters before an INPUT.)

100 PRINT"LEVEL 1-9 (1 = EASIE ST)";:INPUT"[3 RIGHT]5 [3 LEFT]";X

This line might be used, for example, at the beginning of a game with nine levels. The key to this technique is the cursor movement. A prompt is printed, followed by three cursor rights, the number 5,

and three cursor lefts. Moving three spaces right puts the cursor just past INPUT's question mark. The lefts then move the cursor back to the usual space. When the program gets to this line, the cursor is blinking on top of the number 5, and the user only has to press RETURN to get this default value. If you want more characters, add the appropriate number of cursor lefts after the last character.

This idea can also be used to change the way the cursor blinks. In the example above, change the 5 to a graphics character. The left graphics characters on B, I, and + seem to work well (hold down the Commodore key to get the graphics on the left side of the keys).

Stop And Go Printing

Thomas R. Jansen

Let's create a programming problem. In the middle of a debugging session, you find you need to examine the values in an array containing 100 elements. So you press STOP and enter FOR J=0 TO 100: PRINT J,A(J): NEXT. The numbers fly across the screen, scrolling off the top before you can look at them.

Within a program, you can create a pause with a GET statement. But if you try to GET a character in direct mode, you'll see ILLEGAL DIRECT ERRÓR. GET and INPUT work only within a program. And you can't add a program line without erasing the current values of all variables, variables you need to look at.

You could cursor to the bottom of the screen, type the line again, and quickly press CTRL to slow things down. But the CTRL key only slows a VIC or 64 down a little (use the Commodore key to slow down a Plus/4 or 16).

Another idea is to insert a delay loop that counts to 1000. Again, it only slows things a bit. Is it possible to start and stop the printing?

The answer is WAIT, a command which may be unfamiliar to many Commodore programmers. Enter this line, in direct mode (on the Plus/4 and 16, use 239 instead of 198):

FOR J=0 TO 100: PRINT J,A(J): POKE 198,0: WAIT 198,15: NEXT

Memory location 198 (239 on the Plus/4 and 16) keeps track of how many characters are in the keyboard buffer. First, POKE a 0 to this location to tell the computer that no (0) keys have been pressed. The computer then executes the WAIT command, which stops everything until a certain memory location—198 in this case—contains a certain pattern.

The screen displays the first number. It then stops until you press a key. Since the space bar repeats, hold it down to scroll rapidly through the numbers, and release it to stop things again.

The opposite effect can also be achieved with WAIT (change the 198 to 239 on the Plus/4 and 16):

FOR J=0 TO 100: PRINT J,A(J): WAIT 198,1,1: POKE 198,0: NEXT


The numbers print and scroll

normally until you press a key, which stops everything until you press a key again. It may sound strange, but the second number 1 makes the computer wait until an even number of keys has been pressed. Since zero is an even number, the computer stops waiting—it continues on—as long as no keys have been pressed. When you press one key (an odd number), it starts waiting until you press a second key.

These techniques are very helpful for creating pauses when you're looking through an array or PEEKing a large block of memory. You can also put them inside a program when you need a pause feature.

COMPUTE!'S GAZETTE

TOLL FREE Subscription Order Line 800-334-0868 In NC 919-275-9809 All programs
listed in
this magazine
are available
on the
GAZETTE Disk.
See elsewhere
in this issue
for details.





SYMBOL MASTER™ MULTI-PASS SYMBOLIC DISASSEMBLER **FOR THE COMMODORE 64***

disassembles any 6502/6510 machine code program into beautiful source

- Learn to program like the experts!

 Adapt existing programs to your needs!

 Automatic LABEL generation.

 Outputs source code files to disk fully compatible with your MAE. PAL. CBM or Develop-64* assembler, ready for re-assembly and editing!

 Outputs formatted listing to screen and printer.

 Automatically uses NAMES of Kernal jump table routines and all operating system variables.

 Generates list of equates for external addresses,

 Generates complete cross-referenced symbol table.

 Recognizes instructions hidden under BIT instructions.

- · 100% machine code for speed.

(Symbol MasterTM is not copy protected.) ORDER NOW! Available on disk only. Introductory price \$49.95 postpaid USA.

*MAE is a trademark of Eastern House. PAL is a trademark of Pro-Line. Commodore 64 is a trademark and CBM is a registered trademark of Commodore.

Develop-64 is a trademark of French Silk.



UNLEASH THE POWER OF YOUR COMMODORE 64 WITH THE ULTIMATE INTERFACE

- · Control & monitor your home appliances, lights &

- Control & monitor your home appliances, lights & security system
 Intelligently control almost any device
 Connect to Analog-to-Digital Converters
 Control Robots
 Perform automated testing
 Acquire data for laboratory & other instrumentation
 applications
 Many other uses.

Many other uses.
Don't make the mistake of buying a limited capability interface. Investigate our universally applicable Dual 6522 Versatile Interface Adapter (VIA) Board, which plugs into the expansion connector and provides: Four 8-bit fully bidirectional I/O ports & eight handshake lines • Four 16-bit timer/counters • Full IRQ interrupt capability • Four convenient 16-pin DIP socket interface connections • Expandability up to four boards & sixteen ports.

ORDER NOW! Price \$169, postpaid USA. Extensive documentation included. Each additional board \$149.

COMMODORE 64™ SOURCE CODE!

"What's Really Inside the Commodore 64"

• Most complete available reconstructed assembly language source code for the C-64's Basic and Kernal ROMs, all 16K. • You will fully understand calls to undocumented ROM routines, and be able to effectively use them in your own programs. • Uses LABELS. Not a mere one-line disassembly. All branch targets and subtroutine entry points are shown. • TABLES are fully sorted out and derived. • Completely commented, no gaps whatsoever. You will see and understand the purpose of every routine and every line of code! • Complete listing of equates to external label references. • Invaluable fully cross-referenced symbol table.

Order C-64 Source. \$29.95 postpaid USA. Order C-64 Source. \$29.95 postpaid USA.

All orders shipped from stock within 24 hours via UPS. VISA/MasterCard welcomed.

SCHNEDLER SYSTEMS

1501 N. Ivanhoe, Dept. G10 , Arlington, VA 22205 Information/Telephone Orders (703) 237-4796



 Switch selectable Commodore graphics mode for Epson, StarMicronics, C. Itoh, Prowriter, Okidata, Seikosha, Banana, BMC. Panasonic, Mannesman Talley & others


 16 Channel 8-bit A/D converter with 100 microsecond sampling time.

Board for C-64 & C-128

\$50 for your old interface NEW! Universal Parallel **Graphics Interface**

- · Built-in self-test with status report
- · Optional RAM printer buffer
- Provides virtually total emulation of Commodore printers for compatability with popular software
- · ASCII conversion, total test, Emulate & tranparent mode
- Fully intelligent interface that plugs into standard Commodore printer socket
- Exclusive graphic key-match function

Micrografix MW-350 \$129 \$79.00 with any trade in



CBM-64 used MW-611 \$225.00

 Use multiple boards for additional channels up to 6 boards

16 high voltage/high current

Micro World Computers, Inc. (303) 987-9531 3333 W. Wadsworth Blvd. #C105

Lakewood, CO 80227



Dealer Inquiries invited

1 D/A output

discrete output 1 FPROM socket



The Creature In Its Cage

machine language for beginners

Richard Mansfield Senior Editor

The author wrestled with this program. Most of us wrestle with most programs. If you find yourself going up blind alleys, surrounded by bugs, rewriting your ML a dozen times—you're in good company. No matter how much advance planning you do, you'll still have to subdue the creature in its cage.

Programming is rarely a straight line from concept to finished product and I've never met anyone who could predict in advance precisely how he or she was going to write a routine of any sophistication.

Please, as we describe how the example program below was constructed, also be reminded that this is only one of many ways to accomplish the task set forth. Starting from scratch, you might well arrange things differently, use different techniques. If your program works, that's what matters. Different methods can be every bit as effective as the ones outlined here.

Housekeeping Preliminaries

Last month we described the labels in Program 1, a short utility which is designed to transform an ML program into a "BASIC loader," (a series of DATA statements that can be POKEd into RAM to form the runnable ML program.) Now let's finish our examination of this program by exploring its structure, its logic.

As usual, there are a few housekeeping preliminaries before the action starts. First off, we set up some important pointers and registers. In line 270 we put the two-byte address of the start of BASIC (where programs are stored in RAM) into the pointer, PF, which will keep track of where we are as the BASIC program is built.

In line 280 we set up 50000 as

the first line number for our BASIC program. How do \$50 and \$C3 combine to make 50000? It's a bit confusing at first. You can use either hexadecimal numbers (which are signified by a \$ in front of them) or ordinary decimal numbers when writing ML programs. Some people find hex easier to use because it represents numbers somewhat the way the computer sees them. Break a four-digit hex number in half and you've got two byte-size numbers.

Large numbers are always stored in two consecutive bytes. The byte which is higher in memory is called the "high byte," and the byte lower in memory the "low byte." The computer will multiply the high byte by 256, and then add the low byte to form the final amount. So, if you put 80 into the lower byte and 195 into the higher byte, the resulting amount will be 50000. (195 * 256 = 49920, then add the 80 to get 50000.) \$50 is hex for 80 and \$C3 is hex for 195. Here's how the number 50000 would look if you could see computer memory: \$50 \$C3.

Special Tricks

Fortunately, there's a simpler way to set up two-byte numbers. Let the assembler do it. If you're just starting out with ML, the easiest way to handle the problem of setting up registers or pointers which are larger than 255 is to define a label and use the #< pseudo-op. Here's how. First add a label to hold 50000; put it up in the label definition area:

230 FIFTYTHOU = 50000

Now you've told the assembler that the word FIFTYTHOU stands for 50000. Then to break up the number into two bytes so the computer can understand it, change line 280 to read:

280 LDA #<FIFTYTHOU:STA LINENUM:LDA #>FIFTYTHOU:STA LINENUM+1

Special tricks and techniques that your assembler can do to help you program in ML are called pseudo-ops. They're not machine language operations the computer can execute, they're instructions to the assembler. When you use the #< pseudo-op, it will extract the lower byte from a label (< means lesser); the #> extracts the greater byte. So you don't need to figure out how to split 50000 into two bytes, you can let the assembler do it for you. Notice that we did just that when we wanted to set up a pointer to the start of BASIC in line 270.

Another convenience offered by labels is that you could easily change the starting line number by simply changing the label in line 230:

230 FIFTYTHOU = 900

and your first line number in the resulting program would then be 900 instead of 50000.

We also need to put a zero into the counter that will keep track of how many numbers appear in each DATA statement as the BASIC program builds. So we load a 0 into the accumulator and store it in COUNTER. Then we set the Y register to zero by transferring the 0 from the accumulator to Y (TAY) and store the zero into the lowest byte in BASIC RAM memory. All BASIC programs start with this zero.

Inside BASIC

Now we raise the pointer to BASIC RAM by INC PF and we're ready to start transforming our ML program into BASIC. We've come to the main loop.

Take a look at the figure below: It shows what a BASIC program looks like inside the computer. This is what we've got to build for the computer to recognize it and be able to run it. There are several component parts to each BASIC



ULTRABYTE DISK NIBBLER with FREE BACKUP

The Best Disk Duplicator For The Commodore 64 & 1541 Disk Drive

- Copies 99% of protected software automatically
- Multiple copy option. Make up to five copies of each original
- Copies 38 tracks including half tracks
- Optional starting & ending tracks to copy partial disks
- Does not hammer disk drive
- Tone sounds when disk swap is needed
- Fast and extremely simple to use
- Automatically copies all drive errors, extra sectors, false ID's and other protection measures

s 39.95

FOR 2 COPIES OF THE DISK NIBBLER

plus \$ 4.00 shipping & handling. Mastercard, Visa, Check or M.O.. Foreign orders or COD add \$ 2.00. Calif. add 6.5% (\$2.60) sales tax. Additional backup copies are \$ 20.00 plus \$ 3.00 shipping.

FREE BACKUP DISK

Write or Call 24 Hour Order Line
ULTRABYTE (818) 796 - 0576
P.O. Box 789 La Canada, CA 91011

DEALERS & DISTRIBUTORS WANTED

Fischertechnik®

Robotics Automat Kit

For the Commodore 64, IBM & Apple

Easily build
10 different
intelligent
robotic
configurations,
from precision
robotic arms to
sorting machines.

Simulate industrial

automated equipment

Kit includes interface, industry standard Robotic Control Lar

Robotic Control Language based on Superforth

SPECIAL INTRODUCTORY OFFER 199.00 Total Package

\$4.50 Ship U.S.A. \$2.00 C.O.D., U.S.A. \$20.00 overseas CALL TOLL FREE for orders outside of California (800) 633-6335

Easy & Fun

user manual

to read

for additional information (415) 651-3160

PARSEC RESEARCH Box 1766, Fremont, CA 94538 Dealer Inquiries Invited

Commodore 64 TM of Commodore • Fisher TM of Fisher IBM TM of IBM Corporation • Apple TM of Apple Computer • TM Parsec Research

C-64 & C-128* OWNERS:

Stop playing "Hide-and-Seek" with your Disk software! Let your Commodore 64" "memory" do all the work for you with MASTERDISK®. Easy Manual and Program Menu-Screens make everyone a "pro" in 1 day!

Here's a small "PEEK" at SOME of the FULLY-INTEGRATED POWER of PRODUCTIVITY at your fingertips. . .

- a SORTED Master Catalog of ALL your Disks (even those un-listable "protected" Directories: Names, ID's, File info, etc.)
- Search + List any File/Disk/ID in seconds, automatically, in any of SEVEN WAYS.
- Transfer ML-Programs or Files from Disk to Disk (CATEGORIZE your software)
- Stop disaster before it strikes: change duplicate ID's fast, without total re-copy.
- Restore accidentally-scratched files in a flash, with VERIFICATION that they're OK.
- Works with 1 or 2 Single Disk Drives (1541, MSD, etc.) with or without Printer (Commodore or ASCII).
- Handy-Reference Card for HEX/ASCII/BINARY-TO-DECIMAL VALUE TRANSLATION + FORMULAS, included
- All this + MUCH MORE, for just \$34.95. (U.S.A.), \$45.95 (Canada)

To THIS ONE!

Now YOU too can get the "Software Edge"

W ANALTERDUALS "Con AMACTERDICKS"

NEW!! - MASTERDUAL®, "Son of MASTERDISK®"...
same power, but with Dual Drive Speed!

- Same Catalog Features as MASTERDISK®
- Same Disk repair functions, too
- For all C-64 & C-128* systems with Dual Disk Drives (4040, MSD, etc.)
- Utilizes all Dual Drive functions for maximum speed and ease of use
- FREE Handy Reference Card for HEX/ASCII/Binary to Decimal Translation + Formulas
- Experience FULLY-INTEGRATED POWER for just \$29.95 (U.S.A.), \$39.95 (Canada)

*MASTERDISK® and MASTERDUAL® are also compatible with the NEW C-128 (in C-64 Mode)!

We ship within 24 hours! Send Money Order or Check to:

INTEGRATED-SOFTWARE SYSTEMS

P.O. Box 1801, Ames, IA 50010 VISA/M.C./C.O.D., Call (515) 233-2992 9 a.m. - 9 p.m. (Central Time) Mon.-Fri. Add \$3 Shipping/plus \$2 Foreign, C.O.D. IA Residents add 4% Sales Tax. IN CANADA: Cricket Distribution Co., P.O. Box 953, Cobourg, Ontario, Canada K9A 4W4 VISA/M.C./C.O.D., Call (416) 372-3692 9 a.m. - 6 p.m. (Eastern Time) Mon.-Fri. Add \$3 Shipping/plus \$2 C.O.D. Ontario Residents add 7% Sales Tax

Whether you have tens or hundreds of disks, now YOU can be the MASTER of your TOTAL Software Library!

line. First there is a two-byte "line link" which is a pointer to the RAM address where the next BASIC line starts. Then a two-byte line number. Note that in both the line link and the line number, the low byte comes first. Then the actual meat of the line (in our case it will be numbers separated by commas to make up a DATA statement). Finally the line concludes with a 0 and the next line starts over with line link, line number, etc.

When A Number Isn't A Number

Now we pick off the first byte of the ML program we're translating into BASIC (450) and store it in the place where the ROM routine will expect to find it. The first byte in the ML program might be 25. We've got to change it, now, into the two characters "2 5" so we can put it into BASIC. A BASIC DATA statement is filled with characters. They

We're not home free yet. Our 25 has been changed from an integer (25) into a floating point number (five bytes which represent 25.0000000), but there's one more JSR which changes it from floating point into ASCII characters. We ISR INTASCII and, now, the characters "2 5" are sitting at address \$100 where we pick them off and store them into the BASIC program we're building (line 480). That INTASCII routine is considerate enough to put a 0 at the end of the characters it stores at \$100. That's how we know when we've reached the end of the string and can BEQ. After all, we're dealing with numbers ranging between one and three characters, 0 - 255.

Things are pretty straightforward from here on. We raise the counter and check to see if we've yet put ten numbers on our DATA line. If not, we store a comma (530), raise the pointer into the ML program, and go back up again through the LOAD-TRANSFORM-STORE loop for nine more bytes from our ML program. By now, we've built this much BASIC:

50000 DATA 25,

and we quickly loop through the entire line until COUNTER counts up to ten (550) when we are forced to branch down to NEWLINE (590).


Because we've been storing commas after each number, there will be a comma at the end of our line:

50000 DATA 25,172,13,12,0,0,155,169,10,38,

and we want to get rid of it. That's why we DEY at the start of NEW-LINE (590). The Y register has been keeping track of our position on each line and will soon be used to calculate where in memory we should put the 0 end-of-line indicator. By lowering Y, we force the computer to store that 0 right on top of the last character in the line, on top of that unwanted comma. Then, after storing the 0 at the end of the old line, we reset the counter.

Just What We've Been Waiting For

We do a little juggling here. PF is still pointing to the location of the link bytes within the first line, so we save that address in a special



Each time through our main loop we start off by raising the Y register twice to get us past the line link. We don't yet know where the following line will start, so we'll POKE the link in after we find out where it should point to. Then we load and store the line number (360-370) and add 10 to it (380-390) so it will be ready the next time through the loop. Then we store \$83, which is BASIC's symbol for the word DATA. So far we've built this in BASIC:

50000 DATA

Notice that as we move up through the BASIC RAM, building the program, we keep raising the Y register. Y is added to whatever address is held in PF when we use the Indirect Y addressing mode: STA (PF), Y.

Now we come to the hardest part of the program and we're going to let the computer do the dirty work. We save our Y register because we'll need it again. When we JSR into BASIC ROM, the Y register will be altered by the routines in ROM. We have set aside a byte beyond our program proper to hold Y (see line 780). We put Y up there temporarily by STY Y.

are, to be sure, the characters we recognize as 2 and 5, but that's the ASCII code.

To turn the number 25 into the characters 2 and 5 so we can POKE them into our DATA statement, we've got to go through two steps. First we put the number into the Y register after getting it into the Accumulator (TAY transfers it from A to Y in line 450). Then we put a 0 into the Accumulator. The ROM routine we've called INTAFP wants us to give it the high byte of our number in the Accumulator and the low byte in the Y register. We will never have a high byte because, although the ROM routine will work on two-byte-large numbers, all of our numbers are going to be one byte large: They're the individual bytes which make up the ML program.

Then we JSR to the routine in line 470. To find out what preconditions are expected by ROM routines, you use books like *Tool Kit: BASIC, Mapping the 64*, and *Mapping the VIC* (COMPUTE! Books). These authors have carefully studied the ROM routines and tell you what you need to do before calling on a BASIC ROM routine.

location we've given the name LINE-LINK (160). We want to now adjust the PF pointer so that it knows the location of the start (the link bytes) of the second line. Since the Y register has been raised each time we POKEd something into the BASIC line we were building, Y now holds the distance between the previous and the new line. All we need to do is add Y to PF (610) and we're all set. Now PF points to the second line. This is what we've been waiting for. Now we know where the second line starts so we are pre-

pared to POKE in the line link back at the start of the first line. We do just that in line 660 and the first line is complete.

All that's left is to see if we've reached the ending address of the ML program we're translating (700). If not, we branch to BACK, which just bounces us up to NEXT-LINE, and we start the main loop all over again and build another BASIC line.

If we have finished, we store three zeros at the end of the BASIC program to tell BASIC emphatically that this is where the program ends. We add Y to PF again to get the actual ending address and store that into VARS, a location in RAM where the computer checks to see where a BASIC program ends (and, thus, where it can start storing variables during a BASIC program RUN). Finally we slip quietly back to BASIC mode through a gentle entryway in the ROM chips which doesn't erase the BASIC program or do anything else destructive.

Program 1: Datastuffer—Source Code

```
($5000 VIC)
100 *= $C000;
110 .0
120 ; 64 VERSION DATASTUFFER
130 ; ---- LABEL DEFINITIONS-----
140
150 PF = $A3; CURRENT POSITION WITHIN BAS
    IC PROGRAM BEING CREATED
                      HOLDER FOR POINTER
160 LINELINK = $A5;
    [SPACE] IN BASIC ADDRESS
               CURRENT POSITION WITHIN T
170 PC = $A7;
    HE ML TO BE FIXED
180 EADDR = $A9; HOLDER FOR TOP OF ML PRO
    GRAM BEING CONVERTED
200 INTAFP = $B391; TRANSLATES INTEGER TO
     FP FORMAT ($D391 VIC)
210 INTASCII = $BDDD; TRANSLATES FP TO ASC
                ($DDDD VIC)
    II FORMAT
                      (SE467 VIC)
215 WARM = $E37B;
                     WHERE BASIC STARTS I
220 BASIC = $0800;
    N RAM ($1200 EXPANDED VIC)
225 VARS = 45; WHERE BASIC TEXT ENDS.
230 ;
    ;----PRELIMINARIES-----
240
25Ø
270 LDA #<BASIC:STA PF:LDA #>BASIC:STA PF
    +1; SET UP START OF BASIC
280 LDA #$50:STA LINENUM:LDA #$C3:STA LIN
    ENUM+1; START AT LINE 50000
290 LDA #0:STA COUNTER
300 TAY: STA (PF), Y; PUT ZERO BYTE (AT STA
    RT OF BASIC)
310 INC PF; ADJUST POINTER TO JUST PAST 0
     BYTE
320 ;
330 ;*
        STORE LINE NUMBER AND DATA TOKEN
340
350 NEXTLINE INY: INY; RAISE PF BY 2 TO GO
     PAST LINK
360 LDA LINENUM: STA (PF), Y; STORE LINE NU
    MBER LOW BYTE
370 INY:LDA LINENUM+1:STA (PF),Y; STORE L
    INE NUMBER HIGH BYTE
380 CLC:LDA LINENUM: ADC #10:STA LINENUM;
     (SPACE) RAISE LINE NUMBER BY 10
390 LDA LINENUM+1:ADC #0:STA LINENUM+1
400 INY:LDA #$83:STA (PF),Y:INY; STORE DA
    TA TOKEN
410 ;
        TRANSLATE ML PROG. BYTE INTO ASCI
420 ;*
    I CHARS.
430 ;
440 DOMORE STY Y; SAVE Y
```

```
450 LDY #0:LDA (PC),Y:TAY;
                            GET BYTE OF M
460 LDA #0; SET UP FOR ROM ROUTINES
470 JSR INTAFP:JSR INTASCII; TURN ML # IN
   TO ASCII
480 LDX #1:LDY Y:LOOP LDA $100,X:BEQ MORE
    :STA (PF),Y:INY:INX:JMP LOOP
       STORE COMMA, RAISE ML PROG. POINT
500 ;*
    ER
510 :
520 MORE INC COUNTER
530 LDA #$2C:STA (PF), Y:INY; STORE A COMM
540 INC PC:BNE GOON:INC PC+1; RAISE ML PO
    INTER
550 GOON LDA COUNTER: CMP #10:BEQ NEWLINE:
    JMP DOMORE; ONLY ALLOW 10 DATA ITEMS
560 ;
       PREPARE FOR A NEW LINE OF DATA
570 ;*
590 NEWLINE DEY:LDA #0:STA (PF),Y:STA COU
    NTER; STORE END OF LINE 0/FIX COUNTER
600 LDA PF:STA LINELINK:LDA PF+1:STA LINE
    LINK+1; SAVE LINK ADDR
610 INY:STY Y:CLC:LDA PF:ADC Y:STA PF
                          ADD Y OFFSET TO
620 LDA #0:ADC PF+1;
     CURRENT BASIC PROG POINTER
630 STA PF+1
640 ; *PF NOW POINTS TO THE LINE LINK OF
     FOLLOWING LINE
       *SO PUNCH LINELINK POINTER INTO BA
    SIC
660 LDY #1:STA (LINELINK), Y:DEY:LDA PF:ST
    A (LINELINK), Y
670 ;
        SEE IF WE'RE AT THE TOP OF THE ML
680 ;*
690
700 SEC:LDA EADDR:SBC PC:STA 2:LDA EADDR+
    1:SBC PC+1:ORA 2
710 BCS BACK:LDA #0:DEY:STA (PF),Y
720 INY:STA (PF),Y:INY:STA (PF),Y
725 SEC:TYA:ADC PF:STA VARS:LDA #0:ADC PF
     +1:STA VARS+1:JMP WARM; END PROG.
                          CONTINUE WITH NE
730 BACK JMP NEXTLINE;
    XT LINE OF BASIC
 750 ;----STORAGE & DATA TABLES-----
 760
 770 LINENUM .BYTE 0 0; HOLDS CURRENT LINE
     NUMBER
 780 Y .BYTE 0;
                 TEMPORARY HOLDING PLACE F
     OR Y
                        KEEPS COUNT OF DAT
 790 COUNTER .BYTE 0;
```

A STATEMENTS PER BASIC LINE

How To Type In COMPUTE!'s GAZETTE Programs

Each month, COMPUTEI'S GAZETTE publishes programs for the VIC-20, Commodore 64, Plus 4, and 16. Each program is clearly marked by title and version. Be sure to type in the correct version for your machine. Also, carefully read the instructions in the corresponding article. This can save time and eliminate any questions which might arise after you begin typing.

We publish two programs, appearing in alternating months, designed to make your typing effort easier: The Automatic Proofreader, and MLX, designed for entering machine language programs.

When entering a BASIC program, be especially careful with DATA statements as they are extremely sensitive to errors. A mistyped number in a DATA statement can cause your machine to "lock up" (you'll have no control over the computer). If this happens, the only recourse is to turn your computer off then back on, erasing whatever was in memory. So be sure to save a copy of your program before you run it. If your computer crashes, you can always reload the program and look for the error.

Special Characters

Most of the programs listed in each issue contain special control characters. To facilitate typing in any programs from the GAZETTE, use the following listing conventions.

The most common type of control characters in our listings appear as words within braces: {DOWN} means to press the cursor down key; {5 SPACES} means to press the space bar five times.

To indicate that a key should be *shifted* (hold down the SHIFT key while pressing another key), the character is underlined. For example, A means hold down the SHIFT key and press A. You may see strange characters on your screen, but that's to be expected. If you find a number followed by an underlined key enclosed in braces (for example, {8 A}), type the key as many times as indicated (in our example, enter eight SHIFTed A's).

If a key is enclosed in special brackets, [8], hold down the Commodore key (at the lower left corner of the keyboard) and press the indicated character.

Rarely, you'll see a single letter of the alphabet enclosed in braces.

This can be entered on the Commodore 64 by pressing the CTRL key while typing the letter in braces. For example, {A} means to press CTRL-A.

The Quote Mode

Although you can move the cursor around the screen with the CRSR keys, often a programmer will want to move the cursor under program control. This is seen in examples such as {LEFT} and {HOME} in the program listings. The only way the computer can tell the difference between direct and programmed cursor control is the quote mode.

Once you press the quote key, you're in quote mode. This mode can be confusing if you mistype a character and cursor left to change it. You'll see a reverse video character (a graphics symbol for cursor left). In this case, you can use the DELete key to back up and edit the line. Type another quote and you're out of quote mode. If things really get confusing, you can exit quote mode simply by pressing RETURN. Then just cursor up to the mistyped line and fix it.

When You R	ead:	Press:	See:
{CLR}	SHIFT	CLR/HOMI	1
{HOME}		CLR/HOMI	
{UP}	SHIFT	† CRSR	28 eth
{DOWN}		† CRSR	
{LEFT}	SHIFT	CRSR	
{RIGHT}		CRSR	
{RVS}	CTR	L 9	
{OFF}	CTR	L 0	8
{BLK}	CTR	L 1	
{WHT}	CTR	L 2	
{RED}	CTR	L 3	
{CYN}	CTR	L 4	

When You Read:	Press:	See:
{PUR}	CTRL 5	
(GRN)	CTRL 6	/// 十
{BLU}	CTRL 7	#
{YEL}	CTRL 8	
{ F1 }	fi	
(F2)	SHIFT fi	%
{ F3 }	f3	
{ F4 }	SHIFT f3	
{ F5 }	f5	
{ F6 }	SHIFT f5	W
{ F7 }	f7	
(F8)	SHIFT 17	

When You Read:	Press:		See:
600 4 (600)	-		
<u>1</u>	SHIFT		-
For Commodore	64 Only		
Ę 1 Ŋ	COMMODORE	[1]	
E 2 5	COMMODORE	2	
E 3 3	COMMODORE	3	0
£ 4 3	COMMODORE	4	O
E 5 3	COMMODORE	5	
E 6 3	COMMODORE	6	
E 7 3	COMMODORE	7	
[8 3]	COMMODORE	8	

The Automatic Proofreader

'The Automatic Proofreader" will help you type in program listings from COM-PUTE!'s GAZETTE without typing mistakes. It is a short error-checking program that hides itself in memory. When activated, it lets you know immediately after typing a line from a program listing if you have made a mistake. Please read these instructions carefully before typing any programs in COMPUTE!'s GAZETTE.

Preparing The Proofreader

1. Using the listing below, type in the Proofreader. The same program works on both the VIC-20 and Commodore 64. Be very careful when entering the DATA statements-don't type an l instead of a 1, an O instead of a 0, extra commas, etc.

2. Save the Proofreader on tape or disk at least twice before running it for the first time. This is very important because the Proofreader erases this part of itself when you first type RUN.

3. After the Proofreader is saved, type RUN. It will check itself for typing errors in the DATA statements and warn you if there's a mistake. Correct any errors and save the corrected version. Keep a copy in a safe placeyou'll need it again and again, every time you enter a program from COM-PUTE's GAZETTE.

4. When a correct version of the Proofreader is run, it activates itself. You are now ready to enter a program listing. If you press RUN/STOP-RESTORE, the Proofreader is disabled. To reactivate it, just type the command SYS 886 and press RETURN.

Using The Proofreader

All VIC and 64 listings in COMPUTE's GAZETTE now have a checksum number appended to the end of each line, for example ":rem 123". Don't enter this statement when typing in a program. It is just for your information. The rem makes the number harmless if someone does type it in. It will, however, use up memory if you enter it, and it will confuse the Proofreader, even if you entered the rest of the line correctly.

When you type in a line from a program listing and press RETURN, the Proofreader displays a number at the top of your screen. This checksum number must match the checksum number in the printed listing. If it doesn't, it means you typed the line differently than the

way it is listed. Immediately recheck your typing. Remember, don't type the rem statement with the checksum number; it is published only so you can check it against the number which appears on your screen.

The Proofreader is not picky with spaces. It will not notice extra spaces or missing ones. This is for your convenience, since spacing is generally not important. But occasionally proper spacing is important, so be extra careful with spaces, since the Proofreader will catch practically everything else that can go wrong.

There's another thing to watch out for: if you enter the line by using abbreviations for commands, the checksum will not match up. But there is a way to make the Proofreader check it. After entering the line, LIST it. This eliminates the abbreviations. Then move the cursor up to the line and press RE-TURN. It should now match the checksum. You can check whole groups of lines this way.

Special Tape SAVE Instructions

When you're done typing a listing, you must disable the Proofreader before saving the program on tape. Disable the Proofreader by pressing RUN/STOP-RESTORE (hold down the RUN/STOP key and sharply hit the RESTORE key). This procedure is not necessary for disk SAVEs, but you must disable the Proofreader this way before a tape SAVE.

SAVE to tape erases the Proofreader from memory, so you'll have to load and run it again if you want to type another listing. SAVE to disk does not erase the Proofreader.

Since the Proofreader is a machine language program stored in the cassette buffer, it will be erased during a tape SAVE or LOAD. If you intend to type in a program in more than one sitting or wish to make a safety SAVE, follow this

- 1. Load and run the Proofreader.
- 2. Disable it by pressing RUN/STOP-RESTORE.
- 3. Type the following two lines in direct mode (without line numbers):

AS="PROOFREADER.T":FORX=1T040:A\$= AS+" ":NEXT

FORX=886 TO1018: AS=AS+CHRS (PEEK(X)):NEXT:OPEN1,1,1,A\$:CLOSE1

After you type the last line, you will be asked to press RECORD and PLAY. We recommend you start at the beginning of a new tape.

You now have a new version of the Proofreader (PROOFREADER.T, as renamed in the above code). Turn your computer off and on, then load the program you were working on. Put the cassette containing PROOFREADER.T into the tape unit and type: ..

OPEN1:CLOSE1

You can now get into the Proofreader by typing SYS 886. To test this, PRINT PEEK (886) should return the number 173. If it does not, repeat the steps above, making sure that A\$ (PROOFREADER.T) contains 13 characters.

The new version of Automatic Proofreader will load itself into the cassette buffer whenever you type OPEN1: CLOSE1 and PROOFREADER.T is the next program on your tape. It will not disturb the contents of BASIC memory.

The above code converts the machine language program into characters that are concatenated into a string. When you open a tape file, using the string as the name of the file, the tape header contains the machine language program (disguised as part of the file-name). Opening and closing the tape file loads the header into the cassette buffer, but does not disturb BASIC programs already in memory.

Automatic Proofreader For VIC And 64

- 10 PRINT" [CLR] PLEASE WAIT ... ": FOR I=886TO1018:READA:CK=CK+A:POKE
- 20 IF CK > 17539 THEN PRINT" [DOWN]
 YOU MADE AN ERROR": PRINT" IN DA TA STATEMENTS. ": END
- 30 SYS886:PRINT"[CLR][2 DOWN]PROO FREADER ACTIVATED. ": NEW
- 40 DATA 173,036,003,201,150,208 50 DATA 001,096,141,151,003,173
- 60 DATA 037,003,141,152,003,169 70 DATA 150,141,036,003,169,003

- 80 DATA 141,037,003,169,000,133 90 DATA 254,096,032,087,241,133
- 100 DATA 251,134,252,132,253,008
- 110 DATA 201,013,240,017,201,032 120 DATA 240,005,024,101,254,133
- 130 DATA 254,165,251,166,252,164
- 140 DATA 253,040,096,169,013,032

- 150 DATA 210,255,165,214,141,251 160 DATA 003,206,251,003,169,000
- 170 DATA 133,216,169,019,032,210
- 180 DATA 255,169,018,032,210,255
- 190 DATA 169,058,032,210,255,166 200 DATA 254,169,000,133,254,172
- 210 DATA 151,003,192,087,208,006 220 DATA 032,205,189,076,235,003

- 230 DATA 032,205,221,169,032,032 240 DATA 210,255,032,210,255,173 250 DATA 251,003,133,214,076,173

260 DATA 003

Machine Language Entry Program For Commodore 64 Charles Brannon, Program Editor

MLX is a labor-saving utility that allows almost fail-safe entry of machine language programs published in COMPUTEL'S GAZETTE. You need to know nothing about machine language to use MLX—it was designed for everyone.

MLX is a new way to enter long machine language (ML) programs with a minimum of fuss. MLX lets you enter the numbers from a special list that looks similar to BASIC DATA statements. It checks your typing on a line-by-line basis. It won't let you enter illegal characters when you should be typing numbers. It won't let you enter numbers greater than 255 (forbidden in ML). It won't let you enter the wrong numbers on the wrong line. In addition, MLX creates a ready-to-use tape or disk file. You can then use the LOAD command to read the program into the computer, as with any program:

LOAD "filename",1,1 (for tape) LOAD "filename",8,1 (for disk)

To start the program, you enter a SYS command that transfers control from BASIC to machine language. The starting SYS number always appears in the appropriate article.

Using MLX

Type in and save MLX (you'll want to use it in the future). When you're ready to type in an ML program, run MLX. MLX asks you for two numbers: the starting address and the ending address. These numbers are given in the article accompanying the ML program.

You'll see a prompt corresponding to the starting address. The prompt is the current line you are entering from the listing. It increases by six each time you enter a line. That's because each line has seven numbers—six actual data numbers plus a checksum number.

The checksum verifies that you typed the previous six numbers correctly. If you enter any of the six numbers wrong, or enter the checksum wrong, the computer rings a buzzer and prompts you to reenter the line. If you enter it correctly, a bell tone sounds and you continue to the next line.

MLX accepts only numbers as input. If you make a typing error, press the INST/DEL key; the entire number is deleted. You can press it as many times as necessary back to the start of the line. If you enter three-digit numbers as listed, the computer automatically prints the comma and goes on to accept the next number. If you enter less than three digits, you can press either the SPACE bar or RETURN key to advance to the next number. The checksum automatically appears in inverse video for emphasis.

To simplify your typing, MLX redefines part of the keyboard as a numeric keypad:

MLX Commands

When you finish typing an ML listing (assuming you type it all in one session) you can then save the completed program on tape or disk. Follow the screen instructions. If you get any errors while saving, you probably have a bad disk, or the disk is full, or you've made a typo when entering the MLX program itself.

You don't have to enter the whole ML program in one sitting. MLX lets you enter as much as you want, save it, and then reload the file from tape or disk later.

MLX recognizes these commands:

SHIFT-S: Save SHIFT-N: New Address SHIFT-L: Load SHIFT-D: Display

When you enter a command, MLX jumps out of the line you've been typing, so we recommend you do it at a new prompt. Use the Save command to save what you've been working on. It will save on tape or disk, as if you've finished, but the tape or disk won't work, of course, until you finish the typing. Remember what address you stop at. The next time you run MLX, answer all the prompts as you did before, then insert the disk or tape. When you get to the entry prompt, press SHIFT-L to reload the partly completed file into memory. Then use the New Address command to resume typing.

To use the New Address command, press SHIFT-N and enter the address where you previously stopped. The prompt will change, and you can then continue typing. Always enter a New Address that matches up with one of the line numbers in the special listing, or else the checksum won't work. The Display command lets you display a section of your typing. After you press SHIFT-D, enter two addresses within the line number range of the listing. You can abort the listing by pressing any key.

What if you forgot where you stopped typing? Use the Display command to scan memory from the beginning to the end of the program. When you reach the end of your typing, the lines will contain a random pattern of numbers. When you see the end of your typing, press any key to stop the listing. Use the New Address command to continue typing from the proper location.

See program listing on page 123.

MLX: 64 Version

(Article on page 122.)

BEFORE TYPING . . .

Before typing in programs, please refer to "How To Type In COMPUTE!'s GAZETTE Programs," which appears before the Program Listings.

10 REM LINES CHANGED FROM MLX

[SPACE] VERSION 2.00 ARE 750 :rem 50 ,765,770 AND 860 20 REM LINE CHANGED FROM MLX V ERSION 2.01 IS 300 : rem 147 100 PRINT" [CLR] [6]"; CHR\$(142); CHR\$(8);:POKE53281,1:POKE5 3280,1 :rem 67 101 POKE 788,52: REM DISABLE RU :rem 119 N/STOP 110 PRINT" [RVS] [39 SPACES]"; :rem 176 120 PRINT" [RVS] [14 SPACES] [RIGHT] [OFF] [*] £[RVS] [RIGHT] [RIGHT] T2 SPA {RIGHT}[2 SPACES} [RIGHT] E*3[OFF]E*3£[RVS]£[RVS] [14 SPACES]"; :rem :rem 250 130 PRINT" (RVS) (14 SPACES) [RIGHT] [G][RIGHT] (2 RIGHT) [OFF]£(RVS)£ [*3(OFF)[*3(RVS) [14 SPACES]"; :rem 35 140 PRINT"[RVS][41 SPACES]" :rem 120 200 PRINT" [2 DOWN] [PUR] [BLK] M ACHINE LANGUAGE EDITOR VER SION 2.02[5 DOWN]":rem 238
210 PRINT"[5][2 UP]STARTING AD
DRESS?[8 SPACES][9 LEFT]"; :rem 143 215 INPUTS:F=1-F:C\$=CHR\$(31+11 :rem 166 9*F) 220 IFS<2560R(S>40960ANDS<4915 2)ORS>53247THENGOSUB3000:G :rem 235 OT0210 225 PRINT:PRINT:PRINT :rem 180 230 PRINT"[5][2 UP]ENDING ADDR ESS?[8 SPACES][9 LEFT]";:I NPUTE: F=1-F: C\$=CHR\$ (31+119 *F) 240 IFE<256OR(E>40960ANDE<4915 2) ORE>53247 THENGOSUB3000:G OTO230 :rem 183 250 IFE<STHENPRINTCS; "[RVS]END ING < START{2 SPACES}":GOS UB1000:GOTO 230 :rem 176 260 PRINT:PRINT:PRINT :rem 179 300 PRINT" [CLR]"; CHR\$(14): AD=S :rem 56 310 A=1:PRINTRIGHT\$("0000"+MID \$(STR\$(AD),2),5);":"; :rem 33 :rem 33 315 FORJ=ATO6 320 GOSUB570:IFN=-1THENJ=J+N:G :rem 228 OTO320 39Ø IFN=-211THEN 71Ø :rem 62 400 IFN=-204THEN 790 :rem 64 IFN=-206THENPRINT: INPUT" [DOWN]ENTER NEW ADDRESS"; Z :rem 44 415 IFN=-206THENIFZZ <SORZZ > ETH ENPRINT" [RVS] OUT OF RANGE"

:GOSUB1000:GOTO410:rem 225 417 IFN=-206THENAD=ZZ:PRINT:GO

430 PRINT: INPUT"DISPLAY: FROM";

TO310

420 IF N<>-196 THEN 480

:rem 238

:rem 133

1	F:PRINT, "TO";:INPUTT	L SAVE) {DOWN}" : rem 106 720 F\$="":INPUT" {DOWN} FILENAM
40	:rem 234 IFF <sorf>EORT<sort>ETHENPR</sort></sorf>	E"; F\$: IFF\$=""THENPRINT: PRI
	INT"AT LEAST"; S; " {LEFT}, N	NT:GOTO310 :rem 71
,	OT MORE THAN"; E:GOTO430	730 PRINT:PRINT"{2 DOWN}{RVS}T {OFF}APE OR {RVS}D{OFF}ISK
150	FORI=FTOTSTEP6:PRINT:PRINT	: (T/D)" :rem 228 740 GETA\$:IFA\$<>"T"ANDA\$<>"D"T
	RIGHTS("ØØØØ"+MIDS(STRS(I)	740 GETA\$:IFA\$<>"T"ANDA\$<>"D"T HEN740 :rem 36
151	,2),5);":"; :rem 30 FORK=ØTO5:N=PEEK(I+K):PRIN	750 DV=1-7*(A\$="D"):IFDV=8THEN
	TRIGHTS("ØØ"+MIDS(STRS(N),	F\$="Ø:"+F\$:OPEN15,8,15,"S"
	2),3);","; :rem 66	+F\$:CLOSE15 :rem 212 76Ø T\$=F\$:ZK=PEEK(53)+256*PEEK
160	GETA\$:IFA\$>""THENPRINT:PRI NT:GOTO310 :rem 25	(54)-LEN(T\$):POKE782,ZK/25
170	NEXTK:PRINTCHR\$(20);:NEXTI	6 :rem 3
	:PRINT:PRINT:GOTO310 :rem 50	762 POKE781, ZK-PEEK(782)*256:P OKE780, LEN(T\$):SYS65469
480	IFN O THEN PRINT: GOTO310	:rem 109
	:rem 168 A(J)=N:NEXTJ :rem 199	763 POKE780,1:POKE781,DV:POKE7
190	A(J)=N:NEXTJ : rem 199 CKSUM=AD-INT(AD/256)*256:F	82,1:SYS65466 :rem 69 765 K=S:POKE254,K/256:POKE253,
	ORI=1TO6:CKSUM=(CKSUM+A(I)	K-PEEK(254)*256:POKE780,25
-10)AND255:NEXT :rem 200 PRINTCHR\$(18);:GOSUB570:PR	3 :rem 17 766 K=E+1:POKE782,K/256:POKE78
210	INTCHR\$(146); :rem 94	1,K-PEEK(782)*256:SYS65496
511	IFN=-1THENA=6:GOTO315	:rem 235
515	:rem 254 PRINTCHR\$(20):IFN=CKSUMTHE	77Ø IF(PEEK(783)AND1)OR(191AND ST)THEN78Ø :rem 111
	N530 :rem 122	775 PRINT" [DOWN] DONE. [DOWN]":G
520	PRINT:PRINT"LINE ENTERED W RONG : RE-ENTER":PRINT:GOS	OTO310 :rem 113 780 PRINT"{DOWN}ERROR ON SAVE.
	UB1000:GOTO310 :rem 176	{2 SPACES}TRY AGAIN.":IFDV
530	UB1000:GOTO310 :rem 176 GOSUB2000 :rem 218	=1THEN720 :rem 171
540	FORI=1TO6:POKEAD+I-1,A(I): NEXT:POKE54272,Ø:POKE54273	781 OPEN15,8,15:INPUT#15,E1\$,E 2\$:PRINTE1\$;E2\$:CLOSE15:GO
	.Ø :rem 227	TO720 :rem 103
55Ø	AD=AD+6:IF AD <e 310<="" td="" then=""><td>79Ø PRINT"(CLR)(RVS)*** LOAD * **(2 DOWN)" : rem 212</td></e>	79Ø PRINT"(CLR)(RVS)*** LOAD * **(2 DOWN)" : rem 212
560	:rem 212 GOTO 710	795 PRINT"[2 DOWN] (PRESS [RVS]
57Ø	N=0:Z=0 :rem 88	RETURN[OFF] ALONE TO CANCE
58Ø 581	PRINT"[££]"; :rem 81 GETA\$:IFA\$=""THEN581	L LOAD)" :rem 82 800 FS="":INPUT"{2 DOWN} FILEN
	:rem 95	AME"; F\$: IFF\$=""THENPRINT:G
582	AV=-(A\$="M")-2*(A\$=",")-3* (A\$=".")-4*(A\$="J")-5*(A\$=	OTO310 :rem 144 810 PRINT:PRINT"{2 DOWN}[RVS]T
	"K")-6*(AS="L") :rem 41	[OFF]APE OR [RVS]D[OFF]ISK
583	AV=AV-7*(A\$="U")-8*(A\$="I"	: (T/D)" :rem 227
)-9*(A\$="0"):IFA\$="H"THENA S="Ø" :rem 134	820 GETAS:IFAS<>"T"ANDAS<>"D"T HEN820 :rem 34
584	IFAV>ØTHENA\$=CHR\$(48+AV)	830 DV=1-7*(AS="D"):IFDV=8THEN
E 0 E	:rem 134 PRINTCHR\$(20);:A=ASC(A\$):I	F\$="Ø:"+F\$:rem 157 84Ø T\$=F\$:ZK=PEEK(53)+256*PEEK
283	FA=130RA=440RA=32THEN670	(54)-LEN(T\$):POKE782,ZK/25
	:rem 229 IFA>128THENN=-A:RETURN	6 :rem 2 841 POKE781,ZK-PEEK(782)*256:P
590	:rem 137	OKE780, LEN(T\$):SYS65469
600	IFA<>20 THEN 630 :rem 10	:rem 107
610	GOSUB690:IFI=1ANDT=44THENN =-1:PRINT"(OFF){LEFT}	845 POKE780,1:POKE781,DV:POKE7 82,1:SYS65466 :rem 70
	{LEFT}";:GOTO690 :rem 62	850 POKE780,0:SYS65493 :rem 11
	GOTO570 :rem 109 IFA<480RA>57THEN580	860 IF (PEEK (783) AND1) OR (191 AND ST) THEN870 : rem 111
	:rem 105	865 PRINT" [DOWN] DONE. ":GOTO310
640	PRINTA\$;:N=N*10+A-48 :rem 106	870 PRINT" [DOWN] ERROR ON LOAD.
650	IFN>255 THEN A=20:GOSUB100	[2 SPACES]TRY AGAIN.[DOWN]
	Ø:GOTO600 :rem 229	":IFDV=1THEN800 :rem 172
	Z=Z+1:IFZ<3THEN580 :rem 71 IFZ=0THENGOSUB1000:GOTO570	880 OPEN15,8,15:INPUT#15,E1\$,E 2\$:PRINTE1\$;E2\$:CLOSE15:GO
	:rem 114	TO800 :rem 102
680	PRINT",";:RETURN :rem 240 S%=PEEK(209)+256*PEEK(210)	1000 REM BUZZER :rem 135 1001 POKE54296,15:POKE54277,45
	+PEEK(211) : rem 149	:POKE54278,165 :rem 207
691	FORI=1TO3:T=PEEK(S%-I)	1002 POKE54276,33:POKE 54273,6 :POKE54272,5 :rem 42
695	:rem 67 IFT<>44ANDT<>58THENPOKES%-	1003 FORT=1TO200:NEXT:POKE5427
	I,32:NEXT :rem 205	6,32:POKE54273,Ø:POKE5427
700	PRINTLEFT\$("[3 LEFT]",I-1);:RETURN :rem 7	2000 REM BELL SOUND :rem 78
710	PRINT" [CLR] [RVS] *** SAVE *	2001 POKE54296,15:POKE54277,0:
Site Laboratory	**[3 DOWN]" : rem 236	POKE54278,247 :rem 152 2002 POKE 54276,17:POKE54273,4
715	PRINT" [2 DOWN] (PRESS [RVS] RETURN[OFF] ALONE TO CANCE	Ø:POKE54272,Ø :rem 86

720	F\$="":INPUT"{DOWN} FILENAM E";F\$:IFF\$=""THENPRINT:PRI
	NT:GOTO310 :rem 71
730	PRINT:PRINT"{2 DOWN}{RVS}T {OFF}APE OR {RVS}D{OFF}ISK
	: (T/D)" :rem 228
740	GETAS: IFAS<> "T"ANDAS<> "D"T
75Ø	HEN740 : rem 36 DV=1-7*(A\$="D"):IFDV=8THEN
	F\$="Ø:"+F\$:OPEN15,8,15,"S"
760	+F\$:CLOSE15 :rem 212 T\$=F\$:ZK=PEEK(53)+256*PEEK
	(54)-LEN(T\$):POKE782,ZK/25
760	6 :rem 3 POKE781,ZK-PEEK(782)*256:P
762	OKE780, LEN(T\$):SYS65469
	:rem 109 POKE780,1:POKE781,DV:POKE7
763	82.1:SYS65466 : rem 69
765	K=S:POKE254,K/256:POKE253,
	K-PEEK(254)*256:POKE780,25 3 :rem 17
766	K=E+1:POKE782,K/256:POKE78
	1,K-PEEK(782)*256:SYS65496 :rem 235
77Ø	IF(PEEK(783)AND1)OR(191AND
775	ST)THEN780 :rem 111 PRINT"{DOWN}DONE.{DOWN}":G
	OTO310 :rem 113
780	PRINT" {DOWN}ERROR ON SAVE. {2 SPACES}TRY AGAIN.":IFDV
	=1THEN720 :rem 1/1
781	OPEN15.8.15:INPUT#15,E1\$,E
	2\$:PRINTE1\$; E2\$:CLOSE15:GO TO720 :rem 103
79Ø	PRINT"[CLR][RVS]*** LOAD *
795	**{2 DOWN}" : rem 212 PRINT"{2 DOWN}(PRESS [RVS]
-3	RETURN OFF ALONE TO CANCE
800	L LOAD)" :rem 82 F\$="":INPUT"{2 DOWN} FILEN
2010	AME"; F\$:IFF\$=""THENPRINT:G
810	OTO310 :rem 144 PRINT:PRINT"{2 DOWN}[RVS]T
10	[OFF]APE OR [RVS]D[OFF]ISK
820	: (T/D)" :rem 227
	HEN820 : rem 34
830	F\$="Ø:"+F\$:rem 157
840	TS=FS: ZK=PEEK(53)+256*PEEK
	(54)-LEN(T\$):POKE782,ZK/25 :rem 2
841	POKE781, ZK-PEEK (782) *256:P
	OKE780, LEN(T\$):SYS65469
845	POKE780,1:POKE781,DV:POKE7
850	82,1:SYS65466 :rem /0 POKE780.0:SYS65493 :rem 11
860	IF (PEEK (783) AND1) OR (191 AND
	ST)THEN870 : rem 111 PRINT"[DOWN]DONE.":GOTO310
	:rem 96
870	PRINT" (DOWN) ERROR ON LOAD. [2 SPACES) TRY AGAIN. (DOWN)
	":IFDV=1THEN800 :rem 172
880	OPEN15,8,15:INPUT#15,E1\$,E 2\$:PRINTE1\$;E2\$:CLOSE15:GO
	TO800 :rem 102
100	00 REM BUZZER : rem 135
- A-CALC	:POKE54278,165 :rem 207
	72 POKE54276,33:POKE 54273,6 :POKE54272,5 :rem 42
100	33 FORT=1TO200:NEXT:POKE5427
	6.32:POKE54273,Ø:POKE5427
200	2,0:RETURN :rem 202 00 REM BELL SOUND :rem 78
200	
200	02 POKE 54276,17:POKE54273,4
7 67	Ø:POKE54272,Ø :rem 86
	A THE STREET AND A STREET ASSESSMENT OF THE STREET ASSESSMENT ASSE

2003 FORT=1T0100:NEXT:POKE5427 6.16 : RETURN :rem 57 3000 PRINTCS; " [RVS] NOT ZERO PA GE OR ROM":GOTO1000

Automatic Syntax Checker

(See instructions in article on page 104 before typing in.)

```
2049 :047,008,000,000,158,050,008
 2055 :048,057,055,058,143,034,146
 2061 :020,020,020,020,020,034,147
 2067 :020,032,018,067,072,069,041
2073 :067,075,069,082,032,086,180
 2079 :049,032,080,072,073,076,157
 2085 :073,080,032,078,069,076,189
 2091 :083,079,078,000,000,000,027
 2097 :169,079,133,095,169,008,190
 2103 :133,096,169,191,133,090,099
 2109 :169,011,133,091,169,112,234
 2115 :133,088,169,195,133,089,106
 2121 :032,191,163,076,000,192,215
2127 :173,002,003,201,071,208,225
 2133 :022,162,009,189,101,195,251
 2139 :157,002,003,202,016,247,206
 2145 :169,084,160,195,032,030,255
 2151 :171,032,015,195,096,162,006
 2157 :009,189,002,003,157,101,058
 2163 :195,202,016,247,169,071,247
 2169 :141,002,003,169,194,141,003
 2175 :003,003,169,000,133,251,174
 2181 :133,253,169,160,133,252,209
 2187 :169,224,133,254,160,000,055
 2193 :177, 251, 145, 251, 177, 253, 119
 2199 :145,253,200,208,245,165,087
 2205 :252,201,192,176,007,230,191
2211 :252,230,254,076,064,192,207
 2217 :169,071,160,195,032,030,058
 2223 :171,169,054,162,171,141,019
 2229 :012,160,142,013,160,141,041
 2235 :036,160,142,037,160,141,095
 2241 :040,160,142,041,160,141,109
 2247 :044,160,142,045,160,141,123
 2253 :064,160,142,065,160,141,169
 2259 :068,160,142,069,160,141,183
2265 :080,160,142,081,160,162,234
 2271 :000,169,088,157,082,160,111
 2277 :169,188,157,083,160,232,194
 2283 :232,224,028,208,240,169,056
 2289 :173,141,112,160,141,118,062
 2295 :160,169,183,141,113,160,149
 2301 :141,119,160,169,036,141,251
 2307
      :018,187,169,169,141,083,002
 2313 :184,169,000,141,084,184,003
 2319 :169,133,141,085,184,169,128
2325 :097,141,086,184,169,096,026
2331 :141,087,184,169,044,141,025
      :071,171,169,240,141,113,170
 2337
 2343 :168,169,003,141,114,168,034
2349 :169,032,141,115,168,169,071
2355 :107,141,116,168,169,169,153
2361 :141,117,168,169,096,141,121
2367 :118,168,141,039,184,141,086
2373 :163,168,141,045,225,141,184
     :187,166,141,060,184,141,186
2385 :131,170,141,193,225,141,058
2391 :202,225,141,111,225,141,108
2397 :089,225,169,076,141,131,156
2403 :168,169,160,141,132,168,013
2409 :169,168,141,133,168,169,029
2415 :158,141,088,160,169,179,238
2421 :141,089,160,169,183,141,232
2427 :093,169,169,194,141,094,215
2433 :169,169,076,141,055,169,140
2439 :169,064,141,056,169,169,135
2445 :169,141,057,169,169,183,005
2451 :141,073,169,169,194,141,010
2457 :074,169,169,076,141,076,090
2463 :167,169,087,141,077,167,199
2469 :169,167,141,078,167,169,032
                                       2991
2475 :076,141,120,167,169,146,222 2997 :164,124,165,026,167,228,031 2481 :141,121,167,169,167,141,059 3003 :167,134,174,013,013,013,189
```

```
2487 :122,167,169,076,141,159,249
 2493 :167,169,132,141,160,167,101
 2499 :169,194,141,161,167,169,172
 2505 :076,141,039,173,169,125,156
 2511 :141,040,173,169,173,141,020
 2517 :041,173,169,076,141,117,162
 2523 :173,169,132,141,118,173,101
 2529 :169,194,141,119,173,169,166
 2535
      :076,141,144,170,169,151,058
 2541 :141,145,170,169,170,141,149
 2547
      :146,170,169,076,141,006,183
 2553 :172,169,021,141,007,172,163
      :169,172,141,008,172,162,055
 2559
 2565
      :000,189,042,195,201,255,119
 2571
      :240,006,157,024,172,232,074
 2577
       :208,243,169,234,141,123,111
 2583 :171,141,124,171,141,125,128
 2589 :171,169,Ø11,141,129,171,Ø53
2595 :169,Ø76,141,141,171,169,134
      :006,141,142,171,169,172,074
 2601
 2607
      :141,143,171,169,182,141,226
 2613 :207,171,169,163,141,208,088
 2619 :171,169,076,141,209,171,228
 2625 :169,006,141,210,171,169,163
 2631 :172,141,211,171,169,076,243
 2637 :141,173,171,169,006,141,110
 2643 :174,171,169,172,141,175,061
 2649 :171,169,076,141,252,178,052
 2655 :169,015,141,253,178,169,252
 2661 :179,141,254,178,169,036,034
 2667 :141,075,183,169,044,141,092
      :182,179,162,000,189,063,120
 2673
 2679 :195,201,255,240,007,157,150
 2685 :247,179,232,076,038,194,067
 2691 :173,097,195,208,008,169,213
2697 :001,141,097,195,032,068,159
2703 :166,032,096,166,076,157,068
2709 :227,032,096,165,134,122,157
2715 :132,123,032,115,000,170,215
2721 :240,243,162,255,134,058,229
      :144,009,032,015,195,032,082
2727
 2733 :121,165,076,228,167,032,194
2739 :107,169,032,121,165,140,145
2745 :098,195,165,020,141,099,135
2751
      :195,165,021,141,100,195,240
 2757
      :032,244,194,169,255,133,200
2763 :122,169,001,133,123,076,059
     :140,194,160,000,177,122,234
2775 :240,014,208,065,032,099,105
2781 :166,032,115,000,032,174,228
2787 :194,076,132,194,032,015,102
2793 :195,173,099,195,133,020,024
     :173,100,195,133,021,032,125
2805 :096,166,172,098,195,076,024
2811 :162,164,201,000,240,026,020
2817 :201,058,240,214,056,233,235
2823 :128,144,028,201,035,176,207
     :030,010,168,185,013,160,067
2835 :072,185,012,160,072,076,084
     :115,000,096,201,058,240,223
2841
2847
     :187,032,015,195,076,008,032
2853 :175,032,165,169,076,132,018
2859 :194,201,075,208,009,032,250
     :115,000,169,164,032,255,016
2871 :174,096,138,072,032,015,070
      :195,104,170,108,000,003,129
2883 :120,169,140,141,008,003,136
      :169,194,141,009,003,169,246
2889
      :234,141,000,003,169,194,052
2895
2901 :141,001,003,169,053,133,073
2907
      :001,088,096,120,169,228,025
     :141,008,003,169,167,141,214
     :009,003,169,139,141,000,052
:003,169,227,141,001,003,141
2919
2931
      :169,055,133,001,088,096,145
     :032,121,000,240,008,201,211
2943 :058,240,004,201,044,240,146
     :001,096,032,115,000,076,197
:021,172,255,032,241,174,010
:032,141,173,096,255,018,092
2949
2955
2961
2967
     :067,072,069,067,075,069,058
     :082,032,079,078,032,000,204
2973
2979
     :018,067,072,069,067,075,019
2985
     :069,082,032,079,070,070,059
     :000,000,000,000,000,131,050
```

Turnabout

(See instructions in article on page 50 before typing in.)

```
49152 :169,002,141,178,002,169,149
  49158 :000,141,179,002,141,180,137
  49164 :002,141,181,002,169,001,252
  49170 :141,183,002,169,003,141,145
49176 :182,002,032,209,200,169,050
  49182 :200,141,169,002,032,198,004
49188 :192,032,113,194,032,101,188
  49194 :200,162,023,160,015,024,114
49200 :032,240,255,169,062,160,198
  49206 :201,032,030,171,173,000,149
49212 :220,041,016,208,249,160,186
  49218 :018,169,032,153,194,005,125
49224 :136,016,248,206,060,003,229
  49230 :208,015,173,061,003,141,167
  49236 :060,003,032,161,193,032,053
  49242 :157,192,032,101,200,206,210
  49248 :168,002,208,012,173,169,060
  49254
          :002,141,168,002,032,135,070
  49260
         :196,136,208,253,173,141,191
         :002,208,251,032,225,198,006
:174,202,002,202,208,253,137
  49266
 49272
         :238,200,002,173,200,002,173
:201,015,208,012,201,008,009
:208,008,173,126,192,073,150
 49278
  49284
  49290
 49296 :032,141,126,192,173,200,240
         :002,141,008,212,076,075,152
 49302
 49308 :192,206,201,002,208,035,232
 49314 :169,006,141,201,002,206,119
 49320 :060,201,173,060,201,201,040
 49326 :255,208,020,206,061,201,101
 49332 :201,255,208,013,169,000,002
49338 :141,061,201,141,060,201,223
49344 :169,050,141,202,002,096,084
49350 :169,100,141,202,002,169,213
49356 :006,141,201,002,169,147,102
 49362 :032,210,255,169,030,032,170
49368 :210,255,169,000,141,033,000
49374 :208,141,032,208,169,021,233
 49380 :133,002,160,000,032,067,110
 49386 :193,160,039,032,067,193,150
49392 :198,002,016,242,169,021,120
 49398 :133,002,160,000,166,002,197
49404 :024,032,240,255,165,002,202
 49410 :240,014,201,021,240,010,216
49416 :169,120,160,193,032,030,200
 49422 :171,076,025,193,169,079,215
49428 :160,193,032,030,171,198,036
 49434 :002,198,002,198,002,016,188
49440 :215,162,022,160,000,024,103
 49446 :032,240,255,162,040,169,168
49452 :160,032,210,255,202,208,087
 49458 :250,162,022,160,000,024,156
 49464 :032,240,255,169,028,160,172
 49470 :200,032,030,171,096,166,245
 49476 :002,024,032,240,255,169,022
 49482 :194,032,210,255,096,209,046
 49488 :195,195,209,195,195,209,254
 49494 :195,195,209,195,195,209,004
49500 :195,195,209,195,195,209,010
 49506 :195,195,209,195,195,209,016
49512 :195,195,209,195,195,209,022
49518 :195,195,209,195,195,209,028
49524 :195,195,209,000,209,195,095
49530 :195,209,032,032,209,195,226
49536 :195,209,032,032,209,195,232
49542 :195,209,032,032,209,195,238
49548 :195,209,032,032,209,195,244
49554 :195,209,032,032,209,195,250
49560 :195,209,032,032,209,195,000
49566 :195,209,000,165,249,133,085
49572 :247,165,250,133,248,160,087
49578 :082,173,000,220,041,031,205
49584
        :201,031,208,003,076,076,003
49590 :194,169,032,145,005,173,132
49596
        :000,220,074,176,012,198,100
49602 :248,169,001,133,252,133,106
49608 :144,162,040,208,064,074,124
49614 :176,012,230,248,169,000,017
49620 :133,252,133,144,162,040,052
49626 :208,034,074,176,014,198,154
49632 :247,169,002,133,144,169,064
49638 :000,133,251,162,001,208,217
49644 :032,074,176,092,230,247,063
49650 :169,003,133,144,169,001,093
49656 :133,251,162,001,208,000,235
49662 :138,024,101,005,133,003,146
```

50760 :032,076,111,002,007,008,052 50214 :040,032,105,196,076,081,056 50766 :009,002,007,008,009,002,115 49668 :165,006,105,000,133,004,161 50220 :196,160,082,169,032,145,060 :076,028,194,134,002,165,097 50772 :007,008,009,002,007,008,125 :003,160,122,145,003,208,179 49674 50226 :009,165,143,010,010,056,227 :005,056,229,002,133,003,188 50778 50232 :038,160,082,169,032,145,170 49680 :165,006,233,000,133,004,051 :101,143,133,143,096,072,016 50784 50238 :003,160,042,145,003,208,111 49686 :032,019,195,008,160,082,012 :189,062,003,133,247,189,157 50790 50244 :026,160,082,169,032,145,170 49692 :040,176,039,165,003,133,078 :082,003,133,248,104,208,118 50796 49698 50250 :003,160,083,145,003,208,164 :005,165,004,133,006,165,006 :009,198,248,160,040,032,033 50802 50256 :014,160,082,169,032,145,170 49704 :247,133,249,165,248,133,197 :173,198,144,066,201,002,136 50808 50262 :003,160,081,145,003,208,174 49710 :208,009,230,248,160,040,253 :250,166,144,189,109,194,080 50268 :002,056,096,024,096,201,055 50274 :032,240,002,056,096,024,036 50814 49716 :069,150,201,038,072,176,252 :032,159,198,144,053,201,151 50820 49722 :002,133,149,165,150,073,224 :001,133,150,104,208,002,156 :165,149,072,177,005,201,077 :003,208,009,198,247,160,195 50280 :096,145,003,072,165,003,076 50826 49728 :001,032,173,198,144,040,220 50832 50286 :024,105,000,133,253,165,022 49734 :230,247,160,001,032,159,211 50292 :004,105,212,133,254,169,225 50838 49740 :045,144,003,238,198,002,200 :198,144,031,152,024,101,038 50298 :005,145,253,138,168,104,167 50844 49746 :104,145,005,165,005,024,024 :195,133,195,165,196,105,127 50304 :145,003,169,005,145,253,080 50850 :105,000,133,003,165,006,250 :000,133,196,024,096,132,237 :096,174,178,002,202,189,207 50856 49758 50310 :105,212,133,004,169,001,212 :002,165,195,056,229,002,055 50862 49764 50316 :182,003,240,003,076,216,092 :145,003,096,036,036,038,204 :133,195,165,196,233,000,078 49770 50868 50322 :197,189,102,003,141,171,181 49776 :040,169,084,133,005,169,200 :133,196,024,096,032,015,170 50328 :002,189,062,003,133,247,020 50874 49782 :005,133,006,169,150,141,210 50880 :198,177,195,201,060,176,175 50886 :025,160,001,177,195,201,189 50892 :060,176,017,160,040,177,066 50334 :189,082,003,133,248,032,077 :060,003,141,061,003,169,049 49788 50340 :223,197,165,249,056,229,003 49794 :022,133,249,169,010,133,078 50346 :247,201,002,176,016,160,204 50352 :000,165,250,197,248,144,156 :250,174,178,002,202,189,107 :195,201,060,176,009,160,243 49800 49806 :003,195,157,062,003,189,239 49812 :009,195,157,082,003,189,015 50898 :041,177,195,201,060,176,042 50358 :002,160,002,152,157,122,009 50904 50910 :001,024,096,174,178,002,185 50916 :202,189,182,003,240,126,146 50364 :003,016,023,165,250,056,189 :015,195,157,102,003,169,027 49818 50370 :229,248,201,002,176,022,048 :000,157,142,003,133,150,233 :202,016,248,173,183,002,034 49824 50376 :160,003,165,249,197,247,197 50922 49830 :157,182,003,157,162,003,062 50928 :010,170,032,208,199,238,073 50382 :144,002,160,001,152,157,054 50388 :122,003,157,102,003,032,119 :141,198,002,202,016,219,182 50934 :183,002,173,179,002,073,090 50940 :001,141,179,002,208,017,032 49836 49842 :169,036,133,149,160,023,080 50394 :101,198,144,016,189,102,200 49848 :169,000,153,000,212,136,086 50946 :173,182,002,201,003,240,035 50400 :003,073,002,221,122,003,136 49854 :016,250,169,015,141,024,037 49860 :212,169,008,141,003,212,173 :005,238,182,002,016,005,200 50406 :240,008,189,122,003,032,056 50952 50958 :162,005,032,208,199,173,025 50412 :101,198,144,118,189,102,064 49866 :169,240,141,006,212,169,115 50418 :003,032,101,198,144,110,062 50424 :032,091,198,041,003,073,174 :178,002,201,006,240,005,140 50964 49872 :255,141,012,212,169,240,213 50970 :238,178,002,016,009,173,130 :141,013,212,169,129,141,251 :011,212,169,010,141,200,195 49878 50430 :002,221,102,003,240,244,042 :169,002,056,233,020,141,141 50976 49884 :169,002,169,030,141,199,236 50436 :157,102,003,222,102,003,081 50982 :002,169,000,141,060,201,031 49890 50442 :032,091,198,016,004,169,008 :002,169,016,141,011,212,083 50988 :141,061,201,174,183,002,226 49896 :173,180,002,024,109,060,086 50448 :222,208,002,169,254,141,244 :173,060,201,024,105,100,133 50994 49902 50454 :029,197,169,003,141,170,219 :201,141,180,002,173,181,166 51000 :141,060,201,173,061,201,057 49908 :105,000,141,061,201,202,192 :208,236,096,002,037,002,069 :037,020,020,001,001,019,104 :002,109,061,201,141,181,245 50460 :002,254,102,003,189,102,168 51006 49914 50466 :003,016,002,169,003,201,172 50472 :004,208,005,169,000,157,071 :002,169,067,141,004,212,151 51012 49920 51018 :173,199,002,141,015,212,048 49926 50478 :102,003,032,101,198,144,114 51024 :141,033,208,032,180,200,106 :019,001,019,001,002,003,057 49932 50484 :049,206,170,002,048,002,017 51030 :173,199,002,024,105,010,087 :000,177,003,201,066,240,193 49938 50490 :016,225,189,062,003,133,174 51036 :141,199,002,201,060,208,135 :003,076,162,195,160,042,150 49944 50496 :247,189,082,003,133,248,198 51042 :231,104,104,076,034,192,071 :177,003,201,081,208,064,252 49950 50502 :173,171,002,157,102,003,166 50508 :254,162,003,189,162,003,081 51048 :173,198,002,240,063,169,181 :165,251,208,031,160,161,244 49956 51054 :067,141,004,212,169,020,211 49962 :177,003,201,032,208,008,159 49968 :160,160,177,003,201,032,013 51060 :141,199,002,169,016,141,016 50514 :201,010,208,021,032,223,009 50520 :197,169,001,157,182,003,029 50526 :162,001,032,208,199,076,004 50532 :216,197,169,000,157,162,233 51066 :011,212,173,199,002,141,092 :240,003,076,093,196,169,063 49974 51072 :015,212,032,180,200,173,172 :067,162,161,145,003,032,118 49980 51078 :199,002,056,233,001,141,254 :105,196,076,045,196,160,076 49986 :003,165,247,157,062,003,231 51084 :199,002,201,015,208,234,231 :163,177,003,201,032,208,088 50538 49992 :165,248,157,082,003,032,031 51090 :169,016,141,004,212,206,126 :008,160,164,177,003,201,023 50544 49998 :015,198,138,072,189,142,104 :182,002,240,017,206,198,229 51096 50004 :032,240,003,076,093,196,212 50550 :003,024,105,004,201,016,221 :002,032,101,200,162,020,163 :169,067,162,163,032,105,020 50556 51102 50010 :208,002,169,000,157,142,040 51108 :032,226,199,104,104,076,137 :196,076,045,196,165,251,001 50562 50016 :208,029,160,001,177,003,168 :201,032,208,008,160,000,205 51114 :034,192,096,169,032,141,066 :003,170,165,195,024,105,030 50568 50022 :000,133,025,165,196,105,254 :212,133,026,189,059,198,197 51120 :199,007,032,101,200,162,109 50574 50028 51126 :010,160,015,024,032,240,151 50580 :177,003,201,032,240,003,002 50034 50586 :160,000,032,255,197,145,175 51132 :255,169,249,160,199,032,228 50040 :076,093,196,169,067,162,115 51138 :030,171,173,000,220,041,061 :195,189,075,198,145,025,219 50046 :001,032,105,196,076,057,081 50592 :160,001,032,255,197,232,019 51144 :016,208,249,104,104,076,189 :196,160,003,177,003,201,104 50598 50052 :189,059,198,145,195,189,123 51150 :000,192,173,180,002,024,009 :032,208,008,160,004,177,215 50604 50058 :075,198,145,025,232,189,018 :059,198,160,040,032,255,160 :105,050,141,180,002,144,066 50610 51156 :003,201,032,240,003,076,187 50064 51162 :003,238,181,002,202,208,028 :093,196,169,067,162,003,072 50616 50070 :197,145,195,189,075,198,165 :239,096,169,000,133,162,255 :032,105,196,076,057,196,050 50622 51168 50076 :145,025,232,189,059,198,020 :160,041,032,255,197,145,008 :195,189,075,198,145,025,011 :138,197,162,208,252,096,003 :201,067,240,003,076,097,078 50628 51174 50082 :152,072,160,050,136,208,246 51180 :196,160,081,177,003,201,218 50634 50088 :253,202,208,250,104,168,147 :081,208,062,165,252,208,126 50640 51186 50094 :104,170,202,048,003,076,049 :096,158,018,071,065,077,221 51192 :029,160,124,177,003,201,106 50646 50100 :139,196,096,032,015,198,128 :069,032,079,086,069,082,159 51198 50652 :032,208,008,160,164,177,167 50106 :032,255,197,169,032,145,032 51204 :146,017,017,157,157,157,143 :003,201,032,240,003,076,235 50658 50112 :195,160,001,032,255,197,048 51210 :157,157,157,157,157,157,157,184 50118 :093,196,169,066,162,124,240 50664 :145,195,160,040,032,255,041 51216 :150,080,082,069,083,083,051 :032,105,196,076,069,196,110 50670 50124 :197,145,195,160,041,032,246 :032,070,073,082,069,000,092 :160,044,177,003,201,032,059 50676 51222 50130 :129,083,067,079,082,069,025 :255,197,145,195,096,072,186 :208,008,160,004,177,003,008 50682 51228 50136 :160,160,160,160,160,160,226 :177,195,201,036,144,007,248 :201,032,240,003,076,093,099 :196,169,066,162,044,032,129 50688 51234 50142 :201,042,176,003,238,198,096 :160,160,160,160,160,160,232 50694 51240 50148 :160,160,160,160,160,160,238 50700 :002,104,096,169,000,133,004 51246 :105,196,076,069,196,165,017 50154 :160,160,160,160,160,160,244 51252 :195,169,004,133,196,164,111 50706 50160 :252,208,029,160,120,177,162 :248,240,016,165,195,024,144 :066,079,078,085,083,013,206 50166 :003,201,032,208,008,160,090 50712 :105,040,133,195,165,196,096 :013,159,076,073,086,069,028 51264 :160,177,003,201,032,240,041 50718 50172 :083,032,032,032,032,032,057 :105,000,133,196,136,016,110 51270 50178 :003,076,093,196,169,066,093 50724 :032,032,032,032,032,032,012 50730 :238,165,195,024,101,247,244 51276 50184 :162,120,032,105,196,076,187 :032,032,032,032,032,032,018 50736 :133,195,165,196,105,000,074 51282 50190 :081,196,160,040,177,003,159 50742 :133,196,160,000,096,079,206 50748 :119,116,032,119,080,032,046 50754 :103,032,103,111,122,116,141 :032,032,032,032,032,032,024 51288 :201,032,208,008,160,000,117 50196 :032,076,069,086,069,076,246 51294 :177,003,201,032,240,003,170 50202 51300 :000,169,129,032,210,255,127 50208 :076,093,196,169,066,162,026

51306	:162,022,160,006,024,032,000
51312	:240,255,173,181,002,174,113
51318	:180,002,032,205,189,162,120
51324	:022,160,035,024,032,240,125
51330	:255,173,061,201,174,060,030
51336	:201,032,205,189,169,160,068
51342	:032,210,255,169,159,032,231
51348	:210,255,174,182,002,240,187
51354	:008,169,038,157,198,007,219
51360	:202,208,250,162,024,160,142
51366	:035,024,032,240,255,169,153
51372	:000,174,183,002,032,205,000
51378	:189,096,160,050,140,001,046
51384	:212,162,006,032,236,199,007
51390	:200,192,075,208,243,140,224
51396	:001,212,162,006,032,236,077
51402	:199,136,192,050,208,243,206
51408	:096,120,169,051,133,001,010
51414	:169,000,133,251,133,253,129
51420	:169,056,133,252,169,208,183
51426	:133,254,162,008,160,000,175
51432	:177,253,145,251,136,208,122
51438	:249,230,254,230,252,202,119
51444	:016,242,160,047,185,012,138
51450	:201,153,032,057,136,016,077
51456	:247,169,055,133,001,088,181
51462	:169,030,141,024,208,096,162
51468	:024,060,024,060,090,024,038
51474 51480	:036,102,024,060,024,060,068
A REST WHAT A SECOND	:090,024,102,066,048,120,218
51486	:048,028,122,024,038,098,132
51492	:048,120,048,092,060,024,172
51498	:036,020,012,030,012,056,208
51510	:094,024,100,070,012,030,122
51516	:012,058,060,024,036,040,028
51522	:100,000,153,084,085,082,052
51528	:078,065,066,079,085,084,011 :032,032,145,145,145,145,204
51534	:145,145,145,145,145,145,180
51540	:145,145,157,157,157,157,234
51546	:157,157,157,157,157,157,008
51552	:157,150,080,082,069,083,205
51558	:083,032,070,073,082,069,255
51564	:000,002,255,252,254,000,103
Contraction of the last	1000,1000,1000,100

Power BASIC: USR Joystick Reader

(Article on page 94.)

BEFORE TYPING . . .

Before typing in programs, please refer to "How To Type In COMPUTE!'s GAZETTE Programs," which appears before the Program Listings.

Program 1: USR Joystick Reader—64 Version

- 10 FORA=679TO743:READB:CH=CH+B
 :POKEA,B:NEXT:IFCH<>5899THE
 NPRINT"DATA ERROR":END
- :rem 50 POKE785,167:POKE786,2:PRINT "{CLR}{DOWN}ACTIVATED"
- :rem 175
- 30 DATA 32,247,183,165,20,201 :rem 136
- ### 136 40 DATA 3,176,26,73,3,170
- rem 200 50 DATA 1789,255,219,41,15,133 rem 151
- 60 DATA 2,169,15,56,229,2 :rem 206
- 70 DATA 170,189,221,2,168,169 :rem 157
- 8Ø DATA Ø,32,145,179,96,16Ø :rem 52
- 90 DATA 0,41,1,170,189,0 :rem 143

Program 2: USR Joystick Reader—VIC Version

- 10 FORA=679TO766:READB:CH=CH+B
 :POKEA,B:NEXT:IFCH<>8799THE
 NPRINT"DATA ERROR":END
- 20 POKE1,167:POKE2,2:PRINT"
 [CLR][DOWN]ACTIVATED"
- 30 DATA 32,247,215,165,20,74
- 40 DATA 144,53,169,0,141,19 :rem 43 50 DATA 145,169,127,141,34,145
- 60 DATA 173,32,145,74,74,41
- 70 DATA 32,133,251,173,17,145
- ### 142 september 142 septembe
- 90 DATA 41,15,133,251,169,15
- :rem 95 100 DATA 56,229,251,170,189,24 4 :rem 251
- 110 DATA 2,168,169,0,32,145 :rem 40
- 120 DATA 211,169,255,141,34,14 5 :rem 240 130 DATA 96,160,0,173,17,145
- :rem 93 140 DATA 41,32,208,1,200,169
- :rem 82 150 DATA 0,32,145,211,96,0
- 160 DATA 1,3,0,4,8,7,0,2,5,6

:rem 65

Kaleidoscope

Program 1: Kaleidoscope— 64 Version

- 10 FORI=0T07:READM(I):NEXT:DAT A1,4,25,128,2,10,60,255
- :rem 18 20 POKE53280,12:POKE53281,12:P RINT"{BLK}":GOSUB450:rem 11
- 30 REM * ML ROUTINE ADDRESSES {SPACE}* : rem 248 40 KAL=49664:A=49696:CHAR=251:
- X=253:Y=254 :rem 81 5Ø SEED=KAL+126:POKESEED,255*R
- ND(-TI)+1:REM * SEED RANDOM # GEN * :rem 135
- 60 POKESEED+1,256*RND(1):POKEX ,0:POKEY,0:POKECHAR,160:GOS UB270 :rem 67
- 70 REM * INTRO PAGE * :rem 72 80 PRINT"[CLR][5 DOWN]
- [12 SPACES]WELCOME TO
 [2 DOWN]":PRINT"[10 SPACES]
 UCCCCCCCCCCCCCI" :rem 191
- 90 PRINT"[10 SPACES]-KALEIDOSC
 OPE-" :rem 191
 :rem 191
 :rem 191
- 100 PRINT" [10 SPACES] J*******

 ****K [4 DOWN]": PRINT"

 [5 SPACES] HIT ANY KEY TO C
 ONTINUE" : rem 4
- 110 GOSUB290:POKEA,25:GOTO330 :rem 243

```
120 REM * MAIN LOOP *
                        :rem 42
130 SYSKAL: FORI=1TOD: NEXT: GETA
    $:IFA$=""THEN130
                       :rem 148
140 V=VAL(A$):IFA$="0"THEND=1
                       :rem 129
150 IFV>0THEND=2.4†V
                       :rem 225
160 IFAS="Q"THENEND
                        :rem 99
170 FORI=0TO7:IFA$=CHR$(133+I)
    THENPOKEA, M(I)
                       :rem 137
180 NEXTI: IFA$="B"THENGOSUB250
                        :rem 88
```

- 190 IFA\$="C"THENGOSUB270 :rem 154 200 IFA\$=CHR\$(147)THENPRINTCHR \$(147):GOTO130 :rem 98
- \$(147):GOTO130 :rem 98 210 IFA\$="H"THEN330 :rem 21 220 IFA\$=" "THENGOSUB290
- 230 GOTO130 :rem 98 240 REM * BLACK AND WHITE *
- 250 POKE49692,1:RETURN :rem 75 260 REM * COLOR * :rem 79
- 270 POKE49692,15:RETURN :rem 130
- 280 REM * HIT ANY * :rem 159 290 GETA\$:IFA\$<>""THEN290 :rem 150
- 300 GETA\$:IFA\$=""THEN300" :rem 73
 310 RETURN :rem 116
 320 REM * HELP MESSAGE *
- :rem 251
 330 PRINT"{CLR}{3 SPACES}TO CO
 NTROL THE DISPLAY, TYPE TH
 ESE"
- ESE" :rem 156
 340 PRINT"{3 SPACES}CHARACTERS
 WHILE THE KALEIDOSCOPE"
- 350 PRINT" [14 SPACES] IS RUNNIN
- G" :rem 38 360 PRINT"{2 DOWN}F1 THROUGH F 8 : CONTROL COMPLEXITY
- [DOWN]" :rem 28 370 PRINT" 0 THROUGH[2 SPACES]
- 9 : CONTROL SPEED[DOWN]"
 :rem 210
 380 PRINT"[6 SPACES]B
 [7 SPACES]: BLACK AND WHIT
- E[DOWN]" :rem 170
 390 PRINT"[6 SPACES]C
 [7 SPACES]: 16 COLORS":PRI
 NT"[DOWN][4 SPACES]SPACE
 [5 SPACES]: FREEZE DISPLAY
- " :rem 188
 400 PRINT"[DOWN][5 SPACES]CLR
 [6 SPACES]: CLEAR SCREEN":
 PRINT"[DOWN][6 SPACES]H
- [7 SPACES]: HELP!":rem 160
 410 PRINT"[DOWN][6 SPACES]Q
 [7 SPACES]: QUIT[2 DOWN]"
- :rem 103
 420 PRINT" HIT ANY KEY TO STAR
 T THE KALEIDOSCOPE":GOSUB2
 90:PRINTCHR\$(147) :rem 172
- 430 GOTO130 :rem 100 440 REM * LOAD ML ROUTINES *
- 450 PRINTCHR\$(147)"...LOADING {SPACE}ML" :rem 121
- 460 S=0:C=49664:FORI=CTOC+248: READX:POKEI,X:S=S+X:NEXT
- :rem 183
 470 IFS<>33124THENPRINT"ERROR
 [SPACE]IN DATA STATEMENTS"
 :END :rem 72
- 480 RETURN :rem 124 490 DATA 173,32,194,133,165,32 :rem 201
- 500 DATA 33,194,32,90,194,32 :rem 96
- 510 DATA 33,194,32,90,194,198 :rem 158

		165,208,240,238,240,1 :rem 41
53Ø DA	ATA	173,240,193,41,15,133 :rem 190
540 DA	ATA	252,96,25,32,43,194 :rem 104
55Ø D/	ATA	32,65,194,32,43,194 :rem 104
560 D	ATA S	96,32,172,194,32,74
57Ø D	ATA	194,32,172,194,32,82
58Ø D	ATA	194,32,172,194,32,74
59Ø D	АТА	:rem 158 194,32,172,194,96,165
		:rem 218 253,164,254,133,254,1
61Ø D	2 ATA	:rem 36 253,96,169,24,56,229
62Ø D	ATA	:rem 164 253,133,253,96,169,24 :rem 206
63Ø D	ATA	56,229,254,133,254,96
64Ø D	ATA	:rem 211 32,109,194,144,7,32 :rem 98
65Ø D	ATA	109,194,144,28,176,35 :rem 210
66Ø D	ATA	32,109,194,144,43,176 :rem 205
67Ø D	АТА	50,14,127,194,46,126 :rem 152
68Ø D	АТА	194,144,8,173,127,194 :rem 214
69Ø D	ATA	73,45,141,127,194,96 :rem 165
700 D	ATA	109,12,198,253,16,4 :rem 97
710 D	ATA	169,24,133,253,96,230 :rem 201
72Ø D		253,165,253,201,25,20 :rem 243
		4,169,Ø,133,253,96 :rem 52
740 D	ATA	198,254,16,4,169,24 :rem 111
75Ø D		133,254,96,230,254,16 :rem 255
		254,201,25,208,4,169 :rem 150
77Ø D	ATA	Ø,133,254,96,32,193 :rem 103
78Ø D	ATA	194,165,251,160,0,145 :rem 200
790 0		163,169,212,24,101,16 :rem 248
800 0		133,164,165,252,145,1 :rem 41
810 0	ATA	96,169,4,133,164,165 :rem 160
82Ø D	ATA	253,24,105,7,133,163 :rem 142
830 1	DATA	166,254,160,0,32,230 :rem 138
840 1	ATA	
85Ø D	ATA	194,32,237,194,32,230 :rem 202
860 1	DATA	194,32,230,194,32,237 :rem 203
870	DATA	194,96,138,10,170,152 :rem 207
880 1	ATA	42,168,96,24,138,101 :rem 158
	DATA	163,133,163,152,101,1 :rem 39
	ATA	133,164,96 :rem 172

10	POKE56, 28:CLR:FORI=ØTO7:REA		
	DM(I):NEXT:DATA1,		
	.10.60.255	:rem 151	
20	POKE36879,25:PRIN	r" {BLK}":G	
	OSUB45Ø	:rem 35	

OSUB450 : rem 33
30 REM * ML ROUTINE ADDRESSES
(SPACE)* : rem 248

40 KAL=7169:A=7201:CHAR=251:X= 253:Y=254 :rem 211 50 SEED=KAL+126:POKESEED,255*R

ND(-TI)+1:REM * SEED RANDOM # GEN * :rem 135

60 POKESEED+1,256*RND(1):POKEX
,0:POKEY,0:POKECHAR,160:GOS
UB270 :rem 67
70 REM * INTRO PAGE * :rem 72

80 PRINT" [CLR] [5 DOWN]
[6 SPACES] WELCOME TO
[2 DOWN] ": PRINT" [4 SPACES] U
CCCCCCCCCCCCI" : rem 191

90 PRINT"[4 SPACES]-KALEIDOSCO
PE-" :rem 103

100 PRINT" [4 SPACES] J********

***K[4 DOWN]": PRINT" HIT A

[SPACE] KEY TO CONTINUE"

: rem 93

110 GOSUB290:POKEA,25:GOTO330 :rem 243

120 REM * MAIN LOOP * :rem 42 130 SYSKAL:FORI=1TOD:NEXT:GETA \$:IFA\$=""THEN130 :rem 148 140 V=VAL(A\$):IFA\$="0"THEND=1

THENPOKEA,M(I) :rem 137
180 NEXTI:IFA\$="B"THENGOSUB250
:rem 88

190 IFA\$="C"THENGOSUB270 :rem 154

200 IFA\$=CHR\$(147)THENPRINTCHR \$(147):GOTO130 :rem 98 210 IFA\$="H"THEN330 :rem 21

220 IFA\$=" "THENGOSUB290 :rem 83

230 GOTO130 :rem 98 240 REM * BLACK AND WHITE * :rem 127

250 POKE7197,1:RETURN :rem 21 260 REM * COLOR * :rem 79 270 POKE7197,7:RETURN :rem 29 280 REM * HIT ANY * :rem 159 290 GETA\$:IFA\$<>""THEN290"

:rem 150 300 GETA\$:IFA\$=""THEN300

:rem 73
310 RETURN :rem 116

320 REM * HELP MESSAGE *
:rem 251
330 PRINT"[CLR]TO CONTROL THE
[SPACE]DISPLAY TYPE THESE

{SPACE}DISPLAY, TYPE THESE
{SPACE}CHARACTERSWHILE THE
KALEIDOSCOPEIS "; :rem 32
350 PRINT "RUNNING:" :rem 196

360 PRINT"[DOWN] [RVS]F1-F8
[OFF]:ALTER COMPLEXITY"
:rem 1

370 PRINT" (RVS) 0-9(OFF)
(2 SPACES): ALTER SPEED"

:rem 200
380 PRINT"[DOWN][RVS]B[OFF]
[4 SPACES]:BLACK AND WHITE
":rem 78

390 PRINT" [DOWN] [RVS]C[OFF]
[4 SPACES]:8 COLORS":PRINT
"[DOWN] [RVS]SPACE[OFF]:FRE
EZE DISPLAY" :rem 230
400 PRINT" [DOWN] [RVS]CLR[OFF]

[2 SPACES]:CLEAR SCREEN":P RINT"[DOWN] [RVS]H[OFF] [4 SPACES]:HELP1" :rem 232 410 PRINT"[DOWN] [RVS]Q[OFF] [4 SPACES]:QUIT[DOWN]" :rem 250

420 PRINT" HIT ANY KEY TO STAR
T[4 SPACES]THE KALEIDOSCOP
E";:GOSUB290:PRINTCHR\$(147
) :rem 231
430 GOTO130 :rem 100

440 REM * LOAD ML ROUTINES *
:rem 2

450 PRINTCHR\$(147)"...LOADING [SPACE]ML" :rem 121

460 S=0:C=7169:FORI=CTOC+231:R EADX:POKEI,X:S=S+X:NEXT :rem 121

470 IFS<>25910THENPRINT ERROR {SPACE}IN DATA STATEMENTS : :END :rem 76

480 RETURN :rem 124 490 DATA 173,33,28,133,165,32 :rem 150

500 DATA 34,28,32,91,28,32 :rem 250

510 DATA 34,28,32,91,28,198 :rem 56

520 DATA 165,208,240,238,0,28 :rem 144

53Ø DATA 173,0,28,41,7,133 :rem 246

540 DATA 252,96,128,32,44,28 :rem 105 550 DATA 32,66,28,32,44,28

:rem 2 560 DATA 96,32,173,28,32,75

:rem 59 570 DATA 28,32,173,28,32,83 :rem 54

580 DATA 28,32,173,28,32,75 :rem 56

590 DATA 28,32,173,28,96,165 :rem 115 600 DATA 253,164,254,133,254,1

32 :rem 36 610 DATA 253,96,169,20,56,229

:rem 160 620 DATA 253,133,253,96,169,20 :rem 202

630 DATA 56,229,254,133,254,96 :rem 211

640 DATA 32,110,28,144,7,32 :rem 38

650 DATA 110,28,144,28,176,35 :rem 150 660 DATA 32,110,28,144,43,176

:rem 145 670 DATA 50,14,128,28,46,127

680 DATA 28,144,8,173,128,28 :rem 111 690 DATA 73,45,141,128,28,96

rem 114
700 DATA 59,172,198,253,16,4

:rem 108 710 DATA 169,20,133,253,96,230

:rem 197
720 DATA 253,165,253,201,21,20

8 :rem 239 730 DATA 4,169,0,133,253,96 :rem 52

740 DATA 198,254,16,4,169,20 :rem 107

750 DATA 133,254,96,230,254,16 5 :rem 255 760 DATA 254,201,21,208,4,169

:rem 146
770 DATA 0,133,254,96,32,194
:rem 104

780 DATA 28,165,251,160,0,145 :rem 148

790 DATA 163,169,120,24,101,16 :rem 246 800 DATA 133,164,165,252,145,1 63 :rem 41 810 DATA 96,169,30,133,164,165 :rem 207 820 DATA 253,24,105,1,133,163 :rem 136 830 DATA 166,254,160,0,169,22 840 DATA 133,2,32,221,28,198 :rem 97 850 DATA 2,208,249,96,24,138 :rem 111 860 DATA 101,163,133,163,152,1 Ø1 :rem 27 870 DATA 164,133,164,96 :rem 121

Program 3: Kaleidoscope— Plus/4 And 16 Version

- 10 POKE56,60:CLR:FORI=0TO7:REA
 DM(I):NEXT:DATA1,2,4,10,25,
 60,128,255
- 20 FORI=1T08:KEYI,CHR\$(132+1):
 NEXT:COLORØ,2,3:COLOR4,2,3:
 PRINT"{BLK}":GOSUB450
- 30 REM * ML ROUTINE ADDRESSES {SPACE}*
- 40 KAL=15617:A=15651:CH=3:X=5: Y=6
- 50 SEED=KAL+128:POKESEED,255*R ND(-TI)+1:REM * SEED RANDOM

COMPUTE!'s Gazette Subscriber Services

Please help us serve you better. If you need to contact us for any of the reasons listed below, write to us at:

COMPUTE!'s Gazette

P.O. Box 10957 Des Moines, IA 50340

or call the Toll Free number listed below.

Change of Address. Please allow us 6-8 weeks to effect the change; send your current mailing label along with your new address.

Renewal. Should you wish to renew your Gazette subscription before we remind you to, send your current mailing label with payment or charge number or call the Toll Free number listed below.

New Subscription. A one-year (12-month) U.S. subscription to COMPUTEI'S Gazette is \$24 (2 years, \$45; 3 years, \$65. For subscription rates outside the U.S., see staff page). Send us your name and address or call the Toll Free number listed below.

Delivery Problems. If you receive duplicate issues of *COMPUTEI's Gazette*, if you experience late delivery, or if you have problems with your subscription, please call the Toll Free number listed below.

COMPUTE!'s Gazette 800-334-0868 In NC 919-275-9809

GEN * 60 POKESEED+1,256*RND(1):POKEX ,0:POKEY,0:POKECH,160:GOSUB 270 70 REM * INTRO PAGE *
80 PRINT" [CLR] [5 DOWN] [12 SPACES]WELCOME TO {2 DOWN}":PRINT" [10 SPACES] UCCCCCCCCCCCI" 90 PRINT"[10 SPACES]-KALEIDOSC OPE-" 100 PRINT" {10 SPACES}J****** ****K[4 DOWN]":PRINT" [5 SPACES] HIT ANY KEY TO C ONTINUE" 110 GOSUB290:POKEA, 25:GOTO330 120 REM * MAIN LOOP * 130 SYSKAL: FORI=1TOD: NEXT: GETA \$:IFA\$=""THEN130 140 V=VAL(A\$):IFA\$="0"THEND=1 150 IFV>0THEND=2.4†V 160 IFA\$="Q"THENEND 170 FORI=0TO7: IFA\$=CHR\$(133+I) THENPOKEA, M(I) 180 NEXTI: IFA\$="B"THENGOSUB250 190 IFAS="C"THENGOSUB270 200 IFA\$=CHR\$(147)THENPRINTCHR \$(147):GOTO130 210 IFAS="H"THEN330 220 IFA\$=" "THENGOSUB290 230 GOTO130 240 REM * BLACK AND WHITE * 250 POKE15645,240:POKE15647,24 1:RETURN 260 REM * COLOR * 270 POKE15645,0:POKE15647,255: RETURN 280 REM * HIT ANY * 290 GETA\$: IFA\$ <> " "THEN 290 300 GETA\$: IFA\$=""THEN300 310 RETURN 320 REM * HELP MESSAGE * 330 PRINT" [CLR] [3 SPACES] TO CO

NTROL THE DISPLAY, TYPE TH ESE" 340 PRINT" [3 SPACES CHARACTERS Atom Shoot

WHILE THE KALEIDOSCOPE"
350 PRINT"[14 SPACES]IS RUNNIN

360 PRINT" (2 DOWN) F1 THROUGH F 8 : CONTROL COMPLEXITY {DOWN}"

370 PRINT" 0 THROUGH [2 SPACES]
9 : CONTROL SPEED [DOWN]"

380 PRINT"[6 SPACES]B
[7 SPACES]: BLACK AND WHIT
E[DOWN]"

390 PRINT"[6 SPACES]C
[7 SPACES]: 120 COLORS":PR
INT"[DOWN][4 SPACES]SPACE
[5 SPACES]: FREEZE DISPLAY

400 PRINT"[DOWN][5 SPACES]CLR {6 SPACES]: CLEAR SCREEN": PRINT"[DOWN][6 SPACES]H {7 SPACES]: HELPI"

410 PRINT"{DOWN} [6 SPACES]Q {7 SPACES}: QUIT{2 DOWN}"

420 PRINT" HIT ANY KEY TO STAR T THE KALEIDOSCOPE":GOSUB2 90:PRINTCHR\$(147)

430 GOTO130

440 REM * LOAD ML ROUTINES *
450 PRINTCHR\$(147)"...LOADING
{SPACE}ML"

460 S=0:C=15617:FORI=CTOC+250: READX:POKEI,X:S=S+X:NEXT

470 IFS<>23347THENPRINT"ERROR {SPACE}IN DATA STATEMENTS" :END

480 RETURN

490 DATA 173,35,61,133,162,32

500 DATA 36,61,32,93,61,32 510 DATA 36,61,32,93,61,198 520 DATA 162,208,240,238,0,61 530 DATA 173,0,61,9,240,41 540 DATA 241,133,4,96,25,32 550 DATA 46,61,32,68,61,32 560 DATA 46,61,96,32,175,671 570 DATA 32,77,61,32,175,61 580 DATA 32,85,61,32,175,61 590 DATA 32,77,61,32,175,61 600 DATA 96,165,5,164,6,133 610 DATA 6,132,5,96,169,24 620 DATA 56,229,5,133,5,96 630 DATA 169,24,56,229,6,133 640 DATA 6,96,32,112,61,144 650 DATA 7,32,112,61,144,28 660 DATA 176,35,32,112,61,144 670 DATA 43,176,50,14,130,61 680 DATA 46,129,61,144,8,173 690 DATA 130,61,73,45,141,130 700 DATA 61,96,11,194,198,5 710 DATA 16,4,169,24,133,5 720 DATA 96,230,5,165,5,201 730 DATA 25,208,4,169,0,133 740 DATA 5,96,198,6,16,4 750 DATA 169,24,133,6,96,230 760 DATA 6,165,6,201,25,208 770 DATA 4,169,0,133,6,96 780 DATA 32,196,61,165,3,160 790 DATA 0,145,160,169,252,24 800 DATA 101,161,133,161,165,4 810 DATA 145,160,96,169,12,133 820 DATA 161,165,5,24,105,7 830 DATA 133,160,166,6,160,0 840 DATA 32,233,61,32,233,61 850 DATA 32,233,61,32,240,61 860 DATA 32,233,61,32,233,61 870 DATA 32,240,61,96,138,10 880 DATA 170,152,42,168,96,24 890 DATA 138,101,160,133,160,1 900 DATA 101,161,133,161,96

(See instructions for Plus/4 and 16 version in article on page 52.)

BEFORE TYPING ...

Before typing in programs, please refer to "How To Type In COMPUTE!'s GAZETTE Programs," which appears before the Program Listings.

Program 1: Atom Shoot—64 Version

10 POKE53281,0:POKE53280,0:KB= 198:POKE650,128:CLR:ZZ=1700 :REM 64 SPECIFIC :rem 3

20 DIMA%(15,10),B%(15,10),M(50),N(50):DN\$="{HOME}{6 DOWN}
":FORA=1TO33:DN\$=DN\$+"

{RIGHT}":NEXT :rem 199 30 NS=25:GOSUB460:FORA=1TO15:M (A)=A*2+1:N(A)=2:NEXT:FORA= 16TO25:M(A)=32 :rem 241

40 N(A)=(A-15)*2+1:NEXT:FORA=2 6TO40:M(A)=31-(A-26)*2:N(A) =22:NEXT :rem 131

50 FORA=41T050:M(A)=2:N(A)=21-(A-41)*2:NEXT:FORA=0T03:REA DDX(A),DY(A):NEXT :rem 156 60 FORA=1T07:READMR(A):NEXT:DA

TA -1,0,1,0,0,-1,0,1,27,78, 27,78,177,57,147 :rem 199 70 FORA=1TO4:READMS(A):NEXT:DA

TA110,109,110,109:GOSUB420 :rem 85	360 PRINTDNS" PLAY {2 DOWN} {5 LEFT}AGAIN?":POKEKB,0
80 FORS=1TONS:S\$=CHR\$(64+S):PR INTDN\$"[7][OFF] WHAT	:rem 122 370 GETA\$:ON-(A\$="Y")-2*(A\$="N ")GOTO10,380:GOTO370
{2 SPACES} {2 DOWN} {6 LEFT}N OW? {2 SPACES}":GOSUB590	:rem 239 380 POKE2025,0:PRINT"{CLR}":EN
:rem 248 9Ø GETA\$:ON-(A\$="G")-2*(A\$="S"	D :rem 158
)-3*(A\$="Q")GOTO100,270,330 :GOTO90 :rem 130	39Ø D=-((X<=5Ø)AND(X>=41))-2*((X>25)AND(X<41))-3*((X>=1)
100 PRINT" [HOME] [3 RIGHT] [GRN] ";:FORA=65TO79:PRINTCHR\$(A	AND(X<=15)):RETURN:rem 104 400 X1=M*2-2*DX(D)+1:Y1=N*2-2*
)" ";:NEXT:POKEKB,Ø	DY(D)+1:GOSUB410:RETURN :rem 68
110 PRINTDN\$"[7] WHICH[2 DOWN] [5 LEFT]COLUMN" : rem 39	410 PRINT" [HOME]"; :FORA=1TOY1: PRINT" [DOWN]"; :NEXT:PRINTS
120 GETA\$:IFA\$<"A"ORA\$>"O"THEN 120 :rem 96	PC(X1)N\$;:RETURN :rem 207 420 NM=25:FORA=1TONM:B=MR(INT(
130 X1=ASC(A\$)-64:GOSUB560 :rem 211	RND(1)*4)+1) :rem 232 430 C=INT(RND(1)*15)+1:D=INT(R
140 PRINT"[HOME][3 DOWN][GRN]"	ND(1)*10)+1 :rem 233 440 IFA%(C,D)<>0THEN430 :rem 1
;:FORA=ØTO9:PRINTRIGHT\$(ST R\$(A),1);"{2 DOWN}{LEFT}";	450 A%(C,D)=B:NEXT:RETURN :rem 21
:NEXT:POKEKB,0 :rem 186 150 PRINTDNS"[7] WHICH[2 DOWN]	460 PRINT"[CLR][8]":FORA=1T010
[5 LEFT] ROW[2 SPACES]" :rem 85	:PRINT:PRINT:PRINT" [2 RIGHT]"::FORB=1T015:PRI
160 GETAS:IFAS<"0"ORAS>"9"THEN 160 :rem 65	NT" (RVS) (OFF)"; :rem 63 470 NEXTB,A :rem 137
170 PRINT" [HOME] [3 DOWN]";:FOR A=1T020:PRINT" [DOWN]	480 PRINT DNS"[GRN][6 DOWN] [RIGHT][RVS]G[OFF]UESS
{LEFT}";:NEXT:Y1=VAL(A\$)+1 :W\$="↑" :rem 182	{2 DOWN}{5 LEFT}{RVS}S {OFF}HOOT{2 DOWN}{5 LEFT}
180 PRINT" [HOME] [3 SPACES]";:F ORA=1TO4:PRINTCHR\$(MS(A))"	[RVS]Q[OFF]UIT[2 DOWN] [4 LEFT][7]SCORE":RETURN
";:NEXT:Z=4:T1=X1:T2=Y1:G OSUB490 :rem 10	490 PRINT"{YEL}":X=1 :rem 51 :rem 12
190 X1=T1:Y1=T2:GOSUB560:IFB%(X1,Y1)<>OANDMR(X)=A%(X1,Y1	500 X1=M(X):Y1=N(X):NS=WS:GOSU B410 :rem 252
)THENS=S-1:NEXT :rem 98 200 B=54-S*2:IFA%(X1,Y1)=MR(X)	510 GETA\$:ON-(A\$=",")-2*(A\$=". ")-3*(A\$=CHR\$(13))GOTO520,
THENB%(X1,Y1)=1:GOTO230	530,550:GOTO510 :rem 198 520 X=X-1-Z*(X=1):GOTO540
:rem 54 210 X1=X1*2+1:Y1=Y1*2+1:PRINT" E83";:NS="F+3":GOSUB410	:rem 182 530 X=X+1+Z*(X=Z) :rem 208
:rem 224	540 N\$=" ":GOSUB410:GOTO500 :rem 227
220 PRINTDNS"[7] MISSED [2 DOWN][6 LEFT]-"B/2"	550 N\$=" ":GOSUB410:RETURN :rem 246
{LEFT} ";:SC=SC-B/2:GOTO26 Ø :rem 180	560 PRINT"[HOME]";:FORA=1TO40: PRINT" ";:NEXT:RETURN
230 SC=SC+B:GOSUB570:X1=X1*2+1 :Y1=Y1*2+1:PRINT"[8]";:GOS	:rem 106 570 FORA=1T04:IFMR(A)=A%(X1,Y1
UB410 :rem 117 240 PRINTDNS"E73"B"[LEFT] PTS)THENP=A :rem 51 580 NEXT:N\$=CHR\$(MS(P)):RETURN
(SPACE) {2 DOWN} {6 LEFT} 250 IFG=25THENSC=SC+200-S*5:PR	:rem 114 590 POKEKB,0:X1=34:Y1=20:N\$=""
INT"[HOME][RVS]"SPC(15)"YO U SOLVED IT!":GOSUB590:GOT	:GOSUB410:PRINTSC"(LEFT) "
0360 :rem 66 260 FORTD=1TOZZ:NEXT:S=S-1:NEX	:RETURN :rem 84
T :rem 73 270 Z=50:W\$=S\$:GOSUB490:rem 85	Program 2: Atom Shoot—VIC Version
280 N\$=S\$:M=INT((M(X)-1)/2)-(M (X)=2):N=INT(N(X)/2)+(N(X)	John Krause, Assistant Technical
=22) :rem 22 290 GOSUB390:GOSUB400:X1=M:Y1=	Editor
N:GOSUB39Ø :rem 247 3ØØ ND=3*4↑D:IFA%(X1,Y1)<>ØTHE	10 A=RND(-TI):POKE0,99:POKE371 54,127 :rem 72
ND=((A%(X1,Y1)ANDND)/(4†D)); rem 1	20 POKE36879,8:POKE36878,15:DI MA%(9,9):Z=128 :rem 230
310 X1=X1+DX(D):Y1=Y1+DY(D):IF (X1>0)AND(X1<16)AND(Y1>0)A	3Ø R=4:C=4:R1=4:C1=4:G=87:H=6: E=7725:F=38445 :rem 217
ND(Y1<11)THEN300 :rem 178 320 M=X1+DX(D):N=Y1+DY(D):PRIN	40 FORA=1TO5 : rem 210 50 B=INT(RND(1)*8)+1:O=INT(RND
T" [RED]";:GOSUB400:PRINT" [YEL]";:NEXT :rem 189	(1)*8)+1 :rem 106 60 IFA*(B,O)THEN50 :rem 253
330 PRINT"E73":FORX=1T015:FORY =1T010:X1=X:Y1=Y :rem 143	70 A%(B,O)=1:NEXT:PRINT"(CLR)E EAMS:"V"(5 SPACES)LOW:"PEER
340 IFA%(X1,Y1) <> ØANDB%(X1,Y1) =ØTHENGOSUB570:X1=X1*2+1:Y	(Ø) :rem 110 80 PRINT"{HOME}{DOWN}{BLU}U*
1=Y1*2+1:GOSUB410 :rem 27	ER3************************************
350 NEXTY,X :rem 180	:rem 28

WN }	90 P	RINT"-{GRN}Z[BLU]-"TAB(18)
KB,Ø em 122	100	-{GRN]Z{BLU}- :rem 143 PRINT"EQ3*+***********************************
(A\$="N		+*[W] : rem 20
em 239	110	FORA=1TO8:PRINT"-{RIGHT}-W
R}":EN		<u>W W W W W W W-{RIGHT}-</u> :rem 82
em 158	120	PRINT""TAB(18)"-{RIGHT}
(X>=1)		_".MEVT :rem 67
em 104	130	PRINT" (UP) EQ3 ***********************************
N*2-2*	140	PRINT"-[GRN]Z[BLU]-"TAB(18
ruRN rem 68)"-{GRN}Z{BLU}- :rem 187 PRINT"J*EE3**********************************
Tem 08		
PRINTS	160	TELTHEN660 :rem 61
rem 207 MR(INT(170	PRINT (PUR) (RVS) (UT)
rem 232		[BLU] HIT[2 SPACES][RED] [RVS] [OFF][BLU] MISS
D=INT(R	271	[2 SPACES][YEL][RVS] (OFF)
rem 233	200	[BLU] REFL[HOME] : rem 67
RN	180	P=PEEK(37152)AND128:IFP=ØT HENC=C+1 :rem 224
rem 21	190	P=PEEK(37151) :rem 158
A=1T010	200	IF(PAND8)=ØTHENR=R+1
015:PRI	210	:rem 166 IF(PAND16)=ØTHENC=C-1
rem 63	210	:rem 186
rem 137	220	IF(PAND4)=ØTHENR=R-1
OWN) ESS	220	:rem 166 :rem 208
s}s	240	IFR>9THENR=9 :rem 229
LEFT }	250	IFROTHENR=0 :rem 200 IFR>9THENR=9 :rem 229 IFC<0THENC=0 :rem 180
WN } ETURN	260	IFC>9THENC=9 :Tem 201
:rem 51	280	D-Diff Kidio
rem 12		44*R1+C1+C1,H :rem 160
W\$:GOSU rem 252	290	R1=R:C1=C:G=PEEK(D):H=PEEK (F+44*R+C+C) :rem 185
*(A\$=".	300	
ото520,	223	*R+C+C,5 :rem 128
rem 198 40	310	IF(PAND32)THEN180 :rem 196
rem 182	320	IFG=321HEN470 : rem 224
rem 208	340	IFG<>87THEN180 :rem 30
0500 rem 227	350	G=81:H=1:A=240:GOSUB810 :rem 22
URN	360	I=I+1:IFA%(R,C)THENL=L+1
rem 246 =1TO40:	Governo	:rem 101
=11040: RN	370	POKED,81:POKED+30720,1 :rem 211
rem 106	380	IFI<5THEN180 :rem 172
%(X1,Y1 :rem 51	390	IFL<5THEN660 :rem 179
: RETURN	400	PRINT" [21 DOWN] [5 SPACES] Y OU GOT ITI[5 SPACES] [UP]"
rem 114		:rem Ø
Ø:N\$="" LEFT} "	410	FORA=1TO10 :rem 47
:rem 84	420	FORB=25ØTO24ØSTEP-1:POKE36 876,B:NEXT :rem 196
	430	FORB=240TO250:POKE36876,B:
-VIC	140	NEXT : rem 43
	440	NEXT:POKE36876,Ø :rem 170 IFPEEK(Ø)>VTHENPOKEØ,V
nical		:rem 114
	460	GOTO750 :rem 111
POKE371	470	A=225:GOSUB810 :rem 5 P=R:Q=C:DR=0:DC=0:T=0:TI\$=
:rem 72		"000000":V=V+1:PRINT"
8,15:DI	400	[HOME] [6 RIGHT] "V :rem 41
rem 230 87:H=6:	49Ø 5ØØ	IFR=0THENDR=1 :rem 30 IFR=9THENDR=-1 :rem 76 IFC=0THENDC=1 :rem 249
rem 217	510	
rem 210	520	IFC-91HENDC1 : I'em 40
INT(RND rem 106	530 540	GOTO560 :rem 108 IFP>0ANDP<9ANDQ>0ANDQ<9THE
rem 253	-	N560 :rem 115
"{CLR}B	550	Z=Z+1:G=Z:H=2:GOSUB640:U=4
W: "PEEK rem 110		4*P+Q+Q:POKEE+U,G:POKEF+U, H:GOTO280 :rem 59
LU}U*	560	RR=P+DR:CC=Q+DC :rem 141
3*I	570	IFA%(RR,CC)=1THENG=160:H=4 :GOSUB640:GOTO280 :rem 68
:rem 28		. GOSOBO-BO-GOTOZOW : Tem 68

580	
	:rem 170
	M=1:N=0 :rem 78
600	S=0:IFA%(RR+M,CC+N)=1THEND
	R=-M:DC=-N:S=1 :rem 123
610	IFA% (RR-M, CC-N)=1THENDR=M:
	DC=N:S=S+1 :rem 170 IFS=2OR(SANDT=0)THENG=160:
620	IFS=2OR(SANDT=0)THENG=160:
	H=7:GOSUB640:GOTO280
	:rem 99
630	P=P+DR:Q=Q+DC:T=1:GOTO540
	:rem 10
640	IFTI < 60THEN640 : rem 49
550	RETURN : rem 123
660	PRINT" [21 DOWN] [4 SPACES]Y
	OU MISSED IT [4 SPACES] [UP]
	" :rem 194
670	FORA=1TO20 :rem 56
680	
	KE36876,B:NEXT :rem 173
690	FORB=160-ATO220-ASTEP8:POK
	E36876,B:NEXT :rem 129
700	NEXT: POKE36876,0 : rem 169
710	
	:rem 199
720	G=87:H=6:IFA%(R,C)THENG=81
	:H=1 :rem 206
730	
	R+C+C,H :rem 122
740	NEXT: NEXT : rem 83
750	PRINT" [3 SPACES] HIT FIRE B
	UTTON[UP]" : rem 229
760	IF (PEEK (37151) AND 32) THEN 76
	Ø :rem 248
770	RUN2Ø :rem 245
780	G=87:H=6:A=235:GOSUB810
	:rem 44
790	I=I-1:IFA%(R,C)THENL=L-1
	:rem 112
800	GOTO180 :rem 106
810	POKE36876, A: FORA=ØTO99:NEX
	T:POKE36876,Ø:RETURN
	:rem 141

The Farm Game

(Article on page 44.)

BEFORE TYPING . . .

Before typing in programs, please refer to "How To Type In COMPUTE!'s GAZETTE Programs," which appears before the Program Listings.

Program 1: The Farm Game—64

Ve	rsion
10	BO=7:BG=9:CH=1:GOSUB3100:PO
	KE53272,23 :rem 77
20	
	[4 DOWN]HOW LONG WILL YOU M
	ANAGE YOUR FARM"; :rem 113
30	INPUTQQ\$:QQ=VAL(QQ\$):IFQQ=Ø
	THENGOSUB293Ø :rem 33
40	IFFG<>ØTHEN2Ø :rem 187
	FORZZ=1TOQQ:GOSUB2110:GOSUB
	2150:IFZZ=1THENGOSUB2190
	:rem 25
60	BO=7:BG=6:CH=1:GOSUB3100
	:rem 82
70	PRINT"[CLR][RVS] YEAR:[OFF]
	"; ZZ: PRINT" [RVS] PLANTING S
	EASON SELECTION: [OFF]
	:rem 92
80	PRINTTAB(5)"{2 DOWN}F1 KEY.
	MARKET NEWS :rem 1

90 PRINTTAB(5)"F3 KEY...YOUR F

```
INANCIAL STATUS
                       :rem 153
                                   430 HV=INT(VAL(TM$)*100+.5)/10
100 PRINTTAB (5) "F5 KEY ... PLANT
                                                           :rem 176
                                   440 PRINT"COST FOR 200 ACRES";
    ING
                       :rem 104
110 PRINTTAB(5)"F7 KEY ... SELL
                                        :TM=INT(CE*100+.5)/T00*200
    [SPACE] CROPS ON FUTURES
                                        :GOSUB3030:CES=TMS:rem 205
                        :rem 144
                                   450 PRINTTAB(33-LEN(CE$))CE$
120 PRINTTAB(8)" [2 DOWN] WHAT I
                                                           :rem 105
    S YOUR SELECTION?
                                   460 PRINT "FUEL EXPENSE"; : TM=PT
                       :rem 72
130 GOSUB2950
                                        :GOSUB3030:PTS=TMS:PT=INT(
                        :rem 228
140 IFASC(A$)<1330RASC(A$)>136
                                        VAL(TM$)*100+.5)/100
    THEN13Ø
                         :rem 77
                                                           :rem 131
    AA=ASC(A$)-132:ONAAGOSUB11
                                   470 PRINTTAB(33-LEN(PT$))PT$
    50,1370,1520,1890 : rem 46
                                   480 PRINT "OVERHEAD EXPENSE";:T
160 IFAA=3THEN180
                       :rem 224
                                       M=OV:GOSUB3Ø3Ø:OV$=TM$:PRI
17Ø GOTO6Ø
                         :rem 55
18Ø BO=7:BG=7:CH=6:GOSUB31ØØ
                                       NTTAB (33-LEN(OV$))OV$
                                                           :rem 148
                        :rem 139
                                   490 OV=INT(VAL(TM$)*100+.5)/10
190 PRINT" [CLR] [7 DOWN] ":PRINT
    TAB (10) "YOUR CROPS ARE GRO
                                                           :rem 189
                                   500 PRINT "CROP STORAGE FEES";:
    WING.
                         :rem 96
                                       TM=(12*SB*0.015):GOSUB3030
200 FX=0:FORJ=1T03:FX=FX+(TS(J
                                       :SB$=TM$
    )*INT((BP(J)*FP(J))*100+.5
                                                           :rem 171
    )/100):NEXT
                        :rem 126
                                   510 SB=INT(VAL(TM$)*100+.5)/10
210 FX=INT(FX*100+.5)/100:SB=0
                                                           :rem 166
                                   520 PRINTTAB(33-LEN(SB$))SB$:G
                       :rem 141
220 FORJ=1TO3:SB=SR(J)+SB:NEXT
                                       OSUB3Ø1Ø
                                                           :rem 255
                                   530 PRINT" (RVS) TOTAL ASSETS=
                        :rem 142
                                       [OFF]";:TM=BA+FX+GT:GOSUB3
23Ø FORJ=1TO3:SR(J)=SR(J)-TS(J
    ):NEXT
                                       030:AA$=TM$
                                                           :rem 104
                        :rem 233
240 GOSUB2200:GOSUB2360:rem 95
                                   540 PRINTTAB(33-LEN(AA$))AA$
                                                            :rem 93
250 GT=0:FORJ=1TO3:GT=GT+(TY(J
    )*INT(YP(J)*100+.5)/100):N
                                   550 PRINT" (RVS) TOTAL DEBITS=
                                       {OFF}";
                                                           :rem 198
    EXT
                        :rem 235
                                   560 TM=LP+HV+OV+PT+SB+(CE*200)
260 PT=0:FORJ=1TO3:PT=(FU(J)*T
    A(J))+PT:NEXT:PT=INT(PT*GA
                                       :GOSUB3Ø3Ø:DT$=TM$:DT=VAL(
    *100+.5)/100
                                       TM$)
                                                           :rem 125
                        :rem 82
                                   570 PRINTTAB(33-LEN(DT$))DT$:G
270 BO=2:BG=2:CH=1:GOSUB3100
                                       OSUB294Ø
                                                            :rem 21
                       :rem 124
280 PRINT" {CLR}":PRINTTAB(5)"
                                   580 FORJ=1TO3:IFTY(J)=0THEN730
    [RVS][3 SPACES]HARVEST TIM
                                                            :rem 89
                                   590 PRINT" [CLR] HOW MANY BUSHEL
    E ON THE FARM[3 SPACES]
                                       S OF ": NS(J); " DO YOU WISH
    [OFF]
                                        ":PRINT "TO SELL?
290 GOSUB3020:PRINT"[RVS]CROP
                                                          :rem 221
    (OFF) (5 SPACES) (RVS) SELLIN
                                       PRINT"YOU HAVE A MAXIMUM O
    G PRICE[OFF][4 SPACES]
                                       F "; TY(J); " TO SELL.
    [RVS]YIELD[OFF]
                                                           :rem 221
                         :rem 97
                                   610 FG=0:X$="":INPUTX$:IFX$=""
300 FORJ=1TO3:RR=TA(J):IFRR=0T
    HENRR=1
                                       THEN590
                                                           :rem 161
                       :rem 110
310 TM=YP(J):GOSUB3030:YP$=TM$
                                   62Ø X=VAL(X$)
                                                           :rem 221
                                       IFX>TY(J)THENPRINT "YOU DON
    :YP(J)=VAL(TM$)
                       :rem 243
                                       'T HAVE ";X; "BUSHELS I ":GOS
320 TM=TY(J):GOSUB3030:TY$=TM$
                                   UB3000:GOTO590 :rem 218
640 PRINTX; "BUSHELS OF "; N$(J)
                                       UB3000 : GOTO590
    :TY(J)=VAL(TM$)
                         :rem Ø
   PRINTN$(J); TAB(13)YP$; TAB(
                                       ;" WOULD SELL": PRINT "FOR $
    33-LEN(TY$)) INT (TY(J)):NEX
                                       ";:TM=X*YP(J):GOSUB3030
340 PRINT" [DOWN] IT IS NOW TIME
                                                           :rem 218
     TO PAY YOUR BILLS AND TO
                                   650 PRINTTM$:GOSUB3020:rem 108
                                   660 PRINT"IS ";X;"BUSHELS OF ;N$(J);" OKAY? :rem
    [SPACE] SELL YOUR CROPS. ":G
                       :rem 207
    OSHRAGIO
                                                            :rem 94
350 PRINT "CURRENT BANK BALANCE
                                   670 PRINT "PRESS [RVS]F1[OFF] T
    ";:TM=BA:GOSUB3030:BA$=TM$
                                       O CHANGE, [RVS]F3[OFF] TO
    :BA=VAL(TM$)
                        :rem 58
                                                           :rem 217
                                        SPACE SELL
360 PRINTTAB(33-LEN(BA$))BA$
                                   68Ø GOSUB295Ø
                                                           :rem 238
                         :rem 95
                                   690 IFA$=CHR$(133)THEN590
370 PRINT "FUTURES CROP CHECK";
                                                           :rem 134
    :TM=FX:GOSUB3030:FX$=TM$:P
                                   700 IFA$<>CHR$(134)THEN680
    RINTTAB (33-LEN(FX$))FX$
                                                           :rem 188
                        :rem 80
                                   710 BA=BA+(INT(X*YP(J)*100+.5)
380 PRINT "TOTAL YIELD"; : TM=GT:
                                        /100)
                                                            :rem 98
    GOSUB3030:GT$=TM$:GT=VAL(T
                                   720 SR(J)=INT(TY(J)-X+SR(J))
                       :rem 219
                                                           :rem 138
390 PRINTTAB(33-LEN(GT$))GT$
                                   73Ø NEXT
                                                           :rem 217
                        :rem 146
                                   740 BA=INT((BA+FX)*100+.5)/100
400 PRINT"LOAN PAYMENT DUE"; :T
                                                            :rem 61
    M=INT((LO/3)*100+.5)/100:G
                                                           :rem 255
                                   750 IFLO=0THEN850
    OSUB3Ø3Ø
                        :rem 113
                                       PRINT" (CLR) HOW MUCH OF YOU
                                   760
410 PRINTTAB(33-LEN(TM$))TM$:L
                                       R LOAN DO YOU
                                                            :rem 24
    P=INT(VAL(TM$)*100+.5)/100
                                   770 PRINT "WISH TO PAY OFF?
                        :rem 232
                                        {2 SPACES}MINIMUM PAYMENT
420 PRINT "HARVESTING COSTS";:T
                                                           :rem 233
                                   780 PRINT"IS $";:TM=INT((LO/3)
    M=HV:GOSUB3Ø3Ø:HV$=TM$:PRI
                                        *100+.5)/100:GOSUB3030:PRI
    NTTAB (33-LEN(HV$))HV$
                        :rem 147
                                       NTTM$
```

		1530 PRINT" {CLR}"; TAB(5)" {RVS}
790 PRINT" [DOWN] YOU OWE A TOTA	1180 PRINT "YEARLY INFLATION RA	[2 SPACES] PLANTING TIME O
L OF S"::LO=INT(LO*100+.5)	TE: "; TAB(33) IR\$; "%: rem 5	N THE FARM[2 SPACES]
/100:PRINTLO :rem 247	1190 TM=GA:GOSUB3030:GA\$=TM\$:G	N THE FARM(2 SPACES)
800 FG=0:INPUTA :rem 157	A=VAL(TM\$) :rem 145	1540 PRINT" [DOWN] YOU HAVE 200
810 IFA <tmthengoto760 75<="" :="" rem="" td=""><td>1200 PRINT FUEL COST (PER GALL</td><td>[SPACE] ACRES TO PLANT, DIV</td></tmthengoto760>	1200 PRINT FUEL COST (PER GALL	[SPACE] ACRES TO PLANT, DIV
820 IFA>LOTHENA=LO :rem 139	ON) :";TAB(33-P)"\$"GA\$	
830 BA=INT((BA-A)*100+.5)/100:	:rem 2	IDED INTO"; :rem 9 1550 PRINT"5 FIELDS OF 40 ACRE
LO=(LO-A)*1.12::LO=INT(LO*	1210 TM=HS:GOSUB3030:HS\$=TM\$:H	
100+.5)/100 :rem 102	S=VAL(TM\$) :rem 195	
840 IFLO<0THENLO=0 :rem 105	1220 PRINT "HERBICIDE COST PER	1560 PRINT" [DOWN] FIELDS 1-3 AR
850 BA=BA-INT(CE*200*100+.5)/1	{SPACE UNIT: "; TAB(33-P)"\$	E AVERAGE OR SLIGHTLY ABO
00 :rem 150	"HS\$:rem 156	VEAVERAGE YIELDERS.
860 BA=BA-INT(OV*100+.5)/100	1230 TM=IS:GOSUB3030:IS\$=TM\$:I	:rem 47
:rem 248	S=VAL(TM\$) :rem 200	1570 PRINT" (DOWN) FIELDS 4 AND
870 BA=BA-INT(HV*100+.5)/100	1240 PRINT"INSECTICIDE COST PE	{SPACE}5 ARE SLIGHTLY LES
:rem 242	R UNIT:"; TAB(33-P)"\$"IS\$	S THAN [3 SPACES] AVERAGE P
	:rem 68	RODUCERS. : rem 138
880 BA=BA-INT(PT*100+.5)/100	1250 TM=OV:GOSUB3030:OV\$=TM\$:0	1580 GOSUB3010 :rem 18
:rem 249	V=VAL(TM\$) : rem 229	1590 PRINTTAB(34) "CROP: rem 193
890 BA=BA-INT(SB*100+.5)/100	1260 PRINT "OVERHEAD COSTS: "; TA	1600 FORJ=1TO5:PRINT "CROP TO B
:rem 235	B(33-P)"\$"OV\$:rem 165	E PLANTED IN FIELD [RVS]"
900 IFBA<0THENGOSUB2620 :rem 144	1270 TM=CE:GOSUB3030:CE\$=TM\$;J :rem 193
910 FORJ=1TO3:TY(J)=0:NEXT	:rem 152	1610 PRINT" (RVS) 1=WHEAT (OFF)
910 FORD=1703:T1(5)=0:NEX1 :rem 119	1280 PRINT "COST PER ACRE: "; TAB	[3 SPACES] [RVS] 2=CORN
920 FORJ=1T03:TS(J)=0:NEXT:NEX	(33-P)"\$"CE\$:GOSUB3010	[OFF] [2 SPACES] [RVS] 3=SOY
920 FORJ=1TO3:TS(J)=0:NEXT:NEX T :rem 235	(33-P)"\$"CE\$:GOSOB3010 :rem 105	BEANS[OFF] : rem 63
		1620 GOSUB2950 :rem 25
930 PRINT" (CLR)": PRINTTAB(5)"	1290 PRINTTAB(13)"[RVS]	1630 IFASC(A\$)<490RASC(A\$)>51T
[RVS][4 SPACES]END OF GAME	{2 SPACES}SEED PRICES : rem 128	HENGOSUB2980:GOTO1620
TALLY[3 SPACES][OFF] :rem 118	1300 PRINT" [DOWN] GRAIN SEED CO	:rem 31
	ST PER BUSHEL : rem 121	1640 FL(J)=VAL(A\$):PRINT"
940 PRINT" [2 DOWN] CURRENT BANK	1310 FORJ=1TO3:PRINTN\$(J);":";	[2 UP]"; TAB(33)FL(J):NEXT
BALANCE = \$";:TM=BA:GOSUB	:TM=BS(J):GOSUB3030:BS(J)	:rem 106
3030:PRINTTMS:BA=VAL(TMS)	=VAL(TM\$) : rem 106	1650 PRINT" [CLR]ALL YOUR FIELD
:rem 107	1320 PRINTTAB(33-P)"\$"TM\$:NEXT	S ARE READY FOR PLANTING.
950 GOSUB3010 :rem 226	:PRINT:GOSUB3010 :rem 73	:rem 44
960 PRINT "CROPS IN STORAGE:		1660 PRINT "THE TOTALS ARE: ":FO
:rem 187	1330 PRINTTAB(10)" (RVS) FUTURE	RJ=1TO3:X=Ø:FORJJ=1TO5
970 PRINT"[DOWN][RVS] CROP	S MARKET PRICE ":PRINT :rem 223	
[OFF] [RVS] BUSHELS IN STO		:rem 145
RAGE [OFF] : rem 30	1340 FORJ=1TO3:PRINTN\$(J);":"; :TM=BP(J)*FP(J):GOSUB3030	1670 IFFL(JJ)=JTHENX=X+40 :rem 6
980 XX=0 :rem 190	: IM-BP(3) - IP(3) : GOSOBS 03 0 3 0 3 0 3 0 3 0 3 0 3 0 3 0 3 0 3	1680 NEXT:TA(J)=X:PRINTX; " ACR
990 FORJ=1TO3:IFSR(J)<0THENSR(1350 PRINTTAB(33-P)"\$"TM\$:NEXT	ES OF ";N\$(J);" PLANTED."
J)=0 :rem 104	:PRINT :rem 206	:NEXT :rem 36
1000 PRINTN\$(J);:TM=SR(J):GOSU	136Ø GOSUB294Ø:RETURN :rem 51	1690 TM=0:FORJ=1TO3:TM=TM+(TA(
B3Ø3Ø :rem 11Ø	1370 BO=2:BG=0:CH=1:GOSUB3100	J)*BS(J)*BB(J)):NEXT:TM=I
1010 PRINTTAB(22-LEN(TM\$)); INT	:rem 172	NT((TM+.005)*100)/100
(SR(J)):XX=XX+SR(J)*YP(J)	1380 PRINT"[CLR][2 SPACES]	:rem 189
:NEXT :rem 221	[RVS][2 SPACES]YOUR FINAN	1700 PRINT" [DOWN] SEED COSTS: "
1020 PRINT" (DOWN) STORED CROP C	CIAL STATUS[2 SPACES]":GO	;:GOSUB3030:TM=VAL(TM\$):P
ASH VALUE:"; TM=XX:GOSUB3	SUB3010 :rem 248	RINTTAB(30-LEN(TM\$))"\$"TM
	1390 TM=BA:GOSUB3030:BA=VAL(TM	\$:rem 254
1030 PRINTTAB(35-LEN(TM\$));"\$" TM\$:XX=VAL(TM\$):BA=BA+XX	\$) :rem 161	1710 BH=BA:PRINT" [DOWN]BANK BA
:rem 227	1400 PRINT"SAVINGS ACCOUNT BAL	LANCE: \$";:BA=BA-TM:TM=BA
1040 PRINT "AMOUNT OWED TO BANK	ANCE: "; TAB(25-P)" \$ "BA	:GOSUB3030 :rem 48
:";:TM=LO:GOSUB3030:PRINT	:rem 144	1720 PRINTTAB(30-LEN(TM\$))"\$"T
TAB(35-LEN(TM\$));"\$"TM\$	1410 TM=LO:GOSUB3030:LO=VAL(TM	M\$:rem 49
TAB (35-LEN(TM\$)); "\$"TM\$:rem 225	\$) :rem 202	1730 PRINT" [DOWN] IS THIS OKAY?
1050 LO=VAL(TM\$):BA=BA-INT(LO*	1420 PRINT "YOU OWE THE BANK:";	(Y/N) :rem 121
1050 LO=VAL(TM\$):BA=BA-INT(LO* 100+.5)/100 :rem 33	:rem 114	1740 GOSUB2950:IFAS="N"THENBA=
100+.5)/100 : Fem 33	1430 IFLO=0THENPRINTTAB(28)"	BH:GOTO1530 :rem 206
:rem 151	":GOTO1450 :rem 60	1750 IFA\$<>"Y"THEN1740:rem 211
1070 IFBA<20000THENZZ=2:rem 90	1440 PRINTTAB(25-P)"\$"TM\$	1760 PRINT" [UP]HOW MANY UNITS
1080 PRINT "GRAND TOTAL IN BANK	:rem 143	[SPACE] PER ACRE OF INSECT
:";:TM=BA:GOSUB3Ø3Ø:BA=VA	1450 PRINT" [DOWN] ":GOSUB3010:P	ICIDE[2 SPACES]DO YOU WIS
L(TMS) :rem 64	RINT" [7 SPACES] [RVS] CROP	H TO APPLY? :rem 50
1090 PRINTTAB(35-LEN(TM\$));"\$"	S PRESENTLY IN STORAGE ":	1770 X\$="":INPUTX\$:IFX\$=""THEN
TM\$:PRINT :rem 56	PRINT:X=Ø :rem 134	1760 :rem 213
1100 ONZZGOSUB2780,2820:rem 92	1460 PRINTTAB (9) "CROP"; TAB (20)	1780 IFASC(X\$) < 480RASC(X\$) > 57T
1110 PRINT "WOULD YOU LIKE TO T	"BUSHELS :rem 46	HENGOSUB293Ø:GOTO176Ø
RY AGAIN? :rem 224	1470 FORJ=1T03:IFSR(J)<1.0THEN	:rem 88
1120 GOSUB2950:IFA\$="Y"THEN10	SR(J)=Ø :rem 241	1790 X=VAL(X\$) :rem 22
:rem 172	1480 PRINTTAB(8)N\$(J); TAB(22)S	1800 BA=BA-(X*200*IS):IN=((SQR
1130 IFA\$<>"N"THEN1120:rem 184	R(J):X=X+SR(J):NEXT	(X)-5)/5)+1 :rem 213
1140 END :rem 157	:rem 217	1810 PRINT HOW MANY UNITS PER
1150 PRINT" {CLR}":BO=1:BG=1:CH	1490 PRINT" (2 DOWN) GRAIN STORA	[SPACE] ACRE OF HERBICIDE
=Ø:GOSUB31ØØ :rem 69	GE FEE: \$";:TM=INT(X*.015	[SPACE]DO YOU WISH TO APP
1160 PRINTTAB(8)"{RVS}):GOSUB3Ø3Ø :rem 74	LY?" :rem 26
[6 SPACES] NEWS RELEASE	1500 PRINTTMS" PER MONTH.	1820 X\$="":INPUTX\$:IFX\$=""THEN
(5 SPACES) ":GOSUB3020	{2 DOWN} :rem 247	1810 :rem 205
:rem 72	1510 GOSUB2940:RETURN :rem 48	1830 IFASC(X\$) < 480RASC(X\$) > 57T HENGOSUB2930:GOTO1810
1170 IR\$=STR\$(INT((IR-1)*100))	1520 BO=5:BG=5:CH=1:GOSUB3100 :rem 177	rem 80
:rem 116	item 1//	. Tell 60

1840 X=VAL(X\$) :rem 18	2220 IFX> .80THENXX=X:GOTO2250	TS ARE ONE-THIRD OF
1850 BA=BA-(X*200*HS):HE=(((SQ	:rem 49	[2 SPACES]LOAN DUE AT 12%
R(X)-4.4)/5)+1) : rem 129	2230 IFX>.45ANDX<.5THENXX=1.03	INTEREST. : rem 108
1860 PRINT" [DOWN] PRESENT BANK		2670 IF0-BA+LO>50000THEN2860
(SPACE)BALANCE: \$";:TM=BA	:GOTO2250 :rem 103	
(SPACE)BALANCE: \$"; :TM=BA	224Ø XX=1.Ø :rem 68	:rem 54
:GOSUB3030:PRINTTM\$:GOSUB	2250 X=RND(.)*(.9901)+.01	2680 PRINT" [2 DOWN] YOU WILL NE
3000 :rem 17	:rem 82	ED TO BORROW AT LEAST: ":P
1870 IFBA<0THEN2620 :rem 71	2260 IFX < .1 THENXX=XX+1+X:GOTO2	RINT"\$";0-(INT(BA*100+.5)
1880 RETURN : rem 177	300 :rem 47	/100) :rem 58
1890 PRINT"[CLR][RVS]	2270 IFX>.75THENXX=XX+X:GOTO23	2690 PRINT"YOU CAN BORROW UP T
[3 SPACES] GRAIN FUTURES M	ØØ :rem 17	O \$";50000-INT(LO*100+.5)
ARKET SALES[3 SPACES]	2280 IFX>.4ANDX<.5THENXX=XX+1.	/100 :rem 117
_	Ø2:GOTO23ØØ :rem 13	2700 PRINT"[DOWN]YOU OWE A GRA
:rem 1		
1900 PRINT" {2 DOWN } YOU HAVE TH	229Ø XX=XX+1 :rem 198	ND TOTAL OF \$"; INT(LO*100
E FOLLOWING AMOUNTS OF	2300 XX=XX/2 :rem 195	+.5)/100 :rem 24
:rem 138	2310 IFX<.2THENIN=IN/2:HE=HE/2	2710 PRINT" {2 DOWN } HOW MUCH DO
1910 PRINT"GRAIN PRESENTLY IN	:rem 54	YOU WISH TO BORROW?
{SPACE}STORAGE: ":PRINT	2320 SF=IN:IFIN>1.1THENSF=1.1	:rem 190
:rem 128	:rem 247	2720 INPUTX\$:X=VAL(X\$):IFVAL(X
1920 FORJ=1TO3:IFSR(J)<0THENSR	2330 HF=HE:IFHF>1.1THENHF=1.1	\$)=ØTHEN272Ø :rem 54
1 -1	:rem 207	2730 IFLO+X>50000THENPRINT "SOR
	2340 FORJ=1TO3:TY(J)=0:NEXT	RY, YOUR CREDIT LINE IS \$5
1930 PRINTN\$(J), INT(SR(J)); "BU	The state of the s	
SHELS":NEXT:GOSUB3010	:rem 166	0,000":GOTO2710 :rem 71
:rem 155	2350 FORJ=1TO5:K=FL(J):TY(K)=I	2740 IFX <int(0-ba+.005)thenpri< td=""></int(0-ba+.005)thenpri<>
1940 PRINT "GRAIN MARKET FUTURE	NT(40*FF(J)*BY(K)*XX*HF*S	NT "THAT WILL NOT BE ENOUG
S PRICES : rem 166	F+TY(K)):NEXT:RETURN	H, TRY AGAIN":GOTO2710
1950 FORJ=1TO3:PRINTN\$(J), "\$";	:rem 158	:rem 233
:TM=BP(J)*FP(J):GOSUB3030	2360 FORJ=1TO3:GOSUB2580:DM(J)	276Ø LO=LO+X:BA=INT((BA+X)*100
:PRINTTMS:NEXT :rem 12	=XX:GOSUB2580:DC(J)=XX:GO	+.5)/100:IFLO<0THENLO=0
	SUB2580:EM(J)=XX :rem 203	:rem 98
1960 PRINT WHICH GRAIN WOULD Y	2370 GOSUB2580:FC(J)=XX:NEXT	277Ø LO=LO*1.12:RETURN :rem 73
OU LIKE TO SELL? : rem 162	:rem 223	278Ø BO=7:BG=4:CH=Ø:GOSUB31ØØ
1970 PRINT" (RVS)F1 (OFF) WHEAT		:rem 186
{2 SPACES}{RVS}F3{OFF}=CO	238Ø X=Ø :rem 146 239Ø X=Ø:FORJ=1TO3:X=DM(J)+X:X	2790 PRINT" [DOWN] CONGRATULATIO
RN[2 SPACES][RVS]F5[OFF]=		
SOYBEANS [2 SPACES] [RVS] F7	=X+DC(J):X=X+EM(J):X=X+FC	NSII[2 SPACES]YOU HAVE MA
[OFF]=NONE : rem 238	$(J):FA(J)=X/4:X=\emptyset:NEXT$	NAGED THE : rem 64
1980 GOSUB2950:IFASC(A\$)<1330R	:rem 245	2800 PRINT "NEARLY IMPOSSIBLE T
ASC(A\$)>136THEN1980	2400 FORJ=1TO3:YP(J)=FA(J)*BP(ASK OF MAKING MONEY
:rem 82	J):NEXT :rem 232	2810 PRINT "AT FARMING. :rem 66
1990 J=ASC(A\$)-132::IFJ=4THENR	2410 X=0:FORJ=1TO3 :rem 59	{2 SPACES}THE BANK CONSID
ETURN :rem 119	2420 IFDC(J)>1.05THENXX=.95:GO	ERS YOU A ":PRINT"GOOD RIS
2000 IFSR(J)=0THENPRINT"YOU DO	TO2450 :rem 113	
N'T HAVE ANY "; N\$(J); "1":	2430 IFDC(J) <.9THENXX=1.1:GOTO	K.":RETURN :rem 253
GOTO1960 :rem 14	2450 :rem 7	2820 BO=6:BG=6:CH=1:GOSUB3100
2010 PRINT "HOW MANY BUSHELS OF	2440 XX=1 :rem 232	:rem 183
":N\$(J); " DO YOU :rem 23	2450 X=X+XX :rem 147	2830 PRINT "YOU HAVE PROVEN YOU
2020 PRINT WANT TO SELL (UP TO	2460 IFEM(J)>1.05THENXX=.95:GO	RSELF A VERY POOR : rem 55
";SR(J);" BUSHELS)?	TO2490 :rem 132	2840 PRINT "FARMER! YOU LOST MO
:rem 104	2470 IFEM(J) <.95THENXX=1.12:GO	NEY, AND NOW YOUR: rem 228
2030 INPUTK : rem 160	TO2490 :rem 129	2850 PRINT "FARM MUST BE SOLD T
2040 IFK>SR(J) THENPRINT "YOU DO	T02490 :rem 129 2480 XX=1 :rem 236	O PAY YOUR CREDITORS!":RE
N'T HAVE THAT MUCH GRAIN!	2490 X=X+XX :rem 151	TURN :rem 142
		2860 GOSUB3000:GOSUB3000:PRINT
":GOTO2010 :rem 65	2500 IFFC(J)>1.1THENXX=.8:GOTO	"[CLR][RVS][5 SPACES]SORR
2050 SR(J)=SR(J)-K:IFSR(J)<0TH	2530 :rem 7	Y, YOU ARE BANKRUPT.
$ENSR(J) = \emptyset : rem 77$	2510 IFFC(J) <.97THENXX=1.09:GO	[11 SPACES][OFF] :rem 101
2060 TS(J)=K :rem 146	TO2530 :rem 118	2870 PRINT" [2 DOWN] YOU HAVE MA
2070 PRINT "WOULD YOU LIKE TO S	2520 XX=1 :rem 231	NAGED TO RUN YOUR CREDIT
ELL MORE GRAIN? :rem 91	2520 XX=1 :rem 231 2530 X=X+XX:X=X/3 :rem 27	
2080 GOSUB2960:IFA\$="Y"THEN189	2540 IFX=1THENX=1.03 :rem 166	:rem 210
Ø :rem 36		2880 PRINT"LINE TO THE LIMIT,
2090 IFA\$<>"N"THEN2080:rem 196	2550 FP(J)=X :rem 146	[SPACE]AND NOW YOU ARE
2100 RETURN : rem 163	2560 X=0 :rem 146	:rem 116
2110 X=INT((RND(.)*7+1))/100	257Ø NEXT : rem 13	2890 PRINT "BROKE! [2 SPACES] YOU
:rem 198	258Ø X=RND(.)*(.9901)+.01	OWE CONSIDERABLE BACK TA
2120 IFX>.05THEN2140 :rem 115	:rem 88	XES :rem 127
	2590 IFX<.45THENXX=X+1:RETURN	2900 PRINT "AND YOUR FARM WILL
	:rem 116	{SPACE}BE SOLD AT A
2140 IR=1 :rem 208		
	2600 TFX> . 70THENXX=X : RETURN	:rem 137
2150 FORJ=1TO3:BS(J)=INT(BS(J)	2600 IFX>.70THENXX=X:RETURN :rem 16	:rem 137 2910 PRINT"SHERIFF'S AUCTION T
*IR*100)/100:NEXT :rem 9	:rem 16	2910 PRINT "SHERIFF'S AUCTION T
*IR*100)/100:NEXT :rem 9 2160 GA=INT(GA*IR*100+.5)/100:	261Ø XX=1:RETURN :rem 1	2910 PRINT"SHERIFF'S AUCTION T O PAY YOUR DEBTS.:rem 139
*IR*100)/100:NEXT :rem 9 2160 GA=INT(GA*IR*100+.5)/100: IS=IS*(IR+.01):HS=HS*IR:O	:rem 16 2610 XX=1:RETURN :rem 1 2620 PRINT"[CLR] [RVS] YOU NEED	2910 PRINT"SHERIFF'S AUCTION T O PAY YOUR DEBTS.:rem 139 2920 PRINT" [3 DOWN] ":GOTO1110
*IR*100)/100:NEXT :rem 9 2160 GA=INT(GA*IR*100+.5)/100: IS=IS*(IR+.01):HS=HS*IR:0 V=OV*(IR+.01):HV=HV*IR	:rem 16 2610 XX=1:RETURN :rem 1 2620 PRINT"[CLR][RVS]YOU NEED [SPACE]TO BORROW MONEY TO	2910 PRINT"SHERIFF'S AUCTION T O PAY YOUR DEBTS.:rem 139 2920 PRINT"{3 DOWN}":GOTO1110 :rem 7
*IR*100)/100:NEXT :rem 9 2160 GA=INT(GA*IR*100+.5)/100: IS=IS*(IR+.01):HS=HS*IR:0 V=OV*(IR+.01):HV=HV*IR :rem 26	2610 XX=1:RETURN :rem 1 2620 PRINT"[CLR] [RVS] YOU NEED [SPACE] TO BORROW MONEY TO KEEP FARMING :rem 137	2910 PRINT "SHERIFF'S AUCTION T O PAY YOUR DEBTS.:rem 139 2920 PRINT "{3 DOWN}":GOTO1110 :rem 7 2930 FG=1:PRINT "{DOWN}YOU MUST
*IR*100)/100:NEXT :rem 9 2160 GA=INT(GA*IR*100+.5)/100: IS=IS*(IR+.01):HS=HS*IR:0 V=OV*(IR+.01):HV=HV*IR :rem 26 2170 CE=INT(CE*(IR+.01)*100+.5	:rem 16 2610 XX=1:RETURN :rem 1 2620 PRINT"{CLR}{RVS}YOU NEED {SPACE}TO BORROW MONEY TO KEEP FARMING :rem 137 2630 PRINT"{2 DOWN}YOUR BALANC	2910 PRINT"SHERIFF'S AUCTION T O PAY YOUR DEBTS.:rem 139 2920 PRINT"{3 DOWN}":GOTO1110 :rem 7 2930 FG=1:PRINT"{DOWN}YOU MUST ENTER A NUMBER HERE.
*IR*100)/100:NEXT :rem 9 2160 GA=INT(GA*IR*100+.5)/100: IS=IS*(IR+.01):HS=HS*IR:0 V=OV*(IR+.01):HV=HV*IR :rem 26 2170 CE=INT(CE*(IR+.01)*100+.5)/100 :rem 44	:rem 16 2610 XX=1:RETURN :rem 1 2620 PRINT"{CLR}{RVS}YOU NEED {SPACE}TO BORROW MONEY TO KEEP FARMING :rem 137 2630 PRINT"{2 DOWN}YOUR BALANC E IN THE BANK HAS:rem 193	2910 PRINT "SHERIFF'S AUCTION T O PAY YOUR DEBTS.:rem 139 2920 PRINT" [3 DOWN] ":GOTO1110" :rem 7 2930 FG=1:PRINT" [DOWN] YOU MUST ENTER A NUMBER HERE. [2 UP] ":GOSUB3000:RETURN
*IR*100)/100:NEXT :rem 9 2160 GA=INT(GA*IR*100+.5)/100: IS=IS*(IR+.01):HS=HS*IR:0 V=OV*(IR+.01):HV=HV*IR :rem 26 2170 CE=INT(CE*(IR+.01)*100+.5)/100 :rem 44 2180 FORJ=1TO3:BP(J)=BP(J)*(IR	:rem 16 2610 XX=1:RETURN :rem 1 2620 PRINT"[CLR] [RVS]YOU NEED	2910 PRINT"SHERIFF'S AUCTION T O PAY YOUR DEBTS.:rem 139 2920 PRINT" {3 DOWN}":GOTO1110 :rem 7 2930 FG=1:PRINT" {DOWN}YOU MUST ENTER A NUMBER HERE. {2 UP}":GOSUB7000:RETURN :rem 62
*IR*100)/100:NEXT :rem 9 2160 GA=INT(GA*IR*100+.5)/100: IS=IS*(IR+.01):HS=HS*IR:0 V=OV*(IR+.01):HV=HV*IR	:rem 16 2610 XX=1:RETURN :rem 1 2620 PRINT"[CLR] [RVS]YOU NEED [SPACE]TO BORROW MONEY TO KEEP FARMING :rem 137 2630 PRINT"[2 DOWN]YOUR BALANC E IN THE BANK HAS:rem 193 2640 PRINT"DROPPED BELOW \$0. [2 SPACES]TO MEET YOUR PA	2910 PRINT"SHERIFF'S AUCTION T O PAY YOUR DEBTS.:rem 139 2920 PRINT" [3 DOWN] ":GOTO1110" :rem 7 2930 FG=1:PRINT" [DOWN] YOU MUST ENTER A NUMBER HERE. [2 UP] ":GOSUB) 000:RETURN :rem 62 2940 PRINT" [RVS] [6 SPACES] PRES
*IR*100)/100:NEXT :rem 9 2160 GA=INT(GA*IR*100+.5)/100: IS=IS*(IR+.01):HS=HS*IR:0 V=OV*(IR+.01):HV=HV*IR	:rem 16 2610 XX=1:RETURN :rem 1 2620 PRINT"[CLR] [RVS]YOU NEED [SPACE]TO BORROW MONEY TO KEEP FARMING :rem 137 2630 PRINT"[2 DOWN]YOUR BALANC E IN THE BANK HAS:rem 193 2640 PRINT"DROPPED BELOW \$0. [2 SPACES]TO MEET YOUR PA YMENTS :rem 146	2910 PRINT"SHERIFF'S AUCTION T O PAY YOUR DEBTS.:rem 139 2920 PRINT" {3 DOWN}":GOTO1110 :rem 7 2930 FG=1:PRINT" {DOWN}YOU MUST ENTER A NUMBER HERE. {2 UP}":GOSUB3000:RETURN :rem 62 2940 PRINT" {RVS} {6 SPACES} PRES S ANY KEY TO CONTINUE
*IR*100)/100:NEXT :rem 9 2160 GA=INT(GA*IR*100+.5)/100: IS=IS*(IR+.01):HS=HS*IR:0 V=OV*(IR+.01):HV=HV*IR :rem 26 2170 CE=INT(CE*(IR+.01)*100+.5)/100 :rem 44 2180 FORJ=1T03:BP(J)=BP(J)*(IR 01):NEXT:RETURN:rem 118 2190 FORJ=1T03:FP(J)=1.05:NEXT :RETURN :rem 64	:rem 16 2610 XX=1:RETURN :rem 1 2620 PRINT"[CLR] {RVS}YOU NEED {SPACE}TO BORROW MONEY TO KEEP FARMING :rem 137 2630 PRINT"{2 DOWN}YOUR BALANC E IN THE BANK HAS:rem 193 2640 PRINT"DROPPED BELOW \$0. {2 SPACES}TO MEET YOUR PA YMENTS :rem 146 2650 PRINT"{UP}YOU WILL NEED T	2910 PRINT"SHERIFF'S AUCTION T O PAY YOUR DEBTS.:rem 139 2920 PRINT" {3 DOWN}":GOTO1110 :rem 7 2930 FG=1:PRINT" {DOWN}YOU MUST ENTER A NUMBER HERE. {2 UP}":GOSUB3000:RETURN :rem 62 2940 PRINT" {RVS} {6 SPACES} PRES S ANY KEY TO CONTINUE {7 SPACES} {OFF}":GOSUB295
*IR*100)/100:NEXT :rem 9 2160 GA=INT(GA*IR*100+.5)/100: IS=IS*(IR+.01):HS=HS*IR:0 V=OV*(IR+.01):HV=HV*IR :rem 26 2170 CE=INT(CE*(IR+.01)*100+.5)/100 :rem 44 2180 FORJ=1TO3:BP(J)=BP(J)*(IR 01):NEXT:RETURN:rem 118 2190 FORJ=1TO3:FP(J)=1.05:NEXT :RETURN :rem 64 2200 X=RND(.)*(0.9901)+.01	:rem 16 2610 XX=1:RETURN :rem 1 2620 PRINT"{CLR}{RVS}YOU NEED {SPACE}TO BORROW MONEY TO KEEP FARMING :rem 137 2630 PRINT"{2 DOWN}YOUR BALANC E IN THE BANK HAS:rem 193 2640 PRINT"DROPPED BELOW \$0. {2 SPACES TO MEET YOUR PA YMENTS :rem 146 2650 PRINT"{UP}YOU WILL NEED T O BORROW SOME MONEY FROM	2910 PRINT "SHERIFF'S AUCTION T
*IR*100)/100:NEXT :rem 9 2160 GA=INT(GA*IR*100+.5)/100: IS=IS*(IR+.01):HS=HS*IR:0 V=OV*(IR+.01):HV=HV*IR :rem 26 2170 CE=INT(CE*(IR+.01)*100+.5)/100 :rem 44 2180 FORJ=1TO3:BP(J)=BP(J)*(IR 01):NEXT:RETURN:rem 118 2190 FORJ=1TO3:FP(J)=1.05:NEXT :RETURN :rem 64 2200 X=RND(.)*(0.9901)+.01 :rem 125	:rem 16 2610 XX=1:RETURN :rem 1 2620 PRINT"{CLR}{RVS}YOU NEED {SPACE}TO BORROW MONEY TO KEEP FARMING :rem 137 2630 PRINT"{2 DOWN}YOUR BALANC E IN THE BANK HAS:rem 193 2640 PRINT"DROPPED BELOW \$0. {2 SPACES}TO MEET YOUR PA YMENTS :rem 146 2650 PRINT"{UP}YOU WILL NEED T O BORROW SOME MONEY FROM {SPACE}THE BANK (UP TO \$5	2910 PRINT "SHERIFF'S AUCTION T O PAY YOUR DEBTS.:rem 139 2920 PRINT" [3 DOWN] ":GOTO1110" :rem 7 2930 FG=1:PRINT" [DOWN] YOU MUST ENTER A NUMBER HERE. [2 UP] ":GOSUB3000:RETURN :rem 62 2940 PRINT" [RVS] [6 SPACES] PRES S ANY KEY TO CONTINUE [7 SPACES] [OFF] ":GOSUB295 0:RETURN :rem 206 2950 POKE198,0 :rem 253
*IR*100)/100:NEXT :rem 9 2160 GA=INT(GA*IR*100+.5)/100: IS=IS*(IR+.01):HS=HS*IR:0 V=OV*(IR+.01):HV=HV*IR:	:rem 16 2610 XX=1:RETURN :rem 1 2620 PRINT"{CLR}{RVS}YOU NEED {SPACE}TO BORROW MONEY TO KEEP FARMING :rem 137 2630 PRINT"{2 DOWN}YOUR BALANC E IN THE BANK HAS:rem 193 2640 PRINT"DROPPED BELOW \$0. {2 SPACES}TO MEET YOUR PA YMENTS :rem 146 2650 PRINT"{UP}YOU WILL NEED T O BORROW SOME MONEY FROM {SPACE}THE BANK (UP TO \$5 0,000). :rem 213	2910 PRINT "SHERIFF'S AUCTION T O PAY YOUR DEBTS.:rem 139 2920 PRINT" [3 DOWN] ":GOTO1110" :rem 7 2930 FG=1:PRINT" [DOWN] YOU MUST ENTER A NUMBER HERE. [2 UP] ":GOSUB3000:RETURN :rem 62 2940 PRINT" [RVS] [6 SPACES] PRES S ANY KEY TO CONTINUE [7 SPACES] [OFF] ":GOSUB295 0:RETURN :rem 206 2950 POKE198,0 :rem 253 2960 GETA\$:IFA\$=""THEN2960"
*IR*100)/100:NEXT :rem 9 2160 GA=INT(GA*IR*100+.5)/100: IS=IS*(IR+.01):HS=HS*IR:0 V=OV*(IR+.01):HV=HV*IR :rem 26 2170 CE=INT(CE*(IR+.01)*100+.5)/100 :rem 44 2180 FORJ=1TO3:BP(J)=BP(J)*(IR 01):NEXT:RETURN:rem 118 2190 FORJ=1TO3:FP(J)=1.05:NEXT :RETURN :rem 64 2200 X=RND(.)*(0.9901)+.01 :rem 125	:rem 16 2610 XX=1:RETURN :rem 1 2620 PRINT"{CLR}{RVS}YOU NEED {SPACE}TO BORROW MONEY TO KEEP FARMING :rem 137 2630 PRINT"{2 DOWN}YOUR BALANC E IN THE BANK HAS:rem 193 2640 PRINT"DROPPED BELOW \$0. {2 SPACES}TO MEET YOUR PA YMENTS :rem 146 2650 PRINT"{UP}YOU WILL NEED T O BORROW SOME MONEY FROM {SPACE}THE BANK (UP TO \$5	2910 PRINT "SHERIFF'S AUCTION T O PAY YOUR DEBTS.:rem 139 2920 PRINT" [3 DOWN] ":GOTO1110" :rem 7 2930 FG=1:PRINT" [DOWN] YOU MUST ENTER A NUMBER HERE. [2 UP] ":GOSUB3000:RETURN :rem 62 2940 PRINT" [RVS] [6 SPACES] PRES S ANY KEY TO CONTINUE [7 SPACES] [OFF] ":GOSUB295 0:RETURN :rem 206 2950 POKE198,0 :rem 253 2960 GETA\$:IFA\$=""THEN2960"

The state of the state of the	RETURN :rem 178
2980	PRINT "YOU MUST ENTER 1,2, OR 3 HERE.":GOSUB3000:RE
	TURN : rem 96
2990	PRINT" [UP] [32 SPACES] [UP]
	": RETURN : rem 225
3000	FORT=1TO2000:NEXT:RETURN :rem 100
3010	PRINT"
3010	": RETU
-	RN :rem 93 PRINT"************************************
3020	PRINT "************************************
	RN :rem 48
3030	TM\$=STR\$(INT(TM*100+.5)/1
	00) :rem 28
3040	P=Ø:FORA=1TOLEN(TM\$) :rem 236
3050	IFMID\$(TM\$,A,1)="."THENP=
	A-1 :rem 63
3060	NEXT:IFP=ØTHENTM\$=TM\$+CHR \$(46):P=1 :rem 99
3070	IFMID\$(TM\$,(LEN(TM\$)-2),1
30 70)=CHR\$ (46) THEN3090
200000000	:rem 143
3080	TM\$=TM\$+CHR\$(48):GOTO3040 :rem 181
3090	RETURN :rem 172
3100	POKE53280, BO: POKE53281, BG
	:POKE646, CH:RETURN
3110	:rem 173 PRINT"[CLR][4 DOWN]";TAB(
3110	13)" [RVS] THE FARM GAME
	:rem 9
3120	FORJ=1TO3:READN\$(J):NEXT:
	FORJ=1TO3:READBP(J):NEXT: FORJ=1TO3:READFU(J):NEXT
	:rem 118
3130	FORJ=1TO3:READBY(J):NEXT:
	FORJ=1TO3:READBB(J):NEXT: FORJ=1TO3:READBS(J):NEXT
	:rem 140
3140	READBA: READLO: READGA: READ
	CE:FORJ=1TO3:SR(J)=0:NEXT
3150	:READIS:HS=IS :rem 195 FORJ=1TO5:READFF(J):NEXT:
3130	FORJ=1TO3:READDF(J):NEXT:
	FORJ=1TO3:READCF(J):NEXT
20152	:rem 123
3160	FORJ=1TO3:READEF(J):NEXT: FORJ=1TO3:READOF(J):NEXT:
	READOV:HV=2*OV :rem 243
3170	BA\$=STR\$(BA):RETURN
2100	:rem 186 DATA"WHEAT", "CORN", "SOYBE
3180	ANS", 2.80, 2.33, 6.30, 50, 85
	,60 :rem 46
3190	DATA62,100,31,1.5,.334,1.
	5,7,65,7.25,20000,0,1,70
3200	:rem 108 DATA1,1.1,1.03,1,.98,.9,.
	8,1.1,.82,1,1.1,1:rem 253
3210	DATA1, .5,1.1, .6, .25,1.12,
	2000 :rem 137
Pro	gram 2: The Farm Game—
	Version
(IVOI	e: 16K memory expansion

required)

10 PRINTCHR\$(14):BG=127:CH=0:G :rem 242 OSUB3Ø4Ø CLR:GOSUB3050:FG=0:PRINTTAB (2)" [4 DOWN] HOW LONG WILL Y OU" : PRINT "MANAGE YOUR FARM :rem 124 30 INPUTQQ\$:QQ=VAL(QQ\$):IFQQ=0 :rem 36 THENGOSUB2870 :rem 187 40 IFFG<>0THEN20 FORZZ=1TOQQ:GOSUB2040:GOSUB 2080:IFZZ=1THENGOSUB2130

:rem 178	
YOU MUST ENTER 1,2, HERE. ":GOSUB3000:RE	
rem 96 [UP][32 SPACES][UP]	
RN :rem 225 TO2000:NEXT:RETURN :rem 100	
":RETU	
:rem 93 ************************************	
:rem 48 'R\$(INT(TM*100+.5)/1	
:rem 28 RA=1TOLEN(TM\$) :rem 236	
(TM\$,A,1)="."THENP= :rem 63	
FP=ØTHENTM\$=TM\$+CHR P=1 :rem 99	
(TM\$,(LEN(TM\$)-2),1 (46)THEN3090 :rem 143	
1\$+CHR\$(48):GOTO3040 :rem 181	
:rem 172 3280,B0:POKE53281,BG 546,CH:RETURN	
:rem 173 '{CLR}{4 DOWN}";TAB(RVS} THE FARM GAME	
:rem 9 LTO3:READN\$(J):NEXT: LTO3:READBP(J):NEXT:	
TO3:READFU(J):NEXT :rem 118	
TO3:READBY(J):NEXT:	
TO3:READBS(J):NEXT :rem 140 A:READLO:READGA:READ	
RJ=1TO3:SR(J)=0:NEXT IS:HS=IS :rem 195	
TO5:READFF(J):NEXT:	
TO3:READCF(J):NEXT: :rem 123:READEF(J):NEXT:	
1TO3:READEF(J):NEXT: 1TO3:READOF(J):NEXT: 1:HV=2*OV :rem 243	
rR\$(BA):RETURN :rem 186	
WHEAT", "CORN", "SOYBE 2.80,2.33,6.30,50,85 :rem 46	
2,100,31,1.5,.334,1. 5,7.25,20000,0,1,70	
:rem 108 ,1.1,1.03,1,.98,.9,.	
,.82,1,1.1,1:rem 253 ,.5,1.1,.6,.25,1.12, :rem 137	
: The Farm Game—	
	1

	60 B	G=221:CH=0:GOSUB3040	410	PRINTTAB(10-LEN(TM\$))"\$"TM
	00 2	:rem 116		\$:LP=INT(VAL(TM\$)*100+.5)/
	70 P	RINT" [CLR] [RVS] YEAR: [OFF]"		100 :rem 75
		ZZ:PRINT" [RVS] SEASON SELEC	420	PRINT "HARVESTING COSTS": TM
		ION: [OFF] : rem 127		=HV:GOSUB2970:HVS=TMS:PRIN
		RINT" [2 DOWN]F1 KEY=MARKET		TTAB (10-LEN(HV\$))"\$"HV\$
		NEWS : rem 215		:rem 199
	90 P	RINT"F3 KEY=YOUR FINANCES	430	HV=INT(VAL(TM\$)*100+.5)/10
		- :rem 77	12172-005	Ø :rem 176
ı	100	PRINT"F5 KEY=PLANTING	440	PRINT "COST FOR 200 ACRES":
ı		- :rem 190		TM=INT(CE*200*100+.5)/100: GOSUB2970:CE\$=TM\$:rem 158
ı	110	PRINT "F7 KEY=SELL FUTURES		PRINTTAB(10-LEN(CE\$))"\$"CE
ı		:rem 66	450	s :rem 204
ı	120	PRINT" { 2 DOWN } WHAT IS YOUR	100	PRINT"FUEL EXPENSE": TM=PT:
١	- American	CHOICE? :rem 237 GOSUB2890 :rem 231	460	GOSUB2970: PT\$=TM\$: PT=INT(V
l	130	GOSUB289Ø :rem 231		AL(TM\$)*100+.5)/100:rem 84
l	140	IFASC(A\$)<1330RASC(A\$)>136	470	PRINTTAB(10-LEN(PT\$))"\$"PT
۱		THEN130 :rem 77	4/10	s :rem 6
ı	150	AA=ASC(A\$)-132:ONAAGOSUB11	480	PRINT "OVERHEAD EXPENSE": TM
١	100	10,1330,1480,1830 :rem 37	400	=OV:GOSUB2970:OV\$=TM\$:PRIN
ı	100	IFAA=3THEN18Ø :rem 224 GOTO6Ø :rem 55		TTAR (10-LEN(OVS))"S"OVS
١		BG=238:CH=1:GOSUB3040		:rem 200
١	100	:rem 176	490	OV=INT(VAL(TM\$)*100+.5)/10
۱	190	PRINT" [CLR] [7 DOWN] ":PRINT		Ø :rem 189
۱	130	"YOUR CROPS ARE GROWING	500	PRINT "CROP STORAGE FEES": T
١		:rem 169	177	$M=(12*\overline{S}B*\emptyset.\overline{\emptyset}15):GOS\overline{U}B297\emptyset:$
١	200	FX=Ø:FORJ=1TO3:FX=FX+(TS(J	NE-578	SB\$=TM\$:rem 124
I	200)*INT((BP(J)*FP(J))*100+.5	510	SB=INT(VAL(TM\$)*100+.5)/10
١	V)/100):NEXT :rem 126		Ø :rem 166
١	210	FX=INT(FX*100+.5)/100:SB=0	520	PRINTTAB(10-LEN(SB\$))"\$"SE
١		:rem 141		\$:rem 228 GOSUB288Ø :rem 234
١	220	FORJ=1TO3:SB=SR(J)+SB:NEXT		PRINT" [CLR] [RVS] TOTAL ASSE
١		:rem 142	540	TS={OFF}":TM=BA+FX+GT:GOSU
١	230	FORJ=1TO3:SR(J)=SR(J)-TS(J)	6	B2970:AA\$=TM\$:rem 205
١	- Was allowed):NEXT :rem 233	550	PRINTTAB(10-LEN(AA\$))"\$"AF
١		GOSUB2140:GOSUB2300:rem 92	330	\$:rem 193
١	250	$GT=\emptyset:FORJ=1TO3:GT=GT+TY(J)$	560	PRINT" [DOWN] [RVS] TOTAL DER
		*INT(YP(J)*100+.5)/100:NEX	300	ITS={OFF}" :rem 157
	0	T :rem 154	570	TM=LP+HV+OV+PT+SB+(CE*200)
1	260	PT=Ø:FORJ=1TO3:PT=(FU(J)*T		:GOSUB2970:DTS=TMS:DT=VAL
	11245	A(J))+PT:NEXT:PT=INT(PT*GA	N. e	TM\$) :rem 138
	270	*100+.5)/100 :rem 82	580	PRINTTAB(10-LEN(DT\$))"\$"DT
1	210	BG=248:CH=0:GOSUB3040	No. of Contract of	C GOGUPOOOG 10

280 PRINT" [CLR] ":PRINTTAB(2)"

290 GOSUB2960:PRINT"[2 SPACES]

300 FORJ=TO3:RR=TA(J):IFRR=0T

310 TM=YP(J):GOSUB2970:YP\$=TM\$

340 PRINT" [DOWN] IT IS NOW TIME TO PAY YOUR BILLS AND TO

350 PRINT" [CLR] CURRENT BANK BA

370 PRINT "FUTURES CROP CHECK":

380 PRINT "TOTAL YIELD": TM=GT:G

390 PRINTTAB(10-LEN(GT\$))GT\$

400 PRINT "LOAN PAYMENT DUE": TM

[RVS]CROP[OFF][2 SPACES]

RVS PRICE (OFF) [3 SPACES]

TM=TY(J):GOSUB2970:TY\$=TM\$

PRINTNS(J); TAB(8) YPS; : PRIN

TTAB (24-(LEN(TY\$))) INT (TY(

[SPACE] SELLYOUR CROPS. ":GO

LANCE ": TM=BA:GOSUB2970:BA\$

=TM\$:BA=VAL(TM\$) :rem 158 360 PRINTTAB(10-LEN(BA\$))"\$"BA

TM=FX:GOSUB2970:FX\$=TM\$:PR

OSUB2970 :GTS=TM\$:GT=VAL(TM

=INT((LO/3)*100+.5)7100:GO

INTTAB (10-LEN(FX\$))"\$"FX\$

E[3 SPACES][OFF]

{RVS}YIELD{OFF}

:YP(J)=VAL(TM\$)

:TY(J)=VAL(TM\$)

HENRR=1

J)):NEXT

SUB2880

5)

:rem 23

SUB2970

320

[RVS][3 SPACES]HARVEST TIM

120 PRINT "HARVESTING COSTS": TM =HV:GOSUB2970:HVS=TMS:PRIN TTAB (10-LEN(HV\$))"\$"HV\$:rem 199 430 HV=INT(VAL(TM\$)*100+.5)/10 :rem 176 440 PRINT"COST FOR 200 ACRES": TM=INT(CE*200*100+.5)/100: GOSUB2970:CE\$=TM\$:rem 158 450 PRINTTAB(10-LEN(CE\$))"\$"CE :rem 204 460 PRINT"FUEL EXPENSE": TM=PT: GOSUB2970:PT\$=TM\$:PT=INT(V AL(TM\$)*100+.5)/100:rem 84 470 PRINTTAB(10-LEN(PT\$))"\$"PT 480 PRINT "OVERHEAD EXPENSE": TM =OV:GOSUB2970:OV\$=TM\$:PRIN TTAB (10-LEN(OV\$)) " \$"OV\$:rem 200 490 OV=INT(VAL(TM\$)*100+.5)/10 :rem 189 500 PRINT "CROP STORAGE FEES": T M=(12*SB*Ø.015):GOSUB2970: SB\$=TM\$:rem 124 510 SB=INT(VAL(TM\$)*100+.5)/10 :rem 166 520 PRINTTAB(10-LEN(SB\$))"\$"SB :rem 228 530 GOSUB2880 B2970:AA\$=TM\$ ITS={OFF}" TMS) S:GOSUB2880 THEN620 EN600 640 X=VAL(X\$) 70 SPACE | SELL 700 GOSUB2890 /100)

:rem 176

:rem 49

:rem 110

:rem 255

:rem 12

:rem 164

:rem 221

:rem 194

:rem 132

:rem 172

:rem 141

:rem 66

1909 PRINT*[CLA] SON MUCHI OF YOUR R LOAN DO YOU MEED TO PAY 1909 1918 1909 1918 1909 1918 1909 1918 1909 1918 1909 1918 1909 1918 1909 1918 1909 1918 1909 1918 1909 1918 1909 1918	1 770	IFLO=ØTHEN87Ø :rem 3		S-WAY (much		
LOAN DO YOU WISH TO PAY	780	PRINT" (CLR) HOW MICH OF YOU	1180	S=VAL(TM\$) :rem 212	1	E(5 SPACES)AVERAGE YIELDE
14 SPACES OFF7 rem 25		R LOAN DO YOU WISH TO PAY	1100		7	
399 PRINT*[INITION PAYMENT IS:" 308 THE INTY (LO2) 19103. 19101		14 SPACES LOFE? . rom 252	1190	TM-IC-COCUPACION : rem 66	1530	PRINT" [DOWN] FIELDS 4 AND
1208 PRINT* (ILO)3)*1884.53/1895 CREATED	790	PRINT "MINIMIM DAVMENT TO."	1130			[SPACE] 5 ARE[4 SPACES] SLI
Content Cont			1200	DPI NULL INCOMPAGNATION IN THE 217		
1210 PRINTY CINNI YOU OWN THE	800	TM=INT((10/3)*100+ 5)/100.	1200		200	
120	000	GOSUB2970 + PRINTTAR (3) TMS	1210	6-P)"\$"18\$:rem 225		
20			1210	IM=OV:GOSUB2970:OV\$=TM\$:O	1540	FORJ=1TO5:PRINT"[CLR]CROP
LOF*:PRINT*S*LO	810	PRINT" (DOWN) YOU OWE A TOTA				
Second S			1220		I Charles	;J :rem 69
1540 1744 1746 1747 1746 1746 1747 1746	820		1220	TAMERA TO THE PARTY OF THE PROPERTY OF THE PRO	1550	PRINTTAB(5)"[DOWN][RVS]1=
1486 187-107HENN-ID rem 141 1240 PRINT*COST PER ACRE.**TREE 1240 PRINT*COST PER ACRE.**T			1220	TW-CE-COCUPACITY TO 46		WHEAT[3 SPACES]":PRINTTAB
369 BA-INT ([BA-A]*1.08*1.5]/108 Iren 46 15-0** Ires (108)* Iren 46 15-0** Ires (108)* Iren 46 15-0** Iren 17 Iren 17 Iren 17 Iren 18 Ir			1230			(5)"[RVS]2=CORN[4 SPACES]
1560 FALSON 1.00			1240	PRINTINGOCA DED POR 1800	335	
150 150.00 150.	050	IO=(IO-A)*1 12:IO-TNT/IO+1	1240	LE DIE GOST PER ACRE: "TAB		=SOYBEANS[OFF] : rem 238
150 FILO-OPTIENDO-00 Tree 107					1560	PRINT" [DOWN] YOUR CHOICE?"
Search S	060		1250		Total Control of the	
1568 FPANS-PHENONOUS 1569 156	070	PA-INM(/PA (GEt 2001) evi	1230		1570	IFASC(A\$) < 49 ORASC(A\$) > 51 T
ST PER[3 SPACES] STACES] STACE	0/10	BA=INT((BA-(CE*200)-OV-HV-	1200			HENGOSUB2920:GOTO1560
1596 FORJ=1T03:TY(J=0:NEXT 100	0.00		1260	PRINT" [DOWN] GRAIN SEED CO	100	:rem 31
1278 PRINT*[CLD] FORM** 1278 PRINT*[PORN=1TO3] 1278 PRINT*[PORN	880		ALC:		1580	FL(J)=VAL(A\$):NEXT:rem 74
1279 PRINT** CORS* TOS\$ TIVES\$ TIVES\$	000			:rem 184	1590	PRINT" [CLR]ALL YOUR FIELD
PRINT**(CLD) FINE**(IS) F	090		1270	PRINT:FORJ=1TO3:PRINTN\$(J		S ARE[3 SPACES] READY FOR
1288 PRINT* CLR [RVS][2 SPACES] FNO OF GAME TALLY 1299 PRINT* CLOWN][RVS] FUTURES FNO OF GAME TALLY 1299 PRINT* CLOWN][RVS] FUTURES FNO OF GAME TALLY 1299 PRINT* CLOWN][RVS] FUTURES 1299 PRINT* CLOWN] RVS] FUTURES 1299 PRINT* CLOWN] RVS] FUTURES 1299 PRINT* CLOWN] RVS] FUTURES 1299 PRINT* CROPS IN STORAGE: 1299 PRINT* CROPS IN STORAGE: 1299 PRINT* RVS] CLOWN 1299 PRINT* RVS] CLOW	oga	:rem 126				[SPACE] PLANTING. :rem 47
1280 PRINT* COLD [RWS] 1280 PRINTTAB (15-P)*** TMS 1827 1280 PRINT* CONNE TAILY 1280 PRINT* CONNE TAILY 1280 PRINT* CONNE TAILY 1280 PRINT* CONNE 128	900		1000000	:BS(J)=VAL(TM\$) :rem 66	1600	PRINT "YOU HAVE: ": FORJ=1TO
1296 PRINT*[DONN] CURRENT BANK BALANCE S* TITHERA GOSUB2976 TOMB	01.0		1280	PRINTTAB (15-P) " \$"TM\$:NEXT		3:X=0:FORJJ=1TO5 :rem 28
1296 PRINT* COMPONE THE NAME 1296 PRINT* COMPONE THE	910	END OF CAME WALLEY		:rem 9	1610	IFFL(JJ)=JTHENX=X+40
ALANCE S FIRMT ICONN CURRENT BANK B ALANCE S FIRMED ALANCE ALANCE S FIRMED ALANCE ALANCE S FIRMED ALANCE	1	T	1290			:rem Ø
ALANCE = %', TITHER JGOSUB29' ALANCE = %', TITHER JGOSUB29' 70 PRINTTHS Sha-VALL(TMS) 1300 FORJ=ITO3:PRINTHS J): ":" 70 PRINTTHS Sha-VALL(TMS) 1300 FORJ=ITO3:PRINTHS J): ":" 70 PRINTTHS Sha-VALL(TMS) 1300 FORJ=ITO3:PRINTHS J): " 1300 FORJ=ITO3:P	0.00			MARKET PRICE ": PRINT	1620	NEXT: TA(J)=X:PRINTX; " ACR
18 18 18 18 18 18 18 18	920		1	:rem 108		ES OF "; N\$(J):NEXT
1316 PRINTTB(15-P)""TM\$INXTB(15-P)""TM\$INXTB(15-P)""TM\$INXTB(15-P)""TM\$INXTB(15-P)""TM\$INXTB(15-P)""TM\$INXTB(15-P)""TM\$INXTB(15-P)""TM\$INXTB(15-P)""TM\$INXTB(15-P)""TM\$INXTB(15-P)""TM\$INXTB(15-P)""TM\$INXTB(15-P)"TM\$INTTB(15-P)"T			1300			
936 GOSUB2956	12.5				1630	TM=0:FORJ=1T03:TM=TM+(TA(
13.0 PRINTY CROPS IN STORAGE: 13.0 PRINTY SAVINAS ACCOUNT: 1.0 PRINTY SA	0.20		16 (Sept. 126)			J) *BS(J) *BB(J)):NEXT: TM= I
1220 GOSUB2888 FURNT 1 1220 GOSUB2888 1 1 1 1220 GOSUB2888 1 1 1 1220 GOSUB2888 1 1 1 1 1 1 1 1 1			1310			NT((TM+.005)*100)/100
1336 BS-10:CH=1:GOSUB3048 1:CH=160SUB3048	940				0.20.002000000000	:rem 183
Carrier Carr	OFA	Primu(pug) appr (pug)			1640	
GOFF	930		1330			
150 150			BUT VILL			RINTTAB (15-LEN(TM\$))"\$"TM
FORDI-TO3:IFSR(J):09THENSR(J)=0	060		1340			
J)=0 rem 102 80 PRINTNS(J);TAB(10)SR(J):XX					1650	BH=BA:PRINT" [DOWN]BANK BA
986 PRINTNS(J);TAB(10)SR(J);XX =XX+SR(J)*YP(J):NEXT 1568 PRINT"SAVINGS ACCOUNT: PRINTED CROP CASH VAL UE; F;TIMEXX GOSUB2976 1768 PRINT"SOURED CROP CASH VAL (TM\$):BAB A+XX 1768 PRINT"SOURED CROP	910					
## SXY+SR(J)*YP(J):NEXT	000		1350		1000	
Trem 104	980				1660	PRINTTAB(10-LEN(TM\$))"\$"T
1999 PRINT"STORED CROP CASH VALUE:\$";TTM=XXGSUB2970 1290 12			1360		24-10-10-10-10-1	M\$:rem 50
	000	PRINTEGRAPH GRAP GRAP 104		2,2212	1670	PRINT" [DOWN] IS THIS OKAY?
	990					
1886 PRINTTMS:XX=VAL(TMS):BA=B A+XX		11.00000	1370		1680	
## A+XX	1000					
1396 GOSUB2886 PRINT" (CLR) AMOU NT OWED TO BANK 1; 17m= 10; 17m 1	1000	B. B. 그리고 있는데 그리고 보고 있다고 있다면 보다 보고 있다. 10 HT 12 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1380		1690	IFA\$<>"Y"THEN1680:rem 217
NT OWED TO BANK:\$"::TM=LO	1010				1700	
1626 PRINTTMS:LO=VAL(TMS):BA=1	TOIL	GOSOBZOOU PRINT (CLR JAMOU	1390			
1020 PRINTTMS:LO=VAL(TM\$):BA=I NT(BA-LO) 1 rem 161 1030 1 FBA>= 20000THENZZ=1 1 rem 148 1 fBA<= 20000THENZZ=1 rem 87 1 rem 149 1 fBA<= 20000THENZZ=1 rem 87 1 rem 148 1 fBA<= 20000THENZZ=1 rem 87 1 rem 120 1		COCURSORS - 76				
1410 1410	1000		1400	PRINTTAB(15-P)"\$"TM\$		
1030 TBA>=20000THENZZ=1	1020		1410	:rem 138	1/10	
	1030		1410			
1040 IFBA<20000THENZZ=2:rem 87	1036				1720	
1426	1040					HENGOSUB2870:GOTO1710
N BANK=\$";:TM=BA:GOSUB297	the same of the first same		1400		2000000	
1436 FORJ=1T03:IFSR(J)<1.6THEN SR(J)=0 Irem 237 Irem 212 Irem 213 Irem 215 Irem 216 Irem 237 Irem 217 Irem 128 Irem 237 Irem 237 Irem 238 Irem 237 Irem 238 Irem 237 Irem 238 Irem 248	1036		1420		• 1730	X=VAL(X\$) :rem 16
SR(J)=0			1/20		1740	
1460 ONZZGOSUB2720,2760:rem 94			1430)-5)/5)+1 :rem 135
1878	1060	2	1440		1750	PRINT" [DOWN] HOW MANY UNIT
1450 PRINT" 2 DOWN GRAIN STORA GE FEE: ": PRINT" STORA STO			1440		2,50	
1080 GOSUB2890:IFA\$="Y"THEN10			1450			
1090 1FA\$<>"N"THEN1080:rem 194 1100 END	1080		1450			
1460 PRINTTM\$" PER MONTH. 1770 1780 1750	1500				1760	
1100 END	1090		1460		1,00	
1110 PRINT" [CLR] ":BG=25:CH=0:G OSUB3040			1400		1770	
SUB3040			1470		2.70	
1120 PRINT" [RVS] [5 SPACES] NEWS						
RELEASE [5 SPACES]":GOSUB 2960	1129		1400		1780	
2960			1490	PRINT" (CLR) (PUS)		
1130 IR\$=STR\$(INT((IR-1)*100))			1450		1,70	
1140 PRINT "INFLATION RATE: ";T SPACE ACRES TO PLANT, DIV GOSUB2970:PRINTTM\$:GOSUB SPACE BALANCE: \$";:TM=BA SPACE BALANCE: \$";:TM=BALANCE: \$";:TM=BALANCE: \$";:TM=BALANCE: SP	1130				1800	
1140 PRINT"INFLATION RATE: ";T AB(16) TR\$; "% :rem 172 1150 TM=GA:GOSUB2970:GA\$=TM\$:G A=VAL(TM\$) :rem 153 1160 PRINT"FUEL COST: ";TAB(16-P)"\$"GĀ\$:rem 19 1170 TM=HS:GOSUB2970:HS\$=TM\$:H SPACE ACRES TO PLANT, DIV :GOSUB2970:PRINTTM\$:GOSUB 2940 :rem 35 1810 IFBA<0THEN2560 :rem 68 1820 RETURN :rem 171 1830 PRINT" [CLR] [RVS]GRAIN FU 1840 PRINT" [CLR] [RVS]GRAIN FU TURES MARKET :rem 3 1840 PRINT" [DOWN]YOU HAVE THE	2200		1500		1000	
AB(16)TR\$;"% :rem 172 1150 TM=GA:GOSUB2970:GA\$=TM\$:G A=VAL(TM\$) :rem 153 1160 PRINT"FUEL COST:";TAB(16-P)"\$"GĀ\$:rem 19 1170 TM=HS:GOSUB2970:HS\$=TM\$:H IDED INTO"; :rem 5 1510 PRINT" 5{2 SPACES}FIELDS {SPACE}OF 40 ACRES} 1810 IFBA<0THEN2560 :rem 68 1820 RETURN :rem 171 1830 PRINT"{CLR} {RVS}GRAIN FURTHER STREET :rem 3 1840 PRINT"{CLR} {RVS}GRAIN FURTHER STREET :rem 3 1840 PRINT"{DOWN}FIELDS 1-3 AR E AVERAGEOR SLIGHTLY ABOV 1840 PRINT"{DOWN}YOU HAVE THE	1140		-505			
1150 TM=GA:GOSUB2970:GA\$=TM\$:G A=VAL(TM\$) :rem 153 1160 PRINT"FUEL COST:";TAB(16-P)"\$"GĀ\$:rem 19 1170 TM=HS:GOSUB2970:HS\$=TM\$:H 1510 PRINT" 5{2 SPACES}FIELDS {SPACE}OF 40 ACRES} {4 SPACES}EACH. :rem 8 1520 PRINT"{DOWN}FIELDS 1-3 AR E AVERAGEOR \$\overline{\text{SUGNUB2970:HS}} = \overline{\text{TMS}} = \overline{\text{CMS}} = \overline{\text{SUGNUB2970:HS}} = \overline{\text{MS}} = \ove						
A=VAL(TM\$) :rem 153 1160 PRINT "FUEL COST: ";TAB(16- P)"\$"GĀ\$:rem 19 1170 TM=HS:GOSUB2970:HS\$=TM\$:H	1150		1510		1810	
1160 PRINT "FUEL COST: "; TAB (16- P)" \$ "GĀ\$: rem 19						
P)"\$"GĀ\$:rem 19 1520 PRINT"{DOWN}FIELDS 1-3 AR TURES MARKET :rem 3 1170 TM=HS:GOSUB2970:HS\$=TM\$:H E AVERAGEOR SLIGHTLY ABOV 1840 PRINT"[DOWN]YOU HAVE THE	1166					
1170 TM=HS:GOSUB2970:HS\$=TM\$:H E AVERAGEOR SLIGHTLY ABOV 1840 PRINT "[DOWN]YOU HAVE THE			1520			
	1170		The state of the s		1840	
						-

	[SPACE]FOLLOWINGAMOUNTS O F GRAIN IN[3 SPACES]STORA		IFX>.4ANDX<.5THENXX=XX+1. 02:GOTO2240 :rem 10	2630	PRINT "YOU CAN BORROW UP T O: ":PRINT" \$";50000-(INT(L
1000	GE: :rem 211		XX=XX+1 :rem 192		0*100+.5)/100) : rem 5
1850	FORJ=1TO3:IFSR(J) < ØTHENSR	2240	XX=XX/2 :rem 198	2640	PRINT " [DOWN] YOU OWE A GRA
	(J)=Ø :rem 148	2250	IFX<.2THENIN=IN/2:HE=HE/2		ND TOTAL OF: ":PRINT" \$"; IN T(LO*100+.5)/100 :rem 96
1860	PRINTNS(J);:TMS=STRS(SR(J	2269	:rem 57 SF=IN:IFIN>1.1THENSF=1.1	2650	PRINT" (2 DOWN) HOW MUCH DO
OXI)):PRINTTAB(15-LEN(TM\$))S	2260	:rem 250	2000	YOU WISH 2 SPACES TO BOR
	R(J):NEXT:GOSUB2950 :rem 72	2270	HF=HE:IFHE>1.1THENHF=1.1		ROW? :rem 193
1970	PRINTTAB (3) "FUTURES PRICE	2210	:rem 209	2660	X\$="":INPUTX\$:IFX\$=""THEN
10,0	s :rem 206	2280	FORJ=1TO3:TY(J)=0:NEXT	The section of	2650 :rem 211
1880	FORJ=1TO3:PRINTN\$(J), "\$";		:rem 169	2670	X=VAL(X\$):IFX=ØTHEN265Ø
	:TM=BP(J)*FP(J):GOSUB2970	2290	FORJ=1TO5:K=FL(J):TY(K)=I		:rem 158
	:PRINTTM\$:NEXT :rem 26		NT(40*FF(J)*BY(K)*XX*HF*S	2680	IFLO+X>50000THENPRINT"YOU R CREDIT LIMIT IS
1890	PRINT"WHICH GRAIN WOULD Y OU LIKE TO SELL? :rem 164		F+TY(K)):NEXT:RETURN		{2 SPACES}\$50,000":GOTO26
1000	PRINT" (RVS)F1 (OFF) WHEAT	2200	:rem 161 FORJ=1T03:GOSUB2520:DM(J)	100	50 :rem 218
1,000	[5 SPACES] [RVS]F3[OFF]=CO	2300	=XX:GOSUB2520:DC(J)=XX:GO	2690	IFX <int(0-ba+.005)thenpri< td=""></int(0-ba+.005)thenpri<>
	RN[2 SPACES][RVS]F5[OFF]=		SUB2520:EM(J)=XX :rem 179	1	NT "THAT WILL NOT BE
	SOYBEANS[2 SPACES][RVS]F7	2310	GOSUB2520:FC(J)=XX:NEXT		[6 SPACES]ENOUGH, TRY AGA
	TOFF}=NONE :rem 231		:rem 211	SUCCESSION OF STREET	IN.":GOTO2650 :rem 30
1910	GOSUB2890:IFASC(A\$)<133OR	2320		2700	LO=LO+X:BA=BA+X:IFLO<ØTHE
	ASC(A\$)>136THEN1910 :rem 71	2330	X=0:FORJ=1TO3:X=DM(J)+X:X	271.0	NLO=Ø :rem 198 LO=LO*1.12:RETURN :rem 67
1920	J=ASC(A\$)-132::IFJ=4THENR		=X+DC(J):X=X+EM(J):X=X+FC (J):FA(J)=X/4:X=0:NEXT		BG=216:CH=Ø:GOSUB3Ø4Ø
	ETURN : rem 112		:rem 239		:rem 221
1930	IFSR(J)=ØTHENPRINT"YOU DO	2340	FORJ=1TO3:YP(J)=FA(J)*BP(2730	PRINT " { DOWN } CONGRATULATIO
100	N'T HAVE ANY":PRINTNS(J);		J):NEXT : rem 235		NSII[5 SPACES]YOU HAVE MA
1040	"1":GOTO1890 :rem 167	2350	X=Ø:FORJ=1TO3 :rem 62		NAGED THE (2 SPACES) NEARLY
1940	PRINT" (CLR) HOW MANY BUSHE LS OF ":PRINTN\$(J);" DO Y	2360	IFDC(J)>1.05THENXX=.95:GO TO2390 :rem 119		IMPOSSIBLE TASKOF"; :rem 33
	OU :rem 65	2270	TO2390 :rem 119 IFDC(J) <.9THENXX=1.1:GOTO	2740	PRINT" MAKING MONEY":PRIN
1950	PRINT "WANT TO SELL?":PRIN	23/10	2390 :rem 13	2,40	T"FARMING. THE BANK": PRIN
	T"(UP TO ";SR(J);" BUSHEL	2380	XX=1 :rem 235	TT2	T "CONSIDERS YOU A GOOD
	s)" :rem 160	2390	X=X+XX : rem 150		{2 SPACES}RISK." : rem 154
	INPUTK :rem 171	2400	IFEM(J)>1.05THENXX=.95:GO		RETURN : rem 174
1970	IFK>SR(J)THENPRINT"YOU DO N'T HAVE THAT{3 SPACES}MU		TO2430 : rem 120	2760	PRINT"{CLR}YOU HAVE PROVE N":PRINT"YOURSELF A POOR
	CH GRAINI": GOSUB2940: GOT	2410	IFEM(J)<.95THENXX=1.12:GO TO243Ø :rem 117		[SPACE] FARM[2 SPACES] MANA
	01940 :rem 224	2420	TO2430 :rem 117 XX=1 :rem 230	13 500	GERI" :rem 245
1980	$SR(J)=SR(J)-K:IFSR(J)<\emptyset TH$	100000000000000000000000000000000000000	X=X+XX :rem 145	2770	GOSUB2880:PRINT"{CLR}YOU
	ENSR(J)=0 : rem 88	2440	IFFC(J)>1.1THENXX=.8:GOTO		{SPACE } HAVE PROVEN ": PRINT
1990	TS(J)=K : rem 157		2470 :rem 13	177	"YOURSELF A VERY POOR":PR
2000	PRINT" (DOWN WOULD YOU LIKE TO SELLMORE GRAIN?	2450	IFFC(J) <.97THENXX=1.09:GO	0700	INT "FARMER!" : rem 111
	:rem 101	2460	TO2470 :rem 124 XX=1 :rem 234	2/80	PRINT" [DOWN] YOU LOST MONE Y, AND": PRINT" NOW YOUR FA
2010	GOSUB2890:IFA\$="Y"THEN183	COLUMN CONTRACT	X=1 :rem 234 X=X+XX:X=X/3 :rem 30	100	RM MUST": PRINT BE SOLD TO
	Ø :rem 25	2480	IFX=1THENX=1.03 : rem 169	950	PAY YOUR : rem 52
	IFA\$<>"N"THEN2010:rem 182	2490	FP(J)=X :rem 149 X=Ø :rem 14Ø NEXT :rem 7	2790	PRINT "CREDITORS!": RETURN
	FRETURN : rem 165 X=INT((RND(.)*7+1))/100	2500	X=Ø :rem 140	1000	:rem 13
2040	:rem 200	2510	NEXT :rem 7	2800	GOSUB2940:GOSUB2940:PRINT
2050	FX>.05THEN2070 :rem 119	2520	X=RND(Ø)*(.99Ø1)+.Ø1 :rem 84		"{CLR} {RVS}SORRY, YOU'RE {SPACE}BANKRUPT{OFF}
	IR=1+X:GOTO2080 :rem 145	2520	IFX<.45THENXX=X+1:RETURN	1	(SPACE)BANKRUPT(OFF)
	1 IR=1 :rem 210	2330	:rem 110	2810	PRINT" [2 DOWN] YOU HAVE MA
2080	FORJ=1T03:BS(J)=BS(J)*IR:	2540	IFX> . 70THENXX=X : RETURN		NAGED TO[3 SPACES] RUN YOU
0000	NEXT : rem 84		:rem 19		R CREDIT LINE : rem 244
2090	GA=INT(GA*IR*100+.5)/100: IS=IS*(IR+.01):HS=HS*IR:O		XX=1:RETURN :rem 4	2820	PRINT TO THE LIMIT, AND N OW YOU ARE BROKE!: rem 218
	V=OV*(IR+.01):HV=HV*IR	2560	PRINT"{CLR}{RVS}YOU NEED {SPACE}TO BORROW	2030	PRINT" DOWN YOU OWE CONSI
1000	:rem 28	100	[4 SPACES] MONEY TO KEEP F	2036	DERABLE[2 SPACES]BACK TAX
	CE=CE*(IR+.01) :rem 224	Lat La	ARMING. : rem 186	Land of	ES AND YOUR :rem 24
2110	0 CE=INT(CE*(IR+.01)*100+.5	2570	PRINT" [DOWN] YOUR BALANCE	2848	PRINT FARM WILL BE SOLD A
)/100 :rem 38		(SPACE) IN THE[3 SPACES]BA		T A :rem 106
2120	FORJ=1T03:BP(J)=BP(J)*(IR		NK HAS DROPPED[6 SPACES]B	2850	PRINT" (UP) SHERIFF'S AUCTI
212/	01):NEXT:RETURN:rem 112	0500	ELOW \$Ø." :rem 222	La La Car	ON TO[2 SPACES]PAY YOUR D
2136	FORJ=1TO3:FP(J)=1.05:NEXT:RETURN :rem 58	2580	PRINT "TO MEET YOUR PAYMEN TS :rem 140	2060	EBTS. :rem 31 PRINT"[DOWN]":GOTO1070
2140	X=RND(Ø)*(Ø.99Ø1)+.Ø1	2590	PRINT"YOU WILL NEED TO	2000	:rem 237
	:rem 130	2330	[6 SPACES]BORROW SOME MON	2870	FG=1:PRINT"{DOWN}YOU MUST
2150	J IFX < .45 THENXX=1.0+X:GOTO2	Maje 1	EY FROMTHE BANK. ":PRINT"(1 313	ENTER A NUMBER HERE.
	190 :rem 239		UP TO \$50,000) :rem 82		(2 UP) ":GOSUB2940:RETURN
2160	J IFX>.80THENXX=X:GOTO2190	2600	PRINT "MINIMUM LOAN PAYMEN	200	:rem 77 Ø PRINT"[RVS][4 SPACES]PRES
2170	:rem 55 IFX>.45ANDX<.5THENXX=1.03	THE STATE	TS ARE ONE-THIRD OF LOAN	288	S ANY KEY[4 SPACES][OFF]"
21/6	:GOTO2190 :rem 109		(SPACE) DUE AT 12% INTERES T." :rem 136		:GOSUBZ890:RETURN :rem 76
0100	Ø XX=1.0 :rem 71	2610	GOSUB2880:1F0-BA+LO>50000	289	Ø POKE198,Ø :rem Ø
218	Ø X=RND(Ø)*(.9901)+.01		THEN2800 : rem 182	290	Ø GETA\$:IFA\$=""THEN29ØØ
			PRINT" {CLR } { DOWN } YOU WILL		:rem 185
2190	:rem 87	2620		TO AN ENGAGE	
2190	:rem 87 3 IFX<.1THENXX=XX+1+X:GOTO2	2620	NEED TO[6 SPACES]BORROW		Ø RETURN :rem 172
2196	:rem 87 Ø IFX<.1THENXX=XX+1+X:GOTO2 240 :rem 44	2620	NEED TO[6 SPACES]BORROW {SPACE}AT LEAST: ": PRINT"\$		Ø PRINT "YOU MUST ENTER 1,2,
2196	:rem 87 3 IFX<.1THENXX=XX+1+X:GOTO2	2620	NEED TO[6 SPACES]BORROW		

2930	PRINT" [UP] [32 SPACES] [UP]	1 670	PRINT PRESS (RVS)F1(OFF) T	1 40274	470 107 470 404 400 470 441
	":RETURN :rem 219		O CHANGE, [RVS]F3[OFF] TO		:078,197,072,080,082,078,041
2940	FORT=1TO2000:NEXT:RETURN		[SPACE] SELL		:212,080,076,079,212,084,203
	:rem 112	600	TE A AMURINEOG		:069,088,212,067,076,069,047
2950	PRINT"	700	IF A=4THEN590		:065,210,067,079,076,210,179
2,500		700	IFA<>6THEN68Ø		:083,084,073,067,203,066,054
2060	":RETURN :rem 108	1120	GOSUB2950:IFA=25THEN10		:084,206,000,235,237,237,227
2900	4411	1130	IFA<>39THEN1120	49416	:001,195,121,194,110,194,049
	**":RETURN :rem 124	1150	PRINT" {CLR}":BO=2:BG=2:CH	49416	:132,194,146,195,151,194,252
2970	TM\$=STR\$(INT(TM*100+.5)/1		=1:GOSUB3100		:219,194,171,195,193,195,157
	00) :rem 40	1370	BO=3:BG=1:CH=2:IT=7:GOSUB	49420	:033,200,159,200,055,200,099
2980	P=Ø:FORA=1TOLEN(TM\$)		3100	49444	:112,200,254,200,099,201,068 :117,201,164,201,221,201,113
	:rem 248	1620	GOSUB2950:IFA=56THENA=1		:030,202,183,196,021,196,098
2990	IFMID\$(TM\$,A,1)="."THENP=	1621	IFA=59THENA=1		:096,196,001,197,098,197,061
	A-1 :rem 75	1622	IFA=8THENA=3		:215,197,213,199,016,198,064
3000	NEXT:IFP=ØTHENTM\$=TM\$+CHR	1622	TFA=OTHENA=3		:249,198,030,199,065,199,228
3000	01111	1623	IFA<10RA>3THENGOSUB2980:G		:182,199,134,197,183,197,130
2010	, , , , , , , , , , , , , , , , , , , ,	100000	OTO162Ø	49476	:032,124,165,162,000,160,199
3010	IFMID\$(TM\$,(LEN(TM\$)-2),1	1630	REM DELETE THIS LINE	49482	:004,132,015,189,000,002,160
)=CHR\$(46)THEN3Ø3Ø	1640	FL(J)=A:PRINT" {2 DOWN}";T	49488	:201,128,176,054,201,032,104
2020	:rem 131	100	AB(33)FL(J):NEXT	49494	:240,050,133,008,201,034,240
3020	TM\$=TM\$+CHR\$(48):GOTO2980	1740	GOSUB2950: IFA=39THENBA=BH	49500	:240,083,036,015,112,040,106
200	:rem 187		:GOTO153Ø		:201,048,144,004,201,060,244
	RETURN : rem 166	1750	IFA<>25THEN1740	49512	:144,032,132,113,160,000,173
3040	POKE36879, (BG):POKE646,CH	1770	POKE239, Ø:INPUTX\$:IFASC(X	49518	:132,011,136,134,122,202,079
	:RETURN :rem 231	1.70	S) (480PAGC(VC) EZMURNOCO	49524	:200,232,189,000,002,056,027
3050	PRINT" (CLR) [4 DOWN]"; TAB (\$) < 480RASC(X\$) > 57THENGOSU	49530	:249,095,192,240,245,201,064
15.15	4)" [RVS] THE FARM GAME "	1070	B2930:GOTO1770	49536	:128,208,053,165,011,024,205
	rem 254	19/0	PRINT" (RVS)F1 (OFF) WHEAT	49542	:105,204,164,113,232,200,128
3060	FORJ=1TO3:READN\$(J):NEXT:		[SPACE] [RVS]F2[OFF]=CORN	49548	:153,251,001,185,251,001,214
3000			(SPACE) (RVS)F3(OFF)=SOYBE	49554	:240,056,056,233,058,240,005
	FORJ=1TO3:READBP(J):NEXT:		ANS [RVS]HELP[OFF]=NONE	49560	:004,201,073,208,004,133,007
	FORJ=1TO3:READFU(J):NEXT	1980	GOSUB2950: IFA < 30RA>6THEN1	49566	:015,208,172,056,233,085,159
	:rem 121		980		:208,167,133,008,189,000,101
3070	FORJ=1TO3:READBY(J):NEXT:	1990	J=A-3:IFJ=ØTHENRETURN	49578	:002,240,221,197,008,240,054
	FORJ=1TO3:READBB(J):NEXT:	2080	GOSUB2950:IFA=25THEN1890	49584	:217,200,153,251,001,232,206
	FORJ=1TO3:READBS(J):NEXT	2090	IFA<>39THEN2080	49590	:208,240,166,122,230,011,135
	:rem 143		BO=8:BG=5:CH=1:GOSUB3100	49596	:200,185,094,192,016,250,101
3080	READBA: READLO: READGA: READ		FORT=1TO50:NEXT:A=PEEK(20	49602	:185,095,192,208,175,189,214 :000,002,016,188,153,253,044
	CE:FORJ=1TO3:SR(J)=Ø:NEXT	2,500		49614	:001,169,001,133,123,169,034
	:READIS:HS=IS :rem 198	2060	38):IFA=64THEN295Ø	49620	:255,133,122,096,016,048,114
3090	FORJ=1TO5:READFF(J):NEXT:	2900	REM DELETE THIS LINE	49626	:201,255,240,044,036,015,241
	FORJ=1TO3:READDF(J):NEXT:	3100	COLOR4, BO: COLORØ, BG: COLOR	49632	:048,040,201,204,176,003,128
	FORJ=1TO3:READCF(J):NEXT		1,CH,IT:RETURN		:076,036,167,056,233,203,233
				43030	:0/0,030,10/,030,233,203,233
31 00	:rem 126			49644	:170,132,073,160,255,202,204
3100	:rem 126 FORJ=1TO3:READEF(J):NEXT:			49644 4965Ø	
3100	:rem 126 FORJ=1TO3:READEF(J):NEXT: FORJ=1TO3:READOF(J):NEXT:			49644 4965Ø 49656	:170,132,073,160,255,202,204 :240,008,200,185,095,192,138
	:rem 126 FORJ=1TO3:READEF(J):NEXT: FORJ=1TO3:READOF(J):NEXT: READOV:HV=2*OV :rem 237	X F	RASIC	49644 4965Ø 49656 49662 49668	:170,132,073,160,255,202,204 :240,008,200,185,095,192,138 :016,250,048,245,200,185,168 :095,192,048,005,032,071,185 :171,208,245,076,239,166,085
	:rem 126 FORJ=1TO3:READEF(J):NEXT: FORJ=1TO3:READOF(J):NEXT: READOV:HV=2*OV :rem 237 BA\$=STR\$(BA):RETURN	385 V2.000	BASIC	49644 4965Ø 49656 49662 49668 49674	:170,132,073,160,255,202,204 :240,008,200,185,095,192,138 :016,250,048,245,200,185,168 :095,192,048,005,032,071,185 :171,208,245,076,239,166,085 :076,243,166,032,115,000,130
3110	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READOF(J):NEXT: READOV:HV=2*OV :rem 237 BA\$=STR\$(BA):RETURN :rem 180	385 V2.000	BASIC nstructions in article on page	49644 4965Ø 49656 49662 49668 49674 4968Ø	:170,132,073,160,255,202,204 :240,008,200,185,095,192,138 :016,250,048,245,200,185,168 :095,192,048,005,032,071,185 :171,208,245,076,239,166,085 :076,243,166,032,115,000,130 :008,201,204,144,028,205,038
3110	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READOF(J):NEXT: READOV:HV=2*OV :rem 237 BA\$=STR\$(BA):RETURN :rem 180 DATA"WHEAT", "CORN", "SOYBE	(See i	nstructions in article on page	49644 49650 49656 49662 49668 49674 49680 49686	:170,132,073,160,255,202,204 :240,008,200,185,095,192,138 :016,250,0448,245,200,185,168 :095,192,048,005,032,071,185 :171,208,245,076,239,166,085 :076,243,166,032,115,000,130 :008,201,204,144,028,205,038 :255,192,176,023,040,032,228
3110	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READDF(J):NEXT: READOV:HV=2*OV :rem 237 BA\$=STR\$(BA):RETURN	(See i		49644 49650 49656 49662 49668 49674 49680 49686 49692	:170,132,073,160,255,202,204 :240,008,200,185,095,192,138 :016,250,048,245,200,185,168 :095,192,048,005,032,071,185 :171,208,245,076,239,166,085 :076,243,166,032,115,000,130 :008,201,204,144,028,205,038 :255,192,176,023,040,032,228 :033,194,076,174,167,056,216
311Ø 312Ø	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READOF(J):NEXT: READOV:HV=2*OV :rem 237 BA\$=STR\$(BA):RETURN :rem 180 DATA "WHEAT", "CORN", "SOYBE ANS", \(\bar{2}\).80,2.3\(\bar{3}\),6.30,50,85 ,60 :rem 40	(See i 96 be	nstructions in article on page	49644 4965Ø 49656 49662 49668 49674 4968Ø 49686 49692 49698	:170,132,073,160,255,202,204 :240,008,200,185,095,192,138 :016,250,048,245,200,185,168 :095,192,048,005,032,071,185 :171,208,245,076,239,166,085 :076,243,166,032,115,000,130 :008,201,204,144,028,205,038 :255,192,176,023,040,032,228 :033,194,076,174,167,056,216 :233,204,010,168,185,003,069
311Ø 312Ø	:rem 126 FORJ=1TO3:READEF(J):NEXT: FORJ=1TO3:READOF(J):NEXT: READOV:HV=2*OV :rem 237 BA\$=STR\$(BA):RETURN :rem 180 DATA "WHEAT", "CORN", "SOYBE ANS", 2.80,2.33,6.30,50,85,60 :rem 40 DATA62,100,31,1.5,.334,1.	(See i 96 be 49152 49158	nstructions in article on page fore typing in.) :120,173,087,192,141,004,205 :003,173,088,192,141,005,096	49644 49650 49656 49662 49668 49674 49680 49686 49692 49698 49704	:170,132,073,160,255,202,204 :240,008,200,185,095,192,138 :016,250,048,245,200,185,168 :095,192,048,005,032,071,185 :171,208,245,076,239,166,085 :076,243,166,032,115,000,130 :008,201,204,144,028,205,038 :255,192,176,023,040,032,228 :033,194,076,174,167,056,216 :233,204,010,168,185,003,069 :193,072,185,002,193,072,245
311Ø 312Ø	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READOF(J):NEXT: READOV:HV=2*OV :rem 237 BA\$=STR\$(BA):RETURN DATA"WHEAT", "CORN", "SOYBE ANS", \(\bar{2}\).80,2.3\(\bar{3}\),6.30,\(\bar{5}\)0,85,60 :rem 40 DATA62,100,31,1.5,.334,1. 5,7,65,7.25,200000,0,1,70	(See i 96 be 49152 49158 49164	nstructions in article on page fore typing in.) :120,173,087,192,141,004,205 :003,173,088,192,141,005,096 :003,173,089,192,141,006,104	49644 49650 49656 49662 49668 49674 49680 49692 49698 49704 49710	:170,132,073,160,255,202,204 :240,008,200,185,095,192,138 :016,250,048,245,200,185,168 :095,192,048,005,032,071,185 :171,208,245,076,239,166,085 :076,243,166,032,115,000,130 :008,201,204,144,028,205,038 :255,192,176,023,040,032,228 :033,194,076,174,167,056,216 :233,204,010,168,185,003,069 :193,072,185,002,193,072,245 :076,115,000,040,076,231,072
311Ø 312Ø 313Ø	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READOF(J):NEXT: READOV:HV=2*0V :rem 237 BA\$=STR\$(BA):RETURN	(See i 96 be 49152 49158 49164 49170	nstructions in article on page fore typing in.) :120,173,087,192,141,004,205 :003,173,088,192,141,005,096 :003,173,089,192,141,006,104 :003,173,090,192,141,007,112	49644 49650 49652 49668 49674 49680 49680 49692 49692 49698 49710 49710	:170,132,073,160,255,202,204 :240,008,200,185,095,192,138 :016,250,048,245,200,185,168 :095,192,048,005,032,071,185 :171,208,245,076,239,166,085 :076,243,166,032,115,000,130 :008,201,204,144,028,205,038 :255,192,176,023,040,032,228 :033,194,076,174,167,056,216 :233,204,010,168,185,003,069 :193,072,185,002,193,072,245 :076,115,000,040,076,231,072 :167,169,000,133,013,032,054
311Ø 312Ø 313Ø	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READOF(J):NEXT: READOV:HV=2*0V :rem 237 BA\$=STR\$(BA):RETURN	(See i 96 be 49152 49158 49164 49170 49176	nstructions in article on page fore typing in.) :120,173,087,192,141,004,205 :003,173,088,192,141,005,096 :003,173,089,192,141,006,104 :003,173,090,192,141,007,112 :003,173,091,192,141,008,120	49644 49650 49656 49668 49674 49680 49686 49692 49698 49704 49710 49716 49722	:170,132,073,160,255,202,204 :240,008,200,185,095,192,138 :016,250,048,245,200,185,168 :095,192,048,005,032,071,185 :171,208,245,076,239,166,085 :076,243,166,032,115,000,130 :008,201,204,144,028,205,038 :255,192,176,023,040,032,228 :033,194,076,174,167,056,216 :233,204,010,168,185,003,069 :193,072,185,002,193,072,245 :076,115,000,040,076,231,072 :167,169,000,133,013,032,054 :115,000,008,205,255,192,065
311Ø 312Ø 313Ø 314Ø	:rem 126 FORJ=1TO3:READEF(J):NEXT: FORJ=1TO3:READOF(J):NEXT: FORJ=1TO3:READOF(J):NEXT: READOV:HV=2*OV :rem 237 BA\$=STR\$(BA):RETURN :rem 180 DATA"WHEAT", "CORN", "SOYBE ANS", 2.80,2.33,6.30,50,85,60 :rem 40 DATA62,100,31,1.5,.334,1.5,7,65,7.25,20000,0,1,70 :rem 102 DATA1,1.1,1.03,1,.98,.9,.8,1.1,.82,1,1.1,1 :rem 0	(See i 96 be 49152 49158 49164 49170 49176 49182	nstructions in article on page fore typing in.) :120,173,087,192,141,004,205 :003,173,088,192,141,005,096 :003,173,089,192,141,006,104 :003,173,090,192,141,007,112 :003,173,091,192,141,009,128	49644 49656 49662 49668 49674 49686 49686 49692 49698 49704 49716 49716 49722 49728	:170,132,073,160,255,202,204 :240,008,200,185,095,192,138 :016,250,048,245,200,185,168 :095,192,048,005,032,071,185 :171,208,245,076,239,166,085 :076,243,166,032,115,000,130 :008,201,204,144,028,205,038 :255,192,176,023,040,032,228 :033,194,076,174,167,056,216 :233,204,010,168,185,003,069 :193,072,185,002,193,072,245 :076,115,000,040,076,231,072 :167,169,000,133,013,032,054 :115,000,008,205,255,192,065 :144,041,205,001,193,176,056
311Ø 312Ø 313Ø 314Ø	:rem 126 FORJ=1TO3:READEF(J):NEXT: FORJ=1TO3:READEF(J):NEXT: FORJ=1TO3:READOF(J):NEXT: READOV:HV=2*OV :rem 237 BA\$=STR\$(BA):RETURN	(See i 96 be 49152 49158 49164 49170 49176 49188	nstructions in article on page fore typing in.) :120,173,087,192,141,004,205 :003,173,088,192,141,005,096 :003,173,089,192,141,006,104 :003,173,090,192,141,007,112 :003,173,091,192,141,008,120 :003,173,092,192,141,009,128 :003,173,093,192,141,010,136	49644 49650 49652 49668 49674 49680 49682 49698 49704 49710 49710 49728 49734	:170,132,073,160,255,202,204 :240,008,200,185,095,192,138 :016,250,048,245,200,185,168 :095,192,048,005,032,071,185 :171,208,245,076,239,166,085 :076,243,166,032,115,000,130 :008,201,204,144,028,205,038 :255,192,176,023,040,032,228 :033,194,076,174,167,056,216 :233,204,010,168,185,003,069 :193,072,185,002,193,072,245 :076,115,000,040,076,231,072 :167,169,000,133,013,032,054 :115,000,008,205,255,192,065
311Ø 312Ø 313Ø 314Ø	:rem 126 FORJ=1TO3:READEF(J):NEXT: FORJ=1TO3:READOF(J):NEXT: FORJ=1TO3:READOF(J):NEXT: READOV:HV=2*OV :rem 237 BA\$=STR\$(BA):RETURN :rem 180 DATA"WHEAT", "CORN", "SOYBE ANS", 2.80,2.33,6.30,50,85,60 :rem 40 DATA62,100,31,1.5,.334,1.5,7,65,7.25,20000,0,1,70 :rem 102 DATA1,1.1,1.03,1,.98,.9,.8,1.1,.82,1,1.1,1 :rem 0	(See i 96 be 49152 49158 49164 49176 49182 49188 49194	nstructions in article on page fore typing in.) :120,173,087,192,141,004,205 :003,173,088,192,141,005,096 :003,173,089,192,141,007,112 :003,173,091,192,141,008,120 :003,173,092,192,141,009,128 :003,173,093,192,141,010,136 :003,173,093,192,141,011,144	49644 49656 49656 49668 49674 49686 49692 49698 49704 49716 49716 49722 49728 49734 49746	:170,132,073,160,255,202,204 :240,008,200,185,095,192,138 :016,250,048,245,200,185,168 :095,192,048,005,032,071,185 :171,208,245,076,239,166,085 :076,243,166,032,115,000,130 :008,201,204,144,028,205,038 :255,192,176,023,040,032,228 :033,194,076,174,167,056,216 :233,204,010,168,185,003,069 :193,072,185,002,193,072,245 :076,115,000,040,076,231,072 :167,169,000,133,013,032,054 :115,000,008,205,255,192,065 :144,041,205,001,193,176,056 :036,040,072,205,000,193,104 :176,006,032,115,000,032,181 :241,174,104,056,237,255,125
311Ø 312Ø 313Ø 314Ø 315Ø	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READOF(J):NEXT: READOV:HV=2*OV :rem 237 BA\$=STR\$(BA):RETURN	(See i 96 be 49152 49158 49164 49176 49182 49188 49194 49200	nstructions in article on page fore typing in.) :120,173,087,192,141,004,205 :003,173,088,192,141,005,096 :003,173,089,192,141,007,112 :003,173,099,192,141,007,112 :003,173,091,192,141,009,128 :003,173,092,192,141,009,128 :003,173,093,192,141,010,136 :003,173,094,192,141,011,144 :003,088,096,000,000,000,235	49644 49656 49652 49668 49674 49686 49692 49698 49704 49716 49716 49722 49738 49746 49746 49752	:170,132,073,160,255,202,204 :240,008,200,185,095,192,138 :016,250,048,245,200,185,168 :095,192,048,005,032,071,185 :171,208,245,076,239,166,085 :076,243,166,032,115,000,130 :008,201,204,144,028,205,038 :255,192,176,023,040,032,228 :033,194,076,174,167,056,216 :233,204,010,168,185,003,069 :193,072,185,002,193,072,245 :076,115,000,040,076,231,072 :167,169,000,133,013,032,054 :115,000,008,205,255,192,065 :144,041,205,001,193,176,056 :036,040,072,205,000,193,104 :176,006,032,115,000,032,181 :241,174,104,056,237,255,125 :192,010,168,185,064,193,132
3110 3120 3130 3140 3150 Prog	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READOF(J):NEXT: READOV:HV=2*0V :rem 237 BA\$=STR\$(BA):RETURN	(See i 96 be 49152 49158 49164 49176 49182 49188 49194 49200 49206	nstructions in article on page fore typing in.) :120,173,087,192,141,004,205 :003,173,088,192,141,005,096 :003,173,089,192,141,007,112 :003,173,091,192,141,008,120 :003,173,092,192,141,009,128 :003,173,093,192,141,010,136 :003,173,093,192,141,011,144	49644 49656 49662 49668 49674 49686 49692 49698 49710 49716 49722 49738 49740 49746 49758	:170,132,073,160,255,202,204 :240,008,200,185,095,192,138 :016,250,048,245,200,185,168 :095,192,048,005,032,071,185 :171,208,245,076,239,166,085 :076,243,166,032,115,000,130 :008,201,204,144,028,205,038 :255,192,176,023,040,032,228 :033,194,076,174,167,056,216 :233,204,010,168,185,003,069 :193,072,185,002,193,072,245 :076,115,000,040,076,231,072 :167,169,000,133,013,032,054 :115,000,008,205,255,192,065 :144,041,205,001,193,176,056 :036,040,072,205,000,193,104 :176,006,032,115,000,032,181 :241,174,104,056,237,255,125 :192,010,168,185,064,193,132 :133,085,185,066,193,133,120
3110 3120 3130 3140 3150 Prog	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READOF(J):NEXT: READOV:HV=2*OV :rem 237 BA\$=STR\$(BA):RETURN	(See i 96 be 49152 49158 49164 49176 49182 49188 49194 49206 49212	nstructions in article on page fore typing in.) 1120,173,087,192,141,004,205 :003,173,088,192,141,005,096 :003,173,099,192,141,007,112 :003,173,091,192,141,008,120 :003,173,092,192,141,009,128 :003,173,093,192,141,010,136 :003,173,094,192,141,010,136 :003,088,096,000,000,000,235 :000,000,000,000,000,000,066	49644 49650 49656 49662 49668 49674 49686 49692 49698 49710 49716 49722 49728 49740 49746 49758 49764	:170,132,073,160,255,202,204 :240,008,200,185,095,192,138 :016,250,048,245,200,185,168 :095,192,048,005,032,071,185 :171,208,245,076,239,166,085 :076,243,166,032,115,000,130 :008,201,204,144,028,205,038 :255,192,176,023,040,032,228 :033,194,076,174,167,056,216 :233,204,010,168,185,003,069 :193,072,185,002,193,072,245 :076,115,000,040,076,231,072 :167,169,000,133,013,032,054 :115,000,008,205,255,192,065 :144,041,205,001,193,176,056 :036,040,072,205,000,193,104 :176,006,032,115,000,032,181 :241,174,104,056,237,255,125 :192,010,168,185,064,193,132 :133,085,185,066,193,133,120 :086,032,084,000,076,141,007
3110 3120 3130 3140 3150 Prog	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READOF(J):NEXT: READOV:HV=2*0V :rem 237 BA\$=STR\$(BA):RETURN	(See i 96 be 49152 49158 49164 49176 49182 49188 49194 49206 49222 49218	nstructions in article on page fore typing in.) :120,173,087,192,141,004,205 :003,173,088,192,141,005,096 :003,173,089,192,141,006,104 :003,173,090,192,141,007,112 :003,173,091,192,141,009,128 :003,173,093,192,141,010,136 :003,173,094,192,141,011,144 :003,088,096,000,000,000,235 :000,000,000,000,000,000,000	49644 49656 49662 49668 49674 49686 49692 49698 49704 49716 49722 49728 49734 49740 49740 49752 49752 49754 49754 49754 49754	:170,132,073,160,255,202,204 :240,008,200,185,095,192,138 :016,250,048,245,200,185,168 :095,192,048,005,032,071,185 :171,208,245,076,239,166,085 :076,243,166,032,115,000,130 :008,201,204,144,028,205,038 :255,192,176,023,040,032,228 :033,194,076,174,167,056,216 :233,204,010,168,185,003,069 :193,072,185,002,193,072,245 :076,115,000,040,076,231,072 :167,169,000,133,013,032,054 :115,000,008,205,255,192,065 :144,041,205,001,193,176,056 :036,040,072,205,000,193,104 :176,006,032,115,000,032,181 :241,174,104,056,237,255,125 :192,010,168,185,064,193,132 :133,085,185,065,193,133,120 :086,032,084,000,076,141,007 :173,040,076,141,174,169,111
3110 3120 3130 3140 3150 Prog Substi	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READOF(J):NEXT: FORJ=1T03:READOF(J):NEXT: READOV:HV=2*OV :rem 237 BA\$=STR\$(BA):RETURN DATA "WHEAT", "CORN", "SOYBE ANS", 2.80,2.33,6.30,50,85,60 :rem 40 DATA62,100,31,1.5,.334,1.5,7,65,7.25,20000,0,1,70 :rem 102 DATA1,1.1,1.03,1,.98,.9,.8,1.1,.82,1,1.1,1 :rem 0 DATA1,5,1.1,6,.25,1.12,2000 TAM 3: The Farm Game— Stute Lines For The Plus/4 And	(See i 96 be 49152 49158 49164 49176 49182 49189 49206 49212 49218 49224	nstructions in article on page fore typing in.) :120,173,087,192,141,004,205 :003,173,088,192,141,005,096 :003,173,089,192,141,007,112 :003,173,091,192,141,008,120 :003,173,092,192,141,009,128 :003,173,093,192,141,010,136 :003,173,094,192,141,011,144 :003,088,096,000,000,000,000,054 :000,000,000,000,000,000,066 :000,000,000,000,000,006,66	49644 49656 49652 49668 49674 49686 49692 49698 49704 49716 49716 49722 49728 49734 49746 49752 49758 49764 49776 49776	:170,132,073,160,255,202,204 :240,008,200,185,095,192,138 :016,250,048,245,200,185,168 :095,192,048,005,032,071,185 :171,208,245,076,239,166,085 :076,243,166,032,115,000,130 :008,201,204,144,028,205,038 :255,192,176,023,040,032,228 :033,194,076,174,167,056,216 :233,204,010,168,185,003,069 :193,072,185,002,193,072,245 :076,115,000,040,076,231,072 :167,169,000,133,013,032,054 :115,000,008,205,255,192,065 :144,041,205,001,193,176,056 :036,040,072,205,000,193,104 :176,006,032,115,000,032,181 :241,74,104,056,237,255,125 :192,010,168,185,064,193,132 :133,085,185,065,193,133,120 :086,032,084,000,076,141,007 :173,040,076,141,174,169,111 :000,160,016,032,230,195,233
3110 3120 3130 3140 3150 Prog Substi 16 10 BC	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READOF(J):NEXT: READOV:HV=2*OV :rem 237 BA\$=STR\$(BA):RETURN	(See i 96 be 49152 49158 49164 49176 49182 49188 49194 49206 49212 49218 49230	nstructions in article on page fore typing in.) :120,173,087,192,141,004,205 :003,173,088,192,141,005,096 :003,173,089,192,141,007,112 :003,173,099,192,141,007,112 :003,173,091,192,141,009,128 :003,173,092,192,141,010,136 :003,173,093,192,141,010,136 :003,003,003,003,000,000,000,000,000 :000,000,000,000,00	49644 49656 49662 49668 49674 49686 49692 49698 49710 49716 49728 49740 49740 49740 49758 49758 49764 49776 49776 49776 49776 49776	:170,132,073,160,255,202,204 :240,008,200,185,095,192,138 :016,250,048,245,200,185,168 :095,192,048,005,032,071,185 :171,208,245,076,239,166,085 :076,243,166,032,115,000,130 :008,201,204,144,028,205,038 :255,192,176,023,040,032,228 :033,194,076,174,167,056,216 :233,204,010,168,185,003,069 :193,072,185,002,193,072,245 :076,115,000,040,076,231,072 :167,169,0008,205,255,192,065 :144,041,205,001,193,176,056 :036,040,072,205,000,193,104 :176,006,032,115,000,032,181 :241,174,104,056,237,255,125 :192,010,168,185,064,193,132 :133,085,185,065,193,133,120 :086,032,084,000,076,141,007 :173,046,076,141,174,169,111 :000,160,016,032,230,195,233 :140,033,208,096,169,000,252
3110 3120 3130 3140 3150 Prog Substi 16 10 BG	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READOF(J):NEXT: READOV:HV=2*0V :rem 237 BA\$=STR\$(BA):RETURN	(See i 96 be 49152 49158 49164 49170 49182 49188 49194 49200 49201 49218 49224 49236 49242	nstructions in article on page fore typing in.) :120,173,087,192,141,004,205 :003,173,088,192,141,005,096 :003,173,089,192,141,007,112 :003,173,091,192,141,007,112 :003,173,091,192,141,009,128 :003,173,092,192,141,010,136 :003,173,093,192,141,010,136 :003,173,094,192,141,011,144 :003,088,096,000,000,000,000,054 :000,000,000,000,000,000,000,066 :000,000,000,000,000,000,000,072 :000,000,000,000,000,000,000,072 :000,000,000,000,000,000,000,078 :000,000,000,000,000,000,000,078 :000,000,000,000,000,000,000,078 :000,000,000,000,000,000,000,000,000 :193,013,194,053,194,083,052	49644 49656 49662 49668 49674 49688 49692 49698 49710 49716 49722 49728 49740 49740 49758 49764 497752 49788	:170,132,073,160,255,202,204 :240,008,200,185,095,192,138 :016,250,048,245,200,185,168 :095,192,048,005,032,071,185 :171,208,245,076,239,166,085 :076,243,166,032,115,000,130 :008,201,204,144,028,205,038 :255,192,176,023,040,032,228 :033,194,076,174,167,056,216 :233,204,010,168,185,003,069 :193,072,185,002,193,072,245 :076,115,000,004,0076,231,072 :167,169,000,133,013,032,054 :115,000,008,205,255,192,065 :144,041,205,001,193,176,056 :036,040,072,205,000,193,104 :176,006,032,115,000,032,181 :241,174,104,056,237,255,125 :192,010,168,185,064,193,132 :086,032,084,000,076,141,007 :173,040,076,141,174,169,111 :000,160,016,032,230,195,233 :140,033,208,096,169,000,252 :160,016,032,230,195,140,129
3110 3120 3130 3140 3150 Prog Substi 16 10 BC 31 15 KE	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READOF(J):NEXT: READOV:HV=2*OV :rem 237 BA\$=STR\$(BA):RETURN	(See i 96 be 49152 49158 49164 49170 49176 49182 49188 49206 49218 49224 49230 49230 49230 49242 49248	nstructions in article on page fore typing in.) :120,173,087,192,141,004,205 :003,173,088,192,141,005,096 :003,173,088,192,141,007,112 :003,173,090,192,141,007,112 :003,173,091,192,141,009,128 :003,173,092,192,141,010,136 :003,173,093,192,141,010,136 :003,173,094,192,141,011,144 :003,088,096,000,000,000,000,054 :000,000,000,000,000,000,000,060 :000,000,000,000,000,000,000,066 :000,000,000,000,000,000,000,000 :000,000,	49644 49656 49662 49668 49674 49686 49692 49698 49704 49716 49722 49728 49740 49746 49752 49752 49758 49776 49776 49778 49778 49788 49794	:170,132,073,160,255,202,204 :240,008,200,185,095,192,138 :016,250,048,245,200,185,168 :095,192,048,005,032,071,185 :171,208,245,076,239,166,085 :076,243,166,032,115,000,130 :008,201,204,144,028,205,038 :255,192,176,023,040,032,228 :033,194,076,174,167,056,216 :233,204,010,168,185,003,069 :193,072,185,002,193,072,245 :076,115,000,040,076,231,072 :167,169,000,133,013,032,054 :115,000,008,205,255,192,065 :144,041,205,001,193,176,056 :036,040,072,205,000,193,104 :176,006,032,115,000,032,181 :241,174,104,056,237,255,125 :192,010,168,185,064,193,132 :133,085,185,065,193,133,120 :086,032,084,000,076,141,007 :173,040,076,141,174,169,111 :000,160,016,032,230,195,233 :140,033,208,096,169,000,252 :160,016,032,230,195,140,129 :032,208,096,120,032,083,189
3110 3120 3130 3140 3150 Prog Substi 16 10 BC 31 15 Ke	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READOF(J):NEXT: READOV:HV=2*OV :rem 237 BA\$=STR\$(BA):RETURN	(See i 96 be 49152 49158 49164 49170 49176 49182 49184 49200 49204 49212 49218 49224 49230 49242 49248 49254	nstructions in article on page fore typing in.) :120,173,087,192,141,004,205 :003,173,088,192,141,005,096 :003,173,089,192,141,006,104 :003,173,099,192,141,007,112 :003,173,091,192,141,009,128 :003,173,092,192,141,009,128 :003,173,093,192,141,010,136 :003,173,094,192,141,011,144 :003,088,096,000,000,000,235 :000,000,000,000,000,000,000,000 :000,000,	49644 49656 49662 49668 49686 49680 49686 49710 49710 49716 49728 49740 49740 49758 49758 49764 49776 49782 49788 49778 49788 49788 49788	:170,132,073,160,255,202,204 :240,008,200,185,095,192,138 :016,250,048,245,200,185,168 :095,192,048,005,032,071,185 :171,208,245,076,239,166,085 :076,243,166,032,115,000,130 :008,201,204,144,028,205,038 :255,192,176,023,040,032,228 :033,194,076,174,167,056,216 :233,204,010,168,185,003,069 :193,072,185,002,193,072,245 :076,115,000,040,076,231,072 :167,169,000,133,013,0332,054 :115,000,008,205,255,192,065 :144,041,205,001,193,176,056 :036,040,072,205,000,193,104 :176,006,032,115,000,032,181 :241,174,104,056,237,255,125 :192,010,168,185,064,193,132 :133,085,185,065,193,133,120 :086,032,084,000,076,141,007 :173,040,076,141,174,169,111 :000,160,016,032,230,195,233 :140,033,208,096,169,000,252 :160,016,032,230,195,233 :140,033,208,096,120,032,083,189 :228,088,096,174,051,192,197
3110 3120 3130 3140 3150 Prog Substi 16 10 BC 31 15 Kg 8, 80 PF	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READOF(J):NEXT: READOV:HV=2*OV :rem 237 BA\$=STR\$(BA):RETURN	(See i 96 be 49152 49158 49164 49176 49188 49194 49206 49212 49218 49224 49242 49248 49254 49260	nstructions in article on page fore typing in.) 1120,173,087,192,141,004,205 :003,173,088,192,141,005,096 :003,173,089,192,141,006,104 :003,173,099,192,141,007,112 :003,173,099,192,141,009,128 :003,173,092,192,141,009,128 :003,173,093,192,141,010,136 :003,173,094,192,141,011,144 :003,088,096,000,000,000,235 :000,000,000,000,000,000,000,006 :000,000,000,000,000,000,000,006 :000,000,000,000,000,000,000,000 :000,000,	49644 49656 49662 49668 49674 49686 49692 49698 49710 49716 49728 49734 49740 49740 49758 49758 49764 49776 49782 49788 49788 49788 49788 49788 49788 49788 49788 49788	:170,132,073,160,255,202,204 :240,008,200,185,095,192,138 :016,250,048,245,200,185,168 :095,192,048,005,032,071,185 :171,208,245,076,239,166,085 :076,243,166,032,115,000,130 :008,201,204,144,028,205,038 :255,192,176,023,040,032,228 :033,194,076,174,167,056,216 :233,204,010,168,185,003,069 :193,072,185,002,193,072,245 :076,115,000,040,076,231,072 :167,169,000,133,013,032,054 :115,000,008,205,255,192,065 :144,041,205,001,193,176,056 :036,040,072,205,000,193,104 :176,006,032,115,000,032,181 :241,174,104,056,237,255,125 :192,010,168,185,064,193,132 :133,085,185,065,193,133,120 :086,032,084,000,076,141,007 :173,046,076,141,174,169,111 :000,160,016,032,230,195,233 :140,033,208,096,100,032,083,189 :228,088,096,120,032,083,189 :228,088,096,174,051,192,197 :224,000,240,005,010,202,055
3110 3120 3130 3140 3150 Prog Substi 16 10 BC 31 15 KE 8, 80 PF	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READOF(J):NEXT: READOV:HV=2*OV :rem 237 BA\$=STR\$(BA):RETURN	(See i 96 be 49152 49158 49164 49176 49182 49188 49194 49206 49212 49218 49224 49236 49242 49248 49254 49266 49266	nstructions in article on page fore typing in.) :120,173,087,192,141,004,205 :003,173,088,192,141,005,096 :003,173,089,192,141,007,112 :003,173,091,192,141,007,112 :003,173,091,192,141,009,128 :003,173,092,192,141,009,128 :003,173,093,192,141,010,136 :003,173,094,192,141,011,144 :003,088,096,000,000,000,000,054 :000,000,000,000,000,000,000,006 :000,000,000,000,000,000,000,006 :000,000,000,000,000,000,000,000 :000,000,	49644 49656 49662 49668 49674 49686 49692 49698 49710 49716 49722 49728 49740 49746 49758 49764 49778 49778 49778 49788 49788 49788 49812	:170,132,073,160,255,202,204 :240,008,200,185,095,192,138 :016,250,048,245,200,185,168 :095,192,048,005,032,071,185 :171,208,245,076,239,166,085 :076,243,166,032,115,000,130 :008,201,204,144,028,205,038 :255,192,176,023,040,032,228 :033,194,076,174,167,056,216 :233,204,010,168,185,003,069 :193,072,185,002,193,072,245 :076,115,000,040,076,231,072 :167,169,000,133,013,032,054 :115,000,008,205,255,192,065 :144,041,205,001,193,176,056 :036,040,072,205,000,193,104 :176,006,032,115,000,032,181 :241,174,104,056,237,255,125 :192,010,168,185,064,193,132 :133,085,185,065,193,133,120 :086,032,084,000,076,141,007 :173,040,076,141,174,169,111 :000,160,016,032,230,195,140,129 :032,208,096,120,032,083,189 :228,088,096,174,055,010,202,055 :076,142,194,096,169,000,57
3110 3120 3130 3140 3150 Prog Substi 16 10 BC 31 15 KE 8,80 PF	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READOF(J):NEXT: READOV:HV=2*0V :rem 237 BA\$=STR\$(BA):RETURN	(See i 96 be 49152 49158 49164 49170 49176 49182 49188 49296 49218 49224 49230 49236 49242 49248 49266 49272	nstructions in article on page fore typing in.) :120,173,087,192,141,004,205 :003,173,088,192,141,005,096 :003,173,088,192,141,005,096 :003,173,099,192,141,007,112 :003,173,091,192,141,009,128 :003,173,092,192,141,010,136 :003,173,093,192,141,010,136 :003,173,094,192,141,011,144 :003,088,096,000,000,000,000,054 :000,000,000,000,000,000,000,006 :000,000,000,000,000,000,000,006 :000,000,000,000,000,000,000,000 :000,000,	49644 49656 49662 49668 49674 49686 49692 49698 49704 49716 49722 49728 49740 49740 49740 49740 49776 49778 49778 49788 49788 49794 49800 49800 49818	170,132,073,160,255,202,204 240,008,200,185,095,192,138 2016,250,048,245,200,185,168 2095,192,048,005,032,071,185 171,208,245,076,239,166,085 2076,243,166,032,115,000,130 2008,201,204,144,028,205,038 2255,192,176,023,040,032,228 233,204,010,168,185,003,069 193,072,185,002,193,072,245 2076,115,000,040,076,231,072 167,169,000,133,013,032,054 2115,000,008,205,255,192,065 2144,041,205,001,193,176,056 2036,040,072,205,000,193,104 2176,006,032,115,000,032,181 2241,174,104,056,237,255,125 2192,010,168,185,064,193,132 2133,085,185,065,193,133,120 208,006,120,007,141,007 2173,040,076,141,077 2173,040,076,141,174,169,111 2000,160,016,032,230,195,233 2140,033,208,096,169,000,252 2160,016,032,230,195,140,129 2032,208,096,120,032,083,189 228,088,096,174,051,192,197 224,000,240,005,010,202,055 2076,142,194,096,169,000,057 2160,008,032,230,195,140,151
3110 3120 3130 3140 3150 Prog Substi 16 10 BC 31 15 KE 8, 80 PF 90 PF {5	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: READOV:HV=2*0V :rem 237 BA\$=STR\$(BA):RETURN	(See i 96 be 49152 49158 49164 49170 49176 49182 49184 49200 49212 49218 49224 49230 49230 49236 49246 49254 49254 49257 49278	nstructions in article on page fore typing in.) :120,173,087,192,141,004,205 :003,173,088,192,141,005,096 :003,173,089,192,141,006,104 :003,173,099,192,141,007,112 :003,173,091,192,141,009,128 :003,173,092,192,141,010,136 :003,173,093,192,141,011,144 :003,088,096,000,000,000,000,000,000,000,000,000	49644 49656 49662 49668 49678 49686 49692 49698 49710 49716 49728 49734 49740 49776 49752 49788 497764 49776 49782 49788 497764 49789 49789 49789 49788 49788 49788 49788 49788 49886 49818 49824	:170,132,073,160,255,202,204 :240,008,200,185,095,192,138 :016,250,048,245,200,185,168 :095,192,048,005,032,071,185 :171,208,245,076,239,166,085 :076,243,166,032,115,000,130 :008,201,204,144,028,205,038 :255,192,176,023,040,032,228 :033,194,076,174,167,056,216 :233,204,010,168,185,003,069 :193,072,185,002,193,072,245 :076,115,000,040,076,231,072 :167,169,000,133,013,032,054 :115,000,008,205,255,192,065 :144,041,205,001,193,176,056 :036,040,072,205,000,193,104 :176,006,032,115,000,032,181 :241,174,104,056,237,255,125 :192,010,168,185,064,193,132 :133,085,185,065,193,133,120 :086,032,084,000,076,141,007 :173,040,076,141,174,169,111 :000,160,016,032,230,195,233 :140,033,208,096,169,000,252 :160,016,032,230,195,140,129 :032,208,096,120,032,083,189 :228,088,096,174,051,192,197 :224,000,240,005,010,202,055 :076,142,194,096,169,000,057 :160,008,032,230,195,140,151 :051,192,169,002,160,000,222
3110 3120 3130 3140 3150 Prog Substi 16 10 BC 31 15 KE 8, 80 PF 90 PF {5	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READOF(J):NEXT: READOV:HV=2*0V :rem 237 BA\$=STR\$(BA):RETURN	(See i 96 be 49152 49158 49164 49176 49188 49194 49200 49212 49218 49224 49248 49246 49272 49248	nstructions in article on page fore typing in.) 1120,173,087,192,141,004,205 :003,173,088,192,141,005,096 :003,173,089,192,141,006,104 :003,173,099,192,141,007,112 :003,173,091,192,141,009,128 :003,173,092,192,141,009,128 :003,173,093,192,141,010,136 :003,173,094,192,141,011,144 :003,088,096,000,000,000,000,235 :000,000,000,000,000,000,000,006 :000,000,000,000,000,000,000,000 :000,000,	49644 49656 49662 49668 49674 49686 49692 49698 49710 49716 49722 49728 49740 49776 49776 49778 49778 49778 49778 49788 49794 49818 49818 49818 49830 49830	170,132,073,160,255,202,204 2240,008,200,185,095,192,138 2016,250,048,245,200,185,168 2095,192,048,005,032,071,185 171,208,245,076,239,166,085 2076,243,166,032,115,000,130 2008,201,204,144,028,205,038 2255,192,176,023,040,032,228 2033,194,076,174,167,056,216 2233,204,010,168,185,003,069 2193,072,185,002,193,072,245 2076,115,000,040,076,231,072 2167,169,000,133,013,032,054 2115,000,008,205,255,192,065 2144,041,205,001,193,176,056 2036,040,072,205,000,193,104 2176,006,032,115,000,032,181 2241,174,104,056,237,255,125 2192,010,168,185,064,193,132 2183,085,185,065,193,133,120 2086,032,084,000,076,141,007 2173,040,076,141,174,169,111 2000,160,016,032,230,195,140,129 228,088,096,174,051,199,197 224,000,240,005,010,202,055 2076,142,194,096,169,000,257 2160,008,032,230,195,140,151 2051,192,169,002,160,000,222 2032,218,195,072,152,072,139 2169,001,160,000,032,218,240
3110 3120 3130 3140 3150 Prog Substi 16 10 BC 31 15 KF 8, 80 PF 90 PF 100 F	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READOF(J):NEXT: READOV:HV=2*OV :rem 237 BA\$=STR\$(BA):RETURN	(See i 96 be 49152 49158 49164 49176 49182 49188 49194 49206 49216 49224 49236 49242 49248 49254 49254 49254 49254 49254 49256 49272 49278 49278 49298	nstructions in article on page fore typing in.) :120,173,087,192,141,004,205:093,173,088,192,141,005,096:093,173,089,192,141,007,112:003,173,099,192,141,007,112:003,173,099,192,141,009,128:003,173,092,192,141,009,128:003,173,092,192,141,010,136:003,173,094,192,141,011,144:003,088,096,000,000,000,000,000,000,000,000,000	49644 49650 49652 49668 49674 49688 49692 49698 49704 49710 49716 49722 49728 49740 49776 49776 49776 49778 49788 49794 49800 49812 49818 49824 49836 49842	170,132,073,160,255,202,204 2240,008,200,185,095,192,138 2016,250,048,245,200,185,168 2095,192,048,005,032,071,185 171,208,245,076,239,166,085 2076,243,166,032,115,000,130 2008,201,204,144,028,205,038 2255,192,176,023,040,032,228 2033,194,076,174,167,056,216 2233,204,010,168,185,003,069 2193,072,185,002,193,072,245 2076,115,000,004,076,231,072 2167,169,000,133,013,032,054 2115,000,008,205,255,192,065 2144,041,205,001,193,176,056 2036,040,072,205,000,193,104 2176,006,032,115,000,032,181 2241,174,104,056,237,255,125 2192,010,168,185,064,193,132 2133,085,185,065,193,133,120 2086,032,084,000,076,141,007 2173,040,076,141,174,169,111 2000,160,016,032,230,195,233 2140,033,208,096,169,000,252 2160,016,032,230,195,140,151 2050,000,000,000,000,005 228,008,096,120,032,083,189 228,008,096,174,051,192,197 2224,000,240,005,010,202,055 2076,142,194,096,169,000,057 2160,008,032,230,195,140,151 2051,192,169,002,160,000,222 2032,218,195,072,152,072,139 2169,001,160,000,032,218,240 2195,152,072,173,051,192,245
3110 3120 3130 3140 3150 Prog Substi 16 10 BC 31 15 KF 8, 80 PF 90 PF 100 F	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READOF(J):NEXT: READOV:HV=2*0V :rem 237 BA\$=STR\$(BA):RETURN	(See i 96 be 49152 49158 49164 49170 49176 49182 49188 49194 49206 49212 49248 49254 49266 49272 49278 49296 49296 49296	nstructions in article on page fore typing in.) :120,173,087,192,141,004,205 :003,173,088,192,141,005,096 :003,173,088,192,141,005,096 :003,173,090,192,141,007,112 :003,173,091,192,141,009,128 :003,173,092,192,141,009,128 :003,173,093,192,141,010,136 :003,173,093,192,141,011,144 :003,088,096,000,000,000,000,035 :000,000,000,000,000,000,000,006 :000,000,000,000,000,000,000,006 :000,000,000,000,000,000,000,000 :000,000,	49644 49650 49652 49668 49674 49686 49692 49698 49704 49716 49722 49728 49740 49740 49740 49776 49778 49778 49778 49788 49794 49800 49800 49800 49818 49818 49842 49848	170,132,073,160,255,202,204 2240,008,200,185,095,192,138 2016,250,048,245,200,185,168 2095,192,048,005,032,071,185 171,208,245,076,239,166,085 2076,243,166,032,115,000,130 2008,201,204,144,028,205,038 2255,192,176,023,040,032,228 2033,194,076,174,167,056,216 2233,204,010,168,185,003,069 2193,072,185,002,193,072,245 2076,115,000,040,076,231,072 2167,169,000,133,013,032,054 2115,000,008,205,255,192,065 2144,041,205,001,193,176,056 2036,040,072,205,000,193,104 2176,006,032,115,000,032,181 2241,174,104,056,237,255,125 2192,010,168,185,064,193,132 2133,085,185,065,193,133,120 208,096,120,032,034,195 218,193,076,141,077 2173,040,076,141,174,169,111 2000,160,016,032,230,195,233 2140,033,208,096,169,000,252 2160,016,032,230,195,140,129 2032,208,096,120,032,083,189 2228,088,096,174,051,192,197 224,000,240,005,010,202,055 2076,142,194,096,169,000,057 2160,008,032,230,195,140,151 2051,192,169,002,160,000,222 2032,218,195,072,152,072,139 2169,001,160,000,032,218,240 2195,152,072,173,051,192,245 2010,170,104,157,001,208,066
3110 3120 3130 3140 3150 Prog Substi 16 10 BC 31 15 KF 8, 80 PF 90 PF 100 F	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READOF(J):NEXT: READOV:HV=2*OV :rem 237 BA\$=STR\$(BA):RETURN	(See i 96 be 49152 49158 49164 49170 49176 49182 49184 49200 49212 49218 49224 49230 49236 49242 49248 49254 49266 49272 49278 49296 49302	nstructions in article on page fore typing in.) :120,173,087,192,141,004,205:093,173,088,192,141,005,096:093,173,089,192,141,007,112:003,173,099,192,141,007,112:003,173,099,192,141,009,128:003,173,092,192,141,009,128:003,173,092,192,141,010,136:003,173,094,192,141,011,144:003,088,096,000,000,000,000,000,000,000,000,000	49644 49656 49662 49668 49686 49680 49686 49710 49716 49728 49734 49740 49740 49740 49776 49782 49788 49776 49788 49776 49788 49788 49788 49880 49886 49812 49830 49830 49830 49848 49848	170,132,073,160,255,202,204 2240,008,200,185,095,192,138 3016,250,048,245,200,185,168 8095,192,048,005,032,071,185 171,208,245,076,239,166,085 8076,243,166,032,115,000,130 808,201,204,144,028,205,038 8255,192,176,023,040,032,228 8033,194,076,174,167,056,216 8233,204,010,168,185,003,069 193,072,185,002,193,072,245 8076,115,000,040,076,231,072 167,169,000,133,013,032,054 115,000,008,205,255,192,065 144,041,205,001,193,176,056 8036,040,072,205,000,193,104 176,006,032,115,000,032,181 8241,174,104,056,237,255,125 192,010,168,185,064,193,132 133,085,185,065,193,133,120 8086,032,084,000,076,141,007 173,040,076,141,174,169,111 8000,160,016,036,232,30,195,233 140,033,208,096,169,000,252 160,016,032,230,195,233 140,033,208,096,169,000,252 160,016,032,230,195,140,129 8032,208,096,120,032,083,189 8228,088,096,174,051,192,197 8224,000,240,005,010,202,055 8076,142,194,096,169,000,022 8032,218,195,072,152,072,139 169,001,160,000,032,218,240 195,152,072,173,051,192,245 8010,170,104,157,001,208,066 104,157,000,208,104,032,027
3110 3120 3130 3140 3150 Prog Substi 16 10 BC 31 15 KB 80 PF 90 PF 100 B	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READOF(J):NEXT: FORJ=1T03:READOF(JOR) FORJ=1T03:READOF(JOR) FORJ=1T03:READOF(JOR) FORJ=1T03:READOF(JOR) FORJ=1T03:READOF(JOR) FOR	(See i 96 be 49152 49158 49164 49176 49182 49188 49194 49206 49212 49218 49224 49236 49242 49248 49254 49254 49254 49256 49272 49278 49296 49308 49314	## ## ## ## ## ## ## ## ## ## ## ## ##	49644 49656 49662 49668 49674 49686 49692 49698 49710 49716 49722 49728 49734 49740 49740 49758 49764 49776 49782 49788 49794 49788 49794 49888 49794 49886 49812 49818 49836 49848 49848 49848 49848 49848 49848 49848	:170,132,073,160,255,202,204 :240,008,200,185,095,192,138 :016,250,048,245,200,185,168 :095,192,048,005,032,071,185 :171,208,245,076,239,166,085 :076,243,166,032,115,000,130 :008,201,204,144,028,205,038 :255,192,176,023,040,032,228 :033,194,076,174,167,056,216 :233,204,010,168,185,003,069 :193,072,185,002,193,072,245 :076,115,000,040,076,231,072 :167,169,000,133,013,032,054 :115,000,008,205,255,192,065 :144,041,205,001,193,176,056 :036,040,072,205,000,193,104 :176,006,032,115,000,032,181 :241,174,104,056,237,255,125 :192,010,168,185,064,193,132 :133,085,185,065,193,133,120 :086,032,084,000,076,141,007 :173,046,076,141,174,169,111 :000,160,016,032,230,195,233 :140,033,208,096,169,000,252 :160,016,032,230,195,140,129 :032,208,096,120,032,083,189 :228,088,096,174,051,192,197 :224,000,240,005,010,202,055 :076,142,194,096,169,000,057 :160,008,032,230,195,140,151 :051,192,169,002,160,000,057 :160,008,032,230,195,140,151 :051,192,169,002,160,000,057 :160,008,032,230,195,140,151 :051,192,169,002,160,000,057 :160,008,032,230,195,140,151 :051,192,169,002,160,000,057 :160,008,032,230,195,140,151 :051,192,169,002,160,000,057 :160,008,032,230,195,140,151 :051,192,169,002,160,000,057 :160,008,032,230,195,140,151
3110 3120 3130 3140 3150 Prog Substi 16 10 BC 15 KE 8,80 PF 90 PF 100 E	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READOF(J):NEXT: READOV:HV=2*OV :rem 237 BA\$=STR\$(BA):RETURN	(See i 96 be 49152 49158 49164 49170 49176 49182 49188 49296 49212 49248 49254 49266 49272 49278 49288 49296 49382 49388 49318 49320	## ## ## ## ## ## ## ## ## ## ## ## ##	49644 49650 49652 49668 49674 49686 49692 49698 49710 49716 49722 49728 49740 49776 49776 49778 49776 49778 49778 49778 49788 49788 49794 49886 49818 49818 49848 49848 49848 49856 49866	170,132,073,160,255,202,204 2240,008,200,185,095,192,138 2016,250,048,245,200,185,168 2095,192,048,005,032,071,185 171,208,245,076,239,166,085 2076,243,166,032,115,000,130 2088,201,204,144,028,205,038 2255,192,176,023,040,032,228 2033,194,076,174,167,056,216 2233,204,010,168,185,003,069 1193,072,185,002,193,072,245 2076,115,000,040,076,231,072 2167,169,000,133,013,032,054 2115,000,008,205,255,192,065 2144,041,205,001,193,176,056 2036,040,072,205,000,193,104 2176,006,032,115,000,032,181 2241,174,104,056,237,255,125 2192,010,168,185,064,193,132 2133,085,185,065,193,133,120 2086,032,084,000,076,141,007 2173,040,076,141,174,169,111 2000,160,016,032,230,195,233 2140,033,208,096,169,000,252 2160,016,032,230,195,140,129 228,088,096,174,051,192,197 224,000,240,005,010,202,055 2076,142,194,096,169,000,057 2160,008,032,230,195,140,151 2051,192,169,002,160,000,057 2160,008,032,230,195,140,151 2051,192,169,002,160,000,057 2169,001,160,000,032,218,240 2195,152,072,173,051,192,245 2010,170,104,157,001,208,066 2104,157,000,208,104,032,035 2139,194,072,169,001,032,035 2139,194,072,169,001,032,035 2139,194,072,169,001,032,035
3110 3120 3130 3140 3150 Prog Substi 16 10 BC 31 15 KE 8,80 PF 90 PF 110 E	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: READOV:HV=2*OV :rem 237 BA\$=STR\$(BA):RETURN	(See i 96 be 49152 49158 49164 49176 49188 49194 49206 49212 49218 49224 49242 49248 49254 49254 49254 49266 49272 49278 49284 49296 49302 49308 49314 49326 49326 49302 49308 49312 49326	## ## ## ## ## ## ## ## ## ## ## ## ##	49644 49650 49652 49668 49674 49688 49692 49698 49704 49710 49716 49722 49728 49740 49776 49776 49776 49776 49778 49788 49794 49800 49812 49818 49824 49836 49842 49848 49848 49854 49866 49872	170,132,073,160,255,202,204 2240,008,200,185,095,192,138 2016,250,048,245,200,185,168 2095,192,048,005,032,071,185 171,208,245,076,239,166,085 2076,243,166,032,115,000,130 2008,201,204,144,028,205,038 2255,192,176,023,040,032,228 2033,194,076,174,167,056,216 233,204,010,168,185,003,069 2193,072,185,002,193,072,245 2076,115,000,008,205,255,192,065 2144,041,205,001,193,176,056 203,004,0072,205,000,193,104 2176,006,032,115,000,032,181 2241,174,104,056,237,255,125 2192,010,168,185,004,193,132 2183,085,185,065,193,133,120 2086,032,084,000,076,141,007 2173,040,076,141,174,169,111 2000,160,016,032,230,195,233 2140,033,208,096,169,000,252 2160,016,032,230,195,140,151 2244,000,240,005,010,202,055 2076,142,194,096,169,000,257 2160,008,032,230,195,140,151 2051,192,169,002,160,000,257 2160,008,032,230,195,140,151 2051,192,169,002,160,000,257 2160,008,032,230,195,140,151 2051,192,169,002,160,000,257 2160,008,032,230,195,140,151 2051,192,169,002,160,000,257 2160,008,032,218,195,024,035 2169,001,160,000,032,218,240 2195,152,072,173,051,192,245 2010,170,104,157,001,208,066 2104,157,000,208,104,032,035 2139,194,073,255,045,016,156 2208,141,016,208,104,013,130
3110 3120 3130 3140 3150 Prog Substi 16 10 BC 15 KE 80 PF 100 F 110 E	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: READOV:HV=2*OV :rem 237 BA\$=STR\$(BA):RETURN	(See i 96 be 49152 49158 49164 49176 49188 49194 49200 49206 49212 49218 49224 49236 49242 49248 49250 49266 49272 49278 49290 49296 49302 49308 49314 49326 49332 49332	## ## ## ## ## ## ## ## ## ## ## ## ##	49644 49656 49662 49668 496692 49698 49710 49716 49728 49734 49740 49740 49740 49758 49758 49764 49776 49782 49788 49776 49782 49788 49794 49800 49806 49812 49830 49848 49848 49848 49854 49854 49860 49860 49860 49860 49860 49860 49879 49888 49884 49884 49887 49888 4988	170,132,073,160,255,202,204 2240,008,200,185,095,192,138 2016,250,048,245,200,185,168 2095,192,048,005,032,071,185 171,208,245,076,239,166,085 2076,243,166,032,115,000,130 208,201,204,144,028,205,038 2255,192,176,023,040,032,228 2033,194,076,174,167,056,216 2233,204,010,168,185,003,069 193,072,185,002,193,072,245 2076,115,000,040,076,231,072 167,169,000,133,013,032,054 115,000,008,205,255,192,065 144,041,205,001,193,176,056 2036,040,072,205,000,193,104 176,006,032,115,000,032,181 2241,174,104,056,237,255,125 192,010,168,185,064,193,132 133,085,185,065,193,133,120 2086,032,084,000,076,141,007 173,040,076,141,174,169,111 2000,160,016,032,230,195,233 140,033,208,096,169,000,252 160,016,032,230,195,233 140,033,208,096,169,000,252 160,016,032,230,195,140,129 228,088,096,174,051,192,197 224,000,240,005,010,202,055 2076,142,194,096,169,000,222 2032,218,195,072,152,072,139 169,001,160,000,032,218,240 195,152,072,173,051,192,245 2010,170,104,157,001,208,066 104,157,000,208,104,032,035 139,194,073,255,045,016,156 1208,141,016,208,096,131
3110 3120 3130 3140 3150 Prog Substi 16 10 BC 31 15 KF 90 PF 100 F 110 F	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: READOV:HV=2*OV :rem 237 BA\$=STR\$(BA):RETURN	(See i 96 be 49152 49158 49164 49170 49176 49182 49182 49212 49218 49224 49236 49242 49248 49254 49254 49254 49254 49254 49254 49272 49278 49278 49284 49296 49308 49314 49320 49332 49338	## ## ## ## ## ## ## ## ## ## ## ## ##	49644 49650 49652 49668 49674 49686 49692 49698 49710 49710 49712 49734 49740 49746 49758 49764 49776 49782 49788 49794 49818 49794 49818 49818 49818 49818 49848 49848 49848 49848 49854 49860 49878 49860 49878 49860 49878 49860 49878 49884 49884 49884 49884 49884 49884 49884 49884 49884 49884 49884 49884 49884 49884	170,132,073,160,255,202,204 2240,008,200,185,095,192,138 2016,250,048,245,200,185,168 2095,192,048,005,032,071,185 2171,208,245,076,239,166,085 2076,243,166,032,115,000,130 2008,201,204,144,028,205,038 2255,192,176,023,040,032,228 2033,194,076,174,167,056,216 2233,204,010,168,185,003,069 2193,072,185,002,193,072,245 2076,115,000,008,205,255,192,065 2144,041,205,001,193,176,056 2036,040,072,205,000,193,104 2176,006,008,205,255,192,065 2144,041,205,001,193,176,056 2036,040,072,205,000,193,104 2176,006,032,115,000,032,181 2241,174,104,056,237,255,125 2192,010,168,185,064,193,132 2133,085,185,065,193,133,120 2086,032,084,000,076,141,007 2173,046,076,141,174,169,111 2000,160,016,032,230,195,233 2140,033,208,096,169,000,252 2160,016,032,230,195,140,129 228,088,096,174,051,192,197 224,000,240,005,010,202,055 2076,142,194,096,169,000,057 2160,001,600,002,160,000,057 2160,001,160,000,032,218,240 2195,152,072,173,051,192,245 2010,170,104,157,001,208,066 2104,157,000,208,104,013,130 2101,160,000,032,218,240 2195,152,072,173,051,192,245 2010,194,073,255,045,016,156 2104,157,000,208,104,013,130 2101,160,000,032,230,055 2101,194,073,255,045,016,156 2208,141,016,208,104,013,130 2016,208,141,016,208,096,131 2169,000,160,008,032,230,055
3110 3120 3130 3140 3150 Prog Substi 16 10 BC 31 15 Ke 8, 80 PF 100 F 110 F	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: READOV:HV=2*OV :rem 237 BA\$=STR\$(BA):RETURN	(See i 96 be 49152 49158 49164 49170 49176 49182 49188 49244 49280 49218 49224 49248 49254 49266 49272 49278 49284 49296 49382 49388 49344	## ## ## ## ## ## ## ## ## ## ## ## ##	49644 49650 49652 49668 49674 49686 49692 49698 49700 49710 49710 49716 49722 49728 49740 49776 49776 49778 49778 49778 49778 49788 49794 49806 49812 49818 49848 49848 49850 49866 49872 49866 49872 49888	170,132,073,160,255,202,204 2240,008,200,185,095,192,138 2016,250,048,245,200,185,168 2095,192,048,005,032,071,185 171,208,245,076,239,166,085 2076,243,166,032,115,000,130 2008,201,204,144,028,205,038 2255,192,176,023,040,032,228 2033,194,076,174,167,056,216 233,204,010,168,185,003,069 2193,072,185,002,193,072,245 2076,115,000,040,076,231,072 2167,169,000,133,013,032,054 2115,000,008,205,255,192,065 2144,041,205,001,193,176,056 2036,040,072,205,000,193,104 2176,006,032,115,000,032,181 2241,174,104,056,237,255,125 2192,010,168,185,064,193,132 2133,085,185,065,193,133,120 2086,032,084,000,076,141,007 2173,040,076,141,174,169,111 2000,160,016,032,230,195,233 2140,033,208,096,120,032,083,189 228,088,096,174,051,192,197 224,000,240,005,010,202,055 2076,142,194,096,169,000,252 2160,008,032,230,195,140,151 2051,192,169,002,160,000,222 2032,218,195,072,152,072,139 2169,001,160,000,032,218,240 2195,152,072,173,051,192,245 2016,170,104,157,001,208,066 2104,157,000,208,104,032,035 2139,194,072,169,001,032,035 2139,194,072,169,001,032,035 2139,194,072,169,001,032,035 2139,194,072,169,001,032,035 2169,001,160,008,032,230,051 2195,140,051,192,169,001,320,055
3110 3120 3130 3140 3150 Prog Substi 16 10 BC 31 15 KB 8, 80 PF 100 F 130 C 140 I 150 A 160 I 160 I 180 E	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: READOV:HV=2*OV :rem 237 BA\$=STR\$(BA):RETURN	(See i 96 be 49152 49158 49164 49176 49188 49194 49200 49206 49212 49218 49224 49248 49249 49260 49272 49284 49290 49296 49372 49338 49314 49350	## ## ## ## ## ## ## ## ## ## ## ## ##	49644 49656 49662 49668 49674 49686 49692 49698 49710 49716 49728 49734 49740 49776 49782 49788 49776 49782 49788 49776 49782 49788 49784 49800 49818 49830 49830 49830 49830 49848 49848 49854 49848 49854 49878 49878 49878 49878 49878 49878 49878 49878 49880 49878 49878 49878 49878 49878 49878 49878 49878 49878 49878 49880 49890 49896	170,132,073,160,255,202,204 2240,008,200,185,095,192,138 3016,250,048,245,200,185,168 8095,192,048,005,032,071,185 171,208,245,076,239,166,085 8076,243,166,032,115,000,130 808,201,204,144,028,205,038 8255,192,176,023,040,032,228 8033,194,076,174,167,056,216 233,204,010,168,185,003,069 193,072,185,002,193,072,245 8076,115,000,040,076,231,072 167,169,000,133,013,032,054 115,000,008,205,255,192,065 144,041,205,001,193,176,056 8036,040,072,205,000,193,104 176,006,032,115,000,032,181 2241,174,104,056,237,255,125 192,010,168,185,064,193,132 133,085,185,065,193,133,120 8086,032,084,000,076,141,007 173,040,076,141,174,169,111 1000,160,016,032,230,195,233 1140,033,208,096,169,000,252 1160,016,032,230,195,140,129 8032,208,096,120,032,083,189 1228,088,096,174,051,192,197 1224,000,240,005,010,202,055 1076,142,194,096,169,000,057 1160,008,032,230,195,140,129 1169,001,160,000,032,218,240 1195,152,072,173,051,192,245 1101,170,104,157,001,208,066 1104,157,000,208,104,032,035 1139,194,073,255,045,016,156 1208,141,016,208,104,013 1169,000,160,008,032,230,055 1199,104,073,255,045,016,156 1208,141,016,208,104,013 1169,000,160,008,032,230,055 1199,104,073,255,045,016,156 1208,141,016,208,104,013 1169,000,160,008,032,230,055 1199,104,073,255,045,016,156 1208,141,016,208,104,013 1169,000,160,008,032,230,055 1199,104,073,255,045,016,156 1208,141,016,208,104,013 1195,140,051,192,169,001,206 1166,000,032,218,195,152,221
3110 3120 3130 3140 3150 Prog Substi 16 10 BC 31 15 KE 8,80 PF 110 E 130 C 140 E 150 A	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: READOV:HV=2*OV :rem 237 BA\$=STR\$(BA):RETURN	(See i 96 be 49152 49158 49176 49182 49188 49194 49206 49212 49218 49224 49236 49242 49248 49254 49296 49302 49308 49314 49320 49332 49338 49344 49356	## ## ## ## ## ## ## ## ## ## ## ## ##	49644 49656 49662 49668 49674 49686 49692 49698 49710 49716 49728 49734 49740 49740 49740 49758 49764 49776 49782 49788 49776 49782 49788 49794 49800 49806 49812 49830 49848 49848 49848 49854 49848 49854 49860 49860 49860 49860 49860 49860 49860 49878 49884 49884 49884 49886 49890 49886 49890 49896 49890 49896	170,132,073,160,255,202,204 2240,008,200,185,095,192,138 2016,250,048,245,200,185,168 2095,192,048,005,032,071,185 2171,208,245,076,239,166,085 2076,243,166,032,115,000,130 2008,201,204,144,028,205,038 2255,192,176,023,040,032,228 2033,194,076,174,167,056,216 2233,204,010,168,185,003,069 2193,072,185,002,193,072,245 2076,115,000,040,076,231,072 2167,169,000,133,013,032,054 2115,000,008,205,255,192,065 2144,041,205,001,193,176,056 2036,040,072,205,000,193,104 2176,006,032,115,000,032,181 2241,174,104,056,237,255,125 2192,010,168,185,064,193,132 2133,085,185,065,193,133,120 2086,032,084,000,076,141,007 2173,040,076,141,174,169,111 2000,160,016,032,230,195,233 2140,033,208,096,169,000,252 2160,016,032,230,195,233 2140,033,208,096,169,000,252 2160,016,032,230,195,140,129 224,000,240,005,010,202,055 2076,142,194,096,169,000,252 2032,218,195,072,152,072,139 2169,001,160,000,032,218,240 2195,152,072,173,051,192,245 2010,170,104,157,001,208,066 2104,157,000,208,104,032,035 2139,194,073,255,045,016,156 2208,141,016,208,096,131 2169,000,160,008,032,230,051 2195,140,051,192,169,001,206 2104,157,000,208,104,032,035 2139,194,073,255,045,016,156 2208,141,016,208,096,131 2169,000,160,008,032,218,096,131 2169,000,160,008,032,218,096,131 2169,000,160,008,032,218,195,152,221 2072,169,000,160,016,032,175
3110 3120 3130 3140 3150 Prog Substi 16 10 BC 15 KE 80 PF 110 E 130 C 140 H 150 A 160 H 160 H 160 H 160 H 160 H 160 H	:rem 126 FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: FORJ=1T03:READEF(J):NEXT: READOV:HV=2*OV :rem 237 BA\$=STR\$(BA):RETURN	(See i 96 be 49152 49158 49164 49170 49176 49182 49188 49194 49200 49202 49218 49224 49236 49242 49248 49254 49254 49254 49254 49254 49254 49254 49254 49254 49254 49254 49254 49256 49302 49308 49356 49356 49362	## ## ## ## ## ## ## ## ## ## ## ## ##	49644 49656 49662 49668 49674 49686 49692 49698 49710 49716 49722 49728 49734 49740 49740 49758 49764 49776 49782 49788 49794 49818 49794 49818 49818 49818 4984 4984 4984 4984	170,132,073,160,255,202,204 2240,008,200,185,095,192,138 3016,250,048,245,200,185,168 8095,192,048,005,032,071,185 171,208,245,076,239,166,085 8076,243,166,032,115,000,130 808,201,204,144,028,205,038 8255,192,176,023,040,032,228 8033,194,076,174,167,056,216 233,204,010,168,185,003,069 193,072,185,002,193,072,245 8076,115,000,040,076,231,072 167,169,000,133,013,032,054 115,000,008,205,255,192,065 144,041,205,001,193,176,056 8036,040,072,205,000,193,104 176,006,032,115,000,032,181 2241,174,104,056,237,255,125 192,010,168,185,064,193,132 133,085,185,065,193,133,120 8086,032,084,000,076,141,007 173,040,076,141,174,169,111 1000,160,016,032,230,195,233 1140,033,208,096,169,000,252 1160,016,032,230,195,140,129 8032,208,096,120,032,083,189 1228,088,096,174,051,192,197 1224,000,240,005,010,202,055 1076,142,194,096,169,000,057 1160,008,032,230,195,140,129 1169,001,160,000,032,218,240 1195,152,072,173,051,192,245 1101,170,104,157,001,208,066 1104,157,000,208,104,032,035 1139,194,073,255,045,016,156 1208,141,016,208,104,013 1169,000,160,008,032,230,055 1199,104,073,255,045,016,156 1208,141,016,208,104,013 1169,000,160,008,032,230,055 1199,104,073,255,045,016,156 1208,141,016,208,104,013 1169,000,160,008,032,230,055 1199,104,073,255,045,016,156 1208,141,016,208,104,013 1169,000,160,008,032,230,055 1199,104,073,255,045,016,156 1208,141,016,208,104,013 1195,140,051,192,169,001,206 1166,000,032,218,195,152,221

```
51012 :160,016,032,230,195,152,085
                                       50466 :000,240,020,169,040,024,015
49920 :007,096,169,000,160,008,184
                                                                               51018 :072,169,000,160,016,032,011
      :032,230,195,140,051,192,078
                                       50472 :109,053,192,141,053,192,012
49926
                                                                                     :218,195,140,051,192,169,021
                                                                               51024
                                       50478
                                             :173,054,192,105,000,141,199
      :169,000,160,002,032,218,081
                                                                               51030 :000,160,016,032,218,195,195
51036 :152,072,169,000,160,016,149
49932
                                        50484
                                              :054,192,202,208,236,104,024
      :195,152,072,169,000,160,254
49938
                                        50490 :024,109,053,192,141,053,118
      :002,032,218,195,152,072,183
49944
                                                                                      :032,218,195,140,033,208,156
                                                                               51042
                                              :192,173,054,192,105,000,012
      :169,000,160,002,032,218,099
                                        50496
49950
                                                                                      :104,160,000,141,134,002,133
                                        50502 :141,054,192,014,053,192,204
                                                                               51048
      :195,152,072,169,000,160,016
                                                                                      :153,000,216,153,000,217,081
:153,000,218,153,000,219,091
49956
                                                                               51054
                                        50508 :046,054,192,014,053,192,115
      :002,032,218,195,152,032,161
49962
                                                                               51060
                                        50514 :046,054,192,014,053,192,121
       :139,194,072,169,001,032,143
49968
                                                                                      :200,208,241,120,169,052,088
                                                                                51066
      :139,194,073,255,045,028,020
:208,141,028,208,104,013,250
                                        50520 :046,054,192,096,104,168,236
49974
                                        50526 :024,032,240,255,096,032,005
                                                                                51072
                                                                                      :133,001,104,010,010,010,140
49980
                                                                                51078
                                                                                      :010,024,109,051,192,160,168
                                        50532 :158,173,165,013,201,255,041
       :028,208,141,028,208,104,015
49986
                                                                                51084
                                                                                      :000,153,000,208,153,000,142
                                        50538 :208,070,032,166,182,074,070
       :032,139,194,072,169,001,167
49992
                                                                                      :209,153,000,210,153,000,103
                                                                                51090
      :032,139,194,073,255,045,048
                                        50544 :105,000,141,051,192,169,002
49998
                                                                                      :211,200,208,241,169,055,212
                                                                                51096
      :027,208,141,027,208,104,031
                                        50550 :020,056,237,051,192,133,039
50004
                                                                                      :133,001,088,169,224,141,146
                                                                                51102
50010 :013,027,208,141,027,208,202
                                        50556 :211,032,033,171,169,013,241
                                                                                51108
                                                                                      :173,199,169,000,141,172,250
                                        50562 :032,210,255,096,032,161,148
      :104,032,139,194,072,169,038
50016
                                        50568 :183,224,000,240,037,224,020
                                                                                      :199,153,255,255,200,208,160
                                                                                51114
      :001,032,139,194,073,255,028
50022
                                                                                      :250,238,173,199,208,245,209
                                              :003,176,033,224,001,240,051
                                                                                51120
       :045,023,208,141,023,208,244
                                        50574
50028
                                                                                      :096,169,000,160,004,032,131
                                        50580 :002,162,000,189,000,220,209
                                                                                51126
       :104,013,023,208,141,023,114
50034
                                       50586 :041,015,073,015,170,189,145
50592 :167,197,168,032,162,179,041
50598 :096,000,001,002,000,003,012
                                                                                      :230,195,152,010,170,189,110
                                                                                51132
       :208,104,032,139,194,072,101
50040
                                                                                      :206,199,141,125,202,189,232
                                                                                51138
      :169,001,032,139,194,073,222
50046
                                                                                      :207,199,141,126,202,096,147
:134,202,138,202,142,202,202
                                                                                51144
       :255,045,029,208,141,029,071
50052
                                        50604 :005,006,000,004,007,008,202
                                                                                51150
       :208,104,013,029,208,141,073
50058
                                        50610 :162,014,108,000,003,032,241
                                                                                51156
                                                                                      :146,202,169,000,160,160,025
       :029,208,096,169,000,160,038
50064
                                                                                      :032,230,195,152,072,169,044
                                                                                51162
                                        50616 :161,183,224,000,240,244,212
50070
       :016,032,230,195,152,072,079
                                                                                      :000,160,200,032,218,195,005
                                        50622 :224,003,176,240,224,001,034
                                                                                51168
       :169,000,160,016,032,218,239
50076
                                                                                51174
                                                                                      :152,072,032,121,000,201,040
                                        50628 :240,002,162,000,189,000,021
       :195,152,141,038,208,104,232
50082
                                                                                51180
                                                                                      :164,208,048,032,115,000,035
       :141,037,208,096,169,000,051
                                        50634
                                              :220,041,016,074,074,074,189
50088
                                                                                51186
                                                                                      :169,000,160,160,032,230,225
                                        50640 :074,073,001,168,032,162,206
       :160,008,032,230,195,140,171
50094
                                                                                51192
                                                                                      :195,152,072,169,000,160,228
       :051,192,169,001,032,139,252
                                              :179,096,173,052,192,208,090
50100
                                        50646
                                                                                51198
                                                                                      :200,032,218,195,152,170,197
                                        50652 :048,173,024,208,141,052,098
50106
       :194,013,021,208,141,021,016
                                                                                51204
                                                                                      :104,133,005,104,141,057,036
       :208,096,169,000,160,008,065
                                              :192,041,015,009,072,141,184
50112
                                        50658
                                                                                51210
                                                                                      :192,104,133,004,120,169,220
                                        50664 :024,208,169,003,141,002,011
       :032,230,195,140,051,192,014
50118
                                                                                      :052,133,001,173,057,192,112
:032,150,202,169,055,133,251
                                                                                51216
                                        50670 :221,169,004,141,000,221,226
       :169,001,032,139,194,073,044
50124
                                        50676 :173,022,208,009,016,141,045
                                                                                51222
       :255,045,021,208,141,021,133
50130
                                                                                      :001,088,096,076,008,175,216
                                                                                51228
50136
       :208,096,140,083,192,141,052
                                        50682
                                              :022,208,169,000,141,053,075
                                                                                      :032,121,000,208,014,169,066
                                        50688 :192,141,054,192,173,017,001
                                                                                51234
       :084,192,032,253,174,076,009
50142
                                                                                      :000,160,024,153,058,192,115
                                                                                51240
       :236,195,140,083,192,141,191
                                              :208,009,032,141,017,208,109
50148
                                        50694
                                                                                       :153,000,212,136,016,247,042
                                                                                51246
       :084,192,032,158,173,032,137
                                        50700 :096,096,076,008,175,032,239
50154
                                                                                      :096,076,008,175,169,000,064
       :170,177,140,085,192,141,121
                                              :158,173,165,013,201,255,215
                                                                                51252
50160
                                        50706
                                                                                       :160,004,032,230,195,192,103
                                                                                51258
50166
       :086,192,056,173,085,192,006
                                        50712
                                              :208,244,032,166,182,201,033
                                                                                      :000,240,041,140,051,192,216
50172
       :237,083,192,141,057,192,130
                                        50718 :000,240,236,141,051,192,122
                                                                                51264
                                                                                      :169,000,160,002,032,218,139
50178
       :173,086,192,237,084,192,198
                                        50724 :160,000,169,224,024,109,210
                                                                                51270
                                                                                       :195,152,072,172,051,192,142
       :013,057,192,144,005,162,069
                                        50730 :054,192,141,054,192,120,027
                                                                                51276
50184
                                                                                      :185,053,202,168,104,141,167
      :014,108,000,003,173,086,142
                                              :165,001,041,251,133,001,128
                                                                                51282
50190
                                        50736
                                                                                      :051,192,185,062,192,041,043
       :192,096,169,000,160,002,127
                                        50742 :177,034,140,057,192,201,087
                                                                                51288
50196
                                                                                       :254,153,004,212,013,051,013
50202
       :032,230,195,192,000,208,115
                                        50748 :032,176,003,076,202,198,235
                                                                                51294
50208
       :014,032,121,000,208,056,207
                                        50754
                                              :201,064,144,037,201,096,041
                                                                                51300
                                                                                       :192,153,062,192,153,004,088
                                                                                       :212,096,162,014,108,000,186
       :169,239,045,022,208,141,094
                                        50760
                                              :144,027,201,128,144,027,231
                                                                                51306
50214
50220
       :022,208,096,152,072,169,251
                                        50766 :201,160,176,003,076,202,128
                                                                                51312
                                                                                       :003,169,000,160,004,032,224
50226
       :000,160,016,032,218,195,159
                                        50772
                                              :198,201,192,144,012,201,008
                                                                                51318
                                                                                       :230,195,192,000,240,240,191
50232
       :152,072,169,000,160,016,113
                                        50778
                                              :255,144,004,169,126,208,228
                                                                                51324
                                                                                       :140,051,192,032,253,174,198
                                        50784 :010,041,127,208,006,041,017
                                                                                      :032,158,173,032,155,188,100
50238
       :032,218,195,140,035,208,122
                                                                                51330
                                              :191,208,002,041,223,141,140
                                                                                51336
                                                                                       :172,051,192,185,053,202,223
50244
       :104,141,034,208,104,010,157
                                        50790
       :010,010,010,072,073,255,248
                                        50796 :055,192,169,000,141,056,209
                                                                                      :168,165,101,153,058,192,211
50250
                                                                                51342
                                              :192,162,003,014,055,192,220
                                                                                       :153,000,212,165,100,153,163
       :045,022,208,141,022,208,214
                                                                                51348
50262
       :104,013,022,208,141,022,084
                                        50808 :046,056,192,202,208,247,047
                                                                                51354
                                                                                      :059,192,153,001,212,096,099
                                                                                      :169,000,160,004,032,230,243
50268
                                        50814 :173,056,192,024,105,208,116
       :208,096,076,008,175,169,056
                                                                                51360
       :000,160,002,032,230,195,205
50274
                                        50820 :141,056,192,173,053,192,171
                                                                                51366
                                                                                      :195,192,000,240,193,140,102
50280
       :192,000,208,014,032,121,159
                                        50826 :133,098,173,054,192,133,153
                                                                                51372
                                                                                       :051,192,169,001,160,000,233
       :000,208,237,169,191,045,192
:017,208,141,017,208,096,035
50286
                                        50832 :099,173,055,192,133,100,128
                                                                                51378
                                                                                      :032,218,195,152,072,169,248
                                        50838 :173,056,192,133,101,160,197
50292
                                                                                51384
                                                                                      :001,160,000,032,218,195,022
                                                                                      :152,072,032,121,000,240,039
       :152,072,169,000,160,016,179
50298
                                        50844 :007,177,100,145,098,136,051
                                                                                51390
50304
       :032,218,195,152,072,169,198
                                        50850 :016,249,173,053,192,024,101
                                                                                51396
                                                                                       :031,169,016,160,000,032,092
50310
       :000,160,016,032,218,195,243
                                        50856 :105,008,141,053,192,173,072
                                                                                51402
                                                                                      :218,195,072,152,072,172,059
       :152,072,169,000,160,016,197
                                        50862 :054,192,105,000,141,054,208
                                                                                51408
                                                                                       :051,192,185,053,202,168,035
50316
                                        50868 :192,201,255,208,017,173,202
                                                                                      :104,153,060,192,153,002,110
       :032,218,195,140,036,208,207
                                                                                51414
50322
50328
       :104,141,035,208,104,141,117
                                        50874 :053,192,201,064,208,010,146
                                                                                51420
                                                                                      :212,104,153,061,192,153,071
                                        50880 :169,224,141,054,192,169,117
50334
       :034,208,104,010,010,010,022
                                                                                51426
                                                                                      :003,212,172,051,192,185,017
      :010,010,010,072,073,255,082
:045,017,208,141,017,208,038
50340
                                        50886
                                               -000,141,053,192,172,057,045
                                                                                51432
                                                                                       :053,202,168,104,153,064,208
50346
                                        50892
                                              -192,200,204,051,192,240,003
                                                                                51438
                                                                                      :192,153,006,212,104,153,034
                                        50898 :003,076,054,198,165,001,195
50904 :009,004,133,001,088,173,112
50352
       :104,013,017,208,141,017,164
                                                                                51444
                                                                                      :063,192,153,005,212,096,197
       :208,096,169,000,160,016,063
                                                                                51450
                                                                                      :162,014,108,000,003,169,194
50358
       :032,230,195,140,051,192,004
                                        50910 :054,192,056,233,224,141,098
                                                                                51456
                                                                                      :000,160,004,032,230,195,109
50364
                                        50916 :054,192,201,031,208,015,161
                                                                                51462
                                                                                      :192,000,240,240,140,051,101
       :120,165,001,041,251,133,137
50370
       :001,169,000,133,098,169,002
                                                                                51468
                                                                                      :192,032,253,174,170,224,033
                                        50922 :173,053,192,201,064,208,101
50376
       :208,133,099,169,000,133,180
                                                                                51474
                                                                                      :084,208,004,169,016,208,195
                                        50928 :008,169,000,141,053,192,035
50382
                                        50934 :141,054,192,096,169,000,130
50940 :160,160,032,230,195,152,157
                                                                                51480
                                                                                      :027,224,083,208,004,169,227
       :100,173,051,192,010,010,236
50388
       :133,101,160,000,177,098,119
                                                                                51486
                                                                                      :032,208,019,224,080,208,033
50394
       :145,100,200,208,249,230,076
                                        50946 :072,169,000,160,200,032,123
                                                                                51492
                                                                                       :004,169,064,208,011,224,204
50400
                                        50952 :218,195,152,072,120,169,166
                                                                                      :078,208,052,169,128,208,117
       :099,230,101,165,099,201,101
                                                                                51498
50406
       :216,208,239,165,001,009,050
                                        50958 :052,133,001,104,170,104,066
50964 :168,138,032,057,202,169,018
                                                                                51504
                                                                                      :003,076,053,200,168,032,068
50412
       :004,133,001,088,173,024,153
50418
                                                                                      :115,000,240,024,170,152,243
                                                                                51510
                                                                                      :224,083,208,004,009,002,078
:208,011,224,082,208,007,038
50424
       :208,041,240,013,051,192,225
                                        50970 :055,133,001,088,096,173,060
                                                                                51516
       :141,024,208,096,169,000,124
50430
                                        50976 :052,192,240,029,169,003,205
                                                                                51522
      :160,040,032,230,195,152,045
                                        50982 :141,002,221,169,007,141,207
                                                                                       :009,004,208,003,076,053,169
                                                                                51528
50436
      :072,169,000,160,025,032,212
                                        50988 :000,221,173,052,192,141,055
                                                                                       :200,076,052,201,174,051,064
                                                                                51534
50442
                                                                                      :192,189,053,202,170,152,018
:157,062,192,157,004,212,106
                                        50994 :024,208,169,000,141,052,132
                                                                                51540
50448 :218,195,152,170,173,052,208
                                        51000 :192,173,017,208,041,223,142
                                                                                51546
50454
      :192,240,067,169,000,141,063
                                        51006 :141,017,208,096,169,000,181
                                                                                51552
50460 :053,192,141,054,192,224,116
                                                                                       :096.076.008.175.169.000.108
```

51558 :160,016,032,230,195,152,119 51564 :013,082,192,141,082,192,042 51570 :141,024,212,096,169,008,252 51576 :160,000,032,230,195,010,235 51582 :010,010,010,010,141,051,102 51588 :192,152,041,248,074,074,145 51594 :074,013,051,192,141,051,148 51600 :192,152,041,007,152,173,093 51606 :051,192,141,080,192,141,179 51612 :022,212,140,079,192,140,173 51618 :021,212,096,170,169,000,062 51624 :224,072,208,004,009,064,237 51630 :208,019,224,066,208,004,135 51636 :009,032,208,011,224,076,228 51642 :208,004,009,016,208,003,122 51648 :076,008,175,168,032,115,254 51654 :000,240,005,170,152,076,073 51660 :168,201,152,013,082,192,244 :141,082,192,141,024,212,234 :096,162,014,108,000,003,087 51666 51672 51678 :169,000,160,004,032,230,049 51684 :195,192,000,240,240,140,211 51690 :051,192,169,000,160,002,040 51696 :032,218,195,152,174,051,038 51702 :192,224,001,208,004,160,011 51708 :001,208,013,224,002,208,140 51714 :005,010,160,002,208,004,135 51720 :010,010,160,004,141,051,128 51726 :192,152,073,255,045,081,044 :192,013,051,192,141,081,178 51732 :192,141,023,212,096,169,091 :000,160,016,032,230,195,153 :152,010,010,010,010,013,243 51738 51744 51750 :081,192,141,081,192,141,104 51756 51762 :023,212,096,000,000,007,132 :014,141,057,192,041,248,237 :170,010,010,010,133,251,134 51768 51774 :138,074,074,074,170,024,110 :105,224,133,252,138,074,232 51780 51786 51792 :074,024,101,252,133,252,148 51798 :152,010,144,003,230,252,109 51804 :024,041,248,101,251,133,122 51810 :251,144,003,230,252,024,234 :173,057,192,041,007,101,163 :251,133,251,152,041,003,173 51816 51822 :170,189,130,202,160,000,199 51828 :049,251,029,146,202,145,176 51834 :251,096,063,207,243,252,216 :000,000,000,000,064,016,214 51840 51846 51852 :004,001,128,032,008,002,059 51858 :192,048,012,003,160,255,048 :133,077,134,078,197,078,081 :144,010,160,001,132,080,173 51864 51870 51876 :056,229,078,076,177,202,214 51882 :132,080,165,078,056,229,142 51888 :077,133,006,160.255.165.204 51894 :004,197,005,144,010,160,190 51900 :001,132,081,056,229,005,180 :076,204,202,132,081,165,030 :005,056,229,004,133,079,194 51906 51912 :162,000,134,003,134,076,203 :197,006,176,072,165,006,066 51918 51924 51930 :074,024,101,079,133,075,192 51936 :144,002,230,076,165,078,151 :164,005,032,057,202,165,087 51942 51948 :076,201,001,240,006,165,157 :075,197,006,144,016,165,077 51954 :005,024,101,081,133,005,085 51960 51966 :165,075,056,229,006,176,193 51972 :002,198,076,024,101,079,228 51978 :133,075,144,002,230,076,158 51984 :165,078,024,101,080,133,085 51990 :078,165,003,230,003,197,186 51996 :006,208,197,096,165,079,011 52002 :074,024,101,006,133,075,191 52008 :144,002,230,076,165,078,223 52014 :164,005,032,057,202,165,159 52020 :076,201,001,240,006,165,229 52026 :075,197,079,144,016,165,222 52032 :078,024,101,080,133,078,046 52038 :165,075,056,229,079,176,082 52044 :002,198,076,024,101,006,227 52050 :133,075,144,002,230,076,230 52056 :165,005,024,101,081,133,085 52062 :005,165,003,230,003,197,185 52068 :079,208,197,096,013,013,194

Gradebook

(See instructions in article on page 65 before typing in.)

```
49152 :169,019,133,170,169,200,092
 49158 :133,168,169,004,133,169,014
 49164 :169,000,133,166,133,175,020
 49170 :133,171,133,172,169,005,033
 49176 :133,167,133,176,169,128,162
 49182 :141,138,002,169,001,133,102
 49188 :139,169,142,032,210,255,215
 49194 :169,008,032,210,255,032,236
 49200 :066,192,032,236,193,162,161
 49206 :020,160,000,136,208,253,063
 49212 :202,208,250,076,050,192,014
 49218 :169,000,133,006,133,004,255
 49224 :133,166,169,005,133,167,077
 49230 :169,015,141,134,002,141,168
 49236 :033,208,169,147,032,210,115
 49242 :255,169,000,141,032,208,127
 49248 :169,011,141,033,208,160,050
 49254 :019,032,145,192,200,200,122
 49260 :200,200,192,040,144,245,105
 49266 :169,043,160,202,032,030,238
 49272 :171,162,024,160,000,024,149
 49278 :032,240,255,169,106,160,064
 49284 : 202,032,030,171,032,184,015
 49290 :192,032,084,201,076,232,187
 49296
      :198,032,161,192,162,025,146
 49302 :169,066,145,002,032,170,222
 49308 :192,202,208,246,096,169,245
 49314 :000,133,002,169,004,133,091
 49320 :003,096,165,002,024,105,051
 49326 :040,133,002,165,003,105,110
49332 :000,133,003,096,165,006,071
49338 :170,133,173,160,000,032,086
49344 :161,192,138,024,105,001,045
49350 :032,131,193,232,200,192,154
49356 :005,208,243,160,000,032,084
49362 :170,192,166,173,189,128,204
49368 :101,032,131,193,232,200,081
49374
      :192,005,208,244,032,170,049
49380
      :192,160,000,166,173,189,084
49386
      :128,102,032,131,193,232,028
49392
      :200,192,005,208,244,169,234
49398
      :000,133,142,165,004,074,252
49404
      :102,142,072,169,000,024,249
49410
      :101,142,133,251,104,105,070
      :066,133,252,072,165,251,179
49416
49422
      :072,169,200,133,002,169,247
49428
      :004,133,003,162,019,160,245
49434
      :000,177,251,208,002,169,065
49440
      :032,145,002,200,192,019,110
49446 :208,243,165,251,024,105,010
49452
      :020,133,251,165,252,105,202
49458 :000,133,252,165,006,024,118
49464 :101,251,133,251,165,252,185
49470 :105,000,133,252,160,000,200
49476 :177,251,032,131,193,200,028
49482 :192,005,208,246,104,024,085
49488 :105,128,133,251,168,104,201
49494 :105,000,133,252,072,152,032
49500 :072,032,170,192,202,208,200
49506 :182,166,006,160,000,189,033
49512 :128,103,032,131,193,232,155
49518 :200,192,005,208,244,160,095
49524 :039,185,192,007,009,128,164
49530 :153,192,007,136,016,245,103
49536 :104,104,096,133,005,138,196
49542 :072,152,072,010,010,024,218
49548 :105,020,168,162,002,169,254
49554 :047,149,247,202,016,249,032
49560 :162,000,165,005,201,201,118
49566
     :208,012,162,002,189,233,196
49572 :193,149,247,202,016,248,195
49578 :048,017,246,247,056,253,013
49584 :230,193,016,248,024,125,244
49590 :230,193,232,224,003,208,248
49596 :239,162,000,134,253,181,133
49602 :247,201,048,208,010,165,049
49608 :253,208,004,169,032,208,050
49614 :004,169,048,230,253,145,031
49620 :002,200,232,224,002,144,248
49626
     :230,230,253,224,003,144,022
49632 :224,104,168,104,170,096,066
49638
     :100,010,001,032,042,032,191
49644 :169,000,133,198,165,167,044
```

:133,176,165,166,133,175,166 49656 :032,226,198,072,032,188,228

```
49662 :198,165,139,133,181,104,150
 49668 :201,095,208,008,165,139,052
 49674
        :073,004,133,139,208,232,031
 49680
       :201,019,208,023,174,141,014
 49686
       :002,208,018,032,084,201,055
 49692
       :169,000,133,006,133,004,217
 49698 :133,175,169,005,133,176,057
 49704 :076,072,194,201,013,240,068
 49710 :004,201,017,208,043,032,039
 49716
       :084,201,166,176,224,023,158
 49722
       :208,018,165,004,201,051,193
 49728
       :240,002,230,004,198,181,151
 49734
       :208,238,032,184,192,076,232
 49740
       :232,198,230,176,165,176,229
 49746
       :201,003,208,005,024,105,116
 49752
       :002,133,176,076,068,194,225
 49758
       :201,145,208,048,032,084,044
 49764
       :201,164,176,166,175,240,198
 49770 :006,192,001,208,006,240,247
 49776
       :020,192,005,240,016,198,015
 49782
       :176,165,176,201,004,208,024
 49788
       :005,056,233,002,133,176,217
 49794
       :076,139,194,165,004,240,180
 49800
       :002,198,004,198,181,208,159
49806
       :214,076,072,194,201,157,032
49812
       :208,035,032,084,201,166,106
49818 :175,240,010,164,176,192,087
49824
      :005,176,013,224,001,208,019
49830 :009,166,006,240,007,198,024
49836
       :006,076,178,194,198,175,231
49842 :198,181,208,227,076,072,116
49848 :194,201,029,208,029,032,109
49854 :084,201,166,175,224,005,021
49860 :208,011,166,006,224,095,138
       :240,007,230,006,076,211,204
:194,230,175,198,181,208,114
49866
49872
      :233,076,072,194,201,032,254
:144,007,201,091,176,003,074
49878
49884
49890 :076,067,199,201,020,208,229
49896 :016,165,171,240,012,198,010
49902
       :171,164,171,169,032,145,066
49908
       :168,200,145,168,096,201,198
49914
       :092,208,075,165,006,133,161
49920 :181,032,084,201,176,063,225
49926 :032,245,199,169,100,133,116
49932 :006,165,166,133,182,169,065
49938 :001,133,166,032,194,201,233
49944
       :230,166,032,194,201,165,244
49950 :182,133,166,032,245,192,212
49956
       :162,000,160,020,024,032,178
49962
       :240,255,169,126,160,202,170
       :032,030,171,165,181,133,248
49968
49974
       :006,032,226,198,201,016,221
49980
       :208,007,169,001,133,182,248
49986
      :032,096,196,076,072,194,220
49992
       :201,147,208,050,032,254,196
49998
      :197,208,042,032,034,202,025
      :162,039,160,000,169,201,047
:145,002,136,208,251,230,038
:003,202,208,246,032,034,053
50004
50010
50016
      :202,162,071,160,019,169,117
50022
      :000,145,002,136,016,249,144
:032,229,203,202,208,241,205
50028
50034
50040
      :076,072,194,076,248,193,211
50046
      :201,019,208,065,032,022,161
50052
       :198,032,047,198,176,057,072
      :032,002,204,165,142,201,116
      :084,240,023,169,015,162,069
50064
      :008,168,032,186,255,165,196
50076
      :173,024,105,003,162,033,144
50082 :160,204,032,189,255,032,010
50088 :192,255,165,173,162,036,127
50094 :160,204,032,189,255,032,022
50100 :034,202,169,002,162,128,109
50106 :160,104,056,032,216,255,241
50112 :076,220,195,201,012,208,080
50118 :127,032,022,198,032,047,144
50124 :198,176,119,032,002,204,167
50130 :169,000,162,000,160,066,255
50136 :024,032,213,255,165,142,023
50142 :201,084,240,069,162,004,214
50148 :160,000,024,032,240,255,171
50154 :169,015,032,195,255,169,045
50160 :015,162,008,168,032,186,043
50166 :255,169,000,032,189,255,122
50172 :032,192,255,162,015,032,172
50178 :198,255,032,207,255,201,126
50184 :044,208,249,032,207,255,235
50190 :201,044,240,006,032,210,235
50196 :255,076,011,196,032,207,029
50202 :255,201,013,208,249,169,097
```

49650

```
51300 :016,250,133,178,164,178,251
                                        50754 :011,201,068,240,005,032,111
50208 :015,032,195,255,032,204,253
                                                                                 51306 :185,128,102,240,090,201,028
                                         50760 :188,198,056,096,162,008,012
50214 :255,169,002,032,195,255,178
                                                                                       :201,176,078,133,173,164,013
                                                                                 51312
                                         50766 :169,002,160,001,032,186,116
50220 :032,036,198,169,001,133,101
                                                                                       :178,177,002,201,201,176,029
                                                                                 51318
                                         50772 :255,032,188,198,169,185,087
      :192,165,001,009,032,133,070
50226
                                                                                       :068,165,173,101,142,133,138
                                         50778 :160,202,032,208,198,169,035
                                                                                 51324
      :001,169,041,160,203,032,150
:030,171,032,226,198,076,027
50232
                                                                                       :142,164,173,169,000,032,042
                                         50784 :000,133,204,133,173,032,003
                                                                                 51330
                                                                                        :145,179,032,015,188,164,091
50238
                                         50790 :226,198,201,013,240,028,240
                                                                                 51 336
50244 :002,204,201,001,208,011,183
50250 :032,084,201,176,003,032,090
                                                                                        :178,185,128,101,168,169,047
                                         50796 :201,020,240,044,201,032,078
                                                                                 51342
                                                                                        :000.032,145,179,032,244,012
                                         50802 :144,241,201,091,176,237,180
                                                                                 51348
50256 :055,203,076,072,194,201,113
                                                                                        :203,144,001,096,032,015,133
                                                                                 51354
                                         50808 :164,173,153,036,204,032,114
                                                                                       :188,164,178,177,002,168,013
:169,000,032,145,179,165,088
      :016,240,003,076,066,197,172
50262
                                                                                 51360
                                         50814 :210,255,230,173,165,173,052
50268 :169,000,133,182,032,207,047
                                         50820 :201,012,208,221,032,188,226
                                                                                 51366
      :203,138,240,236,165,006,062
                                                                                        :097,032,043,186,169,060,247
50274
                                                                                 51372
                                         50826 :198,169,001,133,204,165,240
                                                                                        :160,003,032,140,186,032,219
50280 :024,101,166,133,253,024,037
                                                                                 51378
                                         50832 :173,240,180,162,036,160,071
                                                                                        :106,184,162,060,160,003,091
:032,212,187,230,178,165,170
50286 :105,019,133,005,169,000,029
                                                                                 51384
                                         50838 :204,032,189,255,024,096,182
50292 :133,002,169,066,133,003,110
                                         50844 :165,173,240,197,169,194,014
                                                                                 51390
50298 :169,004,162,004,160,000,109
50304 :032,186,255,169,000,032,034
                                                                                        :178,201,100,208,159,165,183
:142,201,100,240,004,169,034
                                                                                 51396
                                         50850 :160,202,032,030,171,198,187
                                                                                 51402
                                         50856 :173,076,101,198,169,146,007
50310 :189,255,032,192,255,162,195
                                                                                        :201,208,014,169,060,160,252
                                                                                  51408
                                               :160,202,032,208,198,032,238
                                         50862
      :004,032,201,255,165,166,195
                                                                                        :003,032,162,187,032,073,191
50316
                                                                                  51414
                                         50868 :226,198,072,032,188,198,070
       :005,182,240,075,165,182,227
                                                                                        :184,032,161,183,138,160,054
50322
                                                                                  51420
                                         50874 :104,096,169,032,160,018,253
      :240,013,169,014,160,203,183
                                                                                        :101,145,002,032,229,203,170
50328
                                                                                  51426
                                         50880 :153,160,004,136,016,250,143
50334 :032,030,171,169,120,133,045
                                                                                        :198,177,240,003,076,090,248
                                                                                  51432
                                         50886 :096,169,000,133,002,169,255
50340 :005,208,052,169,230,160,220
                                                                                        :200,096,169,000,133,005,073
                                                                                  51438
                                         50892 :066,133,003,096,072,152,214
50346 :202,032,030,171,166,253,000
                                                                                        :133,253,160,099,177,002,044
                                                                                  51444
                                         50898 :072,162,004,160,000,024,120
      :032,225,197,032,016,198,108
                                                                                        :201,201,144,024,185,128,109
50352
                                                                                  51450
                                         50904 :032,240,255,104,168,104,095
      :169,250,160,202,032,030,001
                                                                                        :101,201,201,176,030,165,106
50358
                                                                                  51456
                                         50910 :032,030,171,096,032,228,043
50916 :255,240,251,096,032,055,133
50364 :171,164,253,136,185,128,201
                                                                                        :173,056,249,128,101,133,078
                                                                                  51462
      :101,170,032,225,197,032,183
                                         50922 :199,032,084,201,032,055,069
50928 :199,165,175,133,166,165,219
50934 :176,133,167,032,161,192,083
                                                                                  51468
                                                                                        :173,165,174,233,000,133,122
50370
50376 :016,198,169,106,160,202,027
                                                                                  51474
                                                                                        :174,076,035,201,165,005,162
       :032,030,171,164,253,136,224
                                                                                  51480 :024,113,002,133,005,165,210
 50382
                                                                                        :253,105,000,133,253,136,142
:016,210,164,005,165,253,081
:096,162,016,169,000,149,122
       :185,128,103,170,032,225,031
                                                                                  51486
 50388
                                         50940 :166,167,032,170,192,202,157
       :197,032,016,198,032,016,197
                                                                                  51492
 50394
                                         50946 :208,250,166,166,189,049,006
       :198,032,225,255,240,083,233
                                                                                  51498
 50400
                                         50952 :199,024,101,002,133,168,123
 50406 :169,254,133,181,032,225,200
                                                                                        :097,202,016,249,096,169,109
                                                                                  51504
                                         50958 :165,003,105,000,133,169,077
 50412 :255,240,074,160,000,177,118
                                                                                  51510
                                                                                        :020,133,002,169,067,133,066
                                         50964 :160,002,165,166,208,002,211
 50418 :002,201,027,176,006,009,151
                                                                                        :003,160,108,169,217,160,109
                                                                                  51516
                                         50970 :160,018,132,170,032,184,210
       :064,208,002,169,032,032,243
                                                                                        :202,032,208,198,056,096,090
 50424
                                                                                  51522
                                               :192,164,170,177,168,009,144
                                         50976
       :210,255,200,192,019,208,058
                                                                                        :032,131,199,177,168,145,156
 50430
                                                                                  51528
                                         50982 :128,145,168,136,016,247,110
       :236,165,166,005,182,240,230
:036,164,005,177,002,201,083
                                                                                        :002,136,016,249,024,096,089
:032,055,199,164,170,192,128
 50436
                                                                                  51534
                                               :169,000,133,171,096,000,101
                                         50988
                                                                                  51540
 50442
                                         50994 :020,024,028,032,036,164,098
       :201,144,008,169,042,032,100
                                                                                        :018,240,235,169,000,133,117
 50448
                                                                                  51546
                                         51000 :170,177,168,041,127,145,116
       :210,255,076,031,197,170,193
                                                                                        :005,133,171,162,002,177,234
 50454
                                                                                  51552
                                         51006 :168,136,016,247,096,072,029
 50460 :032,225,197,165,182,240,045
50466 :012,169,032,032,210,255,232
                                                                                        :168,201,042,208,012,165,130
                                                                                  51558
                                               :166,166,208,010,201,032,083
                                         51012
                                                                                        :167,201,003,144,206,169,230
                                                                                  51564
                                         51018 :240,006,201,065,176,002,252
       :164,005,200,230,181,208,004
:222,032,229,203,032,016,012
                                                                                  51570 :201,133,005,208,061,056,010
 50472
                                         51024 :104,096,165,171,208,009,065
                                                                                        :233,048,240,020,201,240,078
 50478
                                                                                  51576
                                         51030 :164,170,169,032,145,168,166
       :198,198,190,208,168,169,159
                                                                                        :240,017,133,253,165,005,171
 50484
                                                                                  51582
       :004,032,195,255,032,204,012
                                          51036 :136,016,249,104,201,065,095
                                                                                        :024,125,230,193,133,005,074
 50490
                                                                                  51588
       :255,096,201,024,208,006,086
:032,254,197,208,003,000,252
                                          51042 :144,003,056,233,064,164,250
                                                                                        :176,179,198,253,208,242,114
 50496
                                                                                  51594
                                          51048 :171,072,032,131,199,104,045
 50502
                                                                                  51600
                                                                                        :202,136,016,209,165,167,015
                                          51054 :009,128,145,168,162,018,228
       :201,004,240,003,076,219,051
 50508
                                                                                        :201,003,144,026,165,006,183
                                                                                  51606
                                          51060 :165,166,240,002,162,002,085
       :197,032,172,198,201,067,181
 50514
                                                                                  51612 :024,101,166,168,136,185,168
       :208,045,032,207,203,165,180
:166,240,122,024,101,006,241
                                               :228,171,240,002,230,171,140
                                          51066
 50520
                                                                                  51618 :128,101,201,201,208,002,235
                                          51072 :132,172,096,169,000,133,062
 50526
                                                                                        :169,000,197,005,144,145,060
                                                                                  51624
       :133,142,105,019,168,032,187
                                          51078 :142,165,004,074,102,142,251
 50532
                                                                                  51630 :165,005,201,201,176,139,037
                                          51084 :072,169,000,024,101,142,136
       :034,202,169,201,145,002,091
 50538
                                                                                  51636 :160,000,032,131,199,165,099
       :032,229,203,202,208,246,208
:164,142,136,169,201,153,059
                                         51090 :133,002,104,105,066,133,177
 50544
                                                                                  51642 :005,145,002,032,194,201,253
                                         51096 :003,166,167,202,224,003,149
51102 :176,035,138,024,105,101,225
                                                                                  51648 :024,096,032,043,201,032,108
 50550
       :128,103,153,128,101,153,122
                                                                                  51654 :207,203,138,240,085,165,212
 50556
       :128,102,076,072,194,201,135
                                                :133,003,165,006,024,105,088
                                          51108
                                                                                  51660 :006,024,101,166,133,142,008
 50562
                                                :128,133,002,165,003,105,194
       :082,208,080,165,167,201,015
                                          51114
 50568
                                                                                  51666 :105,019,168,032,034,202,002
                                          51120 :000,133,003,166,166,202,078
       :003,144,074,165,166,072,254
 50574
                                                                                  51672 :169,000,133,005,133,253,141
                                                :138,024,101,002,133,002,070
                                          51126
       :169,000,133,181,133,166,162
 50580
                                                                                  51678 :177,002,201,201,144,005,184
                                                :165,003,105,000,133,003,085
                                          51132
       :032,131,199,104,133,166,151
 50586
                                                                                  51684 :198,190,076,244,201,024,137
                                                :096,202,202,202,202,240,058
                                          51138
       :165,002,024,105,128,133,205
 50592
                                                                                  51690 :101,005,133,005,165,253,128
                                                :006,032,229,203,202,208,056
       :251,165,003,105,000,133,055
                                          51144
 50598
                                                                                  51696 :105,000,133,253,032,229,224
                                                :250,166,166,240,027,165,196
:006,024,101,002,133,002,224
                                          51150
 50604
       :252,160,000,177,251,192,180
                                                                                  51702 :203,202,208,228,165,253,225
 50610
       :000,208,006,041,223,208,096
                                          51156
                                                                                  51708 :164,005,032,145,179,032,041
                                                :165,003,105,000,133,003,115
       :002,230,181,145,002,200,176
                                          51162
 50616
                                                                                  51714 :012,188,164,190,240,024,052
                                                :165,002,024,125,239,199,210
        :192,128,208,237,032,229,192
                                          51168
 50622
                                                                                  51720 :169,000,032,145,179,032,053
                                          51174 :133,002,165,003,105,000,126
       :203,165,181,240,215,160,080
 50628
                                                                                   51726
                                                                                        :244,203,144,001,096,032,222
                                          51180 :133,003,096,000,020,021,253
       :127,169,201,145,002,136,214
 50634
                                         51186 :022,023,024,032,043,201,075
51192 :169,128,133,002,169,101,182
                                                                                   51732 :073,184,032,161,183,138,023
       :192,019,208,249,169,000,021
 50640
                                                                                   51738 :164,142,136,153,128,103,084
       :145,002,136,016,251,032,028
 50646
                                                :133,003,032,240,200,132,226
:140,133,141,032,207,203,092
                                                                                   51744 :024,096,169,000,133,002,200
       :184,192,076,072,194,138,052
                                          51198
 50652
                                                                                   51750 :169,066,133,003,096,019,012
       :160,003,136,048,005,217,027
                                          51204
 50658
                                                                                   51756 :029,029,029,029,029,029,218
                                          51210 :134,177,169,020,133,002,133
       :230,193,176,248,152,048,255
 50664
                                                                                   51762 :065,083,083,073,071,078,247
       :009,200,169,032,032,210,122
                                                :169,066,133,003,165,140,180
 50670
                                          51216
                                                                                   51768 :077,069,078,084,032,035,175
       :255,136,208,248,169,000,236
                                          51222
                                                :133,173,165,141,133,174,173
 50676
                                                                                   51774 :013,029,029,029,029,029,220
                                                :032,240,200,032,145,179,088
 50682
       :032,205,189,096,169,200,117
                                          51228
                                                                                   51780 :029,080,069,082,070,069,211
                                                :032,015,188,164,173,165,003
       :160,202,032,208,198,032,064
 50688
                                          51234
                                                                                   51786 :067,084,032,077,065,082,225
                                                :174,032,145,179,032,244,078
        :226,198,201,089,008,032,248
                                          51240
 50694
                                                                                   51792 :075,013,029,029,029,029,028
       :188,198,040,096,169,013,204
                                                :203,144,001,096,032,226,236
 50700
                                          51246
                                                                                   51798 :029,029,029,029,037,032,015
        :032,210,255,096,032,084,215
                                                :186,032,226,186,032,073,019
                                          51252
 50706
                                                                                   51804 :079,070,032,071,082,065,235
       :201,162,254,181,001,157,212
                                          51258
                                                :184,032,161,183,138,160,148
 50712
                                                                                   51810 :068,069,013,078,065,077,212
 50718 :000,207,202,208,248,096,223
                                          51264
                                                :100,145,002,032,229,203,007
                                                                                         :069,000,065,086,069,082,219
                                                                                   51816
       :162,254,189,000,207,149,229
                                                 :198,177,208,202,032,043,162
                                          51270
 50724
                                                                                   51822
                                                                                         :065,071,069,032,032,032,155
                                                :201,032,207,203,134,177,006
                                          51276
 50730 :001,202,208,248,096,169,198
                                          51282 :169,020,133,002,169,066,129
                                                                                   51828
                                                                                         :032,032,032,032,032,032,052
 50736 :166,160,202,032,208,198,246
                                                                                   51834 :032,032,032,000,065,086,113
                                                :133,003,169,000,133,142,156
                                          51288
        1032,226,198,201,084,133,160
 50742
                                          51294 :160,007,153,060,003,136,101
                                                                                   51840 :071,029,070,073,078,029,222
       :142,208,004,162,001,208,017
 50748
```

```
51846 :032,032,032,029,032,032,067
51852 :032,029,032,032,032,000,041
51858 :018,040,082,041,079,087,237
51864 :032,079,082,032,040,067,228
51870 :041,079,076,085,077,078,082
51876 :146,000,018,040,084,041,237
51882 :065,080,069,032,079,082,065
51888 :032,040,068,041,073,083,001
51894 :075,146,000,018,078,065,052
51900 :077,069,063,146,032,000,063
51906 :032,157,157,032,157,000,217
51912 :018,032,065,082,069,032,242
51918 :089,079,085,032,083,085,147
51924 :082,069,063,146,000,018,078
51930 :068,065,084,065,032,069,089
51936 :082,082,079,082,146,000,183
51942 :065,083,083,073,071,078,171
51948 :077,069,078,084,032,078,142
51954 :085,077,066,069,082,032,141
51960 :032,000,080,069,082,070,069
51966 :069,067,084,032,077,065,136
51972 :082,075,032,032,032,032,033
51978 :032,032,032,000,078,065,249
51984 :077,069,032,032,032,032,034
51990 :032,032,032,032,032,032,214
51996 :032,032,032,032,032,065,253
52002 :086,071,032,070,073,078,188
52008 :000,013,013,072,073,084,039
52014 :032,065,078,089,032,075,161
52020 :069,089,000,032,207,203,140
52026 :224,002,176,001,096,230,019
52032 :190,169,018,133,184,169,159
52038 :000,133,185,169,176,141,106
52044 :165,203,165,166,240,019,010
52050 :165,006,024,101,166,024,056
52056 :105,019,133,185,169,001,188
52062 :133,184,169,144,141,165,006
52068 :203,032,034,202,169,000,228
52074 :133,247,166,190,202,202,222
52080 :165,002,024,105,128,133,157
52086 :251,165,003,105,000,133,007
52092 :252,134,253,162,255,164,064
52098 :185,136,200,232,228,184,015
52104 :240,048,165,184,201,001,207
52110 :208,007,177,251,209,002,228
52116 :076,163,203,177,002,041,042
52122 :223,133,181,177,251,041,136
52128 :223,197,181,240,223,176,120
52134 :019,160,127,177,002,133,016
52140 :142,177,251,145,002,165,030
52146 :142,145,251,136,016,241,085
52152 :230,247,032,229,203,166,011
52158 :253,202,208,174,198,190,135
52164 :165,190,201,002,240,004,230
52170 :165,247,208,151,096,032,077
52176 :034,202,160,000,162,255,253
52182 :232,177,002,041,223,208,073
52188 :003,134,190,096,032,229,136
52194 :203,176,241,165,002,024,013
52200 :105,128,133,002,165,003,000
52206 :105,000,133,003,056,096,119
52212 :165,097,208,005,032,063,046
52218 :201,056,096,032,018,187,072
52224 :024,096,173,024,208,073,086
52230 :032,141,024,208,173,136,208
52236 :002,073,008,141,136,002,118
52242 :072,169,147,032,210,255,135
52248 :104,201,004,208,003,032,064
```

Copies of articles from this publication are now available from the UMI Article Clearinghouse.

For more information about the Clearinghouse, please fill out and mail back the coupon below.

UMIArticle Clearinghouse

Yes! I would like to know more about UMI Article Clearinghouse. I am interested in electronic ordering through the following system(s):

☐ DIALOG/Dialorder ☐ OnTyme	□ ITT Di	alcom ILL Subsystem
Other (please specify)	ng my order by	mail.
☐ Please send me your cur the system(s) I checked a		d user instructions fo
Name		
Title		DOMESTIC VIII
Institution/Company		TOTAL STREET
Department		
Address	X DIE	CALL MANAGEMENT
City	State	Zip

Mail to: University Microfilms International 300 North Zeeb Road, Box 91 Ann Arbor, MI 48106

52254 :078,192,096,083,048,058,073

Creammod	ore
Simons Basic	\$24.99
Assembler	
Easy Finance I, II, III, IV	\$17.99
Gorf	
INFOCOM	1
Zork I, II, III	\$27.99

ELECTRONIC AF	
Music Construction	\$19.99
Pinball Construction	\$19.99
7 Cities of Gold	\$25.99
Archon II	\$25.99
HESWARE	
Games' 84	\$16.99

HESWARL	
Games' 84	\$16.99
Type 'N' Writer	
Super Zaxxon	
Cell Defense	
Hes Writer 64	\$19.99
Continental Soft	ware

The Home Accountant	\$49.99
Professional S	Software
Trivia Fever	\$29.99
Fleet System II Word P	rocessor. \$59.99

SPINNAKER	
Snooper Troops 1 or 2	\$24.99
Delta Drawing	\$29.99
Kids on Keys	\$29.99
SUB LOGIC	
Flight Simulator II	\$39.99

	synapse
Dreibs	\$16.99
Protector	11\$16.99
Sentinel	\$16.99

DISKETTES	
maxell	3

IIIU/LUII.			JII.
51/4"	MD-1	SS/DD	\$17.99

514" E

Dennison			
lephant	SS/SD	EM-1	\$13.99

PRINTERS

	CANNUN	
A40		CALI
LBP-8A1	Laser	CALI
	ACITIZE	'NI

CITIZEN		
MSP-10 (80 Col.)	\$349.00	
MSP-15 (132 Col.)	\$499.00	
MSP-20 (80 Col)	\$489.00	
MSP-25 (132 Col.)	\$679.00	

C.ITOH

Prowriter	7500	\$219.00
Prowriter	8510P	\$299.00
Prowriter	1550P	\$469.00
F10-40P	Starwriter	\$869.00
Prowriter	8510 -NLQ	\$329.00
F10-55 F	rintmaster	\$1049.00

EPSON

LL
LL
LL
LL

JUKI

QualityCAL QualityCAL
The second secon

NEC

0021	DOI	Ma(IIX3233.00	,
		OKIDATA	

Okimate-64 \$199.00

CALL

182, 192, 193,

C Plus

U-Pr

•	I OLI MPI	4
Compact	2	\$369.00
Compact	RO	\$339.00
Needlepo	int Dot Matrix	\$299.00

Panasonic.

Bernelle	1001	2070	~
Panasonic	1091	22/9	u

:RITEMAN:	
	CALL

SILVER-REED

500	Letter	Quality\$279.00
550	Letter	Quality\$419.00
		Quality\$759.00
		Column Co.

Sicon SB/SD/SG/SR CALL

Powertype Letter	QualityCALL
SG-10C (C63 Inte	rface)\$NEV
TOS	HIRA

1340	(80	Col)	\$599.00
P351	(132	Col)	\$1299.00

INTERFACES

		AXIOM
C64	Parallel	Int\$59.99
	DIC	SITAL DEVICES

	DIGITALDETTICES		
int	C	\$49	9

Orange Micro		
		Interface\$99.9
		TVMAC

		TYMAC	
C64	Printer	Interface	\$69.99
		[99]	-

C64 Koala Pad ROM

per		Graphics	Pad	\$39.99
	5	Koa	ala	

\$59.99

COMMODORE

Commodore 128 LCD CALL



C128 Computer	
C1571 (Disk Drive for C128).	\$NEV
C1902 (RGB 13" Monitor for C	128)\$NEV
C1670 (Modem for C128)	SNEV
SX-64 Portable	
Commodore 64	
CBM 4 Plus	
M-801 Dot Matrix Parallel	
MCS 803 Dot Matrix	
1520 Color Printer/Plotter	
1530 Datasette	
1541 Disk Drive	
1660 Auto Modem	
1702 Color Monitor	
DPS Daisywheel Printer	\$339.0
Desk Organizer Lock	
1311 Joystickeach	\$5.9
1312 Paddles	\$11.9

7.150

SD	1	Disk	Drive	\$219.00
SD	2	Disk	Drive	\$469.00

INITIAL IC

		III	
GT-C64	Drive.		.\$239.00

cardco, inc.

3 Slot VIC Expansion Interface	.\$32.99
6 Slot Expansion Interface	.\$79.99
Cassette Interface	.\$29.99
Cassette Deck	\$29.99
G. Wiz	.\$69.99

MONITORS

AMDEK

300 Green	\$129.00
300 Amber	.\$139.00
Color 300 Composite	.\$199.00

NEC

JB	1260	\$59.9
JB	1201/1205(ea.)	\$99.9
JB	1201/1205(ea)	\$99.9

TAXAN

100	12"	Green	\$99.9
105	12"	Amber	.\$99.9

ZVM122	Amber	\$79.99
ZVM123	Green	\$79.99
ZVM130	Color	\$269.00
ZVM131	Color	\$249.00



CALL

MODEMS

C64

	IELE-LEANNING			
300	Baud	\$39.	5	

	ANCHOR
an	Express\$

Lightning 2400 Baud\$399.0	
Lightning 2400 badd	00

MEP MICROBITS

\$69.99 1064 300 Baud AD/AA

THE CMO ADVANTAGE

- THE BEST PRICES!
- Next day shipping on all in stock items.
- Free easy access order inquiry.
- Orders from outside Pennsylvania and Nevada save state sales tax.
- Free technicial support with our factory trained technical
- There is no limit and no deposit on C.O.D. orders.
- There's no extra charge for using your credit card. Your card is not charged until we
- No waiting period for cashiers checks.
- We accept purchase orders from qualified corporations. Subject to approval.
- Educational discounts available to qualified institutions.
- FREE CATALOG MEMBERSHIP

ORDER LINE

1-800-233-8950

In PA 1-800-242-4215 CUSTOMER SERVICE AND

> TECH SUPPORT 1-717-327-1450

Dept. A410

MAILING ADDRESS

Computer Mail Order Dept. A410

477 East Third Street Williamsport, PA 17701

MEMBER DIRECT MARKETING ASSOCIATION

CREDIT CARDS









SHIPPING

Add 3%, minimum \$5.00 shipping and handling on all orders. Larger shipments may require additional charges. All items subject to availability

and price change.

Returned shipments may be subject to a restocking fee.

CANADIAN ORDERS

1-800-268-3974 Ontario/Quebec

1-800-268-4559 Other Provinces

1-416-828-0866

In Toronto

TELEX: 06-218960 2505 Dunwin Drive, Mississauga, Ontario Canada L5L1T1

All prices shown are for U.S.A. orders. Call The Canadian Office for Canadian prices.

























































ABBY'S CARRIES A FULL SELECTION OF SOFTWARE FOR YOUR COMMODORE COMPUTER. CALL FOR CURRENT PRICES.

ABBY'S SUPER BUYS

ATARISOFT VIC-20 (ROM) Pac-Man, Donkey Kong, Centipede, and Defender All Four Titles for only \$12 - PLUS - Receive FREE your choice of one of the following: Crossfire (C), Demon Attack (R) or Protector (R)

ATARISOFT C-64 (ROM).....\$10 Each Pac-Man, Robotron, Defender, Jungle Hunt, Centipede

SPINNAKER (ROM)\$17 Each Adventure Creator, Aegean Voyage, Alf in the Color Caves, Alphabet Zoo, Bubble Burst, Delta Drawing, Facemaker, Fraction Fever, Jukebox, Kids on Keys, Kindercomp, Up For Grabs

Linking Logic, Logic Levels, Alpha Build, Hop Along Counting, Up & Add 'Em, Sea Speller, Number Tumbler

We Carry A Complete Line of Software. The Following Is Just a Sample of our Products **ABACUS**

Ada\$39
Fortran
C-Basic
Ultrabasic
TAS-64\$69
Basic-64
Assembler-Editor
Power-Plan
Anatomy of the Commodore (Book)
Anatomy of the Commodore (Disc)
Anatomy of the 1541 (Book)
Anatomy of the 1541 (Disc)
And only of the 1941 (Disc)
CBS
Falsau

		CBS	
Felony			 \$27
Murder By Dozen			 \$27
Success With Math S	Series .		 .Each \$21

INFOCOM Enchanter Hitch Hiker

MICROPROSE

Air Rescue I				4							×				×	.\$24
F-15 Strike Eagle .			٠	*						,						. \$25
Kennedy Approach																.\$24
NATO Commander																
Decision In The De	se	er	t		,		,	,	,							. \$25
Crusade In Europe			*	,												. \$25

EPYX

Temple Trilogy			 				٠.	(CALL
Fast Load (R)									.\$26
Summer Games II	+								.\$26
Ball Blazer									.\$26
Rescue on Fraculus									.\$26
Robots of Dawn									.\$26
Jet Combat Simulator								1	.\$26
Winter Games			4			*			.\$26

ELECTRONIC ARTS

Hard Hat Mack					,							8	*	\$12
M.U.L.E												-	1	\$17
Music Construction Set														
Realm of Impossibility .														
7 Cities of Gold														
Adv. Construction Kit .										0	-		Ü	\$28
Archon														
Archon II														
Financial Cookbook														
One On One														
Pinball Construction														
Standing Stones														
Murder/Zinderneuf														
Sky Fox														
Racing Destruction Set														
Mail Order Monster														
	ľ	1	-		-		6	•	•	-		-		1

SSI

Kampfgruppe												٠	\$49
Field of Fire										+			\$29
Operation Market G	ia	rc	le	91	1		×						\$37
Computer Quarterba													
Battle for Normand													
Broadsides													
Rails West													\$29
Computer Baseball.													\$29
Baltic 85								٠					\$27
Combat Leader													\$29
Gemstone Warrior .					,								\$27

HARDWARE

111111111111111111111111111111111111111	
1670 Modem	LL
C-128 Computer \$2	
1571 Disk Drive \$2	59
1572 Dual Disk Drive	99
1902 Color Monitor \$2	79
Okimate 10 W/Interface\$1	
Complete Line of Epson Printers and	
Star Printers Starting at \$1	49

TOP HITS

Slap Snot\$	10
Reach for the Stars\$	39
Fleet System\$6	65
Bank St Writer	54
Paperclip/Speller	
Homepak\$	37
B/Graph\$2	29
B/Graph	24
Beachhead II\$2	29
Beachhead II	39
Print Shop\$3	
Indiana Jones	
Bank St. Musicwriter	39
Home Accountant\$5	59
Net Worth\$7	
Adv. Writer\$3	32
Code Writer\$6	69
Super Base	
Ghostbusters\$2	
Star League Baseball \$2	25
On Field Football	25
Doodle\$2	
Dow Jones	27
Compuserve	24
Micro League Baseball\$3	31
Team Disk (for above) \$1	6
Movie Maker	39
Master Type (R)	29
Flight Sim. II (D or C)\$3	39
Mr. Nibble\$3	
Mach 5	29
VIP Terminal II	36
Karateka	24
Europe Ablaze\$3	39
Koronis Rift\$2	29
Load Runner RescueCAL	L
Carriers at War\$3	39

ABBY'S HARDWARE SPECIAL 1530 DATASETTE Retails for \$69.95

ABBY'S PRICE

This is new, full warranty Commodore product. Even if you have disk drive, don't be caught without backup. And for this price, you can't miss!

ACCESSORIES & ROOKS

ACCEDIONIES & DOCKS
Print Shop Paper Refill
Disk Notcher
Ribbon Cartridge For Okimate 10
128 K Upgrade for C-128\$179
384 K Upgrade for C-128\$369
Covers for All Computers & Accessories
G-WIZ\$59
Koala Pad (D)
Bulk Disks, SSDD (Elephant or Nashua)(IF BOUGHT BY 100'S)

ALL TITLES ON DISK UNLESS MARKED (R) FOR ROM CARTRIDGE

Order Line 1-800-282-0333

ORDERS ONLY! Sales Personnel Do Not Have Information on Previous Orders or Product Specs.

M-F 10 a.m.-7 p.m.; Sat. 10-3 ET

37 S. Broad Street, Fairborn, OH 45324

Customer Service 1-513-879-9699

AD #G-105



Prepaid orders over \$50 receive free shipping, UPS, continental US. No waiting period when paid by credit card, certified check or money order. Add \$2 shipping and handling on orders under \$50. Add \$5 for COD orders. \$15 Minimum for VISA/MC. Hardware requires additional freight charges. Ohio residents add 5.5% sales tax. All items Minimum for VISA/MS.
subject to availability and price change.
PLEASE CITE AD NUMBER WHEN ORDERING.





ORDER 5 ONLY ... CALL TOLL T. T. L. 10 P. L. 10 ORDERS ONLY .. CALL TOLL FREE Open 9-8 Mon-Fri: Coast Time

NEW LOWER PRICES AME GREAT SERV

FAST DEPENDABLE SERVICE — Your order on in stock items is shipped UPS ground the next business day. UPS 2nd day and next day air available "If we don't have the lowest price - give us a chance to beat it."





Commodore 128

1571, 1572 disk drives, 1902 monitor, 1670 modem, & Software for the C128

PACKAGE DEALS AVAILABLE ON C128 and DISK DRIVES! CALL FOR DETAILS

CLOSEOUT PRICES ON C64, 1541, and 1702



LX-80	\$226.00
LX-80 tract	\$226.00
Homewrite	or feed\$34.95
includes inter	10\$254.00
FX-80+	
RX-100	\$323.95
FX-100+ L	\$323.95 \$369.00 \$48-80, DX-10,
DX-20	15-80, DX-10,
	··········SCALL



SG-10C .	\$236.0	00
SG-10	\$CAI	L



SG-15			Ī											.\$364.00
SD-10														.\$323.95
POWE	R	ľ	Г	Y	P	E	Ξ							.\$299.00



MODEMS

\$29.95 TOTAL TELEMODEM

1660 \$49.5	95
WESTRIDGE AUTO\$59.9	95
MITEY MO\$59.5	95
MPP 1064 S64.5	95

PANASONIC

1090								\$186.95
1091								\$236.95
1092								\$349.00
1093								.SCALL

ST :NAMETIE:

RITEMAN LQ	.\$249.00
affordable letter quality OKIMATE 10 OKIDATA 92 HUSH 80 CD	.\$176.95 .\$339.00

LETTER QUALITY PRINTERS CARDCO LQ III \$194.95

CARDCO LQ I\$299.00



WRITE OR CALL FOR FREE 40 PAGE CATALOG



SUPER GRAPHIX jr\$46.95 printer interface ... SUPER GRAPHIX printer interface w/8k buffer \$79.95 GPI Interface \$49.99 FONT MASTER \$24.95

MIRAGE CONCEPES

Database Manager with Report Generator \$36.99 Prof. Wordprocessor....\$36.99 Database Manager, Prof. WP Package \$67.95

PROLINE

C POWER	
C COMPILER\$69.99	
CADPIC\$36.95	
CASHBOX\$36.95	
Wordpro 64\$36.95	
Spellpro 64\$32.95	
Mailpro 64\$24.95	
Profile 64\$36.95	
PAL 64\$32.95	
POWER 64\$32.95	
TOOL BOX 64 \$69.95	

PRACTICALC

VIP TERMINAL\$29.95

Practicalc 64(d) or (t)	\$17.95
Practicale over Practifile Programmable Spreadsheet	

PRINTER INTERFACES Cardco ?/G. \$47.95 Cardco G Wiz. . . . \$CALL Tymac Connection . . \$67.95 MW-350 \$CALL MW-350 buffer \$20.00

Grapler CD.....\$87.95

SPECIALS Prices expire Oct. 31, 1985 ★Indus GT.....\$216.95 ★Paperclip\$47.95 ★Consultant \$53.95 ★MSD SDII\$409.95 ★Vizastar.....\$86.95 ★Compuserve Starter Kit. . \$19.95

\$44.95 CARDCO

\$17.95 Light Pen..... \$26.95 Numeric Keypad

UTILITIES

DEALER INQUIRIES INVITED

PLEASE NOTE: When we ask you to call for a price it's because prices on those items are volatile, and we want to be sure we can give you the lowest prices we can

\$58

\$31

MONITORS

SAKATA SC100 13" COLOR\$159.00 Zenith 12" Amber\$83.95 Zenith 12" Green\$82.95 NEC 12" Green \$69.95 Cable for monitors \$9.95

WORD PROCESSORS	Superbase 64 (d).
Wordpro 64 (d)\$36.95	Practifile (d)
Wordpro 3 + 64 (d)	Data Manager II.
Fleet System II (d) \$CALL	
Paperclip (d)\$47.95	SPREADSHEE
Paperclip w/Spellpack (d)\$69.99	Vizastar (d,c)
Cardco Write Now 64 (c) \$37.00	Practicalc (d) or (t
OmniWriter/Speller (d) \$39.95	Calkit
Mirage Professional W.P. (d)\$36.95	Programmable Sp
Xetec Font Master (d) \$24.95	Calc Result Adv.
Trio (d) \$64.99	Calc Result Easy
Time Word Writer (d), no spell \$19.95	Cardco Calc Now
	DIMADDWAD
DATABASES	BI HARDWAR
Consultant (d) \$53.95	BI-80

\$47.95 ack (d) \$69.99 64 (c) \$37.00	SPREADSHEETS Vizastar (d.c) \$86.95 Practicalc (d) or (t) \$17.95 Calkit \$39.95
r (d) \$39.95 al W.P. (d) \$36.95 (d) \$24.95 \$64.99 (d) no spell \$19.95	Programmable Spreadsheet \$24.95 Calc Result Adv. (d.c) \$67.00 Calc Result Easy (cart) \$33.99 Cardco Calc Now/64 (d) \$31.95
\$53.95 w/Rpt Gen (d) \$36.95	BI HARDWARE BI-80 \$106.95 Buscard II \$CALL

uperbase 64 (d).....

CSM 1541 Align (d)..... 4.95 Simon's Basic 3 99 \$39 INTEGRATED SOFTWARE CALL Homepak (d).... \$39

5 slot expansion CB/5....

Mail Now 64 (d)

Spell Now (d)

	Vizastar\$86.95	DISKS
.00	MISCELLANEOUS	Maxell SS/DD (10)\$15.95
00	Koalapad w/Painter \$64.95	Centech color disks ss/dd
00	Koala Printer (d)\$CALL	
.95	Kid Pro Quo (d) (d) \$27.99	Elephant ss/dd (10)\$15.95
.95	Softsync Personal Acct. (d) \$32.95	Nashua ss/dd (10)\$12.95
	FCM (d)\$19.95	
	Cont. Home Acct (d) \$46.95	Amaray Disk Bank, holds 50
.95	Complete Personal Acct (d)\$54.00	
.95	64 Doctor (d)\$24.95	
.95	Timeworks Inventory, A.P. A.R. C.F.	
.95	General Ledger, Payroll (d) \$40.95 ea	
	PC Pal Printer Stand \$19.95	Diodeliberia i illi ellep (e)
DE		
.95		
.99	Fast Cable\$CALL	

To order by mall: Send money order, certified check personal check. Allow 2 weeks for personal check to clear.

Shipping: \$2.50 for software and accessories/\$10.00 for printers and color monitors/\$8.00 for disk drives and other

monitors/Add \$3.00 per box shipped for COD. Call for other shipping charges. Additional shipping required on APO, FPO, AK, HI, and foreign orders.

Terms: ALL PRICES REFLECT CASH DISCOUNT, ADD

3% FOR MASTERCARD OR VISA. Manufacturers war-ranty honored with copy of our invoice. ALL SALES ARE FINAL. Defective items replaced or repaired at our dis-cretion. Pennsylvania residents add 6% sales tax. Prices and terms subject to change without notice.

TUSSEY COMPUTER PRODUCTS P.O. BOX 1006 STATE COLLEGE, PA 16804

Software Discounters

of America

For Orders Only—1-800-225-7638 PA Orders—1-800-223-7784 Customer Service 412-361-5291

Open Saturday

- Free shipping on orders over \$100 in continental USA
- No surcharge for VISA/MasterCard
- · Your card is not charged until we ship

Baach Head (D) 221 Compared (D) 222 Compared (D) 223 Compared (D) 224 Compared (D) 225 Compared (D) 225 Compared (D) 226 Compared (D) 226 Compared (D) 227 Compared (D) 227 Compared (D) 228 Compared (D) 229 Compa	ACCESS	Coast to Coast	Objective (D) \$10	LEARNING COMPANY	PANDON HOUSE	a literature in the
Beach Hand 2 (b) 250	Beach Head (D) \$21	America (D) \$25	Chipwits (D) \$19 Dragonriders Pern (D) \$19		Alpine Encounter (D) \$21	Breakthrough in the Ardennes (D) \$39
Mach 1, 19 Johan Horse (D) 125 Gil John (D) 190 Goldensurus (D) 191 ABC's (D) 191	Beach Head 2 (D) \$26	Dinosaur Dig (D)\$25	Fast Load (R) \$25	Bumble Games (D) \$25		Broadsides (D) \$26
ACCHYMICA (Control (1) 19		Dream House (D) \$25	GI Joe (D) \$19	Colorasaurus (D)\$19	ABC's (D)\$19	Carrier Force (D) \$39
Alexaer: The Forgotten Federal (1) 124 Federal (1) 125 Federal (1) 126 Federal (1) 127 Federal (1) 127 Federal (1) 127 Federal (1) 127 Federal (1) 128 Federal (1) 129						Colonial Conquest (D) \$26
Foresast (D)	Alcazar: The Forgotten					
Alter Ego (J)	Fortress (D) \$21	Forecast (D) \$33	Koronis Rift (D) \$26	Moptown Hotel (D) \$25		Computer Baseball (D) \$26
Reader (Rabbit (I) 235		Goren Bridge (D) \$49	Pitstop 2 (D) \$25	Moptown Parade (D) . \$25	Mr. and Mrs. Potato	Computer QB (D) \$26
Fast Tracks. Sind Car Cones, RX (10) 237 GAT Cones, RX (10) 237 GAT Cones, RX (10) 237 GAT (10)					Head (D) \$19	Cosmic Balance (D) .\$26
Carry Kitchen's Games The Edidoin () 236 Advanced Passetts Picture Puzzters District Puzzters Puzzters District Puzzters District Puzzters Distric	Fast Tracks: Slot					
Fireworks Celebration Color (1997) Color (199	Car Const. Kit (D) . \$21	to Say I Love You (D) \$19				
Importum		Murder by Dozen (D) .\$23	The Eidolon (D)\$26	Acro Jet: Advanced	Puzzlers (D) \$19	Germany 1985 (D) \$39
maker: The Computer	Garry Kitchen's Game		Winter Games (D)\$25		Snoopy to the	Imperium
Game Design Kill(1)	maker: The Computer				Rescue (D)	
Chostbusters (D)	Game Design Kit(D) \$21	Success w/Algebra . Call				
Garding Co. CARCO File File Carding Co. Cardin		Weather Tamers (D) .\$16	Football (D)\$26	F-15 Strike Eagle (D) . \$21	Snoopy's Skywriter	Mech Brigade (D)\$39
Road Race (D)			FIRST STAR		Scrambler (D)\$19	Norway 1985 (D) \$23
Hacker (D)	Road Race (D) \$21					
Master of Lamps (D) 519 Mail Now (D) 526 Mindshadow (D) 527 Marce (B) 519 Mail Now (D) 528 Mail Now (D) 529 Marce (D) 519 Mail (D) 529 Marce	Hacker (D)\$21	Graph Now (D) \$26	Cartoon	Mig Alley Ace (D) \$23		
Mindshadow (U)		Mail Now (D)\$26	Programmer (D) \$14	Nato Commander (D) \$23	SCARBOROUGH	Pro Tour Golf (D) \$26
Rock N Bolt (D) 519	Music Studio (D)\$19	S'more (R)			Build A Book (D)\$23	Questron (D)\$26
Space Shuttle (D) 519	Rock N' Bolt (D) \$19	Write Now (R)\$33				
ARTWORX Allegro (1) 0.00 3.00	Space Shuttle (D) \$19	CONTINENTAL	Reading (D) Call		Songwriter (D)\$25	Wings of War (D)\$26
Peter & The Wolf Writer (D) 229 Clor Max (D) 230 Clor Max (D) 231 Clor Max (D) 232 Clor Max (D) 233 Clor Max (D) 234 Clor Max (D) 234 Clor Max (D) 235 Clor Max (D		Book of Adv. Games . \$14	Movie Creator (D)\$14	Bank St. Music	SIERRA	SYNAPSE
Computing(e() style="right-r			Peter & The Wolf			Blue Max 2001 (D) \$19
Fench (D) 319 OATASOFT	Compubridge (D) \$19					
Definition Def	French (D)\$19	DATASOFT	Reading (D) Call	Coloring Kit (D) \$19	Revenge (D) \$21	Night Mission
Chass (D) . 519 Italian (D) . 519 Adward (D) . 519 Adward (D) . 519 Avalon HILL Data Disk #2 male . 516 Data Disk #2 male . 51	German (D)		FUTUREHOUSE	Color Me Picture Disks:	Donald Duck's	Pinball (D)\$21
Chess (D) 519 Charles (D) 519 Charle	Grand Master					
Flavance Control Con	Chess (D) \$19	Dig Dug (D)\$19		Shirt Tales (D)\$7		
Letter Wizard w Spelling Checker (i) 547 Spelling Checker (i) 548 Spelling Checker (i) 549 Spelling Checker (ii) 549 Spelling Checker (iii) 549 Spelli		Elevator Action (D) \$19	On-Court Tennis (D) . \$19	Tink! Tonk! (D) \$7	Mickey's Space	Fahrenheit 451 (D) \$23
Strip Poker (f) \$21	Spanish (D)\$19				Adv. (D) \$25	Nine Princes in
Data	Strip Poker (D)\$21	Mr. Do (D) \$19				
Data Disk vg Intale 310 Data Data Data Data Data Data Data Dat	Data Disk #1 female \$16	Pole Position 2 (D)\$19	Baseball (D) \$19	Indiana Jones in the Lost	Winnie the Pooh (D) .\$25	of the Mandarin
AVALON HILL DAVIDSON Ash Biaster (D) \$33 Speed Reader 2 (D) \$43 Sagon II (D) \$53 Sagon II (D)	Data Disk #2 male \$16 Data Disk #3 female \$16	The Goonies (D)\$19	HAYDEN		Wizard & Princess (D) \$19	Murder (D) \$23
Bit Nuclear Bomber (p)	AVALON HILL	DAVIDSON				
September (b) Stop September (c) Stop Stop September (c) Stop		Math Blaster (D) \$33	SAT Vocabulary (D) \$26	Mr. Pixel's Game	Kermit's Electronic	*Buy 3 titles & receive
Bonds (D) S19			Sargon II (D) \$16	Maker (D)\$21	Storymaker (D)\$23	1 free directly from
Jupiter Mission 1999(D623 Legionnaire (D) S19 Maxwell Manor (D) S16 European Nations & Cell Defense (D) S12 Grammar Examiner(D) S29 Mission Algebra (D) S29 Mission Algebra (D	Bonds (D) \$19					
Legionnaire (D) S19	Jupiter Mission 1999(D)\$23	DESIGNWARE	HES	Perfect Score SAT (D) . \$49		
Panzer Jago (D) S10 Panzer Jago (D) S20 Panz		European Nations &	Cell Defense (D)\$12	Show Director (D)\$19	Aerobics (D) \$23	Accts. Receivable (D) \$39
Ripper (D) Super Bowl Sunday (D) \$21						
Sunday (D) S21 The Body Transparent (D) S25 The Body Transparent (D) S26 Transparent (D) S26 Transparent (D) S27 Transparent (D) S28 Transparent (D) S29 ELECTRONIC ARTS Super Zaxxon (D) S19 Archon (D) S17 Archon (D) S17 Archon (D) S19 Archon (D) S19 Archon (D) S19 Archon (D) S19 Archon (D) S27 Archon (D) S27 Archon (D) S27 Archon (D) S28 Archon (D) S29 Transparent (D) S29 Archon	Ripper (D) \$19	Mission Algebra (D) . \$29				
Sunday (D) 521		Spellicopter (D) \$25	Multiplan (D)\$49	Alignment Kit (D) .\$29	Early Learning	Checkbook (D) \$16
Telegrad (D) 519	T.A.C. (D) \$26		Omniwriter w/Spell (D)\$33	Commodore 64 Software	Friends (D) \$17	Evelyn Wood
Adv. Const. Set (D) \$27	Telenguard (D) \$19			1985 (BOOK)		
Archon (D) \$19	Tournament Golf (D) . \$21	Adv. Const. Set (D) \$27	Synthesound (D) \$16	1541 User's Guide	Homework Helper-Math	
Stock Stoc		Archon (D)	Tri-Math (D)\$12	(Book)\$16	Word Problems (D) \$23	Money Manager (D) \$16
Sank St. Writer (D) S33	Tycoon (D)\$19	Archon 2 (D)				
Bank St. Writer (D)	BRODERBUND	Carriers at War (D) \$33		James Bond 007 (R) .\$19		
Castles Df. Creep (U) \$19		Cut & Paste (D)\$19	Enchanter (D)\$23	Micro-League	Kidwriter (D)\$19	Financial Planner(D) \$39
Name Composition Composi					Kindercomp (R) \$19	Word Writer w/
Music Shop (D) \$29	Karateka (D) \$21	Hard Hat Mack (D) \$17	Invisiclues Call	Sundex CPA (D) \$49		
Monsters (D) \$23 Monsters (D) \$23 Seastalker (D) \$23 Sorcerer (D) \$25 Sorcerer (D) \$26 Sorcerer (D) \$27 Sorcerer (D) \$28 Sorcerer (D) \$28 Sorcerer (D) \$29 Sorcerer (D) \$29 Sorcerer (D) \$20 Sorcerer (D) \$20 Sorcerer (D) \$20 Sorcerer (D) \$25 Sorce	Loderunner (D)\$21	Mail Order	Planetfall (D)\$23	VIP Terminal XL (D) \$27		
Print Shop (D) \$29			Seastalker (D)\$23	MUSE	Story Machine (R) \$17	Below the Root (D) \$19
P.S. Graphics	Print Shop (D)\$29	Murder on the	Wishbringer (D)\$23		Trains (D)	Swiss Family
Cliptary #1 (D) \$17	P.S. Graphics	Zinderneuf (D) \$17	Zork SeriesCall	Castle	1 free directly from	Treasure Island (D) \$19
Library #2 (D)	Library #1 (D) 31/	One-on-One (D)\$25	IMAGIC	Wolfenstein (D) \$19		Wizard of Oz (D) \$19
Raid Bungeling Bay (D) \$19	Library #2 (D) \$17	Racing Dest. Set (D) \$23			CODINGROADD	
Stealth (D) \$19	Raid Bungeling Bay (D) \$19	Reach for Stars (D) \$29	Tournament Tennis (D) \$19	Ultima 3 (D)\$39		
Mapet Learning Superbase 64 (D) . \$47 Fraction Factory (D) . \$19 Cheep Chief Cheep Cheep Chief Cheep	Stealth (D)	Realm of	KOALA	PRECISION	Easy as ABC (D)\$25	Kit (5 hrs)
CBS Skylox (D) \$25 Adv. Master (D) \$29 Astro Grover (D) \$19 Ballblazer (D) \$26 Koala Printer (D) \$19 Trivia Fever Vol. 2(D) \$19 Balltic 1985 (D) \$23 Disk Case (Holds 50) \$9 Disk Drive Cleaner \$9 Disk Drive Cleaner \$19 Disk Drive Cleaner \$10 Disk Drive	Whistler's Brother (D)\$19	Seven Cities Gold (D) \$25	Muppet Learning	Superbase 64 (D)\$47		Datashare Printer
Adv. Master (D) \$29 EPYX	CBS	Skyfox (D)			Stickers (D)\$19	Disk Case (Holds 50) \$9
Astrogrover (D) 19 Ballolazer (D) \$26 Koala Printer (D) \$19 Trivia Fever Vol. 2(D) \$19 Ballolazer (D) \$23 Dow Jones (5 hrs) \$19	Adv. Master (D) \$29	EPYX	w/Painter(D) \$39.95*	Trivia Fever (D)\$21	SSI	Disk Drive Cleaner \$9
Eminted Quantities: Super Sports (1974) 919 Dattie for Rollmanus(D) 920 WICO BOSS912	Big Bird's Funhouse(R)\$19			Trivia Fever Vol. 2(D) \$19		Dow Jones (5 hrs) \$19
	DTO A CT AND PERSON DESCRIPTION OF THE PERSO	Data to for the territoria	Limited Quantities.	Super Sports Tilvia (D) 113	Battle for Normandy(D) \$20	Wico Boss

P.O. BOX 278—DEPT. CG—WILDWOOD, PA 15091

*Ordering and Terms: Orders with cashier check or money order shipped immediately. Personal/company checks, allow 3 weeks clearance. No C.O.D.'s. Shipping: Continental U.S.A.—Orders under \$100 add \$3; free shipping on orders over \$100. PA residents add 6% sales tax. AK, HI, FPO-APO—add \$5 on all orders. Sorry—no International orders. Defective merchandises will be replaced with same merchandise. Other returns subject to a 15% restocking charge—NO CREDITS! Return must have authorization number (412) 361-5291. Prices subject to change without notice.

FAST DELIVERY Fast Service, Experience and Affordable Prices

- Call Us For

Software



0	IIE	11	-	0	10
5	UE	SL	U	G	
•		-	-	-	

Flight Simulator \$31.9	5
Microprose F-15 Eagle \$21.50	0
Solo Flight \$21.50	0
Jet Simulator 52	
Kennedy Approach \$21.5	0

MICROLEAGUE Baseball.....29.95



FAST LOAD

WORD PROCESSING

Special of the Month FLEET SYSTEM 2 Great Buy \$48

Special of the Mont	h
Paper Clip	\$49
Paper Clip/Speller	⁵ 69
Home Pak	\$33

PROGRAMMING SERIES

Simon Basic	21
Logo	°45
ACCOUNTING	
Home Accountant	44
Typing Tutor III 5	
General Ledger	35
A/R, A/P, Payroll 5	33
The Manager	35

DATA BASES

	PFS: File Super Base					
--	-------------------------	--	--	--	--	--

Special of the Month The Consultant \$57

SPREAD SHEET

Multiplan														5	5	į
Homepak															3	

Hardware



C-128	\$299
1571 Disk Drive	\$269
1541 Disk Drive	



1541 Alignment Kit	*37
MPS 802	199
1530 Datasette	139
Magic Voice Speech 14	9.95
1011 BS 232 Interface	. 149

NEWFAST **1660 MODEM** \$52

1541 FLASH., \$54.95 1702 Monitor



\$189 ZENITH MONITORS 122 Amber \$84 123 Green \$79

Special of the Month

MSD DISK DRIVE SD1 Disk Drive \$224 SD2 Disk Drive \$439

> INDUS GT DISK DRIVE \$229

COMPUSERVE STARTER

MPS 801 Printer \$119 Reg. \$199

> CARDCO 5 SLOT **EXPANDER** \$49.95

Ordering & Payment Policy

Prices reflect a cash discount, For Visa, and Mastercard add 3% Immediate delivery with certified check or wired funds. N.J. resident add 6%. Prices subject to change.

USA SHIPPING

For shipping and handling add 4% (\$4 minimum) Larger shipments require additional charge. C.O.D. add \$3.50

Printers

FX-80...... \$323 Epson 100 Ribbon . \$8

FX-85 \$469 Homewriter Interface \$65


SG-10 \$214 SG-10C \$244

SG-15	\$369
SD-10	\$329
SD-15	5444
SR-10	\$479
SR-15	\$579
Powertype	



Letter Quality Powertype *304 Gemini 10x Ribbon *3 Gemini 15x Ribbon *3

Homewriter 10.... \$209 NEW LX-80..... \$234 DX-10 Daisywheel ... \$245 DX-20 Daisywheel ... \$319 NEW LX-80 \$224 RX-80 \$208 Epson 80 Ribbon ...



Okidata 182 \$214 Okidata 192 *349 Okidata 193 5499 Okidata 92 *349 Okidata 93 *559 Okidata 84 *629

PROWRITER PANAS	CONTRACTOR OF THE PARTY OF THE
1090	\$185
1091	\$238
1092	\$374

Okidata 92 Ribbon *3 COMPUTER COVERS



canvas with vinyl interior waterproof

Reg. \$1595	VIC 20 \$6.9	
	Disk Drive \$6.9 Espon MX 80 \$7.9 Espon MX 80 FT \$7.9 Okidata 92 \$7.9	9
40.33	Okidata 92 \$7.9	9

Special u	uel.
MW-350	\$69
4K Buffer	\$29
Digital Dev	ices

U Print Interface \$44 16K Printer Buffer.. \$75 64K Printer Buffer \$109

PRINTER INTERFACES

Micrografix MW350 *69

Tymac Connection 69

SURGE PROTECTORS Outlet 14 SPECIAL 4 Outlet \$24 6 Outlet '69

Cardco + G Interface 548 Cardco B Interface \$39 Grappler CD \$84

Special of the Month BULK SS/DD DISK 10 50 100 \$9.99 \$48 \$90

DISKS

Maxell SS/DD \$15.99 Disk Holder (50) ... \$11.95

Printer Specials Doodle \$26 Print Shop..... \$29 Paper 1000 sheets \$19.95 Paper 2500 sheets \$34.95

Mailing Lables (1000) \$8

MON.-FRI.

Mon., Thurs., Fri. 9-8 Tues., Wed. & Sat. 10-6



P.O. Box 3354 Cherry Hill, N.J. 08034

PIANO ROLLS PLAYED BY COMPLITER

ARE YOU KIDDING?!!!

NOW YOU CAN TURN YOUR HOME COMPUTER INTO AN ENTERTAINMENT CENTER AND MUSIC EDUCATION MA-CHINE. JUST ADD OUR MIDI CABLE AND ANY MIDI IN-STRUMENT.*

The appearance of the MIDI on home organs and synthesizers opens up a whole new future for music. QRS player piano rolls from 1900 to present day were performed by great artists from Scott Joplin, Fats Waller, and George Gershwin to Liberace. Peter Nero, and other contemporary artists. Most of this library of over 10,000 songs has been converted to digital signals and placed on floppy disks that are available for popular microcomputers.

THE COMMODORE 64/128 PACKAGE IS NOW AVAILABLE FOR ONLY \$49.95. IT INCLUDES A MIDI INTERFACE AND A SIX SONG SAMPLE DISK WITH CLASSICAL, CONTEMPORARY, SHOW MUSIC, and even RHAP-SODY IN BLUE played by the composer GEORGE GERSHWIN that you can enjoy with your MIDI equipped instrument. For information about other supported computers. MIDI cables, and casio MIDI Instruments, call or write.





MISTO-W. Butler, New Jersey 07405

(201) 838-9027





Dealer & Distributor Inquiries Invited

*For Best performance an eight voice polyphonic instrument is required Commodore is a registered trademark of Commodore Business Machines Inc.

PRINTER INTERFACES G-Wiz CALL Cardco B \$49.95 Turbo Print \$79.95 MODEMS Westridge Automodem \$69.95 Modem 300 (1660) \$79.95 MPP 1064 C64 ... \$79.95 Total Telecommunication \$39.95 PRINTERS **Epson Homewriter** with Interface . \$299.95 Commodore 803 . \$179.95 (tractor feed option) \$ 29.95 Commodore DPS 1101 (Daisy wheel) ... \$299.95 Star SG-10 \$224.95 Panasonic 1091 . \$269.95 Citizen MSP-10 . . \$329.95 G.E. Printer \$219.55 MONITORS C128 CALL

1702 Color \$199.95
Gorilla (green) \$ 79.95
Gorilla (amber) \$ 89.95
Sakata Color \$179.95
SOFTWARE
Word Processors
Paper Clip
(w/spell) \$79.95
Word Pro 3+ (64) \$39.95
Write Now \$34.95
Databases
Superbase 64 \$69.95
The Consultant \$74.95
Spread Sheets
Cal. Kit \$39.95
Calc Result \$69.95
Utility Software
Print Shop \$29.95
Floppiclene Head
Cleaner \$12.95
Mach 5 \$24.95
Please call for any special
requests!
10440010.

COMPUTER WAREHOUSE

(in FL) 305-274-3680: 1-800-372-0214 7222 S.W. 117th Avenue, Miami, FL 33183

m order, or add 3% for shipping and handling charges. Ad prices reflect 3% cash discount.

Credit card orders should add 3%. Prices subject to change without notice.

You Have a Choice.

Numeric Keypads



CP Numeric Keypad, Deluxe Model.

- . Top quality, low profile key switches for smooth, reliable data entry.
- · Easily connected with computer keyboard.
- No software is required. 100% Compatible with all programs.
- Available for Commodore 64, SX-64*, VIC-20 and Apple He Computers.
- · One year warranty and available in three models:

Regular \$49.95





Power Supply

- . Has better features than the original one at \$39.95.
- Is serviceable, NOT disposable.
- Works dependably with one year warranty.
 For Commodore and Atari* Computers.



Computer Place

(213) 325-4754

23914 Crenshaw Blvd. Torrance, CA 90505

* Requires adaptor at additional cost. VISA, MC & AE accepted. No C.O.D. Add \$3.00 shipping. CA residents add 6.5% sales tax. Dealer inquiries welcome. Commodore 64, SX-64 and VIC-20 are trademarks of Commodore Business Machines, Inc. Atari is the trademark of Atari Corp., Apple Ile is the trademark of Apple Computer, Inc.

Program Your Own EPROMS

► VIC 20 C 64

D

na

0

\$99.50

PLUGS INTO USER PORT. NOTHING ELSE NEEDED. EASY TO USE. VERSATILE.

Read or Program. One byte or 32K bytes!

OR Use like a disk drive. LOAD, SAVE, GET, INPUT, PRINT, CMD, OPEN, CLOSE-EPROM FILES!

> Our software lets you use familiar BASIC commands to create, modify, scratch files on readily available EPROM chips. Adds a new dimension to your computing capability. Works with most ML Monitors too.

- Make Auto-Start Cartridges of your programs.
- The promenade™ C1 gives you 4 programming voltages, 2 EPROM supply voltages, 3 intelligent programming algorithms, 15 bit chip addressing, 3 LED's and NO switches. Your computer controls everything from software!
- Textool socket. Anti-static aluminum housing.
- EPROMS, cartridge PC boards, etc. at extra charge.
- Some EPROM types you can use with the promenade™ X2816A* 52813* 48016P*

2758 2516 2716 27C16

462732P 2564 2764 27C64 27128 27256 68764 68766 5133 5143

promenade

Call Toll Free: 800-421-7731 In California: 800-421-7748



JASON-RANHEIM 580 Parrott St., San Jose, CA 95112



Sensational Prices! . . On Our Most Popular Items!

Introducing . . .

Are you paying too much for diskettes? Try our first quality, prime, 51/4" diskettes (no rejects, no seconds) at these fantasic sale prices and save, save, SAVE! Disks are packaged in boxes of 50; each box contains 5 shrink-wrapped 10-packs that include diskettes in sleeves, labels, and writeprotect tabs.

Each diskette is certified to be 100% error free and comes with a lifetime warranty (if you have a problem, we'll replace the diskette). All diskettes include hub reinforcement rings and writeprotect notch.

All diskettes are double density and work in either single or double density drives.

SS, DD Diskettes, Box of 50 32391

\$49.50_\$99¢ ea.!

DS, DD Diskettes, Box of 50 32403

\$64.50-\$1.29 ea.!

LETTER QUALITY PRINTING



We have made a special purchase of these high quality daisy wheel printers from a major printer manufacturer, and can offer them to you at this incredible price! All

printers are brand new, and feature a full 1 year manufacturer's

Print superb letter quality type in standard, bold, subscript, superscript and underlined characters for full word-processing compatibility at 10 CPS, bidirectional. Friction feed with a tractor feed option. This much quality at such a low price is a "don't miss" Sug. Retail \$319.00 bargain!

\$199.00 34451 Letter Quality Printer



stair SG-10

Lowest Price! 33251 SCALL Also: 34446 SG-10C with Built-In Commodore Interface!

CARDCO GWZ

Interface · Super High Speed!

NOW IN STOCK!

New Low Price! 34484 SCALL

We stock a complete line of Star, Epson, BMC, and Axiom peripherals. Call for best prices!

CONTROL YOUR HOME!

Just plug this cartridge into the user's port on your VIC-20 or C-64, plug its power cord into a wall outlet and you have a powerful Home Control system! Control electrical appliances from your keyboard using remote control modules (listed below). The modules plug into the wall outlet, then the selected appliance is plugged into the module. Turn appliances on and off from your keyboard, or adjust lighting level. Comes with software to get you up and running right away! Full one year manufacturer's warranty.

29573 V20/C64, Cassette 29587 V20/C64, Disk \$59.95 Remote Control Modules

29592 Lamp Module \$19.95 29605 3 Pin Appliance Module \$19.95

COMSENSE from Genesis

Provides your C-64 or VIC-20 with the ability to sense its environment (on/off, open/shut, temperature, humidity, light level, etc.). The data can be assembled into a report, or used to set off an alarm, etc. Plugs into the game port at the side of your computer. One year manufacturer's warranty.

29639 For VIC-20 or C-64

COMCLOCK from Genesis

Real time clock cartridge for C-64 maintains the time of day, date, month, year and day of week. Lithium battery (included) keeps the clock running even when the computer is turned off. Full year parts and labor warranty. 29643 For the C-64

Learn about the electronic house of the future!

MICRO MANSION: Using Your Computer To Have A Safer, More Convenient Home (C-64 Version) Describes, in non-technical language, what computer-controlled home systems are, how they work, and what you need to get your own home control systems up and running.

34817 Book

\$10.95

CARTRIDGE EXPANDER



Plus \$22.95 FAST LOAD OFFER!

Stop wearing out your computer and cartridges by endless swapping! New design cartridge expander features two cartridge slots. Select either carobsign carriage or the "off" position if no cartridge is to be used. Reset the computer independently of the power switch. Cartridge slots are vertical for easy access—no blind fumbling behind the computer.

34220 2-Slot Cartridge Expander

The cartridge expander is a great companion for the Epyx Fast Load cartridge—you can keep it permanently installed plus have a slot free for other cartridges! \$29.95

34216 Fast Load Cartridge (Sug. Retail \$34.95) Fast Load ONLY \$22.95 with purchase of cartridge expander!

DUST COVER and "EVERYTHING BOOK" INTRODUCTORY SPECIAL

Get to know us by ordering this great dust cover for your VIC-20 or Commodore 64 and our catalog, The Everything Book for the Commodore C-64 and VIC-20 Home Computers," for \$2.95 (no extra shipping or handling charges). Cover is antistatic, translucent, 8 gauge vinyl sewn to our exacting standards with reinforced seams. Discover the savings and easy shopping available from TENEX Computer Express!



G1G

31627 Dust Cover and Catalog (R1H)

SPACE SAVING PRINTER STAND!

00

At last a printer stand priced for homes and small offices! This great new stand from Suncom is elevated so you can place your paper underneath



Features heavy duty welded steel wire con-struction and has a vinyl coating to reduce noise and vibration. Another plus. . . the printer is held at an angle that makes it much easier to see your output as it is being printed.

Available in two widths: 12" for most 80 column printers, and 18" for most 132 column

33232 12" Printer Stand 33246 18" Printer Stand

From Your Friends At

We gladly accept mail orders!

P.O. Box 6578 South Bend, IN 46660

SHIPPING CHARGES ORDER AMOUNT CHARGE

less than \$20.00 \$3.75 \$20.00-\$39.99 4.75 \$40.00-\$74.99 5.75 \$75.00-\$149.99 6.75 \$150.00-\$299.99 7.75

\$300 & up

NO EXTRA FEE FOR CHARGES NO HIDDEN EXTRAS

ORDER TOLL FREE 1-800-348-2778







*Ordering and Terms: Orders with cashier check or money order shipped immediately. Personal/company checks, allow 3 weeks clearance. No C.O.D.'s. Shipping: Continental U.S.A.—Orders under \$100 add \$3; free shipping on orders over \$100. PA residents add 6% sales tax. AK, HI, FPO-APO—add \$5 on all orders. Sorry—no International orders. Defective merchandise will be replaced with same merchandise. Other returns subject to a 15% restocking charge—NO CREDITS! Return must have authorization number (412) 361-5291.

C-84™ • VIC™ • SX-84™ • C-128™ • Plus 4™ • C-16™ • B-128™ • PET™ • CBM™ • LCD™

The best deal in Commodore computing just got better.

The Intelligent Software package: an integrated home/business/educational package of **25 programs** on disk or tape at the ridiculous price of **\$29.95** [plus five cents for postage + handling].

The package is not public domain or home-brew software; totaling over 51 pages of source code listings, it is the one product that can take care of all your data processing needs. One customer writes; "... accolades for the authors. This is as slick a deal as I have seen and more than adequate for all except fancy presentations. The best thing is the ease of use..." The package includes:

Detabase: A complete multi-keyed fixedrecord-length data base menager. Sort or
select (using all relational operators:, =, >, <, AND, OR, NOT, wild card) on any field,
perform computations on numeric fields.
Any operation can be performed on all, or
only selected records. All fields completely
user-definable. Can be used for any number
of tasks, including accounting, mailing lists,
inventory control, record, tape, or book
cataloging, expense account maintenance,
or as an electronic rolodex. Even if you use
your Commodore for nothing else, this program alone might justify its expense.

Word Processor: A full-featured menudriven word processor including; very fast file commands, screen editing, text locating and full control over margins, spacing, paging, indentation, and justification. "... well done and highly functional... Provides an excellent alternative to the high priced word processors... this is an excellent buy. Highly recommended."—Midnite Software Gazette. "Provides good basic features."— Compute's Gazette.

Copycalc: An electronic spreadsheet. Turns your Commodore into a visible balance sheet; includes screen editor. "Excellent program for budgeting, estimating, or any math-oriented use ... well worth the money. Highly recommended." — Midnite Softwere Gazette.

Intelligent Software

Quality Software since 1982

Also included: ReportGen, ReportMerge (interface W/P with Database to create form letters, statements, invoices, mailing labels, other reports.); Baseball Statistician (compiles betting statistics for a baseball league); several W/P utilities, including Index (indexes W/P's text files); several Database utilities, including DBmerge (facilitates multi-file database applications.), and DBStat (analyzes D/B files); a programming utility, ASCII, which converts text files (program listings) into program files; also Checkbook; Inventory; Paper Route; Loan Analysis; Breakeven Analysis; Depreciation; Labeler; File Copier; more.

Versions of the package are available for every Commodore computer having a minimum of 10k RAM. All programs will support tape, disk, and printer. Price includes documentation and shipping; Calif. residents add 6%. Add \$3 for credit card, CDD, 8050 disk, or cassette orders [cassette not available for Plus4™ and 16™.] No personal checks from outside USA. This ad is the catalog; a sampling of program output is available for \$2.

Box A Dept. G-5 Sen Anselmo, CA 94960 (415) 457-6153

PRINT T-SHIRTS WITH YOUR COMPUTER! Underware ** makes custom T-Shirts in minutes! With the Underware Ribbon your printer makes iron-on transfers of any screen image! Just print the image on plain paper using an Underware Ribbon, then iron it on to your own T-Shirt. Each ribbon makes 30-100 per manent and washable transfers. Adding color is simple & incompany washable transfers. With a set of Underware Color Page was add to the set of Underware Page was add to the set of U

With a set of Underware ColorPens you can add up to seven colors to any transfer made with an Underware Ribbon. Just color the plain paper transfer and iron it onto a T-Shirt.

A complete selection of Underware Products. . .

The ribbon is available for the NEC 8023, C. Itoh, Apple, Okidata, Star Gemini, Epson and IBM dot matrix printers.

For other printers — try our new Iron-on Coloring Kit with special carbon transfer paper. Please call for details.

Underware Ribbon \$14.95

Underware ColorPens (set of 5) \$14.95

Underware Jumbo ColorPens (set of 7) \$19.95 NEW Underware Iron-on Coloring Kit \$19.95 NEW

NDEIS/WYISE™

Diversions, Inc.

1550 Winding Way, Belmont, CA 94002

415-591-0660



CALL TODAY!! 612-881-7682

T & D ELECTRONICS

10517 UPTON CIRCLE

BLOOMINGTON, MN 55431

COMMODORE 6

SUPER PRINTER PACKAGES FOR C-64
SG 10 & G-Wiz282
Panasonic 1091 & G-Wiz
Panasonic 1090 & G-Wiz
Legend 880 & G-Wiz
Legend 1080 & G-Wiz299
Citoh 8510AP + & G-Wiz395
Super Printer packages have no extra charges added when shipped in Continental USA.

Buy any mo and get VIP Term or Vidtex for Westridge AA/AD 69.95 Total Tele Modem 49.95

26.95

395 charges	IOSNID
١.	Buy
odem	the p
Torm	- IA

1 11111	ILIIO
Citoh 8510AP 299	Legend 880 219
Legend 1080 239	Legend 1080 239
Citoh 7500AP 219	Panasonic 1090 . 199
EpsonCall	Panasonic 1091 . 245
Toshiba 1351 Call	Powertype 309
Toshiba 134	

PRINTERS

the Print Shop for 27.95 with ourchase of any printer.

INDUS	GT For C-64	239

Call for Latest Prices on C-64 & C-128 Hardware

PRINTER INTERF	ACES
Data Share	49.95
Axiom	64.95
G-Wiz	59.95



	STATE OF THE PARTY
SG-10	219
SG-15	369
SD-10	339
SD-15	449
SR-10	Call
SR-15	Call

BUFFERS PRINTER

Microfazer Call U-Print-16K Printer Buffer...79 U-Print-32K Printer Buffer...99 U-Print-64K Printer Buffer . 109

Fast Load-Cart Rescue On Fractalus-D **World's Greatest** Football-D

The Eidolon-D **Winter Games**

1660 Modem

COMPUTER SOFTWARE

Strategy Games for the Action-Game Player

EACH

Temple Of Apshai Trilogy-D Summer Games II-D **Koronis Rift-D** Ballblazer-D

Pitstop II-D

SUPER SPECIAL PRICES EFFECTIVE NOW THRU OCTOBER 31, 1985

	OF EN OF EOIAE
	M O D O
ACCESS	FIRST STAR
Beachhead-D	Call for Items and Prices
Beachhead II-D 24.95	INSTA (CIMMARON)
Raid Over Moscow-D 24.95	INSTA (CIMIMATON)
Mach V-Cart 21.95	Insta-Calc Graph Comoo-
BATTERIES INCLUDED	Insta-Calc/Graph Combo- D
Super Buscard II 129.95	Insta-Ledger-D
B I 80 109.95	Management Combo-D 39.95
B.I. 80	Management Combo-0 39.93
Consultant-D52.95	INFOCOM
Cal-Kit-D 34.95	Deadille-D
Home Pak-D34.95	Enchanter-D 24.95
Home Organizer Items-D 16.95	Intidel-D
BRODERBUND	Planetiali-D24.93
Bank Street Writer-D 34.95	Sorcerer-D
Dr. Creep-D	
Bungling Bay-D 20.95	
Spelunker-D 20.95	
Music Shop-D	
Print Shop-D34.95	
Karateka-D	Wisbringer-D
Champ Loderunner-D23.95	
Print Shop Graphics-D 19.95	Floyd/Jungle-D23.95
Print Shop Refill 16.95	Helicat Ace-D/T
Print Shop Graphics II-D . 19.95	NATO Commander-D 23.93
CBS SOFTWARE	Solo Flight-D/123.95
Coll for items and proces	Spitfire Ace-D/T 23.95
Call for items and prices	Air Rescue-D/T23.95
COMMODORE Easy, Calc-D34.95	F-15 Strike Eagle-D 23.95
Easy, Calc-D	Decision/Desert-D 27.95
Easy Mail-D 19.95	Kennedy Approach-D 23.95
Easy Script-D 44.95	
Easy Spell-D 19.95	MINDSCAPE
Logo-D	
The Manager-D	MISCELLANEOUS
General Ledger-D 34.95 Accts. RecD 34.95	Unima III-D
Accts. Pay-D34.95	Flight Simulator II-D 34.95
Magic Desk-Cart	
Soccer-Cart	Conschere CAD 47.0E
Magic Voice54.95	Strip Poker-D 23.95
Suspect-D	Slap Shot Hockey-D 14.95
Cutthroats-D29.95	Mastertype-D
Simon's Basic-Cart 29.95	Beyond Wolfenstein-D23.95
Inventory Man-D 34.95	S.A.MD
Super Expander, Cart 29.95	Allen voice box99.95
Hulk-D	Sargon III-D 34.95
DATASOFT	Bounty Bob-Cart 29.95
Hulk-D 29.95 DATASOFT Conan-D 27.95	Fleet System II-D44.95

RE	6	4	S
MISC. (cont.) Ultima IV-D. Typing Tutor III-D. Koalaprinter-D. Ultima II-D. Blue Max-D. Blue Max-D. Helax-D. Microleague Basebali-Stunt Flyer-D. Expedition Amazon-D. Xyphus-D. Transiyyannia-D. Halley Project-D.	34.95 19.95 37.95 23.95 23.95 23.95 27.95 27.95 23.95 27.95 23.95 23.95	MISC. (cont. Ghostbusters-D Batter-Up-D. Armer. Cross Coun D Syncalc-D Loderunner's Res Mindwheel-D. Superbowl Sunda Ralitroad Works-D Vip Terminal-D . Compuserve Star Reach For The St Carriers At War-D	24.99 29.99 try Race- 20.99 27.99 27.99 24.99 29.99 ter Kit. 21.99 ars-D. 29.99

Comput Ability

P.O. Box 17882, Milwaukee, WI 53217 ORDER LINES OPEN

Mon-Fri 11 a.m. - 7 p.m. CST • Sat. 12 p.m. - 5 p.m. CST

To Order Call Toll Free

For Technical Info, Order Inquiries, or for Wisc. Orders

4-351-200

ORDERING INFORMATION: Please specify system. For fast delivery send cashier's check, money order or direct bank transfers. Personal and company checks allow 2 weeks to clear. Charges for COD are \$3.00. School Purchase Orders welcome. In CONTINENTAL USA, include \$3.00 shipping per software order. Include 4% shipping on all Hardware orders, minimum \$4.00. Mastercard & Visa please include card # and expiration date. WI residents please add 5% sales tax. HI. AK, FPO, APO, Canadian orders — add 5% shipping, minimum \$5.00. All other foreign orders, please add 15% shipping, minimum \$10.00. All goods are new and include factory warranty. Due to our low prices, all sales are final. All defective returns must have a return authorization number. Please call 414-351-2007 to obtain an RA# or your return will NOT be accepted for replacement or repair. Prices and availability are subject to change without notice.

Writing Wizard-D 49.95
SCHOLASTIC
Call for Items and Prices
SIMON AND
SCHUSTER
Call for Items and Prices
SIERRA ON-LINE
Call for Items and Prices
ELECTRONIC ARTS
Archon-D
Archon II-D 24.95
Mule-D
Realm/Impossibility-D 19.95
Murder/Zinderneuf-D 19.95
Music Construction-D 19.95
Pinball Construction-D 19.95
Skyfox-D 24.95
One on One-D 24.95
Seven Cities of Gold-D 24.95
Mail Order Monsters-D 24.95
Racing Destruction-D 24.95
Adventure Construction-D 29.95
Financial Cookbook-D 29.95

0

SCARBOROUGH Mastertype-D/Cart. Net Worth-D

Run for the Money-D 27.95 Figures and Formulas-D . 20.95

49.95

Hundreds of items available for the CBM 64... please call.

Ī	SSI
	50 Million Crush-D24.95
	Battle/Normandy-D/T 24.95
	Combat Leader-D/T24.95
	Computer Baseball-D 24.95
	Cosmic Balance-D24.95
	Eagles-D
	Fortress-D
	Germany 1985-D37.95
	Knight/Desert-D/T 24.95
	Professional Golf-D24.95
	RFD 1985-D
	Ringside Seat-D 24.95
	Tigers in the Snow-D 24.95
	Baltic 85-D21.95
	Broadsides-D24.95
	Questron-D24.95
	Computer Quarterback-D . 24.95
	Field of Fire-D24.95
	Carrier Force-D
	President-Elect-D
	Kampfgruppe-D 37.95
	Oper. Market Garden-D 32.95
	Gemstone Warrior-D21.95
	Imperium Galactium-D 24.95
	Phantasie-D24.95
	Cartels Cuthroats-D 24.95
	SYNAPSE
	Call for Items and Prices
	TIMEWORKS
	Accounts Payable-D 39.95
	Accounts Receivable-D 39.95

Sales Analysis-D . . Data Manager 2-D .

General Ledger-D ...

Word Writer-D

Evelyn Wood-D

GAMESTAR

On-Field Tennis-D On-Track Racing-D.

Starleague Baseball-D/T On-Field Football-D....

Swiftcalc-D

Inventory Management-D 39.95 Payroll Management-D...39.95

39.95

34.95

34.95

20.95 20.95

R

D-DISK T-CASSETTE CART—CARTRIDGE

20.95

19.95

19.95

44.95

Space Shuttle-D...

Grand Master Chess-D.

Voice Messenger-D

Main Event Boxing-D

Compubridge-D

27.95

27.95

.23.95

Bruce Lee-D Alternate Reality-D

Elevator Action-D.

Goonies-D.

Zorro-D

ATTENTION

ALL COMMODORE 64, VIC 20, COMMODORE 16, AND PET OWNERS

A complete self-tutoring BASIC programming course is now available. This course starts with turning your computer on, to programming just about anything you want! This course is currently used in both High School and Adult Evening Education classes and has also formed the basis of teacher literacy programs. Written by a teacher, who after having taught the course several times, has put together one of the finest programming courses available today. This complete 14 lesson course of over 230 pages is now available for the COM-MODORE 64, VIC 20, COMMODORE 16 and PET computers and takes you step by step through a discovery approach to programming and you can do it all in your leisure time! The lessons are filled with examples and easy to understand explanations as well as many programs for you to make up. At the end of each lesson is a test of the information presented. Furthermore, ALL answers are supplied to all the questions and programs, including the answers to the tests. Follow this course step by step, lesson by lesson, and turn yourself into a real programmer! You won't be disappointed!

We will send this COMPLETE course to you at once for just \$19.95 plus \$3.00 for shipping and handling (U.S. residents, please pay in U.S. funds). If you are not COMPLETELY satisfied, then simply return the course within 10 days of receipt for a FULL refund.

Fill in the coupon or send a facsimile.

NAME:	CG
ADDRESS:	THE MALE
CITY:	A CONTRACTOR OF THE PARTY OF TH
PROV./STATE:	tirelly and a
POSTAL/ZIP CODE:	
Check desired course:	COMMODORE 64
Send Cheque or Money Order to Brantford Educational Service	VIC PET COMMODORE 16
6 Pioneer Place, Brantford, Ontario, Canada N3R 7G7	Complete course: \$19.95 Postage and hand: \$3.00 Total: \$22.95



HAVE YOU GOT THE 1541 BLUES?

WE'VE GOT THE PERMANENT FIX!! Here's what we do . . .

FIRST, we disassemble your 1541 disk drive.
SECOND, we re-machine the stepper motor to the shaft.
THIRD, we adjust the stepper motor and align the heads.
FOURTH, we upgrade your DOS to the latest version
available.

GUARANTEED FOR SIX MONTHS!

AND WE DO IT ALL IN 72 HOURS OR LESS!!

TOTAL COST . . . \$69.95, plus \$7.50 shipping & handling

We also service the entire Commodore Line with a 72 hour turn-around time (subject to parts availability).

 C-64
 59.00

 1541
 65.00

 1702
 85.00

 1525/801
 59.00

 1526/802
 75.00

 1541 Flash Installed
 125.00

(Includes DOS Bridge and Switch for 100% Software compatibility)
Call for Repair Prices on other Commodore Equipment
We also repair Televideo Computers and Okidata Printers

WE DO WARRANTY REPAIRS! — Call for Details \$7.50 for shipping/\$15.00 for APO/FPO or outside Continental US. Our BBS No. is 919-765-3892, Temporary Password — TRIAD

TRIAD COMPUTERS

3068 TRENWEST DRIVE, WINSTON-SALEM, NC 27103 919-765-0433



(408) 758-2436 P.O. BOX 6427 SALINAS, CA 93912 FOR COMMODORE 64 AND 1541 DRIVE



presenting ... CAPTURE

- CAPTURE IS A CARTRIDGE THAT PLUGS INTO YOUR COMPUTER'S EXPANSION PORT.
- CAPTURE DOES NOTHING UNTIL YOU PRESS ITS CAPTURE BUTTON. UNTIL THEN, A RUNNING PROGRAM CANNOT DETECT ITS PRESENCE.
- CAPTURE THEN TAKES CONTROL NO IFS, ANDS OR BUTS AND PRESENTS A MENU.
- CAPTURE WILL NEATLY SAVE EVERYTHING IN YOUR COMPUTER TO YOUR 1541 OR COMPATIBLE DISK DRIVE ALL 64K OF RAM, CPU, VIC AND SID CHIP REGISTERS EVERYTHING. IN EASY TO VIEW CHUNKS.
- CAPTURE WILL, IF YOU WANT, PRE-CONFIGURE YOUR COMPUTER'S RAM SO THAT ONLY MEMORY ALTERED BY YOUR PROGRAM NEED BE SAVED.
- CAPTURE WILL WRITE A BOOT ON YOUR DISK SO YOU CAN RELOAD AND BEGIN EXECUTION RIGHT WHERE YOU LEFT OFF.
- CAPTURE DOES ALL THIS AT A COST OF JUST \$39.95

BUT HERE'S THE BEST PART

• CAPTURE WILL MAKE AN AUTO-START CARTRIDGE OF YOUR PROGRAM. IT'S EASY!

JUST FOLLOW THE DIRECTIONS ON THE SCREEN. NOW PLUG IN YOUR

CARTRIDGE AND TURN ON YOUR COMPUTER. IN LESS THAN TWO SECONDS

YOUR PROGRAM BEGINS AGAIN AT PRECISELY THE POINT WHERE YOU

CAPTURE'D IT. MAGIC!

BESIDES CAPTURE, YOU NEED A promenade C1 AND A SUPPLY OF CPR3 CARTRIDGE KITS.

ORDERING INFORMATION

•	• CAPTURE CARTRIDGE — COMPLETE WITH INSTRUCTIONS \$	39.95
•	• promenade C1 — EPROM PROGRAMMER WITH DISK SOFTWARE	99.50
•	• CPR3 CARTRIDGE KIT — PC BOARD, CASE AND 3 EPROMS	29.95
•	DR—EPROM ERASER, TWO AT A TIME, 3 TO 10 MINUTES	34.95
	• STARTER SET — CAPTURE, promenade C1 AND 1 CPR3	
	• DELUXE SET — CAPTURE, promenade C1, DR AND 2 CPR's	99,95

SHIPPING AND HANDLING — USA: UPS SURFACE \$3.00
BLUE LABEL \$5.00 NEXT DAY AIR \$13.00
CANADA: AIR MAIL \$7.00 OTHER FOREIGN AIR \$12.00

CALIFORNIA RESIDENTS ADD APPLICABLE SALES TAX
COD ORDERS, USA ONLY, ADD \$3.00

C64 AND C128 TM COMMODORE ELECTRONICS, LTD. *WHEN OPERATING IN 64 MODE


TO ORDER: TOLL FREE 800-421-7731 FROM CALIFORNIA 800-421-7748

TECHNICAL SUPPORT AND 408-287-0259 FROM OUTSIDE THE US: 408-287-0264





EROY'S CHEATSHEET KEYBOARD OVERLAYS



COMMODORE

(VIC-20 also available)

LEROY'S CHEATSHEETS" are plastic laminated keyboard overlays designed for use with popular software and hardware for Commodore's VIC-20 & C-64 computers.

These cut-it-out yourself overlays are designed to fit over the keyboard surrounding the keys with commands and controls grouped together for easy references.

LEROY'S CHEATSHEETS

make life easier for you

WORD PROCESSORS

- ☐ Easy Script
- ☐ HES Writer
- Paper Clip
- Quick Brown Fox
- Script 64
- Speedscript (2.0 & 3.0 GAZETTE)
- Wordpro 3/PLUS
- Omniwriter
- Wordpro 64 (By Steve Punter)
- Write Now!/64
- ☐ Fleet System 2

SPREADSHEETS

- Calc Result (advanced)
- Calc Result (easy)
- Easy Calc
- Multiplan
- ☐ PractiCalc 64
- D PRACTICALC II

DATA BASES

- ☐ The Consultant (Delphi's Oracle)
- The Manager (CBM)
- ☐ SuperBase 64

MISCELLANEOUS

- ☐ Blanks (3 each NOT Laminated)
- П For The Beginner (using the 64) Sprites Only
- Flight Simulator II
- Doodle
- 1541 Disk
- Sky Travel

LANGUAGES & UTILITIES

- COMAL
- SIMON'S BASIC
- Basic
- Hesmon 64
- LOGO (sheet 1)
- LOGO (sheet 2)
- Pilot (CBM)

TERMINALS

- ☐ Vidtex
- The Smart 64 Terminal
- VIP Terminal
- Term 64

PRINTERS

Address _ City_

- Printer, (CBM) 1525, MPS 801, MPS 803
- Printer, (CBM) 1526, MPS 802
- Printer, (Epson) RX & FX 80 & 100 Printer, (Gemin) 10X - 15X
- Printer, Okidata 92 & 93

Dealer inquiries welcome

X \$3.95 \$

Shipping & handling \$

1.00

6% sales tax

(PA residents only)

TOTAL \$

NO COD'S PLEASE

Name -

State.

CHEATSHEET PRODUCTS INC. P.O. Box 111368 Pittsburgh PA. 15238



Zip



Charge My VISA or Master Card NUMBER

EXPIRATION

DATE

OR SEE YOUR LOCAL DEALER !

NOT JUST ANOTHER (INTER) FACE



THE PRINTMASTER/+G With IntelliFeatures*

If you don't care what your printouts look like, you could use any old interface. If you want full performance, with advanced features you can use, then the PRINTMASTER/+G is for you'The Printmaster/+G has many features found no where else. Full graphics compatability with Epson, Star, Tally, Okidata, Gorrila, NEC, and more. Graphics speed has been maximized by reducing or eliminating print head shuffling. It's fast! Completes Commodore printer test program in 4 minutes, 400% faster than most other interfaces. Emulation, transparent, listing, and decimal modes, plus two special wordprocessing modes. Cassette or externally powered.

WHAT ARE INTELLIFEATURES? These are the special advanced features of the Printmaster/+G. Set all margins and page length. Single page pause. Double density and reverse graphics switch settings. Secondary address lock. Enhanced graphics characters. The Printmaster ROM contains some special Commodore machine language routines which you can access with a LOAD command, just like a disk drive. LOAD'S".4,1 displays the disk directory without destroying BASIC memory, LOAD"STATUS",4,1 displays complete Printmaster settings and status. And more! Add \$2.50 for shipping. Suggested retail \$99.95

LOOK! 16K BUFFER EXPANSION - Plugs safely inside Printmaster/+G case. Accepts 16K in 40 seconds. Includes a second ROM which adds many more fantastic intellifeatures. LOAD*RENUM*.4.1 renumbers a Basic program. LOAD*0LD*.4.1 recovers a NEW'd Basic program. LOAD*INSERT*.4.1 merges a Basic program. Design and use Special character sets. LOAD*EDIT*.4.1 to design special racters. Program any character to be up to 90 CHR\$s. Many more features than we can list here. \$89.95

LOOK! PRINTMASTER/S for RS232 printers - All of the features of the Printmaster/+G for an RS232 printer. Do graphics characters and dot graphics on your serial Epson or other supported printer. 300, 600, 1200, 2400 baud, word and parity. DTR or Xon-Xoff handshake. Plus/Minus 12 volts. Specify male or female DB25 connector. Add \$2.50 for shipping. \$119,95

CALL (206) 236-2983



P.O. BOX 43-DEPT.G9 -MERCER IS., WA 98040

See your local dealer or call or write us. Visa & Mastercard welcome. 30 day money back guarantee. Call or write if you want to participate in a marketing

DEALERS CALL US!

- 1- FULL NIBBLER * 1/2 TRACK * 38 TRACKS
- 2- BYTE ENCODER FAST BACK UP * TONE PROPIPTS
- * EASY TO OPERATE * FULLY AUTOMATIC
- * THE BEST AND THE MOST UP TO DATE COPIER

*ALIGN YOUR OWN 1541 DISK DRIVE *NO ADVANCED SKILLS REQUIRED

*FULL VISUAL AND SOUND PROMPTS

BOTH PROGRAMS \$49.95!!!









FOR THE COMMODORE 64 & C-128

ORDERS CALL 800-327-8456 EXT 5

FLORIDA & OUTSIDE USA CALL 305-949-8440

- * VISA, MASTER CARD, AMEX, MO, CASHIER CHECKS
- * OPERATORS STANDING BY 24 HR FOR IMMEDIATE SHIPPING
- * WE PAY FOR SHIPPING & HANDLING

STATE OF THE ART SOFTWARE

15340 W DIXIE HWY N MIRMI FLORIDA

We did something about high-priced software!

Kwik-Ware WE CALL PRODUCTIVITY SOFTWARE For your Commodore 64 your Commodore 64? If so, try our KWIK-WARE! products priced at just \$19.95 each. KWIK-WARE! products deliver high quality and fast loading (with built-in KWIK-LOAD!) at an amazingly low price. All KWIK-WARE! productivity products are compatible with one another.

KWIK-LOAD!™ — winner of Softsel's award for the hottest selling new utility of 1984. KWIK-IOAD! loads and copies files over 300% faster than normal Commodore DOS. It includes KWIK-COPY!, a menu-driven group of utilities which lets you perform DOS commands, check drive speed, edit sectors on disk, and alphabetize disk directories.

KWIK-FILE!™ — a menu driven, full-featured database for your Commodore 64. KWIK-FILE! offers the ability to specify up to 50 fields, sort records, cross reference data, print mailing labels, add a security password option and much more! \$19.95

KWIK-CHECK!™ — a checking account reconciliation and maintenance program for your Commodore 64. KWIK-CHECK! will maintain multiple checking accounts, itemize expenses, flag tax-deductible items, print your check register in different formats and more! \$19.95

KWIK-PHONE!™ — a telecommunications package featuring simple command menus, automatic answer, built in phone book, selectable baud rate and more! \$19.95

KWIK-PAD!™ — a desk secretary for your home computer. This handy utility features a calculator mode, memo pad, appointment book, calendar, address book and more! \$19.95 KWIK-WRITE!™ — a full-featured word processor for your computer that offers the power of dedicated systems at an affordable price! KWIK-WRITE! allows you to set tabs; merge files; cut and paste; restore deleted text; justify, center and indent text and more! KWIK-WRITE! supports the most popular printers and offers a printer driver menu for ease of use! \$19.95

KWIK-CALC!™ — a full-featured electronic spreadsheet program for your Commodore 64.

KWIK-CALC! is simple enough for home use, yet powerful enough for professional or business use. With KWIK-CALC! you can design a budget, forecast for future expenses and play "what-if" all on one spreadsheet. \$19.95

KWIK-PAINT!™ — a handy utility that turns your computer monitor into an artist canvas. Allows you to grab and move or copy images on the screen, shrink or enlarge images, and use microscope mode for fine detail work. Has 16 available colors plus infinite fills. For use with a joystick or KoalaPad™ Touch Tablet. \$19.95

KWIK-MAIL!™ — a complete mailing list program with label generating capabilities. With KWIK-MAIL! you can specify your own fields, design your own label formats, merge files and integrate KWIK-WRITE! documents for customized form letters. KWIK-MAIL! also has complete sorting capabilities for specialized mail list handling.



Introducing KWIK-UTILITY!, a menu driven disk utility program that will add KWIK-LOAD! to your own disks! KWIK-UTILITY! is a programmers dream rolled into one package. With KWIK-UTILITY! you can: Trace files, Generate disk errors, Restore scratched files, Investigate DOS protected disks, Display block availability map and much more! \$19.95

KWIK-SPELL!™ — a spelling checking program for your Commodore 64 that features a 30,000+ word dictionary with the ability to add your own commonly used words. Compatible with KWIK-WRITE! and other popular word processors. \$19.95

KWIK-LOAD!, KWIK-PAD!, KWIK-WRITE!, KWIK-SPELL!, KWIK-PAINT!, KWIK-GHECK!, KWIK-FILE!, KWIK-PHONE!, KWIK-GALC!, KWIK-FORM!, KWIK-MAIL!, KWIK-UTILITY!, KWIK-BRINT!, KWIK-MEGE!, KWIK-TYPE! and KWIK-WARE! are all trademarks of DATAMOST, Inc.

KoalaPad is a trademark of Koala Technologies Corporation.

Commodore 64 is a trademark of Commodore Business Machines. Inc.

Coming soon...

KWIK-FORM!™ — a personalized report and form generator. KWIK-TYPE!™ - a typing tutor for your Commodore 64.

KWIK-PRINT!™ — a graphics package that turns your computer and printer into a

KWIK-MERGEI™ — a handy utility that allows you to easily manipulate data from one KWIK-program to another.

and more . . .

Distributor and Dealer Inquiries Invited



19821 Nordhoff St., Northridge, CA 91324 (818) 709-1202

Ask about our

ENTERTAINMENT SOFTWARE entertainment software is designed for challenging play and entertainment. So, whether you want to play a game of chess, adventure in a MetaReal World, or journey into faraway locations - Datamost has the game for you!

COMPUTER BOOKS - written by experts in their fields for all levels from beginning computerist to expert programmers. No matter what popular computer is used we've got the book that's right.


for additional information contact Datamost Outside CA (800) 692-1649 Inside CA (818) 709-1202

Kwik-Load! Kwik-Check! Kwik-File!

BELIEVE IT OR NOT!

- A neutrino has neither mass nor a charge, but travels at the speed of light!
- A 1950 study predicted all computing in the U.S. through 1999 could be done by 5000 computers!
- An integrated program with the power of Lotus 1-2-3 is available on the C64!

Until now, while useful programs existed for the C64, you had to use different commands for each. Even worse, they couldn't share data. Now there is one integrated program with the power of Lotus 1-2-3: VIZASTAR. It has a spreadsheet, a database and graphics. It took Kelvin Lacy, who wrote the acclaimed "Omniwriter" for Hesware, 15 months to develop Vizastar. It is totally menu-driven and written 100% in 6502 machine code. You can go instantly from spreadsheet to database or graphics and data is shared by all. It is compatible with virtually all word processors and printers. All Vizastar commands can be automated, so you can create your own applications and run them with one keystroke. Bet you think, with integration must come compromises. Nope. Read on and decide for yourself.



Actual Screen Dump Printed by VIZASTAR

The VIZASTAR Spreadsheet

It is a full-featured spreadsheet, as powerful as Multiplan. But much faster — faster than many on the IBM-PC! Remarkably, 10K of memory is available for spreadsheet use. Below VIZASTAR is compared against the other leading spreadsheets.

	CALC RESULT	MULTI- PLAN	VIZA STAR
No. of Rows	254	255	1000
No. of Columns	63	63	64
Vary Indiv. Columns	NO	YES	YES
Date Calculations	NO	NO	YES
No. of Windows	2	8	9
Built-in Functions	21	39	33
Link Spreadsheets	NO	YES	NO
Sort	NO	YES	YES
Program Mode	NO	NO	YES
Money-back Guarantee	NO	NO	YES
Retail Price	99.95	99.95	119.97

The VIZASTAR Database

It is a fast, random-access database, with file size limited only by available disk space. Create file layouts by simply painting a picture of the layout on up to 9 screens, showing where each field starts and ends. Vizastar does the rest. You can modify the layout at any time. To process the data, you use the familiar environment of the spreadsheet.

The VIZASTAR Graphics

Open a window anywhere and display a high-resolution bar or line graph of spreadsheet or database data. Or display the data as a pie chart or spectacular, 3-D multibar graph.

"I have been using Vizastar daily. I find it is the most powerful spreadsheet on the market for the C64 and the only spreadsheet that I will personally recommend for serious use."

> Richard Tsukiji, President, U.S. Commodore Users Group

"The power and design of Vizastar is spectacular. One of the "Best 5" software for the C64 of the 1000s I've seen."

Mike Hayes, Commodore Dealer

[Vizastar is] a phenomenal piece of programming which could turn the home computer market on its head."

California Magazine 2/85

RISK-FREE OFFER

VIZASTAR comes with a cartridge; a 1541 diskette with a backup, reference and tutorial manuals. The 50 page tutorial manual is full of examples and pictures, to guide you step-by-step. Vizastar is priced at ONLY \$119.97. The power of Vizastar may be hard to believe, but its value is hard to beat. We are so positive you will be delighted with it that we offer a hard-to-believe 15 day Money-Back Guarantee. Try it Risk-Free. Call us today or send a check or Money Order. VISA/MC accepted.

Calif. Residents add 6.5% Sales Tax.

Add P&H: UPS-\$4: COD/Canada-\$7.

SOLID STRTE SOFTWRRE

1125 E. Hillsdale Blvd., Suite 104 Foster City, CA 94404-1609 (415) 341-5606

Dealer Inquiries Welcome

Trademarks: Lotus 1-2-3/Lotus Development.
Commodore 64/Commodore Electronics Ltd. Multiplan/Microsoft

INTRODUCING : PERIPHERALS THAT WORK TOGETHER!

Now, use disk drives, modems, parallel printers and more ... all at the same time!

Universal Interface -- connects to C-64, provides buffered bus and device selection\$49.95

NOTE: All boards below require the Universal I/F be connected to the computer.

Dual 5-1/4" drive cable ...\$19.95

Ramdisk -- contains 256K of RAM, expandable to 2 megabytes. Transfers over 70K bytes/sec\$229.95

Print Spooler -- contains 64K buffer. Controls 2 parallel printers\$129.95

5 ft. printer cable\$24.95

RS-232 Controller -- contains 64K buffer. Controls 2 serial ports. Baud rates to 19,200\$149.95

5 ft. male or female RS-232 cable\$12.95

To order or for information:

Research Service Labs (405)745-9322 P. O. Box 19124 8am-4pm CST OKC, OK 73144 Monday-Friday

Wicked Wendy's House of Discounts

List WENDY'S

HARDWARE MODEMS

MODEMS
MITEY MO 300 baud C-64 automodem incl. free
Smart 64 terminal s/ware, \$15 free CompuServe
access time, free PlayNET demo software and 2 hr free
use
\$119
\$57

80 COLUMN CARTRIDGE DATA 20 XL 80 cartridge with free spreadsheet and word-processor s/ware included \$100 \$87

\$\$\$ WICKED WENDY'S WHOPPING HARDWARE SPECIAL \$\$\$ MITEY MO & XL80 card only \$132 Save \$87!

SOFTWARE

VIZASTAR-64 three in one with spreadsheet, data base and graphics \$119 \$85

VIZASTAR-128 NEW! for the C-128

SMART 64 +4 terminal software for any modem, allows upload/download, x-modem, VT52/VT100 emulation & more \$40 \$28

6th Sense - the ultimate home modern program. You control its actions even when you're away. It thinks!

NEW SMART 64 USER'S MANUAL by CDI, makes a sophisticated program easier to use than the original manual \$13 \$8

\$\$\$ WICKED WENDY'S WHOPPING SOFTWARE SPECIAL \$\$\$ MITEY MO & VIZASTAR -64 only \$132 Saye \$106!

ALL ITEMS SHIPPED WITHIN 72 HOURS OR WE PAY SHIPPING! CASHIER'S CHECK, MONEY ORDER, VISA OR M.C. ACCEPTED. SHIPPING AND HANDLING EXTRA. ADD 4% FOR VISA OR M.C. CALIF RESIDENTS ADD 6.5% TAX. PRICES SUBJECT TO CHANGE WITHOUT NOTICE. PRODUCT SUBJECT TO AVAILABILITY.

TO ORDER CALL

800-WICKED W

Hours M-F 8:00-5:00 PST For California residents or customer service call 415-632-1220 or send your order to: WICKED WENDY'S HOUSE OF DISCOUNTS 24 HAMILTON CT. - PACIFICA, CA 94044 TOTALLY AN IDEA WHOSE TIME HAS COME!



\$219.00

TOMORROW'S TECHNOLOGY IS HERE TODAY....

THE COPY PROGRAM

EXACT COPIES IN ONLY 21 SECONDS

 SIMPLE-FULL BACK-UP IN A SINGLE KEY STROKE

 RELIABLE—WORKS VIRTUALLY EVERY TIME ONLY FROM UNIVERSAL

the 21 Second Back-up

INTRODUCING.... Write Hand™



WRITE HAND 1200L 10" CARRIAGE

NEAR LETTER QUALITY MODE 120 CPS

WRITE HAND 1500L \$299.00 10" CARRIAGE

NEAR LETTER QUALITY MODE 180 CPS

WRITE HAND 5500 \$349.00 15" CARRIAGE, 180 CPS

MODELS AVAILABLE FOR IBM

CHIP FOR COMMODORE 64



BLUE CHIP DISK DRIVE FOR COMMODORE C64

30% FASTER \$159.00

120/10 PRINTER DOT MATRIX, 10" CARRIAGE, 120

CPS, SUB AND SUPERSCRIPT-UNDERLINE, ETC.

MONITORS

SANYO

12" GREEN MONITOR \$69.00

12" AMBER MONITOR

\$69.00 \$399.00

DMC 7600 RGB/COMPOSITE MONITOR GREEN/AMBER DISPLAY INCLUDED HIGH RESOLUTION 650 DOTS

> CALL FOR IBM, APPLE AND ATARI HARDWARE/SOFTWARE

MISC. SOFTWARE

FASTLOADS \$24.00 S-GAMES \$12.95

LOOSE DISKETTE BONANZA

LOOSE NAME-BRAND DISKETTES AT SUPER LOW PRICES!

SS/SD												.70	ea.
SS/DD												.83	ea.
DS/DD								•				.98	ea.

Lifetime Guarantee (min. order 50 pieces)

DISKETTES

	- Aller
NASHUA10.9	5
SCOTCH14.9	5
MAXELL 14.9	
MEMOREX 14.9	5
TRY OUR OWN TOP QUA	LITY

UNIVERSAL

DISKETTES ONLY \$14.95 bx

C commodore



C64-COMPUTER \$139.95 **1541 DISK DRIVE** 169.95 **1702 MONITOR** 174.95 1101 PRINTER 274.95 SGIO PRINTER CALL **NEW: COMMODORE 128** CALL

ACCESSORIES



STORAGE CASE **60 DISKETTES**

\$10.95

LIBRARY CASE \$2.00 Holds 10 Diskettes



SURGE PROTECTION STRIP 29.95 6 OUTLET-EMI/RFI FILTERING

WICO BOSS JOYSTICK

13.95

VERSALDIST. 475 MAIN ST. FARMINGDALE, NY 11735

MASTERCARD, VISA, M.O. OR CHECK

NY ORDERS ADD SALES TAX

SEND \$5.00 FOR CATALOG & ADDITIONAL SPECIALS SCHOOL AND DEALERS WELCOME

All Prices & Availability subject to change without notice. Prices are mail order only and do not include shipping & handling

IN CANADA CALL: (514) 678-5258/CALL FOR OUR OTHER N.Y. LOCATIONS



COMPUTE!'s Gazette Subscriber Services

Please help us serve you better. If you need to contact us for any of the reasons listed below, write to us at:

COMPUTE!'s Gazette

P.O. Box 10957 Des Moines, IA 50340

or call the Toll Free number listed below.

Change of Address. Please allow us 6-8 weeks to effect the change; send your current mailing label along with your new

Renewal. Should you wish to renew your Gazette subscription before we remind you to, send your current mailing label with payment or charge number or call the Toll Free number listed below.

New Subscription. A one-year (12month) U.S. subscription to COMPUTE!'s Gazette is \$24 (2 years, \$45; 3 years, \$65. For subscription rates outside the U.S., see staff page). Send us your name and address or call the Toll Free number listed below.

Delivery Problems. If you receive duplicate issues of COMPUTE!'s Gazette, if you experience late delivery, or if you have problems with your subscription, please call the Toll Free number listed below.

COMPUTE!'s Gazette 800-334-0868 In NC 919-275-9809

FOR COMMODORE 64 TRACKMIMIC™ ●

Why nibble when you can

- Gulp -

Hardware/Software Protected Disk Backup System Installs in 1541 Drive in Minutes Just Plug It In!! 2 Minutes For Full Disk Backup!! Features include: Automatic Operation, Hyperscan

Sector Edit (GCR), Bit Density, Fracks 1-45 • For All New Protection Methods •

89.95

DISKMIMIC 5+™ ●

Our Famous Automatic Backup System

49.95

DISKAT -Cataloging Program

Reads data directly from Disk, Holds 8000 Files, Makes Labels. Recalls 12 Way's, Alphabetizes Files, Printer/Screen Output.

3495

A.I.D. CORP.

4020 Hempstead Turnpike • Bethpage, New York 11714 (516) 731-7100

Diskmimic 5" is a trademark of A.I.D. Corporation Commodore 64" & 1541" is a trademark of Commodore Electronics, Ltd. Shipping & Handling - \$1.50 each

IT'S LIKE DISKET



Your 5¼" single side disks are usable on the other side. You paid for one side, why not use the other... IT'S FREE! Nibble Notch will open your new disk. It's easy... won't harm existing data. SATISFACTION OR MONEY BACK

oble notch

For Apple, Franklin, Commodore, & Atari (w/Atari Drives); square notch.



ORDER TODAY

*Add \$2 (\$5 foreign) for postage & handling. FL residents add 5% sales tax.

TOLL FREE 1-800-642-2536 FL (305)748-3770 or send check



or money order to: all walls

computer products 4211 NW 75th Terrace • Dept. 143 Lauderhill, FL 33319



ETELL BULLEU.

Beat The Pants Off Mutual Funds

BUYING GOOD QUALITY, VOLATILE ISSUES AND USING THIS TRADING SYSTEM WILL HAVE YOU FULLY INVESTED AT THE LOWEST PRICES AND CONVERTING TO CASM AS THE STOCK NEARS ITS PEAK

BAR GRAPH PRINT-DUTS.
RECORD UP TO 144 STOCKS ON A DISK. \$49.95 C-64 DISK



LOTTO CIPHER

CET THE BEST ODDS ON ANY LOTHERY SIX NUMBER - PICK FOUR - DAILY CAME

- PRODUCES FOUR COMBINATIONS OF NUMBERS TO CHOOSE FROM ANY AMOUNT OF BALLS AND NUMBERS CAN BE PROGRAMMED.
 PRINTS OUT PAST LOTTO NUMBERS DRAWN PAST COMPUTER PICKS AND NUMBER DRAWN PAST COMPUTER PICKS.
 COMPLETE NUMBER DATA BASE
 COMPLETE NUMBER DATA BASE.



\$ 29.95 C-64 DISK



SAILOR JOE HAS VOLUNTEERED TO STAY BEHIND AND KEEP THE SHIP AFLOAT UNTIL HIS CREW MEMBERS ARE RESCUED CAN HE MAKE IT ON WILL HAVE TO ABANDON SHIP PATCH THE MOLES AND SEAL OFF HOPFLEES ROOMS WHILE FIGHTING INVADING SEA CREATURES

\$ 29.95 C-64 DISK

ACORN OF INDIANA, INC 2721 OHIO STREET MICHIGAN CITY, IN. 46360





219-879-2284

ING AND HANDLING, ADD \$1.50 - CO.D'S ACCEPTED VISA AND MASTER CARD ORDERS ADD 4% INDIANA RESIDENTS ADD 5% SALES TAX

Dealer Inquiries Welcome

ARCHIVER™

by the authors of Cartridge Backer and other Backup systems

GET THE ONLY PUBLICATION SHOWING HOW TO REMOVE THE PROTECTION FROM OVER 300 TOP-SELLING GAME, BUSINESS, AND UTILITY PROGRAMS. Archiver shows how to bypass the latest protection schemes and make backups without the errors!!

- Manual showing how to BACK-UP over 300 TOP-SELLING GAME, BUSINESS and UTILITY PROGRAMS
- THE ONLY ML MONITOR that decodes unimplemented op-codes
- Auto-Boot builder, T & S editor, Sector Searcher, 4 ML Monitors, 4 Min Copier. and much more on disk
- Enables the NOVICE to UNDERSTAND and CREATE a back-up copy in as little as 60 SECONDS!
- Back-ups run WITHOUT DOS ERRORS and work with most 1541 compatible drives
- REPLACES those EXPENSIVE disk Cloners, Nibblers, Makers, and Black Boxes

FOR ARCHIVAL USE ONLY

COMMODORE 64 TM and C-128 TM

send CHECK OR M.O. for 2995

plus 250 Shipping/Handling to:

CYBERTECH

P.O. Box 4065 East Lansing, MI 48823 (517) 351-7305

CONVERSE WITH YOUR COMPUTER

AT LAST! A FULL IMPLEMENTATION of the original ELIZA program is now available to run on your Commodore 64!

Created at MIT in 1966, ELIZA has become the world's most celebrated artificial intelligence demonstration program. ELIZA is a non-directive psychotherapist who analyzes each statement as you type it in and then responds with her own comment or question—and her remarks are often amazingly appropriate!

Designed to run on a large mainframe, ELIZA has never before been available to personal computer users except in greatly stripped down versions lacking the sophistication which made the original program so fascinating.

Now, our new Commodore 64 version possessing the FULL power and range of expression of the original is being offered at the introductory price of only \$25. And if you want to find out how she does it (or teach her to do more) we will include the complete SOURCE PROGRAM for only \$20 additional.

Order your copy of ELIZA today and you'll never again wonder how to respond when you hear someone say, "Okay, let's see what this computer of yours can actually do!"

READ WHAT THE EXPERTS SAY ABOUT OUR VERSION OF ELIZA: "Much more than a mere game...You'll be impressed with ELIZA... A convincing demonstration of Artificial Intelligence." — PC MAGAZINE

"Delightful entertainment...An ideal medium for showing off your —MICROCOMPUTING MAGAZINE

"ELIZA is an astounding piece of software... A fascinating program to use and study." — BARON'S MICROCOMPUTER REPORTS

"ELIZA is a great way to introduce your friends to computers... A very funny party game."

— PETER A. McWILLIAMS

"ELIZA is an exceptional program, one that's fun to use, shows off your machine, and has great historical interest."

— POPULAR COMPUTING MAGAZINE

This version of ELIZA is the best we have seen. As a party game, it summatched." — HOME APPLICATIONS FOR THE C-64

- Protected Version(Protected Version can be run but not listed or modified)
- 2. Un-protected Commodore 64 BASIC Source Version . . . \$45 (Source Version can be listed and modified as well as run)

 Both versions include a six page user manual.

Please add \$2.00 shipping and handling to all orders (California residents please add 61/1% sales tax) ARTIFICIAL INTELLIGENCE RESEARCH GROUP



921 North La Jolla Avenue, Dept. G Los Angeles, CA 90046 (213) 656-7368 (213) 654-2214 MC, VISA and checks accepted



Commodore 64 **Control Interface** Complete Software on Disk



- 16 Contact Inputs 16 Digital Outputs
- 8 Channel Analog to Digital Converters
- 8 Kelvin to Fahrenheit Converters for Temperature Sensors
- 7 Day Real Time Clock
- Complete Instruction Manual
- Control & Monitor Applications
- Robotics
- Data Acquisition
- · Automated Testing

The software includes a demo program, tutor program, wedge program and various utilities. When the system is operating, it is completely transparent to other basic programs. This wedge program also does not take any RAM away from user basic or machine programs and makes programming the interface very easy.

\$199.95

Most Charge Cards, Checks Accepted

Logical Technologies Inc.

30591 Schoolcraft, Livonia, MI 48150

(313) 522-2385

DELUXE RS232 INTERFACE





Whether you want to communicate with a modern, serial printer another computer, or any other RS232 device, the Deluxe RS232 Interface is the correct choice. Any comparsion will show that it is best Commodore compatible RS232 interface available for any price! The Deluxe RS232 Interface is the culmination of 3 years of working with Commodore users who need an RS232 Interface. It supports all standard RS232 connections (2-8, 12, 20, 22) in-cluding Ring Detect and Hi Speed Indicator. Four switches in the RS232 cover allow you to set the unit for virtually any standard RS232 configuration. The unit includes a 3 foot cable with either a male or female DB25 connector (specify which). R5232 plus and minus voltages. Users Manual includes a type-in Basic terminal program, basic program transfer routine, and other examples. Add \$2.00 for shipping. Suggested retail \$49.95

PRINTMASTER/S (RS232)

This is an RS232 version of our famous Printmaster/+G It is a serial bus printer interface providing full RS232 signals for an RS322 printer Supports pins 2-8, 20 Select 300, 600, 1200, 2400, word, and parity. DTR or Xon-Xoff handshake. Supports dot graphics and characters on RS232 versions of Epson, Oki, Gorilla, NEC, and more, Includes all Printmaster Intellifeatures ncludes 3 ft cable with a male or female connector (specify which) Cassette or external power. Add \$2.50 for shipping. Suggested retail \$119.95

See your local dealer or CALL (206) 236-2983

30 day money back guarantee on all products. Visa and MC welcome. Write to us if you wish to be on a special marketing survey mailing list.

DEALERS CALL US!

Omnitronix

P.O. BOX 43-DEPT.G9-MERCER IS., WA 98040

NOW GET TRUE DESCENDERS FOR 801 & 1525 PRINTERS

FROM



The Descender ROM People

FEATURING :

- * True descenders
- * A pleasing alternative
- * Uniform character formation
- * No change in graphic capability
- * No change in software compatibility
- * No change in printer operation
- * North American standard font
- * Complete instructions
- * Easy installation

\$29.95 U.S. \$39.95 Cdn.

Ont. Residents add 7% Prov. Sales Tax Cheque, Money Order or MasterCard



WILANTA ARTS 6943 Barrisdale dr. Mississauga Ont. L5N 2H5

Phone 416-858-9298

Get a Wilanta Descender ROM today and make your old nightmare Just a font memory of yesterday!

Commodore Service

3-5 Day Turn Around

C-64 Repair \$5500 1541 Alignment \$3500 1541 Repair \$7500 Other Computers . SCALL

Parts & Return Shipping Included. Parts & Power Supplies

Also Available

To save C.O.D. charges send Unit & Power Supply with check or M.O.

Second Source Engineering 9901 Horn Rd., Ste. B Sacramento, CA 95827 (916) 364-5134





DUST COVERS

CUSTOM MADE TO FIT

★ CUSTOM MADE TO FIT
★ Heavy 32-oz. VINYL ANTI-STATIC
★ EXTENDS EQUIPMENT LIFE
★ Choice of Colors Lt. Tan or Brown

COMPUTERS DISK DRIVES

PRINTERS

RINTERS
C-1525/MPS801
10.00
C1526/MPS802
13.00
C/MPS 803; C-1520; C-1530
8.00
PANASONIC KX-P1090/91
13.00
EPSON MX/RX/FX 80
13.00
GEMINI 10 & STAR 10's
13.00
GEMINI 15 & STAR 15's
16.00
OKIDATA 91/92
13.00
OKIMATE 10
0KIMATE 10
8.00

MONITORS

C-1702/1703; C-1902 RGBI. 16.00 ZENITH ZYM 122/123 16.00 ZENITH ZYM 131/133 23.00 TAXAN RGB 2110 16.00 AMDEK COLOR 1 19.00 BMC COLOR 16.00 VIDEO RECORDERS(Dimensions Required)

Order by stating NAME and MODEL and COLOR CHOICE TAN or BROWN.
Enclose check or money order plus \$1.50 per item (4.50 max) shipping and handling California Res. Include 6.5°% Sales Tax.

SPECIAL COVERS WILL BE MADE TO YOUR DIMENSIONED SKETCH. SEND YOUR RE-QUIREMENTS FOR OUR LOW PRICE QUOTES

Crown Custom Covers

9606 SHELLYFIELD ROAD -Dept. A DOWNEY, CA 90240 (213) 862-8391

Classified

COMPUTE!'s Gazette Classified is a low-cost way to tell over 275,000 microcomputer owners about your product or service.

Rates: \$25 per line, minimum of four lines. Any or all of the first line set in capital letters at no charge. Add \$15 per line for boldface words, or \$50 for the entire ad set in boldface (any number of lines.)

Terms: Prepayment is required. Check, money order, American Express, Visa, or MasterCard is accepted. Make checks payable to COMPUTE! Publications.

Form: Ads are subject to publisher's approval and must be either typed or legibly printed. One line equals 40 letters and spaces between words. Please underline words to be set in boldface.

General Information: Advertisers using post office box numbers in their ads must supply permanent address and telephone numbers. Orders will not be acknowledged. Ad will appear in next available issue after receipt.

Closing: 10th of the third month preceding cover date (e.g., June issue closes March 10th). Send order and remittance to: Harry Blair, Classified Manager, COMPUTE!'s Gazette, P.O. Box 5406, Greensboro, NC 27403. To place an ad by phone, call Harry Blair at (919) 275-9809.

Notice: COMPUTE! Publications cannot be responsible for offers or claims of advertisers, but will attempt to screen out misleading or questionable copy.

SOFTWARE

TRIFLING WITH TRIVIA - ONE OF THE BEST General or Sports Edition: \$11.00 each or both for \$17.00 (shipping included). Send check/money order to: MTR Software, P.O. Box 2153, Streetsboro, Ohio 44240

The Checking Account Assistant \$30 to \$40 retail value! Complete prgm available on trial basis. For copy send blank disk + \$3 p/h — Software, P.O. Box 491-J, Whitehouse, TX 75791

RENT A SOFTWARE WITH OPTION TO BUY! All brand-name programs low as \$1/day. Send \$1 for catalog to DCS, 2254 Pacific, Long Beach, CA 90806 (213) 595-0899

HANDICAP WITH YOUR C64. SPEEDALYZER Uses daily racing form to analyze a race. \$25 ch. or m.o. Specify disk/tape. F&S Software, P.O. Box 570069, Miami, FL 33257

LOTTO-MASTER: Picks 6 numbers from 40 or more. Sophisticated grouping gives lower "average" combination odds. Specify 40, 42, 44 or 45 numbers. \$25.99. Tape or Disk for Commodore 64 or VIC-20. W. Dick, 1149 Broadway Ave., Masury, OH 44438

TEACHER'S GRADEBOOK - Rated excellent by educators. Full featured; several grade/printer options. \$39.95 + \$2.50 s/h. Teacher's Helper, P.O. Box 25003, Lansing, MI 48909. C-64/disk only. Details free.

*** jubilee *** is the performer of 7.9220909236044E + 28 works of music and the chronicler of your ideas, dreams and remembrances. For your copy (runs on C64) send a blank diskette to Monty Lee Stark, P.O. Box 1813, Surprise, AZ 85374.

Til Oct. 15 a **FREE** HIGH QUALITY **GAME** to introduce Blaze Software! Buzzard Ramjets: new ML, 32K, 500+ hrs., real time combat. 1 or 2, split/view. C64 disk only, \$4 (disk + s/h) to: P.O. Box 7819, SLC, UT 84117

BRIDGEBRAIN: Full-featured, user-friendly contract bridge for C-64. \$30 (T or D) or \$1 for info to: George H. Bodnar, PhD, 1134 Harvard Circle, Pittsburgh, PA 15212

* PERSONALIZE YOUR COMMODORE *

Direct replacement chip for your old kernal!! SEND: PWR/ON Message (up to 29 char. + color) Border, Screen, Cursor Colors. Default to drive? Plus \$24.95 CHECK or M.O. to: TARA SOFTWARE, 337 Mohawk Rd., Brownsboro, AL 35741

GRAPHICS DISK & MORE for C64. To use with PRINT SHOP™. 120 new graphics \$14.95 + \$2 p/h (+CA tax 90¢) to: RJ Softshop, 4102 E. 7th St., Ste 207B, Long Beach, CA 90804

LIMITED OFFER C64 owners send \$9.95 + \$2 s/h for public domain software on disk w/instructions to Software Shack, Dept. 60, 2834 N. Jackson, Fresno, CA 93703

6 ASST. UTILITIES: Checkbook, Cataloger, Mail List and more! Send \$16 (AZ res. add 6%) to Viking Software, 8556 E. Appaloosa Tr., Scottsdale, AZ 85258. (602) 483-9244

OVER 5000 PUBLIC DOMAIN PROGRAMS on 220 disks. Only \$3/disk. SPECIAL 100 diff. \$197. 50 diff. \$123. Add \$2 p.h. SASE for info. Frugalware, 440 W. Green, W. Hazltn, PA 18201

100% ML Disk Cataloger loaded w/options i.e. record commenting & auto-updating. Menudriven. 10 day m.b. guarantee. \$15.
R. Biancosina, 38 S. Ogle Ave., Wilmington, DE 19805

3D SURFACE prog. GRAPHS and ROTATES topo map elevations. Use as building site planner. Maps on disk. \$29.95 GROTTOWARE, P.O. Box 113058, Carrollton, TX 75011-3058

For a limited time CASINO ROYALE (blackjack, poker, slots, craps, roulette) is offered to C64 users for only \$15.95 plus \$1 shp. Send to Lake Country Software, P.O. Box 2556, White City, OR 97503

CONTEST PLAYERS - Now let your C64 solve those word-building letter-value playoff games and tiebreakers for big cash and automobile prizes. 20,000 legal-word database. Start winning now with AUTO BINGO™. Complete package \$119.95-or-info only, \$5 ch or m.o. to: Statistical Game Analysis Co., 5668 S. Chagrin Dr., Mentor, OH 44060 (OH res. add 5½% s.t.)

BOZBOARD - Full-featured Color/Graphics bulletin board system-Easily Customized-Standard or CBM ASCII-Compatible with CG Term-Xmodem—Magazine Feature-\$40-For demo, call 919-643-7851 evenings-For more information write Robert Sims, 7818 Summerfield Rd., Summerfield, NC 27358.

NEWSPAPER DEALERS/CARRIERS - Integrated multiple route lists, draw control, daily manifests, bills (carrier, store, pbm) more-\$50 C64 disk 7166890112 Amerisoft Group, 846 Robin, Amherst, NY 14228

C64 UTILITIES! Includes DISK. UTIL, a DOS wedge, ML graphics routines, a file copier, and an electronic notepad. Disk. \$19.95 (MS add 6% s.t.) William Compton, Rt. 1, Box 23, Sardis, MS 38666

FREE C64 SOFTWARE CATALOG OVER 100 PROGRAMS LISTED PANTHER SOFTWARE 6608-4 WISTERIA, CHARLOTTE, NC 28210

MISCELLANEOUS

C-64 OWNERS - Clean up your act! The Disk CATALOGER will organize your disks. Sort by relative, program, sequential, or all files! Hard copy too! Send \$19.99 to CBA, Box 505, Montgomeryville, PA 18936

SNEAKY peeks, poke and sys commands. C64 lockups, tricks, etc. explained. Send \$1 and SASE for chart: R. Hoffmeister, P.O. Box 1633, Seffner, FL 33584-1633

FREE! SHOP BY MODEM in our revolutionary electronic shopping mall. We even accept credit cards! We have products YOU want! Call 1-818-840-8066 with your modem NOW!

FREE C64 SW CLUB - EUROPEAN TOP 20 Programs, members discounts. Introd. offer: Free memb. catalog & reviews. Arrow Express, Box 205-G10, Rossland, B.C. V0G1Y0 Canada

MASTER BBS C64 ELECTRONIC bulletin board \$34.95. Carter Enterprises, 412 Jamaica Way, Bakersfield, CA 93309. BBS data line (805) 831-2155. Send SASE for details.

COMMODORE 64 CIRCUIT DESIGNS for EPROM/Programmer Cartridges, parallel or serial port, 20 pp. Send \$5 to: AJ Industries, 335 N. Woodmont Dr., Downingtown, PA 19335


COMPUTER OUTLET—Your Commodore Center - We'll repair your C64 or 1541 for \$49.95 + shp. STAR SG-10 w/Graphic Interface \$299.95 + shp. Call 1-800-621-0852 ext. 460, ask for catalog.

ROBOTICS interface for C64 or VIC-20! Control 1-4 motors. Board and Software. \$49.95 ch. or m.o. to: SDR, Inc., P.O. Box 469, Ivy, VA 22945-0469, (804) 977-1572



Maxell Floppy Disks

The Mini-Disks with maximum quality.



Dealer inquiries invited, C.O.D's accepted. Call FREE (800) 235-4137.



PACIFIC EXCHANGES

100 Foothill Blvd., San Luis San Luis Obispo, CA 93401. In Cal. call (800) 592-5935 or (805)543-1037

FREE?DISKETTES

use the diskette flip side, if another 'write enable' notch is correctly made.



Lifetime Warranty

TOP NOTCH™ Just \$14.95 Add \$2.00 s/h . CA Res. add 97¢ tax

9t's the Jop-Notch ORDER DIRECT FROM QUORUM 1-800-227-3800

24 Hour Ordering notcher! SORRY NO COO

Ext. 30 Visa/MC

QUORUM INTERNATIONAL, United. INDUSTRIAL STATION PO BOX 2134-G Z OAKLAND, CA 94614



SPORTS POOL

Commodore 64 & IBM pc

SPORTS POOL runs your football pool for the office, family or friends the fast & easy way. Although it arrives with the 85' pro schedule, it can easily be set-up to handle any sport at any level. (pro, college, etc.).

SPORTS POOL handles all standard pool requirements including the storing and reporting of information on players, teams, schedules, picks & YTD statistics. Options include multiple winners, tie breakers, several reports, pick sheets and other exciting features that allow you to easily custom tailor the pool to meet your individual requirements.

C-64 Disk Only \$29.95 IBM Diskette Only \$39.95

Add \$2.00 for handling

BANCOM SYSTEMS INC. P.O. BOX 1783 KANKAKEE, IL 60901

NOW!

DECISION

Commodore 64

- Menu Driven
- Documents and Structures the **Decision Process**
- Allows Over 30 Decision Criteria
- Up to 150 Alternatives
- Save and Reload Decision Data

Make Decisions On: Which House to Buy Which Applicant to Hire Where to Locate a Branch Which Computer to buy or any Decision with multiple alternatives

24.95 - 1541 Disk

R. Lewter & Associates 5104 Linda Lou Drive Carmichael, California 95608

Commodore 64 is a Registered Trademark of Commodore, Inc.

When it comes to Flexible Disks, nobody does it better than Wabash.

MasterCard, Visa Accepted. Call Free: (800) 235-4137





LIFETIME REPLACE GUARANTEE HUB RINGS, TYV. EPS. WRITE PROTECTS

5.25* DSDD

PC FORMATTED

3.5* 1D (For Mac)

3.5*20 (For HP)

in huge volume to supply software manufacturers, our prices can't be beat.

50+ 250+ 500+ 1000+ 5.25*SSDD 1.00 .90 85 .80 .75 1.05 1.00 .95 1.35 1.25 1.15 2.60 2.45 CALL 1.15 85 245 CALL CALL 3.15 CALL CALL 270



BLACKSHIP COMPUTER SUPPLY

3.25

P.O. Box 883362 • San Francisco, CA 94188 Inquiries + No. Cal. orders 415-550-0512 So. Cal. orders 800-235-6647 x31 USA orders 800-235-6646 x 31

Add \$3.00 shipping and handling (CA residents add 6.5% sales tax) VISA/MC/COD

Advertise your program or product for the VIC-20 or 64 here and reach hundreds of thousands of readers.



0	0
VISA	
	(

	Check or M.O. enclosed	Detach on dotted is
4	Charge to credit card, VISA	MASTERCARD [
۱	Card No.	Exp
	Name	
	Address	
	City State/Zip	
	Signature	

advertiser's index

Read	der Service Number/Advertiser	Page	Reader Service Number/Advertiser	Pag
102	Abacus Software	51	142 Merritt Micro Systems	100
103	Abacus Software	95	143 Micro Prose Simulation Software	. 29
104	Abby's Discount House of Software, Inc	. 142	144 Micro-W Distributing, Inc	
	Acorn of Indiana, Inc		145 Micro World Computers, Inc.	115
106	Activision	54-55	146 Nibble Notch	
107	Activision	57	NRI Schools	
100	A.I.D. Corp.	156		
			147 Omnitronix	
109	Artificial Intelligence Research Group		148 Omnitronix	
	Art Instruction Software		149 Pacific Exchanges	158
4	Bancom Systems, Inc.	159	149 Pacific Exchanges	
110	Basement Boys Software	42	150 Parsec Research	
111	Basix	45	PC Gallery	145
112	Basix	64	151 Protecto	4-91
	Batteries Included	13	Proware Solutions	. 72
113	Big Bytes	53	152 Quorum International, Unltd	
114	Blackship Computer Supply	159	Research Service Labs	
	Brantford Educational Services		R. Lewter & Associates	
115	Cardco, Inc.		153 Scarborough Systems, Inc.	
The same	Cardinal Software		Schnedler Systems	114
116	CDI/Computer Devices International		Second Source Engineering	157
	Central Point Software, Inc.			
110	Cheatsheet Products, Inc.	150	154 64 Gold	. 07
110			155 Skyles Electric Works	. 91
	Comal Users Group, U.S.A., Ltd	69	156 Software Discounters of America	
	C.O.M.B. Co.		157 Software Discounters of America	
	C.O.M.B. Co		158 Solid State Software	
	C.O.M.B. Co		159 Starpoint Software	
	Commodore		160 Starpoint Software	. 53
	Compumed		State of the Art Software	
	CompuServe		161 Strategic Simulations, Inc	
	ComputAbility		162 subLOGIC Corporation	. 21
122	Computer Centers of America	. 62-63	163 Systems Management Associates	. 99
123	Computer Mail Order	141	164 T & D Electronics	148
	Computer Place	146	165 Tenex Computer Express	147
124	Computer Warehouse		166 Timeworks, Inc	7
	Crown Custom Covers		167 Triad Computers	150
	CSM Software, Inc		168 Tussey Computer Products	143
	Cybertech		169 Tymac Controls Corporation	
	Datamost, Inc.		Ultrabyte	
129	Davidson & Associates, Inc.	93	170 Uni-Kool	67
	Diversions, Inc.		171 Universal Dist.	
130	DJ Software		172 Viewtron	
	Full Circle Software, Inc.		Wallstreet Corp.	
	Grolier Electronic Publishing, Inc.		Walstreet Corp. Wicked Wendy's House of Discounts	
102	Halix Institute		173 Wilanta Arts	
			173 Wilanta Arts	15/
400	Handic Software, Inc.			
	Infocom			
134	Integrated Software Systems	11/	TOTAL CONTRACTOR AND	0000
MA	Intelligent Software	148	Commodore Sound & Graphics Book Collection	41
135	Jason-Ranheim	146	COMPUTEI's Classified Ads	158
	Jason-Ranheim		Commodore 64/128 Collection	39
137	Kyan Software	114	COMPUTE!'s Gazette Disk Subscription 32-	
138	Logical Technologies, Inc		COMPUTE!'s Gazette Subscription	
	Lyco Computer	. 58-59	First, Second, and Third Books of Commodore 64	
	Marathon Software	64	Machine Language for Beginners and Second Book	1886
140	MegaSoft, Ltd	19	of Machine Language	. 9
141	MegaSoft, Ltd	61		1111

SMORE FOR YOUR 64

61,183 delicious bytes for your Commodore 64



S'MORE Memory, S'MORE Power, S'MORE Fun!

Now, 61K available memory S'MORE frees up 61,183 bytes of C-64 RAM memory for un-restricted Basic programming (57% more than the standard C-64).

A bridge to C-128

The S'MORE command structure is similar to the C-128's new Basic 7.0, providing C-64 users advanced programming techniques.

S'MORE features for programming power

- Over 60 new and enhanced basic commands & functions
- No peeks or pokes (direct access to normally peeked/poked items)
- · Full error trapping and automatic error helps
- Full up/down scrolling through program listings
- · Structured programming
- Relative files
- · Print using
- Formatted inputs
- Print at...and much, much more.




cardco, inc.

The Wizards from the Land of Oz Have done it Again!

CARDCO, Inc./300 S. Topeka/Wichita, KS 67202

Homework Helpers from Grolier

... they can give your children an advantage. In school. And in life.



School, like life, is more competitive than ever. That's why your children need all the help they can get. To excel. To reach their full potential for success. To move to the head of the class. And stay there. To get an advantage that will last a lifetime.

That's the kind of help they can get from these remarkable software programs.

And since they're from Grolier, a trusted name in educational publishing, you know these Homework Helpers will work wonders!

NEW! EduCalcTM... the first electronic spreadsheet program that also teaches beginning users to understand and use a spreadsheet!

- Self-paced, menu-driven tutorial lets you determine the amount of help you need at any one time, and then return later for additional instruction.
- Practice template, for creating a personal budget, enables you to become familiar with a standard spreadsheet before developing your own.
- No need to memorize commands; directions appear on each screen.
- Makes it easy to create, edit, save and print a spreadsheet up to 26 columns wide by 99 rows deep.
- Enter text, numbers or formulas, and sort information alphanumerically.

...there's never been a more simple solution for creating budgets, charts, schedules and tables for school and home use!



ress (SPACE) to see more selection

ONLY \$4995 Suggest Retail Price



Friendly Filer™

...a great database management learning experience that's also great fun!

- Teaches database management through the use of an entertaining tutorial and stimulating questions.
- Researches the answers by searching out and sorting a built-in "animals" database.
- Uses simple, self-explanatory menus, to lead the user step-by-step into creating files by entering, selecting, sorting and printing data.

...a marvelous learning experience that stresses imagination, creativity and fun. And it's productive, too!

ONLY \$3095 Suggest Retail Price

Available for the Commodore 64™ and 128™

Note Card Maker™

This remarkably powerful program is a clever tutorial... a helpful tool...and a terrific way to take a lot of the time and effort out of preparing bibliographies and note cards.

- Interactive, self-paced tutorial demonstrates exactly how to prepare note cards.
- Provides user with a standard format for gathering research information, including key word, source code and notes.
- Uses the database management facility to sort and search for data...then incorporates the word processing capabilities to reorganize, select, edit and print-out note cards in any desired sequence.

ONLY \$3095 Suggest Retail Price

See your computer software dealer today. Or call Grolier Electronic Publishing Toll-Free. 800-858-8858.



Grolier Electronic Publishing, Inc.

SHERMAN TURNPIKE, DANBURY, CONNECTICUT, 06816 • (800) 858-8858

EduCalc, Friendly Filer and Note Card Maker are registered trademarks of Grolier Electronic Publishing, Inc. Apple is a registered trademark of Apple Computer Inc. Commodore is a registered trademark of Commodore Business Machines, Inc. IBM is a registered trademark of International Business Machines, Inc.