

"Finally, The Right Stuff"

-NY Times (Aug. 25, 1987)

Strap yourself into Chuck Yeager's Advanced Flight Trainer.™
The only flight simulation co-designed by the greatest test
pilot ever. And with action so fast, even experienced pilots
'auger in'. The right stuff is right here.

Test the limits of 14 different aircraft using Yeager's own evaluation checklist. From the classic WWI Sopwith Camel to the mach-speed SR-71 Blackbird. Push the experimental XPG-12 to the edge of space.





Fly formation on Yeager's wing through Dead Man's Slalom. Catch the breathtaking fear of a Hammerhead stall, the adrenaline rush of an aileron roll, the thrill of your first Cuban 8.

Race computer opponents through white-knuckle courses. Bolt past obstacles and run narrow gates. Skim the ground at top speed, wing-to-wing with your rival. View the action from a chase plane or the tower.






Seat-of-the-pants flying in the only simulation with over forty years of experience. Yeager insisted on actual aircraft specs and his own flight evaluation charts. Climb into the cockpit and see if you've got the 'right stuff'.

HOW TO ORDER: Visit your retailer or call 800-245-4525 for direct VISA or MasterCard orders (in CA call 800-562-1112). The direct order price is \$39.95 for the IBM version and \$34.95 for the C64 version. Send a U.S. check or money order to Electronic Arts Direct Sales. PO. Box 7530, San Mateo. CA 94403. Add \$3 for shipping and handling (\$5 Canadian). Please allow 1-2 weeks for U.S. delivery. Coming for the Apple II. IBM is a registered trademark of International Business Machines, Inc. C64 is a registered trademark of Commodore Electronics Limited. Software © 1987 Ned Lerner





PHOTO COURTESY NORTHROP AVIATION/ALLEN QUINN Headline quote © 1987 by The New York Times Company. Reprinted by permission.



CONNECT YOUR COMPUTER TO A HIGHER INTELLIGENCE.

CompuServe's reference databases make you more productive, competitive, and better informed.

Remember the last time you tried to get your hands on hard-to-find facts? In a magazine article you read a year ago. In a news report you never saw. Or in a table of data you didn't know existed.

Imagine those facts just a few keystrokes away on your personal computer. Through CompuServe.

Your personal research center.

Save hours of research by going

straight to the reference information you need in seconds.

Access thousands of sources of information in the areas of business, finance, medicine, education, demographics, science, law, news, popular entertainment, and sports.

What you know can help you.

Research an industry or company through articles, financial statements, and other sources. Analyze an investment. Assist in a job search. Follow market competition. Investigate a business opportunity.

Check characteristics such as age,

income, and occupation in any U.S. community. For a geography report, a business plan, or a family move.

All you need to access CompuServe's unlimited world of information is a modem and just about any personal computer. Visit your computer dealer today. To order direct, or for more information, call or write:


CompuServe[®]

Information Services, P.O. Box 20212 5000 Arlington Centre Blvd., Columbus, OH 43220 800-848-8199

In Ohio and Canada, call 614 457-0802 An H&R Block Company



No Purchase Necessary. For official rules and Game Card write on a plain 3" x 5" card "Mindscape Players are Powerplayers" and mail it with a self-addressed, stamped #10 envelope to Mindscape Powerplayers Club Instant Win Game, P.O. Box 1167, Northbrook, IL 60055. Limit ene request per envelope. Residents of the states of Washington and Vermont need not include return postage. Void where prohibited by law, Instant Win Game ends January 31, 1989 or when all game cards are distributed.
© 1989 Mindscape, Inc. Mindscape is a trademark of Mindscape, Inc. Gauntiet[** © 1984 Atari Games Corp. All rights reserved. Player Box, and All and Games Corp. All rights reserved. Player Box, and All and Games Corp. All rights reserved. Inc. Gauntiet[** © 1986 Atari Games Corp. All rights reser



COMPUTE!'s -GAZETTE -CONtents

CONTRACTOR SECURITION	
ieatures	
All Together Now! Networking the Commodore 64 Tom Netsel	•
The Future of the 64 and 128: Industry Leaders' Forecasts Keith Ferrell	
A Guide to Commodore User Groups, Part 1 Mickey McLean	
reviews	death in superior
Airborne Ranger Ervin Bobo	64
Sub Battle Simulator Tom Netsel	64
Chernobyl Ervin Bobo	64
Amnesia Jesse Cohn	64
games	
rap Eric Haines	64
Treasure Diver Brian Casey	64
programming	istas (file macić)
BASIC for Beginners Larry Cotton	128/64/+4/16
Machine Language Programming: Formatting Text Jim Butterfield	128/64
ower BASIC: Fast Hi-Res Screen Dump John L. Reno	128/64/+4/16
Nob Maker Bruce Thompson	64
541 Speed and Alignment Tester Ross Ouwinga	64
28 Math Graphics Clifton Karnes 67 Periscope: A Disk Editor for the 128 Robert Bixby 70	128
inding Your Way Around Commodore Disks Dale McBane	128
4 Keyboard Enhancer Vivek Jhaveri	64
Relative Ease	64
li-Res Screen Show for the 128 Rob Kennedy	128
	and the same of th
departments	
he Editor's Notes Lance Elko	*
etters to the Editor	•
eedback Editors and Readers	
Computing for Families: Worlds of Wonder—WOW! Fred D'Ignazio	
orizons: Clocks and Cycles Todd Heimarck	128/64
the GEOS Column: Skeet Roger M. Pingleton, Jr	128/64
Sug-Swatter: Modifications and Corrections	
orogram listings	
low to Type In COMPUTE!'s Gazette Programs98	* 185
he Automatic Proofreader	128/64/+4/16
MLX: Machine Language Entry Program for Commodore 64	64
dvertisers Index	*
110	

^{*=}General, 64=Commodore 64, +4=Plus/4, 16=Commodore 16, 128=Commodore 128

COMPUTEI'S GAZETTE (ISSN 0737-3716) is a COMPUTEI Publication, and is published monthly by ABC Consumer Magazines, Inc., 825 Seventh Ave., New York, NY 10019, a division of ABC Publishing, Inc., a Capital Cities/ABC Inc., company. © 1988 ABC Consumer Magazines, Inc. All rights reserved. Editorial offices are located at Suite 200, 324 West Wendover Ave., Greensboro, NC 27408. Domestic subscriptions: 12 issues, \$24. POSTMASTER: Send address changes to COMPUTEI's GAZETTE, P.O. Box 10957, Des Moines, IA 50340, Second class postage paid at New York, NY and additional mailing offices.

editor's motes

Last month in this column, we thanked those readers who responded to the "Gazette Readership Survey" in the December 1987 issue. The last few returns have trickled in, and we've tabulated the results. We're pleasantly surprised by the number of respondents, nearly 1300. This month, we'd like to share with you some of the more interesting results.

In machine ownership, 74 percent have 64s, 38 percent have 128s, and 6 percent have Plus/4s or 16s. Quick addition shows that there are several homes with more than one Commodore model. More than 70 percent of the respondents have no plans to buy another computer in the coming year. Of those who do, here's the breakdown: Commodore 128, 35 percent; Amiga, 33 percent; IBM PC/compatible, 19 percent; and the rest are divided among Commodore 64, Apple II, Atari ST, and Radio Shack. Adding the numbers for 128, 64, and Amiga reinforces what's been said for years: Commodore owners have tremendous brand loyalty.

Nearly half of the respondents use GEOS, while, surprisingly, only 28 percent are members of a Commodore user group. In peripheral ownership, 88 percent own dot-matrix printers, 23 percent own letter-quality printers, 45 percent own modems, and 12 percent have memory expansion. Word processors and games were the most common software purchases in the past year. Nearly 9 out of 10 readers program their computer, and the most preferred languages are clearly BASIC (72 percent) and machine language (20 percent). The Programming section of the magazine is the most widely read, and, accordingly, "Hints & Tips," "Simple Answers to Common Questions," and "Readers' Feedback" are the favorite columns. More than 90 percent use the programs in GAZETTE.

There's a correlation between the survey results and our reader mail. What they tell us is that the typical GAZETTE reader is not a passive user, but one who is active and, in varying degrees, one who spends time

programming.

As active Commodore users and programmers ourselves, we often wonder, as we're sure you do, about the future of the 64 and 128 in an industry that seems to spin as wildly as a whirling dervish. Our features editor, Keith Ferrell, asked Commodore's Rich McIntyre, as well as some software publishing leaders, about how these machines will measure up in the hi-tech future. The results are in our cover story (p. 12). It's a mustread.

Jance Sto Lance Elko

Senior Editor

COMPUTE!'s

FOR COMMODORE PERSONAL COMPUTER USERS

Art Director Features Editor Keith Ferrell Technical Editor Patrick Parris

Editor Lance Elko Director Janice R. Fary Patrick Parrish Assistant Editors Rhett Anderson Clifton Karnes Assistant Technical Editor Dale McBane Tom Netsel

Assistant Features Editor Assistant Editor Submissions & Disk Products Editorial Assistant Programming Assistant Contributing Editors

David Hensley Mickey McLean Troy Tucker Todd Heimarck Jim Butterfield (Toronto, Canada) Fred D'Ignazio (E. Lansing, MI)

ART DEPARTMENT Associate Art Director Mechanical Artists

Lee Noel, Jr. Scotty Billings Robin Case

PRODUCTION DEPARTMENT Production Director Assistant Production Manager

Copy Editors

Irma Swain De Potter Karen Siepak Tammie Taylor

Typesetting Carole Dunton

COMPUTE! PUBLICATIONS Group Vice-President Publisher/Editorial Director Editorial Operations Director Tony Roberts
Editor, COMPUTE! Books Stephen Levy Executive Assistant Sybil Agee Senior Administrative

William Tynan Managing Editor Kathleen Martinek Senior Editor Lance Elko

Assistant Julia Fleming Administrative Staff Anita Armfield Iris Brooks

ABC CONSUMER MAGAZINES

Senior Vice-President Marc Reisch Senior Vice-President, Advertising Richard J. Marino Group Vice-President

Circulation Barbara H. Marks Vice-President, Operations Lucian A. Parziale
Vice-President, Production Illene Berson-Weiner

> CIRCUL ATION DEPARTMENT

Robert I. Gursha Vice-President Ora Blackman-DeBrown Subscription Staff Mitch Frank Tom Slater

James J. Smith Customer Service Kay Harris Single Copy Sales A. Heather Wood

One of the ABC PUBLISHING & Companies

President Robert G. Burton 1330 Avenue of the Americas New York, NY 10019

ADVERTISING OFFICES

New York, ABC Consumer Magazines, Inc., 825 Seventh Ave., New York, NY 10019. Tel. (212) 265-8360. Peter T. Johnsmeyer, Group Advertsing Director; Bernard J. Theobald, Jr., Advertsing Director Gerensboro: COMPUTE! Publications, Sute 200, 324 West Wendover Ave., Greensboro, NC 27408. Tel. (919) 275-9809. Kathleen Ingram,

Advertising Production Coordinator
New England & Mid-Atlantic: Bernard J. Theobald, Jr., (212) 315-; Peter Hardy (617) 681-9000. yest & Southwest; Jerry Thro

Midwest & Southwest: Jerry Thompson, Lucille Dennis (312) 726-6047 (Chicago); (713) 731-2605 [Texas]; (303) 595-9299 [Colorado]; (415) 348-8222 [California].

hwest, & British Columbia: Jerry Thompson, Lucille Den-8-8222.

heast & International: Peter Hardy (617) 681-9000.

Editorial inquiries should be addressed to The Editor, COMPUTEI's GAZETTE, Suite 200, 324 West Wendover Ave., Greensboro, NC

PRINTED IN THE U.S.A.





TEALTH MISSION

Introducing a new generation of strategic gaming excellence from SubLOGIC! Stealth Mission redefines the state of the art in simulation sophistication and playability.

Easy flight and navigation controls, automatic landing and refueling systems, and a realtime pause feature allow you to exercise your strategic skills to the fullest. Quality programming eliminates annoying disk access.

Stealth Mission lets you fly three different jets; an F-19 Stealth fighter, the experimental forward-swept wing X-29, and a Navy F-14 Tomcat. Different flying techniques and weapons maximize the effectiveness of each aircraft. Even the Stealth fighter can be detected if you're not careful.

Select from eight different missions and ten skill levels. Choose the most effective ordnance to accomplish your mission goals. A targeting computer helps you detect, track, and lock onto enemy targets. Electronic Counter-Measures protect you from land, sea, and airborne enemy threats.

Improved 3D animation techniques provide dramatically faster frame rates for all cockpit views. Multiple external viewpoints are also available. And Stealth Mission includes complete VOR, ILS, ADF, and DME avionics for cross-country navigation.

Stealth Mission, the ultimate strategic simulation. From SubLOGIC.

See Your Dealer...

Stealth Mission is available on disk for the Commodore 64/128 computers for the suggested retail price of \$49.95. For direct orders please include \$2.00 for shipping (outside U.S. \$6.25) and specify UPS or first class mail delivery. Visa, MasterCard, American Express, and Diners Club charges accepted.

e 1988 SubLOGIC Corporation

Commodore 64 and Commodore 128 are registered trademarks of Commodore Electronics, Ltd.





Attack at Sunrise





13 Edgebrook Drive Champaign IL 61820 (217) 359-8482 Telex: 206995 ORDER LINE: (800) 637-4983

letters to the editor

Oops!

In the review of the Commodore 1581 disk drive (March issue), it was incorrectly stated that there are no disk copy programs available that will copy the entire contents of a 1541 or 1571 disk to a 1581 disk, or vice versa. Super 81 Utilities from Free Spirit Software does just this, and then some. We regret the oversight. Details on Super 81 Utilities may be found in Free Spirit's advertisement on page 95 in this issue.

Fastest Yet

With "Final BASIC" (February) installed on my 128, the computer runs much better. It now executes nothing with blinding speed! Thank you.

Gilbert Canales Salinas, CA

Yes, we enjoy this program very much, too. In fact, each morning here at the office, we load Final BASIC, type the BEETHOVEN command, and pretend we're listening to the Fifth Symphony throughout the day.

No More Slip

Here's an idea that costs almost nothing to try and makes your keyboard stay in place on a slippery desktop. Cut a piece of cardboard just a little larger than the keyboard. On one side of the cardboard, glue four pieces of rubber band (the half-inch variety found in most kitchens) that have been cut once and placed flat side down on the cardboard. After the glue has dried, flip the cardboard over and place your keyboard on it. Presto! Now it stays in one place.

R. G. Borkenhagen Lynnwood, WA

Switcheroo

In your January and February issues, many of your advertisers offered attractive prices on the Commodore 2002 monitor. In your February issue, you ran a review by Clifton Karnes, describing it as recently released. In mid-December, I phoned several of your

advertisers, attempting to order the 2002, and all told me that Commodore had discontinued it. They had a much more expensive monitor, which was said to be a replacement for the 2002. I realize that magazines go to press long before they are mailed. When is the February issue actually printed?

Jean P. Nance St. Joseph, IL

I was a bit surprised by your review of the Commodore 2002 monitor. I had had one for about three months when it went belly-up. The Commodore dealer I bought it from said he could not get parts for it and swapped it for a 1084 monitor. The 1084 is not as pretty, but I like it better—it seems much clearer and brighter than the 2002.

Carol L. Hazlett Issaquah, WA

Mr. Karnes responds: I was as surprised as our readers to learn that the 2002 had been replaced by the nearly identical 1084. We make every effort to be as up-todate as possible, but each issue is prepared for publication about three months before you see it. In late October, when the review was written, the 2002 was unquestionably Commodore's flagship monitor, and there was no reason to expect this to change in the near future. Commodore officially discontinued the 2002 (but was shipping them as late as January of this year). As far as the quality of the 2002 is concerned, we have several here at the office, and have experienced no problems. Incidentally, at this writing, the price of the 1084 from various dealers and wholesalers is about the same or slightly higher (\$20-\$30) than the fall price of the 2002.

Camping Computerists

Here's an answer to the person who wants to use a computer in his travel trailer ("Simple Answers To Common Questions," February). Use your portable generator or outside AC power through a 110-to-12-volt converter to charge the trailer's auxiliary battery, and use a 12 volt-to-110 frequency-controlled inverter with enough power capacity for the computer, disk drive,

monitor, and printer. The reason for not using the computer equipment directly off the outside 110-volt AC is because of the extreme voltage fluctuations that are usually encountered at campgrounds.

Joseph Frappier Vienna, VA

The real problem for traveling computerists was not asked about or addressed by you, and that is protection of media. I've had several files corrupted on my disks as a result of placing them near power wiring concealed in walls, or leaving them near windows which were shaded when we went out for several hours, but were not when we came back because of the position relative to the sun. You might caution traveling readers to be sure to store their disks or tapes of any type (video or computer) in a locker where heat, electric or magnetic fields, and/or sunlight can't get them.

William P. Brown Fallbrook, CA

Undocumented Feature

"Gradebook" (October 1985 and the 1988 Special Issue) claims that all grades must be less than or equal to the perfect mark for an assignment—that is, extra credit cannot give a student a better-than-perfect score. Such grades are rejected as invalid. To get around this, enter a perfect mark higher than the best grade, enter grades, then change the perfect mark to its real value. Better-than-perfect scores are still indicated as errors when highlighted, but are used as entered in computing averages and grades.

Pat Connolly Middletown, RI



Bring your Commodore to life with a FREE modem and software!

Now you can plug your Commodore into an exclusive network that's useful, easy, fun and inexpensive. Join Q-Link now and we'll give you a free modem and software to get you started.

Enjoy unlimited access to a wide range of O-Link "Basic" services for a set fee of only \$9.95 a month. Get help from Commodore experts — use the Hotline to ask Commodore questions, or search the database of information from Commodore to answer your questions on the spot. Access Grolier's Academic American Encyclopedia™, the latest news and entertainment updates.

Special Q-Link "Plus" services let you expand your software library with more than 10,000 public domain programs — games, graphics, business and educational software and much more! Also, you can preview new copyrighted software before you buy. Get answers to your software questions from Berkeley Softworks, Electronic Arts and Activision, to name a few. Participate in full-color, multi-player games like Casino (includes Blackjack, Poker, Bingo and the Slots), Chess and Bridge. "Plus" services cost only an extra 8 cents per minute - and your first hour of "Plus" service usage each month is free!

Offer valid in the continental U.S. and Canada for new members only. Expires 6/30/88. Prices subject to change without notice. There is a communications surcharge for connection to 0-Link from Canada. 6 cents (U.S.) per minute from Montreal, Vancouver, Ottawa, Toronto, Quebec, Windsor, Kitchener and Calgary using the Tymnet network, and 15 cents (U.S.) per minute from over 85 other locations using the DATAPAC network. Quantum reserves the right to substitute a modern comparable to the Commodore 1660.

Commodore is a registered trademark of Commodore Electronics, Ltd. Q-Link is a servicemark of Quantum Computer Services, Inc. Grollier's Academic American Encyclopedia is a trademark of Grollier

With Q-Link, you can sharpen your computer skills...connect with people...discover new ways to get smart...save money every day...plus have a lot of fun!

No-risk guarantee. Try Q-Link without risk. If, at any time, for any reason, you are not completely satisfied, you may cancel your membership.

Order your Q-Link software and modem today by mailing this coupon to Q-Link, 8619 Westwood Center Drive, Vienna, VA 22180 or for faster service call toll-free: 1-800-782-2278 Ext. 1514.

\sim 1	INIL	DECED	LATION	FORM
	IINK	RESER	VALUEN	

— Q-LINK RESERVATION	N FORM ———
Choose one:	
I need a modem. Start my Q-Link memb my first 4 months at \$39.80, and send me FREE Commodore 300 baud auto-dial modem (mod	the FREE Q-Link software and a
I already have a modem. Send me my my Q-Link membership by charging me membership at \$9.95.	
Full name	
Address	
(No P.O. Boxes)	
City State _	Zip
Home phone	THE STATE SHARE SHEET
Choose your method of payment:	
☐ Please charge my credit card. ☐ Master Card ☐ Visa	☐ Check enclosed.
Acct#Exp.	
Signature	
Call toll-free 1-800-782-2278 Ext. 1514 or mail this coupon to:	
Q-Link, 8619 Westwood Center Drive, Vienna, VA 22180	1.6

The Commodore Connection.

All Together Now!

Networking The Commodore 64

Thomas Netsel, Assistant Features Editor

Networking is becoming big business in schools. Computer labs, or classrooms with several computers, are reaping benefits from linking the computers together under the control of the teacher's machine. The attractions of such a system are obvious: reduced file-loading time, enhanced monitoring ability for the teacher, increased security for storing data.

The RTC Multi-Link Networking System allows as many as forty-eight 64s, 128s, or PETs to be linked together with the teacher's computer serving as a central storage device and file server. Networking boards and cables plug into the computers' cartridge ports. RTC Multi-Link is unique in that it comes with a 20-megabyte ICT Mini Chief hard drive. Designed to make the system especially useful in computer labs, Multi-Link lets each terminal in the network access its hard drive for loading or saving files. Terminals can work together on the same program, or they can operate independently. This permits the teacher to tailor the system to fit his or her teaching requirements. While a majority of students in a class will typically use the same program, students with special needs can work on other programs, if the teacher wishes. RTC Multi-Link handles all the

as four different printers at a

Faster Loading

Terminals can load programs from the hard drive or a floppy drive. Software can be loaded into the Multi-Link, and then sent to a specific terminal or range of terminals. This feature saves a substantial amount of time in a class where a number of computers have to be booted from a limited number of disks.

"A typical problem with the 64 is the time it takes to load and operate," says Charles Thompson, vice president of sales and marketing at RTC Multi-Link. "We've incorporated a RECORD/ PLAY function that speeds up the loading process. A teacher can load ten 64s in the time it takes to load one on a local basis. This is achieved through a memory transfer."

The RECORD function treats the teacher's computer somewhat like a tape recorder. After the teacher loads a program, the PLAY function sends the program to the desired terminals. This lets the students' terminals load from the teacher's, completely bypassing the individual 64 drives.

"The result is that a program that would normally take about 90 seconds to load from the 1541 drive will now load in about 12 seconds per terminal computer," Thompson says.

traffic among the terminals, the hard drive, and as many For years, businesses have realized the advantages of linking PCs into a network. Offices boost efficiency by sharing common files and programs, and enjoy the convenience of being able to send messages to other computers on the system. Now schools that use Commodores in their computer labs can have the features and flexibility of a network, with files served from a 20-megabyte hard drive.

Monitoring Commands

From the central unit, a teacher can monitor and control any of the terminals on the network. If a student has a problem with a program, the teacher can call up a student's screen and offer input or assistance.

This can be done without the teacher or students leaving their desks, or even speaking out loud, since the Multi-Link system supports bidirectional window messaging. Messages can be sent from any terminal on the network to any or all of the other terminals. The teacher's computer controls this feature. When the teacher sets up the program, he or she has the option of allowing messages to be sent from terminal to terminal or from terminals to the teacher. Messages appear in a window on a terminal's screen, remaining there until any key is pressed.

When setting up the system, the teacher has the option of implementing other features or restrictions. It is conceivable that a terminal can tie up the network for several minutes with a series of drive, printer, or message commands. The teacher can prevent this from happening. The teacher can also determine the number of times an individual terminal may access the network bus before it is automatically halted. The system can also be configured to prevent students from renaming or scratching files, or from formatting the disk.

Password Protection

The teacher establishes the amount of security the system should have. While any terminal can use a floppy drive connected to it, passwords can be used to restrict access to the hard drive or printers. Once the teacher types passwords, their use becomes mandatory before any terminal can access the system. Passwords must be on file in the central unit's memory. A student may use any terminal on the system, but any attempt to log on without the proper password results in a not allowed error. Another password locks the central keyboard if the teacher has to leave the room unsupervised while the network is active.

Extra Commands

In addition to BASIC 2.0, the RTC Multi-Link Networking System provides 21 extra commands. Most commands are followed by a specific terminal number or range of consecutive terminals. Appending the word ALL to the command sends that command to every computer on the network. The teacher can easily determine which terminals are online if a command is sent to a terminal that is not on the network.

The ECHO command causes anything typed on the teacher's keyboard to appear on the screens of selected terminals. BREAK followed by a number or range of numbers is the equivalent of pressing the RUN/STOP key on those terminals' keyboards. BREAK returns the terminal to the READY prompt. The HALT command is similar, but it simply freezes the terminal's screen and prevents it from responding to its keyboard until the teacher issues the CONTINUE command.

Other commands include DIS-ALLOW, which prevents specified terminals from using the printer or hard drive; QUERY, which prevents terminals from executing either printer or drive commands until they receive permission from the teacher; and SCREEN, a command that duplicates students' screens, letting the teacher monitor classwork.

Classroom Tested

The Canadian designers tried to include features to make the system as flexible as possible, but they also wanted the teacher to maintain complete control of the network at all times. According to Thompson, when the system was 80-90 percent complete, officials at Commodore-Canada's educational department suggested it be placed in a school for testing. After using the network in a classroom environment, the computer teacher offered several suggestions and improvements that were incorporated into the system's final design.

The software and hardware for a ten-terminal system, including the 20-megabyte hard drive, costs \$2640. Schools working with a smaller budget can set up a similar network without the hard disk drive for \$1640. Additional terminals may be added at a cost of approximately \$175 each, Thompson says.

Operating a computer lab on a network may be a new experience for some teachers, and RTC Multi-Link is aware that schools may like to know more about such a system before buying it. "Since some teachers are not fully comfortable teaching in a network environment," Thompson says, "we are allowing schools to try the system on a 30-day basis. Basically, if it doesn't live up to their expectations, or they don't like teaching in a network environment, there's no cost." For information, write RTC Multi-Link, 110 Riviera Dr., Unit Unionville, Ontario, Canada L3R 5M1; or call 1-800-387-4221 in the U.S. or 416-479-6220 in Canada.



BUY2, PICK1FREE!

We're sure that amongst all these choices, there's one that you'd like to pick – for free. So, go ahead – exercise your free choice by visiting your nearest retailer. Buy any two of these best-selling Electronic Arts products between April 1, 1988 and June 3O, 1988 – and pick a third one for free!

To redeem your free software, simply fill out either your retailer's coupon or the coupon in this ad, and mail it with your proofs of purchase (see requirements on coupon) along with \$3 for shipping and handling. If you can't find a participating retailer, order direct by calling 800-245-4525 (in CA, call 800-562-1112). Just tell us which products you want to buy, and what you want for free. Have your Visa/MC numbers ready.

HERE ARE YOUR CHOICES

- Amnesia
- Arcticfox
- The Bard's Tale
- The Bard's Tale II
- Chuck Yeager's AFT
- Deathlord
- Demon Stalkers
- Dragon's Lair
- Earl Weaver Baseball
 EOS: Earth Orbit Stations
- Get Organized
- GrandSlam Bridge
- Instant Music

- Instant Pages
- IntelliType
- Legacy of the Ancients
- Marble Madness
- Patton vs. Rommel
- PHM Pegasus
- Return to Atlantis
- Skate or Die
- · Skyfox II
- Starflight
- Strike Fleet
- World Tour Golf

- B/Graph
- The Consultant
- DEGAS Elite
- DiskTools Plus
- Homepak
- IS Talk
- Outrageous Pages
- PaperClip Publisher
- PaperClip with Spellpak
- PaperClip III
- Thunder!
- Timelink

Product availability varies by computer format. Ask your retailer or call (415) 572-2787 for details.



and Your

Choose from our Deluxe Creativity Series for your purchase products. Or, redeem free Deluxe software when you buy any two of these Deluxe products:

- DeluxeMusic Construction Set
- DeluxePaint
- DeluxePaint II
- DeluxePhotoLab
- DeluxeProductions
- DeluxeVideo
- DeluxePrint II



ELECTRONIC ARTS®

All products are registered/trademarks of Electronic Arts.


PICK1FR MAIL- IN COUPO

Please send my free software to the following address. I have enclosed the required proofs of purchase (specified below) and \$3 (check or money order payable to Electronic Arts) for shipping and handling.

PLEASE PRINT Name Address City My free software choice_ The computer I own.

PROOF OF PURCHASE REQUIREMENTS: Send the following original items: 1), the dated cash register tape(s) or sales receipt(s) showing the two products you purchased, and 2), find the Command Summary Card as the Manual (where no Command Summary Card exist) inside each package, cut off the part number on the back, lower portion of the Card or Manual.


MAIL TO: Electronic Arts, BUY 2, PICK 1 FREE, P.O. Box 753O, San Mateo, CA 944O3. Only valid requests postmarked by July 15, 1988 will be honored. Allow 3-6 weeks



Five years after the introduction of the 64, Commodore's eight-bit superstar is still going strong. The continued strength of the 64—and the 128—have caught more than a few industry observers off guard, prompting repeated postponements of the machines' obituary notices. Many other computer manufacturers would be delighted to have sales figures for new machines that could match those of Commodore's long-lived duo.

Recently, Gazette talked with Rich McIntyre, Commodore's Senior Vice President in charge of Sales and Marketing. We wanted to know what Commodore sees as the future of its two best-known machines. While McIntyre is perhaps the world's preeminent Commodore salesman, he's also a shrewd and canny observer of the microcomputer industry, making points that are telling about the industry's tendency to embrace advancement for the sake of advancement.

In addition, we gathered opinions from some software industry leaders, getting their perspectives on the place the 64 and 128 will occupy in the next few years.



WORK WITH US ON A PROFESSIONAL

Some people really like working on their machines. And then there are some who prefer to do their tinkering under the hood. For those of you who can't wait to get your hands greasy, we proudly introduce geoProgrammer. The most sophisticated machine language programming tool on the market.

With geoProgrammer, you get the same kind of technology we use for developing our other products. Which means you can write supercharged software. Pump your own programs. And assemble just about any kind of application you can imagine.

It reads and writes and

stomps on bugs.

The first three tools that any serious programmer needs are an assembler, a linker and a debugger. So we've installed all three, complete with sample GEOS applications that teach you the latest programming tricks in seconds.

geoAssembler not only reads directly from geoWrite files, but contains enough Pseudo Ops to



*Also available for 80 col. C128's.



of conditional assemblies. It has all the state-of-the-art features you'd expect, including some you probably never thought possible. For example, integrating graphics is as simple as cutting and pasting the image from geoPaint

directly into your program.

geoLinker ties your program
modules together, supporting
GEOS SEQ and VLIR applications
and desk accessories. You can even
use geoAssembler and geoLinker to
create non-GEOS applications.

Berkeley Softworks geoDebugger allows your program to be tested in memory with full symbolic disassembly, along with line assembly for patching code in memory. It also allows your code to be single-stepped or top-stepped, with sub-routines fully executed. It can stop a running program with one key, or use up

to eight conditional breakpoints. When your program hits the breakpoint, it prominently displays the error in an overlay window, leaving the applications screen intact.

Pro enough for you yet? Well, that's only a *partial* list of what you're in for.

If you understood all that, read on.

Chances are that we lost a lot of readers by now. But if you're still with us, hang in there. You have the makings of a real GEOS pro. All you need now are the right tools.

And all of them come in this one handy box.

So if you're serious about programming, consider geoProgrammer. After all, you've got nothing to lose —except your amateur status.

To order call 1-800-443-0100 ext. 234

geoProgrammer \$69.95

(California residents add 7% sales tax.) \$2.50 US/\$5.50 Foreign for shipping and handling. Allow six weeks for delivery. Commodore, Commodore Cet and C128 are trademarks of Commodore December, 1000, performance and first

GEOPROGRAMMER





The brightest minds are working at Berkeley.

Gazette: One of the keys to Commodore's success is the terrific brand identification consumers have with the company name as well as its products.

McIntyre: This is a tremendous resource that Commodore has. Especially members of Commodore user groups—they're just devout.

Gazette: Many of those users love the machine's game capability. Since gaming is one of the 64's strengths, the renewed strength of the videogame cartridge industry has put some pressure on Commodore. One of the keys to Nintendo's success seems to be its aggressive TV marketing campaign. Last winter you experimented with renewed TV advertising for the 64. Your commercials positioned the 64 as a great game machine—and much more. Did that pay off?

McIntyre: Yes, it did. We targeted the machine toward the potential customer. The customer for that product, we felt, was around 12 years old. We positioned the machine as, while a computer, also a very dynamic and rich entertainment system. The number of games that are available for the 64 outnumber those for Nintendo and Sega. There are still new games being released.

Gazette: For the parents of youngsters in that target market, you touted the advantages of giving the children something more than just a game machine.

McIntyre: The print ads that we ran in that December period targeted toward the parents, ran directly against the message we were trying to get to the children. To the parents we were saying that the 64 could do more than play games.

Recreation is certainly one of the major reasons to buy a system. Entertainment will always be a key element in 64 and 128 strategy. But, we asked the parents to consider the value of the investment and the fact that the computer can provide many, many more functions than just recreation.

It's an educational tool, a productivity tool, as well as a learning device. We felt that the computer versus the game machine had many more advantages that would far and away compensate for the price difference between a 64 and a [cartridge] game machine.

The Golden Age Of 64 Software

Robert Jacob of Cinemaware views the present as the beginning of a renaissance in 64 software design.

"The golden age of Commodore software got started just a few months ago," Jacob states.

What's causing the renewed strength?

"Several factors. Part of it is directly attributable to *Deluxe Paint* on the Amiga. All of our graphics are done on the Amiga and ported down to the 64. It's more powerful than any drawing package available.

"Second, the inclusion of fast loaders by the major software publishers dramatically speeds up disk I/O on the 64. With a fast loader such as V-Max, we can load as much as 20 times faster than normal Commodore DOS," Jacob points out.

"We no longer rely on character sets," he says. "Bitmapped graph-


ics give you bigger, more powerful games.

"Music is also a factor. The English are ahead of us in terms of music drivers. Few people have fully tapped the abilities of the SID chip yet."

All of which produces a renaissance.

"Yes. Much better sounding games, faster disk access, better graphics—you can see why I'm so excited.

"I am very bullish on the Commodore market."



Gazette: And that strategy paid off for Commodore as well?

McIntyre: Yes, it did. We included a free software offer and received tens of thousands of coupons, every one of them representing a purchase.

Gazette: There are a variety of games that we'll never see on a cartridge machine.

McIntyre: Exactly. The fact that the game is on a disk gives you more latitude as to the type of game you can play.

Gazette: How else do you go about responding to Nintendo?

McIntyre: Quite frankly, if someone came up to me and said, "I've got a Nintendo and I'm playing X on it," I'd say, "That's great, I can play it on my 64. Can you do this? Oh, sorry, you can't even type anything in, can you? I can save my

scores on the disk drive. Can you do that on a Nintendo cartridge? I can play my games online, can you?"

The games that are being ported to the Nintendo are, for the most part, Commodore 64 games. They are going right after the 64 titles.

Gazette: What about rumors of a 16-bit Nintendo?

McIntyre: Bring it on! A 16-bit game machine, whether Nintendo, SEGA, NEC, or whatever else, will be a game machine that costs exactly as much, if not more, than a 64. My goodness, I can't wait.

Gazette: Is your primary outlet still the general retailer?

McIntyre: It is still the mass merchant. The largest percentage of our business goes through the Sears, the Toys "R" Us-type channel, because of the price point.

History Repeats Itself!

In 1977 Avalon Hill introduced Wooden Ships & Iron Men to the table top gaming public. Eleven years later, Avalon Hill introduces, for your pleasure, the microcomputer game...

Wooden Ships & Tron Men

The game brings to life the tactical maneuvers and ship-to-ship combat from the days of the American Revolution to the Napoleonic Era. Play begins by selecting a pre-programmed scenario or you can create your own great naval engagements in this highly-detailed and realistic simulation about the age of fighting sail. In addition, WS&IM comes with the "Dockyard" option, allowing you to design your own personal

flagships and sail into naval history.
Create American gunboats and send
them against Tripolitan pirates,
or Chinese junks defending home
waters against Russian and
Portuguese schooners. With its ease
of play, in-depth design and
willingness to accommodate
itself to YOU, WS&IM will make
you look at computer historical games
in a whole new way.

Partial list of features:

- Thirteen ship types
- Eighteen Nationalities
- Detailed Information on 200 ships including number and type of sails, hull thickness and crew quality
- Dockvard
- Scenario Generator \$35.00. 1 to 2 players

Commodore® 64/128 18M coming soon

Available at leading computer stores everywhere or call TOLL FREE 1-800-638-9292 for ordering information



MICHECOMOUTER GETTER DIVISION

The Avalon Hill Game Company


A MONARCH AVALON, INC. COMPANY 4517 Harford Road ★ Baltimore, MD 21214

Other incomparable strategy games:









DON'T SETTLE FOR LESS...







TUSSEY'S SPECIAL PACKAGES

GAMESTAR*

GAME GALLERY Educational Software too! All Games stocked for quick ship!!!

ACCESS Echelon\$29.95 Leader Board\$24.95 Leader Board Tourn. Disk\$16.95
Particular de la constant de la cons
ACCOLADE Apolio 18 \$19.95 Comics \$19.95 4th & Inches \$22.95 Hard Ball \$22.95 Killed Until Dead \$CALL Lipstick Plus \$19.95 Miniputt \$24.95 Test Drive \$CALL
ACTIONSOFT Last Ninja\$24.95
Thunder Chopper\$24.95
Up Periscope\$19.95
ACTIVISION
ACTIVISION Air Raily\$CALL
Allens\$22.95 Gamemaker Package
with all Librarys\$39.95
Maniac Mansion\$27.95
Music Studio\$27.95
Shanghai\$24.95
ARTWORX NBA\$24.95
PRODERRIND
Lode Runner\$24.95
Moebius\$27.95
Superbike Challenge \$CALL
Ultima V\$39.95
CINEMAWARE
SDISCALL Defender of the Crown\$22.95
King of Chicago\$22.95
COSMI Def Con 5\$17.95
DATA EAST
Commando S17.95
Karate Champ \$24.95
Kid Niki\$19.95
Speed Buggy\$19.95
DATASOFT
Alt Reality/Dungeon\$24.95
Bismark\$24.95 Dark Lord\$19.95
Force 7\$19.95
Theatre Europe \$27.95
Tobruk \$27.95

	_
TEA.	
FI COMPONIO I	the same
ELECTRONIC A	RIS
Amnesia	.\$27.95
Arctic Fox	
Bard's Tale	
Bard's Tale II	
Carriers at War	
Chessmaster 2000	
Dan Dare	
Demon Stalkers	
Dragon Slayer	\$19.95
Dungeon Runners	
EOS(Earth Orbit Stat'n)	
Instant Music	
Legacy of the Ancients Marble Madness	
Outrageous Pages	
Patton vs Rommel	\$20.05
PHM Pegasus	
Pinball Construction Set .	
Skate or Die	
Sky Fox II	
Starfleet I	
Strike Fleet	\$29.95
World Tour Golf	
Yeager AFT	.\$24.95
	VALUE OF STREET

EPYX	
500 XJ Joystick	\$14.95
California Games	
Champ'ship Wrestling	\$27.95
Create a Calendar	
Deystroyer	\$24.95
Street Sports Baseball	
St Sports Basketball	\$29.95
Sub Battle	
Summer Games	\$16.95
Summer Games II	\$26.95
Super Cycle	
Winter Games	
World Games	
World's Gritest Baseball	
World's Gritest Football	\$28.95

FIREBIRD	
Elite	\$22.95
Guild of Thieves	
Knight ORC	\$29.95
Pawn	\$24.95
Star Glider	
The Sentry	\$27.95

\$24.95

Tomahawk...... Video Title Shop

Championship Baseball \$27.95 Championship Football \$27.95 GBA Basketball 2 on 2 \$24.95 Top Fuel Eliminator \$19.95 INFOCOM \$34.95 Hitchhiker's Guide \$22.95	
LANCE HAFNER for the best to sports strategy simulation 3 in 1 Football \$29.95 Basketball, me Pro Game \$29.95 Final Four Basketball \$29.95 Full Count Basketball \$29.95	
MICROLEAGUE Wrestling \$24.95	
Airborne Rangers \$24.95 F-15 Strike Eagle \$21.95 Gunship \$22.95 Kennedy Approach \$17.95 NATO Commander \$24.95 Pirates \$24.95 Silent Service \$24.95 Solo Flight \$24.95 Steath Fighter \$29.95 MINDSCAPE Gauntet \$29.95 Incliana Jones \$22.95 Incliana Jones \$22.95 Indiana Jones \$22.95 Indiana Jones \$22.95 Indiana Jones \$22.95 Paperboy \$24.95 Paperboy \$24.95 Paperboy \$24.95 Parfect Score:SAT prep \$44.95 Superstar Hockey \$24.95	

	all and the last
Uchi Mata	
Call for prices on other MINDSCAPE produc	tel
MISC GAMES	
Hobbitt	\$24.95
SIMON & SHUSTER	
Star Trek-Kobayashi Alt Star Trek Promethian Adv	\$24.95
Typing Tutor IV	
SPECTRUM HOLOB	
Falcon	
Intrigue	\$22.95
PT 109	\$27.95
Soko Ban SOFTWARE SIMULAT	\$17.95
Football	
Pure Stat Baseball	\$29.95
Pure Stat College BB	
SSI	
B-24	
Eternal Dagger Phantasie I, II, III (each)	\$27.95
Realms of Darkness	
Rings of Zilfin	\$24.95
Roadwar Europa	\$29.95
Shard of Spring	\$24.95
Wrath of Nicademus	\$27.95
Wizards Crown	.\$24.95
SubLOGIC	
Flight Simulator II	\$32.95
Jet	\$29.95
TIMEWORKS	

	Control of the Contro	A THE PARTY OF
	DATA BASES	
	Consultant	\$39.95
	Data Manager 128	\$34.95
	Fleet Filer	\$29.95
	Perfect Filer	\$49.95
	Profile 128	\$59.95
	Superbase 128	\$64.95
	MISC. 128 SOFTY	VARE
	Accountant Inc	
	Bobs Term Pro 128	Charles Section
	CMS Acct Pkg/128	The second second
	Desk Manager 128	The Part of the Pa
	Mach 128	
Ť.	Partner 128	
	Personal Acct. 128	
	Sylvia Porter's Persona	CONTRACTOR OF THE PARTY OF THE
	Finance Planner	\$54.95
	Vizastar 128	SCALL
3		
A	The second secon	A STATE OF

COMMODORE 128

SOFTWARE

WORDPROCESSOR

Fleet System 4 \$55.95
Font Master 128 \$44.95
Papercip II \$54.95
Papercip III \$39.95
Superscript 128 \$59.95
Term Paper Writer \$344.95
V/zawrite 128 \$59.95
Wordwriter 128 w/spell \$34.95
SPREADSHEETS

64C BUSINESS AND PRODUCTIVITY

Bank Street Filer	\$34.95
Data Manager	
Profile 64	\$36.95
64C INTEGRATED	PKGS
Homepak	\$39.95
Vizastar 64 4K	\$39.95
64C SPREADSHEET	rs
Swiftcalc 64 w/sideways	\$19.95
Sideways	\$19.95
64C WORD PROCES	SSORS
Bank Street Writer	\$32.95
Font Master II	\$34.95
Font Master 64	\$34.95
Paperclip w/spellpack	\$49.95
Paperclip III	
Pocket Writer Dictionary	\$12.95

64C DATABASES

FINANCIAL & ACC.	
Timeworks Electr. Chkbk	\$19.95
Timeworks Money Mgr	\$19.95
CMS Acct Pkg/64	
MISC. HARDWARE	
Estes pwr supply for C-64.	\$54.95
Naverone 3 Slot expander	\$27.95
UTILITIES	
Thinking Cap	\$32.95
Toy Shop	
Copy II 64/128	
CSM 1541 align	\$34.95
Fast Load	\$24.95
Bobs Term Pro	
The state of the s	

Desktop Publisher.

UNISON WORLD
Printmaster Plus

Wordpro 3+/64 Word Writer 64 w/speller

\$39.95

\$29.95

Abacus III	N
Call for price on books and software titles!	

GRAPHICS CORNER

\$32.95
\$CALL
\$39.95
\$44.95
\$16.95
\$34.95
\$39.95
\$25.95
\$29.95



P.O.BOX 1006, STATE COLLEGE, PA 16804



A500 w/1084 Monitor &1010 Drive SCALL

A500 w/1084 Monitor

AMIGA SOFTWARE

PRODUCTIVITY	NAME AND ADDRESS OF THE OWNER, OF TAXABLE PARTY OF TAXABLE PARTY OF TAXABLE PARTY OF TAXABLE PARTY OF TAXABLE PARTY.
Deluxe Music Const Set \$79.95	Logistix\$89.00
Deluxe Paint II\$99.95	Superbase\$89.00
Deluxe Print II\$59.95	Vizawrite\$89.00
Deluxe Video 1.2\$99.95	Word Perfect \$CALL
Draw Plus	
ENTERTAINMENT	

Draw Plus\$189.00		
ENTERTAINMENT	THE RESIDENCE OF THE PERSON.	
Autoduel\$34.95	Halley Project	\$29.95
Balance of Power\$29.95	Hot-Cold Jazz	\$24.95
Bards Tale\$39.95	Leisure Suit Larry	\$44.95
Beyond Zork\$37.95	Marble Madness	\$34.95
Chessmaster 2000\$34.95	Racter	\$27.95
Defender of the Crown \$29.95	S.D.I.	\$29.95
Deja Vu\$29.95	Silent Service	\$29.95
Earl Weaver Baseball\$39.95	Sinbad	\$29.95
Ferrari Formula One\$39.95	Starfleet	\$39.95
Flight Simulator II\$39.95	Univited	\$29.95

512K RAM Upgrade.. \$159.00 1010 EXT DRIVE\$219.00 1680 MODEM\$139.00

PRINTERS



Panasonic

2 yr war		A Section of the Section
10801	ll	SCALL
10911	ll	POALL
10921	\$	299.00



NX-1000	\$CALL
NX 1000C .	FOR
	PRICING
	Color Printer)
	est price on
ND-10	ND-15
NB SE	RIES

SEIKOSHA

vr warranty SP-180 VC \$139.00 SP-1000 VC..\$149.00 SP-1200 Al ... \$169.00 120cps, NLO Mode



120D	\$159.00
MSP-10	\$279.00
MSP-15E	\$379.00
Premier 35	\$459.00
Tribute 224	

SUPER GRAPHIX JR Printer Interface\$39.95 w/Printer from Tussey\$34.95



SUPER GRAPHIX GOLD., \$99.95 w/Printer from Tussey\$89.95



RGB/COMPOSITE COLOR MONITORS FOR THE 128



COMMODORE 1084

640 x 400 Resolutio 4 Operating Modes

.....\$299.00

MAGNAVOX 8762

.....\$249.00

THOMSON 4120

.....\$219.00

All 3 monitors include cables to Commodore 128

Berkeley Softworks

NEW!!... GEO PUBLISH (64/128)......\$44.95

GEOS 128\$44.95	GEOS\$39.95
Geo Calc 128\$47.95	Geo Calc\$34.95
Geo File 128\$47.95	Geo File\$34.95
Geo Programmer\$49.95	Geodex\$27.95
Deskpack 128\$44.95	Deskpack\$22.95
Geo Write 128\$44.95	Fontpack\$22.95
Geo Spell\$24.95	Geo Write\$34.95



Software orders over \$100 & Accessories under 6 pounds will be shipped FEDERAL EXPRESS (Yes

even at these prices) You only pay TCP's standard shipping charge of \$4.00 per order. ALL orders arriving before 3:00 PM our time will be shipped out same day. If part of your order is backordered the remainder will be shipped UPS Ground FREE!



SECURITY

- Your Credit Card is not charged until your
- order is shipped.

 We insure your order at no extra cost to you.

 Tussey is a financially strong and well established company.

CUSTOMER SUPPORT

- After sales support.

 Knowledgeable staff, all graouates of Tussey's "Computer Boot Camp".

 Our advanced warehouse/materials
- handling system assures your order is shipped out accurately & on time.

 Our IBM 5360 allows instant order and inventory status.

To order by mall: We accept money order, certified check, personal check Allow 2 weeks for personal & company, checks to clear Shipping \$4.00 for software and accessories \$10.00 for printers and color monitors \$8.00 for disk drives and other monitors! Add \$3.00 per box shipped COD. Call for other shipping charges. Additional shipping required on APO, FPO, AK, HI. Terms: ALL PRICES REFLECT CASH DISCOUNT, ADD 1.9% FOR MASTERCARD OR VISA.





ALL SALES ARE FINAL Defective items replaced or repaired at our discre-tion. Pennsylvania residents add 6% sales tax. Prices and terms subject to change without notice.



- Built in COMMODORE® and EPSON®Interface # 180 CPS Print Speed
- Call For Other Okidata Printers

OCEANIC FSD-2 DISK DRIVE

1541II Compatible \$149

C: COMMODORE 1764 **256K RAM** EXPANSION \$119

C128 version......\$124.95 C64 version.....\$119.95 EXCEL 2001

ACCOUNTING SYSTEM

- 1571 Compatible Drive
- 1 Yr. Warranty

\$199

C= COMMODORE 1581 31/2" DISK DRIVE \$197

Solutions

Pocket Writer 2\$4	2.95
Pocket Filer 2\$3	9.95
Pocket Planner 2\$3	
Digital Superpak\$7	
Dictionary\$1	2.95

DISKS	ALEXANDE.
per box of 10	Maria Carlo
BONUS DISKS	
SS/DD	\$6.45
DS/DD	\$6.95
TUSSEY DISK CLOSE	OUTS!!!
SS/DD	\$4.49
DS/DD	\$4.99
Call for Price on Vi	
and Maxell Dist	ke!!

TELEX: 620 37782 (TUSSEY UD) FAX: 814-237-4450

Regular Hrs: 8:00AM-9:00PM Mon-Fri, 10:00AM-6:00PM Sat, 12:00PM-8:00PM EST

REE 1-800-468-9044



Gazette: How does Commodore maintain a successful mass-retailer presence when many larger computer companies cannot?

McIntyre: Product recognition is high, obviously. It's been on the market for five years now. That channel is very important to us.

The support that we're still receiving from third parties allows that to be. There are still new titles being written for the Commodore 64.

Gazette: Those developers are continuing to stretch the limits of the machine.

"We cannot keep up with demand on the 128."

McIntyre: Programmers are still learning about the 64, still finding things they can take advantage of when

they're writing software.

As far as high quality, low-cost graphics machines, the Commodore 64 was the first, and is still an excellent device to be used in that area. It does have limitations, in terms of memory and speed. *But*, for the price performance, it's still the best deal.

Gazette: What about the 128-specific market? Are you seeing any increases in 128-only software?

McIntyre: In 128-specific software, really, in the productivity aspects, all you're going to be seeing is 80-column software. There's no recreational software *per se* written for the 128.

In productivity, though, there's GEOS128. Timeworks has a large 128 installed base.

Gazette: Does the machine continue to sell?

McIntyre: The 128 is a product that Commodore can't keep in stock right now. That product is still selling very well. We cannot keep up with demand on the 128D.

Gazette: Will we see, then, this success broaden? Is there going to be a Commodore 256?

McIntyre: No. We have a RAM Expander, the 1764. And of course we have the 1700 series, the 1700 and the 1750 RAM Expanders for the 128. That's how we will address memory expansion for these products.

We're the world's largest purchaser of DRAMs [Dynamic RAMs], and we have been severely impacted by the price increases. So to build an eight-bit machine today with more resident on-board memory would increase the cost of it.

For those who wish to utilize bank switching and increased memory, they're available to them with the 1764 RAM Expander.

Gazette: What about a Commodore hard disk drive?

McIntyre: You will not see it for the 64.

The 64 In A Squeeze: The View From Activision

Bruce Davis, president of Activision, takes a different view of the 64's future, a view somewhat less sanguine than Rich McIntyre's.

"The 64 is taking a lot of heat from Nintendo. Tandy is doing a good job of lowering prices and upping the performance of its MS-DOS machines. And the 64 is getting squeezed," Davis says.

How does Commodore succeed in such a

market?

"First, they need to improve the price-value relationship. The 64 has been selling at the same price with the same basic features for quite a few years now. Commodore needs to either lower the price or add more features. Something's got to change, or they'll continue to lose market share."

How does the 64 look from the software

perspective?

"Again, market share has gone down. We've also seen some price degradation on 64 software—the only format where price degradation has occurred.

"This creates problems for the publishers. The average selling price for a Nintendo cartridge is higher than for a 64—this is not a plus for us."

Doesn't Commodore's large base of machines

offset lower prices?

"A top-selling videogame title easily sells in six figures," Davis notes. "It's rare for a 64 title to get six figures. So the argument that a huge installed base justifies lower margins is not true anymore."

How long, then, can you continue to support

the 64?

"Several more years. There are still decent profit opportunities. Obviously there are some changes in product strategy. Where the majority of revenues two years ago came from the 64, it now accounts for less than a third."



Gazette: Users can get hard drives from third-party manufacturers such as Xetec.

McIntyre: Yes, we don't have to reinvent the wheel. If there is a specialized market for hard drives, and a third party wants to take advantage of it, we encourage it.

Gazette: Doesn't the level of interest in hard drives and so on indicate that there are 64s and 128s being used in increasingly sophisticated ways?

McIntyre: Look at Berkeley Softworks. They're running laser printers off of 64s. Berkeley has really shown

the world the productivity aspects of the machine. I was here during the launch of this product. I am very much a fan of it, and I am still not convinced that it has reached its full potential.

Sometimes when people come into my office, I'll take a letter off my desk and ask them whether the letter was done on a Commodore 64 or not. How can you tell? The quality of the output is directly related to the quality of the output device. The processor is limited only by the quality of the output device. If you run a laser printer with a 64, you cannot tell the difference.

If you can put an eight-bit machine into an environment and be satisfied with its performance, recognizing that it does have certain limitations, and you're willing to live with those limitations, you will have a very powerful microcomputer.

"If someone launched a machine today that was going to sell a million units in the next calendar year, would the developers support it? There would be a stampede."

Gazette: Let's talk about a couple of those environments. Commodore has rededicated itself to the education market. Will we be seeing more 64s and 128s in schools?

McIntyre: The 64 is in front of more students, for a smaller amount of money, than any other microcomputer. That's how we position it in the education market.

After all, the purpose of the exercise is to get as many students as possible exposed to microcomputer technology. We're not trying to expose them to 386 technology; we're trying to expose them to computer technology. With budgets as they are today in education, the 64 represents a tremendous opportunity. You can put more 64s in front of more students than any other machine in your budget.

Gazette: Are you seeing a strong educational response to your new marketing initiative?

McIntyre: We have gone back into the field to establish educational dealers, and the response has been tremendous. The 64 is still selling into the elementary levels. It's not selling anywhere near the levels it once did, but you have to put that into perspective. There are today a lot more microcomputer systems available than there were when the 64 was launched.

The 64 still has about a 20-percent share in the educational market, in terms of installed base. According to Market Data Retrieval, there are [in 1986–87] 130,908 Commodore units installed in public schools. That is a substantial piece of the business—as opposed to 68,000 IBMs, about twice as many.

Gazette: Another environment is business. Are you still finding 64s in that environment?

McIntyre: Yes. For those who are aware enough of computer technology to not feel that they need a minicomputer to accomplish their purposes, there's the 64.

Cable stations still use 64s as character generators. That's a cost savings! We're talking \$20,000 for a character generator, as opposed to the cost of a 64.


Gazette: You're coming off a successful year with the 64. How many more such years lie ahead? How long can the machine continue to sell? Already, some publishers are concerned about a declining share of the market for 64 software.

McIntyre: Software base and third-party support are the critical factors.

Sometimes I listen to software developers, and I get a little angry. I want to ask them, "Why are you trying to kill this product? Is there not a large enough installed base to support your efforts?"

The sales versus two years ago aren't as great. So? If someone launched a machine today that was going to sell a million units in the next calendar year, would the developers support it? There would be a stampede.

Gazette: MS-DOS dominates the software market in terms of percentage of sales, but the unit sales of 64 software continue to increase. Are there still opportunities for software developers in the 64/128 market?





IT'S THE NEXT BEST THING TO SKIING THERE.

Or figure skating. Or cross-country skiing. Or even luging. In short, The Games: Winter Edition is one game that can bring you the thrills and glories of history-making athletic

competition. It was

designed with the help

of former U.S. Olympic

Team athletes. And it's the only computer

Find out what it's like to be a human shock

Behold the gates of glory. Now watch 'em whizz by. game to earn an official license from the 1988 U.S. Olympic Team.

absorber in the Ski Jump. Double your blood pressure shooting down the chute in the Luge.

Lean into a 30-mile-an-hour turn in Oval-Track Speed Skating. And then cross your threshold of pain in the Cross-Country event.

There are seven Herculean events in all. For one, two or up to eight players. With graphics so crisp and accurate you'll be tempted to bundle up.

Plus, thanks to the game's unique camera

angles, you can view the Downhill and the Ski Jump events from the first-person or camera-angle points-

from the sidelines. The Games: Winter Edition. Incredible graphics. Network-style camera

witch to the camera-angle point-of-view for a new perspective. angles. Excellent athlete control options. And opening and closing ceremonies modeled after those at Calgary.

you're looking over your ski tips. And the

next, you're watching your performance

Now you can get the thrills without the chills.



Just you and your shadow about to pull off a double-axle sit-spin. of-view. One moment



ES: WINTER ED

nmodore 64/128. Apple II & compatibles, IBM & compatibles AUTHORIZED PURSUANT TO 36 U.S.C., SECTION 380

Sir-Tech Sees The Future

Robert Sirotek, vice president of Sir-Tech software, thinks Commodore and its eight-bit machine are up to the shallenges facing them.

to the challenges facing them.

"There's a heck of an installed base, so, from the software level, its future continues to be very optimistic," Sirotek says. "That's why we're supporting the machines with many titles."


What about the hardware itself? How long can

Commodore continue selling 64s and 128s?

"As far as the hardware side, Nintendo and Sega are nipping at Commodore's heels. Commodore has a real positioning problem, having to react by updating the 64's hardware in some manner or repositioning it to compete head-on with Nintendo."

Can it be done?

"I have complete confidence that Commodore will pull it off. They won't go away."



McIntyre: Berkeley Softworks, again, is a good example. This is a company that started out two years ago to support a product that at the time was three years old. Brian Dougherty [Berkeley's founder] feels that we haven't exploited the 64's capabilities yet—and he keeps showing us that.

Gazette: At the same time, Commodore has expanded its presence with the Amiga and with your PC compatible. Do these ventures take energy away from the eight-bit products?

McIntyre: We are not going to walk away from that part of the business. The 64 and the 128 have been and will continue to be an important part of Commodore Business Machines, no matter what we do with Amiga technology, with MS-DOS technology. None of it is done to the exclusion of our core business.

Now, we have a problem, too. As soon as something reaches its peak in this country or levels off a bit or—worse than that—declines somewhat, we have a tendency to walk away from it. That's crazy!

Gazette: But that's business.

McIntyre: I have this discussion with merchants all the time: "Well, sales aren't what they were this time last year."

"How are your profits? How is the return on retail

space?"

If today we made a sales presentation on a product that would return what the 64 returns, the merchant would take it on. You have to keep things in their proper perspective. Gazette: In terms of marketing, what other advantages has the 64 acquired over its history?

McIntyre: The functionality of the machine has also grown. QuantumLink is a good example. Here's an online service available to the 64 user. For about \$350—computer, disk drive, modem—you've got online shopping, banking, airline reservations, information services, and so on.

Gazette: Despite this, the machines sometimes get rapped as being old-fashioned, obsolete.


McIntyre: Today, if we positioned the 64 in the marketplace—forget RAM, bytes, bits—if we went out and functionally described the Commodore 64, it would be heralded as a fantastic advancement in personal microcomputing.

The problem is that if you start to talk to people who have been in this business since its inception, they

start to get jaded: "It's only eight-bit."

Who cares? You are buying this machine for a specific reason. If it satisfies that need, it is never obsolete. Only your requirements become obsolete. If you no longer require it, then you obviously would no longer need hardware to satisfy the need. The need ceases to exist—not the hardware. If the need continues to exist until the year 2000, then that machine is still satisfactory.

There is no such thing as hardware obsolescence. That is a phrase that was coined by the naysayers in this industry. That's baloney.



ARCTIC ANTICS SPY VS. SPY ARE TRADEMARKS OF FIRST STAR SOFTWARE, INC. © 1986, 1987 FIRST STAR SOFTWARE, INC. SPY VS. SPY AND MAD ARE REGISTREED TRADEMARKS OF E.C. PUBLICATIONS, INC. AND ARE USED WITH PERMISSION.

A Guide To Commodore **User Groups**

Part 1

Mickey McLean

This annual GAZETTE feature provides an up-to-date list of user groups across the U.S., throughout Canada, and around the world. Part 1 includes states A through M (Alabama-Montana). Under each state heading, groups are sorted in order according to zip code.

User groups from the remaining states (Nebraska-Wyoming) and from outside the U.S (including APO addresses) will be listed in Part 2 next month.

ALABAMA

Valley Commodore Users Group (VCUG), P.O. Box 835, Decatur, AL 35602-0835

Scottsboro Commodore Users Group, Rt. 5, Box 255, Scottsboro, AL 35768

Sequoyah Users Group (SUG), 702 Williams Ave. N., Ft. Payne, AL 35967-2624

Montgomery Area Commodore Komputer Society (MACKS), P.O. Box 210126, Montgomery, AL 36121-0126

East Alabama Users' Group, P.O. Box 249, Jacksonville, AL 36265

The Byte Bunch, P.O. Box 185, Evergreen, AL

Amiga/Commodore Club of Mobile, 3868-H Rue Maison, Mobile, AL 36608

Commodore Mobile Users Group (CMUG), P.O. Box 9524, Mobile, AL 36691-0524

The Lighthouse BBS User Group, Rt. 2 Box 196, Salem, AL 36874

Smiths Alabama Commodore User Group, Rt. 2 Box 105, Smiths, AL 36877

ALASKA

Anchorage Commodore Users, P.O.Box 104615, Anchorage, AK 99510-4615

Sitka Commodore User's Group, P.O. Box 2204, Sitka, AK 99835

First City Users Group, Box 6002, Ketchikan, AK 99901

ARIZONA

Commodore User Group of Arizona, P.O. Box 21291, Phoenix, AZ 85036

Arizona Commodore Users Group, P.O. Box

27201, Tempe, AZ 85282 Gila Hackers, Rt. 1 Box 34, Globe, AZ 85501 C64/128 Information Exchange Group, 1345 S. Kolb Rd #345, Tucson, AZ 85710

Catalina Commodore Computer Club Inc, P.O. Box 32548, Tucson, AZ 85751

ARKANSAS

The Southwest Arkansas Commodore Users Group, 404 S. Greening St., Hope, AR 71801 Commodore User Group, Rt. 9 Box 354-A, Hot Springs, AR 71913

Commodore Information Association (CIA), Rt. 1 Box 103-F, Mayflower, AR 72106 River City Commodore Club, P.O. Box 4298, N.

Little Rock, AR 72116

The Commodore Council, 1821 Breckenridge Dr., Little Rock, AR 72207

The S.T.O.N.E. 64 Users Group, P.O. Box 301, Reyno, AR 72462

The Personal Touch Commodore User Group of Hoxie and Walnut Ridge, 503 Kaylynn Dr., Walnut Ridge, AR 72476

Harrison Users Group, Rt. 1 Box 15, Harrison, AR

CALIFORNIA

Hollywood Users Group (HUG) for Commodore Computer Owners, P.O. Box 38313 Hollywood, CA 90038

South Bay Commodore Users Group (SBCUG) (suburban L.A.), P.O. Box 1176, Redondo Beach, CA 90278-0176

C128 West Commodore 128 User Group, 2917 Colorado Ave., Santa Monica, CA 90404

Commodore 64 West Users Club (West L.A. and Santa Monica), P.O. Box 406, Santa Monica, CA 90406-0406

Begabytes C64, 9802 S. Calmada Ave., Whittier, CA 90605

West Orange County Commodore Users Group, P.O. Box 6441, Buena Park, CA 90622

Southern California Commodore Users Group, 11018 E. Rosencrans Ave., Suite 203, Norwalk, CA 90650

Commodore Helpers of Long Beach, 3736 Myrtle Ave., Long Beach, CA 90807

San Fernando Valley Commodore Users Group, 7017 Geyser Ave., Reseda, CA 91335 California Area Commodore Terminal User

Society (CACTUS), P.O. Box 1277, Alta Loma,

Rosemead Associated Members (RAM), 2636 Willard Ave., Rosemead, CA 91770

South Bay Commodore Users Group, P.O. Box 1899, Chula Vista, CA 92012-1899

Oceana-64 Commodore User Group, 1004 Plover

Way, Oceanside, CA 92056

Back-Country Commodore Club, P.O. Box 776, Ramona, CA 92065-0776

Armed Forces Commodore, 4631 Gainard Way, San Diego, CA 92124

San Diego Commodore Users Group, P.O. Box 86531, San Diego, CA 92138 General Dynamics CRA Commodore Computer

Club, General Dynamics Electronics, MZ-7234A, P.O. Box 85310, San Diego, CA 92138-

Hi Desert Commodore Users Group, 62026 Sunburst Cr., Joshua Tree, CA 92252

Club-64 (San Bernardino), P.O. Box 514, Patton, CA 92369

Commodore Users Group of Riverside (CUGR), P.O. Box 8085, Riverside, CA 92515

Power Surge, c/o Orangewood Academy, 13732 Clinton Ave., Garden Grove, CA 92643

West Orange County Commodore User Group, 20311 Ravenwood Ln., Huntington Beach, CA 92646

South Orange Commodore Klub (SOCK), 25401 Champlain Rd., Laguna Hills, CA 92653

Southern Orange County Commodore Komputer Services Group (SOCCKS), The Wizard's Exchange, 24212 Hollyoak Ln. Apt. D, Laguna Hills, CA 92656

Commodore Technical User Group (CTUG), P.O. Box 8342, Orange, CA 92664

Ventura Commodore Club 1306 Finch Ave., Ventura, CA 93003

CIVIC64, P.O. Box 2442, Oxnard, CA 93034-2442 A Bakersfield Area Commodore Users Society (ABACUS), 3101 Oakridge Dr., Bakersfield, CA 93306

San Luis Obispo Commodore Computer Club, P.O. Box 3836, San Luis Obispo, CA 93403-3836 Simply Users of Computers Combining Experience for Strength and Success, 184

Santa Ynez Ave, Paso Robles, CA 93446 Central Coast Commodore Users Group, 4237 Plumeria Ct., Santa Maria, CA 93455

Antelope Valley Commodore User Group (AVCUG), P.O. Box 4436, Lancaster, CA 93539 Madera Users Group (MUG), P.O. Box 783,

Madera, CA 93639 Valley Commodore Users Group, P.O. Box 3228, Salinas, CA 93912

PLUG (Plus/4 Users' Group), Box 1001, Monterey, CA 93942

Monterey Peninsula Commodore Group, P.O.

Box 2105, Seaside, CA 93955 Ft. Ord Commodore Users (FOCUS), P.O. Box

2180, Seaside, CA 93955-2180

CWEST Bay Area Commodore Users, 850 Burnett #11, San Francisco, CA 94131

PET-On-The-Air, 525 Crestlake Dr., San Francisco, CA 94132

Diablo Valley Commodore User Group, P.O. Box 27155, Concord, CA 94527

Marin Commodore Computer Club, 665 Las Colindas Rd., San Rafael, CA 94903 64/More Commodore User Group, Inc., P.O. Box

26811, San Jose, CA 95159-6811

Stockton Commodore User's Group, P.O. Box 8354, Stockton, CA 95208

Lake County Computer Users Commodore SIG, P.O. Box 385, Clerlake, CA 95422

Amateurs and Artesians Computing, P.O. Box 682, c/o Alex KR6G, Cobb Mountain, CA 95426 Computer Users Group of Ukiah (CUGU), c/o Wood Enterprises, 1107 S. State St., Ukiah, CA 95482

Auburn Commodore Computer Club, P.O. Box 4270, Auburn, CA 95604

Fairfield Commodore User's Group, 366 Royal Oaks Dr., Vacaville, CA 95688

Sacramento Commodore Computer Club, P.O. Box 13393, Sacramento, CA 95813-3393

North Valley Commodore Users Group (NVCUG), P.O. Box 7658, Chico, CA 95927 Commodore Owners Users Group of Redding

(COUGOR), 37 Rose Ln., Redding, CA 96003

COLORADO

Colorado Commodore Computer Club, 11855 Adams St., Northglenn, CO 80233

Ft. Collins C3, P.O. Box 2051, Ft. Collins, CO

Front Range Commodore Club, P.O. Box 272, Niwot, CO 80544-0272

Commodore Club, P.O. Box 25851, Colorado Springs, CO 80936

The Local Folks Computer Club, 1653-130 Rd., Glenwood Springs, CO 81601

CONNECTICUT

Capital Region Commodore Computer Club (CRCCC), P.O. Box 2372, Vernon, CT 06066

Hartford County Commodore Users Group, Inc., P.O. Box 8553, East Hartford, CT 06108

Eastern Conn Commodore Users Group, 227 Jagger Ln., Hebron, CT 06248 (BBS# 203-228-

Computer Users Group, 6 Saner Rd., Marlborough, CT 06447

Commodore Users Group of Stratford, P.O. Box 1213, Stratford, CT 06497

The Naugatuck Valley Commodore Users Group, P.O. Box 622, Waterbury, CT 06720

South Kent Users Group (SKUG), Box 97, South Kent, CT 06785

Fairfield County Commodore User Group (FCCUG), P.O. Box 212, Danbury, CT 06813

Stamford Area Commodore Society (SACS), P.O. Box 2122, Stamford, CT 06906-0122

DELAWARE

Special Interest Groups NULL (S*I*G*NULL), 2438 Owen Dr., Wilmington, DE 19808

First State Commodore Club, P.O. Box 1313, Dover, DE 19903

Lower Delaware Commodore Computer Club (LDCCC), P.O. Box 5344, Nassau, DE 19969

FLORIDA

Port Orange Commodore User Group (POCUG), 1244 Thomasina Dr., Port Orange, FL 32019

Public Domain Users Group, P.O. Box 1442, Orange Park, FL 32067 Welaka Commodore Users Group, P.O. Box 1104, Welaka, FL 32093-1104

Commodore Computer Club of Jacksonville, 8438 Lynda Sue Lane W., Jackson-

Bay Commodore Users Group (BCUG), P.O. Box 3187, Panama City, FL 32401 Fort Walton Beach Commodore Users Group, P.O. Box 3, Shalimar, FL 32579 Gainesville Commodore User Group, P.O. Box 14716, Gainesville, FL 32604-4716

Citrus Commodore Computer Club, P.O. Box 503, Beverly Hills, FL 32665 Lake/Sumter Commodore Users Group, P.O. Box 416, Leesburg, FL 32749 Lake County Educational Users Commodore Club, P.O. Box 326, Tavares, FL

Titusville Commodore Club, 890 Alford St., Titusville, FL 32796

Central Florida Commodore Users Club, P.O. Box 547326, Orlando, FL 32854-7326

El Shift OH, P.O. Box 361348, Melbourne, FL 32936-1348

Fellsmere's Club Compu-Mania Inc., P.O. Box 629, Felsmere, FL 32948-0629 Miami Individuals with Commodore Equipment (MICE), 11110 Bird Rd., Miami, FL 33165

Miami 2064 Commodore Users Group, 11531 S.W. 84 St., Miami, FL 33173 Gold Coast Commodore Group, P.O. Box 375, Deerfield Beach, FL 33443 Starcom User's Group of Martin County, P.O. Box 1446, Port Salerno, FL 33492 Charlotte County Commodore Club (CCCC), P.O. Box 512103, Punta Gorda, FL 33951-2103

Bits and Bytes Computer Club, 1859 Neptune Dr., Englewood, FL 34223 Commodore Brooksville User Group (C-BUG), P.O. Box 1261, Brooksville, FL.

Clearwater Commodore Club Inc, P.O. Box 11211, Clearwater, FL 34616 R.H.C.C. Users Group 64/128, 8032 Banister Ln., Port Richey, FL 34668 Suncoast Bytes Commodore Computer Club, P.O. Box 721, Elfers, FL 34680

GEORGIA

Griffin Commodore Program Exchange (GCPE), 1820 Hallmark Dr., Griffin, GA 30223

Middle GA C-64 User Group, 104 McKinley Dr., Griffin, GA 30223 Stone Mountain Users Group (SMUG 64/128), P.O. Box 1762, Lilburn, GA

Athens Commodore Users Group, One Beech Haven, Athens, GA 30606 C-64 Friendly Users Group, 775 Kings Rd., Athens, GA 30606 Commodore Club of Augusta, P.O. Box 14337, Augusta, GA 30919 Savannah Commodore User Group, P.O. Box 1171, Savannah, GA 31402-1171 Albany Commodore Amateur Computerist, P.O. Box 5461, Albany, GA 31706-

5461 HAWAII

Makai Commodore User Group (MCUG), P.O. Box 6381, Honolulu, HI 96818 Commodore Hawaii Users Group (CHUG), P.O. Box 23260, Honolulu, HI

IDAHO

Pocatello Commodore Users Group (PCUG), Rt. 2 Box 48E, Pocatello, ID 83202 PFP 64 Software Exchange, 742 E. 19th, Jerome, ID 83338

Eagle Rock Commodore Computer Club, P.O. Box 3884, Idaho Falls, ID 83403-3884

Banana Belt Commodore Users Group (BBCUG), P.O. Box 1272, Lewiston, ID 83501

GEM-64, Ken Rosecrans, 407 N. DeClark, Emmett, ID 83617

Commodore Treasure Valley/Boise Users Group (TV/BUG), P.O. Box 6853, Boise, ID 83707

ILLINOIS

PET VIC Commodore Users Group, 892 Knollwood, Buffalo Grove, IL 60089 Fox Valley PET (Commodore) Users Group, 833 Prospect Ave., Elgin, IL 60120 Computers West, P.O. Box 3357, Glen Ellyn, IL 60138

NorthEastern Computer Rappers of Illinois 64-128 of America (NECRIA), 220 Connors, Lockport, IL 60441

SouthWest Regional Association of Programmers/64 Users Group (SWRAP/64), P.O. Box 342, Bedford Park, IL 60499-0342 Chicago B-128 Users Group (CBUG Inc.), 4102 N. Odell, Norridge, IL 60634

Knox Commodore Club, 675 Arnold St., Galesburg, IL 61401 Survivors of the Sixty-four Users Group (SOSUG), P.O. Box 6108, Macomb, IL

61455 Western Illinois Commodore Users Group (WICUG), 906 W. 6th Ave, Mon-

mouth, IL 61462 Canton Area Commodore Users Group, 13 N. 17th Ave., Canton, IL 61520

Meeting 64/128 Users Thru the Mail, R.R. 1 Box 151, St. Joseph, IL 61873

Champaign-Urbana Commodore User Group (CUCUG), 802 N. Parke St., Tuscola, IL 61935

East Side Computer Club, P.O. Box 1347, Alton, IL 62002-1347 Gateway Computer Club, P.O. Box 1839, Fairview Heights, IL 62208 Western Illinois PET User Group (WIPUG), Rt. 5, Box 75, Quincy, IL 62301 Southern Illinois Commodore-Amiga Club, 1707 E. Main St., Olney, IL 62450 Decatur Commodore Computer Club (DC3), 664 W. Grand, Decatur, IL 62522 Capital City Commodore Computer Club (5 Cs), P.O. Box 2961, Springfield, IL.

SPUG Computer Club, P.O. Box 9035, Springfield, IL 62791

Chess Players' Commodore User Group, 723 Barton St., Mt. Vernon, IL 62864

INDIANA

Indianapolis Computer Club, Inc., P.O. Box 11367, Indianapolis, IN 46201 Midwest C-64 Users Group (MW64UG), P.O. Box 9311, Highland, IN 46322 Kosciusko Commodore User's Group, 312 E. Prairie, Warsaw IN 46580 Fort Wayne Area Commodore Club, P.O. Box 13107, Fort Wayne, IN 46867 Logansport Commodore Club, P.O. Box 1161, Logansport, IN 46947 Commodore Small Town Users Group (CSTUG), P.O. Box 161, Vevay, IN

QS! Alliance, P.O. Box 1403, New Albany, IN 47150

Fraternal Order of Police Computer Club (FOPCC), 2535 Anthony Dr., Evansville, IN 47711

Commodore Computer Club, P.O. Box 2332, Evansville, IN 47714

Western Indiana Commodore Users (WICU), P.O. Box 1898, Terre Haute, IN

Commodore Owners of Lafayette (COOL), P.O. Box 5763, Lafayette, IN 47903

IOWA

Commodore Users Group, Ames Region (COUGAR), P.O. Box 2302, Ames, IA 50010-2302

Capitol Complex Commodore Computer Club, P.O. Box 212, Des Moines, IA 50301

Commodore Computer User Group of Iowa, P.O. Box 3140, Des Moines, IA

Ft. Dodge Commodore Users Group, 1606 2nd Ave. N., Ft. Dodge, IA 50501 3C Users Group, R.R. 3, Box 20, Charles City, IA 50616

Product Engineering Center Commodore Users Group (PECCUG), 333 Joy Dr., Waterloo, IA 50701

Tricomm Computer Users Group, 310 S. Floyd Blvd. Suite 309, Sioux City, IA 51101

Syntax Errors Anonymous Commodore User Group, 216 6th St. S.W., Spencer, IA 51301

Crawford County Commodore Users Group, 519 N. 19th St., Denison, IA

The nearby electro-chemical plant is pumping out radioactive repellent. If you're to save your world, you better get off your web and find the parts you need to become Spiderdroid, a deadly, hyper-mobile fighting machine. But watch out for the stingers,



Commodore 64/128 IBM & compatibles, Apple II & compatibles GAME PROGRAM © 1986 ADDICTIVE GAMES A PRISM LEISURE CORPORATION PLC COMPANY



Get ready for four of the most challenging, rugged, rump-bumping cross





Plenty of thrills guaranteed on the following grounds: gumbo mud, packed snow, skid-sand, and the scrubbiest terrain south of the border

country road racing courses this earth has to offer.

Fight the torturous terrain of Baja. Rocks, boulders, skid-sand, even a few spikey cactuses. And of course, heat that's hot enough to fillet any forehead. Ever had your hands stuck to the wheel?

Permanently. You will when you endure the longest winter of your life in the ice,

> sleet and slosh of The Michigan Course. The Georgia Red Clay Course has enough mud to keep you a human fossil for 2,000 years. And then there's Death Valley. Get it. D-E-A-T-H Valley.

Start with pre-race strategy.

Select and customize your personal vehicle. Your supplies. Your repair equipment. Believe us. You'll need everything. There are boulders, rivers, potholes, and mudbogs to contend with. What are mudbogs? You'll find out. (Just after you find out there's a Demon 4 x 4 chasing you all through the race. A Demon hellbent on your destruction.)

If you win enough races, collect enough points, only then will the

Victor's Cup be yours. It's the least we can do. After all, you did go through hell to get there.

Commodore 64/128, IBM & compatibles, Amiga

Iowa City Commputer Users Group (ICCUG), P.O. Box 2412, Iowa City, IA

Washington Area Commodore Users Group, P.O. Box 445, Washington, IA

KANSAS

Lawrence Commodore User's Group, P.O. Box 2204, Lawrence, KS 66045 First Commodore Users Group, 606 E. Chippewa, Paola, KS 66071 TCCUG, Inc., P.O. Box 8439, Topeka, KS 66608 (BBS# 913-862-1604) Newton Area Commodore Club, 112 Brookside, Newton, KS 67114 Parsons Commodore Computer Users Group, 714 S. 35th St., Parsons, KS 67357

Commodore User's Group of McPherson (CUGOM), 1009 Sycamore Pl., McPherson, KS 67460

Salt City Commodore Club, P.O. Box 2644, Hutchinson, KS 67504 Mid-Kansas Commodore Club, 1509 Hubbard, Great Bend, KS 67530

KENTUCKY

Purchase C64 User's Group, Rt. 1 Box 209A, Calvert City, KY 42029 Glasgow Commodore User's Group, P.O. Box 154, Glasgow, KY 42141 Logan County Commodore Users Club, P.O. Box 302, Lewisburg, KY 42256 Commodore Users Group of Madisonville (CUGOM), P.O. Box 849, Madisonville, KY 42431

LOUISIANA

New Orleans Commodore Klub, 3701 Division St. Suite 140, Metairie, LA 70002

Southeast Louisiana Commodore Users' Group, P.O. Box 1138, Gray, LA 70359 Commodore Users Group of Slidell (CUGS), 111 Marche Blvd., Slidell, LA

Acadiana Commodore Computer Club (ACCC), P.O. Box 31412, Lafayette, LA 70593

Baton Rouge Area Commodore Enthusiasts (BRACE), 3540 Olive Ave., Zachary, LA 70791

Ark-La-Tex Computer Club, P.O. Box 6502, Shreveport, LA 71106-6502 PAGE U.G., P.O. Box 7703, Alexandria, LA 71306-7703

MAINE

Your Users Group (YUG), P.O. Box 1924, N. Windham, ME 04062 Compumania, 81 North St., Saco, ME 04072

Southern Maine Commodore, P.O. Box 416, Scarborough, ME 04074-0416 Commodore Users Group of Coastal Maine, 103 Main St., Topsham, ME 04086 Commodore Users Society of Penobscot (CUSP), c/o 101 Crosby Hall, University of Maine at Orono, Orono, ME 04469

Island/Reach Computer Users Group, P.O. Box 73, Deer Isle, ME 04627 Southern Aroostook Commodore User's Group (SACUG), P.O. Box 451, Houlton, ME 04730

Northern Maine Commodore User's Group, P.O. Box 493, Loring AFB, ME

MARYLAND

Federation of Commodore User Societies, Inc. (FOCUS DC/MD/VA), P.O. Box 153, Annapolis Junction, MD 20701 (Note: This is a federation consisting of 15 user groups in the VA/MD/DC area, not a club offering individual

MUMPS Users' Group (MUG), 4321 Hartwick Rd. Suite 510, College Park, MD 20740

Rockville Commodore Users Group, P.O. Box 8805, Rockville, MD 20856 National Bureau of Standards Commodore Users Group, 8 Cross Ridge Ct., Germantown, MD 20874

Montgomery County Commodore Computer Society, P.O. Box 2689, Silver Spring, MD 20902

VIC Appreciators (VICAP), 10260 New Hampshire Ave., Silver Spring, MD 20903

Harford County Commodore Users Group (HCCUG), P.O. Box 209, Fallston, MD 21047

CUM-BACC, 1427 York Rd. at Seminary Ave., Baltimore, MD 21093-6014 BAYCUG, 110 Danbury Rd., Reisterstown, MD 21136

Baltimore Area Commodore Users Group (Bay-CUG), 4605 VOGT Ave., Baltimore, MD 21206

Randallstown Commodore User Group, 3702 Durley Ln., Baltimore, MD 21207 The First Sector Users Group (FSUG), 113 E. Montgomery St. 1st Fl., Baltimore, MD 21230

The Annapolis Commodore Users Group, P.O. Box 3358, Annapolis, MD 21403

Frederick Functioneers, P.O. Box 1913, Frederick, MD 21701-1010 Hagerstown User Group (HUG), 23 Coventry Ln., Hagerstown, MD 21740

MASSACHUSETTS

Pioneer Valley Commodore Club, 6 Laurel Terr., Westfield, MA 01085 Eastern Mass Commodore User Group, 6 Flagg Rd., Marlboro, MA 01752 Foxboro Area Commodore Users Group, P.O. Box 322, Foxboro, MA 02035 Commodore Users Group of Cape Cod, P.O. Box 1490, Cotuit, MA 02635

MICHIGAN

Michigan Commodore Users Group, Inc., P.O. Box 539, East Detroit, MI 48021 Washtenaw Commodore Users Group, P.O. Box 2050, Ann Arbor, MI 48106-

Soft-Type Users Group, 20231 Westmoreland, Detroit, MI 48219

Northern Genesee County Commodore Users Group (NGCCUG), P.O. Box 250, Clio, MI 48420

Commodore Computer Club, 4106 Eastman Rd., Midland, MI 48640 Lansing Area Commodore Club, P.O. Box 1065, East Lansing, MI 48826-1065 Kalamazoo Valley Home Users Group, P.O. Box 3085, Kalamazoo, MI 49003 Battle Creek Commodore and VIC Enthusiasts, 1299 S. 24th, Battle Creek, MI

Edwardsburg Commodore Users' Group (ECUG), P.O. Box 130, Edwardsburg, MI 49112

Columbia Commodore Computer Club (Cñ), 133 Ernest, Brooklyn, MI 49230

Commodore Owners Area Computer Club (COACC), 2380 4th Ave. NW, Owatonna, MN 55060

Hibbing Area Commodore Klub (H.A.C.K.), 2709 3rd Ave. E., Hibbing, MN 55746

Rochester Area Commodore User's Group, 2526 6th Ave. NW, Rochester, MN

Albert Lea Commodore Users Group, 2217 N. Bridge, Albert Lea, MN 56007 Commodore Users Therapy Group, 1309 N. Gorton Ave., Willmar, MN 56201 Redwood Falls Area Computer Exchange, 717 E. Wyoming St., Redwood Falls, MN 56283

Heartland Area Computer Cooperative, Box 360, Albany, MN 56307 Commodore Bemidji User Group, Rt. 3, Box 392, Bemidji, MN 56601-8313

MISSISSIPPI

Software Source, 4550 W. Beach Blvd. #12 Edgewater Village, Biloxi, MS 39531 Coastline Commodore Computer Club, P.O. Box 114, Biloxi, MS 39533 (BBS# 601-374-CLUB)

Columbus Commodore 64/128 Club, 504 N. 20th St. East, Columbus, MS 39702

MISSOURI

Commodore Users Group of St. Louis, P.O. Box 28424, St. Louis, MO 63146-

Northeast Missouri Commodore Users Group (NEMOCUG), P.O. Box 563, Macon, MO 63552

Heartland Users Group, P.O. Box 1251, Cape Girardeau, MO 63702-1251 Joplin Commodore Computer User Group, 422 S. Florida Ave., Joplin, MO 64801


Mid-Missouri Commodore Club, P.O. Box 7026, Columbia, MO 65205-7026 Southwest Missouri Commodore Users Group, 1510 South St., Aurora, MO 65605

Commodore User Group of Springfield (CUGOS), Box 607 Jewell Station, Springfield, MO 65801


MONTANA

Cascade County Users Group Inc., P.O. Box 739, Great Falls, MT 59403 (BBS# 406-761-3268)

Commodore Classic User Group, P.O. Box 3454, Great Falls, MT 59403 Commodore Programs Inc., 740 Eastside Rd., Deer Lodge, MT 59722 (mail-in



SERIES



In this fast-paced action game for the 64, you enter a strange new universe where your skill and cunning are put to the test. To survive, you must trap a constantly moving sphere before your time runs out—or you trap yourself. A joystick is required.

"Trap" takes you to another universe, another dimension. Trap's world consists of an array of colored blocks hanging in ink-black space, set against a blanket of dis-

tant, sparkling stars.

Two beings inhabit this strange place, each with a geometrical form: a sphere, which continuously bounces from block to block, and a flat square, which lies atop the blocks, blinking patiently. In Trap, you're the blinking square, and your objective is to trap the bouncing sphere and use its kinetic energy for your survival.

Getting Started

Since Trap is written in machine language, you'll need to enter it with the "MLX" machine language entry program found elsewhere in this issue. When you run MLX, you'll be asked for the starting address and ending address of the data you'll be entering. Here are the values to use for Trap:

Starting Address: 0801 Ending Address: 1360

Follow the MLX instructions carefully, and be sure to save a copy of the Trap data before you leave MLX. To start Trap, simply load it as you would any BASIC program, and type RUN.

When you first run the pro-

gram, you'll see the title screen and hear an ominous sound effect to help set the mood. Press the fire button on the joystick to begin the game.


The game screen consists of a 4 × 4 matrix of colored blocks displayed in three-dimensional space. At the top of the screen is your current score, the number of lives you have left, and your high score for the session. At the bottom of the screen is a bar which represents the amount of time remaining. Use a joystick (plugged into port 2) to move the blinking square from block to block.

Staying Alive

In this universe, all life depends on motion. There are two life forms. The lower life form is a small sphere that must stay in constant motion in order to survive. The sphere can bounce in any direction, but it can't leave the grid. You, as a higher form of life, don't have to move, but you, too, depend on motion. The sphere is your prey, and you must trap it and use its kinetic energy.

A quirk of your character is that you spawn a trail of four discolored blocks that follow you in a snake-like manner. These special blocks are the key to trapping the sphere. The ball can't jump onto them, so you can force the sphere into a position where it can't move, trapping it between the discolored blocks and the void of space.

There is a special situation, however. If the ball is already in midbounce and you move into a position where it must land on a discolored block, it will do so. It can't change direction in midair. Also note that you can't move over your own trail, so you must be careful not to maneuver yourself into a corner. If you do, you'll be helpless until time runs out.



Stunning graphics complement the excellent playability of "Trap."

The time bar at the bottom of the screen indicates the time you have left. It continually decreases, and when it's depleted, your system goes into shock (shown on the screen by a pulsing light). You can survive two shocks, which will be recorded as small representations of your square at the top of the screen, but with the third shock, you cease to exist. The screen pulses and fades, and you're allowed a brief period of mourning.

Trapping The Ball

When you trap the sphere, you'll receive one point for every unit of time remaining on the time bar. Anything over 200 represents very good play. After a successful trap, you advance to the next level, and the blocks change color.

You'll quickly discover techniques for trapping the ball, but since the ball speeds up every three screens, the game becomes increasingly more difficult. You don't have corresponding acceleration, so as the game progresses, planning becomes more important. Luckily, the ball ceases to accelerate after it reaches a certain speed.

If you need to pause the game, press the RUN/STOP key. The screen blanks, however, so that you can't analyze your position. The screen also changes to blue so you won't worry that something is wrong with your computer. To resume the game, press RUN/STOP again.

Modifying The Game

One nice feature of Trap is that it can be adjusted for your preferences. If you find that the game's too fast, you may want more time or a slower pace. Or perhaps you've got super reflexes and you'd like more of a challenge. In either case, the following POKE statements allow you to customize Trap. Load Trap and type any of the following in direct mode before running the game.

To adjust the overall speed of the game, type

POKE 2910, n

where n is a number between 1 and 255. A value of 1 gives the fastest speed and 255, the slowest. The normal speed is about 170.

To control the ball's speed, type

POKE 4211, n

where n is a value between 0 and 9. Using 0 will result in the ball eventually becoming a gray blur. Using 9 will cause the ball to never accelerate. A normal value is 2.

If you want to change the rate at which time decreases, type

POKE 3258, n

where n is a value between 1 and 255. A value of 1 will leave you with something less than one second to react. Using 255 will let you trap the ball at your leisure. The normal rate is 42.

See program listing on page 93.

MAIL TO:

COMPUTE!'S GAZETTE SUBSCRIBER SERVICE

P.O. Box 10958, Des Moines, IA 50340-0958

Change of Address: Please advise as early as possible. Attach label with your old address and write in new address below.

New Subscriber: Fill in your name and address below. Use separate sheet for gift orders.

PLACE LABEL HERE

Renewal: Attach label.

.....One year \$24.00 Two years \$45.00 (Foreign subscribers please add \$6.00 per year for postage)

STREET

CITY/STATE/ZIP

For other subscription questions or problems, please write a note and send entire form to the above address, OR CALL TOLL-FREE:

1-(800) 727-6937

C-64" • VIC" • 8X-64" • C-128" • Plus 4" • C-16" • B-128" • PET" • CBM"

One disk, 25 business programs, \$19.95

The Intelligent Software Package is the one product for your Commodore that can take care of all your data processing needs. **Customers write:** "What a bargain!"
"I am amazed at all there is in these programs."

"This letter is to tell you that your package is absolutely the best I have found."

'At last! Something to make my computer do real work." There are no hidden fees for shipping or documentation, and no clubs to

join. The package is not public domain software, and is sold only direct to customers by mail: it supports all available printers, and will run on any Commodore computer (except Amiga) with a minimum of 10k RAM, including the C-128 in C-128 mode.

What you get when you order the Package:

Database—A complete database manager. All fields completely user-definable. Can be used for any number of tasks, including accounting, checkbook and tax records, mailing lists, inventory control, catalog main-mailing lists, inventory control, catalog main-tenance, or as an electronic rolodex. A cus-tomer writes: "I am especially impressed with Database, and have used it to replace a half-dozen other database-type programs I had been using." I had been using."
Word Processor—A full-featured menu-

driven word processor. Allows full control

driven word processor. Allows full control over margins, spacing, paging, indentation, and justification. "Highly recommended." — Midnite Software Gazette. "Provides good basic features." — Compute's Gazette. "Excellent program for budgeting, estimating, or any math-oriented use... well worth the money. Highly recommended." — Midnite Software Gazette.

ReportGen—creates form letters, mailing lables, etc.

lables, etc.

ReportMerge—creates statements Baseball Stats-compiles team batting

Index—indexes W/P's text files.

WPConvert—converts files to other WP

DBMerge-facilitates relational D/B

Intelligent Software San Anselmo, CA 94960 Quality Software since 1982

DBStat, DBStat2—analyze D/B files. ASCII—converts text files into program

Checkbook—reconciles checkbook.
Inventory—Maintains inventory records.
Paper Route—A/R for paper route.
Loan Analysis—computes finance terms,

prints schedules. Breakeven—cor computes breakeven analysis Depreciation-creates depreciation


Labeler—creates labels. File Copier-copies sequential, program


Correlation-calculates statistical cor-

Also other Database and Word Processor

To order, send name, address, and \$19.95 to address below. Please specify regular [1241/1571/2040/4040/2031] disk, B050 disk, or cassette (cassette not available for Plus 4 or C-16). Add \$3 for COD orders; credit cards not accepted. Calif. residents add 6%. No personal checks from outside USA. A sampling of program output is available for \$1. Tear this ad out and keep it handy!

Box A Dept. U-0





Treasure Diver

Brian Casey

What chance does a bubble stand in an ocean full of sharks? Not much, but if he thinks fast, he may collect a lot of treasure before he pops. An enjoyable, high-speed game for the Commodore 64. Joystick required.

If you like finding treasure—and who doesn't?—you'll enjoy "Treasure Diver," an adventurous underwater game that's packed with action.

In Treasure Diver, you are a small bubble, floating at the top of the ocean. At the ocean's bottom is a treasure chest which drifts slowly along in the current. All that you have to do is hold your breath and dive to get the treasure.

Of course if it were that easy, it wouldn't be much fun. That's where the sharks come in. A screen full of blue sharks swimming in hunting patterns, hoping to come across a morsel of food. Stay clear of them. Pay special attention to the two black sharks (they're smarter than the blue ones) because they'll try to hunt you down.

At the top of the screen is your air indicator. When you dive, the indicator will move through the safe green area, into the yellow warning area, and finally into the red danger area. Be sure to surface for more air before you run out.



Brave the deep, shark-infested sea to bring back sunken treasure.

When a shark takes a bite out of you, he does permanent damage—you'll leak air faster. With each bite, things get worse. In waters this dangerous you won't last long, so collect as much treasure as you can as quickly as possible.

Typing It In

Treasure Diver is written entirely in machine language. Type it in using "MLX," the machine language entry program found elsewhere in this issue. When MLX asks for starting

and ending addresses, respond with the following values:

Starting address: C000 Ending address: C8C7

After you've finished entering the data, be sure to save it to tape or disk before leaving MLX.

Plug a joystick into port 2. To load Treasure Diver, use a statement of the form LOAD"TREA-SURE", 8,1 (for disk) or LOAD"TREASURE", 1,1 (for tape). If you saved Treasure Diver as something other than TREASURE, use the filename with which you saved the program.

To start the program, type SYS 49152. You'll be asked to select the game speed. Enter a number between 1 (fastest) and 4 (slowest). For your first game, try speed 4.

When the game begins, maneuver down between the sharks to the treasure. To capture the treasure, just touch it. It will disappear, giving you 200 points. If you get into a jam, hold the fire button down as you move—you'll go faster, but you'll also use up a lot of air.

Treasure Diver keeps the high score on the screen. If you want to pause the game, press SHIFT-LOCK. Press it again to resume play. To quit the game, press F7. See program listing on page 91.



Only \$5.00 additional.

By now you've probably seen all the ads for all the different "Super Cartridges" on the market. And they can talk all day, but let's get real: no cartridge is going to back up 100% of anything, no cartridge is going to turn your C-64 into an Amiga, and no fancy screens or hyperbolic claims are going to give a cartridge any more power than it really has.

That's why SUPER SNAPSHOT is still the best multifunction cartridge on the market. It is a product that is the result of a long process of refinement. Our policy of constant upgrading ensures you that you'll always own a state of the art device. SUPER SNAPSHOT will never be "finalized"because it's built to evolve



HERE'S WHAT SUPER SNAPSHOT V3 CAN DO FOR YOU!

- . Copies 99% of all memory resident software.
- · Disable feature for true transparency
- Extremely compatible Turbo Dos fast loader—1541/71/81.
- . Rom based scrolling M/L monitor will NOT corrupt memory.
- . Turbo 25-Formats for up to 25 times faster loads.
- . Fast data copier, single or dual: 1541/71 and 1581/81. · Sector editor allows fast examination and modification.
- . Free KRACKER JAX parameters for those tough cracks.
- · Ten-day money back satisfaction guarantee.
- Attention C-128 owners. An optional switch is available which allows you to disable the C-64 mode without removing the cartridge.
- · Files run without the cartridge in place.
- · Pre-programmed or user definable function keys.
- Dos wedge supports multiple drives-8, 9, 10, 11
- High Res and multicolor screen dumps to printer or disk file.
- . Fast File copier, single or dual: 1541/71/81. · Sprite killer and exclusive extended life feature
- · Fast load and save routines are used throughout.
- . Super Snapshot V1 and V2 owners may upgrade for \$20.00. Call us.

- . Our great Slideshow Creator available for only \$14.95.

So while other companies spend their time making their packages better, we'll just keep on making our products better Because we know the difference between TALKING THE TALK-AND WALKING THE WALK, SUPER SNAPSHOT V3: ONLY \$59.95!



ORDERING is simple: we accept money orders, certified checks, personal checks on prior approval, VISA, MC, Discover and COD. Please add \$3.00 shipping and handling per order. \$2.00 additional for COD orders. Orders outside of North America please add \$7.50 per cartridge for shipping. Defective items will be replaced at no charge. In-stock orders are processed within 24 hrs. Returns are not accepted without authorization #. Washington Residents please add 7.3% sales tax

Mail your order to: Software Support Int.-D13 2700 NE Andresen Road / Vancouver, WA 98661

Or call our toll-free order line at 1-800-356-1179, 9am-5pm Pacific time, Monday-Friday. After ho orders accepted at (206) 695-9648 7 days a weel Technical support available. Call (206) 695-9648, 9am-5pm Pacific time, Monday-Friday.



In Canada order from: Marshview Software, PO Box 1212, Sackville NB E0A-3C0 only \$69.95 CDN.

DEALERS — WE HAVE THE SUPPORT YOU'RE LOOKING FOR!

Convert your C64/C128 to a real synthesizer with the

SFX SOUND EXPANDER

SFX SOUND EXPANDER

A nine voice programmable synthesizer module using FM technology to generate professional quality sounds. Includes basic software and audio connector cable. MIDI compatible with suitable interface.

SFX FULL SIZED KEYBOARD

\$145.50

A five octave synthesizer style key board which plugs into the Sound Expander module

SFX FM COMPOSER AND SOUND EDITOR \$ 45.50

The software to get the most out of the SFX Sound Expander! Nine channel sequencer and voice editor programs allow you to write, alter, store and playback music and to create custom sounds which you can store for use in your music.

SFX SOUND SAMPLER

SFX SOUND SAMPLER

\$127.00


Record sounds digitally and play them back higher or lower in pitch, edit them, display the waveform, work with up to four samples at once, use as a real time echo or pitch shifter.

FEARN & MUSIC

519 W. Taylor #114, Santa Maria, CA 93454 Phone 805-925-6682 1-800-447-3434

(DEALER INQUIRIES INVITED)







reviews

Airborne Ranger

Although an afterword in Airborne Ranger's documentation has the programmers and artists at MicroProse quaking at the thought of creating an arcade game-after building their reputation on simulations-they have nonetheless done it with their usual flair.

At first glance, it may even seem that they have simply produced their own version of a popular coin-operated game for the Commodore 64. A closer look reveals that MicroProse has both enlarged and rounded out the classic scenario of a single warrior operating behind enemy lines, making of it a more complete adventure than the game that may have inspired it.

Mission, Please

There are 12 missions in Ranger, and two methods of play. You may assign a practice ranger, whose score will not be recorded; or use a veteran ranger, who must be saved to a separate data disk. Mission selection offers such tasks as blowing up a munitions depot, capturing an enemy officer, disabling a SAM site, freeing hostages, and many more in between.

Some missions may also combine two or more major tasks; these are explained in the briefing message that follows your selection. Scoring is based on whether or not you have accomplished your prime objective, as well as upon the number of enemy soldiers killed and the number of enemy emplacements destroyed. Besides the numerical point scores, you may also win promotions and/or medals.

Each session has a definite beginning. In rounding out the game and making of it a full-blown mission-as opposed to a set of scenarios in which you suddenly find yourself on a field of combat with no past and little future-Airborne Ranger begins each mission with an airdrop. There is an overhead view of the mission area, much like what you'd see if you were looking at a map, and skimming down from top screen is an aircraft. The craft may be controlled right or left by the joystick in order to help you avoid obvious trouble spots. And when you think you are ready, you begin by dropping the three

supply packages—with luck, marked in your memory so that you can find them later. Once you've used the weapons you carry, you can replenish them only by finding and recovering your supply

packages.

Your own drop comes after the three supply chutes have deployed. Because you are using a paravane instead of a parachute, you have a good amount of maneuverability while still in the air. This, again, is controlled by joystick. The freedom to move will help you avoid landing atop a gun emplacement or a tank and can make it possible for you to land in a place of concealment such as a trench.


Because the name of the game is infiltration, it will not do to try to land on your objective, the reason being obvious: Anything worth destroying is also worth defending. You won't want to land in a hotbed of security and be shot down on the spot.

An arcade-style game from MicroProse? Yes, and a darned good one.

Throughout the game, control is via joystick, with only minor access to the keyboard required. In contrast to the almost full keyboard use of previous MicroProse outings, Airborne Ranger makes you wonder why a keyboard overlay was included: Four function keys select current weapon; the space bar determines whether you walk or crawl; a cursor key toggles between running and walking; three number keys determine the fuse delay on time bombs; and two other keys will either call for an air pickup or get you first aid. It is this welcomed simplicity of control which makes the game easy to learn and which goes a long way toward helping to classify it as arcade-style entertainment.

A New Perspective

Once your soldier is on the ground, the viewpoint shifts from a long shot to a medium shot. Your view is still from above, but is now at an angle that



brings perspective and rounding to the 3-D landscape. Enemy soldiers, pillboxes, gun emplacements, and trenches are all done with a wealth of detail that adds both realism and urgency to your task.

Slightly ahead of your soldier is a floating crosshairs pointer. This is used to aim the weapon precisely as you turn the soldier about. Depending upon the target, your chosen weapon may be a carbine, a hand grenade, a LAW rocket, or a combat knife. You aim by turning your soldier until the crosshairs is pointed at the target, and fire by press-

ing the joystick button.

The enemy can be wounded or killed. Wounded, he will fall to the ground, but will rise again when your back is turned. Dead, he will fall to the ground and, a moment later, disappear. Quite obviously, this particular type of house cleaning comes under the heading of conservation of sprites: Sweep the dead ones away to make way for more live ones. Yet it also serves to reinforce another tenet in the afterword of the documentation: One of the aims of Airborne Ranger was to emulate deadly combat without blood and guts, in order to preserve the game quality.

Once a mission has been completed-or when the countdown mission clock has reached 0-a rescue craft hovers over the Pickup Point. It is up to you to know where this is and to be there on time. Other mission endings involve your death at the hands of the enemy. In either case you will then be presented with a mission assessment in which you are awarded points, promotions, medals, or any combination of these. Then, of course, it's time to volunteer again.

Although not quite as thick as some created by MicroProse for other games, the manual for Airborne Ranger is no less complete. Each mission is detailed and tactical tips for each mission are provided. In addition, there is a fascinating short historical description of Army Rangers that helps to put your computer missions in perspective. The 3-D graphics are very good, as is the sound, and the animation in the movement of soldiers and in the explosions is as good as most of what you've seen on coin-operated arcade games.

No matter what protests Micro-Prose may make, they have created an arcade game, and a darned good one. —Ervin Bobo

Airborne Ranger MicroProse 120 Lakefront Dr. Hunt Valley, MD 21030 \$24.95

COMPUTE!'s GAZETTE

TOLL FREE Subscription Order Line

1-800-727-6937

Sub Battle Simulator

I never knew what hit me.

The first explosion knocked out the radio, and within seconds other detonations had ripped through the submarine's pressure hull, knocking out the deck gun and torpedo tubes. I had meant to scan the horizon from the sub's control tower, but in the excitement of surfacing off the coast of Japan in 1942, I hit the *periscope* key by mistake. I was still trying to train its narrow field of view on my unseen attacker when other explosions rocked the boat.

No time to order a crash dive. Damage reports flooded the screen almost as fast as the Pacific Ocean flooded my unlucky boat. With the radio out, I couldn't get off an SOS, so my order to abandon ship only prolonged the inevitable. My crew and I were not rescued.

Such are the fortunes of war when you sign on for a tour of duty aboard Sub Battle Simulator. In this premier offering of Epyx's Master Collection, you assume the role of an American submarine skipper facing the might of the Japanese fleet, or a German U-Boat captain out to sink as much Allied shipping as possible. Sub Battle offers 24 American and 36 German missions, aboard six

different historically accurate submarines. The object is to complete the mission and return safely to base.

Pick Your Year

As an American, you can sail on a single mission during any year between 1942 and 1945. As a German commander, you can select a patrol between 1939 and 1945. The type of sub you command, and its armament, speed, and auxiliary equipment will vary depending on the year selected.

You can choose Target Practice mode against an enemy convoy, Single Mission, or Wartime Command. The latter places you in command at the start of hostilities. You'll sail on mission after mission, throughout the course of the entire war, until either peace is declared or you become a casualty. Be sure to select the level of difficulty you want first. The lower difficulty levels offer features denied you as you take on more difficult levels.

If you're fresh out of sub school, it's best to select a difficulty level of 1 or 2. Your weapons are more reliable, enemy convoys and planes are easier to find, and it's harder to sink your boat. After a few thousand miles of saltwater have passed under your keel, or over your conning tower, and you can command a sub in your sleep, then opt for

Tevex Computer Software 1-800-554-1162


C-64/128 software	List S	Our \$	C-64/128 software	List \$	Our \$
Adventure Constr.	\$15	\$12	Maniac Mansion	\$35	\$24
Airborne Ranger		\$24	Might & Magic	\$40	\$28
Allens	\$35		NBA	\$40	\$28
Auto Duel	\$50	\$34	Phantasie III	\$40	
Apollo 18		\$21	Pirates		\$28
B-24		\$24	Questron II		\$28
Bard's Tale I or II	\$40	\$28	Realms of Darkness		\$28
Beyond Zork	\$45		Russia		\$28
California Games		\$28	Shiloh		\$28
Chuck Yeager AFT		\$24	Skate or Die	\$30	\$21
Civil War	\$40		Starfleet I	\$40	\$28
		\$24	Stealth Fighter		\$28
Defender - Crown			Strike Fleet	\$30	\$21
Dragon's Lair		\$18		\$30	\$21
Echelon		\$31	Test Drive		
Games: Winter ed	\$40		Wargame Constr.	\$30	\$21
Gauntlet	\$35	\$24	Wizardry I	\$40	\$28
Gunship	\$35	\$24	Wooden Ships	\$35	\$24
Last Ninia	\$35	\$24	WC Leader Board	\$40	\$28
Legacy Ancients		\$21	Wrestlemania	\$30	\$21

Same Day Shipping

Just call us before 3:30 and we'll ship your order today by UPS. Your package is only days away with Tevex.

Free 40 page catalog with your first order. We stock hundreds of C-64/128 games.

When ordering by mail send money order. Include phone number. SHIPPING: U.S. orders add \$3.00 for shipping and handling charge. Georgia residents add 4% sales tax.



TEVEX

4205 First Ave #100 Tucker, GA 30084 404-934-5059 Established in 1984

We accept Visa or Mastercard



Grab your favorite joystick and shift into the world of faster action, zanier gameplay and slicker graphics with the *MAXX-OUT!*™ series from Epyx. Rad Warrior.™ Arctic Antics™Spy vs Spy III.™ Boulder Dash™ Construction Kit.™ Coil Cop.™ Spiderbot.™ And Death Sword.™ They're easy on the wallet. And easy to get. Just visit your nearest software dealer or order by phone (408) 848-3042. Only \$19.95 (+\$2.95 shipping and handling).



ARCTIC ANTICS SPY VS SPY ARE TRADEMARKS OF FIRST STAR SOFTWARE, INC. 6; 1996, 1997 FIRST STAR SOFTWARE, INC.
SPY VS SPY AND MAD ARE RECISTERED TRADEMARKS OF EC PUBLICATIONS, INC. AND ARE USED WITH PERMISSION BOULDER DASH'S
AND BOULDER DASH GONSTRUCTION NIT" ARE TRADEMARKS OF FIRST STAR SUFTWARE, INC.
6; 1996, 1997 FIRST STAR SOFTWARE, INC.

TOTAL BACK UP POWER TAKES ACTION

REPLAY IV THE UITIMATE UTILITIES/BACK-UP CARTRIDGE FOR THE 64/128

- · Action Replay allows you to Freeze the action of any memory Resident Program and make a complete back-up to disk or tape but thats not all Just compare these features
- Simple Operation: Just press the button at any point and make a complete backup of any' memory resident program to tape or disk.
- I Turbo Reload: All back-ups reload completely independantly of the cartridge at Turbo speed.
- Sprite Monitor: View the Sprite set from the frozen program save the Sprite transfer Sprites from one game to another. Wipe out Sprites, view the animation on screen. Create custom programs.
- Sprite Killer: Effective on most programs make yourself invincible. Disable Sprite/Sprite/Backround collisions.
- Unique Picture Save: Freeze and save any Hires Screen to tape or disk. Saved in Koala, Blazing Paddles
- Screen Dump: Print out any Screen to Host or Printers. 16 Gray Scales, Double size print options.

MARP 25

40)(11

- di denny equipating utility ill ny leurdware required disk formats - WARP files can be her standard files
 - will load to 5 seconds 200
- No other disk Turbo comes close WARP Load Save also available from Basic for

WERFUL DESIGN WITH BOARD LS1 LOGIC PRO

IIP PLUS 40K OF ON BO

M/RAM!

Efficient compacting techniques – 3 programs per disk side – 6 programs if you use both sides.

- Single File: All programs saved as a single file for maximum compatibility.
- Utility Commands: A host of additional commands: - Autonum, Append, Old, Delete, Linesave, Printor-
- ☐ Fast Loader: Also doubles as a Fastload cartridge to speed up your commercial disk to upto 6 times normal
- Unstoppable Reset: Reset button to Rectrieve System and Reset even so called Unstoppable
- Fully Compatible: Works with 1541/C, 1570, 1571 and Datacassette with C64,128, 128D (in 64 Mode)
- Compatible: With Fast DOS and Turbo Rom Systems
- Disk Utilities: Fast Format, Directory, List, Run and many other key commands are operated by Function

Unique Restart: Remember all of these utilities are available at one time from an integrated operating system. A running program can be Frozen to enter any Utility and the program is restarted at the touch of a key — without corruption

LS1 Logic Processor: This is where Action Replay IV gets it's power A special custom IS1 chip designed to process the logic necessary for this unmatched Freeze/Restart power. No other cartridge

- Preeze any opperam and enter a full machine
- assemble, Hex. Way Scroll, ort etc. In
- act ar usual months of similarities and a servictions.

 Because of Action Replay's on Board Ram the process of a service of the service of th

- An absolute must for the program Hacker—ake changes and see your result's instantly!

* In our most recent test unable to find any progra ARA could not cope with. In our mo



ORDERS NORMALIN SHIPPED WITHIN 48 Hrs.

ADD \$5.00 Shipping/Handlin DATION COMPUTERS 76 COUNTRY CLUB LANE LAS VEGAS NV 89109

DATEL COMPUTERS

256K SUPEROM EXPANDER

- Now you can select from any of 8 32K EPROMs instantly.
- 38 sockets to accept upto a 32K EPROM in each. On board operating system - no programs
- Program your own EPROMs using our EPROM
- ☐ No need to have loads of cartridges just make a selection from the Superom menu.
- Directory of utilities on power up.
- Pully menu driven on power up.
- Select any slot under software controls.
- Unique EPROM generator feature will take your own programs - basic or m/c and turn them into autostart EPROMs. (EPROM burner required)
- ☐ Accepts 2764/27128/27256 EPROMs.
- On board unstoppable reset.

CRUNCHER

Compact by upto 30%

. The ultimate cartridge based program

More programs per disk.
 3 compacting programs on one cartridge

Past loading/saving routines - works with


Can even further compact AR III files!


250 block file copy function
Full DOS support including fast format

ONLY \$24.99 COMPLETE

OR \$14.99 ROM ONLY

ONLY \$49.99





The ultimate disk toolkit for the 1540/1541



- A disk toolkit is an absolute must for the serious disk hacker. Toolkit IV has more features than most
- ☐ DISK DOCTOR V2 Read and write any track and sector including extra and renumbered tracks. Repair damaged sectors. Look underneath read errors.
- HEADER/GAP EDITOR Decodes and displays ALL header information including off bytes and header gap. Rewrite the entire header and header cap. Renumber sectors. Also edit any sector tail gap.
- ☐ DISK LOOK Sort directory. Recover lost files. Display file start/end addresses Disassemble any file program directly from the disk to SCREEN or PRINTER including undocumented opcodes. Edit Bam. Much. much
- ☐ FILE COMPACTOR Can compact machine programs by up to 50%. Saves disk space. Compacted programs run as normal.
- ☐ FAST DISK COPY Copy an entire disk in 2 minutes or less using single 1541.
- ☐ PAST FILE COPY Selective file copy. Works at up to 6 times normal speed.
- ☐ FORMATTER 10 second format an entire disk or format any individual track or half track 0 to 41. Redefine any of 30 parameters to create or recreate unique disk formats
- ☐ ERROR EDIT Quickly find and recreate all read errors including extra and renumbered tracks or sectors and half tracks from 0 to 41. Even recreates data under errors and allows you to redefine any necessary parameters.

ONLY \$14.99



Turbo Rom II is a replacement for the actual kernal inside your 64. It provides superfast load/save routines.

- ☐ Loads most programs at 5-6 times normal speed
- Saves at 5-6 times normal.
- Improved DOS support including 10 sec format.
- Programmed function keys:- load, directory, old, etc.
- Return to normal kernal at flick of a switch.
- ☐ FCOPY 250 block file copier.
- ☐ FLOAD special I/O loader.
- Plus lots more
- ☐ Fitted in minutes no soldering usually required. (On some 64's the old ROM may have to be desoldered).

ONLY \$24.99

DUPLIKATOR.

- Copies whole disk in one pass only one
- drive required!

 Makes back-up copies in eight seconds!!

 Duplikator is the fastest, most efficient and st to use disk copying system ever conceived.
- Comes complete with 256K on-board ram and it's own operating system - no software
- Makes multiple copies from one original
 Full disk verification during back-up
- Copies standard software as well as errors 21-29 and upto 40 tracks.
- ☐ Full disk error check in eight seconds. Pull disk verify against ram in fifteen
- A must for clubs, user groups etc. How else can you copy over 250 disks an hour for less than \$200
- Comes complete with on/off switch and
- reset button.

 I Pitted in minutes no soldering usually

ONLY \$159.99

- The new sampler allows you to record any sound digitally into memory and then replay it with astounding effects
- → Playback forwards/backwards with echo/
- Now with full sound editing module to produce tanding effects
- I Pull 8 bit D to A and ADC conversion
- MIDI compatible with suitable interface (I.e. Datel unit for \$39.99).
- ☐ Live effects menu includes real time display of waveforms
- _ Line in/mic in/line out/feedback controls.
- Powerful sequencer with editing features
- Load/save sample
- _ Up to 8 samples in memory at one time.
- _1 Complete software/hardware package \$89.99.






DEEP SCAN BURST NIBBL

- The most powerful disk nibbler available anywhere, at any price!
- Burst Nibbler is actually a two part system a software package and a parallel cable to connect the 1541/1570/1571 to 64/128 (state type)
- What gives Burst Nibbler its power? Conventional nibblers have to decode the data from the disk before it can transfer it using the serial bus - when non standard data is encountered they are beat. Burst Nibbler transfers data as raw GCR code via the parallel cable without the need to decode it so you get a perfect copy of the original.
- Will nibble upto 41 tracks. Copy a whole disk in under 2 minutes. Full instructions.
- Regular updates we always ship the latest. Fitted in minutes no soldering usually required.
 Full cr ½ tracks. No need to buy parallel cable if you have Professional DOS etc.
- · Cable has throughbus extension for other add ons.

ONLY \$39.99 COMPLETE SOFTWARE ONLY \$19.99

CABLE ONLY \$19.99





EPROMMER 64

- A top quality, easy-to-use EPROM programmer for the 64/128.
- ☐ Fully menu driven software/hardware package makes programming/reading/verifying/copying EPROMs simplicity itself
- Will program 2716, 2732, 2764, 27128 and 27256 chips. 12.5, 21 or 25 witz.
- Pits into user port for maximum compatibility with cartridges/Superom Board etc.
- Pull feature system all functions covered including device check/verify.
- ldeal companion for Superom Board, Cartridge Development System, our kernal expanders or indeed any EPROM base project ONLY
- Comes complete with instructions plus the cartridge handbook.

\$69.99 COMPLETE

CHECK - MONEY ORDER - COD ACCEPTED

CALL TOLL FREE

IN NEVADA 702-734-9100



ORDERS NORMALLY SHIPPED WITHIN 48 Hrs.

ADD \$3.00 Shipping/Handling DATEL COMPUTERS 76 COUNTRY CLUB LANE LAS VEGAS NV 89109

the more difficult missions. Epyx includes a handy chart that explains the numerous differences between the different levels.

The flip side of the card lists all the keyboard functions you'll need to command your vessel. This reference is a tremendous aid to game play, since there are dozens of options available to sub skippers, and it's easy for novices to forget which key to press in the heat of battle. The function keys alone provide a periscope view, binocular view, bridge view (good for spotting aircraft), side view of submarine and surface vessels (which show depth charges), sonar, radar (if installed), five levels of maps, and a chart showing the status of the boat's equipment, food, oxygen, and estimated repair time of damaged items.

At the start of each patrol you are given specific orders. These may dispatch you and your boat to seek and destroy enemy shipping, rendezvous with shore units, or rescue downed air crews. As you leave port, you can set your own course and speed to your assigned station, or, at the lower levels, let the computer handle the navigation for you. It will suggest a course and speed, tell you how many days it will take to reach your destination, and the amount of supplies you'll use.

I seldom have problems letting the computer do my navigating, but my Uboat crew and I starved to death several times trying to reach Germany following extended patrols off the North American coast. The next time I sail that mission, I'll handle the navigating and see whether I can do better.

Realism

The designers have included a number of realistic touches in this outstanding simulation. If you get a radio message from headquarters, the Morse code you hear is accurate, even if the keying is a little sloppy. Don't worry about deciphering the dots and dashes yourself: The computer prints the message on the screen as it comes across.

Simulations can be made too realistic, though. In real life, it could take weeks to reach distant patrol areas. Most computer skippers would mutiny if they had to wait that long before being called to battle stations. Fortunately, Sub Battle lets you compress sailing times to speed up play. As a result, a single mission usually can be completed in less than an hour. When you come in contact with the enemy, the time compression drops automatically. It also drops whenever you are submerged, so you have to keep an eye on your oxygen and the charge remaining in your battery banks.

Your engines automatically change from diesel power to battery when you dive, but you have to give the order to switch back when you surface. More than once I've popped up and increased speed to catch a fleeing convoy, only to get a message a short time later informing me that my batteries were dead. Don't forget to recharge them after you've switched to diesel.



Time compression can also be a problem when you're sailing near land. I was taking a U-boat up a narrow bay off the western coast of Ireland, curious to see if I could see anything on shore. (You can't.) I thought I had turned the boat toward the open sea when I increased speed and called up the maximum time-compression mode. Actually, I was still sailing toward land. I immediately got a We are aground message. I called up an overall chart of Ireland only to see my sub's cursor sail right across the island and emerge in the Irish Sea-a remarkable feat for any vessel. The same thing happened when I was commanding a U.S. sub off the northern coast of Australia. I sailed inland for a few hundred miles, turned right, and powered my way out somewhere west of Darwin, without even scratching the paint.

In most cases, when you run aground, you'll stop. I don't remember seeing it mentioned in the manual, but if you keep reducing speed, the boat will go in reverse. That's a handy way to get off a beach. Try not to run ashore too often; it's hard on the torpedo tubes.

I noticed another minor flaw when I was trapped by enemy escorts. I was forced to stay submerged until the electricity in my battery was depleted. My boat still had oxygen, so I waited to see what would happen. After a few moments, I was surprised to discover the boat was still under weigh. Even with a dead battery, I could maneuver and change speed as if nothing were wrong. It helped us survive, but I wouldn't expect that to happen on a real submarine.

The same thing proved true when my sub's pressure hull was damaged by enemy fire. I ordered a crash dive to escape the murderous shelling, fully expecting either to sink or get a message telling me that I couldn't dive. To my surprise, the sub went down, survived a depth-charge attack, and behaved normally. Maybe the damage wasn't as bad as I thought, but I think we got off a little too easy for a simulation of this scope.

Frustrated U-boat Captain

The missions supposedly are based on authentic historical data, although details are sketchy on many of the German patrols due to the number of Uboats lost at sea. I recall that the Germans were very successful in sinking Allied shipping during the early years of the war. But whenever I assume the role of a U-boat captain, I'm lucky if I can spot smoke on the horizon. I played for weeks before I even saw a ship, much less got one centered in my periscope.

As an American commander, I've sent half the Japanese fleet to the bottom. Once, when my periscope was damaged, I even sank a destroyer with a difficult bow shot using only sonar bearings. My score to date as a U-boat commander is one tanker and a PT boat. Those victories came in my latest game, and now I'm under attack by three destroyers. I've tried to lose them for several days. (You have the option of saving single missions for later play.)

I've zigzagged. I've reversed course. I've tried silent running. I've dived so deep that rivets popped, and I still can't shake them. Now my oxygen is low, I'm out of torpedoes, and these escort vessels are still stuck on me like lint on Navy blues. I get the feeling that all navies aren't created equal.

Never A Dull Moment

Sub Battle can be frustrating at times, but it's never boring. I've been sunk by my own mines. At other times I've sailed through convoys without a scratch, bow and aft torpedo tubes blazing, finishing off damaged tankers with my deck gun, and knocking out waves of enemy fighters with my anti-aircraft weapons.

It's an addictive game. After an unsuccessful patrol, I'll sail into home waters, vowing to turn the computer off as soon as I get to port. Then, like a losing gambler who knows his luck is bound to change, I'll say, "Just one more patrol; just one more." Before I know what I'm doing, I've packed my sea bag and signed up for another mission.

Sub Battle Simulation is more seductive than a silver-tongued recruiting

-Tom Netsel

Sub Battle Simulator Epyx 600 Galveston Dr. Redwood City, CA 94063 \$39.95

The Great Communicator

THE DIRECT-CONNECT HAYES® AND COMMODORE® 1670 COMPATIBLE 1200 BAUD MODEM FOR ONLY \$89.95

Everything from Electronic Mail (E-mail) to stock quotes and huge databases of every imaginable type is now on line to the small computer owner. You can even send and receive messages anywhere in the world. All you need is a telephone and a modem which allows your computer to communicate with others.

Almost all modems (and services) are set up to communicate in one of three speeds; 300, 1200 and 2400 Baud. Most computer users prefer 1200 Baud. (1200 Baud is about 4 times as fast as 300 which means you spend about 1/4 the time and money getting the data you want and more time enjoying it.)

2400's are great (and quite expensive), only if you have a dedicated. data-grade phone line. Here's why. The regular phone system usually doesn't have the signal clarity and bandwidth to support more than about 1200 baud and as a result, 2400 Baud modems run at either 1200 or, on a real bad line, 300 Baud. They adapt to the worst-case line conditions and will slow transmission accordingly. Why buy a 2400 Baud modem for a lot more money when it's going to transmit at 1200 Baud much of the time anyway?

You will also notice a few very cheap 1200s on the market at "too good to be true prices." They are. The reason is that they are not truly Hayes and/or Commodore 1670 compatible therefore not usable in all situations and with all serivces. The Aprotek Minimodem-C is both Hayes and Commodore 1670 compatible and 300/1200 baud. Why not get a modem that will satisfy your present AND future needs by going directly to an inexpensive Aprotek Minimodem-C™ especially when we have it on sale?

What do you get for \$89.95? Everything! You don't need to worry about cables, compatibility or anything else! We don't just sell hardware, we sell solutions. The Aprotek Minimodem-C[™] plugs directly into your Commodore C-64, C-64C or C-128 USER port. It is unique in that it has two separate (switchable) emulation modes (Haves and Commodore 1670) to make it compatible with ALL available software. The Aprotek Minimodem-C™ is a full feature, 1200 Baud modem with Auto Answer, Auto Dial, Touch-Tone or rotary dialing, has the full complement of status indicators on the top panel and has a built-in speaker. Just plugit into your computer and standard phone jack with the attached cable. Minimodem™ is supplied with "Multiterm" 64 and 128.

Also included is a free trial offer subscription to Compuserve, a very useful user database with local access numbers and about every feature imaginable.

Do you have more than one computer or do you plan to get another computer? You can "have your cake and eat it too."



Simply order our Universal RS-232 Interface (#5232) or the new Com-Modem™ adapter (#5100) along with the standard Aprotek Minimodem-H™ which you can use with any computer that has a RS-232 serial port as well as with your Commodore. The Universal RS-232 interface can also be used to connect your Commodore to any other RS-232 device. Aprotek Minimodem-C™ is tiny. Only 43/4" long, 23/4" wide and 3/4" high. The smallest yet best featured modem on the market. Order yours today!


NO RISK POLICY

Try any Aprotek product for two weeks. If you are not satisfied, send it back for a prompt refund.

NOW F	OR	THE	BEST	PART,	THE	PRICE!
-------	----	-----	------	-------	-----	--------

Orde	r# Item	Qty	Price	Shipping	Total
6212	MINIMODEM-C (Commodo	ore)	89.95		
6214	MINIMODEM-H (RS-232)		99.95		
6216	MINIMODEM-AM (Amiga)		99.95	THE RES	
A STATE OF THE STA	(Specify)				

Aprospand-64™ Gives your Commodore 64 or 128 full expandability! This superbly designed expansion module plugs into the expansion port and gives you four switchable (singly or in any combination) expansion connectors—plus fuse protection—plus a reset button! Before you buy an expander, be sure that it has a fuse to protect your computer and that you can activate your cartridges in any combination allowed by the cartridges.



ONLY \$29.95 + S&H

Order #5064

UNIVERSAL RS-232 INTERFACE

with Commodore USER Port expansion. ONLY \$39.95+S&H

Now you can connect and communicate with any of the popular RS-232 peripherals using your Commodore USER Port. This superb expander opens a whole new world to your Commodore computer's capabilities. You can now connect to printers, modems and any other RS-232 device. If you already have something that connects



to the USER Port, don't worry because the port is duplicated on the outside edge of the interface. Simply plug it in and turn on the device you want to communicate with. Comes complete with sample driver program listings. Compatible with all Commodore home computers with a USER port. 1-year warranty. Order #5232.

NEW! "COM-MODEM" ADAPTER — Use any Hayes® compatible modern with DB-25 connector through your USER port. You can make it emulate a 1670 too, or turn it off entirely. Can be used with our other USER port equipment such as "USER EXTENDER" (#5250) or "UNIVERSAL RS-232 INTERFACE" (#5232).





Order #5100 \$18.95 + S&H

"EXTENDER-64"-10" Ribbon cable extender for your Commodore CARTRIDGE port. Used with Aprospand-64. Order #5065...\$19.95+S&H

"USER EXTENDER"-10" Ribbon cable extender for your Commodore USER port. Order #5250.....\$21.95+S&H

Com 6 Pin Serial Cable (5ft) #3006-5MM \$7.95, (8ft) #3006-8MM \$9.95 Commodore Serial Ext. (5ft) #3006-5MF \$7.95, (8ft) #3006-8MF..\$9.95

Shipping per each above item: Cont. US =\$3.Can, PR, HI, AK, APO, UPS Blue =\$6

ORDER INFORMATION California residents add 6% tax. All prices are cash prices-VISA and MC add 3% to total. We ship the next business day on money orders, cashier's checks, and charge cards. A 14-day clearing period is required for checks. Prices and availability subject to change-CALL. Available at Selected Dealers. Dealer inquiries invited. 2 week satisfaction or your money back trial period on all products.

For information call 805/987-2454 (8-5 PST)

TO ORDER CALL TOLL FREE

800-962-5800 - USA, 800-962-3800 - CA (7-6 PST)

Or send order to:



COMPUTER DIRECT

Will Not Be UNDERSOLD!

AND WE MEAN IT!*

Prices Expire 5-31-88

Super Fast* 15MHz IBM® XT Compatible Computer

The Incredibly Quick Professional XT Computer

Sale Price



List \$1195 (Add \$10.00 shipping.*)

- *15 MHz (Norton Cl Rating)
- Parallel, Serial & Game Ports
- TTL Monochrome Monitor Card
- 512K Professional XT Turbo Computer
- Super Fast V20 CPU
- AT Style Keyboard
- Security Keylock
 - Clock Calendar
 - ** Must be purchased with MS DOS & G.W. BASIC Software for an additional \$79.95. (Not sold separately.)

IBM® is the registered trademark of International Business Machines, Inc

Complete *15MHz IBM® XT Compatible System

Computer, Drive, Monitor, Printer & Software



Sale Price **659**95

Professional System

List \$2495 (Add \$35.00 shipping.*)

No One Sells This System For Less!

- *15 MHz (Norton Cl Rating)
- 512K Professional XT Turbo Computer 4.77/8 MHz; Clock/Calendar Parallel, Serial & Game Ports
 MS DOS 3.2 & G.W. Basic Included
- Hi-Res 12" Monochrome Monitor
- Genuine IBM 8½" Printer with Interface And Heat Transfer Paper
- Software: Word Processor, Spreadsheet & Data Base

18M® is the registered trademark of International Business Machines, Inc

Complete Apple® Compatible System

Computer, Drive, Monitor, Printer & Software

Sale Price




No One Sells

This System

For Less!

\$47995



- Laser 128K Computer
 Video, Parallel & Serial Ports
 Runs Virtually All of the
 Apple II/IIc/IIe Software
- Hi Res 12" Monochrome Monitor
- Genuine IBM 8½" Printer With Interface And Heat Transfer Paper
- Software: Word Processor, Spreadsheet & Data Entry

Apple® is the registered trademark of Apple Computers Inc

Complete Commodore® 64c System

Computer, Drive, Monitor, Printer & Software



Sale Price

39595

List \$1045 (Add \$35.00 shipping.*)

No One Sells This System For Less!

- Commodore C-64c Computer
- Excelerator Plus Disk Drive
- Hi Res 12" Monochrome Monitor
 With Connecting Cables
- Genuine IBM 81/2" Printer With Interface
 And Heat Transfer Paper
- GEOS Software: Word Processor And Drawing Program

Commodore® is the registered trademark of Commodore Business Machines Inc

15 Day Home Trial • 90 Day Immediate Replacement Policy

COMPUTER DIRECT

22292 N. Pepper Rd, Barrington, IL. 60010 Call (312) 382-5050 To Order! * Illinois residents add 6½% sales ias. All orders must be in U.S. Dollars. We ship to all points in the U.S., CANADA, PUERTO RICO, & APO-FPO. To days for phone orders and 1 day express mail. Prices and availability subject to change without notice. Shipping and handling charges are not refundable. (Monitors only shipped in continental U.S., Order DIRECT will match any valid nationally advertised delivered price on the exact same product with a comparable payment method (excluding any applicable sales taxes). A physical copy order of the Current valid lower priced ad must be supplied with the order, or within 13 days of date of purchase. VISA — MASTERCARD — C.O.D.

COMPUTER DIRECT


Is 1st in PRICE, SUPPORT, & GUARANT

WE LOVE OUR CUSTOMERS!

Prices Expire 5-31-88

Genuine IBM® Printer

81/2" Letter Size • 80 Column **Limited Quantities**



No One Sells This Printer For Less!

Sale

(Add \$7.50 shipping.*)

List \$199 Underline

Enlarged

- Unbelievable Low Price
- Advanced Dot Matrix Heat Transfer
- Upper & Lower Case (With True Lower Descenders)
- Graphics With Commodore, & Apple Interfaces
- Ready to Hook Up To Serial Port Of IBM® PCjr.
- Low Cost Adapters For IBM®, Apple, Commodore, & Laser Computers

22 CPS Daisy Wheel

13" Daisy Wheel Printer With **True Letter Quality**

No One Sells This Printer For Less!



Sale S List \$499

(Add \$12.00 shipping.*)

Daisy Wheel Printing

True Letter Quality

Below Wholesale Cost

- 22 CPS, AAA Text
- 13" Wide Carriage
- Both Daisy Print Wheel & Ribbons Compatible with DiabloTM & Qume®
- Single Sheet or Continuous Feed
- Low Cost Adapters Available

Ultra Hi-Speed Printer

300 CPS Draft • 50 CPS NLQ With Color Printing Capabilities



Color Printing Capabilities

> No One Sells This Printer For Less!

Sale \$ List \$499 (Add \$10.00 shipping.*)

- 300 CPS Draft 50 CPS Near Letter Quality
- Front Panel Margin Setting
- Download Character Setting
- Epson/IBM Modes
- Variety Of Characters & Graphics
- Bottom Feed
- Parallel & Serial Interface Ports
- 10K Buffer
- Auto Paper Load & Ejection
- Optional 7-Color Printing Kit......Sale \$99.95

Super Hi-Speed Printer

200 CPS Star Micronics LV-2010 With Crisp Near Letter Quality

No One Sells This Printer For Less!



Sale

(Add \$10.00 shipping.*)

IBM Compatible

- Serial Impact Dot Matrix
- Near Letter Quality Mode
- Ultra High Resolution Bit Image Graphics
- 200 CPS Draft 45 CPS Near Letter Quality
- Standard Serial & Centronics Parallel Ports
- Pull Tractor & Automatic Single Sheet Loading

15 Day Home Trial • 90 Day Immediate Replacement Policy



We Love Our Customers!



COMPUTER DIRECT 22292 N. Pepper Road Barrington, IL. 60010

Chernobyl

As its subtitle states, Chernobyl is A Nuclear Power Plant Simulation. Although the simulated power plant is of the same type involved in the actual Chernobyl disaster—with some American modifications—the simulation is of day-to-day nuclear power plant operation, not of the accident that happened in the U.S.S.R.

So why is it called *Chernobyl?* Obviously, the creator and the distributor are capitalizing on a name that has become a part of our language. This is not a new practice and not even a deceptive practice when viewed within the context of marketing and advertising standards. You are much more likely to take a second look at a software package called *Chernobyl* than you are to notice a package called something like "Nuclear Reactor."

Simulating Another Computer

Chernobyl is a simulation, but in this case, your computer is simulating another computer—the one that monitors and controls the workings of a nuclear power plant. As stated in the game's prologue, the author's intention was to show, in a simplified way, some of the problems and hazards involved in running such a plant. I think the program may succeed on a level not even imagined by the author.

As the computer operator, you must sign in, give the time of day and the password, and bring the plant online and into full operation. Your feedback takes the form of messages—usually a single line that appears at the top of the screen. You'll be given confirmation of some of the actions you've initiated as well as constant status reports on various parts of the plant.

Since Chernobyl is run strictly by keyboard interface—in keeping with the plan of simulating a computer—all commands must be typed in. To open valves, type open followed by the numbers pertaining to the valves you wish to open; to engage the turbine, type power on; to activate core draining, type letdown. Core brings up a graphic representation—one of several schematics used here to show the layout and the workings of such a power plant.

How Long Until Doomsday?

One of my first questions to the author was, "How long do I have to watch all this stuff before things start going wrong?"

"Sometimes quite a while," he said. My second question a few weeks later was, "How do I blow the darned thing up?"


In essence, his reply was that it can be done but you have to work at it. Sev-

eral people who work with atomic energy called him with essentially the same question, leaving the author to speculate that perhaps he'd done his work too well.

That depends on what he was trying to do. We'll come back to this point.

The printed documentation for Chernobyl consists of a booklet that explains the operation of a nuclear power plant. Even though it does not tell you how to use Chernobyl, the documentation should be read for an understanding of how the various elements of a nuclear plant interact. The game's real documentation is on the disk itself, accessible via the keyboard. I have mixed feelings about this.

On the one hand, an on-disk manual allows for last-minute updates. Events automatically pause when the manual is called up, which can be very beneficial if things are going wrong. The manual can be printed out if you prefer to work with hardcopy.



Unfortunately, the printed documentation gives the wrong information for accessing the manual. You have to type manual in order to access the game's documentation. Upon booting the game, you get about four screen pages of history on the development of and need for nuclear power plants. Although the author refrains from being "preachy" on the subject, there is no way to circumvent the message—it is there every time you boot up. Where does Chernobyl succeed and who will be interested?

Without being facetious, I think Chernobyl probably succeeds in simulating the computer controlling a nuclear power plant and definitely succeeds in simulating the boredom of being stationed at such a computer. That's no meant as a putdown.

Pulling The Graveyard Shift

The first time I tried the program was late at night: The rest of the family had gone to bed, and I was sitting before a computer that kept flashing messages telling me everything was nominal. Under the circumstances, it was easy to imagine I was pulling the graveyard shift at a real power plant.

It was even easier to imagine, considering the boredom level of the job in simulation, that it would be possible for a real operator to miss the first changes in the series of messages that are supposed to warn him or her when something's amiss. (There are audible alarms, but by the time they go off, you're in real trouble.) To me, this was the most frightening thing about *Chernobyl*: a simulation of the human frailties that could preclude disaster.

As to interest, I don't think Chernobyl can be approached in the way we approach most simulators. It is not something I would consider booting up because I wanted to have some fun or excitement. I do think it may have some value as a teaching tool, perhaps in a classroom situation—particularly with the graphics screens that show the parts and workings of a nuclear power plant. It might also be well for a teacher to deliberately induce meltdown just to show how a nuclear power plant can shut itself down in times of danger.

As a diversion or entertainment, Chernobyl fails. As a teaching tool, it succeeds.

-Ervin Bobo

Chernobyl Cosmi 415 N Figueroa St. Wilmington, CA 90744 \$24.95



We're



25,000

in prizes

In our GEOS application contest

You already know GEOS. And if you know BASIC, then you can write applications to run under GEOS using our new and exciting BeckerBASIC for the C-64.

Now Abacus is sponsoring a contest to find the most talented authors among you. We're looking for the best GEOS applications written using our powerful BeckerBASIC. With more than 270+ new commands and functions, BeckerBASIC makes writing GEOS applications a snap. There's commands for hires graphics, pulldown menus, dialog boxes and much more.

To learn more about BeckerBASIC or our contest write or call Abacus. Or better yet, pick up a copy of BeckerBASIC at one of our thousands of dealers and start writing those GEOS applications now.

Here's the contest rules:

1-800-451-4319

- Write your entries using BeckerBASIC to run under GEOS. Entries must be submitted on a diskette.
- You can submit multiple entries provided that all entries fit on a single diskette.
- 3. Entries must be accompanied by the official entry form you'll find inside the BeckerBASIC package. Xerox or reproductions of the entry form are not acceptable.
- 4. You must make sure that your entry is received by Abacus no later than August 31, 1988.
- We'll announce the winning entries by October 31, 1988.

Complete rules are on the official entry form inside the BeckerBASIC

package. YES! I want to start writing applications for GEOS. Please rush me BeckerBASIC at \$49.95 plus \$4.00 shipping and handling (foreign \$12.00). Michigan residents add 4% sales tax. Payment: VISA AMEX Check **MoneyOrder** Card No. Exp. date_ YES! I'm intestesting in writing GEOS applications. Please send me information about BeckerBASIC and your contest. Name Address City State __ Zip_ Please send me a free catalog of your extensive line of software and books for the Commodore 64 or Commodore 128. Abacus, 5370 52nd Street SE, Grand Rapids, MI 49508

List of prizes


Grand Prize 2nd Prize

3rd Prize


4th Prize

5th Prize


\$1000 CASH (1 winner) Choice of Abacus books and software (2 awards) \$500 value Choice of Abacus books and software (2 awards) \$400 value Choice of Abacus books and software (2 awards) \$300 value Our complete C-64 Library Set-\$227 value (100 awards)



BeckerBASIC gives you over 270 commands



Create Hi-res drawings on the GEOS screen



Pulldown Menu Construction Set



Dept. M3 • 5370 52nd Street SE Grand Rapids, MI 49508 Telex 709-101 • FAX 616/698-0325 Phone 616/698-0330

Hands On Software, Inc. is now distributing its own products. "What does that mean to me," you say! Well, for one thing, we have expanded our product line to include games and utilities from other publishers, accessories, Commodore authorized service, and even a selection of pre-owned titles. The technical staff here is second to none, and is well-known to thousands of Commodore users. We are committed to your satisfaction-and are prepared to prove it!

ACCES	SORIES
1541/71 Serial or Power Cable 4,95 C-64 Color Monitor Cord 4,95 C-64 Repairable Power Supply 39,95 RS-232 Interface 36,95 MW 350 Printer Interface 49,95 Aprospand 64 27,95 Aprospand Extender Cable 15,95 12" Printer Stand/Wire 8,95 Commodore 1351 Mouse 37,95 Mouse Mat 8,95 41/71/64/128 Dust Cover each 8,95 Disk Notcher—Square Cut 4,95 5.25" Disk Drive Cleaner 5,95 3.5" Disk Drive Cleaner 6,95	10 Cnt. Disk Storage 1.95 50 Cnt. Disk Storage 8.95 100 Cnt. Disk Storage w/Lock 12.95 3.5" Disk Labels—25 Cnt. 1.00 3.5" DIsk Labels—96 Cnt 1.00 3.5" DS/DD Diskettes—95 Cnt. 1.00 5.25" DIsk Labels—96 Cnt 1.00 5.25" DS/DD Diskettes—12 Colors 7.9 Write Protects—100 Cnt. Black 1.00 Tyvek Sleeves—High Quality each.09 Slik Slik—Joystick 7.95 Quick Shot II—Joystick 7.95 Tac 2—Joystick 10.95 Tac 3—Joystick 11.95

CE Commodore Authorized Service by Russell & Associates

All C-64's & C-128's must have Power Supply included. Thirty-day warranty on all repairs. Buy a Power Supply from Software Support International and get a 60-day warranty. Please include a detailed description of your problem and try to isolate if possible.

Russell and Associates reserves the right to refuse any repair. Repair jobs will be charged \$3.00 per piece for return shipping/handling.

Abacus Software

Basic Compiler 64	24.97
Basic Compiler 128	36.97
Cad Pak 64	24.97
Cad Pak 128	36.97
Chart Pak 64	24.97
Chart Pak 128	24.97
Geos Inside & Out Book	.12.97
Geos Disk	9.97

弄 ACCESS

Echelon	.24.97
LB & Tourn. & Exec. 1	12.97
Mach 128	.30.97
Tenth Frame	.24.97
World Class Leader Board	24.97
W/C L/B Fam/Cour 1 or 2	.12.97

ACCOLADE-

Ace of Aces	18.9
Apollo 18	18.97
Bubble	18.97
Card Sharks	18.97
Fourth & Inches	18 9
Hardball	18.97
Killed Until Dead	
Miniputt	18.97
Plasmatron	
Power at Sea	
Project Space Station	9.97
Test Drive	18.97
The Train	18.97

ACTIONSOFT

Thunder Chopper	1	8.	9	
Up Periscope	 1	8	9	

ACTIVISION

Aliens	21.97
Gee Bee Air Rally	18.97
Labyrinth	18.97
	21.97
	21.97
Might & Magic	24.97
	24.97
Shanghai	18.97

Softworks

Desk Pak I							10.98
Font Pak I							10.98
Geos 64							36.97
Geos 128							42.97
							30.97
Geocalc 128							.42.97
Geodex 64							10.98
Gendey 128							42 97

Softworks

Geofile 64	30.97
Geofile 128	42.97
Geoprint Cable	24.97
Geoprogrammer 64	42.97
Geoprogrammer 128	Call
Geopublish 64	42.97
Geopublish 128	Call
Geospell	18.97
Geowriter's Workshop 64	30.97
Geowriter's Workshop 128	42.97

Renderhund Coffurace

O Dioocioono soltmore
Carmen Sandiego USA 24.97
Carmen Sandiego World 21.97
Cauldron 1 & 2
Magnetron
Print Shop
Print Shop Companion 21.97
P/S Graphics 1 or 2 or 3 17.6
P/S Holiday Graphics 15.93
Superbike Challenge

CAPCOM

Side Arms						
1942						
		U	ķ			
		Ä	Į.			

Breakthru				I.			.20.40
							. 13.92
							20.40
Speed Buggy							18.46

DATA SOFT

Alternate Reality: City 18.97
Alternate Reality: Dungeon 28.81
Road Wars Cal
Tobruk
Video Title Companion 1 or 2 12.97
Video Title Shop

////

7//// 100-	
Dictionary Disk	9.97
Digital Superpak 2	60.97
Pocket Filer 2	36.97
Pocket Planner 2	36.97
Pocket Writer 2	.36.97

ELECTRONIC ARTS

Alien Fires	Call
Amnesia	27.36
Bard's Tale 1 or 2	.27.36
Battle Droids	Call
Chessmaster 2000	.24.97
Chuck Yeager's AFS	24.06
Death Lord	
Delta Patrol	.14.16
Demon Stalker	.18.97

ELECTRONIC ARTS	
Dragon's Lair	17.46
Earth Orbit Station	22.06
Hunt For Red October	
Instant Music	
Legacy of the Ancients	
Marble Madness	
Master Ninja	
Mavis Beacon Typing	Call
Monopoly	
Outrageous Pages	33.96
Paper Clip 3	33.96
Paperclip Publisher	Call
Pegasus	22.06
Pegasus Scenerio 1	Call
Rockford	
Sanxion	
Scrupples	24.10
Skate or Die	
Skyfox II	20.76
Strike Fleet	
T. West Control of the Control of th	0.0

...Call 20.76

Twilights Ransom World Tour Golf

California Danies	
Champ, Wrestling	. 24.9
Create A Calendar	. 18.9
Death Sword	
Destroyer	. 24.9
Four X Four Racing	
The Games: Winter Edition	Ca
Graphics Scrap 1 or 2 or 3	
Home Video Producer	
Impossible Mission II	
L.A. Crackdown	Ca
Omnicron Conspiracy	24.9
Sporting News Baseball	
Spy vs. Spy 3	
Street Sports: Baseball	24.9
Street Sports: Basketball	. 24.9
Street Sports: Soccer	Ca
Sub Battle Simulator	
Summer Games II	13.9
Winter Games	
World Games	
	100

1 111 4 400 100 11 4 400	
Guild of Thieves	24.97
Knight Orc	
Revs +	15.97
Star Glider	24.97
Talking Teacher	21.97
The Pawn	
The Sentry	24.97
Tracker	24.97

EAMESTAR*

Champ, Baseball	18.97
Champ, Basketball	.21.97
GFL Football	.21.97
Two on Two Basketball	.18.97

AMICRO PROSE

Airborne Ranger				.21.97
F-15 Strike Eagle				.21.97
Gunship				.21.97
Pirates			,	.24.97
Project Stealth Fighter				24.97
Red Storm Rising				.24.97
Silent Service	Ų,		ĵ.	.21.97

Bad Street Brawler	Call
Bop & Rumble	.18.97
Bop & Wrestle	
Crossword Magic	.30.97
Defender of the Crown	.21.97
Deja Vu	.21.97
Gauntlet	.21.97
Harrior Combat Simulator	Call
Head Over Heels	
High Roller	.18.97
Impact	Call
Indoor Sports Indy Jones / Temple of Doom	.18.97
Indy Jones/Temple of Doom	Call
Infiltrator	18.97
Infiltrator II	.21.97
Into the Eagle's Nest	.18.97
King of Chicago	Call
Mutants	.12.97
Paperboy	.21.97
Road Runner	Call
SuperStar Ice Hockey	.21.97
SuperStar Mist Soccer	Call
SuperStar Soccer	
Taipan	.12.97
Three Stooges	.21.97
Warp Speed 64/128 40/80	.30.97
Winter Challenge	.12.97
Wizball	
Xevious	.18.97

ORIGIN

	-		
Autoduel			33.36
Moebius			
Ogre			20.40
Ultima I			
Ultima 3	1301		26.88
Ultima 4			39.84
Ultima 5			Call

Professional Software Inc.

Fleet Filer 64/128	. 24.9
Fleet System II +	36.9
Fleet System III 128	42.9
Fleet System IV	48.9

SPRINGBOARD

Certificate Maker	26.88
Certificate Maker Libr. 1	.20.40
Newsroom	33.36
N/R Clipart 1 or 3	.20.40
N/R Clipart 2	.26.88
P/S Graphic Expander	23.64

SUBLOGIC

Flight Simulator II	33.97
Flight Sim Scenery 1-6	14.16 ea.
Flight Sim Scenery 7	17.46
Jet	27.36
Stealth Mission	33.96

TIMELLORKS

The second secon	
Data Manager 2	17.16
Data Manager 128	33.36
Desktop Publisher	Call
General Ledger	. 33.36
Partner 64	33.36
Partner 128	
	17.16
Swiftcalc/Sideways 128	
Sylvia Porter F/P 64	
	46.32
Word Writer 3	
Word Writer 128	33.36

UNSON WORLD INCORPORATED

Art Gallery 1 or 2	15.97
Art Gallery American Hist.	Call
Art Gallery Fantasy	15.54
Printmaster Plus	21 97

MISCELL ANEOUS

MISCELLANEO	UO
Basic 8	29.95
Basic 8 Guide/Beginners	.19.95
Bob's Pro Term 64	.30.97
Bob's Pro Term 128	42.97
B/W Business Form Shop	.24.97
CSM Drive Align Kit	.30.12
CSM Protection Manual I.	
CSM Protection Manual II	
Dark Castle (3-60)	.21.97
Doodle	.24.97
Font Master II	30.97
Font Master 128	36.97
Hes Mon 64 (cart)	9.95
Inside Commodore DOS	19.95
JK Lasser Money Manager	46.32
Merlin Assembler 64	.30.97
Merlin Assembler 128	42.97
Microlawyer	.36.97
Microleague WWF Wrestling .	24.95
Personal Newsletter Strider's Classical Music—	Lan
All 10 disks in Filer	40.06
All 10 disks in Filer	49.93
Strip Poker	10.97
Poker Data Disks 1 or 2 or 3	12 07
Cuperbase 64	49 07
Superbase 128	48 97
Superbase the Book	10.57
Super Sunday	
Superscript 64	30.97
Superscript 128	42.97
A STATE OF THE STA	000000000000000000000000000000000000000

MANY OTHER TITLES AVAILABLE — CALL FOR PRICES!

Here they are! The products that have made us one of the most respected companies in the mail order business. Our utilities have become a staple in the libraries of thousands upon thousands of Commodore users worldwide. Original ideas and workmanship throughout, (a rarity nowadays!) our products are guaranteed to please. If you enjoy dealing with people who genuinely have your best interest at heart, look no further. Our products are created with you in mind. We offer programs that are protection free and most can be transferred to the 1581 disk drive. Also, we offer the best technical support in the business. Les and Dan are available five days a week to help with problems. If you see a program that interests you on this page, and you need more detailed information to make an educated decision, just write or call for our free catalog. Remember: Our Business is SOFTWARE SUPPORT!

C-128 Helper

Helper is an exciting new type of Software for the C-128 Computer with 80 column monitor.

- · Screen Based Databasing
- · User Definable
- · Editor allows modifications
- . Demo included that serves as a Basic 7.0 Electronic reference manual
- Screen dumps to printer
- 1581 version available

ONLY \$24.95

Graphic Art Disks

Top quality graphics are hard to find. These will definitely please you

- 10 Volumes available
- . Themes followed in most
- . Printmaster "/Printshop" Side A compatible
- . Easily transferred to 1581

ONLY \$14.95 per Volume

Elite V3.0

Elite V3 copies the "impossible.

- · Copies V2.0 of a popular 64/128 planner, filer (64 only), writer.
- Leaves the Backup protection free Why pay for Backups of titles you already own?

ONLY \$6.95

Elite V4.0

Our Elite Series is second to none for its copying capabilities

- . Elite 4 created to copy titles protected to the MAX!
- Special MAX Copier included
- · Update policy included
- · Free Bonus-The Shotgun I

ONLY \$14.95


Super Cat

The greatest disk library cataloger ever produced for the Commodore 64.

- . Catalogs up to 640 Disks w/5000 titles per catalog
- Twice as many with 2 drives
- · Load, save, edit, change any entry
- · Prints a variety of reports and even labels
- · Lightning fast and easy to use!

ONLY \$24.95

Renegade THE CURE FOR RANDOM EXCESS



to do it. One very expensive way. We've got a better idea!
We've had the hottest archival programmers in the industry develop a new series of utilities of startling power. They took the best ideas from the past and re-created them, using state of the art techniques combined

with a conceptual grasp of the future of computing.

The results of this special project are now available in a single, devastating package. A next-generation package called RENEGADE. **FEATURES INCLUDE:**

- Single or Dual High Speed Data Copier
 Single or Dual State of the Art Nibbler
 Directory Editor: Organize your Disks
 GCR Editor: For the Experienced Hacker
- Geos™ Modual: PARAMETERS and TOOLS
- 200 Parm: Oldies as well as our Latest
 Parameter Updates Released Every Two Months
- Copier Updates Released Every Four Months
 Compatible with C-64/128 with 1541/71 Drives

- . Single or Dual Ultra Fast File Copier
- Capable of Archiving RapidLok Protection
 Scrolling M/L Monitor with Drive Mon
 Error Scanner with Unique Sector Editor
- Byte Pattern Scanner: High Speed Searches
 Upgradable Sub Menu: New tools in the works
 New Parameter updates only \$9.95 each
- Major RENEGADE upgrades only \$9.95 each
- Technical support available: absolutely

Remember the first programs that came out when the C-64 was still a fairly new machine? Have you seen the newest software lately? You'd think they were running on a different computer. RENEGADE represents the

same quantum leap forward in the utilities arena So if you're tired of relying on random chance to provide you with good utilities, get RENEGADE—next generation software, available today!

ONLY \$34.95

Graphic Label Wizard

This is the ultimate label utility

- · Databasing with graphics included
- · Supports Commodore as well as Epson compatible printers
- Printmaster" Printshop" Software Solutions" compatible
- 1581 transferable
- Satisfaction guaranteed!

ONLY \$24.95

C-128 Cannon

The total copy/utilities package created just for C128

- · Nibblers-Single or Dual
- Fast Copiers—Single or Dual
 File Copiers—Single or Dual
- . Scanners-Error and Density
- 1581 Utilities
- · Directory editing
- 100 Free Kracker Jax Parms
- 1541/71/81 Drives Supported-Single or Dual

ONLY \$34.95

Kracker Jax THE REVOLUTIONARY ARCHIVAL SYSTEM!

Kracker Jax is the powerful parameter-based copying system that has taken the country by storm! What IS a parameter? It's a custom program that allows your 1541 or 1571 disk drive to strip ALL copy protection from your expensive software, leaving you with UNPROTECTED, TOTALLY BROKEN BACKUPS that can even be copied with a simple fast copier!

We declare Kracker Jax to be the best system of its kind on the market today! A bold claim? Maybe.

But don't take our word for it-if you want the REAL story on how good Kracker Jax is, just ask one of our customers. Don't worry. You won't have any problem finding one

Vols 1-2-3-4 Only \$9.95 ea. Vols 5-6-7 Still Only \$19.95 ea.

Hacker's Utility Kit

State of the art tools for the computerist ready to take control of his software library!

- Whole disk scanners
- . GCR Editor
- . Fast Data/Nibble copiers
- File tracer
- . Byte Pattern Finder

Much, Much More-\$19.95

Kracker Jax Revealed I & II

Our knowledge of protection schemes has made us famous. Now find out how we do what we do best. Our books are your key to REAL knowledge. OTHERS ONLY GIVE SURFACE INFO—we dig deep—much deeper. We can show you exactly how today's copy protection prevents you from backing up your software.

Revealed Book I with Reset Button \$23.50

Revealed II with Hesmon Cartridge \$23.50

Sysres' Enhanced

The best-and we mean Best Basic enhancement system for the C-64.

- Adds over 25 major commands to Basic
- · Extended Super DOS-Wedge
- . Scrolling through Basic
- · Renumber, Trace, Search, and many other features too numerous to mention
- 1541/71 fast loader included
- . M/L monitor from Basic
- . Transferable to 1581 Disk

ONLY \$39.95

The best money you'll ever spend on your Commodore!



ORDERING is simple: we accept money orders, certified checks, personal checks only on prior approval, VISA, MC, Discover and COD, Please add \$3.00 shipping and handling per order. \$2.00 additional for COD orders. Orders outside of North America please call for shipping charges. Defective items will be replaced at no charge. In stock orders are processed within 24 hrs. Returns are not accepted without authorization #. Washington Residents please add 7.3% sales tax. Software orders over \$100.00 will be shipped UPS 2nd Day Air at no additional charge. U.S. orders only. All prices subject to change

> **Program Submissions Invited** Need more info? Call or write for our free catalog

Mail your order to: Software Support Int.-D13 2700 NE Andresen Road / Vancouver, WA 98661

Or call our toll-free order line at 1-800-356-1179, 9am-5pm Pacific time Monday-Friday. After hours orders accepted at (206) 695-9648 7 days a week Technical support available. Call (206) 695-9648, 9am-5pm Pacific time,



DEALERS — WE HAVE THE SUPPORT YOU'RE LOOKING FOR!

Amnesia

You wake up in a strange hotel room in New York City. You have no clothes, and you can't remember your name or any other details of your life. If that isn't trouble enough, there's a woman here who insists you are her husband-to-be. And yes, you also left home without your American Express card.

Since you have no cash, you can't stay at the hotel. Not only have you got to find a place to stay but you also have to find something to eat. To top off all of your other problems, the state of Texas is looking for someone who looks just like you-someone who's wanted for murder.

As the manual is quick to explain, Amnesia (the long-awaited 64 version is now available) from Electronic Arts is, indeed, a revolutionary concept—a cross between a computer game and a novel. It has been termed the first electronic novel because of its story-like quality. The author, Thomas M. Disch, a renowned poet and science-fiction author, demonstrates the high caliber of his craft in this absorbing story of one man's race against time and incredible odds to discover his identity. And he must do it before he is executed for crimes he did not commit.

AUTHORIZED COMMODORE **REPAIR SINCE 1978**

C-64 REPAIR

\$39⁹⁵ Includes All Parts & Labor

COMMODORE CHIPS

At	Low	Prices
6510	9.95	325572 10.95
6526	9.95	325302 12.95
6567	14.75	8721 12.50
6581	12.85	8520A 17.65
PLA/82S100	12.50	901 ROMS 10.95
AMIGA CHI	PS ANI	D MANY OTHERS

Ask for Quantity Pricing & Send for Catalog of Parts & Chips

"New Heavy Duty C-64 Power Supply \$27.95

C-128 Upgrade ROMS (3) with Instr. *\$37.95

1571 Floppy Upgrade ROM (1) *\$10.95

"COMMODORE DIAGNOSTICIAN"-Fantastic new way to fix your C-64/periph, etc. (over 6,000 sold) prepaid @\$7.95

PRINT HEADS, R/W Heads for 1541, 801, 02, 03 and other very hard to obtain items

KASARA MICROSYSTEMS, INC.

33 Murray Hill Drive Spring Valley, NY 10977





Intelligibility

One of Amnesia's exceptional features is its parser. It not only accepts a larger number of words than most adventure games but also accepts a more diverse combination of words. One example of such a sentence is "Take the mugger's gun and throw it in the garbage can and yell, 'Your Mamma!' then run." This unprecedented flexibility makes you feel like a character in a book.

Other adventure games entertain, but often are frustrating (the parser won't accept your sentences), or arbitrary (there is only one solution to any problem). Any experienced player of adventure games will remember sitting in front of the monitor for hours, trying words such as open, push, unlock, pry, unfold, pull, or move, only to find that use is the only word the game accepts. In Amnesia, there are alternative solutions to most of the problems you encounter. This gives the player a sense that anything can happen at any time.

No clothes, no name, no memory—and you're wanted for murder.

Other features of the game that I enjoy are its realism and the large scope of its setting. The game's two disks contain close to 4,000 separate locations in Manhattan, including most of the city's subway system. The narrative provides colorful descriptions of the scenery and a large cast of characters. One of these is the Wacky Wanderer, the host of a radio show not unlike Allen Funt of Candid Camera, who offers you 100 bucks if you can produce an elephant.

There's also a man in a blue suit who gives you a cryptic clue, and there's a former acquaintance who delivers a note you wrote to yourself in the earlier throes of your amnesia. You'll also meet a host of other people unimportant to the story but important to the mood. These include Hari Krishnas, policemen, tourists, historians, muggers, artists, cabbies, and more. Many of these characters can help or hurt you in your quest for knowledge.

In The Big Apple

Amnesia's computer model of Manhattan also contains a fairly realistic model of life in the Big Apple. If you stay out on the streets at night, you run the risk of being mugged. Begging for money too often can get you arrested. If you try to wash car windows at the Holland

Tunnel, some people will pay you, but others will merely use rude language and drive away. You are tossed out of establishments if you don't have money. If you don't eat regularly, you'll feel hungry and tired. You must sleep every night or run the risk of fainting in the middle of a street.

Besides moving around the streets of Manhattan, Amnesia takes your character to many points of interest, such as the New York Historical Society, the Museum of Modern Art, St. John's Cathedral, the Union Club, and Central Park. For the stay-at-home tourist, this should be fun. In fact, you may have the feeling of being in two places at the same time: at home in front of your monitor and on Forty-Second Street in Manhattan.

Another notable feature of Amnesia is the speed of the game's disk operation. Many text adventure games tend to have a slow data-retrieval process. The process is annoyingly long, but not long enough for you to run out for a snack. But Amnesia's disk operations rarely take more than a few seconds.

If you like role-playing games, text adventures, or are new to the genre, you'll like Amnesia. If you don't like role-playing games or text adventures, you'll still like Amnesia. If you are familiar with Manhattan, you'll like Amnesia. If you play the game and decide you don't like it, just forget I told you about it.

Read that again; you'll get it.

-Jesse Cohn

Amnesia Electronic Arts 1820 Gateway Dr. San Mateo, CA 94404


Moving?

For address changes or subscription information, call toll free 1-800-727-6937


Exciting & New!

Commodore 64/128 Books

from COMPUTE!







Get more power, education, and relaxation from your Commodore 64 or 128 with these new books from COMPUTE!. And, as always, the programs are thoroughly tested and easy to enter using our special program entry system. (Disks are available, too.)

COMPUTEI's Commodore 64/128 Power BASIC

Edited

Collected in this one volume are more than two dozen short BASIC programs from COMPUTEI's Gazette's popular monthly column, "Power BASIC." Included are utilities that add an 8K RAM disk; read and write to disk sectors; make programs read joysticks more quickly; and automatically generate line numbers. There are also programs such as "Stop and Go," which creates a pause button to temporarily halt a program, and "Time Clock," which puts a digital clock on your screen. There is a companion disk available for \$12.95 which includes all the programs from the book. (998BDSK)

\$16.95 ISBN 0-87455-099-8

COMPUTEI's More Machine Language Games for the Commodore 64

Edited

Seven of the best machine language games for the 64 have been gathered into one volume in this follow-up to the popular COMPUTEI's Machine Language Games for the Commodore 64. Selected from recent issues of COMPUTE! and COMPUTEI's Gazette, the games range from the frantic "Prisonball" to the delightful "Biker Dave." This is more than just a collection of exciting fast-action games, though, because complete and commented source code for each program is included in the book. Machine language programmers can see exactly how each game is written and what design techniques are used. A disk is available for \$12.95 which includes all the programs in the book, including source code. (947BDSK).

COMPUTEI's Third Book of Commodore 64 Games

Edited

COMPUTEI Publications, the leading publisher of programs for the Commodore 64, has brought together another exciting collection of nerve-tingling games that will delight the whole family—from preschoolers to teenage arcade fans to those who enjoy games of logic. Clearly written, with non-technical instructions, this book contains hours of challenging entertainment for beginning computer fans as well as experienced programmers. There is a companion disk available for \$12.95 that includes all the programs in the book. (955BDSK).

\$16.95 ISBN 0-87455-094-7

These books are now available at your local book or computer store.
You can also order directly from COMPUTE! by calling toll free 800-346-6767
(in NY call 212-887-8525) or malling your order to COMPUTE! Books, P.O. Box 5038, F.D.R. Station, New York, NY 10150.

Customer Service hours are 10:00 a.m.-12:30 p.m. and 1:30 p.m.-3:00 p.m. EST Mon.-Fri.

Please include \$2.00 postage and handling per book or disk. NC residents add 5 percent sales tax and NY residents add 8.25 percent sales tax. Please allow 4-6 weeks for delivery.



feedback

Do you have a question or a problem? Have you discovered something that could help other Commodore users? We want to hear from you. Write to Gazette Feedback, COMPUTE!'s Gazette, P.O. Box 5406, Greensboro, NC 27403. We regret that, due to the volume of mail received, we cannot respond individually to programming questions.

Deliberate And Accidental Errors

Now I am confused. A letter in the January "Feedback" column asked about disk errors. Your answer said that some copy programs reproduce most disk errors. That's good. However, as you described it, the copy program Mr. Devine used duplicated the entire disk, including errors. That's bad.

Software companies include errors to prevent duplication, but some copy programs duplicate the errors, making the disk usable. And yet, some copy programs duplicate the errors and the copied disk becomes unusable.

Can you clarify?

Gene Majewski Chicago, IL

As a general rule, an error on a disk sector makes the data on that sector unreadable and unusable. Commodore disk drives will attempt to read a sector five times before giving up and returning an error message. The five tries cause the disk drive's read/write head to knock and shudder.

Some software companies will deliberately damage one or more disk sectors on a section of the disk that is otherwise unused. When the program loads, it attempts to read the damaged sector, but not for any kind of data it contains. The program just wants to receive the error report from the drive. When the disk drive reports that something is wrong, the program continues.

This is a form of copy-protection; ordinary disk-backup programs won't copy damaged disks. However, some copy programs are able to reproduce errors. When you're making archival backups of copyprotected software for your own use, you want the errors to remain on the disk.

Ordinary noncommercial disks can sometimes be damaged physically or magnetically. If something bad happens to a disk containing normal programs or data files, you may want to salvage whatever files are still good. In this case, the files (but not the errors) should be copied to a new disk. You don't want the errors on the backup.

Programs that reproduce errors are good only when you want to copy deliberate errors. They're not good when the damage is accidental.

Preparing The Random Number Generator

In a previous "Gazette Feedback" answer, you have a program containing the line 10 LIMIT = 44: NUMBERS = 6: X=RND(-TI). Your explanation says, "After seeding the random number generator in line 10...," and so on. What does X=RND(-TI) have to do with the program? The program works fine without the statement. I'm not trying to be rude, but I think this should be corrected.

Chris Klinger Thonotosassa, FL

Here's an experiment you may want to try. Turn on your 64 or 128 (if you've previously used it for some other program, turn it off, then on). Type FOR X = 1 TO 4: PRINT RND(1): NEXT and write down the four numbers. Turn the computer off and then on. Enter the FOR-NEXT line again. You'll see the same four numbers. In fact, if you start with a freshly powered-on computer, the sequence of RND(1) numbers is always the same.

Next, try PRINT RND(-5), RND(-5), RND(-5). When you put a negative number in parentheses, the RND function always returns the same value.

Computers are too predictable and orderly to generate truly random numbers. Instead, they start with a "seed" number and perform various mathematical operations to scramble it up. The result becomes the seed for the next random number. Putting a negative number in parentheses gives the random number generator a brand new seed.

The example program you cited was designed to pick six lottery numbers at random. But since the RND function returns the same series of numbers, the program would always choose the same six numbers, as long as it was the first program to run after the computer was turned on. The RND(-TI) line uses a negative

seed, so it forces a specific number into the random number generator. But the reserved variable TI counts how many jiffies have passed since you turned on the computer. (A jiffy is 1/60 second.) If you ran the program two seconds after turning on the computer, you'd get different results from those you'd get if you ran the program three seconds after turning it on.

Hi-Res Color Blocks

When you use the BASIC 7.0 PAINT command on the 128 with multicolors close together, blocks of color sometimes appear on the boundary, overlapping to the other side. Can you explain why this happens?

George Smid Upper Burnie, Australia

On both the 64 and 128, the hi-res and multicolor hi-res screens have two components: the bitmap and the color map. The bitmap takes up 8000 bytes (64,000 bits) of memory. Each bit corresponds exactly to one of the pixels on the 320×200 screen (64,000-pixels).

A hi-res pixel can be displayed in the foreground or the background color. In multicolor hi res, the pixels are twice as wide, but there are four colors instead of two. Since the 64 and 128 have 16 different colors, there are 256 possible combinations of foreground and background colors, which are numbered 0-255 and stored in a byte. If the designers of the 64 gave every one of the 64,000 pixels its own byte for controlling color, the color map would need 64,000 bytes, which would just barely fit into memory. Thus, the color bytes are built to handle more than a single pixel.

Each of the 1000 bytes of hi-res color memory controls the foreground and background colors of a 64-pixel area—an 8 × 8 chunk of the screen. Within the 8 × 8 area, you're only allowed to have one foreground and one background color. When you use the 128's PAINT command, the computer fills in the bitmap and the color map. If you have some background pixels that are black and then you change the background color within an 8 × 8 color area to red, all background pixels are affected. The previously black pixels turn red. There's no way to work around this limitation of hi-res color memory, except to be aware of the 64-pixel neighborhoods.

Using KoalaPad Pictures On A 64

I saw a 128 KoalaPad picture loader in the feedback section of the November 1987 issue. I have a Commodore 64 and would like to use KoalaPad files in my own BASIC programs.

> Mark McGee Westwego, LA

Each picture file is 10,000 bytes long. The first 8000 bytes are the actual picture. The next 1000 determine one color and the last 1000 are for colors 2 and 3. The fourth color in multicolor bitmap mode is the screen background. The program that follows sets up the bitmap at 8192 (\$2000) while keeping screen memory at 1024 (\$0400) and color at 55296 (\$D800).

Koala filenames have a prefix consisting of CHR\$(1) (CONTROL-A) as the first character, followed by PIC and then a letter. This is why the OPEN in line 140 uses a question mark wildcard as the first character in the filename. Exit the example by pressing the space bar.

- AS 100 REM RESERVE MEMORY AFTE R 8192
- EK 110 POKE 52,32:POKE 51,0
- AB 120 POKE 56,32:POKE 55,0:CL
- FS 130 REM BLOAD KOALA FILE AT 8192
- SQ 140 OPEN 1,8,0,"?PIC C*"
- PK 150 S=8192:S1=S+8000:S2=S+9
- HK 160 POKE 185,0:POKE 780,0
- GH 170 POKE 781,S AND 255:POKE 782,S/256
- QE 180 SYS 65493:CLOSE1
- EM 190 BM=53265:POKE BM, PEEK(B M)OR 32
- JS 200 REM LOCATE BIT MAP AT 8 192
- KJ 210 LB=53272:POKE LB, PEEK(LB)OR 8
- BH 220 MC=53270:POKE MC, PEEK(M C)OR 16
- JA 230 REM POKE SCREEN MEMORY
- HJ 240 FOR I=0 TO 999
- MQ 250 POKE 1024+1, PEEK(S1+1)
- GB 260 NEXT
- AB 270 REM COLOR MEMORY
- HR 280 FOR I=0 TO 999
- AM 290 POKE 55296+I, PEEK(S2+I)
- FD 300 NEXT
- AK 310 REM DO THE REST OF YOUR PROGRAM
- PG 320 REM THIS ONE DISPLAYS A SPRITE ON THE SCREEN
- SD 330 V=53248
- HX 340 POKE V+21,1:X=100:Y=100
- RC 350 POKE 2040,13:FOR I=832 {SPACE}TO 895:POKE I,25 5:NEXT
- AS 360 DX=RND(1)*8-4:DY=RND(1) *8-4
- EC 370 X=X+DX:Y=Y+DY:POKEV,X:P OKEV+1,Y
- PM 380 IF X<20 THEN DX=RND(1)* 4+2
- AP 390 IF X>250 THEN DX=RND(1) *4-6
- AE 400 IF Y<20 THEN DY=RND(1)* 4+2
- SF 410 IF Y>250 THEN DY=RND(1) *4-6

- BF 420 GET A\$:IF A\$<>" " THEN3
- PP 430 REM RETURN TO TEXT MODE WHEN A SPACE BAR IS PR ESSED
- CB 440 POKE BM, PEEK(BM)AND 223 :POKE MC, PEEK(MC)AND 23

Saving ML Files

I have a long BASIC loader program that POKEs machine language (ML) data into memory. I know the starting address and would like to do a binary save of this program to reduce its size and load time, but I need to know its ending address plus 1. Can you furnish lines to add to the loader which will display the ending address after the data has been entered?

Brian Vaughan Alameda, CA

Determining the ending address of the ML program from your BASIC loader should be relatively easy. The loader should contain a statement such as FOR I = 49152 TO 49499: READ A: POKEI,A: NEXT which READs and POKEs the ML data into memory. Here, the starting and ending addresses of the ML program would be 49152 and 49499, respectively. Another possibility is that the loop would look like this: FOR I = 0 TO 347: READ A: POKE 49152+I, A: NEXT. In this case, the starting and ending addresses would be 49152+0 and 49152+347, the same as the first example.

Once you know these addresses, you can carry out a binary save of the program. The lines below demonstrate how to save a portion of memory to disk.

- DF 100 SA=49152:EA=49500:F\$="E XAMPLE"
- CB 110 SH=INT(SA/256):SL=SA-SH *256:EH=INT(EA/256):EL= EA-EH*256
- GE 120 OPEN1,8,1,"0:"+F\$
- RS 130 POKE780,253:POKE253,SL: POKE254,SH:POKE781,EL:P OKE782,EH
- RH 140 SYS65496:CLOSE1

To be certain the ML program is in memory before the save, place these lines at the end of your loader.

Line 100 defines the starting address of your ML program as SA, its ending address plus 1 as EA, and the filename for the binary file as F\$. Substitute the starting and ending addresses of your ML program in this line along with a suitable filename. The filename you choose can be as many as 16 characters in length. Make sure you pick a filename that doesn't already exist on the disk.

After calculating the low and high bytes of the starting and ending addresses of the ML program, line 120 opens the file F\$ to drive 0 for saving. If you have a second disk drive and have changed your disk drive number to 9, you'll need to change

the 8 in this line to a 9. Line 130 stores the values required by the Kernal SAVE in the A, X, and Y registers. Finally, line 140 SYSes to the Kernal SAVE routine at location 65496 and closes the file.

On the 128, you can use the BASIC command BSAVE to carry out a binary save to disk. The format for this command is:

BSAVE"filename", Ddrive number, Udevice number, Bbank number, Pstart address TO Pending address + 1

Drive number is either 0 or 1 (0 is the normal value for single-drive systems). Device number defaults to 8, the standard value for a single-drive system. Bank number is a number between 0 and 15 specifying which bank of memory holds the data you're saving.

For example, to save binary data in memory locations 4864-5499 in bank 0 as "TEST", you'd use the following:

BSAVE"TEST", B0, P4864 TO P5500

The Multi-Statement THEN Trap

According to the Commodore 64 manual, you can use several statements separated by colons on one program line. However, the following program doesn't work:

10 X1=25:X2=25 20 IF X1=0 THEN 100: X2=X2+X1 30 PRINT X1;X2 40 STOP

When I run the program, both X1 and X2 are 25, but X2 should equal 50. Can you please explain?

James E. Hammond Denver, CO

Line 20 contains the bug. An IF-THEN statement checks a condition for being true or false. The condition tests X1=0 in this example. If it's true, the command after the THEN is executed, plus any other commands on that line. However, a false condition causes the program to jump to the next line.

The section of line 20 where you make the assignment X2=X2+X1 can never happen. Consider what occurs if X1 equals 0: The program jumps ahead to line 100, skipping over X2=X2+X1. And if X1 doesn't equal 0, the IF-THEN drops through to line 30, again skipping over the assignment.

This feature of IF-THEN can be very useful when you want a single condition to trigger multiple commands. Just remember that an IF-THEN controls everything on the current line that follows it.

Supercolliders

I am working on a program using sprites, but I have run into a problem. I know the command PEEK(53278) to test whether two or more sprites collide, but I wonder if you can tell which

Jesse Coats Ames, IA

and saleable condition within 10 days for a full refund, minus shipping and handling charges Guarantee. If you're not satisfied with Supercard for any reason, you may return it in working

Location 53278 is a hardware register within the Video Interface Controller (VIC) chip's area of memory. Every time the VIC chip redraws the screen, it updates the sprite-to-sprite collision register at 53278. The eight sprites, numbered 0-7, correspond to the eight bits, also numbered 0-7, in the number you PEEK from this register. The sprites correspond to the following values:

Sprite Number	Value PEEKed
0	1
1	2
2	4
3	8
4	16
5	32
6	64
7	128

If sprites 2 and 3 are currently involved in a collision and no other sprites are colliding, when you PEEK(53278), you'll get the number 12 (a 4 for sprite 2 plus an 8 for sprite 3). If sprites 0 and 6 are colliding, you'll receive a 65. A collision only counts when the foreground colors of two sprites overlap. If the foreground pixels of one sprite happen to intrude on the background pixels of another sprite, it's not a collision. Usually, the foreground color is the visible portion and the background color is the same as the screen's background color. You can set the foreground color to equal the background color, which generally makes the sprite invisible, but the rules for collision still apply. Also, when you're using multicolor sprites or multicolor screen mode, two of the colors count as foreground (collision) colors and two count as background colors.

The only sprites that can collide are the ones currently turned on, which are controlled by the register at 53269. If two sprites are turned on and completely off the visible screen, a collision will still count.

Programmers have always had problems with multiple sprite collisions. Let's say that, at a given moment, sprites 0 and 1 were colliding and at the same time, somewhere else on the screen, sprites 3 and 7 were colliding. Register 53278 would hold the number 139 (1 + 2 + 8 + 128). If you were concerned about the status of sprite 0, you'd know that it was colliding with another sprite. However, you wouldn't know which one. It could be a collision of sprites 0 and 1, 0 and 3, or 0 and 7.

One solution would be to selectively turn off various sprites. In the example above, turning off sprite 7 would eliminate the collision between 7 and 3, which would leave only the overlap between 0 and 1. One drawback of this method is that turning off sprites makes them flicker. Also, when you PEEK 53278, the number there disappears until the screen is redrawn in 1/60th second. In machine language programs, you must insert a delay loop before you read the collision register.

A second solution, when you can't decide which sprites are overlapping, is to read the x- and y-positions from registers 53248-53264. If several sprites are colliding, you can assume that the sprites near each other are involved in a collision.

Use the handy Reader Service Card in the back of the magazine to receive additional information on our advertisers.

Well folks, here it finally is. THE BEST!! There is just not anything any better than Supercard. Even our competitor has stated that to back up the newest protection schemes, a high powered total investment. Supercard is installed easily into your 1541 or 1541c, in just minutes with no software/hardware package is needed. Supercard is the product of 2 years and \$300,000 in Introducing: soldering required. This package will make backups of programs that no other utility can even up your software in an average of 11 seconds. That's right! Eleven seconds! Again, no solderirsion C. \$44.95 One Supercard for one 1571. Minor soldering will be required if Supercard orsion B. \$59.95 One Supercard and one cable. This is a two-drive version that will back th two disk drives for just \$15.00. nutee, and installs with no soldering required. This package is upgradable at any time to work installed in the 1571 drive. raion D. \$59.95 One Supercard and one cable. For two 1571s. raion A. \$44.95 One Supercard in one 1541 or the 1541c will back up a disk in under 2 sion E. \$79.95 Two Supercards. Use with two 1541s or 71s. No cable required. Copies a If anything can copy everything, this may be it! * SUPERCARD *

PRODUCTS WITH UNBELIEVABLE

POWER

ANOTHER FIRST! TWO NEW SUPER

of "Goodies", the likes of which you may never see anywhere! It is packed full of utilities. Here are just some we plan to include: This multifunction Hacker Cartridge is our design and it is stuffed full

_	_
3.	0
<	S
D	~
2	ਰ
₹	ĭ
š	_
•	

1581 Burst Set

Auto Boot Maker

Auto Loader Text Editor Term Program

Unlock Files Lock Files

Wedge Card

Calendar Maker Graphic Labeler

Screen Dupe Renumber

Fast Loader

Compactor Uncompactor

Bulk Erase

File Locator Unscratch

• I/O Save Sector Editor

Variable Cross Quick Scratch

Change Address Fast Error OK Disk Search Kernal Save V-Max Copier Data Soft Copier Rapid Lock Copier Time Works Copier

This cartridge is transparent and can be left in. It also has a reset. Over ALSO 64/128 Super Nibbler and 1541/71/81 Fast File Copier

500 blocks of programming

\$4495 Due February '88

SIL). Inc.

Brush Prairie, Washington 98606 12305 N.E. 152nd Street

> Orders taken 24 hrs. a day, seven days a week

If you wish to place your order by phone please call 206-254-6530. Add \$3.00 shipping & handling, \$2.00 for COD on all orders. Visa, M/C accepted. Dealer Inquiries Invited

WORLD'S BIGGEST PROVIDER OF C64/128

> We are looking for HACKER STUFF: print utilities parameters, telecommunications, and the unusual Software Submissions Invited

Ad copy by RWS Ind

We now have over 1,000 parameters in stock!

SUPER PARAMETERS 500 PAK

SUPER PARAMETERS in one pack. This FANTASTIC 5-DISK SET is a value of over \$100 for less than 1/2. of the "oldies but goodies" WE DID JUST THATI ANOTHER 1st: 500 MORE we are going full steam! After getting several requests for parameters on many At a time when many programmers are cutting back on writing parameters

SUPER PARAMETERS 100 PAKS: 1 thru 5

remove all protection. Includes titles from done, easy to use, reliable, fast and full of performance. This package can ... YOU GET 100 OF THE BEST PARAMETERS, ANYWHERE. Professionally \$19.95@

all major software publishers for the C64/128.

ALL PARAMETERS ARE TOP QUALITY-NO FILLER OR JUNK

Ever ask. "Is there a parameter for this program? And where do I get it?" ASK NO MORE! The answers are all in this book. The 'Original' Parameter Cross-Reference

Over 5,000 listings.

\$19.95@

PARAMETERS CONSTRUCTION SET

COMPARE and WRITE PARAMETERS FOR YOU; it will also secrets. Using this VERY EASY program, it will not only READ, do something UNBELIEVABLE. We are giving you more of our The company that has THE MOST PARAMETERS is about to

as your friends. The "PARAMETER CONSTRUCTION SET" is CUSTOMIZE the disk with your name. It will impress you as well like nothing you've ever seen. In fact you can even READ

MENU. DON'T WAIT for months for that one \$34.95 PARAMETERS that you may have already written; then by using your construction set rewrite it with your new CUSTOMIZED

****** REMEMBER FOLKS, YOU SAW IT HERE FIRST!

****** UTILITIES THE FINAL CARTRIDGE III versus super snap shot

competition claims they are getting better reviews. Well. that's partly true Cartridge and not the current version III. We at Utilities Unlimited Inc. are so sure that mostly false. First of all, they are comparing reviews written about the old Final The Cartridge war heat up. Well folks, here's the real story!!! In their latest ad our

you would choose The Final Cartridge over that other one we make the following offers 1. 100% no questions asked 10 day refund Guarantee.

shot, as a trade in for the BEST . . . The Final Cartridge III. for those of you who bought the super snap shot believing that you were buying the best, then saw the final Cartridge III. we offer you \$30.00 for your super snap

as well as our newest 64/128 nibbler and Every Final Cartridge III now includes many leatures not found in super snap shot 100 Super Parameters. Still only \$54.95

(NOW WICLOCK)

SIMILAR PRODUCTS MAY APPEAR ELSEWHERE LATER; JUST REMEMBER YOU SAW THEM HERE FIRST!!

(Another first) THE 128 SUPERCHIP—A, B or C

baud TERMINAL PROGRAM that's 1650, 1670 and Hayes compatible. Best of all, it doesn't use worth of great BUILT-IN UTILITIES, all at just the TOUCH OF A FINGER. You get built-in features. A There is an empty socket inside your 128 just waiting for our SUPER CHIP to give you 32k up any memory. To use, simply touch a function key, and it responds to your command FILE COPIER, NIBBLER, TRACK & SECTOR EDITOR, SCREEN DUMP, and even a 300/1200

or 1571 format to 1581. Many options include 1581 disk editor, drive monitor, Ram writer and will also perform many CP/M & MS-DOS utility functions. B Has super 81 utilities—a complete utility package for the 1581. Copy whole disks from 1541

chip, switchable at a great savings to you. ALL CHIPS INCLUDE 100 PARAMETERS FREE! "C" is for combo and that's what you get. A super combination of both chips A and B in one Chip C: \$44.95@

Chips A or B: \$29.95@

SUPER SPECIALS-PRICED TO MOVE

HEAVY DUTY REPAIRABLE 64 POWER SUPPLIES D-COMPILER: for the famous BLITZ! 64 MODEM prg.: w/wargames auto dialer \$14.95 64 BBS: for 1 or 2 drives \$12.95 \$14.95 \$19.95

DISK NOTCHERS: double disk capacity Used super snap shot (limited supply) . . . SECURITY KEYS: lost your dongle? (Golf & bowling) . . . Too many 64 repairs are due to faulty old supplies - don't wait!

SUPER PARAMETERS—GEOS PAK

a Super Fast File copier

and 100 parameters.

ONLY \$24.95

and it works well with both C64 or C128. This package includes both backup programs, we give you the * ULTIMATE COPY PROGRAM *

For those who need a really super nibbler copier, for those hard to

SUPER NIBBLER 64/128

1, DESKPACK 1, WRITERS WORKSHOP, GEODEX & \$9.95 This #1 seller will standardize your GEOS series utilities to work with

LOCK PICK-THE BOOKS-for the C64 and C128

HESMON and **SUPEREDIT**. Instructions are so clear and precise that anyone can use INSTRUCTIONS on breaking protection for backup of 100 popular program titles. Uses to see the INTERNAL WORKINGS of a parameter. The books give you STEP-BY-STEP Lock Pik 64/128 was put together by our crack team, as a tool for those who have a desire

BOOK 1: Includes Hesmon and a disk with many utilities such as: KERNAL SAVE, I/O include: A GENERAL OVERVIEW ON HOW TO MAKE PARAMETERS and a DISK BOOK 2: 100 NEW EXAMPLES, Hesmon on disk and cartridge plus more utilities to SAVE, DISK LOG FILE and lots more, all with instructions on disk. A long-time favorite. IL *OUR BOOK TWO IS NOW AVAILABLE *

\$29.95 each Now with FREE Hesmon Cartridge.

OR BUY BOTH FOR ONLY \$49.95



Now version 1+2

DIGITAL SOLUTIONS" V-MAX, RAPID LOCK

ADULT GAME & GRAPHICS DATA DISKS

GAME: A very unusual game to be played by a very OPEN MINDED adult. It includes a CASINO DATA *: This POPULAR disk works with PRINT SHOP and PRINT MASTER and HOUSE OF ILL REPUTE. Please, you MUST BE 18 to order EITHER ONE.

between 10 a.m. to 4 p.m. For product support, call Pacific Time.



Lyco Computer

Marketing & Consultants

Order processed within 24 hours.

Order Early — Commodore Price Increases Possible



COMMODORE 128





THOMSON 5 4120

Commodore Ready Monitor

- Color Composite for 64 **Mode Operation**
- Color RGB for C128 **Mode Operation**
- Plus Switchable in Green Monochrome
- Cables Included



\$225 95



COMMODORE

	HARDWARE
1541 II Disk Drive	\$175.95
1571 Disk Drive	\$215.95
1581 Disk Drive	\$189.95
Indus GT C-64 Drive	\$169.95
1802C Monitor	\$189.95
64 C Computer	\$169.95
128D Computer/Drive	\$439.95
C-1351 Mouse	\$32.95
1700 RAM	\$109.95
C-1750 RAM	\$CALL
1764 RAM C64	\$117.95
1084 Monitor	\$279.95
128 Computer	\$219.95

Attention Educational Institutions:

If you are not currently using our educational service program, please call our representatives for details.

PC COMPATIBLE HARDWARE

BCM 12G Gr. Monitor \$75
BCM 12A Am. Monitor \$75
BCC CG Color Card\$94.99
AST\$CALL
Laser Compact XT \$475.95
Laser Compact XTE 640K \$549.95
Laser Desktop Turbo XT 256K . \$569.95
Laser Desktop Turbo XT 640K . \$599.95
Laser EGA + 4 Card \$129.95
Kraft PC Joystick Card \$27.95
Zucker CGA ColorCard \$89.95
ATI Graphics Solution \$129.95
ATI EGA Wonder \$199.95
Thomson GB 200\$249.95

Seagate

HARD DRIVES
ST 225 20 meg Hard Drive \$215.95*
ST 251 40 meg Hard Drive \$399.95*
*DTC Controller Kit for PC/XT \$39.95
ST 238 30 meg Hard Drive \$249.95**
**DTC RLL Controller Kit for PC/XT\$49.95
ST 125 20 meg 3.5 Hard Drive . \$289.95
DTC Controller Kit for PC/XT \$39.95
ST 125 20 meg Internal Card w/Controller \$349.95
Add \$10.00 for Western Digital Controllers

COMMODORE 64C COMPUTER

COMMODORE 64C System

- Commodore 64C Computer
- Commodore 1541 II Drive
- Seikosha Sp180VC Commodore Ready Printer



III LASER COMPACT XT

- PC-XT Compatible
- 4.77 8.00 Mhz Super Turbo Clock Speed
- Built-in 5¼ Drive
- **Built-in RGB** Video Output

ONLY

- Parallel Printer
- Serial RS232
- Joystick/Game



BLUE CHIP PC



PERSONAL OMPUTER

- 4.77 Mhz speed
- Dual floppy
- Green monitor included

1-800-233-8760



Mark "Mac" Bowser, Sales Manager

I would personally like to thank all of our past customers for helping to make Lyco Computer one of the largest mail order companies and a leader in the industry. Also, I would like to extend my personal invitation to all computer enthusiasts who have not experienced the services that we provide. Please call our trained

sales staff at our toll free number to inquire about our diverse product line and weekly specials.

First and foremost our philosophy is to keep abreast of the changing market so that we can provide you with not only factory-fresh merchandise but also the newest models offered by the manufacturers at the absolute best possible prices. And we offer the widest selection of computer hardware, software and accessories.

Feel free to call Lyco if you want to know more about a particular item. I can't stress enough that our toll-free number is not just for orders. Many companies have a toll-free number for ordering, but if you just want to ask a question about a product, you have to make a toll call. Not at Lyco. Our trained sales staff is knowledgeable about all the products we stock and is happy to answer any questions you may have. We will do our best to make sure that the product you select will fit your application. We also have - one more reason to call us for all your computer needs.

Once you've placed your order with Lyco, we don't forget about you. Our friendly, professional customer service representatives will find answers to your questions

about the status of an order, warranties, product availability, or prices.

Lyco Computer stocks a multimillion dollar inventory of factory-fresh merchandise. Chances are we have exactly what you want right in our warehouse. And that means you'll get it fast. In fact, orders are normally shipped within 24 hours. Free shipping on prepaid cash orders over \$50, and there is no deposit required on

C.O.D. orders. Air freight or UPS Blue/Red Label shipping is available, too. And all products carry the full manufacturers'

I can't see why anyone would shop anywhere else. Selection from our huge in-stock inventory, best price, service that can't be beat - we've got it all here at Lyco Computer.

TO ORDER, CALL TOLL-FREE: 1-800-233-8760 New PA Wats: 1-800-233-8760 Outside Continental US Call: 1-717-494-1030

Hours: 9AM to 8PM, Mon. - Thurs. 9AM to 6PM, Friday - 10AM to 6PM, Saturday

For Customer Service, call 1-717-494-1670, 9AM to 5PM, Mon. - Fri. Or write: Lyco Computer, Inc. P.O. Box 5088, Jersey Shore, PA 17740

C.O.D. Rlak-Free Policy: • full manufacturers' warranties • no sales tax outside PA • prices show 4% cash discount; add 4% for credit cards • APO, FPO, international; add \$5 plus 3% for priority • 4-week clearance on personal checks • we check for credit card theft • sorry, compatibility not guaranteed • return authorization required • due to new product guarantee, return restrictions apply • price/availability subject to change • prepaid orders under \$50 in Continental US, add \$3.00







Order Now



Here's How



MasterCard



Avatex 1200e Hayes Compatible Modem

- Direct Connect Cable to Your C64/128
- Free Quantum Link Software

Only \$89.95



Disc Storage

QVS-10 51/4	 \$3.99
QVS-75 514	\$ 12.95
QVS-40 31/2	 \$9.95

Generic Ribbons

Save up to 50% off brand prices! Call for your make and model!

> Color Ribbons Available

Printer **Interfaces**

Xetec Jr	\$35,95
Xetec Supergraphics	\$55.95
Xetec Gold	\$89.95
PPI	\$29.95
Cardco GWhiz	\$32.95
Cardco Super G	\$44.95
MW 350	\$49.95
Xtra Long PC Cable	\$CALL

Great **Bargains**

New M-3 Mouse

- Works with Geos
- 1351 Compatible

Call for Introductory Price!

Mouse Pads

- provides clean, dust-free surface for your mouse
- No-mar backing to protect your desk surface

9x11 \$10.95

Mouse Cleaner \$9.95

5-1/4

Disk Notcher Maxell: SSDD DSDD

Bonus: SSDD DSDD

SKC. DSDD DSHD Generic DSDI

Verbatim: SSDD DSDD

3.5 Maxell: SSDD DSDD

Bonus: SSDD DSDD Verbatim:

SSDD DSDD SKC: SSDD DSDD

Generic SSDD Generic DSDI

Joy

Tac 2 Tac 5 Tac 1 + IBM/ Economy . Slik Stick Black Max

Boss . 3-Way Bathandle Winner 909 Wico IBM/AP Lipstick Plus . Kraft KC III Ap Kraft PC Joyst

Kraft Maze Ma Dust

Pan 1081/109 64C 128D

Epson LX800 Seikosha Sp S

1000 sheet las 150 sheet ivor 150 sheet whi 1000 sh. Gr. b 1000 mailing I 200 sheet OK Transparent L

Free shi

2330HI	E3		- SUFTWARE	
	Surge			
kettes	Suppressors	COMMODORE	COMMODORE	AMIGA
100000	Suppressors			
		Triple Pack \$11.95	Pirates \$22.95	Unison World:
		Wid. Cl. Leader Brd \$22.95	Stealth Fighter \$22.95	Print Master \$19.95
\$5.95	DD400 0 . H. J	Famous Courses #1 \$11.95 Famous Courses #2 \$11.95	Origin:	Art Gallery 1 or 2 \$14.95 Fonts & Borders \$17.95
\$0.95	PP102-6 outlet \$16.95 PP106-6 outlet with	Leader Board Pack \$14.95	Autoduel \$28.95	Ponts & Borders \$17.95
\$7.95	EMI/RFI\$28.95	Action Soft:	Ultima III\$22.95	IBM A
\$8.95	PP104-6 outlet with	Up Periscope \$18.95	Ultima IV \$33.95	TDIT /
	indicator \$19.95	Thunderchopper \$18.95	Moebius \$22.95	Commence of the Commence of th
\$5.95	PP101-6 outlet	Activision:	Software Simulations:	Access:
\$6.95	powerstrip \$9.95	Champion. Basketball . \$19.95	Pure Stat Baseball \$22.95 Football \$17.95	Wid. Cl. Leader Board . \$27.95 10th Frame \$27.95
		Music Studio \$19.95	Pure Stat College	
\$6.95		Leather Goddesses \$22.95	Basketball\$22.95	Activision: Champ. Baseball \$22.95
\$13.95	Dutus	Top Fuel Eliminator \$15.95	Springboard:	Champ. Basketball \$22.95
\$4.95	Drive	Beyond Zork \$25.95	Newsroom \$29.95	Zork Trilogy \$39.95
	Maintenance	GFL Football \$19.95	Certificate Maker \$29.95	Leather Goddesses \$22.95
\$8.99	THE RESIDENCE OF THE PARTY OF T	Gee Bee Air Rally \$16.95	Clip Art Vol. #1 \$17.95	Beyond Zork \$27.95
\$11.50	51/4 Drive Cleaner	Last Ninja \$19.95	Clip Art Vol. #2 \$23.95	Broderbund:
	CMP142 \$7.95	Might & Majic \$19.95 Nord & Bert \$19.95	Clip Art Vol. #3 \$17.95	Ancient Art of War \$25.95
	51/4 Drive Cleaner	Batteries included:	Graphics Expander \$21.95	Print Shop \$32.95
\$11.50	with program \$15.95		Strategic Simulations:	Print Shop Compan \$31.95
\$17.95	3.5 Drive Cleaner CMP 154 \$10.95	Paperclip III\$31.95 Outrageous Pages \$31.95	Gettysburg \$33.95	Graphic Lib. I or II \$19,95
\$17.55	01111 10 7 1111111111111111111111111111	THE RESIDENCE OF THE PARTY OF T	Phantasie II \$22.95	Karateka \$19.95
\$10.95		Berkeley Softworks: Geofile C64 \$29.95	Phantasie III \$22.95	Toy Shop \$22.95
\$10.95	Switch	Geo Calc C64 \$29.95	Ring of Zelfin \$22.95	Bank St. Writer + \$44.95 Ancient Art of War
		Geos 64 \$35.95	Road War 2000 \$22.95	at Sea\$25.95
\$12.95	Boxes	Geos 128 \$39.95	Shard of Spring \$22.95 Wizards Crown \$22.95	Electronic Arts:
\$18.95	C	Geowrite \$29.95	Wargame Constr \$16.95	Pegasus\$25.95
	Cent '25' AB \$39.95 Cent '36' AB \$39.95	Geowrite 128 \$39.95	Battlecruiser \$33.95	Weaver Baseball \$25.95
\$9.95	RS232 ABC \$45.95	Geopublish C64 \$39.95	Battle of Antetiem \$28.95	Rockford \$25.95
\$13.99	Cent ABC\$49.95	Berkeley TriPak \$29.95	Eternal Dagger \$22.95	Ерух:
\$9.75	RS232 ABCD\$49.95	Broderbund:	Shiloh \$22.95	Apshai Trilogy \$11.95
\$12.95	Cent ABCD \$49.95	Bank St. Writer \$27.95	Sublogic:	Create A Calendar \$15.95
		Carmen San Diego \$19.95	Flight Simulator II \$31.49	Destroyer \$22.95
	1	Graphic Lib. I, II, III \$13.95	Jet Simulator \$24.95	Movie Monster \$11.95
ticks	Video	Print Shop	Night Mission Pinball \$18.95	Rogue \$16.95
Sticks	Tape	Print Shop Compan \$22.95 Print Shop Paper \$12.95	Scenery Disk 1-6 \$12.95	St. Sports Basketball \$22.95
	A Company of the Comp	Cauldron \$16.95	Stealth Mission \$31.95	Sub Battle Simulator \$22.95
		Superbike Challenge \$11.95	Timeworks:	Winter Games \$11.95
The state of the s	SKC T120 VHS	Electronic Arts:	Partner C64 \$22.95	World Games \$22.95
	Video Tape:	Bard's Tale\$25.95	Partner 128 \$27.95	Firebird:
\$9.95	viaco tapo	Legacy of The	Swift Calc 128 \$27.95 Wordwriter 128 \$27.95	Starglider \$25.95
\$10.95	each \$3.99	Ancients \$20.95	Wordwriter 3 64 \$22.95	Guild of Thieves \$25.95
\$12.95	3 pack \$10.95	Marble Madness \$20.95	Unison World:	Microleague:
P \$26.95	10 pack \$35.95	Starfleet I \$25.95	Art Gallery 1 or 2 \$14.95	Microleag. Baseball \$22.95 General Manager \$16.95
\$5.95		Yeager's AFT \$22.95	Print Master \$17.95	Stat Disk \$13.95
\$6.95		Epyx:		Microprose:
\$10.95	Closeouts!	Destroyer \$22.95	AMIGA A	Conflict in Vietnam \$22.95
\$11.99		Fastload \$19.95	W/AMIGA	Crusade in Europe \$22.95
\$16.75	Factory Fresh	Sub Battle \$22.95		Decision in Desert \$22.95
\$24.95	Special Pricing	Winter Games \$11.95	Access:	F-15 Strike Eagle \$22.95
\$29.95	CHARLES CONTRACTOR STATE OF THE PARTY OF THE	California Games \$22.95	Leader Board \$22.95	Silent Service \$22.95
\$14.95	Call for Availability	Graphics Scrapbook \$9.95 Str. Sports Basketball . \$22.95	Tournament #1 \$11.95	Gunship \$27.95
PC \$16.95	Quantum Link\$SAVE	Summer Games II \$11.95	Activision:	Pirates \$22.95
ck \$27.05	Computer Cover-up	World Games \$22.95	Champ. Basketball \$25.95	Origin:
\$27.95 ster \$8.95	(dustcovers)\$SAVE	Jet Combat \$8.95	Championship Golf \$22.95	Ultima I \$22.95
\$0.00	Novation modems \$SAVE	Firebird:	GFL Football\$25.95 Music Studio\$27.95	Ultima III \$22.95
and the same of	Anchor modems \$SAVE Certron \$SAVE	Elite \$18.95	DATE OF THE PARTY	Ultima IV\$33.95
overs	Teknika Monitors \$SAVE	Golden Path \$22.95	Electronic Arts: Deluxe Print II \$48.95	Moebius \$33.95 Ogre \$16.95
	Panasonic Monitors \$SAVE	Guild of Thieves \$22.95	Rockford \$25.95	A STATE OF THE PARTY OF THE PAR
\$9.95	Dennison Diskettes \$SAVE	Pawn\$22.95	Empire \$31.95	Strategic Simulations: Road War 2000 \$22.95
\$9.95	Juki 6300\$SAVE	Tracker \$22.95	Scrabble\$25.95	Gettysburg \$33.95
\$9.95		Starglider \$18.95	Ерух:	Wizards Crown \$22.95
\$9.95	Great savings on Epyx, Cardco, Eastern House, High	Sentry \$22.95	Apshal Trilogy \$11.95	Sublogic:
eries \$9.95	Tech Expressions, Time-	Microleague:	Rogue \$22.95	Jet Simulator \$31.49
	works, Spinaker,	Microleag. Baseball \$22.95 General Manager \$16.95	Winter Games \$22.95	Scenery Japan \$17.95
nter	Scarborough, Continental,	Stat Disk \$13.95	World Games \$22.95	Scenery San Fran \$17.95
	and much more!!	Microleag. Wrestling \$16.95	Firebird:	Scenery #1-#6 \$64.95
per		'87 Team Disk \$11.95	Guild of Thieves \$25.95	Flight Simulator \$34.95
	COMMODORE	Microprose:	Pawn \$25.95	Timeworks:
or \$16.95	COMMODORE A	Airborne Ranger \$22.95	Starglider \$25.95	Swiftcalc \$39.95
, 20lb \$6.95 , 20lb \$6.95		F-15 Strike Eagle \$19.95	Microprose:	Wordwriter \$34.95
r 14" \$18.95	Access:	Gunship \$19.95	Silent Service \$22.95	Unison World:
bels \$8.95	Echelon \$25.95	Kennedy Approach \$13.95	Sublogic:	Art Gallery 2 \$14.95
20 \$8.95	Mach 5 \$19.95	Silent Service \$19.95	Flight Simulator II \$31.49	News Master \$49.95
bels \$4.95	Mach - 128 \$28.95 10th Frame \$22.95	Solo Flight \$13.95 Top Gunner \$13.95	Jet Simulator \$31.49	Print Master (+) \$29.95
	1001 (Tallio	10p Guiller \$13.95	Scenery Disk \$CALL	Fonts & Borders \$17.95

Price Guarantee

とうし しょうしんしん しゅうしんしん しゅうしん しゅうしん

Since 1981, we have led the industry by continuing to offer the lowest national prices while providing quality service. Many companies have come and gone trying to imitate our quality and service. If by some oversight we do not have the lowest prices advertised on the products you desire, then we would appreciate the opportunity to rectify this oversight.

のうしっとうしっとうしっとうしっとうしっとう!

.... \$69.95°

\$259.95

\$319.95

\$389.95

The Paper Saver!

Panasonic



THOMSON 🗯

4120 Monitor

14" RGBI/video

composite/analog

Compatible with IBM and Commodore

- 240 CPS/12 Character Mode
- Push Feed Tractor
- NLQ Mode 48 CPS
- **Excellent Versatility**
- Interfacing Available for IBM PC and Many Others

Monitors

Blue Chip: BCM 12" Green TTL BCM 12" Amber TTL Multisync II ..

Save \$170 over NEC Multisync with Thomson 4375 UltraScan \$389.95

Modems

1200e. 1200i PC Card ... 1200hc Modem \$179.95 2400i PC Card ...

	and Commodore		Hayes:	
•	RGB data cable	OO 95	Smartmodem 300 Smartmodem 1200	., \$149.95
	included	99"	Smartmodem 1200	\$285.95
	Ψ -	-		\$425.95

New for '88



230 Amber TTL/12"

450 Amber TTL/15"

4160 CGA .

4460 EGA ...

4375 UltraScan

*Quantities Limited

4120 CGA\$199.95

GB 100 EGA Card \$129.95

GB 200 Super Card \$219.95

NX-1000

\$165 95

- 144 cps Draft
- 36 cps NLQ
- EZ Operation Front Panel Control



NEW! NX1000 Rainbow Color Printer \$225.95

Commodore Ready

SEIKOSHA Sp 180VC

- 100 cps draft
- 20 cps NLQ
- Direct connect for Commodore

Seikosha price increases possible please order early.



\$12995

SEIKOSHA

SP 180Ai	\$129.95
SP 180VC	
SP 1000VC	
SP 1000AP	\$169.95
SP 1200VC	\$155.95
SP 1200Ai	
SP 1200AS RS232	\$165.95
SL 80Ai	
MP1300Ai	\$269.95
MP5300Ai	\$399.95
MP5420Ai	\$879.95
SP Series Ribbon	\$7.95
SK3000 Ai	\$339.95
SK3005 Ai	\$419.95
SPB 10	
SL 130Ai	\$599.95

Toshiba

321SL	\$489
341 SL	\$659
P351 Model II	\$899
351 SX 400 cps	1019

Stair

microsics-inc	
NL-10 w/o Cart	\$159.9
NX-1000	
NX-1000C	\$175.9
NX-1000 Color	\$225.9
NX-1000C Color	\$229.9
NX-15	\$295.9
ND-10	\$265.9
ND-15	\$379.9
NR-10	\$30
NR-15	\$425.9
NB-15 24 Pin	\$699.9
NB24-10 24 Pin	\$425.9
NB24-15 24 Pin	\$559.9

CITIZEN

\$149.95
. \$169.95
. \$259.95
. \$289.95
. \$324.95
. \$389.95
. \$425.95
. \$489.95
\$464.95
. \$624.95

EPSON

LX800	\$175.95
FX86E	\$289.95
FX286E	\$429.95
EX800	\$374.95
EX1000	\$469.95
LQ500	SCALL
LQ1000	\$549.95
LQ2500	\$849.95
GQ3500	\$LOW
LQ850	\$499.95
LQ1050	\$679.95

Okinate 20	2113
Okimate 20 w/cart	\$179.95
120	\$189.95
180	\$219.95
182 +	\$225.95
183	\$249.95
192+	\$309.95
193+	\$449.95
292 w/interface	\$449.95
293 w/interface	\$585.95
294 w/interface	\$819.95
303	\$055.05

Panasonic

1080i Model II	\$165.95
1091i Model II	\$185.95
1092i	\$295.95
1592	\$399.95
1595	\$449.95
3131	\$269.95
3151	\$419.95
KXP 4450 Laser	SCALL
1524 24 Pin	\$559.95
Fax Partner	\$589.95

DIABLO

\$499.95

635		9.95
B	ROTHER	?
M1109		\$195
M1409		\$299
M1509		\$335
M1709		\$475

M1409	299
M1509	335
M1709	475
Twinwriter 6 Dot & Daisy \$	899
M1724L	5599
HR20	339
HR40	5569
HR60 \$70	9.95

Join the thousands who shop Lyco and Save!

BASIC for beginners

Larry Cotton

Last month we began writing a complete four-function math drill program. We left off with a GET statement at the end of our math menu. Let's finish the program:

160 N=10:Q=RND(-TI):REM SE E ARTICLE

The variable N controls problem difficulty (skill level). It is the largest number added to or subtracted from; the largest multiplication table; and the greatest answer in a division problem.

Ten is an average difficulty level, which you can change—before the program is run, of course—to suit the user's ability.

Handling The Chores With Subroutines

We need several subroutines for presenting the four types of math problems. You might recall that ON-GOSUBs are an efficient way to access them, so we need to convert the four possible strings ("1", "2", "3", or "4") from line 150 into numeric values, say, X. Remember that the VAL function does just that:

170 X=VAL(A\$)

Our main program loop starts at the next line, which is a problem counter, P. It starts at 0 each time the program is run and is incremented by 1 for each problem:

180 P=P+1

Values of X (line 170) are used in a pair of ON-GOSUBs to send control to the subroutines for generating and displaying the problems:

190 ONXGOSUB280,280,220,220 200 ONXGOSUB350,360,370,410

Note carefully that each of the above lines is executed separately; that is, a value of X=1 will access

first the subroutine at line 280, then the subroutine at line 350. A value of X=3 will access, in sequence, the subroutines at lines 220 and 370.

We then call another subroutine to check the answer, and send control back to line 180 to begin creating a new problem:

210 GOSUB420:GOTO180

A Two-Entry-Point Subroutine

The subroutine called by line 190 runs from lines 220 to 340 and has *two entry points*. Only the last part of the subroutine (beginning at line 280) is used for addition and subtraction (X is 1 or 2); the entire subroutine starting at line 220 is necessary for multiplication and division (X is 3 or 4).

Let's begin at the second entry point since that's the order in which they're called in line 190:

280 A=INT(N*RND(1))+1 290 B=INT(N*RND(1))+1

These are our primary RND function lines; they generate two numbers from 1 to N, which was defined in line 160 and discussed above. Both numbers are used in addition and subtraction problems, though only one is used in multiplication and division problems.

Next, we should add a line to handle a peculiarity of subtraction problems. Since we want our answers to be nonzero and positive, A (the number subtracted from) must be larger than B (the number to subtract):

300 IF (X=2) AND (A<=B) THEN 280

We use an IF-THEN to check whether we're subtracting (X is 2) and whether A is less than or equal to B. If both conditions are met, we must generate more pairs of random numbers until A is greater than B. (This explains the occasional short delay in generating subtraction problems.)

Color-Coded Screens

The next lines set the stage for displaying the problems on a blue screen. Later we'll color-code the screen for right (green) and wrong (red) answers.

310 PRINT"{CLR}":POKE53281,6:R EM FOR C16 AND C+4 - USE CO LOR0,7 INSTEAD OF POKE 320 FORJ=1T07:PRINT:NEXT

330 PRINT: PRINTAB (6) "PRESS ONL Y RETURN FOR ANSWER" 340 PRINT: PRINTTAB (13); : RETURN

Now, write the lines for the sub-

Now, write the lines for the subroutine's first entry point, that is, for multiplication and division problems (X is 3 or 4).

220 IFFLAG=1THEN280

Here we're checking to see whether a signal flag has been "raised." We'll raise that flag later in the program (see line 530) by making the variable FLAG (FL) equal to 1, signifying that the program has been run through at least once, and that the user wants to continue.

If FL is 1, we don't need to ask again which multiplication or division table to use; the program will skip lines 230–270. However, at the first run, FL=0 and control will fall through to line 230:

230 PRINT: PRINTTAB(13) "TABLE"; 240 INPUTTS 250 T=VAL(TS)

We use INPUT because the user may need to type two digits. T will become one of the numbers to be multiplied in multiplication problems or the number to divide by in division problems.

Now we must check to see whether the table value is greater than the previously selected skill level (line 160) or less than 1 (we will not present problems with numbers less than 1):

260 IFT>NTHENPRINT"{3 UP}":GOT 0230 270 IFT<1THENPRINT"{3 UP}":GOT 0230 This brings us to lines 280–340, which we've already written. The sole RETURN in line 340 suffices to end the subroutine, no matter whether the entry point is at line 220 or 280.

Incidentally, if you were writing a program like this from scratch, how would you know where the subroutines would be? That is, how would you know, when writing line 190, that the subroutine entry points would be at 220 and 280?

You probably wouldn't. It's a good idea to write the subroutine(s) at distant, easy-to-remember line numbers (for example, 500, 1000, 1500, and so on), then (mostly for neatness) renumber the program with a renumbering utility such as "Renumber 64" in the November 1987 issue.

Displaying The Problems

Next, we write the subroutines for actually displaying the problems. These are called in line 200, which is encountered upon RETURN from line 340. First for addition:

350 PRINTA"+"B"=";:C=A+B:RETUR

Then for subtraction:

360 PRINTA "-" B "=";:C=A-B:RE TURN

For multiplication, it would be nice if the problem were displayed with the chosen table value T displayed first sometimes, and second other times. That sounds like another chance to use RND:

370 L=INT(2*RND(1))+1 380 ONLGOTO390,400

These two lines cause the program randomly to GOTO line 390 or 400, depending on whether L is 1 or 2.

390 PRINTT"X"A"=";:C=A*T:RETUR

N

400 PRINTA"*"T"=";:C=A*T:RETUR

Note that we can print X on the screen to signify *multiplied by*, even though the computer's BASIC interpreter recognizes only *. Last, for division:

410 PRINTA*T"/"T"=";:C=A:RETUR

We print / to the screen to mean divided by, which is the same sign the computer recognizes in its computations. T—the multiplication or division table value—has been gathered from the user in lines 240–250.

Calculating The Answers

In all four problem-generating lines, the value C is calculated; it's the right answer to the problem. Calculating C in addition and subtraction problems is easy: A+B=C (line 350) and A-B=C (line 360).

Multiplication is slightly more difficult. We must employ the user's table value T and only one of the randomly generated numbers (A is chosen arbitrarily) to create the answer: C=A*T (lines 390 and 400).

Division is the trickiest. If the user picks a table value T of 7, then 7 is used as the number to be divided by.

Our difficulty level is 10, so our two randomly generated numbers—A and B—will be in the range 1–10. What do we do with them?

The answer is to *premultiply* one of them (say A) by T (in this case, 7). That will create the number to be *divided into*. The answer will then be the random number: C=A (line 410). B isn't used.

Checking The Answers

Back at line 210 we called a subroutine at 420 to check the answer. Here's how it starts:

420 D\$="":INPUTD\$ 430 D=VAL(D\$)

D is now the user's answer. We should compare it with the right answer (C) and, if they are equal, send control of the program to the right-answer routine, which begins at line 480:

440 IFC=DTHEN480

If the answer is wrong (C doesn't equal D), control falls through to line 450, which begins the wrong-answer routine:

450 POKE53281,2:REM FOR C16 AN D C+4 - USE COLOR0,3 INSTEA D OF POKE
460 PRINT:PRINTTAB(12) "THE ANS WER IS"C
470 GOTO 510

These three lines turn the screen red (color code for wrong answers), print the correct answer C, and send control to line 510.

Line 440 says that if C = D, control should go to the right-answer routine, which begins at

line 480:

480 POKE53281,5:REM FOR C16 AN
D C+4 - USE COLORO,6 INSTEA
D OF POKE
490 PRINT:PRINTAB(16) "GOOD!"
500 K=K+1

510 PRINT: PRINT"PRESS RETURN T O CONTINUE OR Q TO QUIT."

Line 480 turns the screen green (color code for correct answers) and line 490 prints a complimentary message.

Line 500 is a counter for correct answers. K begins at 0 (as do all variables when a program is first run) and is incremented by 1 for each correct answer.

Line 510 prints a message to offer the option to continue (press RETURN) or quit (press Q). Let's GET the user's response:

520 GETB\$: IF (B\$<>CHR\$(13)) AND (B\$<>"Q") THEN 520

We'll cover the CHR\$ function later. This IF-THEN statement says that if the user doesn't press either RETURN or Q, the program will just loop at line 520. The response if the RETURN key is pressed:

530 IFB\$=CHR\$(13)THENFLAG=1:RE TURN

We referred to this line when we explained line 220. Up to this point FLAG (FL) has been 0. But when the user signifies (by pressing RETURN) that he or she wants to continue, line 530 makes FLAG=1. We have literally raised a flag as a signal, and it stays raised until the program is run again.

Control falls through to line 540 if Q (to quit) is pressed. The screen is cleared and colored blue:

540 PRINT"{CLR}":POKE53281,6:F OR C16 AND C+4 - USE COLORØ ,7 INSTEAD OF POKE

Keeping Score

Finally, we need to print out the score. K is our correct-answer counter and P is the number of problems presented:

550 PRINT: PRINT"SCORE: "K"CORRE CT OUT OF"P"PROBLEMS

A complete listing is found in the Program Listings section. Try the program yourself at any skill level (line 160) you wish, or you can encourage a child to practice his or her homework with it.

See program listing on page 90.

computing for families

Fred D'Ignazio Contributing Editor

In this month's mailbag I received a letter from Art Oswald of Goshen, Indiana. Art was responding to my article in the November COMPUTE! magazine about computers of the future. He wrote: "In the future, the phrase 'I wonder' will become obsolete. I won't have to wonder what would happen if, or wonder what something was like, or wonder how something might be. I would just ask my computer, and it would simulate by means of holographic projection anything my imagination could come up with."

Now, I ask you, Art, is this something to look forward to or something to dread?

I have a new science-fiction book coming out which deals with this subject—the effect of computers (and electronic media, in general) on the human imagination. The book is Robot Odyssey I: Escape from Robotropolis (Tor Books, April 1988). Listen to two teenage boys carrying on a conversation in the year 2014: We think plenty using computers, but we don't imagine. We don't have to imagine what the fourth dimension is, or what will happen if we combine two chemicals, or what the dark side of the moon looks like. The computer is there a step ahead of our imagination with its fantastic graphics, cartoons, and music. We no longer imagine because the computer can do our imagining for us.

"So why imagine?" Les said. "My pop says most people's imaginations are vague and fuzzy anyway. If the computer imagines stuff for them, it'll probably be a big improvement.

Les is right. If the computer "imagines" something, it is usually based on a database of facts, the vision of an artist, or a scientific model created by experts. How could our puny imaginations compete

with images that are this inspired, detailed, and exact?

Frontiers Of Knowledge

Science-fiction writers think a lot about new worlds of wonder. It is the human desire to "go boldly where no man has gone before" that is among our more noble impulses. It may even be the "engine" that drives us to innovate, invent, and take risks. Without this engine, we might sink into a kind of emotional and intellectual swamp. Life could become extremely boring. Every time we contemplated a decision, we would first ask our computer, "What if?" and see what the consequences might be. Knowing too much might even paralyze us and cool our risk-taking ardor.

Imagination Amplifiers

Art writes that the phrase I wonder may be rendered obsolete by computers, but I'm not certain that he's right. Instead, I think that we could use computers to stimulate our imagination and make us wonder about things even more.

Where does our imagination come from? I picture the imagination as a LegoTM set of memory blocks stuffed into the toy chest of our mind. When we imagine something, we are quickly and intuitively building a tiny picture inside our heads out of those blocks. The blocks are made up of images, tastes, smells, touches, emotions, and so on-all sorts of things that we've experienced and then tucked away in a corner of our minds. The quality of what we imagine depends on three things: how often we imagine, the quantity and diversity of blocks that we have to choose from, and our ability to combine the blocks in originaland piercingly true-ways.

Most of us have "pop" imaginations created from images supplied to us by pop culture. We read popular books, see popular movies, watch the same sitcoms and commercials, and read the same news stories in our newspapers. It's no wonder that much of what we imagine is made up of prefab structures derived, second hand, from society's small group of master "imagineers." Electronic media has made it possible for these imagineers to distribute their imaginations in irresistible packages. If you have any doubt, ask an elementaryschool teacher. Her students come to school singing jingles from commercials and write "original" compositions which really are thinly disguised copies of toy ads, movies, and Saturday morning cartoons.

Where does the computer fit into this picture? It could be our biggest defense against the imagination monopoly which the dispensers of pop culture now have. If we can tell the computer "I wonder" or ask it "What if?" it will work with us to build compelling images of what we imagine. If the process is interactive, and we can imagine in rough drafts, then we can polish, ornament, and rework our images as easily as a child working with sand on a beach. Then maybe the images inside our heads will be from imagination experiments that we do with our computers and not stale, leftover images pulled from the refrigerator of pop culture.

What do you think, readers? What have computers done to your imagination? What might they do in the future? Write:

Fred D'Ignazio c/o COMPUTE!'s Gazette 324 W. Wendover Avenue, Suite 200 Greensboro, NC 27408

horizons

Todd Heimarck Contributing Editor

Last month, we looked at some strategies for speeding up BASIC programs. Here's one more idea: Throw BASIC out the window and convert the program to machine language (ML).

But what if you don't know ML and have no plans to start learning it? No problem; just buy a BASIC compiler. There are several good compilers available for the 64 and 128. Let's look at what they do to speed up BASIC.

ML: The Bottom Line

Ultimately, the only language your computer understands is machine language, the language of the machine. What we call BASIC is really just another ML program. When you turn on a 64 or a 128, the program called BASIC automatically runs. (On other computers, such as the IBM PC, you start out in DOS and if you want to use BASIC, you must load it from a disk.)

Commodore BASIC is an *inter-preted* language. When a program runs, the computer starts at the beginning and handles the individual BASIC commands one by one. A good illustrative example is the PRINT command, which is very flexible. It can print numeric variables, string variables, calculations, literal strings, or literal numbers—PRINT A: PRINT A\$: PRINT 3 + 5,TAN (A * B): PRINT "PLEASE WAIT": PRINT 5.

When the BASIC interpreter sees a line that includes PRINT A\$, it looks up the PRINT command and starts to evaluate the parameters following it, which might be variable names, functions, calculations, or several other possibilities like parentheses. After figuring out that A\$ is a variable, the interpreter goes off into variable memory to find the string. It searches sequen-

tially through every currently defined variable until it finds the right one. Then it goes to the routine for printing the string. All of this happens while the program is running.

Compilers handle a lot of the busywork in advance. A compiler would assign the variable A\$ to a specific place in memory. Then, when it's ready to PRINT A\$, the compiled program already knows that it's a string (not a number) to be printed, and it knows where the string is located. In effect, a compiler translates BASIC commands into their ML equivalents, taking care of many details (like where variables live) in advance.

Adjusting Clock Speed

One more speed-up trick is worth mentioning. If you have a 128, you can type FAST to instantly double the speed of all BASIC and ML programs. It works great in 80-column mode. In 40-column mode the screen goes blank, although programs will still run without the visible screen. The FAST command doubles the speed of the internal clock. Note that this clock is separate from the jiffy clock and the two time-of-day clocks.

A Commodore 64 uses a 6510 processor and has only one clock-speed: 1 MegaHertz (MHz), which means the clock ticks a million times a second. Each tick is called one cycle. The 128's 8510 processor can operate at two clockspeeds: 1 MHz or 2 MHz. When you double the speed of the clock, every machine language instruction executes twice as fast.

By way of comparison, the original IBM PC had a clockspeed of 4.77 MHz, which might lead you to believe that the PC is four to five times faster than a 64.

The IBM uses a different processor, however, which complicates the answer. Commodore's Jump to SubRoutine (JSR) command, for example, uses six clock cycles. Given 1 million cycles per second, you could spend one second executing about 167,000 JSRs. The equivalent ML command on the IBM PC is CALL, which takes either 19 cycles or 28, depending on whether you're staying within the current 64K address space. With a clock-speed of 4.77 MHz and 19 cycles per instruction, you could execute about 251,000 CALLs, which is faster than the 64, to be sure, but only by a factor of about 50 percent, not 500 percent.

IBM PC machine language consistently uses more clock cycles per instruction. Comparing a register to an immediate value (CMP #\$13, for example) takes 2 clock cycles on the 64, and 4 on the PC. The 64 decrements a number in memory in 6 cycles, versus the PC's 15. Subtracting takes 2–6 cycles on the 64, 3–17 on the PC.

The IBM has a faster clock, but a slower machine language. When you average it out, an ML program for an IBM PC running at 4.77 MHz is roughly twice as fast as the equivalent program for a 1 MHz Commodore 64. And a 128 in FAST mode runs ML programs at about the same speed as an original IBM PC. You can expand a 128 to 640K (same as the original PC), although you have to keep programs and variables within 64K banks (also the same as the original PC).

So if you've thought about changing from a 128 to an inexpensive 4.77 MHz PC clone, think again: Is it really an upgrade? You won't gain any speed. If you're set on buying a speedier computer, there are faster clones available (up to 16 MHz), and there are some excellent (and extremely fast) 68000-based computers (including the Amiga, Macintosh, and Atari ST).

machine language programming

Jim Butterfield Contributing Editor

Have you ever loaded a file (perhaps from a bulletin board) into your word processor, only to find that each and every line has a return after it? Removing the returns manually is a tedious job. How can we write a program to perform this task?

Let's take a closer look at exactly what we want to do. We don't want to remove all the returns—that would put all the text into one huge block. Load a file into your favorite word processor. What makes a paragraph? There are two possibilities.

First, a paragraph is indicated any time there are two return marks in a row. (In your word processor, carriage returns may be visible or invisible. Some word processors let you toggle carriage-return visibility.) Secondly, some people use the system that a single return ends a paragraph and the next line is indented with several spaces (depending on the writer).

Start With The Rules

Let's write a program that strips all the extra carriage returns out of a file. We'll use these rules:

- 1. Two consecutive returns will be changed to a single return.
- 2. A return followed by a space is left unchanged.
- 3. A return at the end of the file is left unchanged.
- Other returns are changed to space characters.

There are many ways to write any program, but here's my plan of action. We'll use a flag to tell whether or not the previously read character is a return character. If it is, we'll look at the current character to see what action we should take. This procedure will make it easy to follow the rules stated earlier.

To make things easier, we'll open the input and output files

from BASIC. When the machine language program finishes executing, we'll use BASIC commands to close the files.

If you just want to use the program, type in the BASIC program and save it to disk before running it. When you're ready to see how the code works, read the following section.

In Machine Language

Since this is a rather small program, we can fit it into memory at 8192 (\$2000 hex). This area is available on both the 64 and the 128.

The first section of machine language is a subroutine to output to file 2. We must save the A register (to the stack) when we call CHKOUT (\$FFC9).

```
$2000 PHA

LDX #$02

JSR $FFC9

PLA

JSR $FFD2

JSR $FFCC
```

Next comes the main entry point. We'll jump here from BASIC. First, we'll set the flag (at \$FC) to 0:

```
$200E LDX #$00
STX $FC
```

Now we'll read a character from the input file. The program will loop back to here each time it needs input.

```
$2012 LDX #$01
JSR $FFC6
JSR $FFE4
PHA
JSR $FFCC
```

We now copy the status to a storage location (\$FD) so that we can later check for the end of the file.

```
$201F LDX $90
STX $FD
```

If the flag is not set, leap ahead to \$203C.

```
$2023 LDX $FC
BEQ $203C
```

The flag is set—we're looking at a character following a return. Using the X register to hold the first character, we check for a space:

```
$2027 LDX #$0D
CMP #$20
BEQ $2033
```

If it's not a space, look for a second return:

```
$202D LDX #$20
CMP #$0D
BEQ $2042
```

Now we output the characters from the X and A registers. (Notice how we changed the first character to a space at the address \$202D above.)

```
$2033 PHA
TXA
JSR $2000
PLA
JMP $2042
```

The above jump to \$2042 outputs the second character.

This code takes care of the situation when the code is not set. First, check to see if the new character is a return.

```
$203C LDX #$01
CMP #$0D
BEQ $2047
```

If we find a return, we skip the following output section:

```
$2042 JSR $2000
LDX #$00
STX $FC
```

Now check for end-of-file. If it's not set, repeat the whole procedure.

```
$2049 LDX $FD
BEQ $2012
```

If we're at the end of the file, we check the flag one more time. If it's set, send a return.

```
$204D LDA #$0D
LDX $FC
BEQ $2056
JSR $2000
All done.
```

\$2056 RTS

See program listing on page 85.

the geos column

Roger M. Pingleton, Jr.

For a nice change of pace, take a break from the productivity and applications environment with this arcade-style action game for one or more players. This GEOS desk accessory runs on either the 64 or the 128 using GEOS or GEOS128.

"Skeet" is a fast-paced electronic version of the shotgun-and-claypigeon skeet shoot, running under GEOS or GEOS128. In Skeet, you try to shoot down flying clay pigeons by quickly moving your mouse or joystick's pointer over the target and clicking or pressing the fire button. You can play Skeet by yourself or with any number of friends.

Getting Started

Since Skeet is written in machine language, you need to enter it with "MLX," the machine language entry program printed elsewhere in this issue. When you run MLX, you're asked for the starting address and ending address of the data you'll be entering. Here are the values to use for Skeet:

Starting address: 0400 Ending address: 111F

Follow the MLX instructions carefully. When you've finished entering the Skeet data, save it to a GEOS-formatted disk, and then run the GEO-Converter program (Program 2) to convert the file to GEOS

Now boot GEOS and go to the GEOS menu. You should see Skeet listed as one of the desk accessories. You can click on Skeet in the GEOS menu or double-click on the Skeet icon to begin playing.


You'll see a box containing Skeet's playing field and four icons shaped like cartoon captions with the word Pull in each one. To release a clay pigeon, click on any one of the four pull icons.

When pulled, pigeons begin

their flight from the bottom of the playing field, alternating between left and right, with the first pigeon beginning on the right side. Since the pigeons alternate sides, you can always predict from which side the pigeon will be coming so you can pull from an icon that gives you the best shot.

Make It Count

Once a pull icon has been selected, you have just one shot with which to hit the clay pigeon. You shoot by pressing the fire button on the joystick or clicking the left mouse button. Holding the button down after selecting the icon will waste your one shot, so be sure to release the button after you've pulled.



Pull! It's skeet hunting season in GEOS. Use a joystick or mouse to shoot down as many clay pigeons as you can.

Below the playing field is a box containing your score and the number of pigeons pulled so far. Each time you shoot, score flashes.

Above the playing field and to its right is a box marked options. Clicking this box lets you select the number of pigeons to use for each game (10-100, with 20 being the default) and the speed at which the pigeons fly (fast, medium, or slow, with medium being the default). These options can be changed before, during, or after any game, with one exception: If you select an option to use fewer pigeons than have already been pulled, your change will be ignored.

When a game is over, your percentage of hits is displayed in the middle of the playing field and your pointer is placed on and restricted to the reset box—the box with the R in it. After you've clicked on the reset box, the game resets and you can either play again or click on the close icon in the lower left corner of the playing field to return to GEOS.

Tips And Traps

Shooting from the icon closest to a clay pigeon's launch site can be easy if you fire at the pigeon's lowest point. This strategy can be difficult, however, if you decide to follow the pigeon up and shoot at it later.

Different input devices can dramatically change the play of the game. The proportional mouse helps the pointer's mobility. Some shots that are impossible with the joystick are easy with the mouse or some other proportional input device.

If you're using a joystick, you'll want to keep the pointer moving at the maximum velocity. You can do this by constantly moving the pointer around the screen and selecting the icons while in motion or only stopping briefly to select them. Stopping to look at the number of shots fired (the OUT OF number on the screen) can bring down the velocity of the pointer or put you out of syncwith the speed of the pigeons.

You can change the minimum and maximum velocities of the pointer, as well as its acceleration, with the GEOS Preference Manager, providing a parent application doesn't alter these values. Skeet changes the shape of the pointer from an arrow (the default) to a gun sight when it enters the playing field.

If you make an amazing shot, GREAT SHOT! is displayed on the screen. This happens in two circumstances:

 When you pull from an upper icon and hit the pigeon when it is at its largest

 When you pull from a lower icon and hit the pigeon on its descent

It's difficult to hit the pigeon while the pointer is in motion. While neither of these shots adds more than one hit to the player's score, they make for a greater display of marksmanship.

Skeet can be played with several variations. For practice, try selecting a goal of 100 pigeons. (An asterisk in the options menu always lets you know how many have been chosen. Each player (in multiple-player games) can choose an icon from which to pull. If one player is better than another, the weaker player can be given a handicap by being allowed to choose a slower speed for the pigeon or more shots in which to beat the percentage score of the better player.

The positions of the icons allow you to create your own game variations. One variation, "Around the World," can be played by shooting five shots from each icon and deciding the winner based on the most pigeons hit out of 20. Another game,"Horse," can be played by shooting from one icon at a set speed. You can also tally the greatest number of hits in a row from any particular pull icon.

Program Notes

There are several noteworthy programming techniques used in Skeet. Since Skeet is a desk accessory, special menu handling is required in order to keep from destroying any application data. When Skeet is initialized, it saves the portion of the background screen under the area where the menu will unfold. Then it imprints that same area from the foreground to the background. Thus, when the menu is rolled up, the GEOS Kernal can simply restore the background screen. Before leaving the game, Skeet restores the background screen to its original state.

Another technique is found in Skeet's bush-drawing subroutine. A bitmap pattern is defined for the bushes at the bottom of the screen using the *GEOS* compaction scheme. This pattern repeats three times, taking up one-third less room in memory than conventional bitmapped data. Studying the screen will show where it repeats.

See program listings on page 81.

POWAT BASIC

lack Reno

This hi-res screen dump program is the fastest and most versatile we've ever published. It works on the Commodore 64, 128, Plus/4, and 16 with Commodore 1525, MPS-801, MPS-803, MPS-1000, MPS-1200, and compatible printers.

One of the strongest features of Commodore computers is graphics. Of course, the problem with computer graphics is that the picture disappears from the screen when you turn the power off. If you have a Commodore 1525 or compatible printer, you can transfer your 128, 64, Plus/4 or 16 hi-res screens to paper at lightning speed with "Fast Hi-Res Screen Dump." [Ed. Note: Our test results were a speedy 1 minute, 25 seconds per screen dump.]

Typing It In

Hi-Res Dump is in the form of a BASIC loader. If you plan to use the program on a 128, be sure to use 128 mode when you type the program in. This will ensure that all the 128-specific keywords are properly tokenized.

Type in the program. Now you must tell the program where your hi-res screen is located. To do this, adjust the value of the variable SL in line 30. For the 128, Plus/4, or 16, use the value 8192. This is where the hi-res screen is located when you use BASIC's GRAPHIC command. If you're using a 64, enter the starting address of your hi-res screen. Many hi-res drawing programs on the 64 use the area starting at 24576 (\$6000). If you have trouble locating the bitmap, just remember that it starts at an address that is an even multiple of 8192 (\$2000).

Now save the program to disk. When you're ready to print a picture on the 64 or 128, load and run the program. (If you are using a Plus/4 or 16, type POKE 56,23:

POKE 5,0:CLR and then load and run the program.) You'll be asked where you would like the machine language program to be POKEd into memory. Depending on which machine you're using, try one of these values:

Fast Hi-Res

Screen Dump

Commodore 64: 49152 Commodore 128: 3072 Plus/4 or 16: 5888

After the machine language program has been POKEd into memory, type NEW and then load the hi-res screen into memory. This can usually be done with a statement of the form LOAD"SCREEN", 8,1. On the 128, use BLOAD-"SCREEN", B0,P8192. Replace SCREEN with the filename you used when you saved the picture.

To send the picture to the printer, type SYS starting address, where starting address is the value you entered above. For example, SYS 49152 would be the correct statement to enter on the 64.

After your picture is printed, your printer remains in graphics mode. Turn it off and then back on to reset it.

See program listing on page 80.

COMPUTE!'s Gazette is looking for utilities, games, applications, educational programs, and tutorial articles. If you've created a program that you think other readers might enjoy or find useful, send it, on tape or disk, to:

Submissions Reviewer COMPUTE! Publications P.O. Box 5406 Greensboro, NC 27403

Please enclose an SASE if you wish to have the materials returned. Articles are reviewed within four weeks of submission.

So you can code circles around the pros, eh? Well, here's your chance to prove it. It's the GEOS Programming Contest. And all it takes to win is a Commodore and your skill at programming under GEOS to win in any four categories and walk away with all kinds of prizes.

Including a check for \$1,000. Just send us the GEOS-based program applications from Berkeley Softworks

 Commodore peripherals: 1670 1200 Baud Modem, 1351 Mouse and 1764 or 1750 RAM Expansion Module

 Six month subscription to Q-Link, the telecommunications service and Q-Link's Public Domain Software Library from Quantum Computer Services

· Twelve month subscription to Compute!'s

6. Judging will be performed by the staff of Compute!'s Gazette Magazine. The decisions of the judges are final in all respects. This includes decisions regarding creativity, similarity among entries and general suitability.

Entries become the property of Berkeley . Softworks, which reserves the right to adapt, use or publish all entries received. Entries may become part of a "shareware" library to be distributed by Berkeley Softworks, Compute!'s Gazette and Quantum Computer Services. As part of each

The GEOS Programming Contest.

you're most proud of-on disk-by August 31, 1988. There are four categories, each with an Applications1 and Desk Accessories2 winner. Which means that there are eight first prizes. Eight second prizes. And eight thirds.

And each prize consists of lots more prizes

We may not be the only ones writing checks.

And that's only where the bucks start. Because if your program makes it into a GEOS Shareware Library, all kinds of satisfied users may be writing you checks.

So boot up and get down to pumping out your most professional GEOS program. Then send it in with the information required below. Who knows? We could be sending a check right back to you.

 Applications are identified by the GEOS Application File Type, are entered from and exit to the deskTop and conform to the GEOS user interface.

2. Desk Accessories are defined as programs which are less complex than applications, are identified by the GEOS Desk Accessory File Type, may be entered and pop-up within any application and upon exiting return the application to its prior state.

Categories

ENTERTAINMENT - Includes entertainment and games. For example, a Chess game (Applications Division) or a trivia game (Desk Accessories Division). EDUCATION — Primarily educational and instructional. For example, a world geography program (Applications Division) or a flash card program (Desk Accessories

PRODUCTIVITY — Designs that improve personal productivity. Examples include an "outline processor" (Applications Division) or a scientific or financial calculator (Desk Accessories Division).

OPEN PROGRAMMING - Open design category that includes programs not covered in other categories. Examples include disk utilities, printer and input drivers and telecommunications programs.

Over \$25,000 in cash and prizes!

Eight First Prizes!

- \$1,000 cash
- Announcement in Compute!'s Gazette Magazine
- Complete library of C64 or C128 GEOS

Gazette magazine Eight Second Prizes!

- · Announcement in Compute!'s Gazette
- Complete library of C64 or C128 GEOS applications from Berkeley Softworks
- Commodore peripherals: 1670 1200 Baud Modem and your choice of a 1764 or 1750 RAM Expansion Module or 1351 Mouse
- . Three month subscription to Q-Link, the telecommunications service and Q-Link's Public Domain Software Library from Quantum Computer Services
- · Twelve month subscription to Compute!'s Gazette magazine

Eight Third Prizes!

- · Announcement in Compute!'s Gazette Magazine
- Your choice of any five C64 or C128 GEOS applications from Berkeley Softworks
- Commodore peripherals: 1670 1200 Baud Modem and your choice of a 1764 or 1750 RAM Expansion Module or 1351 Mouse
- Three month subscription to Q-Link, the telecommunications service and Q-Link's Public Domain Software Library from Quantum Computer Services
- Twelve month subscription to Compute!'s Gazette magazine

Official Rules

- Employees of Berkeley Softworks, Quantum Gazette Magazine, their advertising and promotional agencies and their immediate families are not eligible to enter the contest.
- Each entry must be your original work, previously unpublished in any form. All those programs accepted will be required to affirm this in writing.
- Contestants may enter multiple categories, but may only submit one entry per category per division (e.g. one entry in the Entertainment category Applications Division, and one entry in the Entertainment Desk Accessories Division). Regardless of the number of categories you enter, you will only be eligible to win one prize.
- Deadline for entries is August 31, 1988. Mail
 entries to Computel's Gazette, P.O. Box 5406,
 Greensboro, NC, 27403
 Attn: GEOS Programming Contest.
- Acceptance of an entry shall not create any implication that the entry has been received and reviewed by Berkeley Softworks or has been used in any way in product development.

Berkelev

submission, contestants should include in the program their name, address and a "user fee" amount for satisfied users to send a discretionary payment.

8. Entries may be written in any programming language but must be a GEOS based program supporting the GEOS file structure and be executable from the GEOS deskTop or a GEOS application.
Whichever language is chosen, the code must be a
self-standing program that can be run by someone
who does not own the language. We must be able to legally distribute the program without incurring licensing fees or any other obligations to the maker of the language.

9. Entries must be submitted on 5.25" floppy disks in 1541/1571 format. The following should be clearly marked on both the printout and the disk:

A. Contestant's name, audices and B. Category and division for the entry.
C. Intended use for the program. Contestant's name, address and phone number.

10. Entries must be accompanied by a description which explains how to use the program and what it does.

This contest is void where prohibited by law. 1. All federal, state and local taxes are the sole responsibility of the winners.

General Conditions

- Entries will be judged on creativity, originality, interface consistency with other GEOS programs and error-free quality of the code.
- quality of the code.

 Make sure your mailer will protect your disk from damage. Affix sufficient first class postage. Mail your printout, disk and official entry blank to the above address in time to reach Compute!'s Gazette Magazine before the August 31, 1988, deadline.

 Winners will be announced by October, 1988.

Sponsored by Berkeley Softworks

Name	
Phone	
Address_	
City	
State	Zip
Age	
SIGNED FORM: I warrant that t inal work and that eration elsewhere form. If my work decision as to the is final and withou by entering this of Berkeley Softwor a shareware librar	TENTRY MUST INCLUDE THIS the program presently entitled is my own orig the work has not been submitted for consid- not has it been previously published in any is accepted by you, I understand that your selection of winners and awarding of prizes t recourse on my part. I understand that nitest, my entry becomes the property of ks and in the event my program is included it y, I will be required to sign a standard releas a are under 18, your parent or legal guardian)

The brightest minds are working with Berkeley.

Mob Maker

A Professional-Quality Sprite Editor For The 64

Bruce Thompson

"Mob Maker" is the closest thing we've seen to a perfect sprite editor. It offers many advanced features—and is a must for animators and game designers. For the 64 with disk drive.

Sprite editors for the 64 have been around almost as long as the 64 itself. "Mob Maker," a sprite editor that takes its name from an early term for sprite (movable object block), distills the best features of the most popular sprite editors and adds a few of its own.

If you use "Sprite Magic" (GAZETTE's most popular sprite editor, published in the August 1984 and 1987 issues), you'll find that many of the commands have been retained. You'll also be happy to discover that Mob Maker is file-compatible with Sprite Magic.

But Mob Maker goes beyond Sprite Magic. It lets you view eight sprite definitions at a time—a great boon to animators. The sprite definitions can be moved around to help you design the combined sprites that are often used in commercial games. Mob Maker also features advanced data-block control. For instance, you can easily copy a group of sprite definitions from one area to another.

This is one tool that game designers won't want to be without.

Typing It In

Mob Maker is written in machine language, so you'll need to enter it with "MLX," the machine language entry program located elsewhere in this issue. When MLX prompts you

for starting and ending addresses, respond with the following values:

Starting address: 0801 Ending address: 1D10

When you've finished entering the program, be sure to save a copy to disk before leaving MLX.

Although Mob Maker is written in machine language, it can be loaded and run just like a BASIC program. When you're ready to use Mob Maker, plug a joystick into port 2, load the program, and type RUN. You'll see the Mob Maker editing screen (see photos).


Mob Maker does not clear out the sprite definition area, so you will probably see garbage on the editing grid. Press SHIFT-CLR/ HOME to clear out the sprite.

Your First Sprite


At the top of the screen you'll see eight sprites. When Mob Maker is first run, all eight sprites use sprite definition number 16. The first sprite (sprite 0) is the active sprite. The active sprite's definition number blinks to show you that it is active.

You'll notice that each sprite is in a different color. These are the computer's default colors for its eight sprites. We'll discuss color in more detail below.

Now let's get to work. If you haven't done so yet, press



"Mob Maker," is a sprite editor packed with advanced features. Above, all eight sprites show the same image, a basketball.



A second sprite has been designed—this one with arms, legs, and a face.

SHIFT-CLR/HOME to clear the grid. The drawing grid turns blue and sprite definition block 16 is cleared. The flashing square at the top left corner of the grid is the cursor. Use the joystick to move the cursor around the grid. Note that the cursor wraps around the edges when you move off of the grid.

Press the fire button to plot a point in the grid. You should see the point appear in each of the eight

sprites. You can draw continuous lines by holding down the fire button while moving the joystick. In order to erase a pixel or a line, press the 1 key and draw. Turn the pen back on by pressing 3.

Draw a shape (perhaps the first letter of your name). You can use this shape to test Mob Maker's

commands.

Mirroring And Moving

Press SHIFT-F. This key mirrors the sprite horizontally. The F key flips the sprite upside down. Now try pressing the left- and right-cursor keys to scroll the sprite one pixel at a time. The up- and down-cursor keys scroll the image vertically.


Loading, Saving, And **DATA Statements**

After you've drawn all the sprites you need, save them by pressing SHIFT-S. A window opens with a prompt that asks for the starting and ending page numbers for the data you want to save. The joystick or the cursor keys can be used to select numbers. Press the space bar to enter a number. Next, you'll be prompted for a filename. Be sure not to use quotation marks in the filename. If you decide not to save your sprites, press RETURN to leave the window.

Once you have saved your file, you can load it again by pressing SHIFT-L. You'll see the "NAME/ RETURN=EXIT" prompt. Type in the filename (again, omitting the quotation marks), and then press RETURN. If you include the quotation marks or type in the name of a nonexistent file, the red busy light on the drive will flash and the program will return you to the screen as it was before the attempted LOAD. If you simply press the RE-TURN key without typing anything, the window disappears. If you forget a filename or just want to examine the files on the disk, press SHIFT-4(\$) to see the directory. Press any key to scroll through the directory; then press RETURN to close the directory window.

In order to be compatible with SPRITE MAGIC, all data will load into the sprite editor starting at page 16. Be sure to move or save any shapes defined in this area.

BASIC DATA statements can be created and saved to disk by pressing SHIFT-D. The same number-entry system (using the cursor, joystick, and space bar) is used in the SHIFT-D command. You'll probably have to renumber your DATA statements in order to merge them with your BASIC program, since they start at line 1 and increment by 1. An easy way to do this is with "MetaBASIC," GAZETTE's most popular programming aid, published in the April 1985 and February 1987 (enhanced version) issues.



"Mob Maker" lets you move the sprites anywhere on the screen. Here, two sprites are overlapped to create a two color hi-res human basketball (see third sprite from right at top of screen).

The Sprite Pointer

After you've loaded the newly created and saved file, the eight displays across the top of the screen should all be pointing at sprite page number To change the sprite definition of the active sprite, use the + and keys. When you hold down the SHIFT key, all eight sprite pointers (not just the active ones) are incremented or decremented.

Selecting Sprites

The active sprite can be changed at any time with the function keys. Press f1 to select sprite 0, f2 for sprite 1, and so on. When you work on animated sprites, you'll probably want to see how a sequence of sprites look together. To do this, use the function keys and the + and keys to change the pointers to a sequence. For instance, make sprite 0 point to definition 16, sprite 1 point to 17, sprite 2 to 18, and so on.

Cursor Velocity

Press V to change the cursor speed (velocity). A window will open and ask for the new speed, which can range from 1 to 9. The fastest speed is 1, and the slowest is 9. The cursor velocity affects the drawing speed and also the speed at which the definitions change when you hold down the + or - keys. This feature lets you preview animation at various speeds with the + and - keys. To return to normal speed, change the velocity to 5, the default.

Moving The Sprites

The sprites displayed across the top of the screen can be moved. Begin by pressing Z. Next, enter the number of the sprite you wish to move. (As usual, pressing RETURN will allow you to exit and close the window without changing anything). To confirm your selection, press the space bar or the fire button. Use the joystick to move the sprite wherever you like. Press the fire button to enter the sprite's new position.

After you've worked with Mob Maker a while, you'll find several reasons for moving sprites. By moving one on top of another, you can draw hi-res, two-color sprites. By moving sprites next to or above each other, you can create the giant sprites used in many commercial games.

Expand Mode

Press X to expand the active sprite horizontally. Press Y to expand it vertically. Press the key again to return the sprite to its normal size. By holding down the SHIFT key and pressing either X or Y, you can change the size of all the sprites.

Killing The Grid

At times, the drawing grid can be distracting. Press SHIFT-W to "wipe" the grid. Press W to bring it back.

Using The Buffer

Working with animation effects often requires designing a series of frames, with each successive frame changing the position of the image slightly in order to create the illusion of movement. To save a frame to the buffer, press the I (Into Buffer) key. The buffer holds one page of sprite data. To practice using the buffer, set one of the sprites to 16 with the + or - key. Then press I. A window will flash open briefly with the message CURRENT DATA SAVED. Advance the pointer to the next sprite pointer and press O (Out of Buffer). This will replace the contents of the current page number with the shape in the buffer. This new image can be edited to become the next frame in the animation sequence, and then be stored in the buffer, with the process repeated to create the effect of movement.

Working With Color

There are two sprite modes: hi-res and multicolor. Let's start with the hi-res mode, the mode we have been in up to this point. To change the color of one of the sprites, press the C (Color) key. A window opens that reads:

CHANGE COLOR OF 1=BACKGROUND 3=SPRITE COLOR RETURN = EXIT

Press the 1 key, and you'll be prompted to enter a color key. You can select one of the 16 available colors, entering the new color in the usual way, by pressing either the COMMODORE key or the CON-TROL key together with one of color keys at the top of the keyboard. Of course, if you happen to select a background color that is the same as the foreground color, the image on the grid will disappear. Press C again, this time selecting 3 at the prompt. Enter a new pen color. If the screen color clashes with some of your selections, you can change it by pressing S (Screen Color) until you get a pleasing color.

Press M to enter multicolor mode. Then either load one of your saved sprites or draw a new shape. This shape will appear in multicolor. Pressing SHIFT-M will set all eight sprites to multicolor. Notice that in multicolor mode the pixels along the x-axis expand to twice their normal size. Multicolor mode is a tradeoff; you trade half the resolution for four times as many colors. Sprite Magic users will be happy to note that Mob Maker performs all operations correctly in multicolor mode-even the horizontal flip.

Press the C key to experiment with changing colors. A window offering the following choices will open:

CHANGE COLOR OF 1=BACKGROUND 2=M.C.0. [01] 3=SPRITE COLOR 4=M.C.1 [11] RETURN = EXIT

The background option works the same way that it does in the hi-res mode. Pressing 3, the sprite color

Mob Maker Quick Reference

C	color assignment
D	shifts sprite down one pixel
DEL	deletes current sprite
HOME	moves cursor to upper right of design grid
I	stores current sprite in buffer (buffer holds one sprite)
L	shifts sprite one pixel to left
M	toggles multicolor
0	gets sprite from buffer
Q	quit—exit to BASIC
R	shifts sprite one pixel to right
S	advances screen color
U	shifts sprite up one pixel
F	toggles mirroring (left/right flip)
f1-f8	select sprites 0 to 7
V	sets display and cursor movement velocity
W	brings back grid
X	toggles x expand
Y	toggles y expand
Z	allows sprite display (0 to 7) to be repositioned anywhere
	on the screen
+	increments sprite pointer
	decrements sprite pointer
5	disk directory
SHIFT-CLR/HOME	clears out current sprite
SHIFT-F	toggles vertical flip
SHIFT-R	reverses on and off bits
SHIFT-+	increments all sprite pointers
SHIFT	decrements all sprite pointers
SHIFT-W	wipes out grid for clear view of sprites
SHIFT-X	toggles x expand all
SHIFT-Y	toggles y expand all
SHIFT-M	toggles all multicolor on
SHIFT-L	loads sprite data (does nothing if file not found)
SHIFT-S	saves sprite data in a binary file
SHIFT-D	makes DATA statements and saves them to disk
SHIFT-INST	inserts blank data block at current sprite number

copies sprites to other locations

option, affects color changes for the current sprite only. Make some color changes using this option. Notice that only the current sprite is affected by the changes you made. Now press C again and select option 2 or 4 when the window appears. Note that when you change colors using these options the color changes in all of the eight sprites. Both options 2 and 4 work in this manner. This means that in the multicolor mode each sprite can have four colors—one is unique, one is the background color (transparent), and the other two are shared by all eight sprites.

Moving Data Blocks

SHIFT-C

You have already used the Clear command (SHIFT-CLR/HOME). The Delete command works somewhat differently. If you press the DEL key, the current page of sprite data is erased and the rest of the sprite pages are renumbered to fill the gap left by the deleted sprite. This can be useful when you want to remove a sprite from an animation sequence.

The Insert command (SHIFT-INST) inserts a blank data block at the current sprite number. The other sprites are renumbered and move up by 1. (Sprite 255 is lost.)

The Copy command (SHIFT-C) copies a range of sprites to other locations. A window opens to prompt you for the starting page number, the ending page number, and the number of the page to which the data is moved. Numbers can be entered with the cursor keys or the joystick. The left-/right-cursor key increments numbers by 10, while the up/down key increments by 1. Press the space bar to enter the selected numbers.

Quitting The Editor

Pressing Q will allow you to quit and exit to BASIC. You can reenter Mob Maker from BASIC by typing RUN again. However, if you have loaded a BASIC program or a DIRECTORY while in BASIC you must reenter by typing SYS 2106.

See program listing on page 83.

1541 Speed And Alignment Tester

Ross Ouwinga

Your disk drive is probably the most important peripheral you own. Since it contains precision mechanical parts, it's also the most likely to cause problems. "1541 Speed And Alignment Tester" helps you track down those problems. For the Commodore 64 and 1541 drive.

For most computer users, a disk drive is a critical component of the system—it's the primary means for loading and saving programs. Without it, most types of computing would be impractical, if not impossible.

When your 1541 disk drive malfunctions, "1541 Speed And Alignment Tester" can help you discover just what the problem is.

1541 Tester analyzes the most critical functions of the disk drive and provides you with important information via display on your monitor. With just a glance, you'll see how fast your drive is running, how far off the alignment is, and how well it reads each track of a disk. It even tells you how well it reads between tracks. Once this information is displayed in front of you, you should have no trouble deciding if a problem is serious and requires a trip to the repair shop. Knowing what's wrong with your drive can save you a lot of time, trouble, and money.

Common Problems

The 1541 is a relatively reliable disk drive. Its mechanism is rugged and can tolerate a considerable amount of abuse. However, nothing is perfect, and there are times when something in the 1541 fails. Typical

problems can be caused by a corrupted disk, a broken or maladjusted mechanism, or faulty electronics. All of these can cause intermittent load and save problems. In extreme cases, the drive will not function at all.

If your drive does not operate at all, turn the drive off and then back on. Next, check the power cord—both at the outlet and at the back of the disk drive—to make sure it's plugged in tightly. If this fails, check for a blown fuse in the back of the drive. Replace the fuse, if necessary, with one of the very same rating.

If none of these steps solves your problem, something may be wrong with the internal electronics of the drive. If when the power is turned on, the red light comes on and stays on or begins flashing, it is almost certain to be a serious electronics problem. Anytime the problem involves internal electronics, you'll have to take it to a repair shop.

Distinguishing other problems usually is not quite as easy. In most situations, a problem results in the familiar read error symptoms—the red light flickers and the drive makes a clattering noise. The program may take longer than usual to read or save, or the disk drive will abort the procedure altogether and start flashing the red light to indicate

an error has occurred. You can easily find out what this error is by running the following short program:

10 OPEN 15,8,15:INPUT#15,A,B\$,C,D:

0 OPEN 15,8,15:INPUT#15,A,B\$,C,D CLOSE15:PRINT A;B\$;C;D:END

The error is convenient to know at times, but generally it is not sufficient to let you know the real source of the problem. These types of errors may occur if a disk is corrupted, the drive is rotating the disk at the wrong speed, the head isn't aligned properly, or even if the drive is operating in an electronically "noisy" environment. Since these problems all have nearly identical symptoms, a program like 1541 Tester is necessary for providing you with additional information to help pinpoint the problem.

Typing It In

Since the program is written entirely in machine language, type it in with "MLX," the machine language entry program found elsewhere in this issue. After loading and running MLX, answer the prompts for starting and ending addresses with the following:

Starting Address: 0801 Ending Address: 13D0

Type in Speed And Alignment Tester and save it to disk. If you have a tape drive, you should also save a copy on tape. This allows you to load the program if your disk drive is not functioning well enough to load it from disk.

To load the program from disk, type LOAD"filename", 8. If you're loading from tape, type LOAD"filename". When you're ready to run

the program, type RUN.

The title screen appears, followed by a short delay while a program is being written to the disk drive's RAM. When this is done, the menu is displayed and you're prompted to select either the speed test or alignment test option.

Up To Speed

The speed test checks how fast the disk is spinning when the disk drive is reading and writing. The speed can fluctuate somewhat without causing any problems. However, there are limits, and some programs—particularly those with copy-protection—are more sensitive to speed variation than are others. Normally, a disk should rotate at about 300 RPM (Rotations Per Minute). This should not vary by much more than one or two RPM. If it does, a read or write error may result.

To check your drive's speed, load and run the program. When the main menu appears, press the 1 key. You'll be prompted to insert a blank disk. This disk may be formatted or unformatted, but make sure the write-protect notch is uncovered. The speed test writes to the disk, but it uses an area of the disk that normally isn't used by the 1541. If you have data on the disk, it won't be destroyed; however, to be absolutely safe, use a disk that has nothing important on it.

After inserting a disk, press any key to continue. The speed data screen appears. After some calculations are completed, the speed is displayed along with the difference between it and the ideal speed of 300 RPM. The difference also includes a plus (+) sign and a minus (-) sign. A plus indicates the disk is spinning too fast and a minus indicates it is spinning too slowly. If the speed is within tolerance, it's displayed in green. If it's a little out of tolerance, it's shown in yellow. This indicates only a slight problem. If the speed is far enough out of tolerance, it's shown in red.

If the speed is in the red, your drive can still save and load programs without error, but you may have difficulty reading disks formatted on another drive. For this reason, it's recommended that you have your disk drive adjusted if it consistently runs in the red.

The speed is continuously recalculated and displayed, and it isn't unusual for the speed to fluctuate somewhat as the disk drive runs. This is nothing to worry about-some disk drives are better than others, and even the disks themselves cause some variance in speed, depending on the amount of friction they produce. If the disk drive's speed is normally good, but a certain disk causes the speed to drop out of tolerance, that particular disk should not be used. Also, the speed may vary if the drive belt inside the disk drive is slipping. This is not uncommon, especially on older or well-used disk drives. If this is the case, have the belt replaced.

To stop the speed test, press any key. It may be necessary to press a key more than once to stop the program since the program communicates constantly with the disk drive and may miss some key presses.

The Line Up

To begin the alignment test, press option 2 when the main menu is displayed. You're prompted to insert an alignment test disk, and then a new menu of options is listed.

The disk used for an alignment disk may be any formatted disk. For accurate alignment testing, it's important that the disk be formatted on a disk drive that has near-perfect alignment. The closer the alignment disk is to true alignment, the more accurate the test. A commercially produced disk (such as COM-PUTE!'s Gazette Disk) is ideal. Do not use a copy-protected disk; the alignment test program does not write to the disk, so it isn't likely that any of the programs on the disk will be altered. However, if any of the programs on the disk are important, make a backup of the them before you use the disk with the alignment test program.

After the alignment disk is inserted into the disk drive, the alignment test is started by pressing the space bar. You should see a data screen with two sets of four columns. The columns are labeled "Track Being Read," "Track Actually Read," "On Track Readability," and "Between Track Readability." As the program runs, the data appears under these headings one track at a time.

The first column is labeled |

Track Being Read. The data in this column shows you the number of the track that's being tested by the program. It always begins with track 1 and ends with track 35. This is the standard 1541 disk format and doesn't change, regardless of what is actually on the disk and whether or not the disk drive is in alignment.

Before the data appears for track 1, the program goes through a rather involved procedure to determine the position of the read head. It then moves the head down, past track 1 and against the head stop. If the program is successful in figuring the position of the head, there should be a light "click" sound when the head hits the stop. If it's unable to figure the head position, a little extra head banging may be heard. This is a last resort for the program and is very unusual, but it may occur if the disk drive is severely out of alignment or if you accidentally used an unformatted disk.

The second column is labeled Actual Track Read. This is the number of the track that is actually under the read head. There is data on each track of a formatted disk that indicates which track is being read. The alignment program tries to read this data and displays the track number in column 2. Track 1 is the first track that should be read since it's the track that should be under the read head when it's against the stop. For every track, the number that appears in column 2 should be the same as that in column 1. If the numbers are the same, that number appears on the screen in green, indicating that the correct track was read. If the track number read off the disk is not the same as that in column 1, the number is displayed in red. Usually, the numbers in column 2 are all green or all red. It's unlikely that both red and green numbers will be scattered throughout the column.

An incorrectly adjusted head stop is usually the culprit when the track numbers in column 1 do not match those in column 2. The difference between the numbers in columns 1 and 2 tells you how far the stop is out of adjustment. If the difference is 1, the head stop is off adjustment by one track. If the difference is 2, it's off by two tracks, and so on. You can also tell in which direction the head stop is out

of adjustment. If the numbers in column 2 are higher than those in column 1, the head stop is too high and the head cannot move down far enough. In this case, you would never be able to load programs that are saved on the lower tracks. The more common situation is when the numbers in column 2 are less than those in column 1. In this case, the head is allowed to move down too far. This is really no problem when using disks that were properly formatted, because the disk drive is able move the head into position to read all the tracks. Even if the disks are formatted on a disk drive with a head stop adjustment problem, there will be no problem reading all tracks on the disk as long as the disk is used with the same disk drive. A problem arises when the disk is used in a drive that does have a properly adjusted head stop. It will not be able to read the tracks that were formatted too far down on the disk.

Without an alignment tester, a head stop adjustment problem is not easy to recognize. It only shows up when using disks on more than one disk drive, or when the disk starts to fill up with programs. No errors are encountered if the disk isn't very full-programs are saved on the disk beginning at the middle tracks and then they work their way out to either end. Even when the disk drive encounters an error and bangs the head against the stop in an effort to correct the error, as long the head is able to align itself with any track, the drive keeps working. It's nice that the 1541 is capable of adjusting itself, but it's difficult to know that a head stop adjustment has occurred unless you're using a special test program like this one. Once the problem is known to exist, it's a good idea to have it fixed to minimize the chance of running into a serious problem in

The third column is labeled On Track Readability. The data displayed in this column is the most important for determining whether or not the disk drive has an alignment problem. Just as the heading suggests, this is an indication of how well the disk drive is able to read data off the disk for each track. The alignment program attempts to read at least 17 header blocks of data on the track. If it's able to read each header correctly on the first attempt, the readability is 100 percent, which is displayed in green. This is the way it should be for every track if the disk drive is properly aligned.

If it takes more than one attempt to read any of the headers, the number that appears in column 3 will be something less than 100 percent. If it's between the range of 94 and 99 percent, it's displayed in vellow. This means all the headers were eventually read properly, but there was some difficulty. If the number is less than 94 percent, it's shown in red. This indicates that there was difficulty reading one or more headers, and possibly, the disk drive wasn't able to read some headers at all. A well-aligned disk drive should not have any trouble reading all tracks at 100 percent. If this is not the case, try another alignment disk. If the results are similar, there's probably an alignment problem with your disk drive. Before having it realigned, however, move it to a different location, as far as possible from your TV set, monitor, printer, computer, or any other electronic device that might be near by. Electronic interference is probably more common than true alignment problems, and it produces the exact symptoms. If moving the drive makes no difference, you'll need to take your disk drive into the shop for repair.

The fourth column is labeled Between Track Readability. This is very similar to the information given in the third column, except the read head is actually positioned between the tracks. Ideally, the drive shouldn't be able to read any data and the readability should always come up 0 percent. In reality, some of the data from the surrounding tracks bleeds over to the area between the tracks. Even though the disk drive is capable of reading some data between tracks, it would make sense that it would have the most difficulty reading consistent data when it is exactly midway between the two tracks. When it's close to the middle, the numbers should be low; when the head is closer to either of the tracks, the numbers should be higher. In practice, this is true enough to give some useful information, but due to tolerances in the entire mechanism

and in the disk itself, these numbers cannot be considered absolute and should be used for reference only.

In column 4, the numbers change colors at different points than they do in column 3. If the number is 0 percent, the number is displayed in green. This is the ideal condition when reading between tracks. If the number is in the range 1-80 percent, it's displayed in yellow—numbers most commonly fall within this range. If the number is 81—100 percent, the number is made red. Red numbers are less frequent than yellow numbers, but they do appear even on disk drives that work very well. The alignment is best if there are at least a few green numbers. There may be problems if a lot of numbers are red, but don't be concerned if the numbers in the third column are consistently high (green).

You may also notice that some or all of the numbers in the fourth column are followed by a plus or a minus sign. The program counts how many times it reads data from the lower track and how many times it reads data from the upper track. It then displays a "-" or "+" to indicate which track was read more often, and it lets you know which track it is closer to. If a minus sign is displayed, the lower track appears closer. If a plus sign is displayed, the high track appears closer. If the sign is consistant for all the tracks, the head is likely to be on the high or low side, depending on which sign is most dominant. If there is a somewhat equal spattering of plus signs and minus signs, the head is probably pretty close to being midway between the two tracks. If there is no symbol, either both tracks appeared equally close or the program was unable to read enough information off the disk to make the calculation.

Even though the alignment test provides a considerable amount of information on the screen, it isn't difficult to use, especially if you're using a color monitor. If all the numbers in columns 2 and 3 are green, the alignment is good. If you're using a black-andwhite monitor, columns 1 and 2 should be identical, and column 3 should be filled entirely with the number 100 for proper alignment. The disk drive requires repair if columns 1 and 2 don't match, or if column 3 has any numbers below 94 percent. However, before sending the disk drive to be fixed, make sure you try more than one alignment test disk to make sure the disk itself has not become defective.

Operating The Program

It's possible to stop the alignment program and get back to the menu at any time by pressing any key. It may be necessary to press it several times since the computer is constantly communicating with the disk drive and will, at times, ignore the keyboard.

The program stops testing when it finishes testing track 35. Press any key to cause the menu to appear. It's possible to make the testing run continuously by pressing selection A when the menu appears. With this option, the program automatically clears the screen after it reaches track 35 and begins again at track 1. It's necessary to press a key (possibly more than once) to get the program to stop.

Option 1 of the menu causes the read/write head to move to

where track 1 should be. The program then reads the track number off the disk, displays it, and stops. This option is included for those who may use this program to adjust the head stop themselves. This adjustment requires disassembly of the disk drive and includes a significant danger of electrical shock and should not be attempted by anyone not qualified to do so.

To return to the main menu from the alignment test menu, press the f1 key. It's recommended that you return to the main menu and press the Q key to quit the program. This resets and initializes the disk drive to make sure it's ready for the next program.

It's possible to test the alignment of a friend's disk drive without actually having that person's disk drive available. Have the friend format a disk on his or her drive, and then use that disk as the alignment test disk. If the alignment checks out, it's likely the disk drive is properly aligned. If the disk does poorly, it would be wise to run the alignment test program directly on the suspected disk drive before making a decision to have it fixed.

Any disk can be tested for proper formatting, using the alignment test. Just use the disk to be tested in place of the alignment test disk. The data displayed shows you if all tracks are formatted and if they're in the right order. It also shows you, if certain tracks contain errors, whether the readability (column 3) of that track is lower than it should be.

There may be more applications than mentioned in this article. It isn't guaranteed that the program will operate appropriately for any application you dream up, but it does include a number of safeguards to avoid erratic behavior from the disk drive. It's impossible to damage the disk drive by running programs, but it is possible to get it lost. If this is the case, turn the disk drive off and then back on again. Then, type in and run the following short program:

10 OPEN15,8,15,"10:":CLOSE15:END

This initializes the disk drive and repositions the read/write head to its home position.

See program listing on page 88.



128 Math Graphics

Clifton Karnes

If you think math is boring, take a look at the beautiful, symmetrical shapes this program can create on your 128's screen. Using polar geometry and an interesting collection of mathematical functions, "128 Math Graphics" may convince you that math can be fun. A disk drive is required and a color monitor is suggested.


In October 1986, COMPUTE! published "Amiga Math Graphics," and, about a year later, in August 1987, "Math Graphics For Atari ST." The graphics demos were impressive, but both versions were for 16-bit computers with super-high-resolution video. Could math graphics like these be created on an eight-bit computer like the Commodore 128? The answer is yes.

The two programs accompanying this article—"128 Math Graphics Demo" (Program 1) and "128 Math Graphics Tool Kit" (Program 2)—show that the 128's graphics capabilities have to be seen to be believed. Program 1 demonstrates seven math graphics, one after another. Program 2—the Tool Kit—allows you to interactively create, alter, load, and save Math Graphics.

Using The Demo

Since Math Graphics Demo (Program 1) is written entirely in BASIC, type it in, save a copy to disk, set your 128 for 40 columns, and type RUN. The Math Graphics Demo is based on the Amiga and Atari Math Graphics programs, but is customized for the 128. It displays a series of seven graphics on the 128's high-resolution (320 × 200) screen.

The first graphic shape you'll see is a star. This design is followed by a twisted band, a spiral cone, a side spiral cone, spikes, a right oval, and finally, a multilobe. Each graphic uses a different foreground color,



One of the many graphics screens from the demo program (Program 1).



The Tool Kit (Program 2) is a powerful graphics utility that lets you alter, save, and load custom Math Graphic images.

and two are multicolored. If you want to move on to the next graphic before the current one finishes, simply press any key and the demo will begin displaying the next one.

The graphics presented in the demo are interesting and entertaining to watch, but they're just a few examples of what you can create with the 128 Math Graphics Tool Kit (Program 2). The Tool Kit allows

you to experiment with graphic designs. You can change any Math Graphics parameter, load Math Graphics from disk, save your new designs, view the directory, change colors, and more.

Math Graphics Tool Kit

The Tool Kit is a BASIC program, so type it in, save a copy to disk, set your 128 for 40 columns, and type RUN. You'll see a menu of choices marked *a–y*. To give you an idea of how the Tool Kit works and how to experiment using the menu, the following examples show the way the values are used, with each menu item indicated in italics.

FOR T1=PI*e TO PI*f STEP PI/g

FOR T2=PI*h TO PI*i STEP PI/j

RR=a:TT=o+PI/k:GOSUB

POLARX:x1=POLARX

RR=b:TT=p+PI/l:GOSUB

POLARY:y1=POLARY

RR=c:TT=q+PI/m:GOSUB

POLARX:x2=POLARX

RR=d:TT=r+PI/n:GOSUB

POLARY:y2=POLARY

NEXT T2

NEXT T1

POLARX POLARX=RR*COS(TT)+X CENTER

POLARY POLARY=RR*SIN(TT)+Y
CENTER

Let's discuss each menu option. a-d determine the size and shape of the graphic. You'll notice in the demonstration program that these numbers change very little from one graphic to another. It can be interesting, though, to alter these values and see how each one affects the printed graphic.

e. The start of the first theta loop—variable T1 in the example above—this value is usually set to 0, and you probably won't need to change it.

f. This is the end of the first theta loop. If the number 2 is chosen, the

graphic is drawn once. Increasing the number causes the graphic to be redrawn, and decreasing it causes the graphic to be incompletely drawn.

g determines the increment of the loop. It's fun to experiment with this value. The smaller the number, the greater the distance between each line in the graphic; the larger the number, the smaller the distance.

- h. The start of the second theta loop—T2. A second theta loop is needed for some graphics. If you only need one loop, however, you can set the starting and ending values of either this theta loop or theta loop 1 to 0. Just be sure to place the appropriate values in menu choices o-r so that x1, y1, x2, and y2 use the active theta loop.
- i. The end of the second theta loop. Like the first loop's end, this determines how much of the graphic is drawn. A value of 2 is good to use here, also.
- The second theta loop's increment can be changed with option i. This is an interesting value to experiment with. As with g above, the smaller the number, the larger the distance between lines in the graphic.

k-n are the offsets for x1, y1, x2, and y2. Altering these values can produce subtle results. If you don't want an offset, any large value-10,000, for example—will effectively eliminate it.

o-r determine whether x1, y1, x2, or y2 use theta 1 or theta 2 values. Changing these values can make a dramatic difference in the graphics. If you're only using one loop, be sure to set these values to that loop's number.

- s determines the foreground color of the graphic. The background is preset to black. The colors are Commodore's standard screen colorsblack = 1, white = 2, and so on. An easy way to check these colors is to look at the top row of your 128's keyboard. On the front of each key, the top color is the key's number; the bottom color is the key's number plus 8. The Tool Kit reserves the value 0 for something special: multicolor.
- t. By pressing t, you can load any math graphic you've saved with the Math Graphics Tool Kit Save command. It's usually easier to load an existing graphic and experiment by altering its values than it is to de-

sign a graphic from the beginning. u saves the Math Graphic currently on the screen. If you make an error with this command, or with t (to load a graphic), don't worry. The program will notify you of your error, and continue.

v views the disk's directory. To return to the menu, press any key.

w is the most important command in the Math Graphics Tool Kit. You press this key to view any graphic whose values are on your menu. While you're looking at the graphic, you can press any key to return to the menu and save, load, or continue to modify your design.

x returns to BASIC.

y redraws the menu. This command can be useful if the menu accidently scrolls, or becomes corrupted. Pressing y will give you a reformatted screen without altering any of the current graphic's values.

Changing A Graphic

To get an idea of how to use the Math Graphics Tool Kit, load and run it (Program 2). Now enter the following values to create a circular graphic:

a = 115= 85 b = 40

d = 45

- 0 - 1

= 3 = 0

= 2 = 20

10000

= 10000

m = 10000

n = 10000

= 2 = 2

= 1

When you've entered these values and have double-checked them, use option u to save this graphic with the name circles, or something similar.

Now, choose the w option to view this math graphic. If you want to return to the menu before the graphic has finished forming, press any key.

Now we're going to alter two values, and cause a dramatic change in the graphic. Change j from 20 to 3 and f from 1 to 2. Next press w to view the new math graphic. Changing these two values has transformed the circle into a star.

See program listings on page 85.

bug-swafter

- There is a small bug in "Condensed Font" (January). As listed, the program will print CHECK DATA LINES 230-370 and stop. For all versions, add the line 190 X = 0, and the program will work correctly.
- "SpeedScript Justified" (January) works correctly-however, messages are printed to the screen in the same color as the background. To fix this problem, simply delete line 20. (This problem does not occur when the program is loaded from the Gazette Disk menu.)

Special 1988 Issue Corrections

- Euchre: The line following 1255 should be 1260, not 160. The correct checksum should be XQ.
- SolarPix: Line 1330 should read BE 1330 FL=1:IFRIGHT\$(K\$,1)="R
 "THENFL=-1
- Math Dungeon: The line following 630 should be 640, not 60. The correct checksum should be BH.
- Snapshot: In Program 1, the line following 120 should be 130, not 10. The correct checksum should be FX.
- Memo Diary: The line following 1310 should be 1320, not 120. The correct checksum should be BQ.
- The Construction Set: The ending address in the typing instructions for Programs 2, 3, and 4 is incorrect as listed. It should be 77FF, not 7803.
- 128 Instant Keywords: The following changes are necessary for programs 1 and 2 to work correctly.

Program 1:

AE 100 PRINT" [CLR] ": S=DEC ("130 0"):BANK15:FORD=STOS+17 6: READ AS: POKE D, DEC (A\$):NEXT

Program 2:

- HS 30 BANK15:B=PEEK(45)+12+PEE K(46)*256:PRINT"KEYWORD {SPACE}VALUE(S) = "; BD 40 H=PEEK(B):PRINTRIGHT\$(HE X\$(H),2);"";
- Printer Wedge and SpeedScript: These two programs are compatible, but disk users must install the wedge at either location 854 or 679. Tape users must install the wedge at location 679 only. Don't press RUN/STOP-RES-TORE; it disables the wedge. Follow these steps to use the programs together: First, load and run Printer Wedge. Then assign it a location in memory. Finally, load and run SpeedScript without pressing RUN/STOP-RESTORE.

TO SERVICE EVE HIMP

Learn the Basics the NRI Way-and Earn Good **Money Troubleshooting Any Brand of Computer**

The Department of Labor ranks computer service high on its list of top growth fields, with accelerated demand creating more than 30,000 new jobs within the next 10 years.

You can cash in on this opportunity-either as a full-time corporate technician or an independent serviceperson -once you've learned all the basics of computers the NRI way. NRI's practical combination of "reason-why" theory and "hands-on" building skills starts you with the fundamentals of electronics, then guides you through advanced electronic circuitry and on into computer electronics. You also learn to program in BASIC and machine language, the essential languages for troubleshooting and repair.

Total Computer Systems Training, Only From NRI

No computer stands alone . . . it's part of a total system. To really service computers, you have to understand computer systems. And only NRI includes a powerful computer system as part of your training, centered around the new, fully IBMcompatible Sanyo 880 Series computer.

You start with the step-by-step assembly of your Sanyo 880 computer. You build and test the "intelligent" keyboard, install the power supply and 51/4" floppy disk drive, and interface the high-resolution monitor. But that's not all. You go on to install a powerful 20 megabyte hard disk drive-today's most-wanted computer peripheral, now included as part of your total systems training.

With your computer now up and running, you're ready to use the valuable software that completes your total computer system.

No Experience Needed, **NRI Builds It In**

You get practical, hands-on experience



that gives you the skills you need for success. You learn in your own home. No classroom pressures, no night school, no need to quit your present job until you're ready to make your move.

Your training is backed up by your personal NRI instructor and the NRI

technical staff, ready to help you when you need it. You get it all from NRI!

Free 100-Page **Catalog Tells More**

Send the coupon today for NRI's big, 100-page, color catalog on NRI's electronics training, which gives you all the facts about NRI courses in Microcomputers, Robotics, Data Communications, TV/Video/Audio Servicing, and other growing high-tech career

fields. If the reply coupon is missing, write to the address below.

NRI Schools, McGraw-Hill Continuing Education Center, 3939 Wisconsin Avenue, Washington, D.C. 20016.

Your NRI course includes: the

includes: the IBM PC compatible Sanyo 880 computer with 256K RAM • high-resolution monitor • 380K, 5½" floppy disk drive • 20 meg hard disk drive • "intelligent" keyboard • NRI Discovery Lab for circuit design, tests • digital matter • digital logic probe • GW-BASIC, h multimeter • digital logic probe • GW-BASIC, MS-DOS, WordStar, CalcStar software—and more.

SEND COUPON TODAY FOR FREE NRI CATALOG!

SCHOOLS SCHOOLS	
McGraw-Hill Continuing Education 3939 Wisconsin Avenue, NW, Wash	
CHECK ONE FREE CATALOG ONLY	☐ Electronic De
☐ Computer Electronics	☐ Industrial Ele
☐ TV/Video/Audio Servicing	□ Communicat

Electronic Music Technology

☐ Satellite Electronics
 ☐ Digital Electronic Servicing

sign Technology ctronics ons Electronics

Basic Electronics ☐ Bookkeeping and Accounting ☐ Building Construction

☐ Automotive Servicing

check for details.

For Career courses approved under GI Bill

Air Conditioning, Heating & Refrigeration Small Engine Repair Electrician

Locksmithing & Electronic Security Travel Careers

Telephone Servicing Paralegal

Name (Please print)	Age
Street	

City/State/Zip We'll give you tomorrow. Accredited by the National Home Study Council 153-038

Periscope

A Disk Editor For The 128

Robert Bixby

Want to get a close-up look at what's on your 128 disk? Need to fix a file? Then try "Periscope," a short but powerful 128-mode disk editor for the 1541, 1571, and 1581 disk drives.

Two weeks ago, my trusty 1541 disk drive bit the dust. It had been through 2½ years of daily service, so I couldn't complain. I had never needed to realign it. In fact, I never even cleaned it. It had traveled hundreds of miles and read hundreds of disks—small wonder that I had begun to think of it as indestructible.

When my 1541 passed away, I got two new drives—a 1571 and a

1581. I also got an unexpected headache.

The Problem

I use three programs almost exclusively: GEOS, SpeedScript, and my assembler. While GEOS performs flawlessly on my new drives, and SpeedScript is as powerful as always, my assembler constantly argues with the 1581. It scrambles

files, places weird entries in the directory, and just generally misbehaves.

I still haven't figured out what the problem is, but along the way I wrote "Periscope," a simple sector reader and editor for the 128 that works with all three Commodore disk drives.

The Solution

In 128 mode, type in and save a copy of Periscope. Because you can seriously damage the information on your disks if you enter the program incorrectly, be sure to use the "Automatic Proofreader" program, found elsewhere in this issue, when you type in the program. When you first use the program, try it on a scratch disk to be sure it's operating properly.

When you are ready to use Periscope, be sure that you are in 40-column mode and then load and run the program. You will be prompted to enter the type of drive you're using. Press A for a 1581, B for a 1571, or C for a 1541.

Finding Your Way Around Commodore Disks

Dale McBane, Assistant Technical Editor

When you type LOAD"filename",8, BASIC tells the disk drive that it wants a file called filename and then it sits back and waits for the data to arrive. How does DOS (the disk operating system) know where to look for filename? To answer this question, let's look at a little background on how Commodore disks are arranged.

Commodore disks can be divided into three basic groups: 51/4inch single-sided disks, 51/4-inch double-sided disks, and 31/2-inch double-sided disks. Of these, the 51/4-inch single-sided format is by far the most common. Single-sided Commodore disks, those formatted on the 1541 or the 1571 in singlesided mode, have 35 concentric tracks numbered from 1 to 35. Track 1 is near the outer edge of the disk and track 35 is near the inner hub. Because the outer tracks are longer, they have more sectors than the inner tracks. Tracks 1-17 have 21 sectors each. Tracks 18-24 have 19 sectors, tracks 25-30 have 18 sectors, and tracks 31-35 have 16 sectors. Sectors are numbered from

0 to n-1, where n is the number of sectors in the track. Double-sided disks, those formatted on the 1571 in native mode, are like singlesided disks except that they have an additional set of concentric tracks on the flip side of the disk. Tracks 1-35 are on side 0 and are nearly identical to tracks 1-35 on a singlesided disk. Tracks 36-70 are on side 1 with track 36 near the outer edge and track 70 near the hub. The 31/2inch format of the 1581 is physically very different from either of the 51/4-inch formats, but it's similar logically. As far as the computer is concerned, 31/2-inch disks have 80 tracks with 40 sectors per track.

When the disk drive receives the request for a file, it goes to the directory to find out where the file is located. On 5¼-inch disks, the directory is on track 18. On 3½-inch disks, it's on track 40.

The directory contains the information that DOS needs to manage the files on the disk. When DOS needs information about the disk currently in the drive, it goes first to sector 0 of the directory

track. The first two bytes of sector 0 point to the first sector of the directory, usually track 18, sector 1 for 51/4-inch disks or track 40, sector 1 for 31/2-inch disks. Each directory sector contains eight directory entries and a pointer to the next directory sector. Each directory entry contains a byte indicating the file type, a pointer to the first sector of the file, the filename, and the number of blocks in the file. For relative files other information, such as a pointer to the first side sector and the record size, is also included. If you use GEOS, then even more information is squeezed into the directory entry.

To find a file, DOS goes to the first directory sector and looks at the filename in each entry to see if it matches the one it's looking for. If the filename matches, DOS follows the pointer to the file itself and begins sending the data to the computer. If it doesn't find the file, DOS follows the pointer to the next directory sector and looks at each entry there. If DOS searches all the directory sectors and still doesn't find the file, it returns a FILE NOT FOUND error.

In order to trace a file, you'll need a sector editor that can display the character representations of the Next, you'll be prompted for the device number of your drive. To choose the default value of 8, press RETURN. Otherwise, enter the correct device number and then press RETURN.

You should see Periscope's menu:

c-Continue

e—Edit

n-New

b-Back

q-Quit

Since Periscope is best used to trace programs or text files (which are linked by the first two bytes in the sector), Continue is a very useful command. When you press C, Periscope calls up the next sector in the file. When you reach the file's final sector, Continue will have no effect.

The New and Back commands are also used to read sectors. Use the Back command to trace backward from the current sector. This works only when you have used the Continue command to progress through at least two sectors. The

Back command is not able to take you to the sector at which you started. The New command lets you jump to any place on the disk. It will ask for the track and sector number.

The only way to exit Periscope is by choosing the Quit command. This will reset the drive and your computer to their default configurations. Note that the RUN/STOP key is disabled to keep you from breaking out of the program.

Editing Your Disks

The most powerful (and dangerous) of Periscope's commands is Edit. You'll probably want to use this command only with a copy of a disk. With Edit, you can change messages, alter directories, edit text files, correct damaged sector links, and do much more.

Edit displays the current sector on the screen. Use the cursor keys to move the cursor through the data. You will notice that there are two numbers displayed just below the sector data itself. The first number is the value under the cursor. The second number is a two-byte value obtained from the byte under the cursor and the byte immediately following it. As you move the cursor around the screen, these values will change automatically. The data can be changed simply by typing over it. Two keys end Edit mode: RETURN saves the modified data to disk, and ESC takes you out of edit mode without saving the changes you made.

While in edit mode, you can move throughtout the sectors of a file. To do this, move to the first byte of data on the screen and press Alt-C. You'll move to the next sector of the file. Press Alt-B to go backward. If there is a track and sector pointer within a sector (as is the case with the sectors that hold the directory), you may move the cursor to the first byte of the pointer and use Alt-C to move to that sector.

Periscope is a powerful program. Be careful when you use it.

See program listing on page 92.

data in a disk sector. If the editor you are using can also follow sector pointers or pointers under the cursor, or if it can display the numeric value of the data, so much the better.

Begin your trace by doing the same things that DOS would do. First go to the first directory sector. For 51/4-inch disks, this is almost always track 18, sector 1. For 31/2-inch disks, track 40, sector 1. You should be able to see eight filenames scattered throughout the displayed sector. If you are tracing a GEOS file, you may have difficulty recognizing the filenames. That's because GEOS uses standard ASCII instead of Commodore ASCII. If the file you want to trace isn't in the current sector, follow the pointer in the first two bytes of the sector to the next directory sector. Keep searching directory sectors until you find the file. Next, look at the third byte before the filename of your file. This is the file type identifier byte. The following table shows the character and numeric representation for each of the different file types. If the file you are tracing has been scratched, you can easily "unscratch" it by changing the file type identifier byte to a value other than 0. Be sure to change it to one of the values in the table above or your

Numeric	File Type
0(\$00)	Scratched file (pointers may not be valid)
129(\$81)	Sequential
130(\$82)	Program
131(\$83)	User
132(\$84)	Relative
133(\$85)	CBM (1581 only, partition area)
193(\$C1)	Sequential locked
194(\$C2)	Program locked
195(\$C3)	User locked
196(\$C4)	Relative locked
197(\$C5)	CBM locked (1581 only)
	0(\$00) 129(\$81) 130(\$82) 131(\$83) 132(\$84) 133(\$85) 193(\$C1) 194(\$C2) 195(\$C3) 196(\$C4)

(The character representations for locked or unlocked sequential, program, user, relative, and CBM files will appear in reverse video.)

disk drive may become confused.

The two bytes just before the filename in a directory entry point to the first sector of data for the file. The first byte is the track, and the second is the sector. Follow the pointer to the file by either moving the cursor over the first byte of the pointer and executing the command to follow the link under the cursor or by examining the bytes yourself to find the track and sector and manually moving to that sector. Either way you should be looking at the first sector of the file.

As with most disk sectors, the

first two bytes of a data sector are a pointer to the next sector of the file. If the file you are looking at is a program file, the second two bytes of the first data sector are the LOAD address of the file. The remaining bytes are the data of the file itself. Of course, some of the more complicated file types, such as random files and relative files, have a somewhat different file structure, but most Commodore files are arranged this way.

With this information under your belt, you should be able to unscratch a file, change a file's type, or even find the load address of a file. For more information about Commodore disk drives, check the user's guide that came with your drive. Two very helpful books on the subject are The 1541 User's Guide by Dr. Gerald Neufeld (published by Brady), and Inside Commodore DOS by Dr. Richard Immers and Dr. Gerald Neufeld (published by Reston).

A disk sector editor can be a wonderful tool for reconstructing damaged disks, but if you're not careful, you can use it to turn your disk into a scrambled mess. Extreme caution is essential. Always work on a *copy* if you're trying to recover data from a damaged disk.

64 Keyboard Enhancer

Vivek Jhaveri

Add the power of the 128's editing functions to your 64 with this dynamic program. A customizer program is also included to let you tailor it to your needs.

The Commodore 64 has a good screen editor, but the 128 has shown us what a great screen editor is like. While the 64's editor provides the essentials and little more, the 128's editor has plenty of useful features to make life much easier. The ESC key, for example, adds 27 editing and screen control enhancements when used in conjunction with various keys. Also, the function keys can be easily redefined, so typing frequently used keywords is made simple.

"64 Keyboard Enhancer" and "Keyboard Enhancer Customizer" add 21 new features to the 64, including the 128's 11 ESCape sequences, four redefinable function keys, five keys to change colors, and one key whose function can be defined by the user.

Installation

Since Keyboard Enhancer (Program 1) is written in machine language, you need to enter it with "MLX," the machine language entry program found elsewhere in this issue. When you run MLX, you're asked for the starting address and ending address of the data you'll be entering. Here are the values to use for Keyboard Enhancer:

Starting address: C000 Ending address: C48F

Follow the MLX instructions carefully, and be sure to save a copy of the Keyboard Enhancer data before you finish typing. Now, reset your computer by turning it off and on; then load Program 1 using

the syntax LOAD "filename",8,1 (for disk),

or

LOAD "filename",1,1 (for tape),

where *filename* is the name you used when you saved the Keyboard Enhancer data. When the program has loaded, type NEW—to reset important memory pointers—followed by SYS 49152, to start the program.

The Commands

Keyboard Enhancer commands can be used from direct mode or from within a program. When used in direct mode, all commands are preceded by a press and release of the control key. From inside a program, the commands can be used by issuing a SYS command followed by the appropriate address. See the table within this article for a cross reference of commands and SYS addresses. Now let's take a look at each command.

CTRL V and CTRL W scroll the screen up or down by one line, respectively. CTRL V is useful as an alternative to the normal scroll upwards (by two lines). Both CTRL V and CTRL W can be used in conjunction with smooth scrolling. (See the Commodore 64 Programmer's Reference Guide, page 128, for more information on smooth scrolling.) Note that text which scrolls off the screen can't be recovered when the screen is scrolled in the opposite direction.

CTRL P erases everything from the beginning of the current screen row

on which the cursor lies to the position of the cursor. CTRL Q is the mirror image of CTRL P. It erases everything from the cursor position to the end of the current screen row. Unlike ESC P and ESC Q on the Commodore 128, which operate on program lines (sometimes call logical lines), CTRL P and CTRL Q affect screen lines (sometimes called physical lines) only. To understand the distinction, think of a program line that occupies two rows on the screen. The rows spanned by the program line form two physical or screen lines, but only one logical or program line.

CTRL @ takes the idea of CTRL Q one step further and erases everything from the cursor position to the bottom right corner of the screen.

CTRL D erases the current screen line without changing the cursor position. Like CTRL P and CTRL Q, it affects screen lines only.

CTRL J and CTRL K make it easy to move the cursor from one end of the current screen line to the other. CTRL J moves the cursor to the beginning of the current line, and CTRL K moves it to the end of the current line.

CTRL M disables screen scrolling, and CTRL L reenables screen scrolling. CTRL M is useful when you want to put something at the bottom right corner of the screen without scrolling the screen up. Note, however, that CTRL M does not affect the functions of CTRL V and CTRL W. It only affects normal scrolling, not those scrolling functions added by this program.

CTRL O disables Quote and Insert modes. This comes in handy if you want to move the cursor inside a

Keyboard Enhancer Cross Reference Table

Sequence	SYS address	Function
CTRL V	49678	Scroll screen up one line
CTRL W	49500	Scroll screen down one line
CTRL P	49947	Erase to start of line
CTRL Q	49985	Erase to end of line
CTRL @	50089	Erase to end of screen
CTRL D	50043	Erase current screen line
CTRL J	49919	Move cursor to start of line
CTRL K	49933	Move cursor to end of line
CTRL L	50031	Enable scrolling
CTRL M	50037	Disable scrolling
CTRL O	49912	Cancel Quote and Insert modes
CTRL +	50081	Increment border color
CTRL -	50085	Decrement border color
CTRL *	50089	Increment screen color
CTRL ↑	50093	Decrement screen color
CTRL X	50180	Change colors to default colors
CTRL f1	50196	Print stored string #1
CTRL f3	50226	Print stored string #2
CTRL f5	50256	Print stored string #3
CTRL f7	50286	Print stored string #4
CTRL U	50316	User-defined sequence (see text)

quotation without printing reversed graphics characters, as would otherwise happen.

CTRL + and CTRL - increase or decrease the value for border color, respectively. Suppose that the border color is white, which has a value of 1. Pressing CTRL - changes the border color to black, which has a value of 0.

CTRL * and CTRL ↑ adjust screen color. CTRL * and CTRL ↑ increase or decrease its value by 1, respectively.

CTRL X sets the border, screen, and cursor colors to their default values. As written, the program defaults to a blue screen and border, with a cyan cursor. These default values can be changed, if you like, using the Keyboard Enhancer Customizer program (discussed below). CTRL f1, CTRL f3, CTRL f5, and CTRL f7 all cause a stored string of as many as ten characters to print on the screen. As written, the program has no stored strings, but you can store your own strings for these sequences using the Customizer

program.

CTRL U is a user-defined sequence. You can use your own machine language subroutine to determine what will happen when this sequence is pressed. Your subroutine must start at address 50316 and end with an RTS instruction. Then, if CTRL U is pressed, your own subroutine is automatically executed.

To combine your machine language for CTRL U with Keyboard Enhancer, follow these steps:

- Load Keyboard Enhancer using LOAD "filename",8,1 (use ,1,1 for tape); then type NEW.
- Load your own assembled subroutine in the same way. The starting address should be 50316. Don't forget to type NEW.
- · Enter the line

POKE 43,0:POKE 44,192:POKE 45, A-(INT(A/256)*256):POKE46, INT(A/256)

where A is the ending address of your subroutine.

- Type SAVE "filename",8 (,1 for tape).
- Switch your 64 off and on to reset it.
- Load the program that you just saved with LOAD"filename",8,1 (again, use ,1,1 for tape). Type NEW and enter SYS 49152 to start the program.

Now try typing CTRL U. Your own special subroutine should be executed.

Note that if you type CTRL x, where x is any letter that is part of a sequence, and then press x again, the letter won't be displayed. This can be overcome by pressing any other key between CTRL x and x. For example, if you press CTRL P followed by P, the P won't be displayed. However, any intervening keypress allows the P to be displayed. This is not a program bug,

rather a required limitation included for technical reasons. In most cases, it will not present a problem.

Keyboard Enhancer can be disabled by pressing the RUN/STOP-RESTORE combination. It can be reenabled with SYS 49152.

Using The Customizer

Keyboard Enhancer Customizer (Program 2) is written entirely in BASIC. To install it, type it in, save a copy to disk, and type RUN. It allows you to create your own strings for the function-key sequences and for CTRL X, the default colors.

Before you run the Customizer, you need to load the Keyboard Enhancer program itself as you normally would. Don't enable it yet, though, and don't forget to type NEW after you've loaded it.

Next, load and run Program 2. It displays the current function-key strings one by one and asks you for a new string for each. If you don't want to change the string, press RETURN at the prompt.

If you do want to change the string, enter the new string (up to ten characters), using the DEL key to correct mistyped characters. If you want to use RETURN as part of the string, enter a back arrow. The program will interpret this as a RETURN. Similarly, the apostrophe (') will be interpreted as a double quotation mark (''). This is useful if you want to define a function key to execute a command.

Once you've entered all four definitions, the program asks for your default border, screen, and cursor colors. Enter a number between 0 and 15 for each choice. For a complete list of colors and their corresponding numbers, refer to the manual that came with your computer.

Now, the program will end with all your changes in their correct place in memory. To save your customized version of Keyboard Enhancer, type

POKE 43,0:POKE 44,192:POKE 45,A – INT(A/256)*256:POKE 46,INT(A/256)

where *A* is 50317 or, if you've written a machine language subroutine for CTRL U, the ending address of your subroutine. Next, enter SAVE "filename",8 (use ,1 for tape).

See program listings on page 90.

Relative Ease

Jeffrey D. Partch

In spite of their power, speed, and flexibility, relative files have always been difficult to program on the 64, and for this reason, most 64 programmers have avoided them. "Relative Ease" changes all that by making this powerful file type as easy to use as sequential or program files. For the 64 with 1541, 1571, or 1581 disk drive.

Relative files offer far more speed and efficiency than any other file type available for data storage. With almost random access, individual entries in a relative file can be read from, written to, added to, or replaced at will. And since most of the processing chores are handled by the disk operating system (DOS), relative files are less prone to error than other types. In fact, only a handful of computer-based commands are even necessary to manage this versatile file type. BASIC 2.0, however, doesn't provide us with much help.

Relative file management using only BASIC 2.0 DOS commands is tedious and can be intimidating for the inexperienced. Many programmers have taken one look at relative files and given them up completely. This is unfortunate, because the relative file is perhaps the most powerful and fascinating feature of Commodore DOS. Commodore seems to have recognized the problem, because all of its post-64 machines provide DOS commands that greatly simplify using relative files. "Relative Ease" offers these enhancements to 64 programmers. **Getting Started**

Since Relative Ease is written in machine language, you'll need to enter it with the "MLX" machine language entry program found elsewhere in this issue. When you run MLX, you're asked for the starting address and ending address of the data you'll be entering. Here are the values to use for Relative Ease:

Starting address: C000 Ending address: C2AF

Follow the MLX instructions carefully, and be sure to save a copy of the Relative Ease data before you finish typing. Load Relative Ease with the command

LOAD"RELATIVE EASE",8,1

When the READY prompt returns, simply type SYS 49152 to activate the utility and restore some important BASIC pointers. If you want to use Relative Ease from inside a BASIC program, please remember that the startup routine clears all variables.

Relative Files

A relative file is nothing more than an expandable allocation of unused blocks or sectors on the disk. Each block has 254 bytes available for the storage of user-supplied data. DOS assigns these blocks to the relative file as required, allowing the file to grow with the demand.

Side sectors are special ancillary blocks unique to relative files. Each side sector has room for 120 two-byte block pointers that allow DOS to locate quickly the various blocks assigned to the file. As many as six side sectors may be assigned to a single relative file, so in theory, a relative file could expand to include as many as $720 (6 \times 120 = 720)$ primary storage blocks plus six additional side sector blocks (726 blocks total). However, 1541 users are limited to a maximum file size of 658 primary storage blocks, because singlesided disks never contain more than 664 blocks (664 - 6 = 658).

Records And Lengths

Individual entries in a relative file are called *records*, and a single relative file may expand to include as many as 65,535 records. In most cases, the actual number will probably be much smaller. The number of records per file is determined by the limitations of disk space and the size of the record.

Record size—or more specifically, record length—is the maximum number of characters that can possibly be contained in each record. You make the initial decision, but the value is assigned to the file by DOS when it's first created.

DOS allows record lengths to be no less than 1 character and no more than 254. Since one character in every record must be used as an imposed delimiter, this effectively raises the lower limit to at least 2 characters per record. Every record in the file is assigned the same length by DOS.

It should be noted that there are three length values that DOS will not accept: 42, 58, and 63. These lengths are rejected because these numbers have ASCII representations ("*," ":," and "?") with special meaning to DOS. If you accidently use one of the values, you simply get a syntax error.

Here is a short BASIC program that calculates the maximum number of possible records for any given file. To use it, you need to supply the number of free blocks on the disk and the size of the record you intend to use.

milena to use.

20 BF=664:PRINT"NUMBER OF BLOC KS FREE ";BF;

30 POKE211,21:INPUT BF:IF BF>6 64 THEN BF=664

40 INPUT"RECORD LENGTH"; RL: IF {SPACE}RL<1 OR RL>254THEN 40

50 SS=INT((BF/120)+.99):BA=BF-SS

60 RP=INT (BA*254/RL): IF RP>655 36 THEN RP=65535

70 PRINT" (RVS) THERE ARE"; RP; "
{LEFT} RECORDS POSSIBLE.
{SPACE}"

Fields And Format

In many cases, records can be subdivided into even smaller lengths called *fields*. Fields can have either a fixed or a variable length. Say, for example, that the records in a magazine index program contain the following fields: (1) Issue no., (2) Date, (3) Title, (4) Article, (5) Page, and (6) Subject.

With variable-length fields, each field is separated with a delimiter such as a comma or a carriage return, but is allowed to seek its own length. The only restriction is that the total length of all fields, including the delimiters, doesn't exceed the length of the record.

Using fixed-length fields, the programmer can reserve a specific number of bytes for each field. For example, 5 bytes can be reserved for the issue number, 6 bytes for the date, 20 bytes for the title, and so on. When you're using this method, shorter entries have to be padded to full length, and longer entries trun-

cated to make them fit. Again, each field should be separated with a delimiter. The advantage of this method is that the location of each field is always known. The date field always starts at position 6, the title field at position 12, and the article field at position 32.

Each method has its advantages and disadvantages. The decision is up to you, but in most instances, it's a good idea to design your records so INPUT# can be used to read the information.

GET# And INPUT#

Records and fields are retrieved using either a GET# or an INPUT# statement. GET# simply retrieves characters one at a time and recognizes no delimiters. Programs that use GET# need to assemble each string manually and specifically check for delimiters.

INPUT# is faster and easier to use than GET#, because it retrieves entire strings and recognizes the usual delimiters (commas, colons, and carriage returns) automatically. The important thing to remember about INPUT# is that string lengths can never exceed 88 characters.

Three New Commands

All the commands supplied by Relative Ease can accept variable as well as literal arguments in place of their specific parameters. Variable arguments must be of the type and value expected by the command. Optional parameters may be omitted from the command syntax, but all parameters which are included should appear in the proper order. The first command in Relative Ease is DOPEN.

DOPEN is used to create relative files and to open them for processing. Unlike other file types, relative files are opened for simultaneous reading and writing. The computer allows as many as ten files to be open at any given time, but DOS allows access to only one relative file per disk drive.

Because sequential files, and possibly even program files, are often used in conjunction with relative files, the DOPEN command provides a variety of optional parameters to support these file types. The complete syntax looks like this:

DOPEN#lfn,"filename,type",Lrecordlength,Udevicenumber,W The *lfn* parameter should be replaced with a specific logical file number in the range 2–255. *Filename* must be a valid string of up to 16 characters (control characters and most punctuation marks should be avoided). The *type* parameter signals DOS that a specific file type (S for sequential, P for program, R for relative) is intended. Normally DOS is unconcerned with file type when files are opened for reading, but specifying the file type forces the issue and triggers a disk error if the comparison fails.

The recordlength parameter tells DOS how many characters will be contained in each record of the file. The allowable range is at least 1 with no more than 254 characters per record (again, with the exceptions of 42, 53, and 68). The initial decision is yours, but once the record length has been set by DOS, it can't be changed without some complex track and sector editing. This parameter must be included to create a new relative file.

The devicenumber parameter allows you to specify an alternate disk drive. Values supplied must be in the range 8–30. The DOPEN command defaults to device number 8 if an output device is not specified.

The W parameter tells DOS that a new file is to be opened for writing (created). The default file type is sequential, but program files may be opened if specified by the type parameter. This parameter is not intended to be used with relative files (which are created using the L parameter discussed above).

Records are accessed through DOS by their record number using the RECORD command.

RECORD#lfn,recordnumber,characterposition

The same logical file number that was used to open the relative file must replace the lfn parameter in this command. The second parameter, recordnumber, accepts any value in the range 1–65,535. The value depends on which record you intend to process.

The third parameter, characterposition, allows you to position the record pointer to a specific character location within the record. To use this parameter effectively, fixedlength fields should be specified. Since this is an optional facet of relative file management, this is an optional parameter. The default value is 1—the first character in the record.

The final command, DCLOSE, provides greater flexibility than the normal CLOSE command. The following variations are possible:

DCLOSE
DCLOSE ON Udevicenumber
DCLOSE#Ifn
DCLOSE#Ifn ON Udevicenumber

The first variation closes all files currently open on disk drive number 8. The second variation performs the same function, but on the drive specified by *devicenumber*. The third variation closes the specified logical file number (*lfn*), which is open on device number 8, and the fourth variation closes the file number and allows the disk drive to be specified, too.

Reading The Error Channel

Relative Ease takes advantage of the little-used USR function to provide a simulation of the DS\$ variable found in higher-level versions of Commodore BASIC. The following variations are useful:

PRINT USR(devicenumber)
DS\$=USR(devicenumber)
IF VAL(USR(devicenumber))=50 THEN ...

The function simply reads the error channel on the disk drive specified by devicenumber and returns the string for processing. Because the disk error condition is cleared each time it's read, it's a good idea to store the string in a variable and process its contents later. Note that the numeric equivalent of the error message can be obtained with the VAL function.

Three error conditions apply specifically to relative files:

50, RECORD NOT PRESENT 51, OVERFLOW IN RECORD 52, FILE TOO LARGE

Error number 50 indicates that DOS was unable to locate the record requested. If this error occurs while a new file is being created, it may simply be ignored. During a write operation this error is valid only when expansion is undesired; otherwise this error is simply a confirmation that expansion has occurred. During a read operation this error indicates that the record pointer has been pushed past the end of the file. This error is not, however, a reliable method of detecting the last valid record.

Error number 51 indicates that

more data has been sent to the record than it was configured to hold and that the information has been truncated. To avoid this error, always check the length of output strings before they are sent to the disk drive. Also, be sure to include a carriage return in your record length estimates. PRINT# sends a carriage return at the end of each string.

Error number 52 indicates that there is no more room left on the disk. This error only occurs during the creation of a new file or during the expansion of an existing one. One other error condition, 70, NO CHANNEL ,00,00, occurs when more than one relative file is opened on a particular disk drive or when you open a file with a record length of 42, 58, or 63.

Creating A New File

Before a relative file can be created, you should know your record length and have a general idea of the number of records you'll need. Deciding on an approximate number of records is important for several reasons. First, since it takes additional time for DOS to create new records, it saves time if an appropriate number exists in advance. Second, it ensures that there is an adequate amount of space available on the disk. Third and most important, a certain number of blocks must be assigned to a file before it will function properly.

The following program creates a new relative file using Relative Ease commands. Before running this program, be sure Relative Ease has been loaded.

```
10 PRINT"{CLR}{RVS} CREATE A N
EW RELATIVE FILE "
20 DOPEN#2,"ERROR FILE",L22,U8
30 RECORD#2,29,1
40 PRINT#2,CHR$(255)
50 DS$=USR(8):DS=VAL(DS$):IF D
S>0 AND DS<>50 THEN PRINT
DS$
60 DCLOSE
```

The file is created in lines 20–40. Line 20 opens the file, line 30 advances the record pointer to the last record, and line 40 writes the value CHR\$(255) to this final record. CHR\$(255) is the value used by DOS to initialize or mark the beginning of new records. In this instance, every record in the file is initialized, and the necessary number of blocks is allocated to the file. DOS never allocates less than a full

block to a relative file, and it always creates as many records as the block will contain.

For example, in the above program line 30 instructs DOS to create 29 records of 22 characters each, but in fact, 34 records are actually created. Here's why: 22 characters \times 29 records = 638 bytes. Each block can contain 254 bytes, so three blocks are allocated to the file. Three blocks (or 762 bytes) / 22 characters = 34 complete records. The number of extra records increases as record size decreases and vice versa. No additional records are created for lengths greater than 127 characters, because only one complete record can fit into any given block. This rule applies to the expansion of files as well.

Line 50 simply reads the error channel and prints the message if an error has occurred. Notice that error number 50 is specifically ignored, because in this case it's expected: We're writing to a record that isn't present, because no records are present in a new relative file.

Writing To A Relative File

Once a relative file has been properly created on the disk, it may be opened with or without the recordlength parameter, L. As long as the length specified matches the length assigned to the file, no error occurs. The RECORD command is used to locate a particular record, and the BASIC 2.0 PRINT# command is used to write information to the file. The following program reopens the file we created earlier, and stores a different BASIC error message into the first 29 records.

```
10 PRINT"{CLR}{RVS} WRITE A RE
LATIVE FILE "

20 DOPEN#2,"ERROR FILE",L22,U8

30 S=41373:ERR$="":ER=ER+1

40 Y=Y+1:V=PEEK(S+Y)

50 ERR$=ERR$+CHR$(V AND 127)

60 IF V<128 THEN GOTO40

70 RECORD#2,ER:GOSUB 500

80 PRINT#2,ERR$:GOSUB 500

90 IF ER<29 THEN GOTO 30

95 DCLOSE:END

500 DS$=USR(8):DS=VAL(DS$)

501 IF DS=0 OR DS=50 THEN RETU
RN

502 PRINT DS$:DCLOSE:END
```

Line 20 reopens the file. Line 30 clears the output string and updates the record counter. Lines 40 and 50 assemble each error message into the output string, and line 60 checks for the end of each message. Line 70 positions the record pointer

and checks for disk errors. Line 80 sends the output string to the disk drive and also checks for disk errors. Line 90 reenters the loop until all 29 records have been filed. Finally, line 95 closes the file when we've finished.

Reading A Relative File

The following program randomly reads various entries from our example file. The INPUT# command is used because no potential conflicts exist in the simple record format. (This program is used again in the next section, so type it in carefully.)

- 10 PRINT"{CLR}{RVS} READ RECOR DS BACK "
- 20 DOPEN#2, "ERROR FILE", U8
- 30 EN=0: ERR\$=""
- 40 INPUT"ENTER A RECORD NUMBER
 "; EN
- 50 IF EN=0 THEN DCLOSE: END
- 60 RECORD#2,EN,1
- 70 GOSUB 500: IF DS=50 THEN 90
- 80 INPUT#2, ERR\$: IF ERR\$=CHR\$ (2 55) THEN 90
- 81 PRINT" (UP) ERROR NO."+STR\$ (E N)+" IS - ";CHR\$ (34); ERR\$;CHR\$ (34)
- 89 GOTO 30
- 90 PRINT" (UP) (RVS) ERROR MESSAG E"; EN; " (LEFT) IS NOT ON F ILE "
- 91 GOTO 30
- 95 DCLOSE: END
- 500 DS\$=USR(8):DS=VAL(DS\$)
- 501 IF DS=0 OR DS=50 THEN RETU
- 502 PRINT DS\$:DCLOSE: END

Line 20 reopens the file. Line 30 clears the record counter and the input string. Line 40 inputs a record value from the user and stores it in the variable EN. Line 50 allows you to quit the program by inputting a 0 or by just pressing the RETURN key at the prompt. Line 60 positions the record pointer, and line 70 checks for disk errors. Notice that error number 50 causes special action. In line 80 the record is retrieved and a special test is made for unused records. Line 81 executes when no disk errors have occurred and a valid record was retrieved. In this case, the record text is formatted and displayed on the screen. Line 90 is executed when error number 50 is encountered or an unused record is retrieved. In this case, the message RECORD NOT ON FILE is displayed. In either case, the main loop is reentered.

Updates And Modifications

At this point, it seems as though the true power of relative files has been

overlooked. First we opened the file, wrote to the file, and closed the file. Next we reopened the file, read the file, and closed it again. The important thing is that we didn't really have to close the file at all. Once a relative file has been opened, it can be written to and read from whenever the need dictates.

For a demonstration, add the following lines to the previous program.

- 10 PRINT" (CLR) (RVS) MODIFY RECORDS "
- 81 PRINT"{UP}MODIFY RECORD"+ST
 R\$(EN)+CHR\$(32);
- 82 CP=PEEK(211):PRINT"
 {2 SPACES}";ERR\$;:POKE 211,
- 83 MOD\$="":INPUT MOD\$:IF MOD\$=
 "" THEN MOD\$=CHR\$ (255)
- 84 IF LEN (MOD\$) <22 THEN 86
- 85 PRINT"(UP)(RVS)STRING TOO L ONG ERROR - 21 CHARS MAX {DOWN}":GOTO 81
- 86 RECORD#2, EN, 1: GOSUB 500
- 87 PRINT#2, MOD\$: GOSUB 500
- 88 RECORD#2, EN, 1: GOSUB 500
- 90 PRINT"{UP} (RVS) ERROR MESSAG E";EN;"{LEFT} IS NOT ON FIL E "
- 91 PRINT"ENTER NEW RECORD";:GO TO83

Lines 81 and 82 format an input statement with the current record


string on the right. Line 83 stores the modified string into the variable MOD\$ and checks to see whether the string was erased. In this case, CHR\$(255) is stored in the record to indicate that it's now unused. Line 84 determines whether the new length will fit the record. If not, an error message is displayed and the modification loop reentered. Line 86 is where the real action begins.

Line 86 sets the record pointer. In line 87 the modified record is stored back in the file, and in line 88, the record pointer is set again. This is a very important step that's harder to explain than it is to do. Remember always to position the record pointer both before and after updating (reading and then rewriting) a record. Line 91 allows new records to be filed or created when unused records or an error number 50 is encountered.

So far, we've discussed creating a file, writing records, reading records, and changing records. The record format may have been simple in the examples, but the mechanics will be the same no matter how complex your records.

See program listing on page 92.

Super Graphix




Includes:
Utility Disk
With
27 Fonts
And
Font
Creator


GRAPHICS and FONTS plus an 8K BUFFER for the ultimate in performance and speed. The XETEC Super Graphix interface for Commodore Computers now offers a new high in technology with these features:


- 8K Buffer Standard
- 10 Printing Modes
- 3 Internal Screen Dumps
- Extensive Command Channel
- Reset Button to Halt Printing from Buffer
- Switch Settings on Label for Quick Reference
- . Correspondence Quality Font Built-In
- Capable of Storing 2 Additional Fonts
- Correct Graphics/Text Aspect Ratio for all Major Printers
- 8 Active Switches with Changes Constantly Monitored
- Internal Fonts Support Super-script, Sub-script, Underlining, Bold-face and Choice of 9 Pitches

Suggested list \$99.95 • Includes Lifetime Warranty

ACICC, Inc. / 2804 Arnold Rd. / Salina, KS 67401 / 913-827-0685







The demonstration programs included with "Hi-Res Screen Show" dynamically show the power of the 128's BASIC 7.0 drawing commands. Pictured above are Demos 1-3.

Hi-Res Screen Show For The 128

Rob Kennedy

The fact that the Commodore 128 is one of the most powerful and easy-to-use graphics machines available today is displayed in these five dazzling demonstration programs. Each one gives a different display every time it is run. A color monitor shows them at their best.

The Commodore 64 is an incredible graphics machine. When it first appeared, its graphics and sound capabilities were years ahead of their time. Unfortunately, the 64's sound and graphics couldn't be programmed effectively without a knowledge of machine language.

When the 128 arrived, it not only had super graphics, but it included a new, more powerful version of BASIC that made programming graphics easy. The five demonstration programs included in "Hi-Res Screen Show" illustrate the power and flexibility of the 128's graphics commands. Graphics that take hundreds of POKES on a 64 require just a few commands with the 128's BASIC 7.0. (For more information on programming hi-res graphics, see "Hi-Res Graphics on the 128" in the June and July 1987 issues of COMPUTE!'s Gazette.)

Getting Started

Since all five demos are written in BASIC, simply type each one in and save it to disk. To display a demo, load it and type RUN, or simply type RUN followed by the filename. Here's a brief discussion of


each program.


Demo 1 creates an entertaining hi-res display using just 18 lines of BASIC. It draws a box, increments its coordinates, then redraws the box. If any part of the box touches an edge of the screen, the box bounces off and moves in the opposite direction. Every 15 seconds the screen clears to remove the jumble of lines, and the drawing begins again. To quit this demo, or any of the others, press any key. If you want to experiment with the program, change the values stored in line 60 and the lower limits in lines 110 - 140.

Demo 2 works its magic using only the CIRCLE command. It draws circles, one after another, changing the angle for each one. Each time it completes the inner loop, the program changes the circle increment to a higher value, and the circles are drawn more quickly.

The two circle parametersangle and inc-are responsible for the designs in this program. The value of angle determines the rotation of the circle in degrees clockwise. Inc tells the number of degrees of arc per line segment. When you change this value, you change the drawing's shape. For example, a value of 180 for inc produces a line (360 divided by 180 is 2). If the value is 90, you get a foursided figure, while 120 produces a triangle, and 45, an octagon.

Demo 3 draws a V on the screen using the BOX command. The first segment of the program draws the left side of the V, and the second segment, the right side. First, the program draws a box and fills it. Then it changes the color source, and increments the X and Y parameters and the angle (so the





Demos 4 and 5 use line drawing and fills to create artistic displays.

boxes appear to rotate). To experiment with this program, change the values in lines 80 and 140.

Demo 4 is one of the most enjoyable to watch. It continually


draws lines, with each end moving independently of the other. If one end meets the edge of the screen, it bounces off. As in the box demo, the screen clears every 15 seconds. Try experimenting with this program by changing the values in lines 50 and 60.

Demo 5 is somewhat difficult to describe since no two displays are ever the same. A continuous line is drawn in 50 segments, and 25 random locations on the screen are selected and filled in. A number of impressive designs are possible using this technique. If you'd like to save one of your designs, type in the following line:

BSAVE "filename", B0, P7168 TO P16383

You can reload the picture with BLOAD"filename", B0

See program listings on page 80.



Get on line FAST with TRIAD COMP

Most computers and disk drives are repaired and shipped within 72 hours!

C-64 Computer C-128 Computer 1541 Drive Logic repair 1571 Drive Logic repair 1541 or 1571 Permanent Fix (Alignment and modification to stay in alignment) 1702, 1802, 1902 1541 alignment (only) Commodore Printers C-64 Power Supply C-128 ROM UpGrade 1571 ROM UpGrade **AMIGA Repairs**

With 30 Day Warranty Repair \$59.00 89.00 69.00 79.00 69.00 CALL Just 29.95 CALL ONLY \$29.95 ONLY \$55.00 ONLY \$45.00 CALL

Repair With 1-Year Warranty \$89.00 129.00 99.00 119.00 99.00

For fast, expert service . . . Just call our toll free number today!

1-800-624-6794



(For your convenience, have your equipment serial number and credit number ready. Checks and money orders also accepted). Add \$7.50 for shipping includes two-day air service anywhere in the Conti-nental USA. For APO-FPO and P.O. Box addresses, add \$15.00 for shipping (excluding air freight).

UPS Address: 5723-E Country Club Rd., Winston-Salem, NC 27104 Postal Address: 3068 Trenwest Dr., Winston-Salem, NC 27103 (919) 765-0433

A \$69.00 value — includes alignment and modification to stay in alignment. FREE with any 1541 or 1571 one year warranty repair.







Power BASIC: Fast Hi-Res Screen Dump

Article on page 58.

HE	10	REM	COPYRIGHT 1988 COMPU
		TE!	PUBLICATIONS, INC
		ALL	RIGHTS RESERVED
T. SERVEL 11	20.00	DEPOS HAVE BEEN	

- QP 20 REM FOR COMMODORE GRAPHI C MODE PRINTERS (1525, M PS-801, MPS-803, ETC.)
- RQ 30 SL=8192: REM HI-RES SCREE N LOCATION
- DK 40 PRINT" (CLR) (3 SPACES) COP YRIGHT 1988 COMPUTE! PUB INC."
- JB 50 PRINTTAB (11) "ALL RIGHTS {SPACE} RESERVED"
- EH 60 IFPEEK (65530) = 5THENBANK1
- FG 70 INPUT" {2 DOWN} ENTER STAR TING ADDRESS"; S
- EQ 80 FORI=STOS+237: READD: POKE I, D: X = X + D: NEXT
- PM 90 IFX<>34823THENPRINT" {2 DOWN} ERROR IN DATA ST ATEMENTS"
- FE 100 SL=SL+7671:HB=INT (SL/25 6):LB=SL-256*HB
- KC 110 POKES+57, LB: POKES+61, HB : POKES+65, LB+8: POKES+69 , HB
- XR 120 PRINT"{2 DOWN}HIRES DUM P INSTALLED.": PRINT"SYS "S"TO ACTIVATE."
- RX 130 DATA 169,0,32,189,255,1 69,1,162
- BS 140 DATA 4,160,0,32,186,255 ,32,192
- BS 150 DATA 255,169,0,32,189,2 55,169,21
- QQ 160 DATA 162,4,160,21,32,18 6,255,32
- DA 170 DATA 192,255,162,1,32,2 01,255,169
- MF 180 DATA 8,32,210,255,169,0 ,133,80
- FE 190 DATA 133,82,133,83,169, 25,133,81
- ME 200 DATA 169,247,133,250,16 9,61,133,251
- JP 210 DATA 169,255,133,252,16 9,61,133,253
- SQ 220 DATA 160,8,177,250,133, 254,177,252
- CJ 230 DATA 133,255,166,80,240 ,7,70,254
- EK 240 DATA 102,255,202,208,24 9,162,8,102
- BK 250 DATA 255,38,254,202,208 ,249,165,83
- PP 260 DATA 240,4,37,254,133,2 54,169,128
- JP 270 DATA 5,254,32,210,255,1
- 36,208,210 RS 280 DATA 240,3,24,144,203,5 6,165,250
- RP 290 DATA 233,64,133,250,165 ,251,233,1
- AF 300 DATA 133,251,56,165,252 ,233,64,133
- HX 310 DATA 252,165,253,233,1,
- 133,253,198 SB 320 DATA 81,208,173,169,25,
- 133,81,169 HQ 330 DATA 13,32,210,255,230, 80,165,80
- BR 340 DATA 201,8,208,14,169,0 ,133,80
- KC 350 DATA 162,8,198,250,198,

252,202,208

- FS 360 DATA 249,24,165,250,105 ,72,133,250
- PS 370 DATA 165,251,105,31,133 ,251,24,165
- FG 380 DATA 252,105,72,133,252 ,165,253,105
- JS 390 DATA 31,133,253,230,82, 165,82,201
- QH 400 DATA 45,144,159,201,46, 240,6,169
- HB 410 DATA 31,133,83,208,149, 32,204,255
- SS 420 DATA 169,1,32,195,255,9

128 Hi-Res Demos

Article on page 78.

Demo 1

- AJ 10 REM COPYRIGHT 1988 COMPU TE! PUBLICATIONS, INC. {2 SPACES}ALL RIGHTS RES ERVED
- RH 20 PRINT" [CLR] [3 SPACES] COP YRIGHT 1988 COMPUTE! PUB ., INC."
- MJ 30 PRINTTAB(11) "ALL RIGHTS {SPACE} RESERVED": SLEEP2
- XE 40 GRAPHIC3, 1:COLOR0, 1:COLO R4,1:COLOR1,2:COLOR2,3:C
- OLOR3,7 GJ 50 X1=5:Y1=5:X2=10:Y2=6
- GF 60 X=4:Y=4:XT=5:YT=5:AN=5
- MM 70 TI\$="000000"
- CX 80 DO
- AA 90 C=C+1:IFC=4THENC=1
- CH 100 BOXC, X1, Y1, X2, Y2, A PR 110 IFX1>1540RX1<5THENX=X*-1:AN=AN*-1
- MC 120 IFX2>1530RX2<6THENXT=XT *-1:AN=AN*-1
- KF 130 IFY1>1940RY1<5THENY=Y*-1:AN=AN*-1
- QM 140 IFY2>1930RY2<6THENYT=YT *-1:AN=AN*-1
- EG 150 A=A+AN
- SE 160 IFTI\$="000015"THENTI\$=" 000000":SCNCLR
- QE 170 X1=X1+X:X2=X2+XT:Y1=Y1+ Y: Y2=Y2+YT
- KJ 180 IFA<1THENA=360
- OJ 190 IFA>360THENA=1
- RP 200 GETAS: IFAS<> ""THENGRAPH ICØ: END
- DP 210 LOOP

Demo 2

- AJ 10 REM COPYRIGHT 1988 COMPU TE! PUBLICATIONS, INC. {2 SPACES}ALL RIGHTS RES ERVED
- RH 20 PRINT" [CLR] [3 SPACES] COP YRIGHT 1988 COMPUTE! PUB
- MJ 30 PRINTTAB(11) "ALL RIGHTS {SPACE} RESERVED": SLEEP2
- XE 40 GRAPHIC3,1:COLORO,1:COLO R4,1:COLOR1,2:COLOR2,3:C OLOR3,7
- HF 50 FORINC=2TO190STEP4:GRAPH IC3,1
- AJ 60 FORANGLE=1TO180STEP15 MC 70 C=C+1:IFC=4THENC=1
- JC 80 CIRCLEC, 80, 100, 20,,,, ANG LE, INC
- SB 90 GETAS: IFAS<> ""THENGRAPHI CØ: END
- RD 100 NEXTANGLE, INC: GETKEYAS: GRAPHICO

Demo 3

- AJ 10 REM COPYRIGHT 1988 COMPU TE! PUBLICATIONS, INC. {2 SPACES}ALL RIGHTS RES ERVED
- RH 20 PRINT"(CLR) (3 SPACES) COP YRIGHT 1988 COMPUTE! PUB ., INC."
- MJ 30 PRINTTAB (11) "ALL RIGHTS (SPACE) RESERVED": SLEEP2
- RS 40 GRAPHIC3,1:COLOR1,2:COLO R2,3:COLOR3,7:COLORØ,1:C OLOR4,1
- EA 50 X1=1:X2=12.5
- SD 60 Y1=1:Y2=12.5
- KG 70 BOXC, X1, Y1, X2, Y2, R, 1
- AH 80 X1=X1+2.5:X2=X2+2.5:Y1=Y 1+5:Y2=Y2+5:R=R+5
- 90 C=C+1:IFC=4THENC=1
- RC 100 T=T+1: IFT < 30THEN 70
- HD 110 T=0
- BP 120 BOXC, X1, Y1, X2, Y2, R, 1
- RF 130 C=C+1:IFC=4THENC=1 HE 140 X1=X1+2.5:X2=X2+2.5:Y1=
- Y1-5:Y2=Y2-5:R=R+5 PB 150 T=T+1:IFT<30THEN120
- AR 160 GETKEYAS: GRAPHICO

Demo 4

- AJ 10 REM COPYRIGHT 1988 COMPU TE! PUBLICATIONS, INC. [2 SPACES] ALL RIGHTS RES ERVED
- RH 20 PRINT"{CLR}{3 SPACES}COP YRIGHT 1988 COMPUTE! PUB ., INC."
- MJ 30 PRINTTAB (11) "ALL RIGHTS {SPACE} RESERVED": SLEEP2
- AD 40 GRAPHIC3,1:COLORØ,1:COLO R4,1:COLOR1,2:COLOR2,3:C OLOR3,15
- PJ 50 X1=1:X2=20:Y1=1:Y2=5
- MX 60 X=4:XT=5:Y=4:YT=5
- OS 70 TIS="000000":C=1
- CX 80 DO
- GX 90 DRAWC, X1, Y1TOX2, Y2
- KH 100 C=C+1:IFC=4THENC=1 ED 110 X1=X1+X:X2=X2+XT:Y1=Y1+
- Y: Y2=Y2+YT XB 120 IFX1>1590RX1<2THENX=X*-
- JC 130 IFX2>1590RX2<2THENXT=XT AG 140 IFY1>1990RY1<2THENY=Y*-
- XM 150 IFY2>1990RY2<2THENYT=YT
- *-1 KF 160 IFTI>001500THENTIS="000 000": SCNCLR
- MJ 170 GETAS: IFAS<> ""THENGRAPH ICØ: END
- CM 180 LOOP

Demo 5

- AJ 10 REM COPYRIGHT 1988 COMPU TE! PUBLICATIONS, INC. {2 SPACES}ALL RIGHTS RES ERVED
- RH 20 PRINT"{CLR}{3 SPACES}COP YRIGHT 1988 COMPUTE! PUB ., INC."
- MJ 30 PRINTTAB (11) "ALL RIGHTS (SPACE) RESERVED": SLEEP2
- HX 40 GRAPHIC3,1:WIDTH2:COLOR1 ,2:COLOR2,3:COLOR3,7:COL ORØ,1:COLOR4,1
- CJ 50 DEFFNA(X) = INT(RND(1) *160) +1: DEFFNB (X) = INT (RND (1) *200)+1
- CC 60 FORT=1T050
- FR 70 X1=FNA(X): X2=FNA(X): Y1=F NB(X):Y2=FNB(X)

XB 80 C=C+1:IFC=4THENC=1 SR 90 DRAWC, +0, +0TOX2, Y2 100 GETAS: IFA\$<>""THENGRAPH HF ICØ: END FB 110 NEXTT MX 120 FORT=1T025:X1=FNA(X):Y1 =FNB(X) 130 C=C+1: IFC=4THENC=1 HX 140 PAINTC, X1, Y1, 1 CK 150 GETAS: IFA\$<> ""THENGRAPH ICØ: END AR 160 NEXTT: SLEEP2 CX 170 GOTO50

The GEOS Column

See instructions in article on page 57 before typing in.

Program 1: Skeet

0400:BF FF FF FE 80 10 02 80 A0 93 0408:7C 03 81 03 82 10 83 3E 0410:84 aa 84 10 43 88 10 B9 43 0418:23 88 aa 23 9E D6 F3 RR CE 91 9429:99 23 88 10 23 84 10 43 83 93 28 0428:84 00 43 82 10 81 64 0430:03 80 7C 03 80 10 03 80 0438:00 03 FF FF FF 3F FF FF FD 0440:83 05 aa FC 04 12 FC 07 AA 0448:04 53 6B 65 65 74 20 20 48 0450:20 20 20 20 20 56 31 2E 61 aa aa 99 99 7B 0458:36 aa aa aa 0460:00 00 aa aa 00 99 99 aa 68 0468:00 aa 00 aa 00 99 aa aa 70 0470:00 aa aa 00 00 90 00 00 0478:00 aa 00 00 00 00 00 00 80 9489:00 aa 88 aa aa aa FF FF FF Ø488:FF FF FF FF FF FF FF FF 90 Ø49Ø:FF FF FF FF FF FF FF FF 98 Ø498:FF FF FF FF 00 00 00 00 00 ØØ 00 00 aa aa A8 04A0:00 00 Ø4A8: ØØ 00 aa aa aa 00 aa aa BØ 00 00 aa B8 04B0:00 aa aa gg 00 Ø4B8:00 00 99 aa aa aa aa aa Ca C8 00 04C0:00 aa aa aa aa aa aa 04C8:00 00 00 00 00 00 aa aa DØ Ø4DØ: ØØ 00 00 00 00 00 00 aa D8 Ø4D8:00 00 00 00 00 EØ 00 00 00 ØØ 00 00 00 aa E.8 04E0:00 99 00 Ø4E8:00 aa aa aa aa aa aa aa FO 04F0:00 aa 00 aa 00 aa aa aa F8 00 00 00 20 El Cl 20 2D 04F8:00 Ø5ØØ:8A Cl A9 80 85 2F 20 A8 CE 20 00 88 Ø3 79 05 01 01 Ø5Ø8:C1 05 10 Ø51Ø:E8 aa 30 07 20 aa 88 0518:00 01 28 00 90 03 FØ aa D9 0520:28 07 28 00 90 00 20 78 AE 9D Ø528:C1 62 00 49 20 43 6F 70 20 0530:79 74 31 BD 72 69 67 68 Ø538:39 38 38 00 20 AE Cl 4E 81 4D 50 55 54 E8 0540:00 5A 43 4F 21 20 50 75 62 6C 69 BD 0548:45 20 74 69 6F 73 C5 0550:63 61 6E 91 Ø558:49 6E 63 2E aa 20 AE Cl 41 6C 20 72 E3 0560:60 00 6B 6C 74 20 72 65 0568:69 67 68 BB 0570:73 00 5C 65 72 76 65 64 2E 95 Ø578:A9 FF 8D 90 09 8D 9D 99 A9 Ø58Ø:CE 90 99 DØ FB FF 8D 98 Ø588:9D 09 CE 9C 09 DØ Fl 20 D6 Ø59Ø:A8 05 01 01 aa 98 71 Cl 30 0598:03 00 07 00 98 F8 20 30 F5 Ø5AØ: Ø5 00 01 37 00 Al 03 al 4E Ø5A8: Ø1 17 07 37 00 A1 05 Ø9 E6 Ø5BØ: Ø3 01 01 7F 07 37 00 A1 **4B** Ø5B8: Ø5 00 01 58 00 88 93 EØ F3 Ø5CØ: ØØ 98 07 58 00 88 84 05 Ø1 Ø5C8: Ø1 D5 99 ØD 03 FB aa 18 BC Ø5DØ: Ø1 37 00 16 02 01 01 16 B6 Ø5D8:00 20 Cl 88 06 07 6F 56 AB 00 93 7D Ø5EØ:19 10 20 Cl 5C AE Ø5E8:18 4F 45 53 43 52 3A 1B 68

Ø5FØ: ØØ 2Ø

AE C1

98 aa 93 18 F8 Ø5F8:4F 55 54 20 4F 46 3A 1B AF Ø8AØ: 8D C4 Ø7 8D CA 07 9699:99 A9 99 80 A8 99 BD A9 70 Ø8A8: ØØ 8D F9 Ø7 8D FD Ø6Ø8:Ø9 8D 62 96 80 AB 99 8D 63 aspa: al as 8D 96 as 8D 99 8D 99 91 78 aa Ø61Ø:A4 A5 09 80 A6 Ø8B8: ØE A 9 A7 Ø618:8D 09 78 20 09 ØE 20 DE Ø8CØ:9C 84 58 A9 CØ 60 0620:53 09 01 Ø8C8:3E C2 AD 62 C2 42 02 91 2E 3D Ø628:A9 63 80 9B 84 A9 06 an B1 98D9:69 A9 a1 8D 62 96 Ø63Ø:9C 84 58 01 8D 9A 9 8D Ø8D8:BD 84 09 9D Cl A5 DØ Ø638:A9 35 85 al A9 aa 8D 17 A6 Ø8EØ:14 F5 A9 aa Ø8E8:E8 EØ 40 DØ F8 60 0640:D0 AD Da 94 9 85 60 1E AD 0648:01 A9 91 85 02 A9 07 85 14 Ø8FØ: Ø6 DØ al 60 A9 aa 0650:03 20 Ø8F8:06 00 BD 6C A 9 91 51 CI A9 5D AC A2 A9 0658:85 02 07 85 03 20 5A 20 Ø9ØØ:84 E8 EØ 18 DØ F5 Ø66Ø:C1 00 A5 Ø9Ø8:9D 60 C9 18 BØ A9 30 CI 84 E8 EG 40 A5 0668:03 4C EE aB 3C C9 81 9A 0910:60 96 FF FF 80 01 0670:90 93 4C EE as A5 3B FØ 3C 0918:80 87 El 87 9678:93 4C EE 98 A5 3A C9 38 59 0920:80 01 Ra 91 80 Ø68Ø:BØ CB ØB 2F 93 4C EE aR 4C 0928:A2 40 04 80 3F FR 0688:E5 03 00 00 30 89 88 00 00 Ø93Ø: 2A A8 2A AR 2A BA 0690:00 00 aa 91 99 E5 03 88 D2 Ø938:AA A3 AA 80 02 0698:00 00 00 00 60 00 00 00 A7 Ø94Ø:F8 00 ØA 00 06 Ø6AØ: Ø1 00 E5 03 88 00 aa aa 0948:00 ØØ 80 AØ 3F 5E 19 96A8 : 99 80 aa aa aa 91 aa E5 0950:E7 BE E1 E3 31 E3 Ø6BØ: Ø3 88 99 aa aa aa 60 aa 21 Ø958:E3 39 E3 E1 E3 Ø6B8:00 aa 01 00 E5 03 88 aa 31 Ø96Ø:E3 19 E7 1D EØ Ø6CØ: ØØ 99 00 C8 00 00 00 01 5A Ø968:FF F8 FF F8 80 0608:00 0970:00 00 EØ 00 00 E5 03 88 90 00 00 03 3A 93 03 0978:F8 Ø6DØ: 94 aa 28 aa 01 aa E5 aa aa AG aa Ø6D8:88 10 00 aa 35 69 aa 72 EE 0980:00 10 aa aa 38 Ø6EØ: ØØ 01 10 E5 03 88 08 aa D7 0988:00 00 92 99 00 Ø6E8:00 5B 5E as 28 aa al as 63 0990:92 00 00 aa 54 Ø6FØ:E5 00 00 03 88 51 ØE FB 0998:00 EE aa aa aa aa Ø6F8:29 65 99 01 51 E5 03 88 **B3** 09A0:00 aa aa aa aa 96 0700:E6 C0 00 1E DD 5B 84 FA Ø9A8:00 00 00 00 A9 0708:01 E6 E5 03 88 AB 40 04 **B4** Ø9BØ: Ø9 4C B9 09 A9 9988: 99 FØ 0710:DF E.9 9 EF FE AA 82 al AR E.5 AD AR 0718:03 88 D4 8E 42 AB B4 59 DØ Ø9CØ: Ø9 FØ 03 EF A8 88 Ø9C8:85 9B 85 0720:CD 6B 91 D4 E5 03 3B E4 08 A9 Ø728:7F 83 5F 5B 4E D7 D4 01 F4 Ø9DØ:85 ØB 20 C6 Cl AD A9 Ø73Ø: 3B E5 03 88 Ø9D8:DØ A9 50 85 EB DF 67 BD 14 Ø738:E9 EF 7E 59 01 EB E5 03 23 Ø9EØ: Ø9 A9 68 85 ØC Ø74Ø:88 BF FF BD 7F F7 FF 2F 69 Ø9E8:20 CF Cl 4C FF 9748:BA 91 BF E5 03 88 DF FE 43 Ø9FØ:85 ØA 8D 9F 09 0750:FF 4A DF FF E7 7F 91 DF ac Ø9F8: ØC 8D AØ 99 20 0758:00 00 00 00 06 98 0A00:00 9E 99 80 00 00 AF 8D 0760:48 4B 99 10 88 02 10 5E 0A08:A1 09 A 9 64 80 0768:08 99 08 8B 02 ØB B6 91 ØA10:46 99 11 8D 90 CE ØA18:FB 64 8D 0770:08 28 9 08 10 02 11 AC ED A9 9C 0778:09 28 09 Ø8 68 02 11 B4 D8 ØA20:09 DØ F1 A9 18 CF ØA28:20 D2 Cl 9C 0780:09 28 09 1D 1D 02 11 AC CE 0788:09 28 09 1D 68 02 **B4** 3A ØA3Ø:A9 64 8D 9C 09 11 8D ØA38:DØ F1 A9 20 0790:09 ag 17 09 aa al al 91 EC ØA40:39 9D Ø798:D4 97 80 9D 97 99 42 02 9F 30 14 20 ØA48:8D 9A 09 A9 35 Ø7AØ: Ø1 2E 01 84 CC 97 80 DC 83 9A ØA50:1E DØ AD 9 07 Ø7A8: Ø7 07 00 6C 08 51 B8 BE ØA58:9E 99 C9 05 BØ Ø7BØ:00 7B 08 C6 07 00 8A 08 60 ØA60: ØA C9 ØA BØ 93 Ø7B8:66 61 73 74 00 00 6D 65 48 2A ØA68:C9 12 Ba as 4C Ø7CØ:64 69 6D 00 73 6C 85 ØA7Ø:18 BØ 03 4C EF Ø7C8:6F 77 00 00 70 69 67 65 C9 ØA78:BØ Ø3 4C 46 ØC 07D0:6F 6E 73 aa 6F 70 74 69 30 ØA80:08 20 D5 Cl AD A1 Ø7D8:6F 6E 73 aa 09 42 02 01 FF 07 00 08 ØA88:07 20 EE ac 18 07E0:2E 01 84 F7 08 A 6 ØA9Ø:18 EE A6 Ø9 20 Ø7E8:FB Ø7 00 08 07 00 1F FF F6 ØA98:A9 09 AD A9 09 98 Ø7FØ:36 08 93 08 aa 4D 31 73 A9 ØAAØ: 01 60 ØD 20 8D Ø7F8:30 00 00 32 30 2A 00 35 A1 GAA8:5D 02 0800:30 00 aa 31 30 30 99 99 70 07 A9 5D 85 ØABØ: 85 03 20 5A CI 20 0808: AD A6 99 C9 ØA BØ ØD A 3 ØAB8:B8 84 A9 97 8D B9 07 Ø81Ø:A7 08 A9 2A 8D FQ A9 09 ØACØ: 00 84 8D BD 8D Ø818: ØA 8D 9E ØA 4C 5A 08 AD 8E GACR: ER Ø82Ø:A6 09 C9 BØ ØD 20 80 BA 84 A9 14 A7 El 0828:08 A9 2A 8D FD 07 A9 38 ØADØ: 84 60 AD Al 09 FØ Ø83Ø:8D 9E ØA 4C 08 A9 ØAD8: 05 85 08 A9 D7 5A AD A6 ØAEØ: ØF 9838:99 C9 32 BØ an 20 A7 as DØ 85 ØB 20 C6 ØAE8:4C Ø84Ø:A9 2A 8D 91 98 A9 32 8D 4A FC ØA A 9 05 Ø848:9E ØA 4C 5A 08 20 A7 08 71 ØAFØ: 9B 85 ØA A9 ØE Ø850:A9 2A 8D 06 08 A9 64 8D ØF ØAF8:C6 Cl AØ 00 AD A8 Ø858:9E ØA 20 90 Cl 60 A9 06 30 ØBØØ; ØE EE 9F 99 CE 20 ØBØ8:CØ 04 DØ F5 0860:8D 50 97 20 CI 52 F8 4C BD 0B10:9F 99 99 Ø868: ØE 4C 02 05 20 9R as A9 4C CE AG CB F5 Ø87Ø: 2A 8D BC 07 A9 18 8D 3B 05 ØB18:DØ EE 9E 09 Ø878: ØA DØ 1C 20 9B 08 A9 2A Cl ØB20:85 ØA A9 00 85 Ø88Ø:8D C4 07 A9 20 8D 3B ØA BB ØB28:09 85 ØC 20 CF ØB30: ØA AD Al 99 FØ 14 A9 9B 98 A9 8D CA Ø888:DØ ØD 20 2A ØB38:85 08 A9 17 85 ØA Ø89Ø:CA Ø7 A9 2A 8D 3B ØA 20 2D Ø898:BD C1 60 A9 00 8D BC 07 55 ØB40:85 ØB 20 C6 C1 A0 ØØ 4C

60 A9

8D 94

EA

Cl

FR 1B

B8

27 26

19 C2

aa

aa

9F

62

Al

C9

Al

39

4E

3E 9

01

CC

75

EA

15

EE

2A

6E

CR

C6

46

FE

36

A8

05

AB

71

29

09

01

AD

85

8D

07

A 9

A9

05

97 8D CR

84

A2 aa E 4

AD 62 CI

8D 62 29

A9 aa DD

DØ

92

AA A2 85

04

aa 03 8F

E3

FF FF 84

38

A8 09 F7

84 E8

60 20 52 A9

9B

85 2F 20 80

06 FØ 91

9D Cl 84 07

09 9D

al 80 al 02

El 87 E1 6E

91 FF FF DA

40

FF 20 01 AF

61 F3 31 F?

01

00 00 CØ ØD

FØ 00

aa 10 au 31

90 aa 54 AC

FE 99 00 E8

aa

aa aa aa AA

00 99 00 B 2

01 8D A2

aa 80 A2 20

05 CE A8 42

9 A 9 05 A4

ØA A9 ØE 44

ØA 8D

8D AØ 09 28

09 A 9 CE 42

A 9 68 85

CF CI A9 86

99 99 8D

9C 09 A9 45

9C 99 DØ BA

09 CE 9D

RD 90

09 DØ FB

CE 9D

9D

ØC

85 01 AD F4

85 01

03 4C D2 84

4C 31 ØB

90 aB C9 BØ

ØB C9 10 3D

A9 05

EE A 4 99 95

40 an EE DC

C9 14 BØ 5C

A9 88 8D 45

BB

F7 8D BC 59

85 ØA A9

CI AG aa BF

85 a A

85 ØB 20 CC

AØ 9 CB 31

1A

AD

ØB AD

Cl 4C 2B FØ

9 A5 93

A5

09 FØ

al

A9

84 A9 FE

84

14 A9 EC

09 DØ E 7

ØB CE

Ca 94 an

9F 09 23 AØ

A9 10 3F

9D

B6

15

5D

```
ØB48:5B ØB A9 Ø5 85 Ø8
                           A9 DA CE
                                          ØDFØ: AB Ø9 6D A4 Ø9 8D AB Ø9 F9
ØB50:85 ØA A9
                ØE 85
                        ØB
                           20 C6
                                   21
                                          ØDF8:CE AA
                                                       09 DØ F1
                                                                  60
                                                                     25
                                                                         aa
                                                                             AE
ØB58:C1 AØ ØØ AD
                    A8
                        9
                            Da
                                OF
                                    6B
                                          ØEØØ:59
                                                       55
                                                          20
                                                                      54
                                                   4F
                                                              48
                                                                  49
                                                                         20
                                                                             79
                                                              40
ØB 60: EE
          9F
             09
                 CE
                     AØ
                         09
                            C8
                                CØ
                                    5F
                                          ØEØ8:00
                                                   20
                                                       B7
                                                          Cl
                                                                  62
                                                                     1A
                                                                         11
                                                                             10
                                          ØE10:30
                     79
                                                   00
                                                       20 B7
ØB68: Ø4 DØ
             F5
                 4C
                        ØB
                            CE
                                9F
                                                              CI
                                                                  80
                                    6D
                                                                     63
                                                                         4B
                                                                             E5
ØB70:09 CE AØ
                 99 C8
                        CØ
                            04
                                DØ
                                   85
                                          ØE18:11
                                                   30
                                                       00
                                                          20 B7
                                                                  Cl
                                                                     CØ
                                                                         64
                                                                             75
                                         ØE20:7C
                                                   11
                                                       30
                                                           aa
                                                              20
                                                                 B7
                                                                     Cl
                                                                         00
                                                                             28
ØB78:F5
         EE
              9E
                 09
                     AD
                         9F
                            09
                                85
                                    2D
                                         ØE28:66 AD
                                                           30
                                                                  20 B7
ØB80: ØA A9
             00
                 85
                     ØB
                            AØ
                                09
                                   B 7
                                                       11
                                                              00
                                                                         Cl
                                                                             B9
                        AD
                                          ØE30:40
                                                   67
                                                       DE
                                                              30
                                                                  aa
                                                                     20
                                                                         B7
                                                                             AC
                                                          11
ØB88:85 ØC
             20
                 CF
                     Cl
                         4C
                                ØA
                                    05
                            2B
                                          ØE38:C1
                                                   80
                                                          ØF
                                                       68
                                                                  30
                                                                     99
                                                                         20
ØB9Ø:AD
         Al
              09
                 FØ
                     14
                        A9
                            05
                                85
                                    EC
                                                              12
                                                                             C.4
ØB98: Ø8 A9
             57
                 85
                     ØA
                        A9
                            10
                               85
                                    FC
                                         ØE40:B7 C1 CØ
                                                          69
                                                              40
                                                                  12
                                                                     30
                                                                         aa
                                                                             02
                     AØ
                                          ØE48:20
                                                           90
ØBAØ: ØB 20
             C.6
                 CI
                        00
                            4C
                                BA
                                    91
                                                   B7
                                                       Cl
                                                              6B
                                                                  71
                                                                      12
                                                                         30
                                                                             10
                                                       2Ø B7
                                          ØE50:00
                                                   60
                                                              Cl
                                                                  1A
                                                                         40
                            19
GRAS: GR
         A9
             05
                 85
                     08
                        A 9
                                85
                                    46
                                          ØE58:62
                                                   30
                                                       00
                                                           20
                                                              B7
                                                                  Cl
                                                                     4B
                                                                         11
                                                                             20
ØBBØ: ØA A9
             ØF
                85
                     ØB
                        20
                            C6
                                Cl
                                   98
                                         ØE60:80
                                                       30
                                                           99
                                                              20
                                                                 B7
                                                                         7C
ØBB8:AØ
          00
             AD
                 A8
                     09
                        DØ
                            ØE
                                EE
                                    F5
                                                   63
                                                                     Cl
                                                                             7B
                     09
                                Ø3 BC
                                          ØE68:11
                                                   CØ
                                                       64
                                                          30
                                                              aa
                                                                  20 B7
                                                                         CI
                                                                             7E
ØBCØ: 9F
          09
             CE
                 AØ
                        C8
                            CØ
                                          ØE7Ø:AD
                                                   11
                                                       99
                                                           66
                                                              30
                                                                  00
                                                                     20
                                                                         B7
                                                                             87
ØBC8:DØ F5
             4C
                 D8
                     ØB
                        CE
                            9F
                                09
                                   B7
                                          ØE78:C1 DE
                                                       11
                                                           40
                                                              67
                                                                  30
                                                                     aa
                                                                         20
                                                                             6F
                 C8
                     CØ
                         03
                            DØ
                                F5
                                   CD
ØBDØ:CE
         AØ
             09
                                          ØE80:B7
                                                       ØF
                                                          12
                                                              80
                                                                  68
                                                                     30
                                                                         00
          9E
                                ØA
                                                   C1
                                                                             FI
ØBD8: EE
             09
                 AD
                     9F
                         99
                            85
                                   40
                                          ØE88:20
ØBEØ:A9
         aa
                        AØ
                            09
                                85 B4
                                                   B 7
                                                       Cl
                                                           40
                                                              12
                                                                  CØ
                                                                     69
                                                                         30
                                                                             75
             85
                 ØB AD
                                         ØE90:00
                                                   20
                                                       B7
                                                          Cl
                                                              71
                                                                  12
                                                                     aa
                                                                         6B
                                                                            97
ØBE8: ØC
          20
             CF
                 CI
                     4C
                         2B
                            ØA
                                AD
                                   F3
                                          ØE98:30
                                                   00
                                                       60
                                                           00
                                                              00
                                                                  00
                                                                     00
                                                                         00
                                                                             D8
                    A9
ØBFØ:A1
          09
             FØ
                 12
                        05
                            85
                                08
                                   CD
                                          ØEA0:00
                                                   aa
                                                       aa
                                                          aa
                                                              99
                                                                  99
                                                                     aa
                                                                         ØØ BC
                 ØA
ØBF8:A9
         97
             85
                     A9
                        10
                            85
                                ØB
                                   BE
                                          ØEA8:00
                                                       aa
ØCØØ:20 C6 C1
                            A9
                                                   aa
                                                          aa
                                                              aa
                                                                  aa
                                                                     aa
                                                                         aa C4
                 4C
                        ØC
                                05
                                   08
                                          ØEBØ: ØØ
                                                       00
                                                           00
                                                                  00
                                                                     03
                                                                         FF
                                                                             D2
ØCØ8:85
         08
             A9
                 58
                     85
                        ØA
                            A9
                                ØF
                                                   00
                                                              FF
                                   56
ØC10:85
             20
                                          ØEB8:CØ
                                                   07
                                                       FF
                                                           EØ
                                                              07
                                                                  FF
                                                                     EØ
                                                                         03
                                                                             92
         ØB
                 C.6
                    CI
                        AD
                            A8
                                99
                                   30
                                         ØECØ:FF
                                                       aa
                                                           aa
                                                              00
                                                                  aa
                                                                     aa
                                                                         aa
                                                                             ØD
ØC18: DØ ØC
             EE 9F
                     09
                        EE
                            9F
                                99
                                                   CØ
                                   BF
                                         ØEC8:00
                                                   00
                                                       aa
                                                           aa
                                                              99
                                                                  aa
                                                                     aa
                                                                         aa
                                                                            E4
ØC2Ø:CE
         AØ
             09
                 4C
                     2F
                        ØC
                            CE
                                9F
                                   94
                                                                                   JJ 40
                                          ØEDØ: 00
                                                   00
                                                       aa
                                                           99
                                                              aa
                                                                  aa
                                                                     99
                                                                         aa
                                                                             EC
ØC28: 09
         CE
             9F
                 09
                    CE AØ
                            09
                                AD B5
ØC3Ø:9F
             85
                                          ØED8: ØØ
                                                   00
                                                       00
                                                           00
                                                              00
                                                                  00
                                                                     00
                                                                         00
                                                                             F4
         09
                 ØA AD AØ
                            09
                                85
                                   33
                                                                                   DJ 50
                                          ØEEØ: ØØ
                                                   aa
                                                       aa
                                                          99
                                                              99
                                                                  00
                                                                     00
                                                                         aa
                                                                             FC
         A9
ØC38: ØC
             00
                 85
                     ØB
                        20
                            CF
                                Cl
                                   53
                                                       00
                                                          00
                                                              00
                                                                  00
                                                                     00
                                                                         00
                                                                             05
                                          ØEE8: ØØ
                                                   00
ØC40:EE 9E
             09
                 4C
                     2B
                        ØA AD Al
                                         ØEFØ: 00
                                                   aa
                                                       aa
                                                           7F
                                                              aa
                                                                  aa
                                                                     FF
                                                                         aa
                                                                            F4
ØC48: Ø9
         FØ
             12
                 A9
                     05
                        85
                            98
                               A9
                                   FS
                                                              FF
                                         ØEF8:01
                                                       80
                                                          00
                                                                  aa
                                                                     00
                                                                         00 A5
ØC50:D7
         85 ØA A9
                    10
                        85
                                                   FF
                            aB
                                20
                                   5F
                                          ØF ØØ: ØØ
                                                   00
                                                       00
                                                           00
                                                              00
                                                                  00
                                                                     00
                                                                         00
                                                                             1E
ØC58:C6 C1
             4C
                 6C
                     ØC
                        A9
                            05
                                85 2B
                                          ØFØ8:00
                                                   00
                                                       00
                                                          00
                                                              00
                                                                  00
                                                                     00
                                                                         00
                                                                             26
             97
ØC60:08
         A9
                 85
                     ØA
                        A9
                            ØF
                                85
                                   CC
         20
                                          ØF10:00
                                                   aa
                                                       aa
                                                          aa
                                                              aa
                                                                  aa
                                                                     aa
                                                                         aa
                                                                             2E
ØC68: ØB
             C6
                 Cl
                     AD
                        A8
                            09
                               DØ
                                   F5
                                          ØF18:00
                                                   00
                                                       00
                                                           00
                                                              00
                                                                  00
                                                                     00
                                                                         00
                                                                             36
0C70:0C
             9F
                 09
         EE
                     EE
                        9F
                            09
                                EE C5
                                          ØF20:00
                                                   aa
                                                       99
                                                          00
                                                              99
                                                                  aa
                                                                     ga
                                                                         00
                                                                            3E
ØC78:AØ
         99
             4C
                 86
                    ac
                        CE
                            9F
                                99
                                   F8
ØC8Ø:CE
                                         ØF 28: ØØ
                                                   aa
                                                       99
                                                          00
                                                              99
                                                                  aa
                                                                     aa
                                                                         aa
         9F
             09
                                                                             46
                 EE
                    AØ Ø9
                            EE
                                9E
                                   9D
                                         ØF30:00
                                                   aa
                                                       30
                                                          aa
                                                              aa
                                                                  7E
                                                                     aa
                                                                         aa
                                                                             CF
ØC88: 09
         AD
             9F
                 09
                     85
                        ØA
                            AD
                                AØ
                                   65
                                         ØF38:7E
                                                                             95
ØC90:09 85
             ØC A9
                    00
                        85
                            ØB
                                20 F6
                                                   00
                                                       00
                                                           00
                                                              aa
                                                                  aa
                                                                     00
                                                                         00
                                          ØF40:00
                                                   00
                                                       00
                                                           00
                                                              00
                                                                  00
                                                                     00
                                                                         00
                                                                             5E
0C98:CF
         C1 4C
                 2R
                    ØA AD Ø5
                                85
                                  DB
                                         ØF 48: ØØ
                                                       99
                                                                         00
                                                   00
                                                          00
                                                              00
                                                                  00
                                                                     00
                                                                             66
ØCAØ:10 01
             60
                 AD
                     99
                        99
                            FØ
                                01
                                  BB
                                         ØF50:00
                                                                         aa
                 8D 9A
                        09
                            A9
                                                   aa
                                                       aa
                                                          99
                                                              aa
                                                                  aa
                                                                     aa
                                                                             6E
ØCA8:60 A5 Ø1
                               35 D4
         01
                            9B
                                         ØF58:00
                                                   aa
                                                       aa
                                                          aa
                                                              aa
                                                                  aa
                                                                     aa
                                                                         aa
                                                                             76
ØCBØ: 85
                 1E
                    DØ
                        8D
                                09
             AD
                                   60
                                          ØF 60:00
                                                   00
                                                       00
                                                           99
                                                              99
                                                                  aa
                                                                     99
                                                                         00
                                                                             7E
ØCB8:AD
         1E
             DØ
                 AD
                     9A
                        99
                            85
                                01
                                   29
                                         ØF68:00
                                                   00
                                                       aa
                                                           aa
                                                              aa
                                                                  aa
                                                                     aa
                                                                         aa
                                                                             86
ØCCØ:AD 9B
             09 F0
                     03
                        EE Al
                                Ø9 E6
                                         ØF70:00
                                                   18
                                                       aa
                                                          aa
                                                              30
                                                                  aa
                                                                     aa
                                                                         aa
                                                                             76
ØCC8: EE
          99
             09
                 A9
                     88
                        85
                            06
                                A9
                                   8A
                                85 BF
                                         ØF78:00
                                                   00
                                                       aa
                                                          aa
                                                              00
                                                                  aa
                                                                     aa
                                                                         00
                                                                             96
ØCDØ: 98
         85
             07
                 A 9
                    00
                        85 09
                                                                         00
ØCD8: ØB A9
             58 85
                                          ØF80:00
                                                   00
                                                       00
                                                           00
                                                              00
                                                                  00
                                                                     00
                                                                             9E
                    Ø8 A9
                            7E 85
                                   AD
                                         ØF88:00
                                                   00
                                                       00
                                                          00
                                                              99
                                                                  99
                                                                     00
                                                                         99
ØCEØ: ØA
         20
             2A C1
                     20
                        2A
                            Cl
                                AD
                                   42
                                                                             A6
ØCE8:9E Ø9 8D A3 Ø9
                        60 AD A2 46
                                         ØF 90:00
                                                   aa
                                                       aa
                                                          aa
                                                              aa
                                                                  aa
                                                                     aa
                                                                         aa
                                                                            AE
ØCFØ:09
                                         ØF 98: ØØ
                                                          00
                                                              00
                                                                  00
                                                                     00
                                                                         00
         FØ
             ØA
                 AD
                    A3
                        09
                            C9
                                05
                                   BF
                                                   00
                                                       00
                                                                             B6
ØCF8:BØ ØD
             4C
                 Ø8 ØD
                        AD A3
                               09
                                          ØFAØ: 00
                                                   00
                                                       00
                                                          00
                                                              00
                                                                  00
                                                                     00
                                                                         00
                                                                            BE
                                   26
0D00:C9 19
                                         ØFA8:00
                                                                  00
                                                                         00
             90
                 03
                     4C
                        08
                            ØD
                                60
                                   84
                                                   00
                                                       00
                                                          00
                                                              99
                                                                     00
                                                                            C6
ØDØ8:20 AE
             Cl
                 82
                     aa
                        48
                            47
                                52
                                   40
                                         ØFBØ:1C
                                                   aa
                                                       aa
                                                          aa
                                                              aa
                                                                  aa
                                                                     aa
                                                                         aa
                                                                             DC
ØD10:45 41
             54
                                         ØFB8:00
                                                   00
                                                       00
                                                          00
                                                              00
                                                                  00
                                                                     00
                                                                         99
                                                                             D6
                 20
                     53
                        48
                            4F
                                54
                                   58
                                                                         00
ØD18:21
         00
             A9
                 FF
                     8D
                        9C
                            09
                                8D
                                         ØFCØ: 00
                                                   00
                                                       00
                                                           00
                                                              00
                                                                  00
                                                                     00
                                                                             DE
                                   76
                                         ØFC8:00
                                                          00
                                                              00
                                                                  00
                                                                     00
                                                                         00
                                                   00
                                                       00
                                                                             E6
ØD20:9D Ø9 CE
                 9D 09
                        DØ
                            FB
                               A9
                                   2C
                                         ØFDØ: 00
                                                       00
                                                                  00
                                                                         00
                                                   00
                                                          00
                                                              00
                                                                     FD
                                                                             EA
ØD28:C8 8D 9D Ø9
                    CE
                        9C
                            09
                               DØ 1A
                                                                             37
ØD3Ø:F1
         20
             A8
                 Cl
                     05
                        00
                            01
                                58
                                   FE
                                         ØFD8:00
                                                   aa
                                                       aa
                                                          aa
                                                              aa
                                                                  aa
                                                                     aa
                                                                         40
ØD38:00 40 03
                DØ
                                          ØFE0:00
                                                   40
                                                       aa
                                                          aa
                                                              aa
                                                                  aa
                                                                     aa
                                                                         aa
                                                                             ØF
                    00
                            00
                                  99
                        5A
                                60
                                                              00
                                                                  02
                                                                         00
                                          ØFE8: ØØ
                                                   00
                                                       01
                                                           00
                                                                     00
                                                                             2F
ØD4Ø:20 A8
             C1
                 05
                     00
                        01
                            7D
                               ØØ 1C
                                                              40
                                                       01
                                                                  00
                                                                     ØC
                                                                         CØ
                                                                             8F
                                         ØFFØ: 2E
                                                   20
                                                           66
ØD48:89 Ø3
             97
                 aa
                     97
                        01
                            CØ
                                00
                                   1D
                                         ØFF8:00
                                                          08
                                                              00
                                                                  00
                                                                     18
                                                                         00
ØD50:89
         Ø3 DF ØØ
                     97
                        00
                           AD
                               A4
                                  A8
                                                   50
                                                       00
                                                                            DB
ØD58:09
         85
             02
                        09
                                         1000:00
                                                   99
                                                       92
                                                          00
                                                              00
                                                                  00
                                                                     00
                                                                         00
                                                                             60
                 AD
                    A5
                            85
                               03
                                   D2
                                         1008:40
                                                       00
                                                          02
                                                              00
                                                                  00
                                                                     00
                                                                         00
                                                                             68
ØD60:A9
         93
             85
                 05
                    A9
                        81
                            85
                               18
                                   AB
                                         1010:00
                                                                         aa
ØD68:A9 ØØ 85
                 19
                    A9
                        CØ
                           20
                               84
                                                   aa
                                                       aa
                                                          aa
                                                              aa
                                                                  aa
                                                                     FD
                                                                             20
                                   AE
ØD70:C1
                 09
                                         1018:00
                                                   00
                                                       00
                                                          00
                                                              00
                                                                  00
                                                                         00
         AD
             A6
                     85
                        02
                            AD
                               A7
                                   73
                                                                     40
                                                                             B8
ØD78: Ø9 85
                                                                         08
             03
                A9
                     93
                        85
                            05
                               A9 D9
                                         1020:00
                                                   aa
                                                       80
                                                          00
                                                              aa
                                                                  00
                                                                     01
                                                                             5A
@D80:C4
         85
             18
                A9
                    aa
                        85
                            19
                               A9
                                   ED
                                         1028:00
                                                   99
                                                       58
                                                          aa
                                                              aa
                                                                  10
                                                                     aa
                                                                         aa
                                                                             93
                                         1030:89
                                                   00
                                                       00
                                                          C3
                                                              00
                                                                  10
                                                                     00
                                                                         00
                                                                             91
QD88:CQ
         20
                        20
             84
                 CI
                     60
                            Cl
                                an
                                   CB
                                                              00
                                         1038:01
                                                   00
                                                       00
                                                          00
                                                                  00
                                                                     00
                                                                         00
ØD9Ø:A9 ØØ
             85
                 Ø2 A9
                        ØE
                            85
                               03 E3
                                                                            D8
ØD98:A9
         82
             85
                 18
                    A9
                        48
                            85
                               05
                                   D8
                                         1040:00
                                                   aa
                                                       aa
                                                          10
                                                              aa
                                                                  08
                                                                     aa
                                                                         aa
                                                                            81
                                         1048:00
                                                   aa
                                                       aa
                                                          aa
                                                              aa
                                                                  10
                                                                     aa
                                                                         aa
                                                                            A8
ØDAØ:A9
         00
             85
                 19
                    20
                        48
                            C1 AD
                                   25
ØDA8:AB Ø9
             85
                 02
                        00
                            85
                               03
                                   07
                                         1050:00
                                                   00
                                                       00
                                                          00
                                                              00
                                                                  00
                                                                     FD
                                                                         00
                                                                             6C
                    A9
                                         1058:00
GDBG:A9
                                                   00
                                                       00
                                                          00
                                                              00
                                                                  00
                                                                     01
                                                                         80
                                                                            FA
         Ca
             20
                 84
                    CI
                        A9
                           FE
                                85
                                   54
                                         1060:00
                                                       80
                                                          00
                                                                  00
                                                                     00
ØDB8: 02 A9
             an
                 85
                    03
                        20
                           48
                               Cl
                                   23
                                                   04
                                                              30
                                                                         20
                                                                            33
ØDCØ: 60 A9
                 2C
                     9E
                               07
                                         1068:00
                                                   00
                                                       88
                                                          00
                                                              aa
                                                                  10
                                                                     00
                                                                         00
                                                                            D9
             40
                        ØA
                            FØ
                                   46
                                         1070:02
                                                              00
                                                                         00
                                                                            93
ØDC8:AD A4
            09
                 8D
                    AB
                        09
                            60
                               4A 69
                                                   00
                                                       00
                                                          20
                                                                  00
                                                                     00
                                                                                   KP 310 FOR I = 0 TO 32*E+2:GET#2
ØDDØ: 2C
         9E
             ØA
                FØ
                    07
                        A9
                            02
                               8D 69
                                         1078:00
                                                   00
                                                       99
                                                          00
                                                              00
                                                                  00
                                                                     00
                                                                         00
                                                                             98
ØDD8:AA Ø9
             DØ
                        2C
                                         1080:20 00
                                                      99
                                                          99
                                                             92
                                                                  99
                                                                     00
                                                                        00
                                                                            CØ
                12
                    4A
                            9E
                               ØA
                                  10
ØDE0:FØ 07 A9 05
                    8D AA Ø9 DØ B4
                                         1088:00 00
                                                      00 00
                                                             10
                                                                 aa
                                                                     00
                                                                        00 29
ØDE8: 05 A9 0A 8D AA 09 18 AD 61
                                         1090:00 00
                                                      00
                                                          00
                                                             00
                                                                 00
                                                                     FD
                                                                         00
                                                                            AC
```

1098:00 00 00 00 00 00 00 00 B8 10A0:00 08 00 00 00 00 00 00 C2 10A8:00 00 00 00 00 00 00 02 CA 10B0:02 aa 00 04 00 00 10 00 32 10B8:00 aa aa aa 20 aa aa aa D9 1000:00 aa 01 aa aa aa 00 aa 01 1008:00 00 00 00 00 00 00 00 E8 1000:00 10 00 00 00 99 FD 00 FØ 1008:00 00 00 00 00 00 00 ØØ F8 10E0:00 00 aa aa aa aa aa Ra 81 10E8:00 00 00 00 00 00 00 aa 00 00 10F0:00 04 00 00 00 00 51 10F8:00 01 00 00 00 00 00 08 61 1100:00 00 00 00 00 00 00 00 22 1108:00 00 00 00 aa 00 20 00 6A 1110:00 00 00 00 00 00 00 00 32 1118:00 FD 00 00 00 00 00 00 B9

Program 2: Geo-Converter

HE 10 REM COPYRIGHT 1988 COMPU TE! PUBLICATIONS, INC. -ALL RIGHTS RESERVED

PR 20 POKE 53280,0: POKE 53281, Ø: POKE 646,5: PRINTCHR\$ (1 42); CHR\$ (147)

SX 30 FORI=1TO10: PRINT" (DOWN) " : NEXT

PRINTTAB (5) "{4}UDI COPYR IGHT 1988"

PRINTTAB (5) "GCH COMPUTE! PUBLICATIONS INC."

FJ 60 PRINTTAB (5) "JFK ALL RIGH TS RESERVED [HOME] "

PRINT" [DOWN] [RVS] {8}GEOC ONVERTER 1.1 (OFF) (DOWN) [GRN]"

FM 80 INPUT"FILE TO CONVERT"; G FS

PS 90 PRINT" (DOWN) SEARCHING FO R "GF\$

HA 100 HDS="":FOR I=1 TO 4:REA D HE: HD\$=HD\$+CHR\$ (HE):N

KK 110 FOR I=1TO5:READIE:ID\$=I D\$+CHR\$ (IE) : NEXT

MD 120 NLS="":TS=CHR\$(18):SS=C HR\$ (1): OPEN 15,8,15,"IØ :":OPEN 2,8,2,"#"

CR 130 GOSUB360: GET #2, NT\$, NS\$ FB 140 FOR E=0 TO 7

150 D\$=NL\$:GET#2,B\$:I=1:IFB \$=NL\$ THEN210

HR 160 IF ASC(B\$) <> 130 THEN 210 PM 170 GET#2, HT\$, HS\$: I=3: IF HS S="" THEN HS\$=CHR\$ (0)

BG 180 GET#2,B\$: I=I+1: IF B\$="" THEN B\$=CHR\$ (Ø)

GH 190 IF ASC(B\$)=160 THEN210 BR 200 D\$=D\$+B\$: GOTO180

BK 210 FOR I=I TO 31:GET#2,B\$: NEXT

FK 220 IF D\$=GF\$ THEN250

NEXT E: IF NT\$=NL\$ THEN2 230 50

GR 240 T\$=NT\$: S\$=NS\$: GOTO130

IF DS=NL\$ THENPRINT" JS 250 (DOWN) (RVS) FILE NOT FOU ND {OFF}":GOTO350

PRINT" [DOWN] CONVERTING GJ 260 (SPACE) "GF\$

JR 270 DT\$=T\$:DS\$=S\$:T\$=HT\$:S\$ =HS\$:GOSUB360

SA 280 GET#2, MT\$, MS\$: IF MS\$="" THEN MS\$=CHR\$(0)

JM 290 FOR I=0 TO 65:GET #2,B\$: NEXT

XA 300 GET#2, CT\$, GT\$: GOSUB360: PRINT#2, HD\$;: GOSUB370:T S=DTS:SS=DSS:GOSUB360

.BS: NEXT KQ 320 PRINT#2, MT\$; MS\$; : FORI = 0 TO 15: GET#2, B\$: NEXT

MQ 330 PRINT#2, HT\$; HS\$; CHR\$(0) ;GTS; QJ 340 PRINT#2, ID\$;:GOSUB370:P RINT: PRINTGFS" CONVERTE CLOSE2:CLOSE15:END U\$="U1":GOTO380 350 AS 360 OC 370 U\$="U2" KO PRINT#15, U\$; 2; Ø; ASC (T\$+ 380 OE "Ø"); ASC (S\$+"Ø") PX 390 RETURN BP 400 DATA 0,255,3,21,87,10,1 .0.0

Mob Maker

See instructions in article on page 60 before typing in.

Ø8Ø1: ØC Ø8 24 Ø4 9E 32 31 3Ø 2E 0809:32 3A 00 2E 08 2E 04 43 E7 Ø811:4F 50 59 52 49 47 48 54 79 0819:20 39 38 38 20 4F 48 31 43 50 Ø821:4D 50 55 54 45 21 20 18 0829:55 42 4C 2E 00 38 34 08 F9 0831:04 80 00 ØØ 00 AD 11 DØ ØD DØ 0839:29 EF 8D 11 A9 FF 85 4F 0841:37 7F 38 00 DD F5 A9 85 AD 0849:29 FC 99 01 8D aa DD AD 34 A9 Ø851:18 DØ 29 ØF 8D 18 DØ CF 0859:80 8D 88 02 20 49 19 93 2A 0861:08 8E 00 AD 11 DØ 09 10 E1 Ø869:8D 11 Da A9 aF 8D 20 DØ F8 21 A9 CB Ø871:8D DØ 06 8D 02 1C 0879:A9 A2 8D 18 03 01 8E . 05 0881:01 86 8E ØC 1C 71 1C CA Ø889:8E ØD 10 A9 80 93 8D 8A 02 Ø891:A9 15 A2 FF AØ 10 20 8C 22 0899:16 00 01 23 AØ A2 8C 1C A3 Ø8A1:8E 23 22 1C AE 22 1C AC Ø8A9:1C **B9** 4F 1C 18 69 ØB 48 A6 8C 23 Ø8B1:C8 B9 4F 1C 1C A8 12 8C 10 AC Ø8B9:68 20 16 EE 23 El Ø8C1:23 1C B9 4F 1C A8 A9 ØD 7A 08C9:AE 1C 20 8C 16 EE 23 FC DØ A9 00 Ø8D1:1C ØE 22 10 CD 8A 08D9: A2 FF AG al 20 8C 16 AD 6C 08E1:02 1C 8D 86 02 A9 01 48 15 Ø8E9:20 81 19 68 18 ØA DØ F7 96 Ø8F1:AD ØC 09 1C FØ 03 4C Fl A4 Ø8F9:AD 86 02 20 6C 19 A 9 80 60 0901:85 FE A9 AØ 85 FD A5 05 49 A9 0909:F0 06 F7 8D Ø3 1C 2C A6 Ø911:A9 DØ 8D 03 1C A2 00 AØ 1A 0919:00 AD 03 1C 91 C8 FD AD 70 0921:04 10 91 FD CB CØ 18 DØ 98 Ø929:FØ 18 A5 FD 69 28 85 FD 43 Ø931:A5 00 FE 69 85 FE E8 EØ DD 0939:15 DØ DC AD ØC 10 FØ 03 36 Ø941:4C F1 9 10 00 AD 01 AØ AB Ø949:6A BØ 03 C8 DØ FA B9 27 B6 Ø951:DØ 8D 20 DØ 8D 05 1C 20 19 Ø959:CF 19 19 20 D8 C6 01 78 89 0961:A0 00 A9 15 8D 08 1C A9 B8 0969:03 1C A9 8D 07 A2 08 00 8B Ø971:8D 06 1C B1 FB 48 A5 05 BB Ø979:FØ 07 CA 68 ØA 2E 06 10 D6 0981:48 CA 68 ØA 2E 06 1C 48 48 0989:98 AØ 00 A5 05 DØ 02 11 Ø991:AD 06 DØ 06 02 82 1C AD 86 Ø999:4C C9 99 AD 05 10 4C C9 3B AD Ø9A1: Ø9 96 1C DØ 06 AD 86 A6 Ø9A9: Ø2 4C C4 09 C9 01 DØ 06 F2 Ø9B1:AD 25 DØ 4C C4 09 C9 02 A2 Ø9B9:DØ 06 05 4C 09 AD 1C C4 60 91 09C1:AD 26 DØ FD 20 93 1A 19 Ø9C9:91 FD 20 93 1A 8C 06 1C 8C Ø9D1:68 68 EØ 00 DØ 9E C8 **A8** A6 09D9:CE 07 DØ 8F A9 10 20 1C 09 Ø9E1:87 1A CE 08 10 Fa 93 4C 8F Ø9E9:68 99 E6 01 58 20 78 1A AD Ø9F1:AØ 00 8C 77 02 84 **C6** A9 B6 Ø9F9:01 8D ØD 1C AD Ø1 1C 2Ø 1D

ØCA9:7E A7 Ø2 E8 7E A7 Ø2 E8 39 ØAØ1:81 19 A4 Ø5 AE 21 DØ B1 4E ØAØ9:FD 48 8A 91 FD 88 FØ FA 87 ØCB1:C8 C8 C8 CØ 41 DØ E6 AØ 41 59 ØD 1C B9 ØA11:20 67 1A A9 aa 8D ØCB9:3F A7 02 91 88 10 92 FB 01 ØA19:AD 1C 20 81 19 05 88 21 A4 ØCC1:F8 CE 1C 10 DØ 4C 3C 88 ØA 21:68 91 FD 88 FØ FB 20 67 35 ØCC9: Ø9 05 8D 10 20 D8 A5 21 DB ØA29:1A 20 67 1A AD 77 02 FØ 21 5C 08 ØCD1:19 15 20 1A 2A 6B ØA31: Ø3 aB aa DC 49 64 4C 4R AD ØCD9:AØ 02 20 5E 1A 28 2A aa 7A ØA39:7F FØ **B**5 AD 00 DC 49 7F 60 ØCE1:91 88 F5 28 A9 03 7A FB 10 B8 ØA41:C9 10 DØ Ø3 4C D3 ØA 6A ØCE9:20 9A CA DØ E5 CE 21 85 1A ØA49:9Ø ØA CE ØB 1C 10 05 A2 80 ØCF1:1C DB 4C 3C 09 20 BE 61 10 ØA51:14 8E ØB 1C 90 ØF EE D8 6A ØCF9:1A AØ aa **B9** AA 02 91 FB 5F 90. 9F ØA59: ØB 1C AE an 1C EØ 15 ØDØ1:C8 CØ 3C DØ F6 A2 ØØ BD 44 ØA61:05 A2 00 8E ØB 1C 6A 90 B7 ØDØ9:A7 02 91 FB C8 E8 EØ 03 18 ØA69:19 CE ØA 10 A6 05 FØ 03 EE ØD11:DØ F5 4C 3C 9 20 BE 1A BE 10 ØA C8 ØA71:CE OA 10 AE ØA 1C ØD19:AØ 3B B9 A7 02 C8 C8 C8 91 ØA79:A2 16 A4 95 DØ 01 E8 8E 34 ØD21:91 FB 88 88 88 88 10 F2 94 ØA81: ØA 1C 10 6A 90 16 EE ØA ØD29:20 02 02 77 D8 19 AØ B9 E3 ØA89:A6 05 FØ 03 EE ØA 1C AE 07 ØD31:91 FB 88 10 F8 4C 3C 09 9F DØ 05 A2 00 2F ØA 91: ØA 1C EØ 18 ØD39:20 D8 19 AØ 3F 20 5E 1A 18 ØA99:8E ØA 1C 48 20 CF 19 20 12 ØD41:49 FF 91 FB 88 10 F6 4C BØ 19 ØAA1:D8 AØ 00 AE ØA 1C FØ 43 ØD49:3C 09 20 AØ 3E 8C 10 BE 1A DØ 08 ØC ØAA9:10 20 93 1A C8 CØ ØD51:23 10 02 8E 22 1C B9 67 A2 ØAB1:05 20 AØ 00 CA DØ 32 A6 1A ØD59:A7 92 AC 22 10 91 FR CE 60 FØ A9 28 4C ØAB9:FØ AE ØB 1C ØD ØD61:23 10 30 ØF AC 23 1C CE 04 ØAC1:20 87 1A A9 03 20 9A 1A 80 ØD69:22 Ø3 9A 1C 10 EB A9 20 90 BØ Ø3 4C ØAC9:CA DØ F3 68 6A E4 ØD71:1A DØ DF 4C 3C 09 20 BE 92 ØAD1:F1 9 Ø5 AD 20 DØ 91 27 A4 ØD79:1A 15 aa AØ A9 A2 18 1E A8 ØAD9:FD 88 10 20 DØ A6 07 FB AD ØD81:A9 02 3E A8 02 3E A7 02 9D ØAE1:05 FØ 14 29 ØF CD 86 02 88 ØD89:6E 21 1C 6E 22 1C 6E 23 ØF ØAE9:FØ 20 DØ CD 25 DØ 4E 1D AD ØD 91:1C 88 DØ 05 93 9A EB A5 DØ ØD 29 ØAF1:FØ ØF CD 26 DØ FØ EB ØD99:4C 29 ar AØ 04 AQ aa SD 44 ØAF9: ØF CD 86 02 F0 09 A9 80 79 ØDA1:1E 1C 2E 21 1C 2E 1E 1C 9B ØBØ1:2C CØ A9 A9 40 2C A9 2C B4 ØDA9: 2E 21 10 2E 1E 1C AD 1E 64 10 29 ØBØ9:00 8D 06 10 AD ØA FR ØDB1:1C 29 03 FØ ØC C9 03 FØ 12 ØB11:07 A6 05 FØ 17 4A AA BD F8 ØDB9: Ø8 49 03 58 1C 8D AD 1E 1E FØ ØB19:1A 1C 8D 1E 1C 8A 1C DF ØDC1:1C 88 DØ DE AD 1E 1C 8D BF ØB 21: 4E 06 CA DØ 06 1C 1C 4F 4E ØDC9:21 1C AØ 04 A9 00 8D 1E 56 ØB29:F7 4C 3D ØB AA BD 12 10 33 ØDD1:1C 2E 22 2E 1E 2E DB 1C 1C ØB31:8D 1E 1C 8A FØ 06 4E 06 04 ØDD9:22 2E 1C 1C 1E 1C AD 1E A3 ØB39:1C CA DØ FA 20 5C 1A 2D AD 03 03 ØDE1:29 FØ ac C9 FØ 08 74 ØB41:1E 4C ØD 06 1C 91 DA 1C FB ØDE9:AD 1E 1C 49 03 8D 1E 1C ØB49: 2A ØA AØ aa D9 7F 1C FØ 01 ØDF1:88 DØ DE AD 1E 1C 8D 22 D9 ØB51:08 C8 CØ 30 DØ F6 4C Fl A5 ØDF 9:1C aa Ag 04 A9 8D 1E 10 F3 ØB59: Ø9 98 ØA B9 10 8D 38 A8 AF 10 ØEØ1:2E 23 1C 2E 1E 2E 23 44 ØB61:6A ØB **B9** 10 6B ØB BØ 8D AA ØEØ9:1C 2E 1E 1C AD 1E 10 29 88 ØB69:4C FF FF 20 D8 19 AØ 3F 53 ØE11: Ø3 FØ ØC C9 03 FØ 08 AD A2 91 10 4C 17 ØB71:A9 00 FB 88 FB ØE19:1E 1C 49 03 8D 1E 10 88 4A ØB79:3C 09 20 B7 ØB 4C 3C 09 7A ØE 21:DØ DE AD 1C 8D 23 6E 1E 1C ØB 3C 09 AD 01 E5 ØB81:20 D6 4C ØE29:AD 91 21 1C FB C8 AD 22 81 ØB89:1C 48 A9 01 RD al 10 20 CD ØE31:1C 91 FB C8 23 10 91 8F AD ØB91:B7 ØB ØE 01 1C DØ F8 68 96 ØE39:FB A9 03 20 9A E8 1A E8 18 AD ØB99:8D Øl 1C 4C 3C 99 91 61 ØE41:E8 EØ 3F BØ 03 4C 7E ØD 50 A9 01 01 1C 20 8D E5 ØBA1:1C 48 ØE49:4C 3C 99 20 D8 19 AØ 3F 69 99 ØBA9: D6 ØB ØE 01 10 DØ F8 68 3E ØE51:20 5E 03 88 09 1A 3D 10 1F ØBB1:8D Øl 1C 4C 3C 09 AE 01 **7B** ØE59:F7 20 D2 ØF 4C F1 ØB 20 ØBB9:1C 20 AD AØ 01 C9 10 ØE61:D8 19 3F B9 03 91 92 1A E9 AØ 3D A9 ØA ØBC1:DØ Ø2 AØ 2C A9 5D ØE69:FB 88 10 F8 4C 3C 09 20 BC 11 ØBC9: Ø9 ØE71:F5 19 04 09 20 **B4** AE 01 10 20 8C 16 AD FE AØ A2 51 ØBD1: Ø1 1C ØE79:1A 20 49 19 43 48 41 4E 71 1C 4C 81 19 AE 01 B2 ØBD9:20 AD 1A AØ 91 C9 FF DØ B8 ØE81:47 45 20 43 4F 4C 4F 52 67 ØBE1:E6 A9 AE AØ 11 DØ E 2 01 2C ØE89:20 4F 46 00 20 4F 1A 20 E4 ØBE9:A9 Ø2 2C A9 A9 08 ØE91:49 20 04 2C 19 31 3D 42 41 43 68 ØBF1:2C A9 10 2C A9 20 2C A9 1D ØE99:4B 47 52 4F 55 4E 44 00 D8 ØBF9:40 2C A9 80 01 1C 8D 2D 4E ØEA1:20 4F 05 FØ 75 1A A5 15 20 ØCØ1:1C DØ DØ 03 A9 aa 2C A9 F4 ØEA9:49 19 20 32 30 4D 2E 43 96 ØCØ9:01 85 05 4C 9A 08 AD 01 B9 ØEB1: 2E 23 30 20 5B 30 31 5D 11 ØC11:1C 4D 1D DØ 8D 1D DØ 4C ØA ØEB9:00 20 4F 1A 20 49 19 20 E1 ØC19:F1 99 AD ØF 10 49 FF 8D A6 ØEC1:33 50 52 49 54 3D 53 45 DB ØC 21: ØF 1C 8D 10 DØ 4C Fl 09 EF ØEC9: 20 43 4F 4C 4F 52 00 20 59 ØC29:AD 10 1C 49 FF 8D 10 1C ØED1:4F 1A A5 05 FØ 15 20 49 86 A6 ØC31:8D ØED9:19 20 34 2E 17 DØ 4C F1 09 AD 01 C4 3D 4D 2E 43 BC ØC39:1C 4D 17 DØ 17 DØ 59 ØEE1:23 31 20 5B 31 31 5D 00 9E 8D 4C ØC41:F1 09 ØEE9:20 20 20 70 10 1C DØ 79 4F 1A 49 19 52 AD 01 4D ØC49:8D 10 ØEF1:45 DØ A5 95 49 01 85 78 54 55 52 4E 20 30 20 23 ØC51:05 4C Fl 08 AD 11 1C 49 FØ ØEF9:45 58 49 54 20 00 20 E4 63 ØC59:FF ØFØ1:FF ØD Ø3 8D 11 1C 8D 1C DØ A5 DC FØ FB C9 DØ 4C 75 ØC61:05 49 01 85 05 4C 08 ØC ØFØ9:F1 08 38 E9 C9 Fl 31 30 EF BB ØC69:EE DØ 09 ØF11:05 BØ ØC 21 4C F1 86 **B**5 EB 48 05 DØ AD A6 D6 ØC71: 02 05 4C 8C ØC A6 FØ 16 31 ØF19:C9 01 Fa 04 C9 03 DØ 04 BA ØC79:AD 25 DØ 4C 8C ØC AD 05 85 ØF21:68 4C FF ØE AØ 04 A2 9 CA ØC81:1C 05 06 ØF 29: 20 97 ØF 20 4C 8C ØC A6 FØ 3E B4 1A 20 49 4C DØ F1 ØC89:AD 26 DØ 80 20 4C C3 ØF31:19 20 20 20 20 20 45 4E 44 ØC91:09 A5 ØF39:54 01 05 8D 21 1C 20 89 45 52 20 20 20 20 20 BE ØC99:1A AØ ØF41:20 00 19 02 A2 99 B9 20 4F 20 49 65 A7 02 89 1A ØCA1:4A Ø8 2A 28 7E A7 Ø2 E8 28 ØF49:20 20 20 43 4F 4C 4F 52 54

11F9: 20 5C 1A 91 FD 20 A6 1A 77 ØF51:20 4B 45 59 20 20 20 20 72 14A1:C9 Ø1 FØ ØE 2Ø 58 15 A9 24 ØF59:00 20 4F 1A 20 97 ØF 20 1201:20 93 FE C9 CØ DØ A8 1A A5 29 14A9:FF 8D 20 1C 20 62 15 20 CF ØF61:E4 FF AØ ØF D9 24 1C FØ 1209:03 40 F1 Ø8 7F A5 FC 14B1:4F 72 CD 1F 5C 49 19 41 1A 20 4E 4D ØF69: 05 1211:1C DØ E5 A5 88 10 F8 D0 F1 10 68 DØ AD FR CD 1E FD 14B9:45 2F 52 45 54 55 52 4E 09 ØF71:06 8C 86 02 4C Fl Ø8 C9 AA 1219: DØ DE 40 FI 08 AØ 17 B9 BØ 14C1:3D 45 58 49 54 00 20 4F AB @F79: @1 D@ 96 8C 25 DØ 1221:67 1C 99 4F 10 88 10 F7 14C9:1A 20 12 14 A5 96 FØ 95 4C F1 B6 CC 1229:4C 9A as 20 F5 19 A2 9 14D1:C9 0F81:08 C9 ga Da 96 7F 02 D0 4C 60 AD 39 10 RC 26 DØ 03 86 1231:AØ Ø4 20 19 ØF89:4C FI as A9 ØE AE 01 1C 2F B4 14 20 49 F2 14D9: 20 DE 19 A 5 FR 85 FD A5 DE 1239:20 44 54 71 ØF 91:20 8C 16 4C FI as A9 02 6F 41 54 41 20 53 14E1:FC 85 FE AE 3A 1C E8 8A 53 ØF99:8D 21 20 1241:41 54 4D 45 4E 54 53 00 83 14E9:20 DE 19 A9 Øl AØ FF A2 C4 10 49 19 20 20 5B 1249:20 4F 20 4F A9 14F1:08 20 FF 10 1A 1A 00 AD 22 ØFA1:20 20 20 CC BA A2 4E 20 20 20 20 20 BF 1251:8D 36 14F9:3C AØ 1C 8D A9 ØFA9: 20 20 20 20 20 20 00 20 10 37 10 92 A5 20 BD FF A9 aa 2F 87 1259:85 06 20 A8 14 AC 22 10 1501:A2 FF AØ aa 20 8C 16 A6 96 ØFB1:4F 1A CE 21 10 DØ E4 60 38 04 1261:A9 2C 99 A9 99 1509:FB A4 FC C6 CI ØFB9:A9 Ø1 8D ØC 3C 1C 50 1E A9 FD 01 20 10 21 DØ ØA AD 1269:3D 10 A9 20 99 3E 1C A9 D2 1511:D8 FF E6 01 A9 aa A2 FF 27 ØFC1:8D 86 02 20 6C 19 4C F1 DC 1271:57 99 1C A9 1519:AØ Ø1 3F 00 A 2 FF ØFC9: Ø9 A9 ØØ 80 ØC 10 4C EØ E3 20 8C 16 40 FI as 6E F9 1279:AØ ØØ A2 20 8C 16 A9 02 BB @FD1: @8 2@ F5 19 AØ 98 A2 ØA CØ 1521:A9 Ø1 A2 08 AØ 00 20 BA 35 1281:08 AØ 01 20 BA FF AD 22 1529:FF 0FD9: 20 B4 1A 20 49 19 55 95 47 22 43 AD 10 A2 30 AØ 10 28 1289:1C 18 69 03 A2 3C AØ 1C 82 ØFE1:52 52 45 4E 54 aa 20 4F 70 1531:20 BD FF A9 aa A2 FF AØ AØ 1291:20 BD FF 20 CØ FF A2 02 84 1539:00 20 8C 16 00 A2 ØFE9: 1A 20 49 19 44 41 54 41 E8 A9 99 FØ 1299:20 C9 FF A9 01 20 D2 FF 99 1541:AØ A2 ØFF1:20 49 53 84 20 D5 FF A9 00 87 00 20 4F 1A 20 6F 12A1:A9 Ø8 20 D2 FF A9 1F 85 38 1549:FF 01 20 8C ØFF9:49 19 20 AØ 16 AD ØE E3 53 41 56 45 44 6E 12A9:FD A9 10 85 FE AD 39 10 70 1551:1C FØ al 1001:00 20 4F 1A A2 08 8E 22 29 60 40 FI Ø8 AD D3 12B1:20 DE 19 20 CI 14 A2 00 7 E 97 20 1559:00 DC 49 FF 29 10 DØ F7 1009:1C 67 1A CE 22 1C DØ D5 12B9:8E 22 10 08 1011:F8 4C 08 20 A2 8E as 10 02 1561:60 A9 10 8D 1E 1C 8D 1F 9C Fl F5 19 18 A2 12C1:A2 Ø8 8E 07 1C EE 36 1C AØ 1569:1C 20 49 19 20 53 54 90 1019:A0 06 A2 ØA 8C 23 10 8E B 7 41 12C9:DØ Ø3 EE 37 1C A2 ØØ BD 91 1571:52 54 20 20 00 A9 ØB 30 1021:22 1C 20 FØ FF 20 49 19 98 3E 12D1:34 1C 20 ØB 14 E8 EØ 05 D6 1029:45 58 49 54 20 50 52 1579:8D 58 13 20 56 13 8D 39 4F A6 38 12D9: DØ F5 22 1581:1C 1031:47 52 00 AE 1C 20 CD 13 EB 41 4D 20 4F 1A BF 8D 1F 1C 20 58 15 20 6F 1A 19 12E1:A9 2C 20 ØB 14 E8 CE 07 83 1039:20 4F 20 49 1589:4F 20 49 19 52 06 1A 20 45 4E 9C 41 12E9:1C DØ F2 A4 FD DØ 02 C6 F6 1591:44 20 1041:45 20 59 4F 55 20 53 55 53 20 20 20 3E 00 EE D4 12F1:FE C6 14 FD A9 aa 20 an 1049:52 45 aa 20 4F 20 49 52 4C 1599:58 13 20 56 13 8D 1A 3A 1C 7D 12F9:8E 22 10 CE 98 10 Da Ca 1051:19 20 20 20 20 59 2F 4E 1F 71 15A1:60 A0 Ø5 A9 00 99 1F 10 21 1301:A9 FF 20 OR 14 AØ ØØ A9 70 1059:00 A9 99 85 C6 20 15A9:88 DØ FA A9 24 8D 3C 10 32 E4 FF BC 1309:1F 85 FD A9 10 85 FE AØ 18 15B1:A9 1061:F0 FB CO 59 FO 03 4C FI E5 al 80 22 10 AQ 20 85 12 1311:00 B1 C9 FØ FD FF ØB 20 F9 1069:08 A9 04 15B9:FB 8D 40 15 A9 1D 85 FC 68 8D 88 02 4C 66 90 1319:D2 FF FD DØ F1 E6 E6 FE 80 15C1:8D 42 15 A9 01 8D ØE 1C 1071:FE 20 F5 19 A2 09 AØ 07 F6 EA 1321:DØ ED EE 39 1C AD 39 1C C2 1509:20 21 1079:20 B4 15 A9 20 85 2B A9 20 19 1A 49 20 20 2B 1329:CD 3A 1C FØ 02 BØ 03 4C 7C 15D1:1D 85 2C 20 33 A5 A9 91 F7 1081:43 48 41 4E 47 45 00 20 D1 15D9:85 1331:A6 12 A2 93 8E 22 1C A9 92 A9 as 20 1089:4F 1A 20 49 19 20 20 43 3D 2B 85 CE OF CF 1339:00 20 1C D2 FF 1091:55 52 53 4F 52 00 20 4F 72 CE 22 DØ C9 15E1:1C A9 aa 8D 40 15 A9 84 8B 1341:F6 A9 02 20 C3 FF 20 CC BA 1099:1A 20 19 15E9:8D 42 15 20 F5 19 A9 05 70 49 20 20 53 50 92 1349:FF A9 00 FF 01 20 A2 AØ 20 A8 15F1:8D 21 10 99 AØ 04 CB A2 10A1:45 45 44 2E aa 20 4F 1A 5A 1351:8C 16 4C Fl 08 18 ØA DB A2 15F9:B4 1A 19 20 49 20 20 20 10A9:20 4F 1A 20 49 19 20 20 02 47 1359:AØ ØF 20 FØ FF 20 67 10B1:31 20 20 2D 20 39 00 20 FØ 1 A 10 1601:44 49 52 45 43 54 4F 52 9C 1361:20 67 20 E4 FF C9 an 10B9:4F 1A 20 49 19 46 1A 7 F 1609:59 00 20 4F 1A AØ ØØ B1 DF 41 53 58 1369:DØ Ø7 68 68 68 68 4C F1 BC 1611:FB DØ Ø8 C8 CØ Ø2 DØ 10C1:54 2D 2D A4 4C 4F 57 00 80 53 1371:08 C9 91 FØ 3A C9 11 FØ 5B 1619:4C 10C9:20 E4 FF C9 31 90 F9 C9 59 82 16 AG aa B1 FR 85 10 1379:33 C9 90 FØ 2C C9 1D FØ 22 29 09 1621:FD C8 B1 FB 85 FE FØ 59 10D1: 3A BØ F5 ØF 8D 1C 69 D7 1381:25 C9 20 FØ 43 AD 99 DC 10D9:4C Fl 08 AE 01 1C 20 6D 1629:18 A5 FB 69 04 85 FB A5 B4 AD EE 1389:49 FF 29 1F C9 10 FØ 38 14 1631:FC 69 aa 85 FC AØ aa Bl AA 10E1:1A 8D 3A 1C A9 FE 8D 39 19 1391:C9 Ø1 FØ 18 C9 02 FØ 14 F8 1639:FB FØ 46 C8 C9 22 DØ F7 10E9:1C AD 39 10 20 DE 19 18 33 65 1399:C9 Ø4 FØ ØD C9 08 FØ 06 EA 85 FD 1641:18 98 65 FB 85 FB A5 FC 70 10F1:A5 FB 69 40 A5 FC 81 13 A9 F6 13A1:AD 1E 4C C3 10 23 1649:69 00 10F9:69 00 85 FE AØ 3F 20 5E 10 85 FC AØ ØØ B1 FB ØF 13A9:2C A9 ØA 2C A9 FF 2C A9 A3 1101:1A 91 10 F8 39 1651:C9 22 FØ ØB 20 D2 FF E6 EC 88 CE FD 18 13B1:01 18 6D 1E 1C CD 1F 1C 60 1659:FB DØ F1 E6 FC DØ 1109:1C AD 39 1C CD 3A 1C BØ CD ED A 5 11 13B9:90 A9 CD 20 1C BØ A4 8D C8 1661:FD 1111:D8 4C 6C ØB 20 F5 19 A2 9E 85 FB A5 FF 85 FC Fa Ca 13C1:1E 1C 19 56 20 4C 1119:09 AØ 09 20 **B4** 1A 20 49 A 2 **B**3 13 F6 1669:18 CE 21 1C DØ 9C A9 aa 87 13C9:AD 1E 10 60 A9 00 80 1E 5E 1121:19 44 45 4C 45 54 45 aa 54 1671:85 C6 20 E4 FF FØ FB C9 E 9 1129:20 4F 49 20 13D1:1C 8D 1F 1C BD A7 02 A8 48 1679: ØD 93 TA 20 19 54 B7 FØ 4C FC 15 4C FI 03 13D9:78 F8 C8 88 FØ 14 18 A9 CD 1131:48 49 53 aa 20 4F 1A 20 C6 1681:08 20 E4 FF C9 ØD DØ F9 74 13E1:01 6D 1E 1C 8D 1E 1C A9 30 1689:4C Fl 08 C9 00 1139:49 19 53 50 52 49 54 45 5B DØ 15 8A ED 13E9:00 6D 1F 10 8D 1F 10 4C 7E 1691:CØ 01 FØ 09 49 FF 2D 15 C6 1141:00 20 4F 1A 20 4F 1A 20 89 13F1:DC 13 D8 58 AD 1F 1C 20 2E 1699:DØ 8D 15 DØ 60 ØD 15 DØ 73 1149:49 19 59 20 4F 52 20 4E D5 13F9:07 14 AD 1E 1C 48 4A 4A 21 1151:00 A9 00 85 C6 20 E4 FF B6 16A1:8D 15 DØ 60 C9 01 DØ 15 03 1401:4A 4A F1 20 99 14 68 29 OF 19 16A9:8A CØ 01 FØ 09 49 FF 2D 15 1159:FØ FB C9 59 FØ 03 4C DF AØ 1409:09 30 00 91 FD 4C 93 86 1161:08 AE 01 16B1:1C DØ 8D 1C DØ 60 ØD 1C DI 10 20 AD 1A 8D 8E 22 20 1411:1A A2 00 8E 1C E4 7E 16B9:DØ 8D 1C DØ 60 C9 02 DØ 41 1169:21 10 18 69 91 8D 39 1C 89 16C1:15 1419:FF FØ C9 ØD FØ 25 C9 D9 9 49 FB CØ 01 FØ FF 81 1171:A9 FE 8D 3A 10 4C D3 11 48 BA. AØ 91 16C9: 2D 1179:20 F5 09 04 1421:14 FØ 2B C9 FØ EF C9 8B 1B DØ 8D 1B DØ 60 ØD 30 19 A2 20 69 1429:11 FØ EB C9 9D FØ E7 16D1:1B 8D DØ 60 C9 Ø3 Cl 1181:B4 1A 20 49 19 43 4F 50 El C9 7A DØ 18 1431:1D FØ E3 20 D2 FF 22 B8 16D9:DØ 15 CØ al FØ 9 49 38 1189:59 20 53 52 75 AE 8A 50 49 54 45 1439:1C 16E1:FF DØ 60 1191:20 44 41 54 41 aa 20 4F DB 90 3C 10 EE 22 1C EØ 39 20 10 DØ 8D 10 EC 1199:1A 20 49 19 4D 4F 56 25 1441: ØF DØ D3 60 AE 22 10 DØ AC 16E9: ØD 10 DØ 8D 10 DØ 60 C9 45 8D 01 FØ 11A1:20 54 4F 20 3E 00 A9 10 2A 1449:FA 68 68 4C F1 08 AE 22 ØA 16F1:04 D0 15 8A CØ 09 94 FØ 10 FF 1451:1C 49 19 9D 20 11A9:8D 1F A9 8D 20 ØB C3 20 48 16F9:49 FF 2D 17 DØ 8D DØ 9D 1C 17 1701:60 1459:9D ØØ CE 22 10 4C 17 14 AØ 17 DØ 17 DØ 60 11B1:AE Ø1 1C 20 AD 1A 8D 1E FF ØD 8D 5D 1461:A9 Ø1 00 85 06 20 2C A9 11B9:1C A9 ØA 8D 58 13 20 56 14 01 1709:C9 05 FØ 04 C9 13 DØ 4A 42 1469:F5 19 A2 11C1:13 8D 21 1C 20 58 15 20 63 99 AØ 94 20 B4 CI 1711:A5 02 48 98 48 AØ 01 84 70 1471:1A A5 06 DØ ØB 20 49 19 62 1719:02 FØ 11C9:4F 1A A9 FF 8D 20 1C 20 94 88 8A 2F 4A AA 90 53 56 1479:53 41 45 00 4C 89 14 13 1721:16 68 48 18 79 00 DØ 99 06 11D1:62 15 1C E8 8A 20 9D AE 3A 1481:20 49 19 4C 4F 44 ØØ FB 1729:00 DØ 11D9: DE 19 8D 41 8D ØD 03 90 08 AD 26 A5 FR 1E 1C A5 ER 20 53 11E1:FC 8D 1F 1C AD 21 1C 20 D5 1489:20 49 19 50 52 49 03 1731:10 DØ 45 02 8D 10 DØ A5 58 11E9:DE 19 A5 FB 85 FD A5 FC 1491:54 45 20 44 41 54 41 00 5B 1739:02 2D 10 D0 8D ØC 03 **B9** 1F A2 1499:20 4F 1A 20 4F 1A A5 06 1741:01 DØ 8D ØE Ø3 C8 C8 11F1:85 FE AD 39 1C 20 DE 19 1F

```
19F1:FC 85 FC 60 A0 03 A2 08 08
1749: 26 02 DØ CE 68 68 85 02 04
1751:AD ØC Ø3 AE ØD Ø3 AC
                             ØE
                                80
                                      19F9: 20 B4 1A 20 49 19
                                                              D5 C3 CC
                                      1A01:C3 C3 C3 C3 C3 C3 C3 C3 35
            C9
               06
                   DØ
                      35
                         A5
                             03
                                64
1759:03
         60
            92
               48
                  84 Ø3 AØ
                             01
                                      1A09:C3 C3 C3 C3 C3 C3 C3 C9 43
1761:48 A5
                                                     8D
                                                        21
                                                           1C
                                                               20
                                                                  4F
                                                                     52
                  FØ
                                53
                                      1A11:00 A9
                                                  06
1769:84
        92
            88
               8A
                      1E
                         4A
                             AA
                                      1A19:1A 20 49
                                                     19 DD
                                                           20
                                                               20 20 EC
1771:90
        13
            38
               B9
                   00 D0
                         E5
                             03
                                61
                         10
                             DØ
                                      1A21:20 20 20 20 20 20
                                                              20 20
                                                                     55
1779:99 00 D0 B0 08
                      AD
                                81
            8D
               10
                   DØ
                      C8
                         C8
                             18
                                D8
                                      1A29:20
                                              20
                                                 20
                                                     20
                                                        20
                                                           DD
                                                               ØØ CE
                                                                     C2
        02
1781:45
                          92
                                      1A31:21 1C DØ
                                                    E2 20
                                                           4F
                                                               1A 20
                                                                     D7
                   68
                      85
                             68
                                21
1789:26
         02
            90
               DF
                                      1A39: 49 19 CA C3 C3 C3 C3 C3
                                                                     66
1791:85 Ø3
            60
               C9
                   07
                      DØ
                         1A
                             98. 34
1799:48
        AØ
            00
                8A
                   FØ
                      11
                          4A
                             AA
                                C7
                                      1A41:C3
                                              C3
                                                 C3
                                                    C3
                                                        C3
                                                           C3
                                                               C3
                                                                  C3
                                                                      75
17A1:90 09 68
               48
                  18
                      79
                          Ø1 DØ
                                65
                                      1A49:C3 C3
                                                 C3 CB
                                                        00
                                                                  22
                                                                      97
                                                            60 EE
        01 DØ C8 C8 DØ
                         EC
                             68 57
                                                              10
                                                                  18
17A9:99
                                                 22
                                                     10
                                                        AC
                                                           23
                                                                     87
                                      1A51:1C AE
         C9
            08
               DØ
                   1E
                      A5
                         02
                             48
                                64
                                      1A59:4C
                                              FØ
                                                 FF
                                                     AØ
                                                        00
                                                            78
                                                               C6
                                                                  01
                                                                      6A
 7B1:60
                                                                  99
17B9:84 Ø2 AØ
               99
                  8A FØ
                         10
                             4A
                                      1A61:B1 FB E6
                                                     01
                                                        58
                                                            60 AD
                                                                      03
        90
            Ø8 B9
                   Ø1 DØ
                         E5 Ø2
                                1F
                                      1A69:1C
                                              ØA
                                                  ØA
                                                     ØA A8
                                                           C8 A2
                                                                  00
                                                                     BD
17C1:AA
                                                               60 A9
                                                                     5C
                                79
                                      1A71:CA DØ FD
                                                     88 DØ
1709:99
         Ø1 DØ
               C8
                   C8 DØ
                         ED
                             68
                                                           FA
                            C9 D7
                                      1A79:00
                                              8D
                                                  ØA
                                                     1C
                                                        8D
                                                            ØB
                                                               1C
                                                                  20
                                                                      05
17D1:85 02 60 C9
                  09 FØ
                         ØB
                                                                  65
                                                                      55
17D9:15 DØ 4A A5 Ø4 48
                             00 FE
                                      1A81:CF
                                              19
                                                  20
                                                     D8
                                                        19
                                                            60
                                                               18
                         A9
                                      1A89:FD
                                              85
                                                  FD
                                                    A5 FE
                                                            69 00
                                                                  85
                                                                     5B
17E1:FØ Ø5
            A5
               04
                  48
                      A9
                         FF
                             85
                                2D
                                      1A91:FE 60 E6 FD D0 02 E6 FE 75
17E9:04 A5 03
               48
                  A5 02
                          48
                            18
                                46
                                      1A99:60
                                              18
                                                  65
                                                     FB
                                                        85
                                                            FB
                                                               A5
                                                                  FC
                                                                      D4
               69
                  03 85
                          03 A9 CD
17F1:AD 88
            02
                                      1AA1:69
                                              00
                                                        60 E6
                                                               FB DØ
                                                                     72
                                                 85 FC
17F9:F8
        85
            02
               98
                   48
                      AØ
                          00
                             8A
                                1F
                                      1AA9: 02
                                              E6 FC
                                                     60
                                                        A9
                                                           14
                                                               AØ
                                                                  00
                                                                     10
1801:FØ 18
            4A AA 90 11 18 A5
                                42
                          06
                                      1AB1:4C
                                              8C
                                                 16
                                                     8E
                                                        22
                                                           1C
                                                               8C
                                                                  23
                                                                     98
1809:04 DØ 06
                68 48 FØ
                             DØ
                                99
                                      1AB9:1C
                                              18
                                                  4C
                                                     FØ
                                                        FF
                                                            20
                                                               D8
                                                                  19
                                                                     E5
                      91
                71
                   02
                          Ø2 C8 AØ
1811:04
         68
            48
                                      1AC1:AØ
                                              3F
                                                  20
                                                     5E
                                                           99 A7
                                                                  02 88
1819:DØ E5
            68 68
                   85
                      02
                          68 85
                                49
                                                        1A
1821:03
         68
            85
                04
                   60
                      C9
                          ØA FØ
                                ØD
                                      1AC9:88
                                              10
                                                  F7
                                                     60
                                                        20
                                                            F5
                                                               19
                                                                  A2 F8
1829:04 C9
            14 DØ
                   39
                      A5 Ø4 48 ØE
                                      1AD1:09 A0
                                                  04
                                                     20
                                                        B4
                                                           1A
                                                               20
                                                                  49 CC
1831:A5 Ø3
                   02 48
                                      1AD9:19
                                              43
                                                  48
            48 A5
                         18 AD 67
                                                     41
                                                         4E
                                                           47
                                                               45
                                                                  20 C2
                                      1AE1:50
1839:88 02
            69 03
                                                     49
                                                            49
                   85
                      03
                         A9
                             F8
                                10
                                              4F
                                                  53
                                                        54
                                                               4F
                                                                  4E
                                                                     C5
1841:85 02
            84 Ø4 AØ ØØ
                         8A FØ
                                      1AE9:53 00 20 4F
                                                        1A
                                                            20
                                                              49
                                                                  19 BD
                                90
                                      1AF1:20
                                              52
1849:10 4A AA
                90
                   09
                      B1
                          02
                             E5
                                6B
                                                  45
                                                     54
                                                         55
                                                            52
                                                               4E
                                                                  20
                                                                      69
1851:04 91
            Ø2 8D ØC
                      Ø3 C8 DØ
                                      1AF9:54
                                              4F
                                                  20
                                                     45
                                                        58
                                                           49
                                                               54
                                                                  00
                                CF
                                                                     15
                                      1BØ1:20
1859:ED 68 85 02
                   68 85 Ø3
                             68 33
                                              4F
                                                  1A
                                                    20 49
                                                           19
                                                               53
                                                                  50 06
                                      1BØ9:52
                                               49
                                                  54
                                                     45
                                                        20
                                                            4E
                                                                      92
 1861:85
         04
            AD
                ØC
                   03
                       60
                         C9
                             ØB
                                04
                                                               4F
                                                                   20
1869: DØ 2B A5 Ø2
                                      1B11:3E
                                              20
                                                  00
                                                    A9
                                                        00
                                                            8D
                                                               1E
                                                                  1C
                   48
                      98
                         48
                                77
                             AØ
                                      1B19:8D
1871:FE 84
            02 A0 00 8A F0 18 B0
                                              1F
                                                  1C
                                                     A9
                                                        08
                                                           80
                                                                  1C CE
                                                               20
1879: 4A AA
            90
               ØD
                  68
                      48
                          99
                             00
                                      1B21:A9
                                              ØB
                                                 8D
                                                     58
                                                        13
                                                            20
                                                               56
                                                                  13 FE
                                F3
1881:DØ AD
            10 D0
                                      1B29:48
                                              20
                   25
                      02
                          8D
                             10 F0
                                                 4F
                                                     1A
                                                        20
                                                           58
                                                               15
                                                                  20 C3
1889:DØ
         C8
            C8
                38
                   26
                      02
                         BØ
                                      1B31:49
                                              19
                                                  4D
                                                     4F
                                                        56
                                                               20
                             E5
                                71
                                                           45
                                                                  57
                                                                     50
1891:68 68
            85
                                      1B39:49 54
               02
                   60 C9
                         ac
                             DØ F3
                                                  48
                                                     20
                                                        4A
                                                            4F
                                                               59
                                                                  53
                                                                     C9
1899: 2A A5
            02
               48
                  98 48 AØ Ø1 35
                                      1B41:54 4B
                                                 00 20
                                                        4F
                                                               20 49 E2
                                                           1A
18A1:84
        02
            88
               8A
                  FØ
                      18
                                      1B49:19
                                              20
                                                  20
                          4A
                             AA
                                                     20
                                                        50
                                                            52
                                                               45
                                                                  53
                                                                     C3
18A9:90 0D
            68
               48
                  99 00 D0 AD
                                      1B51:53 20
                                                  46
                                                     49
                                13
                                                        52 45
                                                               00
                                                                  20
                                                                     5E
18B1:10 D0 05 02
                                      1B59:4F
                  8D
                      10 D0 C8 F5
                                                 20 49
                                              1A
                                                        19 20
                                                               20 20 FF
18B9:C8 18
            26
               02
                   90
                      E5
                         68
                             68 8E
                                      1B61:57
                                              48
                                                  45
                                                     4E
                                                        20
                                                           44
                                                               4F
                                                                  4E
18C1:85 Ø2
            60 C9
                  go bg
                         16
                             98 4E
                                      1B69:45 2E
                                                  00
                                                     AD
                                                        Ø1 1C
                                                               8D
                                                                  3B
                                                                     77
18C9:48 AØ ØØ 8A FØ
                                      1B71:1C A9
                                                  01
                                                     8D
                                                        01
                                                           1C
                      ØD
                                                               68
                                                                  AA ØD
                         4A
                             AA E9
                                      1B79:FØ Ø6
18D1:90 05
            68
               48
                   99
                      Ø1 DØ
                             C8
                                58
                                                 ØE
                                                     01
                                                        1C
                                                           CA
                                                               DØ
                                                                  FA
                                                                     24
                                      1B81:AD 00 DC
18D9:C8 DØ FØ 68
                  60 C9 ØE DØ 5E
                                                     49 FF
                                                           29
                                                              1F C9
                                                                     6B
18E1:15
        98
            48
               AØ ØØ
                                      1B89:10 FØ
                                                 2D
                                                     6A
                                                        90
                                                           Ø5 A9 Ø8
                      8A FØ
                             ØC.
                                                                     44
                                ED
18E9: 4A AA
                                      1B91:4C
            90
               05
                   68
                      48
                         99
                             27
                                              A9
                                                 1B
                                                     6A
                                                        90
                                                           05
                                                              A9
                                                                  07
                                                                     55
                                ØB
                                      1B99:4C A9
                                                 18
                                                        90
18F1:DØ C8 DØ F1
                   68
                      60 C9
                                                           Ø5 A9
                             ØF 5D
                                                     6A
                                                                  96
            8C
                                      1BA1:4C
18F9:DØ
         04
                25
                   DØ
                      60
                         C9
                             10
                                              A9
                                                  18
                                                     6A
                                                        90
                                                           DA A9
                                                                  05
                                23
                                                                     BA
1901:DØ Ø4
            8C 26 DØ
                      60 C9
                                      1BA9:AE Ø1
                            11
                                3D
                                                 1C
                                                     AØ
                                                        Øl
                                                            20
                                                               8C
                                                                  16 BC
1909:D0
         04
            AD 1E DØ
                      60 C9 12 E9
                                      1BB1:AØ 2Ø
                                                 20
                                                            4C
                                                     6F
                                                        1A
                                                               81
                                                                  1B 5B
1911:DØ
         04
            AD
               1F
                   DØ
                       60
                         C9
                             16
                                06
                                      1BB9:A0
                                              00
                                                 AD
                                                     01
                                                        1C
                                                            4A
                                                              FØ
                                                                  96
                                                                     F7
1919: DØ 2B
            A9 ØØ 8D
                      15 DØ
                            8D A3
                                      1BC1:C8 C8
                                                 C8
                                                     4A DØ
                                                               8C
                                                                  1E
                                                                     F5
                                                           FA
                                      1BC9:1C
1921:1C
         DØ
            8D
               1D DØ
                      8D
                                              A9
                         17
                             DØ D4
                                                 13 AE
                                                        01
                                                           1C
                                                               AØ
                                                                  aa
                                                                     7F
1929:AØ
         10
            99
               00 D0
                      88
                         10
                             FA A6
                                      1BD1:20
                                              8C
                                                 16
                                                     8D
                                                        21
                                                            1C
                                                               8E
                                                                  22
                                                                     8F
1931:AØ Ø8
            99
               27
                   DØ 88
                         10 FA
                                      1BD9:1C 8C 23 1C AC
                                                           1E
                                                               10
                                                                     2B
                                                                  AD
1939:8D
         25
            DØ
               8D
                   26
                      DØ
                             1E
                                      1BE1:21
                                              10
                                                 FØ
                                                     Ø2 A9
                         AD
                                5C
                                                            91
                                                               99
                                                                     CI
                                                                  4F
                                      1BE9:1C
1941:DØ AD
            1F
               DØ
                   60 A9
                             60
                                42
                                              C8
                         FF
                                                 AD
                                                     22
                                                        10
                                                            99
                                                               4F
                                                                  1C
                                                                     3A
               19 AA
                                                                     ØE
1949:68 8D
            6A
                      68
                         8D
                            6B
                                6F
                                      1BF1:C8 AD
                                                 23 1C
                                                        99
                                                           4F
                                                               1C AD
1951:19
         A8
            E8
               DØ
                   01
                      C8
                          8A
                             20
                                C4
                                      1BF9: 3B
                                              1C
                                                  8D
                                                     01
                                                        10
                                                            4C
                                                               F1
                                                                  08
                                                                     94
1959:1E AB
            38
               98
                      6A
                         19
                             AA Ø8
                                      1001:00 00
                                                 DØ DØ
                                                        00
                                                           00
                                                               00
                                                                  00
                   6D
                                                                     60
                  19 48
1961:A9
         00
                                      1009:05 00
            6D
               6B
                                                 00
                         8A
                            48
                                14
                                                    99 99
                                                           aa
                                                               aa
                                                                  aa
                                                                     C3
1969:60
         00
            ØØ
               AØ
                   00
                      AD
                          86
                             02
                                9B
                                      1C11:00
                                              7F
                                                 BF
                                                           F7
                                                                     74
                                                     DF
                                                        EF
                                                               FB
                                                                  FD
1971:99
               99
                   ØØ D9
         00
            D8
                          99
                             00
                                BF
                                      1C19:FE
                                              3F
                                                 CF
                                                     F3
                                                        FC
                                                           00
                                                               aa
                                                                  aa
                                                                     CI
1979: DA
         99
            00
               DB
                   C8 DØ
                         F1
                             60
                                ØB
                                     1C21:00 00
                                                 00
                                                     90
                                                        05
                                                           10
                                                               9F
                                                                  9C
                                                                     D6
1981:48
               10
         8D
            21
                   18
                      A2
                         Ø3 AØ
                                13
                                     1C29:1E
                                              1F
                                                  9E
                                                     81
                                                        95
                                                            96
                                                               97
                                                                  98
                                                                     F2
1989:04
         20 F0 FF
                   4E
                      21 1C BØ C3
                                              9A
                                      1C31:99
                                                  9B
                                                     al
                                                        01 00
                                                               00
                                                                  83
                                                                     EB
1991: ØF
         38
            20
               FØ
                   FF
                      C8
                         C8
                             C8
                                E 9
                                     1039:00
                                              00
                                                 00
                                                     46
                                                        49
                                                           4C
                                                               45
                                                                  4E
                                                                     2A
1999:C8
        18
            20 F0
                   FF
                      4C
                         8D
                            19
                                     1C41:41
                                AE
                                              4D
                                                 45
                                                     20
                                                        49
                                                            4E
                                                               20
                                                                  48
                                                                     24
19A1:68
            20
               AD
                          ØD
                            1C
        AA
                  1A AE
                                53
                                     1C49:45
                                              52
                                                  45
                                                     50
                                                        2C
                                                           57
                                                               00
19A9:FØ
         08
            20
               49
                   19
                      20
                         20
                             20
                                98
                                     1C51:32
                                              00
                                                  58
                                                     32
                                                        aa
                                                           78
                                                               32
                                                                  00
                                                                     17
         60 C9
                                      1C59:98
19B1:00
               64 BØ 12
                         48 A9
                                83
                                              32
                                                  00
                                                    B8
                                                        32
                                                            aa
                                                              D8
                                                                  32
                                                                     6B
1989:30
        20 D2 FF
                   68
                      C9
                         ØA BØ
                                     1C61:00 F8
                                95
                                                 32
                                                     01
                                                        18
                                                           32
                                                               00
                                                                  38
                                                                     EF
19C1:07 48 A9
                                76
               30
                   20 D2 FF
                             68
                                     1C69:32
                                              00
                                                 58
                                                    32
                                                        00
                                                           78
                                                               32
                                                                  00
                                                                     2F
19C9: AA A9 00 4C
                  CD BD A9 D8
                                     1C71:98 32
                                                 00 B8
                                                        32
                                                           99
                                                              D8
                                                                  32
                                                                     83
19D1:85
        FE
            A9
               AØ
                   85 FD
                         60
                             AE
                                59
                                     1C79:00 F8
                                                 32
                                                    01
                                                        18
                                                           32
                                                               93
                                                                  13 ØA
19D9:01 1C
            20 AD
                  1A A2
                         06
                                     1C81:2B
                             85 5F
                                              2D
                                                 DB
                                                    DD
                                                        85
                                                           89
                                                              86
                                                                  8A
                                                                     DD
19E1:FB A9 00 85 FC 06 FB 26 F2
                                     1C89:87
                                             8B 88 8C
                                                        58
                                                           59
                                                              4D
                                                                  53
                                                                     58
19E9:FC CA DØ F9 18 A9 8Ø 65 D4
                                     1091:31 32 33 34 52 40
                                                              55
```

```
1C99:D2 46 C6 49 4F 51 56 43 E9
                   14 C3
                              57
                                 CF
1CA1:C4 D3 CC
                94
                           5A
1CA9: D7 CD D8 D9 DA
                       24
                           6C
                              aB
                                 45
                          9F
                              OR DE
1CB1:EE 09
            81
                ØB
                   7B
                       OR.
                                 66
1CB9:87
         ØB
            E6
                ØB
                   E9
                       ØB
                          EC
                              ØB
1CC1: EF
         ØB F2
                ØB
                   F5
                       ØB
                              ØB
                                 9C
1CC9:FB ØB
            ØF
                ac
                   37
                       ac
                          43
                              ØC.
                                 El
                   75
                      ØC
1CD1:69
         ac
             6F
                ac
                          7F
                              ac
                                 57
1CD9:85 ØC
             92
                ØC
                   CA
                       ØC
                          F7
                              ØC
1CE1:16
         ØD
            39
                ØD
                    4B
                       ØD
                          77
                              an
                                 EA
1CE9:4C
         ØF.
             60 OF
                   15
                          72
                                 96
                       10
                              10
1CF1: 70 0E 2C 12
                   64 14
                          61
                             14
                                 D6
            15
                    79
1CF9:DC
         10
                11
                       11
                          CD
                              1A
                                 1E
1DØ1:CA ØF B9 ØF
                   55 ØC
                          1B
                              ØC
                                 A 9
1D09: 29 0C 1E 12 A2 15 00
```

Machine Language Programming

Article on page 56.

File Stripper

```
HF 100 DATA 72,162,2,32,201,25
        5,104,32,210,255,32,204
        , 255, 96
SD 110 DATA 162,0,134,252,162,
       1,32,198,255,32,228,255
        ,72
CH 120 DATA 32,204,255,104,166
        144,134,253,166,252
JD 130 DATA 240,21,162,13,201,
        32,240,6,162,32,201,13
XJ 140 DATA 240,15,72,138,32,0
        ,32,104,76,66,32,162,1
KG 150 DATA 201,13,240,5,32,0,
        32,162,0,134,252
EM 160 DATA 166,253,240,197,16
        9,13,166,252,240,3,32,0
        ,32,96
AJ 200 FOR J=8192 TO 8278
EJ 210 READ X:T=T+X
BP
   220
       POKE J,X
   230 NEXT J
AE
XB 240 IF T<>10628 THEN STOP
DH 300
       INPUT "NAME OF TEXT FIL
       E"; N$
JQ 310 OPEN 15,8,15
AA 320 OPEN 1,8,3,N$
  330
       INPUT#15, E, E$, E1, E2: IF
OR
        (SPACE) E <> Ø THEN PRINT
        (SPACE)ES: GOTO 500
EG 340 INPUT "NAME OF <NEW> FI
       XED FILE";F$
DM 350 OPEN 2,8,4,F$+",S,W"
HD 360
       INPUT#15, E, E$, E1, E2: IF
        {SPACE} E<>0 THEN PRINT
        {SPACE}ES: GOTO 500
QJ 370 SYS 8206
XB 380 INPUT#15, E, E$, E1, E2: IF
        (SPACE)E<>Ø THEN PRINT
       (SPACE) ES: GOTO 500
HM 500 CLOSE 2
  510 CLOSE 1
  520 CLOSE 15
```

128 Math Graphics

Article on page 67.

Program 1: Math Graphics Demo

FS 1000 REM COPYRIGHT 1988 COM
PUTE! PUBLICATIONS, IN
C. - ALL RIGHTS RESERV
ED
JS 1010 PRINT"{CLR}{3 SPACES}C
OPYRIGHT 1988 COMPUTE!

PUB., INC.": PRINTTAB (

11) "ALL RIGHTS RESERVE

TOUCHEN THE PROPERTY	SLEEP3	l ES	1490	:{3 SPACES}RR=R2			OBES*THETA)
FB 1030		20	1430	(3 SPACES):TT=THETA	MX	1940	:{3 SPACES}RR=R2
JQ 1040	GOSUB 2890 {2 SPACES}:R	629 V		{3 SPACES}:GOSUB 2720			{3 SPACES}:TT=THETA
	EM INITIALIZE			{SPACE}:Y1=POLARY			{3 SPACES}:GOSUB 2670
PX 1050	GOSUB 2410 (2 SPACES):R	SF	1500	:{3 SPACES}RR=R3			{SPACE}:X1=POLARX
au 1000	EM STAR	1		{3 SPACES}:TT=THETA	ER	1950	: {3 SPACES}RR=R2
CX 1060	GOSUB 1380 (2 SPACES):R			[3 SPACES]:GOSUB 2670			[3 SPACES]:TT=THETA
20 1070	EM TWISTED BAND			{SPACE}:X2=POLARX			[3 SPACES]:GOSUB 2720
DQ 1070	GOSUB 2030 (2 SPACES):R	JH	1510	:{3 SPACES}RR=R4		1000	(SPACE): Y1 = POLARY
OD 1000	EM SPIRAL CONE			{3 SPACES}:TT=THETA+OS	нр	1960	: {3 SPACES}DRAW 1,XCEN
CE 1000	GOSUB 2230 { 2 SPACES } : R EM SIDE SPIRAL CONE			:GOSUB 2720 :Y2=POLARY	DD	1070	TER, YCENTER TO X1, Y1 :{3 SPACES}GET A\$:IF A
DF 1000	GOSUB 1600 (2 SPACES):R	AB	1520	: {3 SPACES}DRAW 1,X1,Y	RP	19/0	\$<>"" THEN RETURN
DE 1030	EM SPIKES			1 TO X2, Y2	MO	1980	NEXT THETA
GF 1100	GOSUB 1170 (2 SPACES):R	DJ	1530	: {3 SPACES}GET AS: IF A			GOSUB 2820 (3 SPACES):R
	EM RIGHT OVAL	VD	1540	\$<>"" THEN RETURN	-	2010	EM GET A KEYPRESS
KJ 1110	GOSUB 1860 [2 SPACES]:R			NEXT THETA GOSUB 2820{2 SPACES}:R	PR	2000	RETURN
Lane Manager	EM MULTILOBE	LII	1330	EM GET A KEYPRESS		2010	
	GRAPHIC CLR	KD	1560	RETURN	XE	2020	REM SPIRAL CONE
EF 1130			1570	20000 TO 000000	DV	2030	
CJ 1140				REM SPIKES			GRAPHIC 1,1
KK 1150	REM RIGHTOVAL						R1=100
JK 1160	· · · · · · · · · · · · · · · · · · ·	HF	1590				R2=85
	GRAPHIC 1,1	DC	1600	GRAPHIC 1,1			INC=1/62
HF 1180	R1=150	KS	1610	R1=115			INC=1/80
QJ 1190	R2=25 R3=25 R4=85 INC=1/64	FE	1620	: GRAPHIC 1,1 R1=115 R2=85 R3=40			LOBES=3
HH 1200	R3=25	PA	1630	R3=40			TS="SPIRAL CONE"
CP 1210	R4=85	PE	1040	K4=43	ROBE	and the same of	{4 SPACES}: GOSUB 2770
BC 1220	INC=1/64			INC1=1/3 INC2=1/6			(SPACE) : REM PRINT TITL
FH 1230	T\$="RIGHT OVAL"			TS="SPIKES" (5 SPACES):			E
	{5 SPACES}:GOSUB 2770	-		GOSUB 2770 : REM PRINT			COLOR 1,5
	{5 SPACES}: REM PRINT T			{SPACE}TITLE	CQ	2120	FOR THETA=Ø TO 2*1 STE
BM 1240	COLOR 1,6	ER	1680	K=2		2120	P INC :{3 SPACES}RR=R1
	FOR THETA=Ø TO 2*1 STE	CH	1690	FOR T1=0 TO 2* STEP I	MA	2130	{3 SPACES}:TT=THETA*LO
17.	P INC +			NC1			BES : GOSUB 2670 : X1=PO
FP 1260	: {3 SPACES}RR=R1	RA	1700	:{3 SPACES}FOR T2=Ø TO			LARX
Figure	{3 SPACES}:TT=THETA	cc	1710	2* STEP INC2 : {7 SPACES} RR=R1	JG	2140	:{3 SPACES}RR=R2
The state of	[3 SPACES]:GOSUB 2670	65	1/10	{3 SPACES}:TT=T2			{3 SPACES}:TT=THETA
1	{SPACE}:X1=POLARX	100		{2 SPACES}:GOSUB 2670			[7 SPACES]:GOSUB 2720
BJ 1270	:{3 SPACES}RR=R2	6 18		{SPACE}:X1=POLARX			(SPACE): Y1=POLARY
The second	(3 SPACES):TT=THETA	PT	1720	: {7 SPACES}RR=R2	CS	2150	: {3 SPACES}DRAW 1, XCEN
	{3 SPACES}:GOSUB 2720 {SPACE}:Y1=POLARY	Eo	1/20	{3 SPACES}:TT=T1	g A	21.60	TER, YCENTER TO X1, Y1 :{3 SPACES}GET A\$:IF A
PD 1280	: {3 SPACES}RR=R3			{2 SPACES}: GOSUB 2720	on	2100	\$<>"" THEN RETURN
	{3 SPACES}:TT=THETA+[{SPACE}:Y1=POLARY	FP	2170	NEXT THETA
	(SPACE): GOSUB 2670 :X2	RC	1730	: {7 SPACES}RR=R3	JS	2180	GOSUB 2820 (2 SPACES):R
1	=POLARX	8 19 19		{3 SPACES}:TT=T1			EM GET A KEYPRESS
AE 1290	: [3 SPACES] RR=R4			{2 SPACES}: GOSUB 2670			RETURN
	{3 SPACES}:TT=THEAT+[000	1740	{SPACE}:X2=POLARX :{7 SPACES}RR=R4	PM	2200	REM SIDE SPIRAL CO
	{SPACE}:GOSUB 2720 :Y2	bc	1/40	{3 SPACES}:TT=T2	QD	2210	NE
PD 1300	=POLARY : {3 SPACES}DRAW 1,X1,Y	123		{2 SPACES}: GOSUB 2720	RP	2220	
ND 150	1 TO X2, Y2	-		{SPACE}:Y2=POLARY	-		GRAPHIC 1,1
RG 1316	: [3 SPACES]GET AS: IF A	KX	1750	: {7 SPACES}K=K+1:IF K=			R1=130
The state of the	\$<>"" THEN RETURN			17 THEN K=2	CP	2250	R2=8Ø
	NEXT THETA			: {7 SPACES}COLOR 1,K			INC=1/160
XJ 1330	GOSUB 2820 [2 SPACES]:R	EC	1770	: {7 SPACES}DRAW 1,X1,Y	2.55		LOBES=3
00 124	EM GET A KEYPRESS	011	1700	1 TO X2,Y2	DH	2280	T\$="SIDE SPIRAL CONE"
GF 1350	7 RETURN	Qn	1/00	: {7 SPACES}GET A\$:IF A \$<>"" THEN RETURN			{3 SPACES}: GOSUB 2770 {SPACE}: REM PRINT TITL
	REM TWISTED BAND -	MB	1790	:{3 SPACES}NEXT T2			E
M1 1301	REM TWISTED BAND -	1 (Y) 143 (C)		NEXT TI			COLOR 1,15
AH 137				GOSUB 2820 (2 SPACES):R			FOR THETA=Ø TO 2*1 STE
	GRAPHIC 1,1	744750	TENTROLITIES.	EM GET A KEYPRESS			P INC
BD 139	Ø R1=150			RETURN	НМ	2310	: {3 SPACES}RR=R1
JE 140	8 R2=35		1830		0.00		{3 SPACES}:TT=THETA {7 SPACES}:GOSUB 2670
RH 141	7 R3=65	HR	1840	REM MULTILOBE	Till		{SPACES : GOSOB 2070 {SPACE} : X1=POLARX
	R4=85	CF	1850		BE	2320	: {3 SPACES}RR=R2
The second secon	0 INC=[/64 0 OS=[/3			GRAPHIC 1,1	25		{3 SPACES}:TT=THETA*LO
	TS="TWISTED BAND"			R1=100			BES :GOSUB 2720 :Y1=PO
243	(3 SPACES):GOSUB 2770			INC=1/128			LARY
S CHANGE	{SPACE} : REM PRINT TITL	PF	1890	LOBES=4	AF	2330	: {3 SPACES}DRAW 1, XCEN
F I I I I I I I I I I I I I I I I I I I	Ė	CS	1900	TS="MULTILOBE"		2210	TER, YCENTER TO X1, Y1
	Ø COLOR 1,7	130		{2 SPACES}: GOSUB 2770	KF	2340	:{3 SPACES}GET A\$:IF A \$<>"" THEN RETURN
ME 147	FOR THETA=Ø TO 2*1 STE	1		{SPACE}: REM PRINT TITL	MC	2350	NEXT THETA
TT 149	P INC 3 :{3 SPACES}RR=R1	PC	1910	COLOR 1,8			GOSUB 2820 (2 SPACES):R
00 148	{3 SPACES}:TT=THETA			FOR THETA=0 TO 2*1 STE	"		EM GET A KEYPRESS
NAME OF	[3 SPACES]:GOSUB 2670			PINC			RETURN
	(SPACE):X1=POLARX	PQ	1930	:{3 SPACES}R2=R1*SIN(L	I CG	2380	in the second

1	SH	2390	REM STAR	FR	2920	M BACKGROUND COLOR 4,1{3 SPACES}:RE	RD	1330	DATA "{RVS}S{OFF} COLO R{11 SPACES}=",18,1
	AG	2400				M BORDER RETURN	MG	1340	DATA "{RVS}T{OFF} LOAD MATHGRAPHIC", 20,1
			GRAPHIC 1,1 R1=115	Paren			SH	1350	DATA "{RVS}U{OFF} SAVE
	QG	2430	R2=85	Pro Kit	-	n 2: Math Graphics Tool	QM	1360	MATHGRAPHIC", 20, 20 DATA "{RVS}V {OFF} DIRE
			R3=40 R4=45	100000		REM COPYRIGHT 1988 COM			CTORY",21,1 DATA "{RVS}W{OFF} VIEW
1			INC1=f/3 INC2=f/6			PUTE! PUBLICATIONS, IN C ALL RIGHTS RESERV	50.00		MATHGRAPHIC", 21, 20
			T\$="STAR" {4 SPACES}:GO			ED	AF	1380	DATA "{RVS}X{OFF} QUIT ,22,1
1			SUB 2770 : REM PRINT TI	JS	1010	PRINT"{CLR}{3 SPACES}C OPYRIGHT 1988 COMPUTE!	EX	1390	DATA "{RVS}Y{OFF} REDR AW MENU",22,20
1		2490	K=2 FOR T1=Ø TO 2* STEP I			PUB., INC.":PRINTTAB(11)"ALL RIGHTS RESERVE	2001/200		RETURN
			NC1 :{3 SPACES}FOR T2=0 TO	nn.	1000	D"	(Y/O/A/6/A	1410	REM PRINT MENU
1			2*1 STEP INC2	FB	1030	A Commence of the Commence of	CM	1430	
	XF	2520	: {7 SPACES}RR=R1 {3 SPACES}:TT=T2+1:GOS			GOSUB 1090 GOSUB 1440	97/03/32		GRAPHIC Ø,1:COLOR Ø,7:
	RD	2530	UB 2670 :X1=POLARX :{7 SPACES}RR=R2	GP		GOSUB 1640	вк	1450	COLOR 4,7:COLOR5,2 PRINT CHR\$(14)CHR\$(11)
	-	2555	{3 SPACES}:TT=T2+1:GOS	EF	1080	:	AR	1460	; PRINT"{A}****[128 MAT
1	QH	2540	UB 2720 :Y1=POLARY :{7 SPACES}RR=R3	EF	1090	REM INITIALIZE			HGRAPHIC TOOL KIT]***
			{3 SPACES}:TT=T1 {2 SPACES}:GOSUB 2670	V 1/2 (2) (4)	1100	: DIM R(19):XCENTER=151:		No.	FOR I=1 TO 22
	CA	2550	{SPACE}:X2=POLARX :{7 SPACES}RR=R4	1900		YCENTER=93	PK	1480	:{4 SPACES}PRINT"- {37 SPACES}-"
	DA	2550	{3 SPACES}:TT=T1	RX	1130	DIM M\$ (25), X (25), Y (25) FOR I=1 TO 25	100 to 411	1490	NEXT I
			{2 SPACES}: GOSUB 2720 {SPACE}: Y2=POLARY	KR	1140	:{2 SPACES}READ M\$(I), X(I),Y(I)	Tax Pilani.		REM PRINT VALUES -
	AJ	2560	: {7 SPACES}K=K+1:IF K= 17 THEN K=2		1150	NEXT I		1520	THE REAL PROPERTY OF THE PROPE
			: {7 SPACES}COLOR 1,K :{7 SPACES}DRAW 1,X1,Y	100000000000000000000000000000000000000		DATA "{RVS}A{OFF} R1 =			FOR I=1 TO 25 :{2 SPACES}SYS DEC("CC
			1 TO X2, Y2	100000		",1,1," (RVS)B(OFF) R2 {SPACE}=",1,20	BJ	1550	6A"),,X(I),Y(I) :{2 SPACES}PRINT M\$(I)
	XE	2590	:{7 SPACES}GET AS:IF A \$<>"" THEN RETURN	BJ	1180	DATA "{RVS}C{OFF} R3 = ",2,1,"{RVS}D{OFF} R4			;: IF I<20 THEN PRINT"
			: {3 SPACES}NEXT T2 NEXT T1	KE	1190	(SPACE)=",2,20 DATA "{RVS}E(OFF) THET	нс	1560	{6 SPACES}{6 LEFT}"; :{2 SPACES}IF I<=19 TH
			GOSUB 2820 (9 SPACES):R	KL	1130	A 1'S START = PI *",4,	QJ	1570	EN PRINTR(I) :{2 SPACES}IF I=3 OR I
			EM GET A KEYPRESS RETURN	KR	1200	DATA "{RVS}F{OFF} THET	1000		=19 THEN PRINT" {Q} ****
		264Ø 265Ø	REM POLARX			A 1'S END{3 SPACES}= P I *",5,1		1500	**************************************
	P.T	2660	:	RJ	1210	DATA "{RVS}G{OFF} THET A 1'S INC{3 SPACES} = P	HF	1590	
			POLARX=RR*COS (TT)+XCEN	au	1000	I /",6,1	100000000	1600	RETURN:
			TER RETURN	GX	1220	DATA "{RVS}H{OFF} THET A 2'S START = PI *",7,	ED	1620	REM GET INPUT
		269Ø 27ØØ	REM POLARY			DATA "{RVS}I{OFF} THET	AND 1983	1630	:
	GM	2710				A 2'S END{3 SPACES}= P I *",8,1			GOSUB 1880 INPUT"SELECTION =>"; A\$
			POLARY=RR*SIN(TT)+YCEN TER	JR	1240	DATA "{RVS}J{OFF} THET A 2'S INC{3 SPACES}= P	CG	1660	:A\$=LEFT\$(A\$,1) IF A\$<"A" OR A\$>"Z" TH
			RETURN			I /",9,1	PP	1670	EN GOTO 1640 IF A\$<="S" THEN GOSUB
		274Ø 275Ø	REM PRINT TITLE	PA	1250	DATA "{RVS}K{OFF} X1'S OFFSET{5 SPACES}= PI			{SPACE}1770:GOTO 1640
-	BS	2760	:	во	1260	(SPACE)/",10,1 DATA "{RVS}L{OFF} Y1'S	SK	1680	IF A\$="T" THEN GOSUB 2 480:GOSUB 1530:GOTO 16
			COLOR 1,13:CHAR 1,0,0,	- *	H Control Section	OFFSET (5 SPACES) = PI (SPACE)/",11,1	SM	1690	40 IF AS="U" THEN GOSUB 2
			RETURN	ВЈ	1270	DATA "{RVS}M{OFF} X2'S			370:GOTO1640
		279Ø 28ØØ	REM GET A KEYPRESS			OFFSET{5 SPACES}= PI {SPACE}/",12,1	RK	1700	IF A\$="V" THEN GOSUB 2 290:GOSUB 1440:GOTO 16
	хв	2810		SE	1280	DATA "{RVS}N{OFF} Y2'S OFFSET{5 SPACES}= PI	JF	1710	40 IF AS="W" THEN GOSUB 1
	FC	2820	SLEEP 3 COLOR 1,13:CHAR 1,7,24	PO	1200	(SPACE)/",13,1 DATA "(RVS)O(OFF) X1 U			950:GOSUB 1440:GOTO 16
	QG	2030	,"PRESS ANY KEY TO CON	PQ	1290	SES THETA (2 SPACES)", I	вх	1720	IF AS="X" THEN GRAPHIC
	CA	2840	TINUE" GETKEY A\$	BS	1300	4,1 DATA "{RVS}P{OFF} Y1 U		terrories (a)	CLR: PRINT" (CLR) "CHR\$ (12); : RETURN
		285Ø 286Ø	RETURN:			SES THETA {2 SPACES}", I	PM	1730	IF A\$="Y" THEN GOSUB 1 440:GOTO 1640
	A CONTRACTOR		REM INITIALIZE	GC	1310	DATA "{RVS}Q{OFF} X2 U SES THETA{2 SPACES}",1		1740 1750	REM NEW VALUE
		2880	•		1227	6,1	-		
	HJ	2900	XCENTER=151 YCENTER=93		1320	DATA "{RVS}R{OFF} Y2 U SES THETA{2 SPACES}",1	AR		GOSUB 1880
1	JS	2910	COLOR Ø,1{3 SPACES}:RE			7,1	CA	1780	INPUT"NEW VALUE =>"; N\$

		:N=VAL (LEFT\$ (N\$,5))
		A=ASC(A\$)-64
AR BC	1800	
20	1010	Y (A)
KQ	1820	PRINT MS(A)::IF A<20 T
		HEN PRINT" [6 SPACES]
HG	1830	{6 LEFT}"; PRINTR(A);
AF	1840	RETURN
GF		B 1993
GP	1860	REM DRAW INPUT BOX
QH	1870	
	1880	SYS DEC ("CC6A") ,, 23, 0:
		PRINTCHR\$ (27)+"@";
QE	1890	PRINT"{Z}****[{26 SPACES}]*****{X}";
MQ	1900	SYS DEC("CC6A"),,23,7
BK	1910	RETURN
BK	1920	REM DRAW GRAPH
QIT	1930	
	1940	
вх	1950	COLOR Ø,1:COLOR 4,1:GR
AA	1960	APHIC 1,1 IF R(19)=Ø THEN K=1 :E
		LSE K=R(19)
JE	1970	COLOR 1,2:CHAR 1,0,0,F
CG	1980	\$ FOR T1=[*R(5) TO [*R(6]
CG	1900) STEP 1/R(7)
GA	1990	: {3 SPACES} FOR T2=[*R(
		8) TO [*R(9) STEP [/R(
EB	2000	10) :{7 SPACES}FOR N=1 TO
	2000	{SPACE}4
	2010	
EC	2020	: {11 SPACES} IF R (14+N)
		=1 THEN TT=T1+ /R(10+N)):ELSE TT=T2+ /R(10+N)
QQ	2030	:{11 SPACES}ON N GOSUB
70	2040	2170,2230,2170,2230 :{7 SPACES}NEXT N
FO	2050	: {7 SPACES} NEXT N : {7 SPACES} IF R(19) = Ø
		{SPACE}THEN K=K+1: IF K
71555:	and the same	>16 THEN K=2
RC GA	2060	: {7 SPACES}COLOR 1,K :{7 SPACES}DRAW ,X1,Y1
GA	2010	TO X2, Y2
BB	2080	: {7 SPACES}GET AS: IF A
		\$<>"" THEN GRAPHIC 0,1 :RETURN
JD	2090	: {3 SPACES} NEXT T2
FD	2100	NEXT T1
XK	2110	COLOR 1,2:CHAR 1,7,24,
		"PRESS ANY KEY TO CONT INUE"
FC	2120	GETKEY A\$
BE	2130	RETURN:
		REM POLARX
vv	2130	TENT PODRKA
	2160	
SE	2170	POLARX=RR*COS (TT)+XCEN
XR	2180	TER IF N=1 THEN X1=POLARX:
		ELSE X2=POLARX
		RETURN
	2200	REM POLARY
LK	LLIU	
	2220	
RR	2230	POLARY=RR*SIN(TT)+YCEN
АН	2240	TER IF N=2 THEN Y1=POLARY:
		ELSE Y2=POLARY
		RETURN
	2260	: REM DIRECTORY
EA	2280	
QC	2290	PRINT"{CLR}";

```
MK 2300 DIRECTORY
PP 2310 PRINT: PRINT" << PRESS AN
        Y KEY TO CONTINUE>>";
  2320 GETKEY B$
OD 2330 RETURN
GD 2340
HS 2350 REM --- SAVE MG -----
JF 2360 :
BQ 2370 GOSUB 2590: IF FS="" TH
        EN RETURN
JK 2380 DOPEN#2, (F$), W
XB 2390 IF DS THEN :SYS DEC("C
        C6A"),,23,7:PRINT DS$;
        :SLEEP 3: GOTO 2430
GC 2400 FOR I=1 TO 19
MD 2410 : [3 SPACES] PRINT#2,R(I
HD 2420 NEXT I
FE 2430 DCLOSE#2
BJ 2440 RETURN
BM 2450
ED 2460 REM --- LOAD MG -----
PQ 2470 :
CD 2480 GOSUB 2590: IF F$="" TH
        EN RETURN
BS 2490 DOPEN#2, (F$),R
EG 2500 IF DS THEN :SYS DEC("C
        C6A") ,,23,7: PRINT DS$;
        :SLEEP 3:GOTO 2540
BF 2510 FOR I=1 TO 19
FP 2520 INPUT#2,R(I)
CJ 2530 NEXT I
AR 2540 DCLOSE#2
BB 2550 RETURN
RC 2560 :
MK 2570 REM --- GET FILENAME -
HD 2580 :
CK 2590 GOSUB 1880: PRINTCHR$ (2
        7)+"Q";
KP 2600 INPUT"FILENAME =>";F$:
        FS=LEFTS(FS,16)
HC 2610 RETURN
```

1541 Speed And Alignment Tester

See instructions in article on page 63 before typing in.

```
0801:0D 08 0A 00 9E 28 32 30 05
0809:36 33
          29
             00 00
                    00
                       4C C1
                             80
0811:0A 4C 1E 04 4C CF
                       04 4C
                             33
Ø819:D8 Ø4 4C 9F Ø4
                    4C
                       A3 Ø4 B6
              40 00
Ø821:4C
       3D Ø6
                    06
                       4C
                          90
                              6D
Ø829: Ø4 4C B3 Ø4 4C CA
                       Ø4 2Ø BA
Ø831:FA Ø4 DØ
             ØA A5
                    18
                       C9
                           2E
                              C9
Ø839:90 Ø2 A9 2C 69
                    Ø1 85 22
                             86
Ø841:A5 22 C9 Ø1 FØ Ø7
                       20 BA
                             94
Ø849: Ø5 C6
           22 DØ
                 F3
                    A9
                       01
                          85
                              AC
0851:18 20
           3F Ø5 A2
                    00 20 Cl
                              C4
0859:05 A0 00 20 D2 05 A9 EE
                              03
Ø861:8D ØC
           1C
              20 F5
                    05
                       AØ ØØ C5
0869:84 4D 20 5E 05 F0 04 A2
                             8F
Ø871:ØØ DØ
                 18
           18
             A5
                    8D
                       Fl
                           06
                              F3
Ø879:A4 22 CC F1 Ø6
                    DØ
                       Ø3 EE
                             85
Ø881:F2 Ø6 C8 CC F1
                    Ø6 DØ Ø3 BE
Ø889:EE F3 Ø6 A4
                 4D
                    8A
                       99 EØ
                              CI
Ø891:Ø6 E6 4D A5 4D C9
                       11 DØ E6
           ØØ
Ø899:D1 AD
              1C
                 29
                    F7
                        4C
                          B8
                              3A
                              A7
Ø8A1: Ø4 2Ø FA
              Ø4 DØ
                    98
                       A5 18
Ø8A9:C9
           90
              92 A9 2D DØ 8E
                              97
        2E
                              76
Ø8B1:78
        20 BD 05
                 78
                       22 C9
                    A5
08B9:12 F0 09 90 15 C6 22 20 61
Ø8C1:BA Ø5
           FØ
              F1 AD
                    00
                        10
                           29
                              7C
08C9:F3 8D 00
              1C A9
                    EC 8D ØC 21
Ø8D1:1C 60 E6 22 20 B0 Ø5 FØ C5
Ø8D9:DC DØ E9
              20 F2 04 D0 D4
                             E9
Ø8E1:20 E8 Ø4 20 B3 Ø5 4C 48 51
```

```
08E9:04 20 E8 04 20 B3 05 E6 22
Ø8F1:22 A5 22 20 43 Ø5 4C
                           48 D1
        78 AD 00 1C
                     09
                        08
Ø8F9: Ø4
                           8D
                              82
                           09
                               5C
Ø901:00 1C
           60
              78 AD
                     00
                        1C
0909:0C D0 F4 20 F2 04
                        A9
                           EE DF
Ø911:8D ØC
           1C AØ
                  00
                     20
                        D2
                            05
                               A5
Ø919:20 27 Ø5 FØ 1A A9
                        98
                           85
                               CI
0921:4A 20 BA 05 C6 4A D0
                           F9
                               03
0929:20 27
           05
              FØ
                  ØA
                     20
                        B3
                           05
                               92
0931:20 27
           Ø5 FØ Ø2 A9
                        2D
                           60
                               3E
Ø939:A2 Ø3
           20
              48
                  05
                     8A
                        48
                            20
                               E8
0941:5A 05 F0 08 68 AA CA
                           10
                              F3
Ø949:F1 A9 20 60
                  68 A9 ØØ
                            60
                               13
Ø951:A5
        18 85
              22
                  20
                     4B
                        F2
                            85
0959:43 AD 00 1C
                 29
                     9F
                        1D
                            56
                               92
0961:05 8D 00 1C A9
                     00
                        60
                           00
                               29
0969:20 40 60 A9 FF
                     DØ 02
                           A9
                               33
Ø971:00 85 4B A2 64 20 DB Ø5
                              D8
Ø979:DØ 33 50 FE B8
                     AD
                        01
                            1C
                               55
                  99
                        00 C8
                               EF
Ø981:C9 52 DØ
              2A
                     24
Ø989:50 FE B8 AD Ø1
                     1C
                        99
                           24
Ø991:00 C8 CØ Ø8 DØ F2
                        8A
                           48
                               1 E
0999:20 97 F4 68 AA A9 00 45
                              as
Ø9A1:16 45
           17 45
                  18
                     45
                        19
                           C5
                               15
Ø9A9:1A FØ Ø9 A9 27
                     60
                        CA DØ
                              E1
09B1:C4 A9 20 60 A5 4B D0 06
                               9C
09B9:A5 4D C5
              19 DØ
                     FØ
                        A9
                           00
                               D9
09C1:60 20 B3 05 AE 00 1C
                           E8
                               69
09C9:4C C1 05 20 BD 05 AE 00
                               74
Ø9D1:1C CA 8A 29 Ø3
                     85
                        44
                           AD
                               EC
09D9:00 1C
           29 FC
                 05
                    44
                        8D
                            00
                               3C
09E1:1C A0
           Ø6 A2
                  00
                     CA
                        DØ
                           FD
                               DF
Ø9E9:88 DØ FA 60 A9
                    DØ 8D
                           05
                              8A
           05 18 10
Ø9F1:18 2C
                     ØD
                        2C
                           00
                               4A
Ø9F9:1C
        30 F6 AD 01
                     1C
                        B8
                           AØ
                               6A
ØAØ1:00 98 60 A9 21
                     60 A9
                           00 BF
ØAØ9:AØ 13
           99
              EØ
                  06
                     88
                        10
                            FA
                               EØ
ØA11:60 20 F2 04 29
                     10 D0
                               2C
              91
                  Ø6 A9 EE
                               70
ØA19:A9 26 4C
                            8D
           A9 03 8D E5
ØA21: ØC
        1C
                        06
                           AØ
                               58
ØA29:00 20 D2 05 CE E5 06 D0 DA
ØA31:F6 20 F5 Ø5
                     27
                  20
                        05
                           DØ
                               50
ØA39: Ø8 A5 18 C9 24 9Ø Ø2 85
                               47
ØA41:22 A5 22 C9 24 BØ Ø7
                           E6
                               89
ØA49:22 20 BØ Ø5 FØ
                     F3
                        20
                           E8
                               5D
ØA51: Ø4 A9 CE 8D ØC
                     1C A9 FF
                               A8
ØA59:8D Ø1 1C
               8D
                  03
                     1C
                        A9
                            55
                               02
ØA61:A2 28 AØ ØØ 8C E4
                        06
                           50
                               39
ØA69:FE B8 8D Ø1 1C 88 DØ F7
                               89
ØA71:CA DØ F4 A2
                  Ø5 A9
                        FF
                            50
                               07
ØA79:FE B8 8D Ø1 1C CA DØ F7
ØA81:50 FE B8 20
                  00 FE
                        20 A0
                               73
ØA89:06 DØ 17 20 97
                     Ø6 DØ
                           12
                               42
ØA91:8E EØ Ø6 8C E1
                     Ø6 2Ø 97 AD
           07
ØA99:06 DØ
              8E
                 E2
                     06
                        8C
                            E3
                               DA
ØAA1: Ø6 6Ø 8D E4 Ø6 4C B3
                               90
ØAA9:A9 ØØ AA A8 2C
                     aa
                        1C
                           10
                               10
ØAB1:FB 2C
           00
              1C
                  10
                     08
                        E8
                           DØ
                               D3
ØAB9:F8 C8 DØ F5 A9
                     21 B8 60
                               99
ØAC1:20 44 E5 AD
                  21 DØ
                        8D F5
                               EB
ØAC9:13 AD 20 DØ 8D F6
                        13 A9
                               FB
ØAD1:90 8D 21 DØ 8D
                     20 D0 A2 F3
ØAD9:16 AØ ØØ
              20
                  8C
                     ØF
                        A9
                               2D
                           16
              12
ØAE1:85 Ø2 A9
                  85
                     FB A9
                           00
                               FE
ØAE9:85 FD A9 Ø8
                  85
                     FC
                        A9
                            94
                               6D
ØAF1:85 FE
           20 D9 0E
                     20
                        3A
                            ØE
                               90
ØAF9:B1 FB 20 A8 FF
                     C8 CØ
                            20
                               39
ØBØ1:90 F6
           20 4C
                  ØE
                     20
                            FF
                               34
                        AE
ØBØ9:C6 Ø2 DØ E6
                  20
                     44 E5 A2
ØB11:16 AØ ØØ 2Ø
                  8C
                     ØF
                        AØ
                               52
                           14
ØB19:20 C6
           13 AØ F3
                     20 C2
                           13
                               16
ØB21:20 E4 FF C9 00 F0 F9 C9
                               9E
ØB29:31 FØ
           4C
               C9
                  32
                     DØ
                        03
                               61
                     EA 20
ØB31:BØ ØC C9 51 DØ
                            80
                               E3
ØB39: ØF A9 49 20 A8 FF
                        A9
                           30
                               35
ØB41:20 A8
           FF A9
                  3A
                     20
                        A8
                            FF
                               CF
ØB49:20 AE FF 20 80 ØF
                        A9
                           55
                               06
ØB51:2Ø A8
           FF A9
                  3A
                     20
                        A8
                           FF
                               DF
ØB59:A9 ØØ 85 A2 A5 A2 C9
                           40
                               AA
ØB61:30 FA 20 AE FF 20 44 E5
                               20
ØB69:AD F5
           13 8D 21 DØ
                        AD
                            F6
                               AD
                            20 A7
ØB71:13 8D 2Ø DØ 4C E7 FF
ØB79:44 E5 A2 ØB AØ 1B 2Ø
                            8C
                               6E
ØB81: ØF AØ F4 20 AA 13 AØ 5B
                               26
ØB89:20 CA 13 20 E4 FF C9 00 81
```

ØB91:FØ F9 C9 85 DØ Ø3 4C ØD 68 ØE39:60 A5 FD 20 A8 FF A5 FE 40 10E1:45 54 55 52 4E 20 54 4F 74 20 A8 FF 10E9: 20 4D 41 ØB99: ØB 20 44 E5 A2 ØB AØ 1B C1 ØE41:20 A8 FF A9 20 05 49 4E 20 4D 45 FC ØE49:AØ 00 FB 69 20 53 10F1:4E 55 00 0D ØD ØD ØD 9E B4 95 60 18 A5 ØF A2 06 20 13 E5 ØBA1:20 18 A5 10F9:11 20 20 20 ØE51:85 90 FC 62 20 20 20 20 92 ØBA9:AØ 43 20 C2 13 A9 12 20 94 FB 02 E6 ØBB1:06 ØF 20 E8 ØE A9 EØ 20 ØE59:FD 69 20 85 FD 90 02 E6 48 1101:20 20 20 20 49 4E 53 45 BØ ØBB9:A8 FF A9 06 20 A8 FF A9 ØE61:FE 60 AØ 00 A2 00 38 A5 54 1109:52 54 20 42 4C 41 4E 4B EØ AØ ØE69:8D E9 3C 85 8F A5 8C E9 BC 1111:20 44 49 53 4B ØD ØD ØD 68 ØBC1:05 20 A8 FF 20 CA ØE 60 1119:0D 0D 9E ØE71:00 29 8F 85 4E 20 20 20 20 20 BC ØBC9: Ø5 20 A5 FF 99 8A 00 88 9E 85 8E 90 A5 ØBD1:DØ F7 1121:20 20 20 20 AB FF A5 8B FØ AB ØE79:8D A5 8E 85 8C CB DØ E6 FF 50 52 45 53 53 06 41 ØBD9: Ø3 4C 98 ØC D8 38 A5 8F DA ØE81:88 84 B1 86 B2 84 8E 86 EC 1129:20 1E 12 4E 59 20 4B 9C 85 8D A5 8E E9 46 EE ØE89:8F CØ 02 90 09 CØ 04 90 CA 1131:45 59 92 9E 20 57 45 BC ØBE1:E9 DB ØE91:09 85 60 A9 99 8C 1139:4E 20 A9 1C **B4** 52 45 41 ØBE9:85 8C BØ 24 A9 44 59 ØD 04 2B 85 B3 F6 ØE99:DØ F9 38 A 5 ØBF1:38 A9 DB E5 8F 85 8D A9 BF A 9 9E DØ F5 30 1141:9A ØØ ØD 9A 4E 4F 52 4D 9D ØEA1:8D E9 96 85 8F A5 8C E9 2E 1149:41 4C 20 44 49 53 ØBF9:46 E5 8E 85 8C 20 63 0E 90 4B 2Ø B5 ØCØ1:18 A5 B1 69 2C 85 B1 A9 DF ØEA9:00 85 8E 90 D4 A5 8F 85 E3 1151:44 52 49 56 45 20 53 50 5A ØEB1:8D A5 8E 85 8C E8 DØ E6 B8 1159:45 45 ØCØ9:01 69 aa 85 BØ 4C 38 ØC 87 44 20 49 53 3A 20 26 29 A9 ØEB9:A5 BA 20 FF B9 1161:99 Bl A5 ØC11:A9 2D 85 B3 20 63 0E A5 85 12 33 30 30 2E 30 92 6B DØ 93 4C ØEC1: EF 09 EØ 20 FF AE 1A 1169:20 52 50 4D ØD ØD ØD 9A 60 ØC19:B2 C9 00 FØ ØD E6 B1 44 ØEC9:FF 20 AE FF A5 BA 20 B4 D0 1171:41 43 ØC21: Ø2 E6 BØ 38 A9 ØA E5 B2 81 54 55 41 4C 20 44 A4 ØED1:FF A9 6F 85 B9 4C 96 FF CA 1179:49 53 4B 20 44 52 49 56 D4 38 A9 2C E5 B1 85 34 ØC29:85 B2 ØED9:20 ØF 02 B9 88 13 2D 1181:45 20 01 80 AØ 53 50 45 45 44 20 ØC31:B1 A9 E9 00 85 BØ A5 68 A 5 ØC39:B4 20 D2 FF A2 0D 20 AA 42 ØEE1:20 A8 FF 88 10 F7 60 20 92 1189:49 53 3A 20 99 12 20 20 E3 92 50 ØEE9:80 02 8E 13 20 1191:20 20 20 20 52 ØC41: ØC A9 12 20 D2 FF A5 BØ AØ ØF AØ B9 8C 4D 31 ØC49:A6 B1 20 13 ØEF1:A8 FF 88 10 F7 60 20 80 76 1199:0D 0D 0D 9A 54 48 45 20 3F 20 CD BD A9 2E Ø2 B9 20 A8 11A1:44 49 46 46 45 ØEF9: ØF AØ 8B 13 52 45 ØC51:D2 FF A9 ØØ A6 B2 20 CD 16 33 4E B1 ØFØ1:FF 88 10 F7 60 48 20 F7 1F 11A9:43 45 20 49 4E 20 53 50 ØC59:BD A2 10 20 AA ØC A5 B3 81 41 A9 ØFØ9: ØE 20 A8 FF 04 20 A5 11B1:45 45 44 20 49 7E ØC61:20 D2 FF A6 8E EØ ØA BØ 65 68 53 3A 20 20 06 ØF 93 ØF11:A8 FF 4C AE FF 11B9:99 12 20 20 20 20 20 92 87 ØC69: Ø5 A9 20 20 D2 FF A9 00 5E ØF19:20 E8 ØE A9 EØ 20 A8 FF B6 11C1:20 52 50 4D 0D 0D 0D 20 D2 FF F6 2B ØC71:20 CD BD A9 2E ØF 21:A9 Ø6 20 A8 FF A9 14 20 13 ØC79:A9 ØØ A6 8F 20 CD BD 20 08 11C9:0D 0D ØD 9E 20 20 20 20 23 ØC81:E4 FF FØ ØB A9 ØC 20 06 9E ØF29:A8 FF 20 CA ØE AØ 99 20 5F 1101:20 20 20 20 50 52 45 53 BB ØF31:A5 FF 99 EØ 13 C8 CØ 14 B4 11D9:53 20 1E 12 41 4E 59 20 ØC89: ØF 20 E7 FF 4C ØD ØB A9 84 A8 ØF39:DØ F5 20 FF AØ 00 84 03 11E1:4B 45 AB 59 92 9E 20 57 48 BB ØC91: ØF 20 Ø6 ØF 4C B3 ØB A2 D4 ØF41:8D 84 8E 84 8C A9 10 85 12 ØC99: ØD 11E9:45 4E 20 44 4F 4E 45 ØD D5 20 AA ØC AØ 52 20 AA 8F ØF49:8B C8 CØ 11 FØ ØE A5 80 21 11F1:9A ØØ ØD ØD 9A 2Ø 2Ø 2Ø 89 ØCA1:13 20 FF FØ FB 4C 85 70 E4 ØF51:18 13 8D 90 Fl 9C 11F9:20 20 20 20 20 20 ØCA9: ØC 20 79 EØ 85 20 20 10 AØ 18 FØ FF 10 4C 3B ØF59:E6 8E DØ ED 20 D5 ØF 20 1E 1201:20 50 52 45 53 53 20 9E AE ØCB1:44 E5 A9 90 8D 21 DØ 8D C3 90 1209:51 9A ØCB9:20 D0 A2 ØF AØ 2B 20 8C D9 ØF61:E4 FF C9 00 60 E0 ØA 56 20 54 4F 20 51 55 B8 ØCC1: ØF 87 20 C6 13 5B 9B ØF69:09 Ea 64 90 ØA A9 aa 4C 10 1211:49 54 aa an an an ØD 9E 15 AØ AØ ØF71:CD BD A9 20 20 D2 FF A9 13 1219:20 20 20 20 20 29 68 ØCC9: 20 AA 13 20 E4 FF C9 ØØ BB 20 31 ØD AA ØCD1:FØ F9 C9 85 DØ 03 4C ØF79:20 20 D2 FF 4C 6E ØF A5 E9 1221:20 9A 44 49 53 4B 20 52 73 85 B9 1229:4F F7 ØF81:BA A9 ØB ØCD9: ØB C9 31 DØ ØC 20 ØD FA 20 Bl FF 6F 54 41 54 49 4F 4E 2Ø BB ØCE1:A9 Ø1 85 8F A9 15 4C FD FØ ØF89:4C 93 FF 86 BE 84 C3 38 E2 1231:53 50 45 45 44 20 54 45 AØ ØF91:A9 85 1239:53 9E 20 ØCE9: ØC C9 41 DØ 06 A9 02 85 10 28 E5 BE 4A BF A9 C8 54 ØD ØD 20 20 ØA ØCF1:8F DØ Ø4 A9 ØØ 85 8F 20 76 ØF99: ØD 20 D2 FF A6 BF 20 A1 B6 1241:20 20 20 32 29 20 9A 48 EB 00 20 16 ØF FØ EE 20 D2 FF A4 BE 38 1249:45 41 ØCF9:F7 ØD A9 ØFA1:13 A9 1F 20 41 4C 49 47 44 FF 1251:4E ØDØ1:03 4C BE ØD A9 99 20 D2 1F ØFA9:A9 AF 20 D2 FF 88 DØ F8 76 40 45 4E 54 20 54 45 8E 53 ØDØ9:FF A6 02 20 66 0F A2 ØFB1:A9 ØD 20 D2 FF A6 BF 20 1259:53 54 ØD ØD ØD ØD ØD ØD Ø1 C4 72 20 ØD11:20 A1 13 Fl 13 C5 02 4A ØFB9:A1 13 A4 C3 20 13 B6 1261:9A 20 20 20 20 20 20 C2 AD AA A6 1269:20 50 52 45 53 53 9E 17 96 20 D2 FF ØD19:FØ Ø5 A9 AE 86 20 D2 ØFC1:BF 20 A1 13 A9 1F ØA 1271:31 20 9A 4F 20 9E 32 01 52 ØD21:F1 13 20 66 ØF A2 Ø2 2Ø 8A ØFC9:FF A4 BE A9 B7 20 D2 FF 67 ØD29:A1 13 A6 8D EØ 64 DØ Ø4 C4 ØFD1:88 DØ F8 60 A9 00 85 BØ 96 1279:20 9A 54 4F 20 43 4F 4E CE ØD31:A9 99 DØ ØA EØ 5E BØ 04 27 1281:54 49 4E 55 45 00 ØD ØD 92 ØFD9:85 B1 26 A2 10 06 8D 8E BD 9E 20 D2 E2 1289: ØD ØD 9E 11 20 20 20 20 3E ØD39:A9 96 DØ 02 A9 ØFE1:26 BØ 26 B1 A5 BØ 38 E5 65 53 E9 A5 8F 03 1291:20 20 20 20 20 49 4E ØD41:FF 8D 20 66 ØF ØFE9:8B AB A5 B1 E5 8C 90 06 50 A6 1299:45 ØD49:C9 Ø1 FØ 85 B1 42 A2 Ø1 20 A1 C5 ØFF1:E6 8D 84 BØ CA DØ FF 52 54 20 46 4F 52 4D E2 ØD51:13 A9 03 20 16 ØF FØ 03 93 ØFF9:E3 60 7A 08 8D 08 9E 12A1:41 54 54 45 44 20 44 49 CE 5A 76 12A9:53 ØD59:4C BA 8D DØ Ø4 A9 B5 1001:12 49 4B ØD 00 20 20 96 73 ØE ØD 31 35 34 20 44 3C A6 31 1009:53 12B1:20 9A 20 Ø4 A9 4A 3D 54 52 41 43 ØD61:99 DØ 90 20 E7 ØA EØ 51 4B 44 52 49 56 45 97 1011:20 12B9:4B 20 5A ØD69:96 DØ 02 A9 9E 20 D2 FF F8 54 45 53 54 45 52 92 23 42 45 49 4E 47 20 53 ØD71:A6 20 ØF AD F3 13 D6 1019:0D 00 9E 12 50 45 45 60 12C1:54 45 53 54 45 44 ØD 20 86 8D 66 ØD79: ØD F2 13 FØ 11 AD F2 13 80 1021:44 20 43 48 45 43 4B 92 B8 1209:20 9E 7A 20 9A 3D 20 54 55 1029:0D 00 12D1:52 41 43 4B 20 41 43 54 60 ØD81:CD F3 BØ Ø4 A9 2B DØ DA 9E 12 49 47 D9 13 41 4C 1209:55 41 4C 20 ØD89: 02 A9 2D 20 D2 FF E6 02 10 1031:4E 4D 45 4E 54 20 43 48 4B 4C 59 52 45 70 ØD91:A5 8F C9 01 F0 3D 02 75 1039:45 92 00 12E1:41 44 ØD 20 20 81 61 20 45 A5 43 4B ØD 9A 12 ØF 1041:20 12E9:9A 3D 20 4F 52 91 ØD99:C9 24 FØ 29 C9 13 DØ ØA 98 50 52 45 53 53 20 41 8D 4E 20 54 ØDA1:A9 14 85 BE A9 07 85 BF 66 1049:4E 59 20 59 92 12F1:41 43 4B 20 52 45 41 44 61 4B 45 20 02 ØDA9:DØ BF 1051:00 12F9:41 49 4C 49 54 59 20 BF 42 02 E 6 A4 BE A6 B2 96 12 45 52 52 4F 52 7A AB 1301:28 29 20 99 ØDB1:18 20 Fa FF A9 06 4C FD F9 1059:92 aa ØD ØD ØD 9A 50 52 25 ØD 20 78 A7 FA ØDB9: ØC A9 9 DØ 02 A9 ac 20 61 1061:45 1309:20 9A 30 20 42 45 54 57 B6 53 53 20 9E 12 53 50 99 8F C9 84 4C BØ ØC A5 92 ØDC1:E1 ØD 1069:41 43 45 9A 20 54 4F 1A 1311:45 45 4E 20 54 52 41 43 A8 ØDC9:02 DØ EE A9 09 20 06 ØF 75 1071:20 1319:4B 20 52 43 48 45 43 4B 20 41 98 45 41 44 41 42 6B 7E ØD ØDD1:4C F8 ØC A9 18 20 El 1079:4C 49 47 1321:49 4C 49 54 59 20 28 25 2E 4E 4D 45 4E 54 50 ØD ØDD9:A9 1B 20 06 0F 4C B0 0C 0B 1081:0D 20 D8 1329:29 ØD 20 20 96 73 ØD 50 52 45 53 53 20 EC 20 12 ØDE1:20 06 ØF A2 18 AØ 15 18 1F 1089:9E 12 41 92 9A 20 1331:20 20 20 9E 20 20 46 4F FF 7A 1091:52 1339:81 61 ØDE9:20 FØ FF AØ 3F 20 13 3D 20 55 54 4F 20 52 D2 20 20 20 20 99 78 AB AA 41 1099:45 44 4A 1341:20 20 ØDF1:20 E4 FF FØ FB 60 20 50 45 41 54 20 41 4C 15 20 20 20 96 73 20 F. 7 4E 81 ØDF9:E5 20 13 13 10A1:49 47 4E 4D 45 54 20 03 1349:20 20 9F 7A 20 20 20 AØ AD C6 A2 Cl 46 13 A9 B2 20 CD 10A9:43 1351:61 20 20 99 78 ØEØ1:A9 63 20 A3 48 45 43 4B ØD ØD 50 53 20 20 9A 29 1359: ØD 00 ØEØ9:D2 FF A2 13 A9 20 A3 D2 10B1:52 45 53 53 20 9E 12 31 BC ØD ØD 9A 20 20 2E 63 20 AC 10B9:92 9A 53 54 09 1361:20 20 50 45 53 ØD ØE11:13 A9 12 85 Ø2 A9 ØD 20 54 4F 20 52 53 20 A9 6B 10C1:4F 50 20 41 54 20 54 52 D3 1369:12 9E 46 ØE19:D2 FF A2 13 20 90 13 31 92 9A 20 54 AF 20 D2 FF C6 Ø2 DØ ED 9E 1009:41 43 4B 20 31 ØD ØD 50 EE 1371:4F 20 52 45 54 55 52 4E DØ ØE21:62 07 AØ Ø1 86 BF 84 BE 77 10D1:52 53 53 20 9E 12 46 F1 1379:20 54 4F 2Ø 4D 41 49 4E 01 ØE29:A2 45 ØE31:18 20 FØ FF A9 Ø1 85 Ø2 DD 10D9: 31 92 9A 20 54 4F 20 52 FE 1381:20 4D 45 4E 55 0D 00 57 CE

1389:2D	4D	45	2D	4D	52	2D	4D	70
1391:A9	91	DØ	ØE	A9	11	DØ	ØA	29
1399:A9	9D	DØ	06	A9	10	DØ	02	DB
13A1:A9	20	20	D2	FF	CA	DØ	FA	9D
13A9:60	A9	10	85	FC	84	FB	AØ	57
13B1:00	B1	FB	FØ	ØB	20	D2	FF	51
13B9:E6	FB	DØ	F5	E6	FC	DØ	Fl	8A
1301:60	A9	11	DØ	E6	A9	12	DØ	84
13C9:E2	A9	13	DØ	DE	00	00	00	32

BASIC For Beginners

Article on page 52.

Math Drill

```
BE 10 POKE53280,1:POKE53281,6:
       POKE646,1
SM 15 REM FOR C16 AND C+4 USE
       {SPACE}-COLOR4,2,7:COLOR
      Ø,7,4:COLOR1,2,7 INSTEAD
          POKES
FX 20 PRINT" [CLR]"
KP 30 INPUT" WHAT'S YOUR FIRST
       NAME"; NS
EA 40 IFNS=""THEN20
   50 L=19-((LEN(N$)+15)/2)
60 PRINT"{CLR}"
EK
GD
  70 FORT=1TO4:PRINT:NEXT
      PRINTTAB (L) " {RVS} "N$"'S
AH 80
       SPACE | MATH PRACTICE
       (OFF)"
  90 PRINT
AP
   100 PRINTTAB (13) "1. ADD
SA
  110 PRINTTAB (13) "2. SUBTRAC
GM 120 PRINTTAB (13) "3. MULTIPL
  130 PRINTTAB (13) "4. DIVIDE
GP
  140
       PRINT: PRINTTAB (12) "WHIC
       H NUMBER?
HR 150 GETAS: IFAS<> "1"THENIFAS
       <> "2 "THENIFAS <> "3 "THENI
       FA$ <> "4" THEN 150
JC 160 N=10:Q=RND(-TI/101):REM
        SEE ARTICLE
SS 170 X=VAL(A$)
DS
   180 P=P+1
  190 ONXGOSUB280,280,220,220
RS
QE 200 ONXGOSUB350,360,370,410
OD
   210 GOSUB420:GOTO180
DE
   220 IFFLAG=1THEN280
HX 230 PRINT: PRINTTAB (13) "TABL
       E":
QX 240 INPUTTS
JS 250 T=VAL (T$)
SK 260
       IFT>NTHENPRINT"{3 UP}":
       GOTO230
BM 270 IFT<1THENPRINT"{3 UP}":
       GOTO 230
KS 280 A=INT (N*RND(1))+1
KX 290 B=INT (N*RND(1))+1
       IF (X=2) AND (A<=B) THEN 280
       PRINT" {CLR}": POKE 53281,
   310
        6: REM FOR C16 AND C+4
        USE COLORØ, 7,4 INSTEAD
        (SPACE) OF POKE
XK 320 FORJ=1TO7: PRINT: NEXT
  330
       PRINT: PRINTTAB (6) "PRESS
        ONLY RETURN FOR ANSWER
AR 340 PRINT: PRINTTAB (13); : RET
        URN
JX 350
       PRINTA"+"B"=";:C=A+B:RE
       TURN
MM 360
       PRINTA"-"B"=";:C=A-B:RE
       TURN
MB 370
       L=INT (2*RND(1))+1
```

```
FG 400 PRINTA"X"T"=";:C=A*T:RE
       TURN
XA 410
       PRINTA*T"/"T"=";:C=A:RE
       TURN
  420 D$="":INPUTD$
SR 430 D=VAL (D$)
FP 440
       IFC=DTHEN480
BX 450 POKE53281, 2: REM FOR C16
        AND C+4 - USE COLORØ, 3
        5 INSTEAD OF POKE
JQ 460 PRINT: PRINTTAB (12) "THE
        (SPACE) ANSWER IS"C
SB 470 GOTO510
  480 POKE53281,5: REM FOR C16
        AND C+4 USE COLORØ, 6,4
         INSTEAD OF POKE
SA 490 PRINT: PRINTTAB (16) "GOOD
ES 500 K=K+1
KJ 510 PRINT: PRINT" PRESS RETU
       RN TO CONTINUE OR Q TO
        {SPACE}QUIT.
KX 520 GETB$: IF (B$<>CHR$ (13)) A
       ND (B$<> "O") THEN520
RC 53Ø IFB$=CHR$ (13) THENFLAG=1
        : RETURN
MB 540 PRINT" [CLR] ": POKE53281,
        6: REM FOR C16 AND C+4 -
        USE COLORØ, 7, 4 INSTEAD
        OF POKE
CJ 550 PRINT: PRINT" SCORE: "K"C
       ORRECT OUT OF"P"PROBLEM
```

64 Keyboard Enhancer

See instructions in article on page 72 before typing in.

Program 1: Keyboard Enhancer

```
C000:A9 00 8D E9 C0 8D EA C0 79
C008:8D EB C0
               78
                          8D 8F DF
                  A9
                      3F
        A9
CØ10:02
            CØ
                8D
                   90
                      02
                          58
                             A9
                                D4
C018:A0 85
           FC
               A9
                   DE
                      85
                          FE
                             A9
                                3A
C020:00
         85
            FB
                85
                   FD
                      AØ
                          99
                             B1
                                FE
CØ28:FB
        91
                      91
            FB Bl
                  FD
                         FD
                             88
                                 61
CØ3Ø:DØ F5
            E6
               FC
                   E6
                      FE DØ
                             ED
                                 07
CØ38:A5
        01
            29
               FD
                   85
                      01
                          60
                             48
                                 ØB
CØ40:98
        48
            8A
               48
                  A5
                      CB
                         C9
                             40
                                 26
CØ48:DØ Ø5
            A9
               00
                   8D
                      EA
                         CØ
                             AD
                                 EF
CØ50: EA CØ
            C9
               Ø1 DØ
                      ØE A5
                                 96
                             CB
CØ58:CD EC
            CØ
               DØ
                   07
                      A9
                         40
                             85
                                 06
         4C
                   A9
CØ60:CB
            El
                CØ
                       41
                          8D
                             EC
                                 7D
CØ68:CØ AD
            8D
                02
                   29
                      04
                         C9
                             04
                                 78
C070:D0 08 A9
               91
                   8D
                      E9
                         Ca
                             4C
                                 83
CØ78:E1 CØ
            AD
               E9
                   Ca
                      09
                         01
                             FØ
                                 8F
         4C
CØ80:03
            El
               CØ A5
                      CB
                         C9
                             40
                                 ØF
CØ88:DØ
         03
            4C
                El
                   CØ
                      A2
                          00
                             AØ
                                 ØC
C090:00 8C
               CØ
                   A5
                      CB
            EB
                         DD
                             ED
                                C4
C098:C0 D0
            19
               8D
                  EC
                      CØ
                         A9
                             01
                                 69
CØAØ: 8D EB
            Ca
               ER
                   BD
                      ED
                         Ca
                             8D
                                 3F
CØA8:D1
         CØ
            E8 BD ED
                      CØ
                         8D D2
                                 9C
CØBØ:CØ
            Cl
                CØ
                   C8
                      E8
                                 8E
         4C
                          E8
                             E8
CØB8:CØ 15
            DØ
               D8
                  A9
                      00
                         8D
                             EB
                                DB
CØCØ:CØ AD
            EB CØ
                   C9
                      01
                         FØ Ø8
                                D3
                                2B
CØC8:A9 ØØ
            8D
               E9
                   CØ
                      4C
                         El CØ
CØDØ: 20 00
                  00 8D E9 C0
            00 A9
                                C7
CØD8:A9
        01
            8D
               EA
                   CØ
                      A9
                          40
                             85
                                 82
CØEØ:CB 68
            AA
               68
                  A8
                      68
                          4C
                             48
                                 96
CØE8:EB ØØ ØØ ØØ
                  ØØ 2E B1
                             C3
                                 40
CØFØ:12
         7B
            C3
                22
                   FF
                      C2
                             ØD
                          25
                                 57
CØF8:C3
        2A
            6F
               C3
                   24
                      75
                         C3
                             26 B5
C100:F8 C2
            29
                   C3
                          41
                             C3
               18
                      3E
                                E4
C108:1F
            C2 Ø9
         ØE
                   5C
                      C1
                          28
                             A1
                                 63
C110:C3 2B A5
               C3
                   31
                      A 9
                         C3 36
                                1F
C118:AD C3
            17
               04
                   C4
                      04
                         14
                             C4
                                A9
C120:05
        32
            C4
                   50
               06
                      C4
                          03
                            6E B5
C128:C4
         1E
            8C
               C4
                   AD
                      41
                         Cl
                             18
                                81
C130:6D
                   90
        43 C1 A8
                      07
                            42
                         AE
                                3E
C138:C1 E8 4C 40 C1 AE 42 C1 73
```

```
C140:60 00 00 00 AD 59 C1 38 82
C148:ED 5B C1 A8 BØ Ø7 AE 5A
                                 B5
C150:C1
         CA
            4C
                58
                   Cl
                      AE
                          5A
                             Cl
                                 B5
            00
               00
                          C3 A9
C158:60
        99
                   20
                      DB
                                 AD
C160:BF
         85 FB A9
                   07
                       85
                         FC A9
                                 31
         85
            FD
                A9
                   07
                       85
                          FE
C168:E7
                             A2
                                 8A
C170:00
        Al
            FB
                81
                  FD
                      A5
                         FB
                             8D
                                 FF
C178:59
        C1 A5 FC
                   8D
                      5A
                          C1 A9
                                 AØ
C180:01
            5B C1
                   20
                       44
                          CI
                             84
                                 89
         8D
C188:FB 86
            FC A5 FD
                      8D
                         59 C1
                                 40
                5A
                   Cl
                       20
                          44
C190:A5
         FE
            8D
                             C1
                                 D<sub>6</sub>
C198:84
        FD
            86
               FE
                   A5
                      FD
                          C9
                             27
                                 7E
Clag: DØ CD A5 FE C9
                      04
                          DØ
                             C7
                                 6C
Cla8: A9 BF
            85
               FB
                   A9
                      DB
                         85
                             FC
                                 26
C1BØ: 85 FE A9 E7
                   85 FD
                         A2
                             00
                                 D3
C1B8:A1 FB
            81
                FD
                   A5
                      FB
                          80
                             59
                                 AD
C1CØ:C1 A5
            FC
                8D
                          20
                   5A
                      CI
                             44
                                 65
C1C8:C1
         84
            FB 86
                   FC
                      A5
                         FD
                             8D
                                 3E
C1DØ:59
         Cl
            A5
                FE
                   8D
                      5A
                          Cl
                             20
                                 8F
C1D8:44
        Cl
            84 FD
                   86
                      FE A5
                             FD
                                 D8
ClEØ:C9
         27
            DØ D2
                   A5
                      FE C9
                             D8
                                 EF
ClE8:DØ
         CC
            A9 ØØ
                   8D
                      F4
                          C2
                             A9
                                 AC
C1F0:04 8D F5 C2
                   8D F7 C2
                             A9
                                 40
C1F8:27
                C2
         8D
            F6
                   20
                      BC
                          C2
                              38
                                 30
C200:20
        FØ
            FF
                8A
                   C9
                      18
                          FØ
                                 10
C208:E8
        18
            20 FØ
                  FF
                      60
                         20
                             DB
                                 B8
C210:C3
        A9
            01
                8D
                   43
                      CI
                          A9
                             00
                                 4F
C218:85 FB
            A9 Ø4
                   85
                      FC 85
                             FE
                                 FE
C220:A9
         28
            85
                FD
                   A2
                       00
                          Al
                             FD
                                 6B
C228:81 FB A5 FB 8D
                       41 C1 A5
                                 7C
C230:FC
         8D
            42 C1
                   20 2C C1
                             84
                                 B5
C238:FB
         86
            FC A5
                   FD
                       8D
                          41
                             Cl
                                 Cl
C240:A5 FE
            8D
               42 C1
                       20
                         2C
                             Cl
                                 D6
C248:84 FD
            86 FE A5
                      FD
                          C9
                             E8
                                 F1
C250:D0
        D2
            A5 FE
                   C9
                      07
                          Da
                             CC
                                 70
C258:A9
        00
            85 FB
                  A9 28 85
                             FD
                                 1A
C260:A9
         D8
            85
                FC
                   85
                      FE
                          A2
                              00
                                 DE
C268:A1 FD
            81 FB
                   A5 FB 8D
                                 A7
                              41
C270:C1 A5
            FC
                8D
                   42 Cl
                          20
                             2C
                                 3E
C278:C1
         84
            FB
                86
                   FC
                      A5
                          FD
                             8D
                                 EF
C280:41
        Cl
            A5
               FE
                   8D
                      42 Cl
                             20
                                 D4
C288:2C
         CI
            84
               FD
                   86
                      FE
                          A5
                             FD
                                 7E
C290:C9 E8
            DØ D2 A5 FE C9
                             DB
                                 15
C298: DØ CC
            A9 CØ
                   8D F4 C2
                             A9
                                 6A
C2AØ:07
         8D F5 C2
                   8D F7
                          C2
                             A9
                                 73
C2A8:E7
         8D F6 C2
                   20 BC C2
                             38
C2BØ: 20
         FØ
            FF
                8A FØ Ø5
                          CA
                             18
                                 74
            FF
C2B8:20 F0
                60
                   AD F4
                          C2
                              85
                                 DC
C2CØ:FB AD
            F5
               C2
                   85 FC A9
                             20
                                 2E
C2C8:A2
         aa
            81
                FB
                   A5
                       FB
                          CD
                             F6
                                 3F
C2DØ:C2 FØ
            19 A9
                   91
                       80
                          43
                             CI
                                 38
            8D
C2D8:A5 FB
                41
                  Cl
                       A5
                          FC
                             8D
                                 22
C2E0:42
         CI
            20
                2C
                   Cl
                       84
                          FB
                             86
                                 5D
C2E8:FC
         4C
            C6 C2
                   A5
                      FC
                          CD
                             F7
                                 B9
C2FØ:C2 DØ
            EØ
                60
                   00
                       00
                          99
                             00
                                 2E
C2F8:A9 ØØ
            85 D4
                   85
                      D8
                         60
                             20
                                 Cl
C300:DB C3
            38
                20 FØ
                             00
                      FF
                          AØ
                                 38
C308:18
         20
            FØ
               FF
                   60
                       20
                          DB
                             C3
                                 CØ
                      27
C310:38
         20 F0 FF
                             20
                                 CB
                   AØ
                          18
C318:FØ
             60 A9
                   00
                       85
         FF
                          CF
                              A5
                                 1A
                             A5
C320:D1
         8D
            F4 C2
                   8D 41 C1
                                 59
C328: D2 8D F5 C2
                   8D
                       42 C1
                                 06
                             A5
C330:D3
         8D
             43
                Cl
                   20
                       20
                          Cl
                              8C
                                 4B
C338:F6 C2
            8E F7 C2 20 BC
                             C2
                                 10
C340:60 A9
            00
                85
                   CF
                       A5
                          DI
                              8D
                                 01
C348:41 C1
            A5 D2
                   80
                       42 C1
                             A5
                                 61
C350:D3 8D
            43 C1
                   20 2C
                          Cl
                              8C
                                 6B
C358:F4
         C2
            8E
                F5
                   C2
                       A9
                          27
                              8D
                                 D4
C360:43 C1
            20
                2C
                   Cl
                       8C F6
                             C2
                                 B1
         F7
                20
C368:8E
            C2
                   BC
                      C2
                          60
                             A9
                                 EA
         80
            F7
                   60
                      A9
C370:FF
                E8
                          1A
                             8D
                                 54
C378:F7 E8 60 A9
                   00 85 CF A5
                                 38
                              A5
C380:D1
         80
            F4
                C2
                   8D
                       41
                          Cl
                                 B9
C388:D2
         8D
            F5
               C2
                   8D
                       42 Cl
                             A9
                                 6A
C390:27
         8D
            43 C1
                   20
                       2C
                          Cl
                              8C
                                 55
            8E F7
                   C2
                       20 BC
                             C2
                                 70
C398:F6 C2
C3AØ: 60 EE
            20 D0
                   60 CE
                          20 D0
                                 74
C3A8:60
         EE
            21
                DØ
                   60
                       CE
                          21
                             DØ
                                 9E
C3BØ: 60 A5
            Dl
                8D
                   41
                      Cl
                          A5
                             D2
                                 14
C3B8:8D
         42 C1
                A5 D3 8D
                          43
                             CI
                                 47
                                 2A
C3C0:20
         20
            Cl
                8C
                   F4
                      C2
                          8E
                             F5
C3C8:C2 A9 E7
                8D F6 C2 A9
                             07
                                 ØF
C3DØ: 8D
         F7
            C2
                20
                   BC
                      C2
                          A9
                             00
                                 BB
C3D8:85 CF
            60
                A5 CF
                      C9 Ø1
                             DØ
                                 F5
C3E0:1E A5 D1 8D 41 C1 A5 D2
```

TURN

ONLGOTO390,400

PRINTT"X"A"=";:C=A*T:RE

380

KP

C3E8: 8D 42 C1 A5 D3 8D 43 C1 77 C3FØ: 2Ø 2C C1 84 86 FC A2 AA FB Al C3F8:00 FB 49 80 81 FB A9 A8 C400:00 85 CF 60 A9 06 8D 20 A9 06 8D AØ C408:D0 21 DØ A9 03 27 FF C410:8D 86 92 60 A2 aa BD C418:C4 C9 aa FØ 97 9D 77 92 25 86 00 C420:E8 4C 16 C4 C6 60 50 C428:31 41 41 41 41 41 41 41 A9 95 C430:41 00 A2 aa BD 45 C4 CB C438:00 FØ 07 9D 77 02 E8 4C 9A aa FC C440:34 C4 86 C6 60 33 41 41 41 41 41 41 aa 90 C448:41 41 C450:A2 aa BD 63 CA Ca aa FO 57 9D 52 C458:07 92 E8 4C C4 BD 77 C460:86 C6 60 00 35 41 41 41 5D 41 41 00 A2 6E 41 41 C468:41 81 C4 C9 ØØ FØ 07 90 DD C470:BD C478:77 92 E8 4C 70 C4 86 C6 BA C480:60 00 37 41 41 41 41 41 08 C488:41 41 41 00 60 00 00 00 2E

Program 2: Keyboard Enhancer Customizer

HE 10 REM COPYRIGHT 1988 COMPU TE! PUBLICATIONS, INC. -ALL RIGHTS RESERVED

CX 20 POKE53280,6: POKE53281,6: POKE 646, 3

PRINT" [CLR] [3 SPACES] COP JG 30 YRIGHT 1988 COMPUTE! PUB INC."

FB 40 PRINTTAB (11) "ALL RIGHTS {SPACE} RESERVED"

PRINT" [2 DOWN] [4 SPACES] RD 50 'KEYBOARD ENHANCER' CUST OMIZER"

PRINT" {2 DOWN } {RVS } FUNCT CP 60 ION KEY STRINGS"

BS 70 PRINT" (DOWN) CURRENT STRI NGS { DOWN } "

80 FORJ=1TO7STEP2 BJ

PRINT"F"; J; ": "; CHR\$ (34); OK 90 :READA:ZZ=A:GOSUB260

QA 100 PRINT"NEW DEFINITION:?" ; : D\$= ""

HM 110 POKE204, 0:GETS\$:IFS\$="" THEN110

RC 120 IFS\$=CHR\$ (13) THEN160

OX 130 POKE 212, 1: PRINTS\$; :D\$=D S+SS

IFS\$=CHR\$ (20) THEND\$=LEF OS 140 T\$ (D\$, LEN (D\$) -2)

HM 150 GOTO110 MR 160 PRINT" ":

DR 170 PRINT: IFLEN (D\$) > 10THEN1

A=ZZ:GOSUB320 DK 180 PRINT" "; : NEXTJ FF 190

PRINT" (DOWN) (RVS) DEFAUL 200 GD T COLORS"

JC 210 FORJ=1TO3

MF 220 READL\$: PRINT"CURRENT "; L\$; ":"

SB 230 READB: PRINTPEEK (B)

INPUT"NEW VALUE: "; X: IFX OX 240 <00RX>255THEN240

POKEB, X: NEXT: END HX 250

EH 260 IFPEEK (A) = ØTHEN 31 Ø IFPEEK (A) = 13THENF \$= " < ": 270 GK GOTO300

PB 280 IFPEEK(A)=34THENF\$=CHR\$ (39): GOTO 300

MX 290 F\$=CHR\$ (PEEK(A))

300 PRINTF\$;:A=A+1:GOTO260 EO MK 310 PRINTCHR\$ (34): RETURN

IFDS=""THENRETURN RP 320 330 FORT=1TOLEN (D\$) FS

IFMIDS (DS, T, 1) = "<"THENF PJ 340 \$=CHR\$(13):GOTO370

IFMID\$ (D\$, T, 1) = CHR\$ (39) EP 350 THENFS=CHR\$ (34): GOTO370 HR 360 FS=MIDS(DS,T,1)

JA 370 POKEA, ASC(F\$):A=A+1 380 NEXTT: POKEA, 0: RETURN KA DATA 50215,50245,50275, 390 KC 50305

DATA "BORDER", 50181, "SC REEN", 50186, "CURSOR", 50

Treasure Diver

See instructions in article on page 28 before typing in.

C000:A9 00 A2 37 85 FD 86 FE 4E C008:A9 07 A2 C7 85 FC FB 86 17 CØ10:A2 ØØ AØ 00 B1 FB 91 FD 95 CØ18:C8 CØ 3F DØ F7 18 A5 FB 8A CØ2Ø:69 3F 85 FR A5 FC 69 aa RA A5 A2 CØ28:85 FC 18 FD 69 3F 85 CØ3Ø:FD A5 FE 69 aa 85 FE E8 80 A9 CØ38: DØ D8 00 8D C7 8D 27 CØ40:05 C7 A9 93 A9 9A 20 D2 FF C948: 0B 8D 20 Da A9 96 8n 21 65 CØ50:DØ A9 FD AØ C5 20 1E AB Ø5 CØ58:AØ 2F 8D 05 D4 8D 13 D4 CF 8D CØ60:A9 F9 96 D4 8D 14 D4 21 CØ68:A9 ØB D4 00 8D 00 D4 8D 38 CØ70:8D 12 D4 8D ØE D4 A9 ØF D6 CØ78:8D 18 AØ Ø5 08 D4 D4 8D AE CØ80:A9 00 8D 97 D4 A9 22 8D 18 CØ88: ØC A9 D4 A9 F4 8D an D4 RD CØ90:03 8D ØF D4 A9 AØ AØ 6F A6 CØ98:20 D2 FF 88 DØ FA AØ 99 18 CØAØ:B9 D5 99 aa C8 CØ 70 C6 DØ CØA8:11 DØ DØ 7F F5 A9 FF 8D 1C CØBØ:A9 00 8D 25 DØ 8D 17 DØ C6 CØB8:8D 1D DØ 8D 1E DØ A9 01 C3 CØCØ: 8D 26 DØ AØ aa B9 E6 C6 32 CØC8:99 27 C6 99 FR 55 DØ B9 EE A9 CØDØ:07 FF C8 CØ 08 DØ EF 3A C5 CØD8:8D 15 DØ A9 00 8D ED F2 CØEØ: 8D F5 C5 8D Ø2 C7 8D Ø3 85 CØE8:C7 8D Øl C7 A9 80 FF 07 14 CØFØ:C6 aa C7 A9 05 A9 GA RD DI CØF8:8D 76 C6 A9 03 8D 06 C7 74 C100:A9 1E 8D 60 C6 8D 5F C6 89 C108:A9 8D 5E C6 A9 91 80 69 14 C110:F4 C5 Ø6 A9 99 78 AØ 85 ED C118:C5 49 80 88 DØ F8 A9 81 A8 8D FA C120:8D F6 C5 8D F8 C5 AE 01 C128:C5 A9 8D F7 C5 8D F9 DD C130:C5 8D FB C5 A2 ØB AØ ØB 63 C138:18 91 AG 20 FØ FF A9 C6 89 C140:20 1E AB 20 E4 FF C9 31 BE E9 C148:90 F9 C9 35 BØ F5 38 D6 C150:31 A8 B9 B6 C6 8D 40 03 29 C158:A2 ØB AØ ØB 18 20 FØ FF D7 C160:A9 AØ C6 20 1E AB AD EØ A4 01 C168:00 DC 8D F6 C6 29 DØ F1 C170:1B AD P5 C5 C9 82 FØ 33 75 C178:C9 Ø8 A9 82 8D E8 04 FØ F5 C180:C5 4C AB Cl A9 01 8D F5 ED C188:C5 4C AB C1 AD F6 C6 29 93 C190:02 DØ 18 F5 C5 C9 94 85 AD C198:FØ C9 82 FØ 08 A9 04 39 11 A9 C1AØ: 8D F5 C5 4C AB C1 al 9E C1A8:8D F5 C5 AD F6 C6 29 04 2D C1BØ:DØ C5 C9 83 FØ 45 1B AD ED C1B8:33 C9 03 FØ 08 A9 83 8D 33 A9 aa 80 C1CØ:ED C5 4C EC Cl 47 C1C8:ED C5 4C Cl EC AD F6 C6 86 08 C5 C9 C1DØ:29 DØ 18 AD ED 01 C1D8:03 FØ 11 83 FØ Ø8 A9 A9 C1E0:03 C5 4C EC Cl 8D ED A6 29 C1E8:00 C5 AD F6 C6 E9 8D ED FØ A9 C1FØ:10 ØD 99 8D 77 C6 EØ C1F8:A9 8D 12 D4 4C ØA C2 F2 80 C200:A9 01 8D 77 C6 A9 81 8D 31 C208:12 A9 8D E9 C5 AD 8E D4 04 C5 E7 C210:E9 C5 ØA 8D E7 AC AD C218:C5 B9 01 DØ D5 AE E9 C5 CA C220:DD F7 C6 BØ ØC E8 BD F5 EB 9D C228:C5 29 7F F5 C5 4C 3F 43 09 BD C230:C2 DD FB C6 90 E8 B2

A9 05 E9 69 C240:E9 C5 DØ CB RD E9 C248:C5 38 AD E9 C5 05 90 C250: DE FØ 93 4C F2 C2 1F FF C6 ØA 8D E5 C5 38 56 C258: AD al C.7 C260:A9 15 ED E5 C5 9D FF C6 87 C268:AD E9 C5 ØA 8D EA C5 AD E9 C270:00 D0 8D E5 C5 AD 10 DØ 10 C278:29 8D E6 C5 AC C5 al EA 6F C280:B9 00 DØ 8D E7 C5 AC E9 6F FØ C288:C5 39 C5 CA 10 DØ C6 C290:02 A9 01 BD E8 C5 38 AD F6 C5 C298:E5 C5 E7 C5 8D CØ ED EB C2AØ:AD E6 C5 ED E8 CS an EB B2 C2A8:C5 90 13 AC E9 C5 B9 ED 2A 99 C2BØ:C5 29 7F ED C5 A9 EØ AC **B**3 C2B8:99 F8 97 4C CE C2 E9 C2CØ:C5 B9 ED C5 09 80 99 ED 1D 99 C2C8:C5 A9 DE FR 07 AC EA 39 C2DØ:C5 **B9** 01 DØ CD 91 DØ BØ 99 C2D8: ØE AC E9 C5 B9 F5 C5 29 84 C2EØ: 7F 99 F5 C5 F2 as 4C C2 AC C2E8:E9 C5 R9 F5 CS 9 80 99 58 C2FØ:F5 C5 EE E9 CS AD E9 C5 DD 07 C2F8:C9 FØ 03 4C 49 C2 A9 2A C300:00 80 E9 C5 CE 06 C7 AC 4F C308: E9 C5 AD 96 C7 DØ 98 B9 57 01 C310:F8 07 49 99 FR 97 **7B** AD C318:E9 C5 20 C4 E9 E3 E5 EE C5 07 C320:AD E9 C5 C9 DØ EØ 20 AB C328 . E5 C4 AD 77 C6 FØ 95 A9 AE C330:00 20 E5 C4 AD 06 C7 DØ AE C338:05 03 8D 06 C7 20 D8 A9 4 E C9 C340:C4 A5 03 FØ 2E CE C5 AD C348:8E Ø2 FØ 36 A2 OR AØ ØE A 9 C350:18 20 FØ FF A9 78 AØ C6 41 C358: 20 1 E AB 20 D8 C4 AD 8E B2 C360:02 D0 FB A2 ØB AØ ØE 18 **D5** C368:20 FØ FF A9 85 AØ C6 20 33 C370:1E 82 00 8D F5 AB 4C C3 A9 93 C378:15 DØ 85 C6 A9 20 D2 8A C380:FF A9 10 8D 04 D4 2A 60 AD C9 DØ C388:01 D0 55 5E EB 16 AD C390:C6 C9 14 FØ 40 EE SE CE Ca C398:AC 5E C6 B9 61 C6 99 03 DE C3AØ:D8 4C C5 C3 C6 DØ 46 AD 27 DØ 60 AØ C3A8: ØB CE 5F C6 AD 5E DØ C3BØ:C6 8D 5F C6 CE C6 A5 C3B8:03 4C AC C4 AC 5E C6 C8 EB C3CØ:A9 aa 99 03 D8 18 AD 5E C3C8:C6 ØA ØA 69 80 01 ØA D4 6B C3DØ:A9 8D 04 D4 00 8D 3E 11 A9 C3D8: 0B D4 AD 1E DØ 80 E5 C3E0:29 01 DØ 03 4C 89 C4 47 AD A7 C3E8: E5 C5 29 80 DØ 03 4C 7A C3FØ:C4 AD 01 DØ C9 7D BØ 03 10 C3F8:4C 89 C4 18 AD 02 C7 69 91 C400:C8 8D Ø2 C7 03 C7 69 80 AD C408:00 93 C7 91 AG 06 32 8D A 2 C410:18 20 FØ FF A9 12 20 D2 74 C7 20 17 C418:FF AD 03 C7 AE 02 C420:CD BD 38 AD 02 C7 ED 04 FØ C428:C7 8D E5 C5 AD 93 C7 09 ED AD C430:05 C7 ØD E5 C5 90 ac 64 C438:02 C7 8D 04 C7 AD 03 C7 69 08 C440:8D 05 C7 02 A2 AØ 18 AF FF C448:20 FØ A9 12 20 D2 FF 6F C450:AD C7 04 05 C7 20 CD 23 AE C458:BD A9 7F 8D 15 DØ A9 5A 8D A9 C460:8D F4 C5 97 20 E5 C4 8A C468:A9 01 8D C5 F4 A9 FF 8D C470:15 DØ A9 21 8D ØB D4 4C 8E C478:89 A 9 81 80 ØB C4 D4 AD 35 C480:60 C6 C9 01 FØ 03 CE 60 C6 C488:C6 AD 1E DØ A9 aa 8D 1E 38 C490:D0 DE 20 FF EØ 07 90 11 BB C498:A9 ØØ AA **A8** 20 DB FF AD F4 C4A0:01 C7 C9 ØA FØ 03 EE E8 C4A8:C7 67 C1 A9 00 4C 8D 18 B 2 C4BØ:D4 8D 04 D8 A2 ØB AØ ØF. A6 C4B8:18 20 FØ FF A9 BA AØ C6 B4 C4C0:20 1E AB A9 FF 8D 40 03 AB C4C8:A9 ØA 8D E5 C5 20 D8 C4 DE C4DØ:CE E5 C5 DØ FR 4C 42 CØ 3F C4D8:AC 40 03 DØ 88 Ø3 AE 40 CA

C238:F5 C5 Ø9 8Ø

9D F5

C5 CE

72

C4E0:FD 88 D0 F7 60 8D E5 C5 EF C4E8: ØA 8D E7 C5 AE E5 C5 BD 8A C4FØ:ED C5 29 7F FØ 14 A8 AR D7 FØ C4F8: E5 C5 BD ED C5 29 80 42 C500:06 20 55 C5 4C GA CS 20 D 3 C508:9E C5 AE E5 C5 BD F5 C5 5F C510:29 7F FØ 14 A8 E5 C5 Øl AE C518:BD F5 C5 29 80 FØ 96 29 3F C520:29 C5 4C 28 C5 20 3F C5 B0 C528:60 F7 AE C5 DE 91 Da BD 43 C530:01 D0 C9 55 BØ Ø5 A9 55 41 C538: 9D 91 DØ 88 Da EE 60 AE 27 C540:E7 C5 Ø1 DØ BD FE Ø1 DØ 71 C548:C9 FØ 90 Ø5 A9 FØ 9D 01 A4 C550:D0 88 DØ EE 60 AE E7 C5 C2 C558:DE ØØ DØ AE E5 C5 AD 10 C560:D0 30 CS C6 DØ 1E AE E7 ØD C568:C5 aa na BD CO 19 Ba 2A 91 C570:A9 46 9D 00 D0 AE E5 C5 E8 C578:AD 10 DØ 1D C5 C6 8D 10 3F C580:D0 4C 9A C5 AE E7 C5 BD 95 C588:00 D0 C9 DØ ØC FF 7B AE E5 C590:C5 AD 10 D0 30 CD Ch 80 R5 C598:10 DØ 88 DØ B8 60 AE E7 ØB C5AØ:C5 FE 99 DØ AE E.5 C5 AD 22 C5A8:10 D0 3D CS C6 DØ 17 AF CA 2A C5BØ:E7 C5 BD 00 D0 D0 26 AE C5B8:E5 C5 AD 10 DØ 1D C5 C6 AC C5C0:8D 10 D0 4C El C5 AE E7 61 C5C8:C5 BD aa Da C9 46 90 11 4D C5DØ:A9 19 9D 00 DØ E5 C5 AE FD C5D8:AD 10 D0 3D CD C6 80 10 E1 C5E0:D0 88 DØ aa aa aa BA 60 RF C5E8:00 aa aa aa aa aa aa 99 C5FØ:00 00 00 00 aa 00 aa 00 7C C5F8:00 00 00 00 00 93 90 12 06 C600:41 52 3A 1C 20 20 20 30 C608:20 9E 20 20 20 20 20 1E 33 C610:20 20 20 20 20 20 20 20 gn 9D C618:20 20 20 9F 20 20 20 20 20 C620:20 20 20 20 20 20 20 AD C628:20 20 20 20 53 43 4F 52 6C C630:45 3A 30 20 20 20 20 20 DR C638:20 20 20 20 20 20 20 20 C5 C640:20 20 20 20 20 20 20 CD 20 C648:20 20 20 20 20 20 20 20 D5 53 C650:20 20 20 20 48 49 43 4D C658:4F 52 45 3A 30 aa aa aa EF C660:00 00 02 02 02 02 07 07 7B C668:07 05 07 07 05 05 05 05 C670:05 05 05 05 05 05 00 00 EE C678:92 47 41 40 45 20 50 41 AA C680:55 53 45 44 aa 20 20 20 5B C688: 20 20 20 20 20 20 20 20 16 45 C690:00 92 4E 54 45 52 20 CC C698:53 50 45 45 44 20 28 31 05 C6AØ: 2D 34 29 00 20 20 20 20 D8 20 C6A8: 20 20 20 20 20 20 20 36 C6BØ:20 20 20 20 20 00 41 30 50 C6B8:64 70 92 47 41 4D 45 20 88 C6CØ:4F 56 45 52 00 01 92 04 65 C6C8:08 10 20 40 80 FE FD FB 5E C6DØ:F7 DF BF 7F 64 55 9F C6D8:69 46 8C 64 B4 DC 19 75 1E C6EØ:E1 E9 54 ØE 46 55 ac 5A ØE 00 C6E8: ØE ØE ØE 00 07 DC EØ 79 C6FØ:DF EØ DE El DF E2 aa 56 81 C6F8:78 AØ 7D AØ C8 C8 FØ 00 E5 C700:00 00 00 00 00 00 99 ØA 99 C708:80 00 2A AG 99 AA E8 aa A3 C710:AA A8 00 AA A8 aa AA A8 an C718:00 2A AØ 00 ØA 80 aa 05 90 C720:40 aa 10 DØ 00 00 aa 00 80 C728:00 00 00 00 00 90 99 aa B7 C730:00 00 00 00 00 00 00 00 BF C738:00 00 00 00 00 00 00 00 C7 C740:00 00 00 00 00 00 FF ØA D9 C748:80 00 2A AG aa AA ER aa E3 A8 00 C750:AA AA A8 aa A8 4D AA C758:00 2A AØ 00 ØA 80 00 05 DD C760:40 00 70 00 00 00 37 00 FD C768:00 00 00 00 00 00 00 00 F7 C770:00 00 aa aa aa aa aa aa FF C778:00 00 00 00 00 00 00 00 08 C780:00 00 00 00 00 00 FF 00 10

C788:80 00 A2 60 00 EA A0 80 20 C790:0E A8 80 00 AA 80 00 A8 61 C798:80 CE 80 80 A8 00 00 00 79 C7A0:00 00 00 00 00 00 00 00 30 C7A8:00 00 00 00 00 00 00 aa 38 C789:00 aa aa aa aa aa 40 aa aa C7B8:00 aa aa aa aa aa aa aa 48 C7C9:00 99 00 00 00 00 FF aa 50 C7C8:80 00 02 60 00 02 AØ 20 48 C7DØ:AA 80 FF 80 FF A8 EF A8 AA C7D8:80 00 20 aa aa 00 aa 55 AA 00 00 C7E0:00 aa aa 99 aa 99 70 C7E8:00 aa aa aa aa aa aa aa 78 C7FØ:00 aa 00 aa aa aa aa aa 80 C7F8:00 00 00 00 00 00 00 00 88 91 aa aa C800:00 00 aa FF aa aa C808:20 00 00 98 AØ 20 BØ BE AA C810:22 AB aa 2A AØ 00 22 AØ 2A C818:00 2B 30 00 02 AØ 99 63 20 C820:00 aa aa aa aa aa aa aa B1 C828:00 aa aa aa aa 00 aa aa B9 00 00 00 00 C830:00 aa aa 00 Cl C838:00 00 00 00 99 aa aa aa C9 C840:00 99 99 00 00 00 00 00 DI 98 aa C848:20 00 aa Ra **A8** aa C6 C850:22 AØ 2A AF FØ 22 89 AA AF C858:FØ aa 00 aa 80 ØA AØ aa CD C860:00 00 00 00 00 00 00 00 F1 99 99 99 aa C868:00 00 aa aa F9 C870:00 00 aa aa aa aa aa aa 02 C878:00 99 99 00 00 00 aa 00 ØA C880:00 aa aa 00 aa aa aa aa 12 C888:00 00 00 00 00 00 99 aa 1 A C890:00 ØF 00 00 35 99 FC 35 B8 C898:5C 00 D5 5C aa FD 5C 03 8C C8AØ:AB FØ ØE AA BØ ØF EA FØ 39 C8A8: ØD 7F 70 ØD 57 70 57 ØD 6D C8BØ: 7Ø aF aa 99 ØD 57 70 D7 Ca C8B8: 3F 00 00 00 00 00 00 00 E9 C8C0:00 00 aa 00 FF 00 52 00 aa

Relative Ease

See instructions in article on page 74 before typing in.

Relative Ease

C000:20 33 A5 A4 23 A5 22 18 69 C008:69 02 90 01 C8 85 2D 84 1C CØ10:2E 85 2F 84 30 85 31 84 B6 CØ18:32 00 03 80 69 CØ AD AD 8F CØ20:01 03 8D 6A CØ A9 CØ 80 F6 CØ28:01 78 8D 00 03 A 9 93 A9 C3 CØ3Ø:7A A9 C2 8D 11 03 80 12 2A CØ38:03 60 52 45 4C 41 54 49 4B CØ4Ø:56 20 45 41 53 45 20 98 45 CØ48:42 20 4A 45 46 46 20 D9 CØ50:50 41 52 54 43 48 20 28 7D CØ58:43 29 31 39 38 37 20 43 A1 21 CØ60:4F 4D 50 55 54 45 aa 36 CØ68:4C FF FF 9F AØ 52 45 43 26 CØ7Ø:BØ F3 CØ F4 Cl C2 27 4D 44 CØ78:EØ ØB DØ EC 68 C9 BØ DØ B2 CØ80:E7 68 C9 A9 DØ E2 A9 01 4A CØ88:85 7B A4 3A 84 7A C8 FØ 74 CØ90:10 85 A5 3D 7A A5 3E 85 EF CØ98:7B AØ aa B1 7A Da 92 AØ 06 CØAØ: 04 20 FB A8 A2 02 20 73 07 CØA8:00 C9 8B DØ 09 20 73 00 CA CØBØ:C9 A7 DØ F9 FØ FØ C9 44 DD CØB8:DØ 20 73 00 30 07 16 CA F5 CØCØ:DD FØ Da F6 A 2 B7 6B Ca 16 CØC8: ØB 4C 68 CO E8 20 73 aa AA DØ CØDØ:DD **6B** CØ DØ F2 C9 44 59 CØD8:F3 A2 02 8A ØA AA BD 72 CE CØEØ:CØ 48 73 CØ 48 A9 08 BD 46 CØE8:85 BA 4C 73 aa A2 aR 2C 63 CØFØ:A2 17 4C 68 CØ FØ DØ 20 25 CØF8:C4 Cl 20 FD AE 20 9E AD 12 C100:20 FØ C9 A3 B6 E8 11 BØ A3 C108:E7 85 B7 AØ 00 B1 22 99 86 C110:3A CØ C8 C4 B7 DØ F6 20 55 C118:79 00 F0 49 A9 00 8D 67 C120:C0 20 FD AE C9 4C D0 18

C128: 20 D2 C1 20 B1 C1 A4 B7 40 C130:99 3A CØ 8D 67 CØ E6 B7 C3 C138:20 79 00 FØ 28 20 FD A5 C140:C9 55 DØ ØB 20 AØ Cl 20 EF C148:79 99 FØ 19 20 FD AF C9 58 C150:57 DØ OF 20 D2 Cl AD 67 F7 C158:CØ DØ 07 C6 B7 20 73 00 E2 C160:F0 03 4C C7 CØ AØ 01 C8 76 09 C168:98 60 A6 98 CA 30 97 48 C170:DD 62 03 FO F2 DØ F6 85 39 C178:B9 A5 B7 CØ AØ A2 3A 20 68 C180:BD FF 20 CØ FF 90 18 AA 10 C188:4C 68 CØ AØ 00 A5 84 BA FE C190:90 20 79 B1 FF AQ 6F 20 93 C198:FF A9 05 24 90 30 E8 60 Fa C1A0:20 73 00 20 9E **B7** EØ 08 BØ C1A8:90 15 EØ 1F BØ 11 86 BA 59 C1BØ:60 20 73 00 20 9E B7 50 BA ClB8:FØ 05 09 FF Fa 01 60 A2 1E C1CØ: ØE 4C 68 CØ A9 23 20 FF 91 C1C8:AE 20 9E **B7** 8A FØ FØ 86 7B C1DØ:B8 60 A4 B7 99 3B CØ A9 RD C1D8: 2C 99 CØ 99 3A 3C CØ E 6 52 ClEØ:B7 E6 B7 E6 B7 60 C9 91 C3 C1E8: DØ 40 20 73 00 C9 55 DØ C2 C1FØ:39 4C AØ Cl FØ 17 C9 23 EE CIF8: DØ 10 20 C4 CI 20 79 aa BA C200:F0 03 20 E6 C1 A5 B8 4C 93 C208:C3 FF 20 E6 Cl A6 98 A 9 65 3C C210:00 48 CA 30 ØF BD 63 02 C218:C5 BA DØ F6 BD 59 02 DØ EØ C220:F0 20 C3 FF 68 na FA 60 7B C228: DØ Ø3 4C C7 CØ 20 C4 Cl AE C230:8A 20 14 F3 FØ 05 A2 03 A8 C238:4C 68 CØ 09 60 80 3B CØ 17 C240:BD 63 85 02 BA A 9 50 8D CØ 9E C248: 3A CØ 20 FD AE 20 AD DF C250:20 F7 **B7** 8C 3C CØ 8D 3D EØ C258:CØ A2 01 20 79 00 FØ 06 BC C260:20 FD AE 20 B4 Cl 8E 3E 55 C268:CØ 2Ø 8B C1 B9 3A CØ 20 3C C270:A8 FF C8 CØ 05 DØ F5 4C 13 C278: AE FF 20 B7 20 Cl Al A6 CØ C280:20 88 Cl 20 AE FF A5 BA AE C288: 20 B4 FF A9 6F 20 96 FF OF C290:20 AD F1 48 84 B7 CB 24 ØD C298:90 50 F5 98 20 7D B4 A4 C7 C2AØ:B7 68 91 62 88 10 FA 68 57 C2A8:68 20 CA B4 4C AB FF 00

Periscope

Article on page 70.

HE 10 REM COPYRIGHT 1988 COMPU TE! PUBLICATIONS, INC. -ALL RIGHTS RESERVED KH 20 GOSUB620 HH 30 PRINT "{HOME}DRIVE TYPE" : PRINT"A 1581": PRINT"B 1 571": PRINT"C 1541 [DOWN]" PRINT" (UP) PRESS A, B, OR ER 40 C" DF 50 GETKEYTYS: IFTYS<"A"ORTYS >"C"THEN40 RF 60 INPUT "DEVICE NUMBER {2 RIGHT}8{3 LEFT}";DR:I F DR<8 OR DR>11 THEN 60 DB 70 OPEN15, DR, 15: OPEN5, DR, 5, "#":OPEN4, DR, 4, "#":GOTO2 50 JF 80

JF 80 INPUT "TRACK AND SECTOR {SPACE}NUMBER"; TR, SE QH 90 IFTYS="A"AND (TR<10RTR>80 ORSE<00RSE>39)THENRETURN

QX 100 IFTY\$<>"B"THEN150 QJ 110 IF(TR<10RTR>700RSE<00RS E>20)THENRETURN

BC 120 IF((TR>17ANDTR<25)OR(TR >52ANDTR<60))ANDSE>18TH ENRETURN

CH 130 IF((TR>24ANDTR<31)OR(TR >59ANDTR<66))ANDSE>17TH

1			ENRETURN			CLOS	SE1	5 · p	RTN
	SE	140	IF ((TR>3@ANDTR<36)OR(TR			{CLI			
			>65ANDTR<71))ANDSE>16TH	EB	610	1125 040 CM			
	KX	150	ENRETURN IFTY\$<>"C"THEN200			{SPI		Charles a	
	QS	160	IFTR<10RTR>350RSE<ØORSE	QD		/STO			
			>20THENRETURN	QD		R\$ (]	CONTRACTOR	A CONTRACT OF THE PARTY OF	1905 P. T.
	MK	170	IFTR>17ANDTR<25ANDSE>18			92:1			
	1	100	THENRETURN	AS	630	POKE			
	RH	180	IFTR>24ANDTR<31ANDSE>17 THENRETURN			:PRI			
	DP	190	IFTR>30ANDSE>16THENRETU			8 CC			
	01	130	RN	KK	640				
	MP	200	PRINT#15, "U1"; 5; Ø; TR; SE					VED	-
	FA	210	SYS4864	RE	650				
	FG	220	BK (PO) = PEEK (1024) : BK (PO			TINU	JE"	+RE	\$+"
			+1)=PEEK(1025):PO=PO+2: IFPO>51THENPO=0			+"E			
	KG	230	IFPO>LITHENLI=PO			ES+'			
	MF	240	RETURN	ЈН	660	REST			
	RX	250	GOSUB680: PRINTMES: PRINT			DA: I			
			"TRACK "TR;" SECTOR "SE	GQ	670		15-15-D		Electric Vision
	XJ	260	GET C\$: IFC\$=""THEN 260			T" [2			THE RESIDENCE
	BP	270	IFC\$="C"THENGOSUB590 IFC\$="E"THENGOSUB330			OR (2			
	ES	290	IFC\$="N"THENGOSUB80	BF	680				
	EK	300	IFCS="B"THENGOSUB570	GK					
	QC	310	IFC\$="Q"THEN600			BLE			
	CH		GOTO250		St. market	EST			
	CG		WINDOW 0,0,39,7:CL=0	XF	700				
	QX	340	GOSUB530:GETIN\$:IFIN\$="	BE FB	710				
	KC	350	IN=ASC(IN\$):IFIN=13THEN	EE	730				
		330	550	GP	740	DATA	100	4,0	32,
	CG	360	IFIN=27THENRETURN	BB	750	DATA			
	AR	370	IFIN=19THEN330	PJ	760	DATA	121	0,2	55,
	KF	380	IFIN=67ANDPEEK(211)=8TH	BK	770	DATA	114	4,2	45,
			ENTR=PEEK(C1):SE=PEEK(C 1+1):GOSUB90:POKE208,0:	KX		DATA			
			GOTO330	XQ	800	DATA	113	3,0	Ø5,
	SK	390	IFIN=66ANDPEEK(211)=8TH	BB	810	DATA	112	0,1	69,
			ENGOSUB570: POKE208,0:GO	DM	820	DATA			
	PX		TO330 IFIN=17ANDCL<215THENCL=	AQ KX	830	DATA			
	PX	400	CL+40: GOTO 470	PF	850	DAT			
	EH	410	IFIN=29ANDCL<255THEN460	EK	860	DATA	112	0,1	69,
	BF	420	IFIN=145ANDCL>39THENCL=	FJ	870	DAT	400	3,1	69,
			CL-40:GOTO470	RH	880	DATA			
	BK	430	IFIN=157ANDCL>ØTHENCL=C L-1:GOTO47Ø	DE DS	900	DATA	100	3,1	69,
	HP	440	IF IN=180RIN=146THEN470		910				
	EF		IFIN<320R(IN>127ANDIN<1		920				
			60) THEN 340						
34	EH	460		Tr	ap				
	DA	470	POKE7, (C1-1024) /40 C2=(C1-1024)		up				
	SE	490		See	inst	ructi	ons	in	art
			0490	26	befor	e ty	ping	z in	
	JJ	500	POKE8,C2	000	11:0B	as	ØA	aa	9E
	JR	510	POKE5, PEEK (5) AND 254: SYS 65520	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9:31		00	00	A9
	ВМ	520		081	1:00	8D	20		85
	SG		C1=1024+CL:C2=PEEK(C1):	1000 De 200	9:A9			D2	FF
H			POKEC1, XOR (C2, 128):C3=P		21:D2		AD A9	11	DØ 8D
	19200		EEK(C1+1):C4=C2+C3*256	17x13/00/100	31:73		Ø1	AØ	ØØ
	SR	540	POKEC1,C2:POKE8,19:POKE 7,7:POKE5,PEEK(5)AND254	083	9:99	00	38	B9	00
			:SYS65520		11:39		DØ	Fl	A9
	OR	545			9:A9		8D 8D	ØE 83	DC 39
			{LEFT} (\$"RIGHT\$ (HEX\$ (C2		9:99		39	C8	
),2)")"C4"{LEFT}(\$"HEX\$	086	51:A9	1F	8D	18	DØ
	1 27		(C4)") {5 SPACES}":RETUR	12757/06016	9:C6		99	DØ	39
	RH	550	N SYS4883	V/53472464	71:D0 79:99		AØ 13	00	98 CØ
	RC	560		N. Sandy Mark	31:A9		8D	ØF	D4
			: RETURN		9:12		A9	93	20
	нЈ			U. 0075 W-7440	91:01		22	DØ	AØ
	FR	580	TR=BK(PO):SE=BK(PO+1):S LEEP1:GOTO90		99:13		8C	26 B9	13
	PU	500	TR=PEEK (1024):SE=PEEK (1		11:99				

FH 590 TR=PEEK (1024):SE=PEEK (1

INPUT#15, A, B\$, C, D: PRINT

A;B\$;C;D:CLOSE4:CLOSE5:

025):GOTO90

FF 600

NT" [2 HOME] 248,0 : REM ENABLE KEY AND RUN (51): PRINTCH 8): POKE248,1 : POKE 53281, Ø 1 CYN OPYRIGHT 198 PUB., INC."
) "ALL RIGHTS) :MES="C CON "Q QUIT"+RES ES+"N NEW"+R +RES+"{DOWN} I = ØTO114: REA +I,A:B=B+A 2696THENPRIN CLR | {RED } ERR IN DATA STA 39,24,1 URN: REM DISA D RUN/STOP-R ,032,198,255 ,032,207,255 ,004,200,208 204,255,162 ,201,255,160 ,001,004,032 200,192,255 173,000,004 255,076,204 005,041,253 165,145,096 051,141,024 255,141,025 046,141,040 ,019,141,041 096,000,000 ,064,141,024 ,250,141,025 ,110,141,040 ,246,141,041 ,096,082,079 082,084,032 ,088,066,089

ticle on page

32 3Ø 36 2E ØØ 8D 21 3B 85 51 C7 50 A9 8E 20 09 40 8D 1A DC A9 ØE 33 **B9** gg Dg 3E 00 33 D1 99 01 80 8D E8 A9 66 B9 B9 8E 11 38 DØ F5 6A B9 AØ 00 04 C8 CØ 20 EF 99 7B 00 D4 18 DØ F5 CA A9 80 8D E4 D2 FF A9 3C 10 27 FF 8C B9 78 12 DB 12 99 74 F9 05 Ø8A9: Ø5 B9 96 12 99 A9 D2 99 Ø8B1: ØF 99 4C D9 A9 03 EC 50 Ø8B9:D9 A9 ØC 99 74 D9 C8 CØ 08C1:0F DØ DA AØ 00 B9 A5 12 37 Ø8C9:99 87 Ø6 A9 ØF 99 87 DA AC Ø8D1:C8 CØ 1A DØ FØ 20 31 11 42 Ø8D9:A9 8Ø 8D Ø5 D4 8D Ø6 D4 9E Ø8E1:8D ØC D4 8D ØD D4 A9 21 5F Ø8E9:8D D4 8D ØB D4 A9 03 37 Ø8F1:8D Ø8 D4 A9 Ø5 01 D4 8D 68 Ø8F9:8D aa D4 A9 1F 8D 18 D4 3A Ø9Ø1:A9 8D F3 17 D4 AØ 4A A2 0909:00 CA DØ FD AD aa DC C9 B8 Ø911:6F FØ 38 88 DØ F3 20 6B A8 Ø919:0C AE 27 13 AD 26 13 DØ EF CA 0921:18 CA CA EØ 63 FØ 99 77 Ø929:8E 16 D4 8E 27 13 4C 06 0931:09 A9 01 8D 26 13 4C 29 6A FØ 03 Ø939: Ø9 E8 E8 E8 EØ FF Al Ø941:4C 29 Ø9 A9 99 8D 26 13 15 Ø9 A2 Ø949:4C 29 00 8E 5A 13 19 0951:8E Øl D4 86 2A 8E 00 D4 4E Ø959:E8 8E 5B A9 8D 21 31 13 El Ø961:13 A9 06 8D 22 13 A9 60 12 93 Ø969:8D 25 13 A9 20 D2 FF 4B 0971:A9 09 8D 29 13 85 29 A9 89 Ø979: ØA 8D 52 13 Ø8 8D 51 A9 49 Ø981:13 A9 ØA BD 5C 13 A9 03 27 0989:8D 5D 13 AØ 00 84 4E 84 59 Ø991:4F **B9** 69 12 99 00 04 B9 96 Ø999:6E 12 99 04 1D **B9** 73 6C A9 Ø9A1:99 CØ 07 ØC 99 00 D8 CB Ø9A9:99 1D D8 99 CØ C8 CØ 4C DB Ø9B1:05 DØ DE A9 13 20 D2 FF AF Ø9B9:A9 96 85 D3 A9 ØF 8D 86 3B 09C1:02 A6 4E A5 4F 20 CD BD F6 A6 A5 Ø9C9:A9 22 85 D3 50 51 3A 04 Ø9D1:20 CD BD A9 8D EB 3A 13 Ø9D9:8D 15 Ø4 A9 01 8D 13 D8 50 Ø9E1:8D 15 D8 00 98 99 40 AØ FA AØ Ø9E9:39 C8 CØ 40 DØ F8 FF 92 29 Ø9F1:84 28 C8 A5 99 39 28 42 Ø9F9:99 43 39 99 44 39 06 28 A5 ØAØ1:18 98 69 Ø8 A8 CØ 40 D0 8E ØAØ9: EA A9 00 A8 99 00 30 C8 7D ØA11:CØ 8Ø DØ F8 AØ 00 B9 F8 ØA19:12 99 Ø1 3Ø B9 99 80 4D 12 ØA21:41 30 C8 CØ 1C DØ EF AØ AB A9 ØF ØA29:24 A9 28 99 C4 07 FC ØA31:99 C4 DB 88 DØ F3 A9 14 28 8D 13 ØA39:8D 23 13 A9 24 AC ØA41:B9 BF 12 99 C8 CØ 2D 13 96 42 ØA49:24 DØ F5 A9 10 85 52 A9 ØA51: ØE 85 58 A9 41 8D ØB D4 9E ØA59:A9 8C 8D 16 D4 A9 F1 8D 37 ØA61:17 D4 AE 5A 13 BD ØD 12 6D ØA69:AØ ØØ 8C 2B 13 BC 28 13 40 13 A1 ØA71:8C 2A 13 8C 53 99 96 ØA79:13 C8 CØ 08 DØ F8 BD 15 DC 13 ØA81:12 8D ØF 13 8D 10 8D 75 12 22 50 ØA89:11 13 BD 1D 8D DØ CØ ØA91:8D ØE 13 8D 12 AE 5B 99 ØA99:13 BD ØD 12 AØ 00 13 **B4** 05 ØAA1:13 C8 CØ Ø8 DØ F8 BD 15 ØAA9:12 8D 1C 13 8D 10 13 8D 73 12 8D 23 DØ 91 ØAB1:1E 13 BD 1D ØAB9:8D 1B 13 80 13 04 85 FC 5B ØAC1:85 FF A9 D5 85 FE A9 04 E5 ØAC9:A9 D8 85 FD A2 00 ØAD1:85 24 A9 04 85 23 20 97 **B7** 23 ØAD9:10 A9 07 20 18 11 C6 11 C6 2F 80 20 11 ØAE1:DØ F4 A9 18 ØAE9:24 DØ E7 A5 2A DØ Ø3 20 56 ØAF1:31 11 A9 01 85 2A A9 03 53 C9 ØAF9:8D 15 DØ A9 BD 8D 03 DØ ØBØ1:A9 D1 80 02 DØ A2 CØ 8E 53 A9 ØBØ9:F9 Ø7 E8 8E F8 AA 9F ØB11:8D ØØ DØ A9 7F. 8D 01 DØ ØB19:A9 Ø1 8D 28 DØ A9 ØF 8D 51 ØB21:27 DØ A9 ØØ 8D 1Ø DØ A9 2C ØB29:13 85 AØ 00 B9 FE 12 96 5B A9 06 85 FC BA ØB31:85 FE 85 ØB39:A9 DA 85 FD 20 7D 10 A9 2C ØB41:77 99 45 13 C8 CØ 04 DØ 75 ØB49:E4 A9 BE 85 5C A9 06 85 87 5F A9 ØD 85 5E A9 E2 ØB51:5D 85 ØB59:7D 8D 59 13 A2 AA CA DØ 14 ØB61:FD CE 20 13 DØ Ø3 4C 65 EF ØB69: ØC CE 21 13 DØ Ø3 4C 9E 58

10C1:8D 00 D4 A9 F3 8D 17 D4 B6 ØB71: ØC CE 25 13 DØ Ø3 4C B9 FB ØE19:13 C9 7E FØ 11 C9 7D FØ AB 12 1009:60 85 60 20 11 4C D7 CE ØE21:1A C9 7B FØ 23 E8 A9 Ø7 52 ØB79: ØC CE 29 13 DØ Ø3 4C A7 72 09 38 A5 ØC 11 10D1:10 85 60 20 ØC ØE29:20 EC 10 4C 4F ØE 38 8A 05 ØB81: ØD 4C B6 ØE 4C 2C CE E2 A5 A9 10D9:FE E5 FE 85 FC 05 90 20 CA 10 60 85 ØB89:52 13 DØ 03 4C EA ØE ØE31:E9 06 AA AD AF E9 10E1:FF 00 85 FF 18 69 D4 DC FØ A4 ØE39:4C 4F ar. 18 8A 69 Ø6 AA 43 ØB91:2B 13 DØ 52 AD 00 F4 69 60 85 60 20 12 11 ØE41:A9 90 20 EC 10 4C 4F ØE 8A 10E9:85 FD ØB99:DC 10 99 2D 13 C9 7E 10 10F1:4C F9 85 60 20 99 11 B7 ØBA1:FØ ØF C9 1F C9 7B 18 ØE49:CA A9 07 20 CA 10 86 5B 17 7D FØ 85 8D 59 13 A9 00 3D 1ØF9:18 A5 FE 65 60 FE 85 62 ØE51:BD 2D 13 ØBA9:FØ 35 C9 77 FØ 41 4C 96 61 1101:FC A5 FF 69 00 4C E4 10 AC 97 ØBB1: ØC 38 98 E9 06 **B9** ØE59:9D 2D 13 20 10 A5 FE **3B** 8A 2D 01 ØE61:85 5E A5 FF 85 5F 4C 82 51 1109:A5 5C 85 FE A5 5D 85 FF 63 ØBB9:13 DØ 4A A9 90 20 D2 10 8C 12 DØ EØ C3 90 F9 37 1111:60 A5 5E 85 FE A5 5F 4C 8A ØE69: ØB AE ØBC1:A9 Ø1 4C D7 ØB 18 98 69 47 ØE71:84 53 AØ 00 99 28 D8 99 71 1119: ØF 18 85 22 A5 FE 65 6D 11 36 ØBC9:06 A8 B9 2D 13 DØ A9 09 1121:22 69 D5 ØE79: ØE D9 99 D9 85 A5 FF F4 99 DA DA 5B 85 FE FC ØBD1:9C 2Ø F4 1Ø A9 02 84 52 8E ØBD9:AØ Ø9 A2 ØE81:C8 CØ E6 DØ EF 8D 22 Da E6 1129:00 85 FF 69 D4 85 FD 60 5C 20 4C 19 ØC 88 40 ØE89:8D 23 DØ 8D 27 DØ 8D 28 E7 1131:A2 00 A9 28 85 FE A9 Ø4 DB ØBE1:B9 2D 13 DØ 2Ø A9 07 20 65 86 22 95 1139:85 FF AØ 00 18 B1 FE C9 81 ØE91:DØ AØ ØC A6 22 CA ØBE9:D2 10 A9 Ø3 4C FD ØB C8 ØC 1B D4 C9 35 70 1141:20 DØ 2E AD 2D ØBF1:B9 2D 13 DØ 10 A9 ØE99:8E Ø3 D4 8A 49 FF 8D 16 07 20 F4 A9 Ø4 Ø4 A2 ØØ CA 8D 1149:90 03 4C 72 11 AD 1B D4 6F ØBF9:F4 10 84 52 A2 38 EE ØEA1:D4 84 26 AØ 03 69 0C01:A0 05 4C ØEA9: DØ FD 88 DØ FA A4 26 88 ØB 1151:29 24 91 FE AD 1B 37 19 ØC 5C A5 85 FA 9B 1159:D4 29 ØF C9 ØB BØ F7 9D 57 A9 60 0C09:FE A5 5D 85 FF 00 80 ØEB1:DØ El A4 53 AD 2B 13 42 1161:00 42 57 00 A5 ØC11:08 D4 85 59 ØEB9:FØ 1D A9 03 8D 08 D4 A5 D6 A5 FE 9D 41 CD 85 AØ 05 05 1169:FF 69 D4 9D 99 40 E8 FØ 1E ØC19:8D 28 13 8D 2B 13 8E 2C 2C ØEC1:59 FØ C6 57 4C CB ØE 65 A5 1171:18 E6 97 ØC21:13 84 29 A5 FE 85 5C A5 ØEC9:E6 57 57 C9 aa FØ ØA 93 FE DØ Ø2 E6 FF A5 CF 5D A5 C5 C9 3F DØ 4D ØD 8D 09 48 1179:FE C9 BF FØ 03 4C 3E 11 **6B** ØC29:FF 85 GED1:C9 FF FØ D4 4C 1181:A5 FF FØ ØC31:30 A9 ØØ 8D 18 ØED9:88 ØB A9 00 85 59 4C D5 32 C9 07 03 4C 3E 8A D4 A9 4B 57 60 00 01 03 ØC39:8D 11 DØ A9 Ø6 ØEE1: ØE A9 01 4C DD ØE 4C 7B 8F 1189:11 8E 3C 03 97 8D 20 D0 88 1191:07 CE ØC41:A5 C5 C9 40 D0 ØEE9: ØF AD 5C 13 8D 52 13 AD 3F ØF 1F 3F 7F FF FF FF FA A5 C5 5E FØ F2 AE 57 13 E8 1199:FF FF FF FF FF FF FE FC B6 ØC49:C9 3F DØ FA ØEF1:53 13 AB A5 C5 C9 40 F7 ØEF9:E8 8E 57 13 8E 00 D4 AE 11A1:F8 FØ EØ CØ 80 00 00 04 AC ØC51:DØ FA A9 1F 8D 18 D4 A9 D7 17 11A9:00 ØC59:00 8D 20 ØFØ1:55 13 BD E3 12 FØ C9 D6 aa aa aa aa aa aa aa CB DØ A9 5B 8D 11 CC 1A 11B1:00 60 00 00 00 00 EB ØC61:DØ 4C 5D ØB 20 6B ØC ØFØ9:01 FØ Ø3 4C 38 ØF EE ØØ E4 00 00 4C 64 1189:00 88 00 08 00 00 30 99 BC ØC69:6A ØB A9 6F ØF11:DØ FØ 03 4C 38 ØF 10 8D 20 13 AØ 59 AD 62 1101:00 99 99 1F 9C71:00 A2 00 18 RD 00 40 85 A7 ØF19:DØ Ø9 01 8D 10 DØ 4C 38 6F 99 99 99 00 03 ØC79:FF BD ØØ 41 85 ØF21: ØF AC 88 00 D0 11C9:3E 7C F8 aa ØØ FF 7F 3F 87 FE 86 26 70 00 D0 8C 46 ØC81:BD ØØ 42 AA E8 EØ ØC 90 DE ØF29:CØ FF FØ 03 4C 38 ØF 05 11D1:1F ØF 07 03 01 00 80 CØ 22 AD ØC89: 02 A2 00 BD 24 91 11D9:EØ FØ 12 FE B2 ØF31:10 DØ 29 FE 8D 10 DØ AC F8 FC FE 00 FF FF 8F BD ØC91:8A A6 9D ØØ 42 E8 26 EC FE ØF39: EF 12 FØ an C9 al FØ 93 FQ 11E1:FF FF FF FF FF 21 22 22 EE ØC99:3C Ø3 DØ D8 6Ø A9 El 8D 33 ØF41:4C 4D ØF CE 01 Da 4C 4D D8 11E9:63 21 22 22 63 23 22 22 7A ØCA1:21 13 AD 28 DØ 29 ØF C9 ØF 49: ØF 5A EE 01 DØ EE 56 13 AE 7D 11F1:22 23 21 22 22 A3 21 22 38 06 ØCA9: Ø6 FØ Ø8 A9 8D ØF51:54 56 13 DD 12 93 11F9:22 28 DØ 13 AD FB 24 A3 23 22 22 22 23 al 7D ØCB1:4C 72 ØB A9 90 ØF59:FØ 03 4C ØB A9 01 4C AE ØC 2B 00 8D CF 1201:02 Ø3 04 28 29 2A 2B 2C 5E ØC ED ØCB9:A9 2A 8D 25 13 20 C9 ØF61:56 13 EE 54 13 EE 55 13 A4 1209:50 51 52 53 ØE Ø2 93 ØF B6 ØCC1:AD 23 13 FØ 25 4C 7A ØB 45 ØF69:AD 54 13 C9 03 FØ 03 4C AØ 1211:04 ØA ØC ØE 06 99 95 ac 86 ØCC9:AE 24 13 AC ØF71:90 ØB A9 00 8D 4C 23 13 E8 EØ 87 53 13 FB 1219:06 08 ØB 06 03 Ø8 ØD Øl 57 08 ØCD1:30 FØ A5 8E ØF79:90 ØB AØ 03 ØB 24 13 8A 99 44 99 8C 58 13 48 1221: ØE ØF 04 ØC ØF 07 96 ØCD9:C4 Ø7 60 A9 20 99 C4 Ø7 B4 ØF81:58 38 E9 06 18 8A 79 1229:01 AA BB 07 ØF ØC 04 ØB 06 00 8A ØCE1:88 8C 23 13 28 8E 24 ED ØF89: Ø2 A2 13 AA BD 2D 13 FØ 03 39 1231:7F FE 00 FF FC 01 FF F8 B9 ØCE9:13 60 AE 22 13 CA CA FØ ØF91:EE 58 13 C8 CØ 04 DØ EE D2 1239:03 FF E5 FØ 07 FF EØ ØF FF ØF ØCF1:38 8E 22 13 A9 20 9D 59 C9 11 ØF99:AD 58 13 04 FØ 6F A6 an 1241:CØ 1F FF 80 3F FF 00 7F ØF ØCF9:04 A9 00 8D 08 D4 20 AD D8 ØFA1:58 AD 1B D4 C9 40 90 13 8B 1249:FE 00 FF FC 00 00 78 AD 0D01:10 A9 41 8D Ø4 D4 A9 04 59 ØFA9:C9 80 90 1E C9 CØ 90 29 5C 1251:00 FC 00 00 FC 00 00 FC 99 ØDØ9:8D Ø1 D4 A9 FØ 85 22 A9 EA ØFB1:E8 BD 2D 13 DØ E9 AØ 09 03 1259:00 00 78 aa aa aa aa aa 80 96 ØD11:CA 8D ØE AØ ØFB9:4C ØA A9 Ø2 2A E2 ØF 38 8A E9 96 AA CE 1261:00 00 00 00 00 00 00 00 85 ØD19:20 6A ØE A9 07 20 6A ØE D5 ØFC1:BD 2D 13 DØ DA AØ aa 4C 1F 1269:13 03 ØF 12 05 08 09 07 3C ØD21:88 DØ F3 8C Ø1 D4 ØFC9:E2 4C 28 17 ØF 18 8A 69 06 AA BD 3F 1271:08 20 14 09 ØD 05 20 7D EE 0D29:0A A0 00 Ø4 D4 28 A9 41 8D ØFD1:2D 13 DØ CB AØ 03 1279:7D 4C E2 AE 30 20 7D 7D 3C 20 7D E1 ØD31:A9 21 8D ØB D4 A9 Ø3 8D AB ØFD9: ØF CA BD 2D CØ 13 DØ AØ BA 1281:3C 20 20 7D 7D 3C 20 22 E6 ØD39:01 D4 8D Ø8 D4 2Ø AD 1Ø CD ØFE1:06 86 58 8C 55 13 A9 ØØ C2 1289:20 20 22 3B 3C 20 3B 9F ØD41:A9 E8 8D 96 ØE A9 20 32 85 86 ØFE9:8D 54 13 8D 56 13 8D 06 3F 1291:3C 20 22 20 1B Ø3 1D B 2 24 12 ØD49:22 B9 20 6A 0E C8 18 ØFF1:D4 57 1299:31 8D 13 A9 Ø5 39 8D 01 77 38 38 20 03 ØF ØD 67 ØD51:CØ ØD DØ F5 A9 ØØ 8D 15 Ø6 ØFF9: D4 A9 20 8D 04 D4 A9 0A 9A 12A1:10 15 14 05 10 12 05 CB 13 ØD59:DØ 8D Ø1 D4 8D Ø8 D4 A8 8R 1001:8D 12A9:13 20 05 D4 A9 21 8D 04 D4 7A 06 09 12 05 20 02 97 ØD61:AA A9 Ø6 85 26 A5 4F FØ AB 1009:8D 53 13 4C 90 0B 20 AD 12B1:15 14 14 ØF ØE 20 91 14 ØF 8A ØD69:36 C5 51 BØ ØB FØ 03 4C **B3** 1011:10 A9 Ø8 8D 01 D4 A9 12B9:20 21 4D 13 14 01 12 14 01 91 29 ØD71:86 ØD A5 4E C5 50 90 0D 49 A2 1019:8D 04 D4 00 8E 08 D4 E4 12C1:01 Øl 91 01 01 00 00 00 DE ØD79:A5 4E 85 50 A5 4F 85 51 76 1021:CA 86 26 A9 13 20 D2 FF 1209:00 01 01 00 00 00 00 01 4F 66 ØD81:A9 13 20 D2 FF A9 22 85 D6 1029:A9 06 85 D3 E6 12D1:01 00 00 00 00 4 E DØ Ø2 01 01 00 7C A1 ØD89:D3 A6 50 A5 51 20 CD BD FF 1031:E6 4F A6 4E 1209:00 8E 27 DØ A5 00 00 AA 01 01 01 91 01 1D ØD91:A2 ØØ CA DØ FD 88 DØ FA 12 1039:4F 20 CD BD 20 C9 0C A6 12E1:01 91 02 01 01 aa 00 02 21 ØD99:C6 26 DØ F6 4C 8B Ø8 A5 CA 70 26 1041:26 8E 16 D4 86 AD 92 12E9:00 00 00 01 01 01 01 01 2D ØDA1: 4E FØ E2 4C 12F1:02 73 ØD A5 29 84 1049:23 13 FØ 03 4C 24 10 AE CF 02 00 00 01 02 00 01 A8 ØDA9:8D 29 13 AE 28 13 DØ Ø3 54 1051:5A 13 E8 EØ 07 12F9:02 00 DØ 18 08 02 A2 B0 18 A 9 BØ B 7 23 ØDB1:4C 82 ØB EØ Ø1 FØ 1F EØ 1059:00 1301:BE EC 8E 5A 13 E8 8E 5B 13 E.4 00 05 02 05 00 00 00 6F ØDB9: 02 FØ 21 EØ Ø3 FØ 20 AE ØE 28 ØA 55 1061:CE 5D 13 FØ Ø3 4C 1309:00 aa 00 00 00 00 00 00 2F ØDC1: 02 DØ E8 FØ 06 8E Ø2 DØ 7C 1069:A9 AE 1311:00 00 00 00 03 8D 5D 13 5C 13 C5 00 00 00 00 37 1319:00 ØDC9: 4C F3 ØD AD 10 D0 Ø9 Ø2 5B 1071:CA EØ Ø2 DØ Ø1 E8 00 00 00 00 00 00 00 3F 8E 5C A1 ØDD1:8D 10 D0 4C C6 ØD CE 03 AØ 1079:13 4C 1321:00 00 00 00 00 00 00 00 28 ØA 84 53 A2 ØØ 92 47 ØDD9: DØ 4C CØ ØD EE Ø3 DØ AE 1329:00 00 1081:BD 00 2C 12 **A8** BD F3 aa aa aa aa 00 aa 4F 11 91 ØDE1: 02 DØ CA EØ FF 03 FØ 4C AF 1089:FE BD 13 1331:00 00 00 aa aa 00 00 57 13 91 FC E8 00 ØDE9:C6 ØD AD 10 D0 29 FD 4C D4 1091:0D D0 1339:00 00 ED A4 53 60 00 00 00 00 00 00 5F A2 ØØ D5 ØDF1:D1 ØD AE 2A 13 E8 EC 2C F2 67 1099:BD 00 12 A8 BD E6 11 91 A2 1341:00 00 00 00 00 00 aa 99 06 ØDF9:13 FØ 8E 2A 13 4C 82 3C 10A1:FE BD 06 13 91 FC 1349:00 00 99 99 aa E8 EØ D5 aa aa aa 6F ØEØ1:0B A9 ØØ 8D 2B 13 8D 2A DØ 10A9: 0D DØ ED 60 A9 40 8D 04 **B5** 1351:00 00 00 00 00 00 00 00 77 ØEØ9:13 A5 5C 85 FE A5 5D 85 CA 10B1:D4 A9 80 8D 05 D4 8D 06 2C 1359:00 00 00 00 00 00 ØE11:FF 20 7D 10 A6 5B AD 59 3D 10B9: D4 A9 41 8D 04 D4 A9 00 76

Free Spirit Software Inc.

UTILITIES

ULTRA DOS UTILITIES Module I

High Speed Hard Drive or dual floppy drive backup utility for the Amiga 500, 1000 or 2000. 512K Amiga required. Compatible with any hard drive that follows conventional AmigaDOS protocol. Backup those valuable files on your Hard Disk the easy way for only \$5995!

OXFORD PASCAL 128

OXFORD PASCAL 128 is an implementation of standard Pascal designed specifically for the C128. It offers all the enhancements of this powerful language together with some useful enhancements for the C128. Only \$3995!

SUPER AIDE

Renumber

ML Monitor

· List all variables to screen

· Hi-Res Screen Dump

 Restore newed Basic program
• Change Device number

Packed Line Editor

Determine file load

All-purpose utility program for the C64 provides: · Auto Line Numbering

- Bi-directional scrolling
- Auto Line Deletion
- Trace function
- Disassembler
- · Lo-Res Screen Dump
- Number conversion (10, hex, binary)
- Append files
- Format short new/complete new
- Menu-driven
- address Change THIS TO THAT - search for all instances of specified string and replace with second specified string

 And much, much more! Super Aide, the complete programmer's tool kit. Only \$29.95!

. . excellent, efficient program that can help you save both money and downtime."

1541/1571 DRIVE ALIGNIVIENT Compute!'s Gazette Dec., 1987

1541/1571 Drive Alignment reports the alignment condition of the disk drive as you perform adjustments. On screen help is available while the program is running. Includes features for speed adjustment. Complete instruction manual on aligning both 1541 and 1571 drives. Even includes instructions on how to load alignment program when nothing else will load! Works on the C64, SX64, C128 in either 64 or 128 mode, 1541, 1571 in either 1541 or 1571 mode! Autoboots to all modes. Second drive fully supported. Program disk, calibration disk and instruction manual only SUPER

Super 81 Utilities is a complete utilities package for the 1581 disk drive and C128 computer. Among the many CTILITIES Super 81 Utilities features are:

- Copy whole disks from 1541 or 1571 format to 1581 partitions.
- Copy 1541 or 1571 files to 1581 disks
- . Backup 1581 disks or files with 1 or 2 1581's
- Supplied on both 3½" and 5¼" diskettes so that it will load on either the 1571 or 1581 drive.
- Perform many CP/M and MS-DOS utility functions
- Perform numerous DOS functions such as rename a disk, rename a file, scratch or unscratch files, lock or unlock files, create auto-boot and much more!

Super 81 Utilities uses an option window to display all choices available at any given time. A full featured disk utilities system for the 1581 for only

\$3995!

RAMDOS is a complete RAM based "Disk" Operating System for the Commodore 1700 and 1750 RAM

expansion modules which turns all or

part of the expansion memory into a lightning fast RAM-DISK. RAMDOS behaves similar to a much faster 1541 or 1571 floppy disk except that the data is held in expansion RAM and not on disk. Under RAMDOS, a 50K program can be loaded in 1/2 second. Programs and files can be transferred to and from disk with a single command. RAMDOS is available for only \$3995!

MONSTER POWER

BIG WHEEL MONSTER arcade action for the C64! One to four players can compete in Tractor Pulls, Mud Bogs and Monster Trucks.

Monster Power is only \$1 495!

STRATEGIC PLAYGROUND FOOTBALL

Enjoy a nice game of football on the C64. Using playground rules, one or two players can compete. Get a treat from the icecream truck at half time.

Strategic Playground Football is only \$995



SUPER BIKE

Action-packed, fun-filled motor cycle arcade game for the C64. Race the clock in Motocross, Enduro, Supercross or Trials. Fly through the air on spectacular jumps. Bounce over woop-de-doos.

Avoid logs, trees, water holes, brick walls, other bikers, etc. as you vie for the gold cup.

Thrilling Super Bike action for only \$14951

GALACTIC FRONTIER

Exciting space exploration game for the C64. Search for life forms among the 200 billion stars in our galaxy. Scientifically accurate. Awesome graphics! For the serious student of astronomy or the casual explorer who wants to boldly go where no man has gone before.

Only \$2995!

Order with check, money order, VISA, MasterCard, COD. Free shipping & handling on US, Canadian, APO,FPO orders. COD & Foreign orders add \$4.00





Order From: Free Spirit Software, Inc.

905 W. Hillgrove, Suite 6 LaGrange, IL 60525 (312) 352-7323

1-800-552-6777

For Technical Assistance call: (312)352-7335

COMPUTER REPAIR

800-221-7770



- ODM		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	8050	*
WE BUY ALIVI		THORIZED	PAI	RTS
	0.00 CE SERV	ICE CENTER	901225-0	00000
	0.00	ICE CEMIEN	901226-0	
		AND MISC.	901227-0	
	0.00 REG 6 PIN DI		901229-0	
	0.00 12' 6 PIN DIN			
	5.00 18' 6 PIN DIN 5.00 1 EEE TO EEE	7.95 PIG BACK29.95		16.85 9.00
		PIG BACK24.95		11.85
	5.00 POWER SUP		6502	2.85
DEAD	WICO BAT HA		6532	6.29
64 40	0.00 WICO 3 WAY		6520	3.85
	0.00 WICO BOSS		6522 6526	2.95 8.85
	JUU TYMAC CON		6567	13.85
	0.00 FWI DSDD	8.95	6581	8.85
	0.00 8050 OR 803	32 295.00	6510	8.85
MUST BE COMPL			4164	.99
TO FI FOTE		5.00 SHIPPING 5.00 APO AND	74LS629 6560	13.00
TC ELECTF	MINIOS " BI	USINESS	325572	9.95
HWY 36 PC		QUIPMENT 5.00 MIN ORDER	325302	9.95
		O'CO MILL OUDEU		

HARTSELLE, AL. 35640

205-773-1077

SEND FOR OUR COMPLETE LIST OF PARTS AND SOFTWARE



IF: THEN IF you enjoy writing programs during your spare moments and dream of publishing someday: THEN why wait for someday, be an ACE programer today!

that allows you to read them easier so you can...

how other programers have achieved the results you see on the screen and include them in yours.

SUBMIT= your programs to ACE in the preferred programing format that you will receive and...

of publication plus year end bonuses for future use.

(STATUS NEWS)-

For ACE to thrive as a club we hunger for program submissions and suggestions from our members. ACE will only be as good as the members that support it. MEMBERSHIP)-

(MEMBERSHIP)

First time, full year membership fee is \$62.95 which will get you a disk package every month. The first one will be the "ACE Member Starter Package"; which contains membership papers, submission forms, prefered program format plus a "Private Library" program which no enthusiastic programer can do without.

TRIAL OFFER)-Convince yourself!
Send \$12.95 now to receive the "ACE Member Starter
Package". Then after you find out what this club is
all about, send the balance of the membership fee to
become an ACE programer. Use=Learn, Submit=Earn...

(NIOU) Send your Name, Address and type of computer you use, plus check or money order for type of membership (Full \$62.95, Trial \$12.95) to: ACE P.O. Box F Mukwonago, Wi. 53149

Comput Ability

C Commodore

Easter Sale TO Order TOLL FREE

800-558-0003 Order Inquiries or Wisconsin Orders 414-357-8181

AMIGA*

W/1084 Monitor & 1010 Drive

\$995


A500 W/1084 Monitor

\$785



512K RAM Upgrade\$155∞ 1010 EXT Drive\$215∞ AVATEX 1200\$105∞

C Commodore 128 \$229



1581 DISK DRIVE\$185∞ 1571 DISK DRIVE\$225™ 1084 MONITOR\$265™

C128 w/1571 Dri	ve	5449.ºº
C128 w/1571 & 1		\$705.00
C128 w/1571 & T	Thomson 4120	\$659 [∞]

C Commodore 64C \$175



1541 II DISK DRIVE .\$175∞ 1802 MONITOR\$189™

64C w/1541II Drive ... 64C w/FSD-2 Drive

CE Commodore 128D \$449



- 128K Memory
- · Built in 1571 Disk Drive
- Detachable Keyboard

128D w/1084 Monitor 128D w/Thomson 4120 ...

ORDER INFORMATION

800-558-0003

Computofility Introduces:

800-558-0003

NEW EPYX VCR California Games NEW

California Skating With California Babes California Surfing With California Waves California BMX With California Hills California Skateboards With California Thrills California Sailboards With California Fame

Can Only Be Found On

New VCR California Games

Get it before they're gone. From

Computofility.



EPYX. VCR California Games"

It ain't beach blanket bingo.

- Includes a VHS videocassette of the hottest beach action in California: beaches, surfing, sailboarding, skateboarding, BMX, and rollerskating. Over 200 events in all.
- · Gameboard with the highways, beaches and landmarks of California.
- Chance cards, dice, and the videotape make each game different.
- Players go head to head or gang up against the
- Game emphasis is on California lifestyle, girls, cards, skateboarding, and surfing.

This is better than the computer Game It's a V.C.R. and T.V. Game

Low Introductory Price \$39.95

Super Sale on Epyx Products For Your C-64 or C-128 Computers



THE OFFICIAL 1988 U.S. OLYMPIC TEAM GAME!

VEnhanced by former Games athletes, you'll be entered in

these history-making events: Downhill Skiing, Oval Track Speed Skating, CrossCoun-

trySkiing, Figure Skating, Slalom, and Luge V Participate in opening, closing and awards ceremonies set in the Canadian rockies.

√ Play with up to eight friends, or the computer

Epyx For Your C-64 And C-128



√As a senior detective, you guide a rookie-in trying to break a major drug ring in L.A.

VPiece together clues, place bugs, talk to thugs. Action includes arrests, bombs, and fighting √ You are in a surveillance van-better give that rookie

√ The third in the Masters Collection™



Elvin returns after three years of plotting the ultimate takeover plan with the most futuristic destructive devices deadly to anyone determined to stop him!



Gear up for some fantastic action with this computer game. This game comes with for exciting courses, realistic rig preparation, computer game. This game comes with four controll over all aspects of the race, and rig to rig competition.

Death		 1
1000	102	

Apshal Trilogy .

California Games

Champ Wrestling

No surcharge for

Impossible Mission II 22.95 L.A. Crack Down 22.95 22.95 Omnicron Conspiracy **RAD Warrior** 16.95

30.95

Home Video Producer

Sticker Maker ... Street Cat . 12 95 St. Sports Basketball St. Sports Baseball

Sub Battle Simulator	22.95
Super Cycle	14.95
Summer Games 1 or 2	14.95
Soy US Soy 3	16.95

All of these titles are for your C-64 and C-128

Winter Edition World Games Winter Games 14.95 No surcharge for

Boulder Dash Constr Set ... 16.95

MasterCard

Dive Bomber

Metro Cross

4x4 Of Road Racing

Fast Load

22 95

14.95

To Order Call Fr

P.O. BOX 17892,MILWAUKEE,WI 53217 ORDER LINES OPEN Mon-Fri Bam-8pm CST Sat 11am-5pm

22.95

18 95

12.95

22.95

22.95

NG INFORMATION. Please specify system. For list delivery send cashes a schedul oction 5% highlying for hardware minimum \$5.00. MasterCard and Minimum \$5.00. All other frequency orders add \$5% shipping, minimum \$ romal amounts port your percurge to you quickly and salary. All goods on more my will not be accepted Prices and availability subject to change without notice. de 5% saies tax. Hr. AK, FPO, APO, Pu as insured U.S. mail. If foreign

How To Type In COMPUTE!'s Gazette Programs

Each month, COMPUTEI's Gazette publishes programs for the Commodore 128, 64, Plus/4, and 16. Each program is clearly marked by title and version. Be sure to type in the correct version for your machine. All 64 programs run on the 128 in 64 mode. Be sure to read the instructions in the corresponding article. This can save time and eliminate any questions which might arise after you begin typing.

We frequently publish two programs designed to make typing easier: The Automatic Proofreader, and MLX, designed for entering machine language programs.

When entering a BASIC program, be especially careful with DATA statements as they are extremely sensitive to errors. A mistyped number in a DATA statement can cause your machine to "lock up" (you'll have no control over the computer). If this happens, the only recourse is to turn your computer off then on, erasing what was in memory. So be sure to save a program before you run it. If your computer crashes, you can always reload the program and look for the error.

Special Characters

Most of the programs listed in each issue contain special control characters. To facilitate typing in any programs from the GAZETTE, use the following listing conventions.

The most common type of control characters in our listings appear as words within braces: {DOWN} means to press the cursor down key; {5 SPACES} means to press the space bar five times.

To indicate that a key should be *shifted* (hold down the SHIFT key while pressing another key), the character is underlined. For example, A means hold down the SHIFT key and press A. You may see strange characters on your screen, but that's to be expected. If you find a number followed by an underlined key enclosed in braces (for example, {8 A}), type the key as many times as indicated (in our example, enter eight SHIFTed A's).

If a key is enclosed in special brackets, § 3, hold down the Commodore key (at the lower left corner of the keyboard) and press the indicated character.

Rarely, you'll see a single letter of the alphabet enclosed in braces.

This can be entered on the Commodore 64 by pressing the CTRL key while typing the letter in braces. For example, {A} means to press CTRL-A.

The Quote Mode

Although you can move the cursor around the screen with the CRSR keys, often a programmer will want to move the cursor under program control. This is seen in examples such as {LEFT}, and {HOME} in the program listings. The only way the computer can tell the difference between direct and programmed cursor control is the quote mode.

Once you press the quote key, you're in quote mode. This mode can be confusing if you mistype a character and cursor left to change it. You'll see a reverse video character (a graphics symbol for cursor left). In this case, you can use the DELete key to back up and edit the line. Type another quote and you're out of quote mode. If things really get confusing, you can exit quote mode simply by pressing RETURN. Then just cursor up to the mistyped line and fix it.

When You F	tead: Press:	See:	When You Read	: Press:	See:	When You Read:	Press:		Se
{CLR}	SHIFT CLR/HOME		{PUR}	CTRL 5		4	-		
{HOME}	CLR/HOME		{GRN}	CTRL 6	+	<u>1</u>	SHIFT	1	
{UP}	SHIFT ↑ CRSR ↓	-	{BLU}	CTRL 7	#				
(DOWN)	† CRSR ↓		{YEL}	CTRL 8		For Commodore	64 Only		
{LEFT}	SHIFT CRSR —		{ F1 }	fi		E 1 3	COMMODORE	1	
{RIGHT}	← CRSR —		{ F2 }	SHIFT fi		E 2 3	COMMODORE	2	7
{RVS}	CTRL 9		{ F3 }	f3		E 3 3	COMMODORE	3	2
{OFF}	CTRL 0		{F4}	SHIFT f3		E 4 3	COMMODORE	4	G
{BLK}	CTRL 1		{ F5 }	f5		E 5 3	COMMODORE	5	0
{WHT}	CTRL 2		{ F6 }	SHIFT 65	2	E 6 3	COMMODORE	6	
{RED}	CTRL 3		{ F7 }	£ 7		E 7 3	COMMODORE	7	
{CYN}	CTRL 4		{ F8 }	SHIFT 17		E 8 3	COMMODORE	8	

NEW

NX-1000 •144 CPS-Draft

-30CPS-NLQ NLQ In 10 &12 Pitch · 3 Built-In Fonts

169



NX-1000 RAINBOW

COLOR PRINTER



CALL FOR CURRENT PRICE

Panasonic

ONLY

1080 i - II \$169

64C COMPUTER

C-128D COMPUTER

Panasonic

ONLY

1091 i - II Now at 192 CPS

AVATEX 1200EX NEW 1200 BAUD HAYES COMPATIBLE & RS 232 Interface

\$119 ONLY

FSD-2 DISK DRIVE

commodore •

CALL FOR CURRENT PRICES & AVAILABILITY

BoulderDash Constr Set .. 16.95

1750 RAM EXPANDER AVATEX 1200 HC MODEM 1764 RAM EXPANDER AVATEX 2400 HC MODEM

1351 MOUSE I CON TROLLER 1670 MODEM

1541C DISK DRIVE 1084 MONITOR Basic Compiler 128 .. Beyond Zork GeoCalc 128 GeoFile 128 . Geo Dex 128 39.95 25.95 39.95 32.95 Cad Pak 128 Chart Pak 128 Cobol 128 Data Manager 128 Fleet System 4

1571 DISK DRIVE

1802C MONITOR

36.95 44.95 44.95 44.95 Geos 128 Geowrite 128 44.95 44.95 51.95 Paper Clip 2. 46 95

CAPCOM

TIMEWORKS

BRODERBUND

Thinking Cap .

Toy Shop . Ultima 1 ... Ultima 3 ...

Ultima 4

Print Shop Super Bike Challenge

32.95

15.95 25.95 25.95

19.95

25.95

25.95 25.95 22.95 28.95

19.95 22.95 19.95

38.95

ess Systems ..

C-128 SOFTWARE

EPYX

Apshal Trilogy .

California Gar

Death Sword

Champ Wresting

per Pascal 128 ... per Pascal 128 ... per C Compiler per Pascal 128 ... 25.95 57.95 39.95 46 95 MINDSCAPE

> 16.95 Dela Vu

22 95

12.95

22.95

30.95

22.95

22.95

16.95

12.95

22.95

22.95

14.95

22.95

Bad Street Brawler ... Bop 'N' Wreste Defender of the

der of the Crown

Harrier Comb. Simulator

Head Over Heals Indoor Sports 1 or 2

46.95 32.95 Super Pak 128 Swiftcalc 128. Sylvia Porter 128 Visastar 128 42.95 54.95 54.95 32.95 XETEC GOLD INTERFACE **AMIGA** SOFTWARE CALL

FOR PRICE &

AVAILABILITY

MISCELLANEOUS 64 Accolade's Comics 19.95 Pure Stat Football 59.95 Pure Stat Baseball 16.95 Raids on Raiders Art Gallery 1 or 2 Border Zone Bureaucracy 22.95 Sentry ... 22.95 Starffeet I Business Form Shop 25.95 Station Fall Bumper Sticker Maker 31.95 Starglider 27.95 Star Trek 3/Rebel Create a BasketBall Team 17.95 Cycle Night 19.95 Superscript 64 ... 21.95 Superbase 64 ... 22.95 SuperPak 2 Dark Castle Elite Final Cartridge 3 Flight Simulator II Flexi Draw Fontmaster 2 **CALL Tracker** Typing Tutor 4 Up Periscope Hollywood Hijinks HI Seas 22.95 Wizarory 32.95 WWF Wrestling 27.95 X-15 22.95 1942 Leather Goddesses 22.95 87 Tourn Disk P.S. 25.95 Basketball Lurking Horror .. NBA Night on the Town Nord And Bert 19.95 22.95 Gunsmoke. Maniac Mansion 25 95 Hat Trick Mini-golf SideArm

19.95 Plundered Hearts .
Pocket Dictionary .
Pro FootBall Facts Speed Rumbler 21.95 Pure Stat Basketball Data Manager II ... Desktop Publisher Evelyn Wood 22.95 Champ Baseball '86 GFI Football 22.95 Geos Writer 22.95 Partner 64 Hacker II Labyrinth . Last Ninja 22.95 Swiftax' 86 Sylvia Porter Portal Tass Times 19.95 Top Fuel Eliminator Transformers 2 on 2 Basketball Arcade Construction Kit . 19.95 22.95 Autoduel Gee Bee Air Rally Camen Sandiego 19.95 17.95 Cauldron Graphic Lib. 1,2 or 3 Star Rank Boxing II 22.95 Magnetron Moeblus

ABACUS 64 25.95 Fort 25.95 Geos Inside & Out 16.95 Powerplan . Personal Portfolio 25.95 Super C Comp 39 95

MICROPROSE Airbourne Ranger 25,95 35.95 Crusade in Europe 25.95 Conflict in Vietnam Decision in the De 25.95 F-15 Strike Eagle . 22.95 Gunship 22 95 Kennedy Approach 25.95 Pirates 25.95 Red Storm Rising Silent Service 25.95 32 95 Stealth Fighter 25.95 Top Gunner 16.95 25.95 25.95

25.95 Eternal Dagger Panzer Strike 19.95 President Elect '88 alms/Darkness 19.95 Roadwar 2000 Roadwar Europa Shard of Spring Shiloh War in S. Pacific 19.95 19.95 Wargame Construction ... Wizard's Crown

19.95 19.95 SPRINGBOARD Cert. Maker Lib 1 Clip Art 1 or 3 Clip Art 2 15.95 Graphics Expander Newsroom 25,95 25.95

Metro Cross Home Video Produce ssible Mission II LA. Crack Down . Omnicron Conspiracy RAD Warrior 25.95 Street Cat . St. Sports Basketball ... 29.95 25.95 Sub Battle Simulator 25.95 25.95 25.95 22.95 BERKLEY SOFTWORKS 20.95

Geo Triple Pak 21.95 Geo Programmer 21.95 Geospell

30.95

Infiltrator 2 Into the Eagle's Nest M.I.S.L Soccer Paper Boy Roadrunne S.D.I. .. Superstar Ice Hockey ... Superstar Soccer Temple of Doom The Gauntlet. Trailblazer Wizball Xevious . FIREBIRD 11.95 Silicon Dreams Devid 11.95 Revs + Heartland 11.95 32.95 Knight ORC 32.95 Guild of Thieves 25.95 25.95 11.95 COSMI 16.95

Tracker 44.95 Chernobel 44.95 Grand Slam BB 37.95 Navcom 6 19.95 President is Missing 16.95 32.95 Shirley Muldoney 16.95

omputAbilit<u>y</u> Consumer Electronics

P.O. BOX 17882, MILWAUKEE, WI 53217 ORDER LINES OPEN Mon-Fri 9am-9pm CST Sat 11 am-5 pm CST To Order Call Toll Free

MasterCard

414-357-8181

No surcharge for Mastercard of Visa

19.95 Adv. Construction 19.95 Alien Fires 19.95 Alternate Reality . 20.95 22.95 American Civil War 22.95 America's Cup 19.95 Amnesia 26.95 16.95 Archon 10.95 19.95 Archon II . 22.95 Arctic Fox . 22.95 19.95 Bard's Tale 25.95 22.95 Battle Disk/Pegasus .11.95 19.95 Battlefront 25.95 .22.95 Bismarck22.95 Carriers At War 31.95 22.95 Chessmaster 2000 . 22.95 Chickamauge 25.95 22.95 Dan Dare 14.95 19 95 Dark Lord 14 95 20.95 19.95 Demon Stalkers ... 22.95 Dragon's Lair . 19.95 Europe Ablaze Financial Cookbook 31.95 10.95 Force 7 Global Commande 20.95 Halls of Montezuma Heart of Akica 26.95 Hunt for Red October .. 24.95 Lords of Conquest Master Ninga Marble Madness ... 20.95 Mavis Beacon Typing 26.95 .10.95 Karate Champ Mind Mirror 10.95 Kid Nikki

ACCESS Echelon	29.9
Famous Courses	
Leader Board Tri-Pak	
Leader Board	
Mach V-Cart	21.9
Tournament Disk	14.9
Triple Pak	
Wild Class Leader Brd	
World Famous	
Courses 1 or 2	14.9

. 10.95

Last Mission ...

Murder Party ...

MICRO-ILLUSIO	
Black Jack Academy	. 25.95
Galactic Invasions	. 16.95
Fairy Tale Adv	
Firepower	
Lands of Legends	
Planetarium	
Romantic Encounter	. 25.95
Turbo	

ELECTRONIC ARTS 10.95 33.95 33.95 33.95 23.95 Racing Destruction Reach for the Stars 10.95 20.95 Robot Rascals .. Rockford 21.95 **Pussia** Scrabble 22.95 Scruples Seven Cities of Gold ... Skate or Die 21.95 21.95 Skyfox 2 Super Boulderdash 10.95 26.95 10.95 23.95 Tobruk Tomahawi 21.95 23.95 10.95 Twilight's Ransom Ultimate Wizard Video Title Shop World Tour Golf 20.95 24.95 Yeager AFS ... DATA EAST Breakthroug Commando 22 95

> Speed Buggy Tag Team Wresting TNK 3 9.95 ACCOLADE 18.95 Accolade Comics Apollo 18 . CALL **Bubble Ghost** 18.95 18.95 18.95 Hardball . Kill Until Dead 18.95 10.95 18.95 18.95 18.95 Plasmatron Power at Sea Test Drive The Train

16.95

.. 9.95

KONAMI 19.95 Iron Horse Super Basketball 19.95

AATKIN: Pease specify system. For had delivery send casher's check or morey ander. Personal and company checks allow 14 business days to dear, School P.O.3 sections. C.O.D. charges are \$3.06, In Continental USA include \$3.00 for solveware orders 5% ships but. P.A.K. FPO, APO, Natro Rico and Canadian probas, please and 5% shipping, Sentence and 5% ships but. P.A.K. FPO, APO, Natro Rico and Canadian probas, please and 5% shipping, Sentence and 5% shipping, S

SOFTWARE DISCOUNTERS OF AMERICA

S.D. of A

For Orders Only - 1-800-225-7638 PA Orders - 1-800-223-7784 Customer Service 412-361-5291

- Free shipping on orders over \$100 in continental USA
- No Surcharge for VISA/MasterCard
- Your card is not charged until we ship

Commodore 64/128 Bargain Basement—Dozens of Titles For Less Than \$10!

ACCOLADE-

You choose the crew of this Space Freighter. Then you live-or die-with their responses in combat with the space scum of the 35th Century!



PSI 5 Trading Co. Our Discount Price \$9.88

Our Discount 111	cc \$5.00
ACCOLADE	High Rollers \$9.88
Dambusters\$9.88	\$100,000 Pyramid \$9.88
Fight Night \$9.88	BRODERBUND
Killed Until Dead \$9.88	Choplifter/David's
Law of the West \$9.88	Midnight Magic \$9.88
PSI-5 Trading Company\$9.88	Karateka \$9.88
ACTIVISION	Loderunner \$9.88
Cross Country	CDA
Road Race \$9.88	America Cooks Series:
Ghostbusters \$9.88	American\$9.88
Hacker 1 or 2 \$9.88 Ea.	Chinese \$9.88
Little Computer People\$9.88	French
Transformers \$9.88	Italian \$9.88
ARTWORX	Mexican\$9.88
Beach Blanket	DATA EAST
Volleyball \$9.88	Express Raiders \$8.88
Equestrian Show	Q-Bert\$8.88
Jumper\$9.88	TNK III \$8.88
Highland Games \$9.88	EASY WORKING/
Police Cadet \$9.88	SPINNAKER
Thai Boxing\$9.88	Filer\$6.88
AVANTAGE	Planner \$6.88
Deceptor \$9.88	Writer \$6.88
Desert Fox \$9.88	ELECTRONIC ARTS
Plasmatron \$9.88	Adv. Const. Set \$9.88
Power \$9.88	Age of Adventure \$9.88
Project Space Station \$9.88	America's Cup Sailing\$9.88
Sigma 7\$9.88	Archon \$9.88
Spy vs. Spy 1 & 2 \$9.88	Archon 2: Adept \$9.88
BOX OFFICE	Financial Cookbook . \$9.88
Alf\$9.88	Heart of Africa \$9.88

AVANTAGE: Your mission: Design the space station and build it by using the shuttle. The future

Project Space Station Our Discount Price \$9.88

of NASA is in your

Lords of Conquest \$9.88	Grover's Animal Adv. \$6.88
Mail Order Monsters \$9.88	Pals Around Town \$6.88
Mind Mirror \$9.88	Sesame St. Print Kit . \$9.88
Movie Maker \$9.88	INFOCOM
M.U.L.E \$9.88	Hitchhiker's Guide \$9.88
Murder Party\$9.88	InfocomicsCall
Music Const. Set\$9.88	Zork 1\$9.88
One-on-One \$9.88	KONAMI/ACTION CITY
Pinball Const. Set \$9.88	Circus Charlie\$9.88
Racing Dest. Set \$9.88	Hyper Sports/Ping Pong\$9.88
Realm of Impossibility\$9.88	Mikie \$9.88
Seven Cities of Gold \$9.88	Track & Field \$9.88
Skyfox \$9.88	MASTERTRONIC
Super Boulder Dash . \$9.88	Action Biker\$4.88
Touchdown Football . \$9.88	Bounder\$6.88
Ultimate Wizard \$9.88	Captain Zap\$6.88
EPYX	Excaliba \$4.88
Gateway to Apshai \$6.88	Feud\$6.88
Pitstop 1 or 2 \$6.88 Ea.	Kane\$4.88
P.S. Graphics Scrapbook	Knight Games \$6.88
#1: Sports\$9.88 #2: Off the Wall\$9.88	Last V-8 \$4.88
#3: School \$9.88	Master of Magic\$4.88
#3: 3CHOO! 37.66	Ninja \$4.88

ACTIVISION.





Ghostbusters Our Discount Price \$9.88

FISHER PRICE	Pro Golf \$4.88
Dance Fantasy \$4.88	Prowler: War in 2150 \$6.88
Memory Manor \$4.88	Shogun\$6.88
Number Tumblers \$4.88	Speed King\$6.88
Sea Speller \$4.88	Storm\$6.88
*all above titles on cart.	Vegas Poker &
GAMESTAR	Jackpot\$4.88
On Court Tennis \$9.88	
Star League Baseball/	Wing Commander \$4.88
On Field Football . \$9.88	
HES	The state of the s
THE RESIDENCE OF STREET	Congo Bongo (R) \$6.88
Microsoft Multiplan . \$9.88 HI-TECH EXPRESSIONS	Super Zaxxon (R) \$6.88 551
Award Ware \$9.88	Computer Baseball \$9,88
Card Ware \$6.88	Computer Quarterback\$9.88
Party Ware \$9.88	Fifty Mission Crush \$9.88
Print Power \$9.88	Gemstone Warrior \$9.88
The Computer Club . \$9.88	
HI-TECH EXPRESSIONS	Questron \$9.88
Sesame Street Series:	Wings of War \$9.88
Astro-Grover \$6.88	Control of the control
Big Bird's Special	Family Feud \$8.88
Delivery \$6.88	Jeopardy \$8.88
Ernie's Big Splash \$6.88	Jeopardy Jr \$8.88
Ernie's Magic Shapes \$6.88	
crime's magic snapes 4000	Wheel of Fortune\$8.88

THUNDER MOUNTAIN





Top Gun™ Our Discount Price \$6.88

Wheel of Fortune 2\$8.88	Eliminator \$6,88
SIMON & SCHUSTER	Equinox \$6.88
Great Int'l. Paper Airplane	Exolon
Construction Set\$9.88	Felony
SPECTRUM HOLOBYTE	Great Escape \$6.88
Gato \$9.88	Gun Runner \$6.88
SPINNAKER	Implosion\$9.88
Alf in the Color Cave \$4.88	Leviathan \$6.88
Bubble Busters\$4.88	Mission in Our
Cosmic Combat \$4.88	Solar System \$6.88
Fraction Fever \$4.88	Ms. Pac Man \$6.88
Gold Record Race \$4.88	Mutants \$9.88
Letter Scrambler\$4.88	Pac Man\$6.88
Monster Voyage \$4.88	Paradroid \$6.88
Ranch \$4.88	Pole Position \$6.88
Story Machine \$4.88	Rambo: First Blood
*all above titles on cart.	Part II\$6.88
TELARIUM	Slot Car Racer \$6.88
Amazon	Tai-Pan \$9.88
Dragonworld \$9.88	Tau-Ceti \$9.88
Fahrenheit 451 \$9.88	Top Gun\$6.88
Nine Princes in	Winter Challenge \$9.88
Amber \$9.88	Wizball\$9.88
Perry Mason: Case of	VALUE WARE
Mandarin Murder \$9.88	Artist \$4.88
Rendezvous w/Rama .\$9.88	Educator\$4.88
THUNDER MOUNTAIN	Entertainer \$4.88
Army Moves \$6.88	Home Banker\$4.88
Cyrus Chess \$6.88	Home Manager \$4.88
Demolition Mission \$6.88	Kitchen Manager \$4.88
Dig Dug \$6.88	*All programs on disk
Doc The Destroyer \$6.88	unless otherwise noted!
DOC THE DESTROYER 1. JUNE	and an incompetition

The Activision Little Computer People Discovery Kit™

Amazing software lets you meet the little people living inside your computer! Make contact with the little people living inside your computer.

Our Discount Price \$9.88



P.O. BOX 111327—DEPT. CG—BLAWNOX, PA 15238

*Please Read The Following Ordering Terms & Conditions Carefully Before Placing Your Order: Orders with cashiers check or money order shipped immediately on in stock items! Personal & Company checks, allow 3 weeks clearance. No C.O.D.'s! Shipping: Continental U.S.A.-Orders under \$100 add \$3; free shipping on orders over \$100. AK, HI, FPO, APO-add \$5 on all orders. Canada & Puerto Rico-add \$10 on all orders. Sorry, no other International orders accepted! PA residents add 6% sales tax on the total amount of order including shipping charges. CUSTOMER SERVICE—HIZ-361-5291 (1)Status of order or back order (2)if any merchandise purchased within 60 days from S.D.D.f A. is defective, please call for a return authorization number. We will not process a return without a return auth. #1 Defective merchandise will be replaced with the same merchandise only. Other returns subject to a 15% restocking charge! After 60 days from your purchase date, please refer to the warranty included with the product purchased & return directly to the manufacturer. Customer service will not accept collect calls or calls on \$.D.D.f A.'s 800# order lines! ORDER LINE HOURS: Mon-Fri. 9 AM-5:30 PM, \$AT 10 AM-4 PM EASTERN TIME. Because this ad had to be written 2-3 mos. before it was published, prices & availability are subject to change! New titles are arriving daily! Please call for more information.

SOFTWARE DISCOUNTERS OF AMERICA Free shipping on orders

over \$100 in continental USA For Orders Only — 1-800-225-7638

for VISA/MasterCard not charged until we ship

S.D. of A

PA Orders — 1-800-223-7784	• No Surcharge
Customer Service 412-361-5291	 Your card is n

		SALES TO SAL		STATE OF STREET	
ABACUS BOOKS	ARTWORX	Multiplication &	Coil Cop \$16	Kennedy Approach\$16	President Elect 1988 \$16
Anatomy of the 1541 \$14	Bridge 5.0\$19	Division \$19	Create A Calendar \$19	Pirates \$25	Questron 2 \$25
Anatomy of the C64 \$14	Cycle Knight\$14	CINEMAWARE	Destroyer\$24	Project Stealth Fighter \$25	Realms of Darkness\$25
1571 Internals \$14	International Hockey \$14	Defender of the Crown\$23	Fast Load (R) \$24	Red Storm Rising Call	Rings of Zilfin\$25
GEOS Inside & Out \$13	Linkword French \$16	The Three Stooges \$23	Omicron Conspiracy \$24	Silent Service\$23	Roadwar 2000 \$25
GEOS Tricks & Tips \$13	Linkword German \$16	Warp Speed (R)\$33	Rad Warrior \$16	Top Gunner \$16	Roadway Europa \$25
ABACUS SOFTWARE	Linkword Russian \$16	CMS	Spiderbot \$16	MINDSCAPE	Shard of Spring\$25
Assembler Monitor \$25	Linkword Spanish \$16	General Acct. 128 \$119	Spy vs. Spy 3:	Bop & Wrestle \$19	Shiloh: Grant's Trial \$25
	Strip Poker\$21		Arctic Antics\$16	Color Me: The Computer	Sons of Liberty \$23
Basic \$25	Data Disk #1 Female \$14	Inventory 128 \$49	Street Sports:	Coloring Kit \$23	War Game Const. Set .\$19
Basic 128\$39		DATA EAST	Baseball\$24	De Ja Vu \$23	War in S. Pacific \$37
Cad Pak \$25	Data Disk #2 Male\$14	Breakthru \$19	Basketball\$24	Gauntlet \$23	Warship \$37
Cad Pak 128 \$39	Data Disk #3 Female \$14	Commando\$14	Sub Battle Simulator \$24		Wizard's Crown\$25
Chart Pak \$25	AVALON HILL	Ikari Warriors \$19	Summer Games \$14	Harrier Combat Sim\$19	SUBLOGIC
Chart Pak 128 \$25	Gulf Strike \$19	KarnovCall		Indoor Sports \$19	
Cobol\$25	NBA Basketball \$25	Kid Niki\$19	Summer Games 2 \$14	Infiltrator 1 or 2 \$19 Ea.	Flight Simulator 2 \$32
Cobol 128 \$25	Spitfire '40 \$23	Lock OnCall	Temple Apshai Trilogy . \$14	Into the Eagle's Nest \$19	F.S. Scenery Disks Call
PPM\$25	Super Sunday \$21	Speed Buggy\$19	Winter Games 514	Living Daylights \$19	Jet\$26
PPM 128\$39	SBS 1985 Team Disk \$14	Tag Team Wrestling \$14	World Games\$24	MISL Soccer\$23	Stealth Mission\$32
Speed Term 64 or 128 \$25	SBS 1986 Team Disk \$14	Victory Road \$19	FIREBIRD	Paperboy \$23	THREE SIXTY
Super C \$39	5B5 Gen. Mgr. Disk \$19	DATASOFT	Elite\$19	Perfect Score SAT\$44	Dark Castle \$23
Super C 128\$39	BATTERIES INCLUDED	A STATE OF THE PARTY OF THE PAR	Guild of Thieves\$25	Super Star	TIMEWORKS
Super Pascal \$39	Paperclip 3\$33	Alternate Reality:	Knight Orc\$25	Ice Hockey \$23	Accts. Payable \$33
Super Pascal 128 \$39		Dungeon \$26	Starglider \$25	Super Star Soccer \$23	Accts Receivable \$33
	BAUDVILLE	Dark Lord \$14	The Pawn\$25	Uchi Mata Judo \$19	Data Manager 2\$14
TAS\$25	Blazing Paddles \$23	221 B. Baker St\$21	GAMESTAR	MISC	
TAS 128 \$39	Rainy Day Games \$19	Theatre Europe\$19	Champ. Baseball\$19	Bob's Term Pro \$29	Data Manager 128 \$33
ACCESS	Video Vegas \$19	Tomahawk \$21		Bob's Term Pro 128 \$39	Evelyn Wood Reader \$14
Echelon w/Lip Stik \$29	BERKELEY SOFTWORKS	Video Title Shop \$21	Champ. Basketball \$23		General Ledger \$33
Famous Course Disk #1	Geos 128 \$44	DAVIDSON	GFL Ch. Football \$23	C.P. Copy 2 \$21	Partner 64 (R) \$25
for World Class L.B \$14	Geo-Calc 128 \$44	Algeblaster\$32	Star Rank Boxing 2 \$19	Doodle\$25	Partner 128 (R)\$33
Famous Course Disk #2	Geo-File 128 \$44	Math Blaster \$32	Top Fuel Eliminator \$19	Final Cartridge 3Call	Swiftcalc/Sideways (D) . \$19
for World Class L.B\$14	Geo-Write Workshop 128\$44	Speed Reader 2 \$32	HAYDEN	Font Master 2 \$29	Swiftcalc/Sideways 128 \$33
Famous Course Disk #3	Geos 64\$39	Spell It	Sargon 3 \$14	Font Master 128 \$35	Sylvia Porter's Personal
for World Class L.B \$14	*Geo-Calc	Word Attack\$32	SAT Math	Super Snapshot (R)\$47	Fin. Planner 64 \$25
Leader Board (Original)		DESIGNWARE	SAT Verbal \$14	Superbase 64\$39	Sylvia Porter's Personal
3 Pack	*Geo File \$33		INFOCOM	Superbase 128 \$44	Fin. Planner 128 \$33
Lip Stik Plus\$17	*Geos Font Pak 2\$19	Body Transparent \$19	Beyond Zork 128\$29	Superscript 64 \$29	Word Writer 3\$25
Tenth Frame\$25	*Geo-Programmer \$44	European Nations \$19	Border Zone \$23	Superscript 128 \$39	Word Writer 128 \$33
	*Geo-Publish \$44	Mission Algebra \$19	Leather Goddesses\$23	ORIGIN	UNICORN
Triple Pack: BH1, BH2,	*Geo-Spell \$19	Spellicopter \$19	Nord & Bert Couldn't Make	Autoduel \$32	Decimal Dungeon \$19
Raid Over Moscow . \$14	*Geo-Write Workshop . \$33	States & Traits\$19		Moebius \$25	Fraction Action \$19
World Class	*Requires Geos 64!	DIGITAL SOLUTIONS	Head or Tail of It \$23	Ogre\$19	Percentage Panic \$19
Leader Board \$25	BETTER WORKING	Pocket Filer 2 \$33	Sherlock: The Riddle of the	Ultima 1 or 3\$25 Ea.	
ACCOLADE	Business Form Shop \$25	Pocket Planner 2 \$33	Crown Jewels \$23	Ultima 4	Race Car Rithmetic \$19
Ace of Aces	BRODERBUND	Pocket Writer 2 \$33	Stationfall \$23	Ultima 5	Ten Little Robots \$19
Apollo 18: Mission	Bank St. Writer \$32	*all 3 in 1 Super Pack.\$59	The Lurking Horror \$23	PROFESSIONAL	UNISON WORLD
to the Moon \$19	Carmen Sandiego:	ELECTRONIC ARTS	Zork Trilogy \$29		Art Gallery 1 or 2.\$16 Ea.
Card Sharks	Europe Call	Alien FiresCall	INKWELL SYSTEMS	Fleet System 2 Plus \$39	Art Gallery: Fantasy \$16
4th & Inches Football .\$19	USA\$25	American Civil War \$26	#170 Deluxe L.P \$69	Fleet System 4 128 \$47	Print Master Plus\$23
Hardball\$19	World \$23		#184C Light Pen \$44	SIMON & SCHUSTER	WEEKLY READER
Mini Putt \$19		Amnesia\$26	Flexidraw 5.5 \$23	Chem. Lab \$25	Stickybear Series:
Power at Sea \$19	Cauldron	Arctic Fox\$23	Graphics Galleria:	JK Lasser Money Mgr \$25	ABC's \$16
Test Drive\$19	Magnetron \$19	Bard's Tale 1 or 2 . \$26 Ea.	Animals\$16	Typing Tutor 4 \$25	Math 1 or 2 \$16 Ea.
The Train: Escape to	Print Shop \$26	Bard's Tale 1 or 2 Hints\$9 Ea.	Borders & Signs \$16	SIR TECH	Numbers \$16
Normandy	P.S. Companion \$23	Chessmaster 2000 \$26	Futuristic Encounters \$16	Deep Space \$25	Opposites \$16
ACTION SOFT	P.S. Graphics Library	Chuck Yaeger's AFT\$23	Holiday Themes \$16	Wizardry: Proving	Reading \$16
	#1, #2, or #3\$16 Ea.	Demon Stalker\$21	Maps of the World \$16	Grounds \$25	Reading Comp \$16
Thunder Chopper\$19	P.S. Graphics Library	Dragon's Lair \$19	Graphics Intregrator 2 \$19	SOFTWARE SIMULATIONS	Shapes \$16
Up Periscope!\$19	Holiday Edition \$16	Earth Orbit Station \$21	INTRACORP		Spellgrabber \$16
ACTIVISION	Super Bike Challenge . \$14	Halls of Montezuma \$26		Football	Typing\$16
Aliens \$23	Toy Shop\$19	Hunt for Red October \$26	Bumper Sticker Maker \$33	Pure Stat Baseball \$25	ACCESSORIES
Black Jack Academy \$25	CAPCOM	Instant Music \$21	Business Card Maker \$33 KONAMI/ACTION CITY	Pure Stat College	Bonus SS, DD\$4.99 Bx.
Gee Bee Air Rally \$19	Ghosts & Goblins\$19	Legacy of Ancients\$21		Basketball \$25	
Maniac Mansion \$23	Gunsmoke	Marble Madness\$21	Boot CampCall	*Data Disks AvailCall	Bonus DS, DD \$5.99 Bx.
Might & Magic\$25	Side Arms	Monopoly \$26	Contra	SPRINGBOARD	Compuserve Starter Kit \$19
Music Studio \$23	Speed Rumbler \$19	Outrageous Pages \$33	Jackal	Certificate Maker\$25	Contriver Mouse \$39
Postcards \$16	CBS	Patton vs. Rommel \$21	Rush 'n Attack/Yie	C.M. Library Vol. 1 \$19	Disk (Case (Holds 75)\$6.88
Shanghai		Pegasus\$21	Ar Kung Fu \$19	Newsroom \$32	Disk Drive Cleaner \$6.88
The Last Ninja \$23	Success w/Algebra: Binomial Multiplication	Rockford\$21	MICROLEAGUE	N.R. Clip Art Vol. 1\$19	Dow Jones News Retrieval
AMERICAN EDUCATIONAL		Scrabble \$23	Baseball \$25	N.R. Clip Art Vol. 2 \$25	Membership Kit \$14
Biology	& Factoring \$19	Scruples	Box Score Stats\$16	N.R. Clip Art Vol. 3\$19	Epyx 500 XJ Joystick \$14
Grammar \$12	First Degree & Advanced	Skyfox 2\$21	General Manager \$19	P.S. Graphics Expander \$23	- Icontroller \$14
Learn to Read (Gr. 1-4) \$25	Linear Equations \$19	Skate or Die\$21	1986 Team Data Disk . \$14	SSI	Suncom TAC 2 J.S\$9
Phonics (K-3) \$25	Graphing Linear	Star Fleet 1\$26	1987 Team Data Disk . \$14	Battle of Antietam\$32	Suncom TAC 5 J.S\$14
Reading Comprehension\$25	Functions \$19	Strike Fleet\$21	WWF Wrestling \$19	Battle Cruiser\$37	Wico Bat Handle \$17
	Simultaneous &	Twilights Ransom Call	MICROPROSE	Battle Group \$37	Wico Boss\$12
Science: Grades 3/4\$12	Quadratic Equations . \$19	World Tour Golf\$21	- Comment	B-24	Wico Ergostick J.S\$19
Science: Grades 5/6\$12	Success w/Math:		Acrojet \$16 Airborne Ranger \$23	Eternal Dagger\$25	Wico Three-Way \$19.95
Science: Grades 7/8\$12	Addition & Subt \$19	EPYX		Gettysburg \$37	XETEC Super Graphix . \$59
US Geography \$12	Decimals: Add. & Subt.\$19	Boulder Dash	Conflict in Vietnam \$25	Kampigruppe \$37	XETEC Super Graphix Jr.\$39
US History	Decimals: Mult. & Div.\$19	Construction Kit \$16	Crusade in Europe \$25		*All programs on disk
World Geography\$12	Fractions: Add. & Subt.\$19	California Games\$24	F-15 Strike Eagle \$23	Panzer Strike! \$29	unless otherwise noted!
World History\$12	Fractions: Mult. & Div.\$19	Champ. Wrestling \$14	Gunship \$23	Phantasie 1, 2 or 3 \$25 Ea.	uniess otherwise noted:
				4 45000	

P.O. BOX 111327—DEPT. CG—BLAWNOX, PA 15238

*Please Read The Following Ordering Terms & Conditions Carefully Before Placing Your Order: Orders with cashiers check or money order shipped immediately on in stock items. Personal & Company checks, allow 3 weeks clearance. No C.O.D.'s! Shipping: Continental U.S.A.—Orders under \$100 add \$3; free shipping on orders over \$100. AK, HI, FPO, APO—add \$5 on all orders. Canada & Puerto Rico—add \$10 on all orders. Sorry, no other International orders accepted! PA residents add 6% sales tax on the total amount of order including shipping charges! CUSTOMER SERVICE HOURS: Mon.Fri. 9 AM-5:30 PM Eastern time. REASONS FOR ALIUNG CUSTOMER SERVICE—412-361-529! (I) Status of order or back order (2) if any merchandise within 60 days from S.D. of A. is defective, please call for a return authorization number. We will not process a return without a return auth. #! Defective merchandise will be replaced with the same merchandise only. Other returns subject to a 15% restocking charge! After 60 days from your purchase date, please refer to the warranty included with the produce of return directly to the manufacturer. Customer service will not accept collect calls or calls on S.D. Of A.'s 800# order lines! ORDER LINE HOURS: Mon.Fri. 9 AM-5:30 PM, Sat. 10 AM-4 PM EASTERN TIME. Because this ad had to be written 2-3 mos. before it was published, prices & availability are subject to change! New titles are arriving daily! Please call for growth in four matching. more information!

The Automatic Proofreader

Philip I. Nelson

"The Automatic Proofreader" helps you type in program listings for the 128, 64, Plus/4, and 16 and prevents nearly every kind of typing mistake.

Type in the Proofreader exactly as listed. Since the program can't check itself, type carefully to avoid mistakes. Don't omit any lines, even if they contain unfamiliar commands. After finishing, save a copy or two on disk or tape before running it. This is important because the Proofreader erases the BASIC portion of itself when you run it, leaving only the machine language portion in memory.

Next, type RUN and press RE-TURN. After announcing which computer it's running on, the Proofreader displays the message "Proofreader Active". Now you're ready to type in a

BASIC program.

Every time you finish typing a line and press RETURN, the Proofreader displays a two-letter checksum in the upper-left corner of the screen. Compare this result with the two-letter checksum printed to the left of the line in the program listing. If the letters match, it's almost certain the line was typed correctly. If the letters don't match, check for your mistake and correct the line.

The Proofreader ignores spaces not enclosed in quotes, so you can omit or add spaces between keywords and still see a matching checksum. However, since spaces inside quotes are almost always significant, the Proofreader pays attention to them. For example, 10 PRINT"THIS IS BASIC" will generate a different checksum than 10 PRINT"THIS ISBA SIC".

A common typing error is transposition-typing two successive characters in the wrong order, like PIRNT instead of PRINT or 64378 instead of 64738. The Proofreader is sensitive to the position of each character within the line and thus catches transposition

The Proofreader does not accept keyword abbreviations (for example, ? instead of PRINT). If you prefer to use abbreviations, you can still check the line by LISTing it after typing it in, moving the cursor back to the line, and pressing RETURN. LISTing the line substitutes the full keyword for the abbreviation and allows the Proofreader to work properly. The same technique works for rechecking programs you've already typed in.

If you're using the Proofreader on the Commodore 128, Plus/4, or 16, do not perform any GRAPHIC commands while the Proofreader is active. When you perform a command like GRAPH-IC 1, the computer moves everything at the start of BASIC program space-including the Proofreader-to another memory area, causing the Proofreader to crash. The same thing happens if you run any program with a GRAPHIC command-while the Proofreader is in memory.

Though the Proofreader doesn't interfere with other BASIC operations, it's a good idea to disable it before running another program. However, the Proofreader is purposely difficult to dislodge: It's not affected by tape or disk operations, or by pressing RUN/ STOP- RESTORE. The simplest way to disable it is to turn the computer off then on. A gentler method is to SYS to the computer's built-in reset routine (SYS 65341 for the 128, 64738 for the 64, and 65526 for the Plus/4 and 16). These reset routines erase any program in memory, so be sure to save the program you're typing in before entering the SYS command.

If you own a Commodore 64, you may already have wondered whether the Proofreader works with other programming utilities like "MetaBASIC." The answer is generally yes, if you're using a 64 and activate the Proofreader after installing the other utility. For example, first load and activate Meta-BASIC, then load and run the Proofreader.

When using the Proofreader with another utility, you should disable both programs before running a BASIC program. While the Proofreader seems unaffected by most utilities, there's no way to promise that it will work with any and every combination of utilities you might want to use. The more utilities activated, the more fragile the system becomes.

The New Automatic Proofreader

10 VEC=PEEK(772)+256*PEEK(773) :LO=43:HI=44

20 PRINT "AUTOMATIC PROOFREADE R FOR ";:IF VEC=42364 THEN (SPACE)PRINT "C-64" 30 IF VEC=50556 THEN PRINT "VI

C-20" 40 IF VEC=35158 THEN GRAPHIC C

LR: PRINT "PLUS/4 & 16"

50 IF VEC=17165 THEN LO=45:HI= 46: GRAPHIC CLR: PRINT "128"

60 SA=(PEEK(LO)+256*PEEK(HI))+ 6:ADR=SA

70 FOR J=0 TO 166:READ BYT:POK E ADR, BYT: ADR=ADR+1: CHK=CHK +BYT:NEXT

80 IF CHK <> 20570 THEN PRINT "* ERROR* CHECK TYPING IN DATA STATEMENTS": END

90 FOR J=1 TO 5: READ RF, LF, HF: RS=SA+RF:HB=INT(RS/256):LB= RS-(256*HB)

100 CHK=CHK+RF+LF+HF:POKE SA+L F, LB: POKE SA+HF, HB: NEXT

110 IF CHK > 22054 THEN PRINT " *ERROR* RELOAD PROGRAM AND {SPACE}CHECK FINAL LINE": EN

120 POKE SA+149, PEEK (772): POKE SA+150, PEEK (773)

130 IF VEC=17165 THEN POKE SA+ 14,22:POKE SA+18,23:POKESA+ 29,224:POKESA+139,224

140 PRINT CHR\$(147); CHR\$(17);" PROOFREADER ACTIVE": SYS SA

150 POKE HI, PEEK(HI)+1: POKE (P EEK(LO)+256*PEEK(HI))-1,0:N

160 DATA 120,169,73,141,4,3,16 9,3,141,5,3

170 DATA 88,96,165,20,133,167, 165,21,133,168,169

180 DATA 0,141,0,255,162,31,18 1,199,157,227,3

190 DATA 202,16,248,169,19,32,

210,255,169,18,32 200 DATA 210,255,160,0,132,180

,132,176,136,230,180 210 DATA 200,185,0,2,240,46,20 1,34,208,8,72

220 DATA 165,176,73,255,133,17 6,104,72,201,32,208 230 DATA 7,165,176,208,3,104,2

08,226,104,166,180

240 DATA 24,165,167,121,0,2,13 3,167,165,168,105

250 DATA 0,133,168,202,208,239 ,240,202,165,167,69 260 DATA 168,72,41,15,168,185,

211,3,32,210,255

270 DATA 104,74,74,74,74,168,1 85,211,3,32,210

280 DATA 255,162,31,189,227,3, 149,199,202,16,248 290 DATA 169,146,32,210,255,76

,86,137,65,66,67

300 DATA 68,69,70,71,72,74,75, 77,80,81,82,83,88

310 DATA 13,2,7,167,31,32,151, 116,117,151,128,129,167,136

EVERYDAY LOWEST

IN NEW YORK STATE CALL (212) 594-7140

FOR CUSTOMER SERVICE CALL MON-FRI/9 AM-4 PM (718)965-8686 FAX NO. 2125641497

TELEX NO. 422132HMOLLER

C= 128= \$219

XETEC LI. KERNEL 20 MB HARD DRIVES FOR:

commodore

DISK DRIVES

commodore

MONITORS

CE 1541/C \$149.95

1802 COLOR \$169.95

1080 COLOR \$259.95

THOMPSON RGB\$289.95

\$209.95 \$189.95

NEW C-128D with Built

#1700128K EXPANSION MODULE #1764 EXPANSION MODULE XETEC JR.INTERFACE. XETEC SR. INTERFACE. C-128 POWER SUPPLY. C64/C64-C POWER SUPPLY.

C= 1581

in Disk Drive

C-128..

C= 640

With Geos Program!

\$149.95

-800-345-7058 800-345-705

OPEN 7 DAYS A WEEK FOR ORDERS: MONDAY-FRIDAY:9AM-7PM / SATURDAY & SUNDAY: 9:30AM-6PM EDT

OR WRITE: MONTGOMERY GRANT MAIL ORDER DEPT. P.O. BOX 58 **BROOKLYN, N.Y., 11230**

I commodore

C= 128=



#1 COMPLETE PACKAGE

COMMODORE 128 COMPUTER COMMODORE 1541 DISK DRIVE 12" MONITOR COMMODORE COLOR PRINTER

COLOR MONITOR **ADD \$90**

TO SUBSTITUTE 1571 FOR



#2 DELUXE PACKAGE

COMMODORE 128 COMPUTER COMMODORE 1571 DISK DRIVE COMMODORE 1902 COLOR MONITOR COMMODORE 1515 80 COL. PRINTER

\$679

SPECIALI

C-128/D DELUXE PACKAGE C-128 COMPUTER W/ BUILT-IN DISK · 1902 COLOR MONITOR · COMMODORE COLOR PRINTER

\$639

apple

PRINTERS



Apple IIC or IIE Computer 5.25" Drive 12" Monitor All Hook-up Cables & Adaptors Package of 10 Diskettes APPLE IIC

APPLE HE \$579 *1010

MAC SE W/20 MB APPLE
HARD DRIVE\$2599
APPLEWORKS\$89.95
IMAGEWRITER II Printer\$459
APPLEMAC + PACK\$1579
APPLE IIGS
COLOR PACK\$1379

FPSON



FX-86E	\$309.95
FX-286E	\$449.95
LQ-800	\$399.95
LQ-850	\$489.95
LQ-500	\$329.95
LQ-1050	\$659.95
EX-1000	\$459.95

Panasonic

1080i-II	\$159.95
1092	.\$279.95

LEADING EDGE MODEL D PACKAGE IBM PC/XT COMPATIBLE



512K RAM Computer Keyboard 360K Floppy Drive 4.7-7.16 MHz. 12 Monitor 8088-2 Processor

\$799

SAME PACKAGE \$1049

Sitolia

NX-1000	\$169.95
NX-15	
NB-2410	\$399.95
NB-2415	\$539.95

OKIDATA

OKIDATA-120.....\$199.95 OKIDATA-180.....\$219.95 OKIMATE-20 WITH PLUG 'N PRINT \$189.95



WHEEL LO PRINTER \$99.50

AMIGA • 68000 Processor • 512k Ram Expandable to 9MB · Graphics Processor IN STOCK-CALL FOR LOW PRICE! AMIGA 500 W/1080.....\$769 AMIGA 500/1080/1010.....\$979

AMIGA 2000 IN STOCK

ALL AMIGA PERIPHERALS IN STOCK INCLUDING:

A-501 512K EXPANSION A-1010 3.5° FLOPPY DRIVE A-1020T 5-25° DISK DRIVE WITH TRANS-FORMER A-2088D BRIDGE CARD REMODULA-TOR A-1084 RGB COLOR MONITOR A-1680 MODEM

COMMODORE PRINTERS \$169 CE MPS-1000 C= MPS-1250 \$239

DPS-1101 DAISY WHEEL PRINTER

\$159

C= 640 COMPUTER PACKAGES



#3 COMPLETE PACKAGE

COMMODORE C-64/C COMPUTER COMMODORE 1541 DISK DRIVE COMMODORE COLOR PRINTER GEOS SOFTWARE PROGRAM

COLOR MONITOR ADD \$90 #4 COLOR PACKAGE

COMMODORE C-64C COMPUTER COMMODORE 1541/C DISK DRIVE COMMODORE COLOR PRINTER COLOR MONITOR GEOS SOFTWARE PROGRAM

\$478

BLUE CHIP 西中 Sandan Mills

IBM PC/XT COMPATIBLE PKG.

512K RAM Expandable to 640K 360K Floppy Disk Drive 12" Monitor

\$499

SEAGATE

W/ CONTROLLER \$279

40 MB HARD DRIVE & 30 MB HARD DRIVE NOW IN STOCK!

SPECIAL! commodore PC10-1

PROFESSIONAL PACKAGE

PC10-1 Computer 512K Expandable to 640K 360K Expandable to John
Disk Drive Enhanced
Keyboard Serial & Parallel
Ports 12* Monitor All
Hook-up Cables & Adaptors
Package of 10 Diskettes

\$499


SAME PACKAGE W/20 MB HARD DRIVE \$769



Certified check, bank check, Mastercard, Visa, Am-Ex, Diner's Club, Cartellance, Discover Card and C.O.D.'s accepted. No additional surcharge for credit card orders. Non-certified checks must wait 4-8 weeks clearance. Money orders are non-certified checks. N.Y. residents add applicable sales tax. Prices and availability subject to change without notice. Not responsible for typographic errors. Return of defective merchandise must have prior return authorization number, or returns will not be accepted. IBM PC/XT are registered trademarks of International Business Machine Corp. All orders can be shipped Air Express-call for details. Pictures are lituatrative only

NO SURCHARGE FOR CREDIT CARD ORDERS

commodore



64C \$12995° 128......**\$189**⁹⁵ \$42995* 128D.... C64 . . . Returbished . . . \$5 \$9995



1802c.....\$18995 1084\$CALL MAGNAVOX 8562 ... \$240



C commodore PC101 **IBM** Compatible



Benname.

• CGA Board • One year warranty · Parallel Port

> · Serial Port . GW BASIC . DOS 3.2

FREE Sidekick \$4995* by Borland -w/Monitor Purchase

LIMITED QUANTITY

Ccommodore

PC10-2

with any monitor purchase

SYSTEM INCLUDES:

- 640K
- **Duel Drive**
- Seriel Port
- Parallel Port
- CGA Card
- 2-Speed C.P.V.



40% OFF I.B.M. SOFTWARE!

DUAL DRIVE AVAIL.

Seagate 20 MEG \$274.95 Seagate 30 MEG 299.95

w/controller

*Alien Fires
*Battle Droidz
*Global Commander
*Hunt for Red October
*Master Ninja \$20.00 17.00 20.00 26.00 26.00 32.00 26.00 20.00 20.00 20.00 20.00 20.00 20.00 20.00 Monopoly Paper Clip Publisher Patton vs. Rommel Roadwars Rockford Rubicon Alliance *Rubicon Allianci *Tobruk Video Title Shop Skate or Die *Never Ending Story. Never Ending Story.

**Gunshinger
Dark Lord
League of the Ancients
**Sky Fox II
Instant Music
Bard's Tale
Bard's Tale
Bard's Tale
Bard's Tour Goff
Marble Madness
**Pegasus
**Pegasus Pegasus
Murder Party
Scrabble
America's Cup
Artic Fox
All Classics
Amnesia All Classics Amnesia Bismark Chuck Yeager Paper Clip III. Outrageous Pages Clue Books Dan Dare Earth Orbit Station

MINDSCAPI	
Gauntlet	21.00
Paperboy	
*Indiana Jones	SCALI
Perfect Score S.A.T.	42.00
Infiltrator II	
*King of Chicago	21.00
*Desa Vue	
*Three Stooges	SCALL
*Wiz Ball	12 00
*MISL Soccer	21 00
Defender of the Crown	\$21.00
Super Star Hockey	21.00
High Roller	18.00
Indoor Sports	18 00
Infiltrator	
Super Star Soccer	

ACCOLADE

Lipstick Plus
'Card Sharks
'Plasmatron
'Power at Sea
Project Space Station
'The Train 18 00 \$CALL 18 00 \$17 00 18 00 18 00 18 00 18 00 18 00 Hard Ball Apollo 18 Test Drive Ace of Aces

Jeopardy Wheel of Fortune Family Feud \$9.95

A Berkeley Softworks

Geowrite 128 Geocalc 128 Geofile 128 *DeskPack 128 GEOS 42 00 42 00 42 00 42 00 536 00 18 00 21 00 30 00 24 00 42 00 42 00 30 00 18 00 30 00 Fontpak 1 Desk Pack Writer Work Shop Geodex GeoCalc/GeoFile GEOS 128 Geoprogrammer GEOspell Triple Pack

Abacus :

Basic 30 00 9 00 *Becker GEOS Tricks and Tips Abacus Bocks
GEOS In and Out (Disk)
Basic 128
Basic 64
Basic 64
Cadpak 128
Cadpak 128
Chartpak 64
Cobol 64
Cobol 128
Super C Compiler 64/128
Super Pascal \$SAVE 9 00 36 00 24 00 36 00 24 24 00 24 00 24 00 36 00 36 00 36 00 36 00 Abacus Books

rincoled \$24.00 24.00 24.00 24.00 24.00 \$CALL 24.00 24.00 Knight Ork Pawn Guild of Thieves Guild of T Starglider Elite Sentry Tracker

ACCESS

Stealth Fighter MACH-128 MACH-12B Leaderboard Echelon World Class Leaderboard 10th Frame Exec Tournament Triple Pak Famous Courses 1 Famous Courses 2

ACTIVISION

i Am the 64 i Am the 128 "Might and Magic Portal Labrynth Last Ninja Last Ninja Top Fuel Elim Game Maker Music Studio Maniac Mansion Air Railley

SPRINGBOARD

Certificate Maker Newsroom Clip Art 1 Clip Art 2

EDYX

24 00 SCALL SCALL SCALL SCALL SCALL SCALL Destroyer
*Four and Four Racing
*Home Video Producer
Impossible Mission II
Summer Games II Fast Load Street Sports
-Baseball/Basketball -Baseball/Basketus World Karate Champ Super Cycle World Games Winter Games Sub Battle California Games

PROFESSIONAL SOFTWARE

UNISON WORLD Art Gallery Art Gallery 2 Print Master 16 00 21 00

Broderbund Software:

Carmen/Europe Ultima 5 Moebuis Ultima III Super Bike Challenge Ogre Magnetron Magnetron
Printshop
Graphics Lib.
Carmen SanDiego (World)
Print shop comp
Carmen/USA
Auto Duel \$25 00 15 00 21 00 21 00 24 00 24 00

SubLOGIC

Flight Sim II. 12 00 30 00 24 00 30 00 20 00 18 00 Scenery Disk Jet Football Baseball Thunder Chopper Up Periscope TIMEWORKS

*Swift Tax Word Writer 128 Data Mgr 128 Swiftcalc 128 Wordwriter 3 Partner 64 Partner 128 Sylvia Porter 64 Sylvia Porter 128 Desktop Publisher

MicroProse

Gunship F-15 Project Stealth Fighter Airborne Ranger Silent Service Pirales Top Gunner

Hetec. Inc

Font Master II 64 Font Master 128 W/Spell

THE STREET SHOULD BE THE	-1
Wargame Construction Set	1800
Roadwar Europe	24 00
Phantasie 1.2.3	each 24 00
Gemstone Healer	\$18 00
Gettysburg	36.00
Kampfgruppe	36 00
Ring of Zelfin	24.00
Road War 2000	24.00
Shard of Spring	24.00
Wizard's Crown	24 00

#

Pocket Writer 2/Filer/Planner Super Pack 2 (128) Dictionary Disk \$35.00 60.00 10.00

PRACTICAL PERIPHERALS Superbase 128 \$5000 Superbase 64 4000 Superscript 128 4000 Visastar 64 4000 Visawite 128 4500 Microlawyer 4500

KRACKER JAX C-128 Camon Shotgun II Bull's eye Geos Busters Kracker Jax 5/6/7 \$28.00 12.00 16.00 5.00 16.00

Micro L. Baseball General Mgr. Stat Disk 86' Team Disk Micro League Wrestling \$24.00

SPINNAKER

Easy Working Fier
Easy Working Writer
Easy Working Writer
Easy Working Word Publisher
Turbo Load & Save
SAT Complete
Business Form Shop
Homework Helper Wirting
Homework Helper Word Problems

MISC.

NBA
Mousetrap
Pacman
Ms Pacman
Skaritem
Witardry
Dark Castle
Strip Poker
Dome Bookeeping
Warp Speed
Dig Dug
Stricky Bear (All) NRA 1200 700 700 2100 2400 2100 1800 2400 \$CALL 800

INDICATES NEW TITLE

☑ CheckTHEIRAd then ☑ CHECKOUR PRICE!

- 256K Ram....\$70
 Insider (1 Meg)....\$180
- PRO DRIVE \$180 • 3.5 W/Pass Thru . . . \$180 1010 Drive.....\$200
- 20 MEG..... \$650 • 40 MEG.... \$950
- 1680 Modem . . . \$120 • GENLOCK..... \$200

AMIGA MAKES IT POSSIBLE ... MCS MAKES IT AFFORDABLE!



- PRO GEN
- FRAME GRABBER Special Introductory Price!

500/2000 SPECIAL PROMO...

- Bridge Card
- 2 Meg Ram
 Hard Drive Controller

- 512K Ram \$120 \$300 1 Meg...... • 2 Meg.....\$400
- Magnavox 515. \$275 1084.. \$275 Sony 1302 MultiScan \$Call

WORDPERFECT AMIGA \$200

 MARAUDER II \$30

Panasonic Laser \$Call Industrial Company 1080i-II ... \$160* 10911-11 ... \$180* 1092i \$280* 1592i \$380* 1524i \$520* *W/2 Ribbon Purchase

MODEMS

SUPRA Hayes Compatible External 2400 \$16995.

KISS ENGINEERING 2400 \$12995

Avatex

1200 Baud. . . \$7995. 1200 Int. . . . \$7995. 1200 H.C. . . \$9995. 2400 Baud. . . \$17995.

W Cable Purchase





HARDWARE

• 1764 RAM	\$119.95
• 1351 Mouse	\$34.95
AB Switch	\$30
ALPS Color Prtr	\$400
 Cannon Cartridges 	SCall
• CASIO CZ101	\$250
Digiview 2.0	\$129.95
Digiview Camera w/16mm Lens	
Digiview Stand	\$55
● Disk Case(3½)	\$8
Disk Head Clnr	\$8
Educator 64	\$124.95
Epyx Joystick	\$15
Most Cables	\$15
Mouse Pad	\$6
Okimate 20	\$179.95
w/Interface	
Hard Cards	\$Call
Printer Drivers	
Roland Plotters	\$Call
S.C.S.I. Controllers	\$Call
 Sonix Speakers 	\$70

TRIAL OFFER!

HIGH QUALITY DS/DD DISKETTES

19¢ each Lifetime Warranty 100% Certified W/Sleeves Limit One (10) Pack Per Customer 18 C.P.S. DAISY WHEEL



LIMITED QUANTITY

Commodore or IBM Interface . . . \$19.95

DISKS

31/2 DS/DD GENERIC \$1.30 31/2 DS/DD \$1.80 SONY-FUJI-MAXWELL-VERBATIM

51/4 DS/DD GENERIC 30¢ 51/4 DS/DD (50 Lot) . . . BASE NASHUA . 60¢

ORDERS 800-433-7756 ONLY IN MICH. 313-427-7713 M-F

FAX: 313-427-7766

CUSTOMER SERVICE 313-427-0267

Monday thru Friday - 10:00 A.M. to 10 P.M.
Saturday - 10:00 A.M. to 6:00 P.M. (E.S.T.)

MICROCOMPUTER SERVICES

SCHOOL P.O.'s ACCEPTED

We Check For Charge Card Fraud

CALL FOR TERMS

DEALER INQUIREES INVITED

No Surcharge for MC/NISA/DISCOVER
All returns must have RA# Merchandise found defective will be repaired or replaced. We do not offer reflunds for defective products or for products that do not perform satisfactority. We make no guarantees for product performance Any money back guarantee must be handled directly with the manufacturer Call for shopping & handling into Prices subject to change without notice.

We cannot guarantee compatibility 12864 FARMINGTON ROAD, LIVONIA, MI 48150

Machine Language Entry Program For Commodore 64

"MLX" is a labor-saving utility that allows almost fail-safe entry of Commodore 64 machine language programs.

Type in and save some copies of MLXyou'll want to use it to enter future ML programs from COMPUTE!'s GAZETTE. When you're ready to enter an ML program, load and run MLX. It asks you for a starting address and an ending address. These addresses appear in the article accompanying the MLX-format program

listing you're typing.

If you're unfamiliar with machine language, the addresses (and all other values you enter in MLX) may appear strange. Instead of the usual decimal numbers you're accustomed to, these numbers are in hexadecimal-a base 16 numbering system commonly used by ML programmers. Hexadecimal—hex for short-includes the numerals 0-9 and the letters A-F. But don't worryeven if you know nothing about ML or hex, you should have no trouble using

After you enter the starting and ending addresses, you'll be offered the option of clearing the workspace. Choose this option if you're starting to enter a new listing. If you're continuing a listing that's partially typed from a previous session, don't choose this option.

A functions menu will appear. The first option in the menu is ENTER DATA. If you're just starting to type in a program, pick this. Press the E key, and type the first number in the first line of the program listing. If you've already typed in part of a program, type the line number where you left off typing at the end of the previous session (be sure to load the partially completed program before you resume entry). In any case, make sure the address you enter corresponds to the address of a line in the listing you are entering. Otherwise, you'll be unable to enter the data correctly. If you pressed E by mistake, you can return to the command menu by pressing RETURN alone when asked for the address. (You can get back to the menu from most options by pressing RETURN with no other input.)

Entering A Listing

Once you're in Enter mode, MLX prints the address for each program line for you. You then type in all nine numbers on that line, beginning with the first two-digit number after the colon (:). Each line represents eight data bytes and


a checksum. Although an MLX-format listing appears similar to the "hex dump" listings from a machine language monitor program, the extra checksum number on the end allows MLX to check your typing.

When you enter a line, MLX recalculates the checksum from the eight bytes and the address and compares this value to the number from the ninth column. If the values match, you'll hear a bell tone, the data will be added to the workspace area, and the prompt for the next line of data will appear. But if MLX detects a typing error, you'll hear a low buzz and see an error message. The line will then be redisplayed for editing.

Invalid Characters Banned

Only a few keys are active while you're entering data, so you may have to unlearn some habits. You do not type spaces between the columns; MLX automatically inserts these for you. You do not press RETURN after typing the last number in a line; MLX automatically enters and checks the line after you type the last digit.

Only the numerals 0-9 and the letters A-F can be typed in. If you press any other key (with some exceptions noted below), you'll hear a warning buzz. To simplify typing, the numeric keypad modification from the March 1986 "Bug-Swatter" column is now incorporated in the listing. The keypad is active only while entering data. Addresses must be entered with the normal letter and number keys. The figure below shows the keypad configuration:



MLX checks for transposed characters. If you're supposed to type in A0 and instead enter 0A, MLX will catch your mistake. There is one error that can slip past MLX: Because of the

checksum formula used, MLX won't notice if you accidentally type FF in place of 00, and vice versa. And there's a very slim chance that you could garble a line and still end up with a combination of characters that adds up to the proper checksum. However, these mistakes should not occur if you take reasonable care while entering data.

Editing Features

To correct typing mistakes before finishing a line, use the INST/DEL key to delete the character to the left of the cursor. (The cursor-left key also deletes.) If you mess up a line really badly, press CLR/HOME to start the line over. The RETURN key is also active, but only before any data is typed on a line. Pressing RETURN at this point returns you to the command menu. After you type a character of data, MLX disables RETURN until the cursor returns to the start of a line. Remember, you can press CLR/HOME to quickly get to a line number prompt.

More editing features are available when correcting lines in which MLX has detected an error. To make corrections in a line that MLX has redisplayed for editing, compare the line on the screen with the one printed in the listing, then move the cursor to the mistake and type the correct key. The cursor left and right keys provide the normal cursor controls. (The INST/ DEL key now works as an alternative cursor-left key.) You cannot move left beyond the first character in the line. If you try to move beyond the rightmost character, you'll reenter the line. During editing, RETURN is active; pressing it tells MLX to recheck the line. You can press the CLR/HOME key to clear the entire line if you want to start from scratch, or if you want to get to a line number prompt to use RETURN to get back to the menu.

Display Data

The second menu choice, DISPLAY DATA, examines memory and shows the contents in the same format as the program listing (including the checksum). When you press D, MLX asks you for a starting address. Be sure that the starting address you give corresponds to a line number in the listing. Otherwise, the checksum display will be meaningless. MLX displays program lines until it reaches the end of the program, at which point the menu is redis-

COMPUTER DISCOUNTS ON ALL YOUR COMPUTER NEEDS

COMPUTER DISCOUNTS ON **ALL YOUR** COMPUTER NEEDS

64 WEST 36th ST., NYC, NY 10018

OUR ONLY STORE!! ESTABLISHED SINCE 1950



COMMODORE 64/20 PC. DREAM OUTFIT

OUTFIT INCLUDES: Commodore 64 Keyboard

•1541 Disc Drive •13" Color Monitor •Commodore
Printer •AC Adapter •Owners Manual •Oisc Drive
Head Cleaner •Package 0f 10 Diskettes

\$448 COMPLETE



COMMODORE 64/20 PC. DELUXE PACKAGE OUTFIT

OUTFIT INCLUDES: Commodore 64 Keyboard •1541 Disc Drive •12" Computer Monitor & Printer For Commodore •AC Adapter •Owners Manual •Disc Drive Head Cleaner •Package 01 10 Diskettes

COMPLETE



COMMODORE 128/20 PC. **DELUXE PACKAGE OUTFIT**

OUTFIT INCLUDES: Commodore 128 Keyboard

•1541 Disc Drive •12" Computer Monitor

•Commodore Printer •AC Adapter •Owners Manual

•Disc Drive Head Cleaner •Package 01 30 Diskettes

398 COMPLETE



COMMODORE 128/20 PC. DREAM OUTFIT

OUTFIT INCLUDES: Commodore 128 Keyboard

*1571: Disc Drive *12" Computer Monitor *Printes
For Commodore *AC Adapter *Owners
Manual *Disc Drive Head Cleaner *Package Of

\$498 COMPLETE



PROFESSIONAL OUTFIT

OUTFIT INCLUDES: Commodore 128 Keyboard

•1571 Disc Drive •Commodore Color Monitor
•Commodore Printer •AC Adapter •Owners Manual
•Disc Drive Head Cleaner •Package 0f 10 Diskettes

598 COMPLETE



COMMODORE 128/20 PC. TOP OF THE LINE OUTFIT

notice 1571 Disc Drive +Commodore 128 Keyboard nodore 1571 Disc Drive +Commodore olor Monitor +Commodore Printer +AC Adapter rs Manual +Disc Drive Head Cleaner +Package Dischafter



COMMODORE 64-C/20 PC. PROFESSIONAL OUTFIT

OUTFIT INCLUDES: Commodore 64 C Keyboard *1541 C Disc Drive *12" Computer Monitor *Pr For Commodore *AC Adapter *Owners Manual *Package Of 10 Diskettes

\$ 598 COMPLETE



COMMODORE 64/20 PC. PROFESSIONAL OUTFIT

OUTFIT INCLUDES: Commodore 64 Keyboard

*Commodore 1541 Disc Drive *Commodore Monitor

*Commodore Printer *AC Adapter *Owners Manual

*Disc Drive Head Cleaner *Package 01 10 Diskettes



COMMODORE 128D/20 PC. TOP OF THE LINE OUTFIT

nmodore 128D With Built nodore CM-2002 Monitor 1571 Das Drive *Commodore CM-2002 Monitor *Commodore MF5:200 Printer *AC Adapter *Owners Mousl *Disc Drive Head Cleaner *Package 01 10 Diskettes

\$898 COMPLETE



COMMODORE AMIGA 500 TOP OF THE LINE OUTFIT

OUTFIT INCLUDES: Amiga 500 With Built In Drive • Amiga RGB Color Monitor • Printer For Amiga • Package 01 10 Diskettes • Disc Drive Head Cleaner • Owners Manual • USA Guarantee

8 COMPLETE

'CHOOSE YOUR OWN PACKAGE

MIX & MAYCH THE COMPUTER SYSTEM THAT'S GOOD FOR YOU & ONE OF OUR COMPUTER SPECIALISTS WILL GIVE YOU A SPECIAL PRICE!



BLUE CHIP COMPATIBLE

FEATURES INCLUDE: 512K Ram Expandable To 640K Ram **PERIORS INCLUDE: SICK new Expansions to 940 A new 6 Expansion Slots *Parallel & Serial Ports **

**Opt. 20 MB Hard Drive PACKAGE INCLUDES: Blue Chip Keyboard W1360K Floppy Drive *12" Computer Monitor **Package 01 10 Diskettes **Oisc Drive Head Cleaner

WITH 20MB HARD DRIVE......\$748 WITH 30MB HARD DRIVE......\$828



COMMODORE PCIO-I 20 PIECE OUTFIT IBM/XT COMPATIBLE

FEATURES INCLUDE: 51ZK Ram Expandable To 640K +6 Expansion Slots +Parellel & Seriel Ports +0pt, 20 MB Hard Drive PACKAGE INCLUDES: PCP10 1 Kyboard W180K Rippy Drive +12" Computer Monitor +Package of 10 Diskattes -012C Drive Head Cleane + Gleane Catridge WITH 20MB HARD DRIVE . \$748

WITH 20MB HARD DRIVE.......\$821 SAME PACKAGES AVAIL. W/ COMMODORE PCI0-II ADD \$100



EPSON EQUITY II 20 PIECE OUTFIT IBM XT COMPATIBLE 4

FEATURES INCLUDE: 640K Ram •4.77/7.33 Switchable Megahertz

*Parallel & Serial Ports PACKAGE INCLUDES: Equity II Keyboard
Wi640K Floopy Drive •12" Computer Monitor •10 Diskettes •Dusc
Drive Head Cleaner •Game Certridge

WITH 20MB HARD DRIVE......\$949



IBM AT TURBO COMPUTER

FEATURES INCLUDE: 286 Processor •6-8-10 Switchable Megahertz •5 Device Slots •9 Expansion Slots •640K On Motherboard

SAME PACKAGE AVAILABLE WITH 20 MEGABYTE HARD DRIVE.....\$999 30 MEGABYTE HARD DRIVE.....\$1099 40 MEGABYTE HARD DRIVE......\$1199 60 MEGABYTE HARD DRIVE.



VENDEX **HEAD START** IBM XT COMPATIBLE

FEATURES INCLUDE: 8088 Processor •4.77/8 Switchable Megahertz •Dual Floppy Drive •7 Expansion Slots •512K Ram Expandable to 768K Ram •Parallel Serial Ports •Mouse Game

GREATLY DISCOUNTEDIS BONUS: OVER \$500 WORTH OF SOFTWARE BONUS: OVER \$1000 WORTH OF COUPONS NO CHARGE



LEADING **EDGE** MODEL D/IBM XT COMPATIBLE

FEATURES INCLUDE:8088 Processor =360K Floopy Drive -Switchable 4.777.78 Megahertz =05t. 20M8 & 30M8 Hand Drive PACKAGE INCLUDES: Lesding Edge Keyboard =05ts: Drive -10 Obstates =05ts: Drive Head Cleaner =0 weers Manual =AC Adapter = Free Software =12" Computer Monitor -300K Floopy Disc Drive =0ame Carridge AVAILABLE WITH 20MB/30MB HARD DRIVE



PACKAGE

PACKAGE INCLUDES: Apple II C *Apple Disc Drive *12" Computer Monitor Owners Manual *Disc Drive Head Cleaner *AC Adaptor *Package of 10 Diskettes



∇//AMIGA COMMODORE

AMIGA 2000 CALL FOR NEW

LOW PRICE! FEATURES INCLUDE: 1 MB Memory Expandable To 9 MB •Built-In Seriel

Centronics •RGB •Video Ports •Built-In Mouse ALSO AVAILABLE: AMIGA 2002 • MONITOR •3.5" INTERNAL DRIVE • BRIDGE CORD

HARD DRIVE CONTROLLER . 2 MB RAM EXPANDER

NEW **PRODUCTS** FROM

Ckcommodore

COMMODORE 128D INCLUDE: 128K Ram Memory *Built-In 5%" CALL FOR SPECIAL LOW PRICES!



CALL FOR SPECIAL LOW PRICES!

COMMODORE 1581 FEATURES INCLUDE: 3.5" 360K Double Density Disc Drive For Use

COMMODORE 1084 High Resolution •RGB Color Monitor For CALL FOR SPECIAL LOW PRICES!!



EPSON PRINTERS

- **Bi Orps **Bi-Oirectional **Bi Orps Letter Quality **24 Pin Printhrad Built in 7K/IK Buffer **LX-86 **EX-1000 **FX-86E
- LQ-1000 LQ-2500 EX-800 LQ-800 CQ-3500 FX-286E LQ-850 LQ-1050 ALL MODELS AVAILABLE GREATLY DISCOUNTEDIS

STAR PRINTERS

- •Up To 300 •cps Tractor & Friction Feed 454 cps •Letter Quality
- STAR MP-IO -STAR NO-IO STAR NL-10 -STAR NB24-15 STAR NX-10 STAR NB-15
- STAR NX-IOC STAR NR-IS ALL MODELS AVAILABLE



COMMODORE 1571 Drive COMMODORE 1541C Drive COMMODORE MPS-1000 Printer

COMMODORE MPS-1200 Printer COMMODORE MPS-803 Printer COMMODORE 128 Computer

COMMODORE 64 Computer COMMODORE 1351 Mouse



COMMODORE 1902-A Monitor COMMODORE 1670 Modern COMMODORE 1700 Expander COMMODORE 1750 Expander COMMODORE 1764 Expander


ALL IN STOCK! **GREATLY DISCOUNTED!**



ORDER NOW!! PHONE ORDERS ONLY CALL TOLL FREE

FORMATION CALL (212) 695-7133

NEW YORK STATE RESIDENTS CALL (212) 695-7133/695-7134



Use Master Card, Visa, American Express, or Send Money Order, Certified Check.



WE NOW TAKE DISCOVER & **DINERS CLUB**

MIBRO CO., INC.

64 West 36th Street, New York, N.Y. 10018 (Between 5th & 6th Avenues) MON. THRU SAT. 10:00AM-7:30PM SUN. 10AM-6PM

All merchandise brand new factory fresh. Minimum shipping and handling charge \$4.95 Shipping charges non-refundable. For mail orders please call before sending in money order. No money orders will be excepted without orders. All prices subject to change without notice. Quantities may be limited on some items. Refunds within seven days with original packaging and unfilled guarantee card. All orders subject to acceptance and verification. Prices subject to manufacturers increase and or decrease. Not responsible for typographical errors. For information please call customer service, please call between 12:30 pm-6:30 pm. Prices good for mail order only. Pictures are for illustration and may not be exact. Department of Consumer Affairs License No. 800-253. played. You can pause the display by pressing the space bar. (MLX finishes printing the current line before halting.) Press space again to restart the display. To break out of the display and get back to the menu before the ending address is reached, press RETURN.

Other Menu Options

Two more menu selections let you save programs and load them back into the computer. These are SAVE FILE and LOAD FILE; their operation is quite straightforward. When you press S or L, MLX asks you for the filename. You'll then be asked to press either D or T to select disk or tape.

You'll notice the disk drive starting and stopping several times during a load or save. Don't panic; this is normal behavior. MLX opens and reads from or writes to the file instead of using the usual LOAD and SAVE commands. Disk users should also note that the drive prefix 0: is automatically added to the filename (line 750), so this should not be included when entering the name. This also precludes the use of @ for Save-with-Replace, so remember to give each version you save a different name.

Remember that MLX saves the entire workspace area from the starting address to the ending address, so the save or load may take longer than you might expect if you've entered only a small amount of data from a long listing. When saving a partially completed listing, make sure to note the address where you stopped typing so you'll know where to resume entry when you reload.

MLX reports the standard disk or tape error messages if any problems are detected during the save or load. (Tape users should bear in mind that Commodore computers are never able to detect errors during a save to tape.) MLX also has three special load error messages: INCORRECT STARTING ADDRESS, which means the file you're trying to load does not have the starting address you specified when you ran MLX; LOAD ENDED AT address, which means the file you're trying to load ends before the ending address you specified when you started MLX; and TRUNCATED AT ENDING AD-DRESS, which means the file you're trying to load extends beyond the ending address you specified when you started MLX. If you see one of these messages and feel certain that you've loaded the right file, exit and rerun MLX, being careful to enter the correct starting and ending addresses.

The QUIT menu option has the obvious effect—it stops MLX and enters BASIC. The RUN/STOP key is disabled, so the Q option lets you exit the

program without turning off the computer. (Of course, RUN/STOP-RE-STORE also gets you out.) You'll be asked for verification; press Y to exit to BASIC, or any other key to return to the menu. After quitting, you can type RUN again and reenter MLX without losing your data, as long as you don't use the clear workspace option.

The Finished Product

When you've finished typing all the data for an ML program and saved your work, you're ready to see the results. The instructions for loading and using the finished product vary from program to program. Some ML programs are designed to be loaded and run like BASIC programs, so all you need to type is LOAD "filename",8 for disk or LOAD "filename" for tape, and then RUN. Such programs will usually have a starting address of 0801 for the 64. Other programs must be reloaded to specific addresses with a command such as LOAD "filename", 8,1 for disk or LOAD "filename",1,1 for tape, then started with a SYS to a particular memory address. On the Commodore 64, the most common starting address for such programs is 49152, which corresponds to MLX address C000. In either case, you should always refer to the article which accompanies the ML listing for information on loading and running the program.

An Ounce Of Prevention

By the time you finish typing in the data for a long ML program, you may have several hours invested in the project. Don't take chances—use our "Automatic Proofreader" to type the new MLX, and then test your copy thoroughly before first using it to enter any significant amount of data. Make sure all the menu options work as they should. Enter fragments of the program starting at several different addresses, then use the Display option to verify that the data has been entered correctly. And be sure to test the Save and Load options several times to insure that you can recall your work from disk or tape. Don't let a simple typing error in the new MLX cost you several nights of hard

MLX For Commodore 64

- SS 10 REM VERSION 1.1: LINES 8 30,950 MODIFIED, LINES 4 85-487 ADDED
- EK 100 POKE 56,50:CLR:DIM IN\$, I,J,A,B,A\$,B\$,A(7),N\$
- DM 110 C4=48:C6=16:C7=7:Z2=2:Z 4=254:Z5=255:Z6=256:Z7= 127
- CJ 120 FA=PEEK(45)+Z6*PEEK(46) :BS=PEEK(55)+Z6*PEEK(56

-):H\$="0123456789ABCDEF"

 SB 130 R\$=CHR\$(13):L\$="{LEFT}"
 :S\$=" ":D\$=CHR\$(20):Z\$=
 CHR\$(0):T\$="{13 RIGHT}"
- CQ 140 SD=54272:FOR I=SD TO SD +23:POKE I,0:NEXT:POKE {SPACE}SD+24,15:POKE 78 8,52
- FC 150 PRINT"(CLR)"CHR\$(142)CH R\$(8):POKE 53280,15:POK E 53281.15
- E 53281,15

 EJ 160 PRINT T\$" [RED][RVS]

 {2 SPACES][8 @]

 {2 SPACES]"SPC(28)"

 {2 SPACES][0FF][BLU] ML

 X II [RED][RVS]

 {2 SPACES]"SPC(28)"

 {12 SPACES][BLU]"

 FR 170 PRINT"[3 DOWN]
- FR 170 PRINT"[3 DOWN]
 [3 SPACES]COMPUTEI'S MA
 CHINE LANGUAGE EDITOR
 [3 DOWN]"
- JB 180 PRINT"[BLK]STARTING ADD RESSE4]";:GOSUB300:SA=A D:GOSUB1040:IF F THEN18
- GF 190 PRINT"(BLK)[2 SPACES]EN
 DING ADDRESS[4]";:GOSUB
 300:EA=AD:GOSUB1030:IF
 {SPACE}F THEN190
- KR 200 INPUT"[3 DOWN][BLK]CLEA R WORKSPACE [Y/N]843";A \$:IF LEFT\$(A\$,1)<>"Y"TH EN220
- PG 210 PRINT"[2 DOWN][BLU]WORK ING...";:FORI=BS TO BS+ EA-SA+7:POKE I,0:NEXT:P RINT"DONE"
- DR 220 PRINTTAB(10)"[2 DOWN]
 [BLK][RVS] MLX COMMAND
 [SPACE]MENU [DOWN] [4]":
 PRINT T\$"[RVS] E[OFF] NTE
 R DATA"
- BD 230 PRINT T\$"[RVS]D[OFF]ISP LAY DATA":PRINT T\$" [RVS]L[OFF]OAD FILE"
- JS 240 PRINT T\$"[RVS]S[OFF]AVE FILE":PRINT T\$"[RVS]Q [OFF]UIT[2 DOWN][BLK]"
- JH 250 GET A\$:IF A\$=N\$ THEN250 HK 260 A=0:FOR I=1 TO 5:IF A\$= MID\$("EDLSQ",I,1)THEN A =I:I=5
- FD 270 NEXT:ON A GOTO420,610,6 90,700,280:GOSUB1060:GO TO250
- EJ 280 PRINT"[RVS] QUIT ":INPU T"[DOWN] [4] ARE YOU SURE [Y/N]"; A\$:IF LEFT\$ (A\$, 1) <> "Y"THEN220
- EM 290 POKE SD+24,0:END
- JX 300 IN\$=N\$:AD=0:INPUTIN\$:IF LEN(IN\$)<>4THENRETURN
- KF 310 B\$=IN\$:GOSUB320:AD=A:B\$ =MID\$(IN\$,3):GOSUB320:A D=AD*256+A:RETURN
- PP 320 A=0:FOR J=1 TO 2:A\$=MID \$(B\$,J,1):B=ASC(A\$)-C4+ (A\$>"@")*C7:A=A*C6+B
- JA 330 IF B<0 OR B>15 THEN AD= 0:A=-1:J=2
- GX 340 NEXT: RETURN
- RR 360 A=INT(AD/Z6):GOSUB350:A =AD-A*Z6:GOSUB350:PRINT ":";
- BE 370 CK=INT(AD/Z6):CK=AD-Z4* CK+Z5*(CK>Z7):GOTO390 PX 380 CK=CK*Z2+Z5*(CK>Z7)+A

Jump On The TENEX Express

No Gimmicks, No Hidden Charges, No Nonsense, Just Low Prices and Great Service!



DUST COVER & EVERYTHING BOOK

Discover the savings and easy shopping available from TENEX Computer Express PLUS receive a FREE dust cover for your C64, C128 or 64CI Cover is anti-static, 8-gauge vinyl sewn to our exacting standards with reinforced seams. Get to know our great products, extensive selection and fast service with a FREE copy of our Everything Book for Commodore Computing. (\$2.95 Shipping Charge)

31627 C-64 Dust Cover and Catalog 38464 C-128 Dust Cover and Catalog (G4N) (G4N) 65180 64C Dust Cover and Catalog (G4N)

From micro al ...

THE 39¢ DISKETTE!

Are you paying too much for diskettes? Try our first quality, prime, 5 1/4" diskettes (no rejects, no seconds) at these fantastic sale prices and save, save, SAVE! Disks are packaged in boxes of 50; including diskettes in sleeves, labels, and write-protect tabs.

Each diskette is certified to be 100% error free and comes with a lifetime warranty (if you have a prob-lem, we'll replace the diskette). All diskettes include hub reinforcement rings and write-protect notch.

All diskettes are double density and work in either single or double density drives.

SS, DD Diskettes, Box of 50

32391 \$19.50 - 39¢ ea.!

DS, DD Diskettes, Box of 50

\$24.50 - 49¢ ea.! 32403

Super Deal On Diskette Storage!



Only \$9.95

- A whopping 100 disk (5 1/4") capacity.
 Lock and keys for extra security and easy
- carrying.

66826

- Includes 8 index dividers with labels for organization of filing and retrieval.
- Made of durable anti-static, high impact plastic.
- Attractive smoked color lid.

Sug. Retail \$19.95 **NOW ONLY \$9.95**

Hardware Specials

EDG & DU L DU	*****	Epyx 500XJ Joystick	\$15.95
FDS-2 Disk Drive	\$159.00		V. C. S. C. C. C. S. S. S. C. C.
Excel 2001 Disk Drive	\$209.00	Star NX-1000	\$CALL
13-inch Color Monitor	\$159.95	Star NX-1000C	\$CALL
Pow'r Pak 64	\$39.95	Star NX-Rainbow Color Printer	\$CALL
Pow'r Pak 128	\$59.95	NEW! Commodore 128D Computer	\$CALL
Okidata 180 Printer	\$224.95	Commodore 1571 Disk Drive	\$CALL
Okidata 120 Printer	\$189.95	Commodore 1581 Disk Drive	\$CALL
Okimate 20 Color Printer	\$124.95	Commodore 2002 Monitor	\$CALL
Seikosha SP-180VC	\$149.95	Commodore 1351 Mouse	\$33.95
Seikosha SP-1000VC	\$189.95	1750 RAM Expansion-	
Super Graphix	\$59.95	512 K Cartridge, C128	\$179.95
Super Graphix Jr.	\$44.95	1764 RAM Expansion-	
Super Graphix Gold	\$CALL	256K Cartridge, C64	\$124.95
IconTroller	\$17.95	C128 Computer System	\$CALL

Software Specials

GEOS-64	\$39.95	GEOS-128	\$49.95
geoPublish	\$44.95	geoFile	\$32.95
geoCalc	\$32.95	Writier's Workshop-64	\$32.95
Deskpack	\$24.95	Writer's Workshop-128	\$49.95
Basic 8	\$33.95	Echelon	\$26.95
	Free! 52 "Page Everything	ng" Book With Any Order!	

Unleash The Power of On Your C128!



\$22.95

Includes Free CP/M Programs

· Word Processor · Disk Utilities · Communications

CP/M Kit includes a helpful guide to using CP/M such as: stressing the unique features of Commodore's CP/M, using your 1541 or 1571 drive with CP/M, and using your modem to access electronic bulletin boards that offer free, downloadable software

67392 2 Disks & Manual for C128

THE BEST PRICES*

THE BEST SERVICE

WHY SHOP

ANYWHERE ELSE?

\$22.95

FSD-2 Disk Drive



Reviewed by RUN Magazine:

...higher-than-average quality...10% faster than a 1541...half the size...you can rest as-sured that the FSD-2 will do a fine job for you."

Runs all C64 Commercial Software Full 1 Year Warranty.

Disk Drive

\$159 \$6.95!

THE FAMOUS SLIK STIK"

The Slik Stik™ has been a favorite for years... and for good reason. It's just the right combination of responsiveness and accuracy. And the price can't be beat! From Suncom. 90 day warranty. Connects directly to Commodore Computers.

42086



From Your Friends At



We gladly accept mail orders! P.O. Box 6578

South Bend, IN 46660

G4N Questions? Call 219/259-7051

Shipping Charges Order Amount

\$300.00 & up

Charge \$3.75 less than \$20.00 4.75 \$20.00-\$39.99 5.75 \$40,00-\$74,99 \$75 00-\$149.99 6.75 \$150.00-\$299.99



NO EXTRA FEE FOR CHARGES

WE VERIFY CHARGE CARD ADDRESSES

ORDER TOLL FREE 1-800-348-2778

COMMCOORE 64 is a registered trademark; and COMMCOORE 128 is a trademark of Commodore Electronics, Ltd. APO, FPO, AK, HI, CN, VI, GU, and foreign orders are subject to additional shipping charges. NOTE: Due to publishing lead-times, product prices and specifications are subject to change without notice.

Ad

INDIANA ORDER LINE

1-800-225-6838

	1	
JC		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
QS	400	
999	999	843";:GOSUB300:IF IN\$<>
900	999	N\$ THEN GOSUB1030:IF F
		(SPACE JTHEN400
EX	2223	
HD	420	
	mn	[SPACE]":GOSUB400:IF IN
m_{2}	ma	\$=N\$ THEN220
	430	
SK	440	
mn	1990	THEN PRINT INS : PRINT"
	mn	[UP][5 RIGHT]";
GC	450	
999)	93 (A)	=S\$:FOR J=1 TO 2:IF F T
	900	HEN BŞ=MIDŞ(INŞ,I+J,1)
HA	460	
	1144	24THEN PRINT"[OFF]";
HD	クリンス・アン	GET AS:IF AS=NS THEN470
FK	480	
		\$> "@"ANDA\$ < "G") THEN540
GS	485	A=-(A\$="M")-2*(A\$=",")- 3*(A\$=".")-4*(A\$="/")-5
		3^(A\$=".")-4*(A\$="/")-5
100	486	*(A\$="J")-6*(A\$="K")
	7400	A=A-7*(A\$="L")-8*(A\$=": ")-9*(A\$="U")-10*(A\$="I
989	9000	")-11*(A\$="0")-12*(A\$="
9992		P")
CM	487	************************************
9977	11111	N A\$=MID\$("ABCD123E456F
999	998	0",A,1):GOTO 540
MP	490	
999	1000	=1)OR F)THEN PRINT B\$;:
ana a	966	J=2:NEXT:I=24:GOTO550
KC	500	
	1777	NT B\$:J=2:NEXT:I=24:NEX
	1000	T:F=0:GOTO440
MX	510	
1911	100 m	ENPRINT RSLS . : GOTO540
GK	520	ENPRINT B\$L\$;:GOTO540 IF A\$<>L\$ AND A\$<>D\$ OR
		((I=0)AND(J=1))THEN GOS
9994		UB1060:GOTO470
HG	530	A\$=L\$+S\$+L\$:PRINT B\$L\$;
MM)	1969)	:J=2-J:IF J THEN PRINT
m)	990	[SPACE]L\$;: I=I-3
QS	540	
9799	1999	[SPACE]SS;
PM	550	NEXT I: PRINT: PRINT" [UP]
m	mo	[5 RIGHT]";:INPUT#3,INS
908	ma	:IF INS=NS THEN CLOSE3:
		GOTO220
QC	560	FOR I=1 TO 25 STEP3:BS=
	9360	MID\$(IN\$,I):GOSUB320:IF
	1630s	I <25 THEN GOSUB380:A(I
1311	9990	/3)=A
PK	570	NEXT: IF A <> CK THEN GOSU
1999	999	B1060:PRINT"[BLK][RVS]
	mn	[SPACE]ERROR: REENTER L
989		INE 843":F=1:GOTO440
HJ	580	GOSUBL080:B=BS+AD-SA:FO
		R I=Ø TO 7:POKE B+I,A(I
ann.	966):NEXT
QQ	590	AD=AD+8:IF AD>EA THEN C
	9999	LOSE3:PRINT"[DOWN][BLU]
990	409D	** END OF ENTRY ** [BLK]
	999	[2 DOWN]":GOTO700
GQ	600	F=Ø:GOTO440
QA	610	
4339	1991	[SPACE] DISPLAY DATA ":G
1660	6/66	OSUB400:IF INS=NS THEN2
1111	994	20
RJ	620	PRINT " [DOWN] [BLU] PRESS:
1186	1866	[RVS]SPACE[OFF] TO PAU
18/11	11/11	SE, [RVS]RETURN[OFF] TO
11111	11/1/1	BREAK [4] [DOWN]"
KS	630	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TO THE PERSON NAMED IN COLUMN T
11111	MARK	I=BTO B+7:A=PEEK(I):GOS
13/11	MAG	UB350:GOSUB380:PRINT S\$
(1881)	35566	A T (CONTRACTOR AND

SA 488 FRINT" [DOWN]STARTING AT	JC	390	CK=CK+Z5*(CK>Z5):RETURN			ENPRINT" [DOWN] [BLU] ** E
SUBJBBBS:GOTO228 SUBJBBB:GOTO228 SUBJBB:GOTO228 SUBJB:GOTO248 SUBJB	QS	400		V.C	660	
EX 418 RETURN 10 428 PINIT" [RVS] ENTER DATA			N\$ THEN GOSUBLØ30:IF F	, C	000	マンストランストンドルティント・アント・アントルディスティストリントラス
### 18	EX	410		EQ	67Ø	
SASS THENZED			PRINT"[RVS] ENTER DATA			ONFGOTO630,660,630
The composition of the composi	999		ENDRED EN LE	CM	69Ø	
THEN PRINT INSIPRINT" [UP15 FOR 1=8 TO 24 STEP 3] BY SIFOR J=1 TO 21 FF THEN BES-FOR J=1 TO 25 STEP3 J-1 T			OPEN3,3:PRINT	700		
CC-456 FOR 1=8 TO 24 STEP 3188	SK	440		PC	700	
### ### ### ### ### ### ### ### ### ##	90	999		RX	710	
HEN BS=MLDS(INS, I-J, I) 1	GC	450			94	
HA 460 PRINT" [CVS]" BSIS; IF IT 2	98	99		PR	720	
Ha 470 GET AS; IF AS=NS THENA70 FR 480 FI(AS)* 79ANDAS(***)* 70CA S 80 768 780	HA	460			900	[RVS]T[OFF]APE OR [RVS]
The content of the	HD	470		FP	730	
GS 465 A=-(AS=-M*)-2*(AS=-M*)-3*(AS=-M*)-4*(AS=-M*)-5* *(AS=-M*)-4*(AS=-M*)-5* *(AS=-M*)-6*(AS=-K*)-6* *(AS=-M*)-1-6*(AS=-K*)-6* *(AS=-M*)-1-6*(AS=-K*)-6* *(AS=-M*)-1-6*(AS=-K*)-6* *(AS=-M*)-1-10*(AS=-K*)-6* *(AS=-M*)-1-10*(AS=-K*)-6* *(AS=-M*)-1-10*(AS=-K*)-1-10*(AS=	B. B. S. S. S.		IF(A\$>"/"ANDA\$ <":")OR(A		um)	INT "T [DOWN] ": GOTO880
3*(AS=".")-4*(AS="/")-5	GS	485				
Sq. 486			3*(A\$=".")-4*(A\$="/")-5		מכו	,15, "IØ: ":B=EA-SA:IN\$="
")-9*(A\$="U")-10*(A\$="I") ")-11*(A\$="O")-12*(A\$="I") ")-11*(A\$="O")-12*(A\$="I") ")-11*(A\$="O")-12*(A\$="I") ")-11*(A\$="O")-12*(A\$="I") "P") CM 487 A=A-13*(A\$=S\$) IF A THE N A\$=MID\$("ABCD123E456F) (B",A,1):GOTO 540 MP 496 IF A\$=R\$ AND((1=0)AND(J) =1)OR F)THEN PRINT B\$:; J=2:NEXT:1=24:GOTO550 KC 580 IF A\$="(HOME)" THEN PRINT N B\$:J=2:LNEXT:1=24:HEX T:P=0:GOTO446 MX 510 IF (A\$="(RIGHT)")ANDF TH ENPRINT B\$L\$;:GOTO540 GK 521 IF A\$<\sqrt{RIGHT}")ANDF TH ENPRINT B\$L\$;:GOTO540 GK 522 IF A\$<\sqrt{RIGHT}")ANDF TH ENPRINT B\$L\$;:GOTO540 GK 523 IF A\$<\sqrt{RIGHT}")ANDF TH ENPRINT B\$L\$;:GOTO540 GK 524 IF A\$<\sqrt{RIGHT}")ANDF TH ENPRINT B\$L\$;:GOTO540 GK 525 A\$=L\$=S\$+L\$-L\$-L\$-L\$-L\$-L\$-L\$-L\$-L\$-L\$-L\$-L\$-L\$-L	EX	486	*(A\$="J")-6*(A\$="K") A=A-7*(A\$="L")-0*(A\$=".			
1			")-9*(A\$="U")-10*(A\$="I	SQ	760	
CH 487 A=A-1.3*(AS=SS) 1IF A THE N AS=MIDS("ABCD123455F" O'A,1):GOTO 540	999	200		FJ	770	AH=INT(SA/256):AL=SA-(A
N A\$=MID\$("ABCD123E456F	CM	487	***********************************	99)		
MP 496		MIII.		PE	78Ø	FOR I=0 TO B:PRINT#1,CH
=1,0R F)THEN PRINT B\$; J=2:NEXT:1=24:GOTO558 KC 508 IF A\$="{HOME}" THEN PRI NT B\$:J=2:NEXT:1=24:NEX T:F=0:GOTO440 MX 510 IF (A\$="{RIGHT}") ANDF TH ENFINT B\$L\$;:GOTO540 GK 528 IF A\$<-L\$ AND A\$<-D\$ OR (I=0)AND(J=1)) THEN GOS UB1666:GOTO470 HG 530 A\$=L\$+B\$+L\$:PRINT B\$L\$; i=2-0-itF J THEN PRINT [SPACE]L\$;:I=I-3 OS 540 PRINT A\$;:NEXT J:PRINT [SPACE]S\$; PM 550 NEXT 1:PRINT*[UB] [5 RIGHT]",:IMPUT\$,INF [6	MP	490			999	
KC 500 IF A\$="{HOME}" THEN PRI NT 8\$:J=2:NEXT:I=24:NEX T:F=0:GOTO440				FC	790	NEXT: CLOSE1: CLOSE15:GOT
NT B\$:J=2:NEXT:I=24:NEX	кс	500	アルアイルギスド セク・センス・クグラン レン・ラウン スピア さいにったかんだんだん	GS.	800	*********************************
MX 510 IF (AS="[RIGHT]")ANDF TH ENPRINT B\$L\$;:GOTO540 GK 520 IF AS<-L\$ AND AS<-D\$ OR ((I=0)AND(J=1))THEN GOS UB1060:GTO470 AS AS=L\$+S\$+L\$:PRINT B\$L\$; iJ=2-J:IF J THEN PRINT [SPACE]L\$;:I=1-3 GS 540 PRINT A\$;:NEXT J:PRINT [UP] [S RACE]L\$;:I=1-3 GS 540 PRINT A\$;:NEXT J:PRINT [UP] [S RACE]L\$;:I=1-3 GS 540 PRINT A\$;:NEXT J:PRINT [UP] [S RIGHT]";:INPUT#3,IN\$; iIF IN\$=N\$ THEN CLOSE3: GOTO220 GC 560 FOR I=1 TO 25 STEP3:H\$= MID\$(IN\$,I):GOSUB320:IF I (25 THEN GOSUB380:A(I A)=A (IN\$ [NEXT]:FA-CK THEN GOSUB1060:PRINT [ELK] [RVS] [SPACE]ERROR: REENTER L INE [E42]":FFI:GOTO440 GR RIGHT [EACH OF ENTRY ** [ELK] [2 DOWN]":GOTO700 GR PRINT [DOWN][BLU] ** END OF ENTRY ** [ELK] [2 DOWN]":GOTO700 GR PRINT [DOWN][RVS] [SPACE]DISPLAY DATA ":G OSUB400:IF IN\$=S\$ THEN C LOSE3: CLOSE]:CLO						*****************************
SUBBEGG: IF A S > LIS AND A S < DS OR ((1=0)AND(J=1))THEN GOS UB1060:GCTO470	MV	510		MX	910	
GK 528 IF A\$<\cdress{S} AND A\$<\cdress{S} OR ((1=0)AND(J=1))THEN GOS UB1866:GCTO470 HG 538 A\$=L\$+\$\$+L\$+RINT B\$L\$; ;J=2-J:IF J THEN PRINT {SPACE}L\$;:1=I-3 QS 548 PRINT A\$;:NEXT J:PRINT {SPACE}L\$;:1=I-3 QS 548 PRINT A\$;:NEXT J:PRINT {SPACE}L\$;:1=I-3 QS 548 PRINT A\$;:NEXT J:PRINT {UP} {SPACE}S\$; PM 558 NEXT I:PRINT:PRINT"{UP} {S RIGHT}";:INPUT#3,IN\$; if IN\$=NS THEN CLOSE3: GCTO220 QC 568 FOR I=1 TO 25 STEP3:B\$= MLD\$(IN\$,I):GOSUB320:IF I <25 THEN GOSUB380:A(I			ENPRINT B\$L\$; :GOTO540	100	BLU	
UB1868:GCTO470 HG 530 A\$=L\$+S\$+L\$;PRINT B\$L\$;	GK	520	IF A\$<>L\$ AND A\$<>D\$ OR	GE	820	GET#1,A\$,B\$:AD=ASC(A\$+Z
RX 838 FOR I=0 TO B:GET#1,AS:POKE B:J=2-J:IF J THEN PRINT [SPACE]LS::I=I-3	999			999		
SPACE L\$;:I=I-3	HG	530		RX	830	FOR I=0 TO B:GET#1,A\$:P
S 540 PRINT A\$;:NEXT J:PRINT SPACE S\$; PM 550 NEXT I:PRINT*PRINT* S	999	799)		398		
FO	QS	540	PRINT AS; :NEXT J:PRINT			=I:I=B
S RIGHT ",:INPUT 3,INS 1 I INS = NS THEN CLOSE3: GOTO220	PM	550		111111	100000	スンシステスにももせいはんかいますがまれがいるステスティックにようさん
QC 566 FOR I=1 TO 25 STEP3:B\$= MID\$(IN\$,I):GOSUB320:IF I <25 THEN GOSUB380:A(I	999		[5 RIGHT]";:INPUT#3,IN\$	030	911)	>0)+1 GOTO960,970
QC 560 FOR I=1 TO 25 STEP3:B\$= MID\$(IN\$,I):GOSUB320:IF I <25 THEN GOSUB380:A(I) 3)=A PK 570 NEXT:IF A<>CK THEN GOSU Bl060:PRINT"[BLK] {RV\$} {RV\$} {SPACE} PERFOR: REENTER L LOSE3:PRINT" {DWN} {BLU} ** END OF ENTRY **{BLK} {RV\$} {SPACE} DISPLAY DATA **:G OSUB400:IF IN\$=N\$ THEN2 20 RJ 620 PRINT"[DWN] {BLU} PRESS: {RV\$} RV\$ PREAK \$4\$ [DWN] ** RJ 620 PRINT"[DWN] {BLU} PRESS: {RV\$} RV\$ PRINT" {DWN} {BLU} PRESS: {RV\$} RV\$ PRINT ** PRI	900			SA	860	
T	QC	560	FOR I=1 TO 25 STEP3:B\$=	99)	999)	
Solution	900		MID\$(IN\$,I):GOSUB320:IF	600	070	マストア ヒセグ・アン レルトアング ウェング スクライン ラフィン・フィック コンティ
187,PEEK(FA+3):POKE188, PEEK(FA+3):POKE188, PEEK(FA+4):IFOP=ØTHEN92 SPACE ERROR: REENTER L			(3)=A			
[SPACE]ERROR: REENTER L INE [44]":F=1:GOTO4400 HJ 580 GOSUBL0808:B=BS+AD-SA:FO R I=0 TO 7:POKE B+I,A(I):NEXT QQ 590 AD=AD+8:IF AD>EA THEN C LOSE3:PRINT"[DOWN][BLU] ** END OF ENTRY **{BLK}} [2 DOWN]":GOTO7000 QA 610 PRINT"[CLR][DOWN][RVS] [SPACE]DISPLAY DATA ":G OSUB400:IF INS=NS THEN2 20 RJ 620 PRINT"[DOWN][BLU]PRESS:	PK	570			990	187, PEEK (FA+3): POKE188,
MD S88 GOSUB1888:B=BS+AD-SA:FO R I=Ø TO 7:POKE B+I,A(I):NEXT SPACE FOUND I:GOTO69Ø SPACE		999		900		*******************************
R I=Ø TO 7:POKE B+I,A(I):NEXT QQ 59Ø AD=AD+8:IF AD>EA THEN C LOSE3:PRINT"{DOWN}{BLU} ** END OF ENTRY **{BLK} {2 DOWN}":GOTO7ØØ GQ 6ØØ F=Ø:GOTO44Ø QA 61Ø PRINT"{CLR}{DOWN}{RVS} {SPACE}DISPLAY DATA ":G OSUB4ØØ:IF IN\$=N\$ THEN2 2Ø RJ 62Ø PRINT"{DOWN}{BLU}PRESS: {RVS}SPACE{OFF} TO PAU SE, {RVS}RETURN(OFF} TO BREAK\${4}{DOWN}" KS 63Ø GOSUB36Ø:B=BS+AD-SA:FOR I=BTO B+7:A=PEEK(I):GOS UB35Ø:GOSUB3Ø:PRINT S\$; ; CC 64Ø NEXT:PRINT"{RVS}"::A=CK LOSE3:PRINT"{BUON}{BLU} SOUB35Ø:PRINT T"{DOWN}{RVS}FILE NOT {SPACE}FOUND ":GOTO69Ø AD=PEEK(829)+256*PEEK(8 30):IF AD<>SA THEN F=1: GOTO97Ø SC 91Ø AD=PEEK(831)+256*PEEK(83 2)-1:F=F-2*(A <ea)-3*(a> EA):AD=A-AD:GOTO93Ø KM 92Ø A=SA:B=EA+1:GOSUB1ØIØ:P OKE78Ø,3:SYS 63338 JF 93Ø A=BS:B=BS+(EA-SA)+1:GOS UB1ØIØ:ON OP GOTO95Ø:SY SAVE COMPLETED **":GOT O22Ø XP 95Ø POKE147,Ø:SYS 63562:IF {SPACE}ST>Ø THEN97Ø GOSUB1Ø8Ø:PRINT"{BLU}** LOAD COMPLETED **":GOT O22Ø</ea)-3*(a>				HJ	890	
SPACE FOUND GOTO690	HU	280		m	m	T"[DOWN][RVS] FILE NOT
LOSE3:PRINT"{DOWN}{BLU} ** END OF ENTRY **{BLK} {2 DOWN}":GOTO700 GO 600 F=0:GOTO400 QA 610 PRINT"{CLR}{DOWN}{RVS} {SPACE}DISPLAY DATA ":G OSUB400:IF IN\$=N\$ THEN2 20 RJ 620 PRINT"{DOWN}{BLU}PRESS: {RVS}SPACE{OFF} TO PAU SE, {RVS}RETURN(OFF} TO BREAK\$4}[DOWN}" KS 630 GOSUB360:B=BS+AD-SA:FOR I=BTO B+7:A=PEEK(I):GOS UB350:GOSUB380:PRINT S\$; CC 640 NEXT:PRINT"{RVS}"::A=CK **GOSUB350:PRINT" ** END OF ENTRY **{BLK} GOTO970 SC 910 A=PEEK(831)+256*PEEK(83 2)-1:F=F-2*(A <ea)-3*(a> EA):AD=A-AD:GOTO930 KM 920 A=SA:B=EA+1:GOSUB1010:P OKE780,3:SYS 63338 JF 930 A=BS:B=BS+(EA-SA)+1:GOS UB1010:ON OP GOTO950:SY SAVE COMPLETED ***:GOT O220 XP 950 POKE147,0:SYS 63562:IF {SPACE}ST>0 THEN970 FR 960 GOSUB1080:PRINT"{BLU}** LOAD COMPLETED ***:GOT O220</ea)-3*(a>):NEXT			{SPACE}FOUND ":GOTO690
** END OF ENTRY **(BLK)	QQ	590	AD=AD+8:IF AD>EA THEN C LOSE3:PRINT"[DOWN][BLII]	CS	900	
QQ 600 F=0:GOTO440 QA 610 PRINT"[CLR]{DOWN}{RVS}	990	999)	** END OF ENTRY ** [BLK]		00	GOTO97Ø
QA 610 PRINT"[CLR][DOWN][RVS]	GO	600		SC	910	
OSUB400:IF IN\$=N\$ THEN2			PRINT"[CLR][DOWN][RVS]			
20 RJ 620 PRINT"[DOWN][BLU]PRESS:	999			KM	920	
[RVS]SPACE[OFF] TO PAU S 63591 SE, [RVS]RETURN[OFF] TO BREAKE4][DOWN]" KS 630 GOSUB360:B=BS+AD-SA:FOR I=BTO B+7:A=PEEK(I):GOS UB350:GOSUB380:PRINT S\$ {SPACE}ST>0 THEN970 FR 960 GOSUB1080:PRINT BLU]** CC 640 NEXT:PRINT"[RVS]"::A=CK :GOSUB350:PRINT" CO220		900		JF	930	
SE, [RVS]RETURN[OFF] TO BREAK[4][DOWN]" KS 630 GOSUB360:B=BS+AD-SA:FOR I=BTO B+7:A=PEEK(I):GOS UB350:GOSUB380:PRINT S\$; ; CC 640 NEXT:PRINT"[RVS]"::A=CK :GOSUB350:PRINT SAVE COMPLETED **":GOT O220 XP 950 POKE147,0:SYS 63562:IF {SPACE}ST>0 THEN970 FR 960 GOSUB1080:PRINT"[BLU]** LOAD COMPLETED **":GOT O220	RJ	620		99		
BREAK \$43 [DOWN] " SAVE COMPLETED **": GOT O220		MAN.	SE, [RVS]RETURN[OFF] TO	AE	940	GOSUB1080:PRINT"[BLU] **
I=BTO B+7:A=PEEK(I):GOS	1	620	BREAK [4] [DOWN]"			
UB350:GOSUB380:PRINT S\$ {SPACE}ST>0 THEN970 ; FR 960 GOSUB1080:PRINT"{BLU}**		030		XP	950	
CC 640 NEXT:PRINT"[RVS]";:A=CK LOAD COMPLETED **":GOT :GOSUB350:PRINT 0220				900	9091	{SPACE}ST>Ø THEN970
:GOSUB350:PRINT 0220	cc	640	NEXT:PRINT"[RVS]"::A=CK	ER	966	
THE OUT T-IND-ADTRIFF ADVEA TH DP 9/8 GOSUBLEON:PRINT"(BLK)	No.		:GOSUB350:PRINT			0220
		1000	T-11AD-AD+811F AD>EA TH	OP	9/6	GOSOBIAON: LKINI, [BTK]

					-
		[RVS]ERRO			
\mathscr{D}		(DOWN) E43 0,990,100	:ON	0220	0898
	2	PP 980 PRINT"INC	ORREC	T STA	
		G ADDRESS PRINT")":	PETTIE	GOSUB N	360:
	2	GR 990 PRINT LOA	D END	ED AT	966
90		AD=SA+AD: D\$:RETUR	GOSUB N	360 : P	RINT
9//	h	FD 1000 PRINT"TR	UNCAT	ED AT	END
		ING ADDR RX 1010 AH=INT(A			
7/	Z	*256):PO			
	Ź	94,AH FF 1020 AH=INT(B	10561		
	8	*256):PO	KE174	AL: P	OKEL
8		75, AH: RE	TURN		999
		FX 1030 IF AD <sa 1050</sa 	OR A	D>EA	THEN
		HA 1040 IF (AD>51			
)OR(AD>4 248)THEN			
	8	: RETURN			m
8	8	HC 1050 GOSUBL06 {SPACE}I			
9	8	{DOWN}{	BLK}"	:F=1:	RETU
	8	AR 1060 POKE SD+	5.31.	POKE	SD46
	S	,208:POK	E SD,	240 : P	OKE
	2	{SPACE S 4,33	D+1,4	:POKE	SD+
	Z	DX 1070 FOR S=1	TO 10	.NEX	T:GO
8		TO1090	5 0 - D	OVE C	DAG
	PF 1080 POKE SD+5,8:POKE SD+6, 240:POKE SD,0:POKE SD+				
	1,90:POKE SD+4,17				
9	AC 1090 FOR S=1 TO 100:NEXT:PO KE SD+4.0:POKE SD.0:PO				
9	KE SD+1,0:RETURN				
8				MAN	0
8					
		COLOR RIBBO	ONS 8	PAI	PER
		COLOR RED, RIBBONS BROWN,	BLUE		REEN,
		Ribbons Price Each	Black	Color	Heat
					Transfe
		Apple Imagewriter I/II	3.75	4.50	6.50 7.95
1			5.75		
1	Commodore MPS 802 6.00 6.75 -		-		
			4.95 3.95	5.95 4.95	7.00 6.75
	Commodore MPS 1200		5.00	6.00	7.95
8		Commodore 1525 6.00			
8	0111 1001100 0 7.50		4.50		
1		Panasonic KX-P 1090	6.75	7.75	-
9			7.95		
		Star SG 10 Star NX10/NL10	1.75	2.25 6.00	4.50 7.95
		COLOR	STATE OF THE PARTY		
8		BRIGHT PACK - 200 Sheets/50 each color: Red,			
		Blue, Green, Yellow. 9 1/2 × 11 - \$10.90/pk. PASTEL PACK-200 Sheets/50 each color: Pink,			
825		Vallow Rive Ivony 9 1/2			0.90/04

Yellow, Blue, Ivory. 9 1/2 x 11 - \$10.90/pk.

T-SHIRT RIBBONS (Heat Transfer) - Call For Price.

COLOR DISKETTES

5 1/4" DS/DD Rainbow Pack. 10/pack - \$12.50

For ribbons & paper not listed above, call for price & avail. Price & spec. subject to change w/o notice. Min. order \$25.00. Min. S & H \$3.50. Add \$2.25 C.O.D. add'l. IL res. add 6.25% tax. MC & Visa accepted.

RENCO COMPUTER PRINTER SUPPLIES P.O. Box 475, Manteno, IL 60950 U.S.A. 1-800-522-6922 • (IL) 1-800-356-9981 815-468-8081



Customer Service 305-538-1364

S & S Wholesalers, Inc.

226 Lincoln Road . Miami Beach, Florida 33139

Dealer & Institutional Accts. 1-800-331-7054

SALES 1-800-233-6345

(Commodore . 64C COMPUTER



129.90*

*WITH THE PURCHASE OF SPECIAL SOFTWARE PACKAGE

STAR MICRONICS PRINTER

- 80 COLUMN PRINTER
- FULL GRAPHICS CAPABILITY
- 100% COMMODORE COMPATIBLE
- 1 YEAR WARRANTY

PANASONIC 1081	II 149.00*	OKIDATA 180	224.00
PANASONIC 1091	11169.00*	STAR NX1000	149.00*
PANASONIC 3131	249,∞•	ESPON LX800	189.∞*
PANASONIC 1524	569.00*	EPSON FX286E	479.00
OKIMATE 20	119.00*	EPSON EX800	CALL
OKIDATA 120	179.00*	HW-10	99.00*
AUDITU DE	10011401		

"1670" CLONE 1200 BAUD MODEM

DIRECT CONNECT WITH SOFTWARE 89.90

COMMODORE


300 BAUD DIRECT CONNECT MODEM

19.90

5¼" DSDD DISKETTES

19¢ 100% CERTIFIED & GUARANTEED *MIN. 50 W/PURCHASE OF DISK FILE

Czcommodore · 128-D WORD PROCESSING SYSTEM



629.90

- Commodore 128-D Computer w/ built-in 360K double sided disk drive
- Hi Resolution 80 column monitor w/cable
- 80 Column High Speed Graphics Printer with interface & cables
- Word Processing & Database Software

1750 RAM EXPANDER 169.90

6 OUTLET SURGE PROTECTOR 18.90 C64 POWER SUPPLY 28.90

COLOR MONITOR



139.90.

*With Purchase of Blare Guard

CALL

(commodore · PC



CALL

HI RESOLUTION MONOCHROME MONITOR

40/80 Column Display



20.97

89.90

BERKLEY SOFTWORKS

GEOS	34.90
GEOS 128	41.97
GEO PUBLISH	41.97
GEOPROGRAMMER	41.97
DESK PAK - 1	14.97
FONT PAK - 1	14.07
GEO - DEX	14.97
DESK PAK II	CALL
GEOWRITE	29.01
GEOCALC	
GEOFILE	29.97
DESK PAK II GEOWRITE GEOCALC	CALL

ACCESS

ECHELON	26.
MACH 128	29.
MACH 5	20.
LEADERBOARD	23.
TRIPLE PAK	11.
WORLD CLASS LEADERBOARD	23.

SUBLOGIC/ACTION SOFT

	,	
FLIGHT SIMULA THUDER CHOP	PER	32
UD PERISCOPE SCEIVERY DISK		17
JET DISK		25

DADAEAST

BREAK THROUGH	
COMMANDO	
IKARI WARRIOR	
KUNG FU FASER	
TAG TEAM WRESTLING	

BRODERBUND

IS CARMEN SAN DIEGO PRINTSHOP COMPANIO BANK ST. WRITER
TIMEWORK
WORDWRITER 128 I

KARATEKA WHEDE IN THE U.S.A

PRINTSHOP

PARTNER 128 SWIFTCALC 128 DATAMANAGER 128 DESKTOP PUBLISHER

ACCOLADE DAMBUSTERS FIGHT NIGHT 4th & INCHES SPY US SPY KILLED UNTIL DEAD

DIGITAL SOLUTIONS

POCKET	DICTIONARY
POCKET	WRITER II
POCKET	FILER II
POCKET	PLANNER II
SUPERPA	CKII

GAMESTAR

28.77

28.77

20.°′ 20.°′ 17.′′ 17.′′

CHAMPIONSHIP BASEBALL CHAMPIONSHIP FOOTBALL STAR RANKBOXING TOP FUEL ELIMINATOR

SOFTWARE

26.97	EPYX	
23.97 23.97 29.97	CALIFORNIA CAMES CHAMPIONSHIP WRESTLING FAST LOAD RAD WARRIOR STREET SPORTS WINTER GAMES WORLD GAMES	23.77 23.77 23.77 17.77 23.77 23.77 23.77
24.90	ELECTORNIC ARTS	
24.®	ADVENTURE CONST. AMNESIA ARTIC FOX BAROS TALE II	11." 24." 24." 24."

	ARTIC FOX	24,77
	BAROS TALE II	24.77
00	CHESSMASTER 2000	24.77
77	DRAGONS LAIR	19.77
n	HOME PAK	14.97
77	FINANCIAL COOKBOOK	12.77
12	INSTANT MUSIC	20.11
11	MULE	11.77
75	LEGACY OF THE ACIENTS	20.77
	MARBLE MADNESS	19.77
	ULTIMA I/III/IV	CALL
7	SKY FOX II	CALL
7	PAPERCLIP	18.97

PROGRESSIVE		
OBS TEAM PRO	29."	
UPERSCRIPT	29.77	
SUPERBASE 64	47.77	
UPERBASE 128	52.77	
SUPERSCRIPT 128	52."	

MICROPROSE

AIRBORNE RANGER

CONFLICT IN VIETNAM F15 STRIKE EAGLE	23.97	CLOSEOU	
GUNSHIP PIRATES STEALTH FIGHTER SILENT SERVICE	20.°7 23.°7 23.°7 23.°7	HOME ACCOUNTANT PAPERCLIP II EASY SCRIPT	WA 74 79 69
MINDSCAPE		JANE 128 LOGO	69
BOP N WRESTLE DEFENDER OF THE CROWN GAUNTLET INDOORSPORTS KING OF CHICAGO PAPERBOY SDI	17." 20." 20." 20." 20." 20." 20." 20."	MS PAC MAN PAC MAN ZORK II ZORK III DEADLINE SUSPENDED	3454

FREE FREIGHT ON ORDERS OVER 1100.00 All prices reflect a 3% cash discount. Add 3% for credit card purchases. C.O.D. orders add $^{1}4.^{\infty}$ per box. Orders under $^{1}100.^{\infty}$ add $^{1}4.^{\infty}$ shipping and handling. Quantities on some items may be limited. Prices are subject to change without notice. APA. FPO add 6% additional shipping. Foreign orders actual freight charged. All sales are final. Return of defective merchandise for replacement only with authorization. Authorized returns are subject to a restocking fee. Complete listing of all sales policies available upon request. Florida residents add 6% sales tax.



LET YOUR COMPUTER KEEP TRACK OF YOUR TEAM'S BASEBALL STATS FOR YOU!

- EASY TO USE Menu driven clear screen directions · detailed user's manual · easy data entry · fast stats
- COMPREHENSIVE 23 player and 22 pitching stats inning box scores • totals, cums, averages, etc. calculated
 up to 30 players • unlimited games
- DETAILED PRINTED REPORTS Player rosters win/ loss records • game summaries • player, pitching and team cums • player and pitcher histories • and a lot more

We offer a 15-day money back guarantee, so don't delay. Call us with your Visa/Mastercard order or send us the coupon below with your check or MO. Program specs and details are available upon request, if you would like more information.

BBDB for Commodore 64/128	@ \$30.05		
BBDB for Apple IIe/IIc	@ \$49.95	\$_	
Shipping	& Handling	\$	2.50
□ Visa □ MC □ Chk/MO	Total	\$_	
No.	Exp. Da	te	
Tele: ()			
Name			
Address			
CityST	ZIP		

JACOBSEN SOFTWARE DESIGNS

Attn: Order - CPG 1590 E. 43rd Ave. Eugene. Oregon 97405 Phone: (503) 343-8030

COMMODORE SPECIAL



MW-350 PRINTER INTERFACE 2K BUFFER \$49.95 10K BUFFER \$59.95 SPECIAL 8K BUFFER UPGRADE

\$8..95 ROM UPGRADE FOR OLDER MW-350 1.9 ROM

CBM 64/128

C64C	\$169.00
	The section because
C1541C	\$175.00
1581 3.5 DRIVE	\$CALL
1351 MOUSE	\$35.00
C1660 MODEM	\$35.00
C1670 MODEM	\$SAVE
1764 RAM	\$115.00
1802C MONITOR	\$189.95
C128	\$CALL
C128D	\$435.00
1571 DISK	\$215.00
1700 RAM "128K"	\$105.00
1750 RAM "512K"	\$CALL

CBM 64 POWER SUPPLIES

REPAIRABLE NON-REPAIRABLE \$2.9.95

MW- 401 40/80 COLUMN 4 CABLE FOR THE CBM128 \$29.95 MW-232 RS 232 INTERFACE FOR 64/128 \$29.95

MW-611 UNIVERSAL I/O BOARD FOR THE C64/C128



BASEBALL

ROAD RACE

ALIENS

16 ANALOG INPUTS 16 DISCRETE OUTPUTS 1 ANALOG OUTPUT 1 EPROM SOCKET PROTOTYPING AREA

64 SOFTWARE

CHAMPIONSHIP \$14..95 \$14.95 **GHOSTBUSTERS \$14.95** \$14.95 ELECTON. ARTS CALL ALL OTHERS CALL

AMIGA 2000 BRIDGE BOARD MEMORY **EXTRA DRIVES** MONITOR AMIGA 500 MONITOR

AMIGA

CALI CALL CALL CALL CALL CALL CALI

MICRO WORLD ELECTRONIX SALES 1-800-288-8088 SUPPORT 303-988-5907 ALL PRICES SUBJECT TO CHANGE

Sick Disk Drive?

Use Physical Exam to adjust alignment, speed & stop position.



Illustrated manual supplies complete instructions to guide you in making neces-sary adjustments that are indicated by the test diskette. No special scopes or tools needed. Used by many repair shops and individuals to maintain disk drives. Easy to use.

Available for these Commodore Disk Drives 1541, 1571, 8050, 8250, 4040, SFD

1001. \$39.95 each

90 DAY WARRANTY on Refurbished GENUINE COMMODORE™ **Power Supplies** Power Supply \$19.95 *Return old supply\$ 3.00 Your Cost \$16.95 S & H \$ 3.50



Cardinal Software 14840 Build America Dr. Woodbridge, VA 22191 Info: (703) 491-6494



help

Write for catalog. All Commodore [™] & Amiga [™] products

IBM is a trademark of International Business Machines, Commodore is a trademark of Commodore Electronics LTD, Amiga is a trademark of Commodore Amiga , Inc.

BROTHER Daisy Wheel PRINTER \$189.00 PLUS Commodore computer or 100% IBM Compatible. BOLD, UNDERLINE, SUPER & SUB Ideal for Resumes, Letters & School Papers.

LETTER QUALITY

Diskette data loss has many causes. That's why Kao manufactures and tests every part of every diskette we sell.



..\$5.95

3.5" DISKETTES SS Boxed DS Boxed\$1.39 ea. HD Boxed\$3.21 ...

WE'VE GOT YOUR RIBBONS!
Apple Dot Matrix, Imagewriter #T437\$3.75 Apple Daisywheel #T479.....\$3.15 Diablo HY Type II #T471 (M/S)..... #T473 (Nylon).....\$3.25 Epson LQ800 #T517..... Epson LQ1000 #T519.... \$5.15 Epson LQ1500 #T466 \$4.15 IBM Proprinter Model 4201 #T445.....\$3.95 Okidata 120, Microline 182,192, 193 #T414...\$4.95

Prices are per ribbon, minimum 12 ribbons © 1988 GENERAL RIBBON CORP.

Panasonic KXP-1090 #T429.....

- ORDER NOW -

You get more for your money when you choose our high quality, trouble free, guaranteed ribbon!!

MINIMUM ORDER: \$25.00. S&H: Continental USA; \$4.00 first 100 or fewer disks; \$3.00, each succeeding 100 or fewer. \$2.00 Doz/Ribbons. Foreign Orders, APO/FPO require add'l shipping charge. MI Residents add 4% tax. COD, add \$4.00; payment with cash, certified check or money order. Prices subject to change.



Precision Data Products"

P.O. Box 8367, Grand Rapids, MI 49518 (616) 452-3457 • FAX: (616) 452-4914 COD COD

UNLEASH THE DATA ACQUISITION AND CONTROL POWER OF YOUR COMMODORE C64 OR C128. We have the answers to all your control needs.

NEW! 80-LINE SIMPLIFIED DIGITAL I/O BOARD



Create your own autostart dedicated controller without relying on disk drive.

- · Socket for standard ROM cartridge.
- 40 separate buffered digital output lines can each directly switch 50 volts at 500 mA.
- · 40 separate digital input lines. (TTL).
- I/O lines controlled through simple memory mapped ports each accessed via a single statement in Basic. No interface could be easier to use. A total of ten 8-bit ports.
- Included M.L. driver program optionally called as a subroutine for fast convenient access to individual I/O lines from Basic.
- Plugs into computer's expansion port. For both C64 & C128. I/O connections are through a pair of 50-pin professional type strip headers.
- Order Model SS100 Plus. Only \$119! Shipping paid USA. Includes extensive documentation and program disk. Each additional board \$109.

We take pride in our interface board documentation and software support, which is available separately for examination. Credit against first order. SS100 Plus, \$20. 641F22 & ADC0816, \$30.

OUR ORIGINAL ULTIMATE INTERFACE



- Universally applicable dual 6522 Versatile Interface Adapter (VIA) board.
- Industrial control and monitoring. Great for laboratory data acquisition and instrumentation applications.
- · Intelligently control almost any device.
- · Perform automated testing.
- Easy to program yet extremely powerful.
- Easily interfaced to high-performance A/D and D/A converters.
- Four 8-bit fully bidirectional I/O ports & eight handshake lines. Four 16-bit timer/counters.
 Full IRQ interrupt capability. Expandable to four boards.

Order Model 64IF22. \$169 postpaid USA. Includes extensive documentation and programs on disk. Each additional board \$149. Quantity pricing available. For both C64 and C128.

A/D CONVERSION MODULE

Fast, 16-channel, 8-bit, Requires above, Leaves all VIA ports available. For both C64 and C128. Order Model 64IF/ADC0816. Only \$69.

SERIOUS ABOUT PROGRAMMING?

SYMBOL MASTER MULTI-PASS SYMBOLIC DISASSEMBLER. Learn to program like the experts! Adapt existing programs to your needs! Disassembles any 6502/6510/ undoc/65C02/8502 machine code program into beautiful source. Outputs source code files to disk fully compatible with your MAE, PAL, CBM, Develop-64, LADS, Merlin or Panther assembler, ready for re-assembly and editing. Includes both C64 & C128 native mode versions. 100% machine code and extremely fast. 63-page manual. The original and best is now even better with Version 2.1! Advanced and sophisticated features far too numerous to detail here. \$49.95 postpaid USA.

C64 SOURCE CODE. Most complete available reconstructed, extensively commented and cross-referenced assembly language source code for Basic and Kernal ROMs, all 16K. In book form, 242 pages. \$29.95 postpaid USA.

PTD-6510 SYMBOLIC DEBUGGER for C64. An extremely powerful tool with capabilities far beyond a machine-language monitor. 100-page manual. Essential for assembly-language programmers. \$49.95 postpaid USA.

MAE64 version 5.0. Fully professional 6502/65C02 macro editor/assembler. 80-page manual. \$29.95 postpaid USA.

NEW ADDRESS!

SCHNEDLER SYSTEMS

Dept. G5, 25 Eastwood Road, P.O. Box 5964 Asheville, North Carolina 28813 Telephone (704) 274-4646 **NEW ADDRESS!**



Connection



FOR COMMODORE C-64 & C-128


TCM 1200H / 300/1200 BAUD HAYES COMPATIBLE MODEM

- Easy To Install—Plugs Directly Into User Port (Requires No RS-232 Interface)
- Fully Hayes Compatible
- Includes Terminal Software With Up/Down Loading Features
- Auto Answer/Auto Dial
- Tone or Pulse Dialing
- Registered and Type Accepted by FCC

- Bell 212A and CCITT V.21-V.22 Compatible
- Two-Year Warranty
- FREE Quantum-Link Starter Kit
- Manufactured in the USA

For more information or to order, call:

Phone (312) 543-9055 FAX (312) 543-0379



703-13 ANNORENO DRIVE ADDISON, IL 60101

XPLODE! V3.0 PRILODE!

EXPLODE! V3.0 SUPER CARTRIDGE JUST ANOTHER SUPER CARTRIDGE?? MAYBE READ ON! GIVE YOUR C-64 OR C-128 THE SPEED AND POWER YOU DESERVE. SPEED AND POWERFUL FEATURES LIKE

SUPER CARTRIDGE presented by

- THE WORLD'S FASTEST CARTRIDGE BASED FASTLOADER (LOAD 145 BLOCKS OF PRO-GRAM DATA IN 13 SECONDS)
- YOU CAN TURN OFF EXPLODE FROM YOUR KEY BOARD. NO NEED TO EVER UNPLUG EXPLODE! WITH THE OPTIONAL DISABLE SWITCH, ELECTRONICALLY REMOVES EXPLODE FROM YOUR COMPUTER AND ALSO ALLOWS EXPLODE TO FUNCTION IN 128/40 COLUMN MODE.
- EVEN WITH EXPLODE TURNED OFF CAN STILL CAPTURE ANY SCREEN C-128/40 COLUMN MODE" HONESTI EVEN
- SCREENS AND EXTENDED BACKGROUND OR CUSTOM CHARACTER GRAPHICS.
- PRINT ANY SCREEN TO ANY GRAPHICS CAP-ABLE PRINTER. WITH FULL GRAY SCALE! ALL 16 COLORS ARE PRINTED
- SAVE ALL SCREENS TO DISK AS KOALA'S, DOODLE'S OR TEXT FILES WITH OR WITHOUT FULL COLORI YOUR CHOICE
- . LOAD, REDISPLAY AND PRINT ALL SCREEN'S SAVED TO DISK AS KOALA'S, DOODLE'S OR TEXT FILES. THIS INCLUDES ALL ORIGINAL FLEXIDRAW AND SLIDESHOW FILES.
- SAVES ALL SPRITE DATA PRESENT DURING CAPTURE MODE.
- CONVERT ANYI TEXT SCREEN INTO A HI-RES DOODLE WITH OR WITHOUT COLOR!
- . PRINT ANY SCREEN IN FULL COLORI (WITH A
- . EXPLODE SUPPORTS DRIVE & OR 9.
- LOAD AND RUN A PROGRAM FROM ANY-WHERE IN A DIRECTORY WITHOUT TYPING A FILE NAME! (NOT JUST THE FIRST FILE)

- . LOAD AND DISPLAY TO SCREEN ANY SEQ. OR PRG. FILE FROM ANYWHERE IN A DIRECT-ORY. WITHOUT TYPING A FILE NAME
- . A BUILT-IN UN-NEW FOR BASIC.
- . ONE KEY STROKE DISK DIRECTORY READ
- . SINGLE SCREEN MENU (NO COMPLICATED
- . ULTIMATE RESET ... STOPS ANY PROGRAM IN IT'S TRACKS.
- . 3 DIFFERENT WAYS TO RESET. OVER 20 DIF-FERENT FUNCTION COMMANDS IN STAND-ARD BASIC. OVER 20 DIFFERENT COMMANDS INSIDE THE EXPLODE MENU. OVER 07 DIF-FERENT SPECIAL SCREEN FUNCTION COM-
- . A TOTAL OF OVER 50 DIFFERENT PROGRAM

THE EXPLODE V3.0 CARTRIDGE WITH ALL THE ABOVE FEATURES WORKS BY ITSELF, OR WITH THE UTILITY DISK INCLUDED.

THE EXPLODE! V3.0 UTILITY DISK COMES WITH

- ALL THE FOLLOWING FEATURES
- FULL DOCUMENTATION ON DISK
 A SUPER LIGHT AND MUSIC PRG.
 7 DIFFERENT HI-RES SCREENS
- A DOODLE TYPE DRAWING PRG.
- "BOOTLE" A FULL AUTO-BOOT MAKER
 THE WORLD'S FIRST INTELLIGENT SLIDESHOW. SHOWS KOALA'S, DOODLE'S AND
 TEXT SCREENS IN ANY ORDER SAVED.
- A FULL 80 COLUMN FILE READER W/PRINT
- . AN EASY TO USE MENU PROGRAM

OVER 14 DIFFERENT PROGRAMS ON THE EXPLODE V3.0 UTILITY DISK AND THE DISK COMES FREE WITH THE EXPLODE V3.0 CARTRIDGE.



INNOVATIVE SOFTWARE FOR THE COMMODORE COMP


STILL THE BEST DEAL AROUND

ONLY! 3495



- GUARANTEED MINIMUM OF 16 UNIQUE KOALA'S AND OR DOODLE PICTURES PER DISK (SOME IN FULL COLOR).
- A BRAND NEW DISK EACH MONTH.
 ALL DISKS COME WITH DISPLAY PROGRAM

PRICE \$10.00 EACH



- . SAVE PROGRAM FILES 5 TO 7 TIMES FASTER THAN NORMAL (100 BLOCKS TO DISK IN 10 SECONDS)
- SUPER FAST DISK FORMAT (8 SECONDS)
 SPRITE MITE, GRAB AND PRINT SPRITES, SAVE TO DISK, TOGGLE ON OR OFF AT WILL.
- . PLUS ALL THE POWER OF EXPLODE! V3.0

SUPER EXPLODE! V4.0 PRICE \$47.95

EXPLODE! V3.0 AVAILABLE AT FINER SOFTWARE DEALERS EVERYWHERE!

ALL PRODUCTS (EXCEPT DISKS) CARRY A 90 DAY WARRANTY!

IF YOUR FAVORITE DEALER IS OUT OF EXPLODE V3.0, YOU CAN ORDER DIRECTLY FROM: THE SOFT GROUP, CALL (312) 851-8667 OR WRITE TO P.O. BOX 111, MONTGOMERY, IL 60538.

C.O.D.'s ADD \$3.05, ALL OTHERS \$1.50 FOR S/H.

For OPTIONAL DISABLE SWITCH ADD \$5.00

"Above NEEDED to CAPTURE 128/40 column screens only
"C-64 OWNERS ONLY! Please have your C-64's Serial
Number ready when ordering Explode! V3.0, (Number is
located on bottom of C-64)



COMMODORE/AMIGA DEALERS

VIC20 CPU

\$199 1571 Drive \$189 1660 300 Modem 1670 1200 Modem \$95 1600 300 Modem Okimate 10 color w/PIP\$109 Gemini 10 Printer MPS 801 Printer \$72 VIC 1525 Printer

MPS 801 Printer \$72 VIC 1525 Printer Hundreds of software selections and books



\$29

\$79

\$25 \$119

AUTHORIZED ATARI ST/XL/XE

All Hardware/Software & Accessories

BUY, SELL OR TRADE:::

Plus IBM Compatibles & Equipment

BRAND NEW AMIGA 2000 Only \$1399 with trade-in of Amiga 1000.

BRAND NEW C1541-II DRIVE or NEW C1581 3-1/2" DRIVE \$129

with trade-in of 1541 Disk Drive.

C128 CPU

'IBM XT is a registered trademark of International Business Machines

\$135 \$149

USED PRODUCT PRICES

PC COMPATIBLES

IBM XT COMPATIBLE — Color (CGA)/Mono graphics card, 4.77/10 MHz. Turbo 8088, Phoenix BIOS. More than 2x as fast as the IBM XT, 640K RAM, 360K Drive, Printer/Modem/Game ports. Clock/Calendar. Only \$625*

IBM AT COMPATIBLE — HEGA/EGA/CGA/Mono graphics card, 8/12 MHz. Turbo 80286, Phoenix BIOS. 15x as fast as the IBM XT, 512K RAM O-wait, 1.2 MB drive, Printer/Modem ports. Clock/Calendar. Only \$1199* *Options: Monochrome monitor \$99, CGA color monitor \$249, EGA color monitor \$439. Hard Drives: Miniscribe 30MB w/XT cont. \$369, 20MB w/XT cont. \$349 installed.

USED PACKAGE DEALS: Get a used C64 and a color monitor for only \$235 OR a used C128 and a 1571 Disk Drive for only \$369.

BRAND NEW AMIGA 500 Only \$299 or

NEW C128D w/built-in drive \$179 with

trade-in of 64C Computer, 1541C Drive, 1902 Monitor, 1200 Modem.

NEW PRODUCT PRICES

and the second second		- 64C -			
64C CPU w/GEOS	\$179	1351 Mouse	\$39	1764 256K RAM	\$129
		- C128 -			
128D w/built-in drive	\$479	1700 128k RAM	\$109	1750 512k RAM	\$159
		- MONITORS -			
C1084 RGB 80 Comm	\$299	C1802C 40/80 comp	\$189	RGB 40/80 column	\$249
Tourses of The		- DISK DRIVES	_		
1581 3-1/2" Drive	\$199	NEW! 1541-II Drive	\$189	Excelerator+ FSD-2	\$159
	areas and	- PRINTERS -		10	****
		NLQ, IBM/EPSON Cor			\$199
		- INTERFACES			
Micro R/D Interface	\$49	Micro 256K Interface		Xetec JR Interface	\$39
Xetec SR Interface	\$59	Xetec GOLD Interfac	e \$119		
Stat. 2 1500		- POWER SUPPLI			
C128 replacement onl		Replacement, repairabl		r supply only \$39 pairable replacement or	-tu enn
C126 reptacement on	A 212	- MODEMS -	ASSESSMENT OF THE PARTY OF THE	pairable replacement of	ну эээ

\$95 SmartLink 2400hc \$99 Avatex 2400hc


We pay cash for new, used and damaged equipment and accessories! CALL for an instant price quote on your equipment. Quantities of USED products vary. Please call before ordering. All used products are guaranteed to be in good working condition.

Avatex 1200E Avatex 1200hc

Prices shown reflect a 4% discount for cash Add 4% for credit card purchases. Prices shown are mail order prices only (Item compatibility is not guaranteed.)

2017 13th Street, Suite A Boulder, CO 80302

\$189 Aprotek Interface \$199 C1670 1200 compatible \$79



C64 CPU

1541 Drive C64C CPU w/GEOS

C1802 Monitor

Datacassette

We want to trade for YOUR EQUIPMENT! If your equipment is not mentioned, give us a call. All references to trade-ins assume equipment to be in good working condition. Shipping/handling is based on actual weight of order and will be added to all prices.

Authorized Dealers for COMMODORE/AMIGA and ATARI ST/XL/XE Computers and Accessories.

(303) 939-8144 MAIL ORDER DIVISION

We Accept Master Card/VISA/American Express and C.O.D. WE CHECK FOR STOLEN CREDIT CARDS

Classified

SOFTWARE

FREE SOFTWARE for C-64, C-128, IBM & CPM send SASE for info (specify computer) to: PUBLIC DOMAIN USERS GROUP PO Box 1442-A2, Orange Park, FL 32067

FREE PUBLIC DOMAIN SOFTWARE - Request free catalog or send \$2 for sample disk and catalog (refundable). C64-128 CALOKE IND., Dept. JK, Box 18477, K.C., MO 64133

More than 200 great ML routines for 64 and 128, ready to add to your own programs, in COMPUTE! Books' MACHINE LANGUAGE ROUTINES FOR THE COMMODORE 64/128. Explanations, uses, commented source code. 585 pages, \$18.95. Check your local bookstore or call (800) 346-6767.

THOUSANDS OF PD PROGRAMS FOR C64/128! We have Games, Utilities, Music and much more! For information write: Lightspeed Software, POB 7037, Chesapeake, VA 23323

RENT 64/128 SOFTWARE! 100's of disks. Lowest prices. No deposit or fee. Free catalog. Centsible Software, PO Box 930, St. Joseph, MI 49085 (616) 982-0327

COMMODORE: TRY BEFORE YOU BUY. Best selling games, utilities, educational + classics and new releases. 100's of titles. Visa/MC. Free brochure. RENT-A-DISC, Frederick Bldg. #345, Hunt'n, WV 25701 (304) 529-3232

C64/128 FINEST PUBLIC DOMAIN PROGRAMS Pretested quality programs * Most \$1.50 *
* On Disk * YOU pick the programs that YOU want!!! Free diskfull of programs with first order! For a list + Description send SASE to: JLH Co, Dept. G, Box 67021, Topeka, KS 66667

C64/128 EDUCATIONAL P.D. SOFTWARE

By grade level and subject, ie K-3 math, K-3 English, 4-6 math, etc. Catalog \$2 PSL Inc., Box 750 A, Old Bridge, NJ 08857

PUBLIC DOMAIN SOFTWARE FOR C64/128 100 programs only \$10 or 260 programs for \$25 or \$2 for catalog (refundable) MERIT, Box 114 A, Spotswood, NJ 08884

C64/128 SOFTWARE, I MUST SELL MY ENTIRE collecton of games, business & educat. programs. Cost \$35 ea. Sell for \$7 ea. First \$250 takes all 50. 713-660-8959

20 DS "SUPER STUFF" PUBLIC DOMAIN DISKS. Only \$22.00 postpaid. 40 sides full! FREE BARGAIN CATALOG. VISA/MC/CHECK/ COD. MGH Software, Box 645, Bayfield, WI 54814. 715-779-5600


THE BUSINESS CARD DESIGNER FOR C128 Graphic/Font Designer, Printers with Ultra-high resolution. SASE for free samples & info. \$24.95-Business Cards, P.O. Box 681, Osburn, ID 83849

FILE 128 \$29.95

Fast C-128 80 column Database Manager Database Templates • Full Documentation • Menu Driven Reports · Labels · Bar Graphs · On line help.

TREK 128 \$19.95

Full-featured version of a classic computer game 80 column graphics and sound.



(Add \$2 postage/handling) P.O. Box 80546, San Diego, CA 92138-0546

ATTENTION COMMODORE 64 & 128 OWNERS

Quality software at affordable prices. Send \$1.00 for info to: Rising Sun S/W 1219 Tedrow Rd., Lakeland, FL 33805

C-128 HOME BUYER'S INDICATOR.

Estimates qualifying ratios, closing costs, amortization, & more. Send \$19.95 to: MZA inc., PO Box 1002, Hockessin, DE 19707

COMPLETE GOLF HANDICAPPING SYSTEM FOR Commodore 64. Menu-driven, reports, prints cards. \$39.99. Handyscore, Box A101, Findlay, OH 45839 (419) 424-1986.

FREE SOFTWARE for C64. Send 1 stamp for Catalog. Games-Educ-Home-Business-Music Utilities. RVH Publications, 4291 Holland Road, #562-G, Virginia Beach, VA 23452

WordStarTM* V2.26 For C-128 \$39.95+\$4.50 p/h. Public Domain Software Copying Co. 33 Gold St., Ste. L3, New York, NY 10038 *TMMicroPro® 800-221-7372

MISCELLANEOUS

MAKE FAST EASY MONEY STUFFING ENVELOPES. How many can you fill for \$1 each? Earn even more with home computer! Send SASE to PAC Data, POB 9721, Richmond, VA 23228.

COMMODORE PARTS AND FLAT RATE REPAIRS: C-64/\$45. 1541/\$50. P/S New \$19.95. P/S Repairable \$34.95, SX-Trans \$24.95. Call for other parts & repair prices.

DAVE TAYLOR ENTERPRISES. 915-694-9454 3325 W. Wadley #B-20, Midland, TX 79707

Now Commodore Qualified Repairs! C64:\$45, 1541:\$50, SX64:\$65, C128:\$50, 1571:\$55. Buy Sell Trade New/Used - Fast Service! 30 day wnty! Mom & Pop's Computer Shop, RR2, Box 119, Cainsville, MO 64632 (816) 872-6311

CALL THIS BULLETIN BOARD SERVICE for thousands of downloads & great adult boards. Call 718-377-4597. 300 - 1200 baud.

1987 Haynes Index for COMPUTEI's Gazette

Find any article, tip, program, review FAST! Send \$7.95 (CA res + 6% tax) or write for more info: Haynes Publishing, 9420 Reseda B1, Ste. 422E, Northridge, CA 91324. Satisfaction Guaranteed!

COMPUTEI's Gazette Classified is a low-cost way to tell over 225,000 microcomputer owners about your product or service.

Rates: \$25 per line, minimum of four lines. Any or all of the first line set in capital letters at no charge. Add \$15 per line for boldface words, or \$50 for the entire ad set in boldface (any number of lines.) Inquire about display rates.

rates.

Terms: Prepayment is required. Check, money order, American Express, Visa, or MasterCard is accepted. Make checks payable to COMPUTE! Publications.

Form: Ads are subject to publisher's approval and must be either typed or legibly printed. One line equals 40 letters and spaces between words. Please underline words to be set in boldface.

General Information: Advertisers using post office box numbers in their ads must supply permanent address and telephone numbers. Orders will not be acknowledged. Ad will appear in next available issue after receipt.

Closing: 3rd of the third month preceding cover date (e.g., June issue closes March 3rd). Send order and remittance to: Kathleen Ingram, Classified Manager, COMPUTEI's Gazette, P.O. Box 5406, Greensboro, NC 27403. To place an ad by phone, call Kathleen Ingram at (919) 275-9809.

Notice: COMPUTEI' Publications cannot be responsible for offers or claims of advertisers, but will attempt to screen out misleading or questionable copy.

out misleading or questionable copy.

HARDWARE

COMMODORE REPAIRS... COMMODORE CHIPS.. COMMODORE/AMIGA CHIPS... DIAGNOSTICS...See our display ad this issue.



AND LISTENING SERVANT ...

Get speech output and voice recognition in ONE product. Voice Master Jr. is easy to use with new commands added to BASIC. A music bonus lets you write and compose by whistling the funel Unlimited uses for fun education, practical applications. Demo programs included, Price only \$39,95 including software and manual. A Patented price/performance breakthrough!

TO ORDER BY MAIL include \$4 shipping & handling (\$6 Canada, \$12 overseas) per order. Visa, MasterCard phone orders accepted. Available for C64/128 and Atari 800/800XL/130XE. Specify when ordering. 30 day money bock guarantee, one year warranty.

Other enhanced voice I/O systems are available for Commodore,

Apple, and IBM computers.



Call or write today for FREE Product Catalog

D--

COVOX INC. (503) 342-127 675 Conger St., Eugene, Oregon 97402

WITH YOUR HOME COMPUTER!

Use your home computer and Soft-Byte's amazing new "Lotto Program" to get more winning tickets.

In just seconds this software analyzes past winners and produces a powerful probability study on easy-to-read charts. With a single press of a key, you'll see trends, patterns, odds/evens, sum totals, number frequencies, and much more. It also includes automatic number wheeling, instant updating, and a built-in tutorial.

Ask your software dealer.

APPLE, IBM, and Commodore	\$24.95
Atari, Radio Shack	\$21.95
MacIntosh (requires M/S basic)	
Back-up Copies	\$3.00

Add \$2.00 shipping and handling. Credit card orders approved by phone and shipped same day. Make checks payable to SOFT-BYTE and mail to:

P.O. Box 556 Forest Park Dayton, Ohio 45405



LANDMARK

THE COMPUTER REFERENCE BIBLE

v1.2 for C64 or C128 in 64 Mode v2.0 for C128 and 1571 Drive

LANDMARK TCRB consists of the entire King James version, individual verse references, Words of Christ in color, and a Concordance of 3300+ words!

CONDUCT SEARCHES of the Bible! MAKE TOPICAL FILES copying from Bible text and Search results also adding your own comments! Your LANDMARK files can also be converted for use with other programs like Paperclip and GEOS (with Writer's Workshop!) · KEEP YOUR OWN PERSONAL BIBLE by outlining text in color, adding notes or comments, create supplimentary study files, even reference your own files or notes!

A GOOD Bible Program with your computer can GREATLY ENHANCE your study of the Bible! Our Brochure explains how!

LANDMARK TCRB is \$164.95

CALL or WRITE for our FREE Brochure!

P.A.V.Y. Software P.O. Box 1584 Ballwin, MO 63022 (314) 527-4505 DEALER INQUIRIES INVITED!

- * CUSTOM MADE TO FIT
- * HEAVY 32-oz. VINYL ANTI-STATIC EXTENDS EQUIPMENT LIFE
- Choice of Colors Light To

	and the same of same and the same of the s
COMPUTERS	PRINTERS
C-64/Plus 4/C-64C 8.00	Seikosha SP-100013.00
C-12813.00	Comrex 22013.00
Datassette (C2N) 5.00	C'Itoh 851013.00
Amiga 100013.00	Juki 551013.00
(W/Amiga Mon. Stacked) 28.00	Imagewriter13.00
Keyboard only 7.00	Epson JX 8013.00
Atari 800XL, 130XE 10.00	Epson FX 85/18513.00
Atari 520 ST14.00	Okidata 92
IBM PC/XT28.00	Citizen MSP 1013.00
IBM 5051 Keyboord 8.00	C/DPS 110116.00
(Dimensions Required	Gemini 10 & Star 10's 13.00
for IBM Clones)	Gemini 15 & Star 15's 16.00
	Atari 1027
DISK DRIVES	HONITON

C-1341, C-13/1	8.00	т.
Amiga 31/2" D/Drv	8.00	1
Amiga 5¼" D/Drv	. 9.00	N
Indust GT, MSD SD-1	8.00	
MSD SD-2	10.00	1
Enhancer 2000	8.00	
FSD-1	8.00	
Atari 1050	8.00	
PRINTERS		1
C-1525/MPS 801	10.00	-
C-1526/MPS 802	13.00	1
C-MPS/803, C-1520	. 8.00	1
Panasonic 1090/91	.13.00	
Okidata 120/192	13.00	٧
Okimate 10/20		
Epson MX/FX/RX80	13.00	
Epson LX80/C-1000	13.00	

MONITORS
Atori SC 1224RGB... 19.00
C-1702, BMC Color... 16.00
C-1902/Amiga 19.00
Amdek 500-700 19.00
CM-141 (C-1802) 19.00
CM-1902A/Magnvx 40 19.00
MCC (State Model) 19.00
Magnavox 80 RGB 19.00
Magnavox 80 RGB 19.00 Magnavox 80 RGB 19,00
Princeton (State Model) 19.00
Thompson CM 365-66 19,00
Taxan (State Model) 19.00
Sakata SC-100 19.00
Zenith (State Model) 19.00

VIDEO RECORDERS 13.00 State Make & Model Dimensions required including clock cut-out Order by stating MAKE, MODEL and COLOR CHOICE - TAN or BROWN with check or money order plus \$1.50 per item (\$4.50 max.) shipping and handling Calif. Res. Include 6% + local tax. APO, 2.00/item, Foreign 3.00/item

SPECIAL COVERS WILL BE MADE TO YOUR DIMENSIONS. SEND YOUR REQUIREMENTS FOR OUR LOW PRICE QUOTES.

Crown Custom Covers

24621 PAIGE CIRCLE DEPT. A LAGUNA HILLS, CA 92653 (714) 472-6362

ADVERTISERS INDEX

	Reader Service Number/Advertiser	Page
	102 Abacus	30
	103 Abacus	
	104 ACE	
	105 ActionSoft	IBC
	106 Aprotek 107 The Avalon Hill Game Company	35
	107 The Avaion Hill Game Company	15
	108 Berkeley Softworks	13
	109 Berkeley Softworks	
	Cardinal Software	112
	110 CompuServe	
	111 ComputAbility	90
	112 ComputAbility 113 ComputAbility	97
	114 Computer Direct	36-37
	115 Computer Repeats, Inc.	114
	Crown Custom Covers	116
	116 Datel Computers	32-33
	117 Electronic Arts	IFC
	118 Electronic Arts 119 EPYX 19.21,23.25.2	10-11
	119 EPYX 19,21,23,25,2	7,29,31
	120 EPYX	20
	121 EPYX	- 24
	122 Fearn & Music	29
	123 Free Spirit Software, Inc. Intelligent Software	90
	124 Jacobsen Software Designs	112
	125 Kasara Microsystems, Inc.	42
	126 Lyco Computer	48-51
	127 M.C.S.	04-105
	128 MIBRO Company	107
	129 Micro World Electronix	112
	Mindscape Inc.	2
	130 Montgomery Grant	103
	NRI Schoots 131 P.A.V.Y. Software	69
	131 P.A.V.Y. Software	. 116
	132 Precision Data Products	112
	133 Q-Link	
	134 Renco Computer Printer Supplies	1110
	Schnedler Systems	113
3	136 Soft-Byte	115
	140 Soft Group	114
	137 Software Discounters of America	00-101
	Software Support International	29
	Software Support International	40-41
- 3	138 subLOGIC Corporation 139 Superior Micro Systems	5
	139 Superior Micro Systems	38
1	141 IC Electronics	96
-	Tektonics Plus, Inc.	116
	142 Tenex Computer Express	109
	143 TEVEX 144 Trans Corn, Inc.	112
	145 Triad Computers	70
	146 Tussey Computer Products	16-17
1	146 Tussey Computer Products 147 Ultrabyte	. 116
	148 Utilities Unlimited, Inc.	46-47
-	149 Xetec	77
1	Classified Ads	
	COMPUTE! Books' Commodore Selections	43
H	COMPUTE! Books' Music System for the Commodore	
	128 & 64	. 66
L		

FACTORY AUTHORIZED

COMMODORE REPAIR CENTER 1-800-772-7289

(312) 879-2888 IL

42 05

COT REPAIT (PCB ONLY) . 4	2.75	Amiga kepair
C128 Repair (PCS ONLY) . 6	4.95	(PCS ONLY)
1541 Permanent Alignment 2	9.95	Amiga Drive Repair 149.95
1541 Repair 7		Printers CALL Monitors CALL
1571 Repair 7	9.95	Other Equipment CALL

CALL BEFORE SHIPPING PARTS AND LABOR INCLUDED FREE RETURN SHIPPING

(APO, FPO, AIR ADD \$10.00) 24-48 HR. TURNAROUND (Subject to Parts Availability) **30 DAY WARRANTY ON ALL REPAIRS**

COMMODORE PARTS

C-64 Power Supply	34.95
128 Power Supply	
C-64 Over Voltage Sensor	
Other Parts	CALL

(Plus \$3.00 Shipping/Handling) All parts for Commodore equipment usually in stock For Parts Call (312) 879-2350 **Dealer Discounts Available**

> TEKTONICS PLUS, INC. 150 HOUSTON STREET BATAVIA, IL 60510

> > CLIP AND SAVE



VISA'



ULTRABYTE DISK NIBBLER

POWERFUL NEW GCR NIBBLER FOR COMMODORE 64 and 128 (in 64 mode)

- Automatically copies most disks in 2 minutes or less including variable density and rapid locked protection
- . 105 new parameters to make unprotected copies of recent disks. Send stamped envelope for list
- Copies up to 40 tracks using 1 or 2 1541 or 1571 drives. Copies both sides on 1571
- . Copies itself (for this reason, no refunds given)

SPECIAL — BUY A NIBBLER V4.0 AND GET YOUR CHOICE OF A FREE \$14.95 PROGRAM

\$39.95 plus \$4.00 shipping

٦.	Disk Surgeon V2.0 new disk utility	\$14.95
2.	Ultramail mail list and labels	both for \$14.95
3.	McMurphy's Mansion text adventure } Soluware solutions to 10 adventures }	both for \$14.95
	(Above may be ordered separately for \$14.95 plu	ıs \$4.00

shipping. Foreign orders add \$2.00) Mastercard, Visa, Check or M.O., Calif. add 6.5% (\$2.60) sales tax.

Foreign orders / COD add \$2.00. Payment must be in U.S. funds UPDATES - Return original Ultrabyte disk with \$15.00 plus \$4.00 shipping. Foreign add \$2.00. No free disk with update

To order, write or call 24 hr. order line. For info. write.

ULTRABYTE (818) 796 - 0576 P.O. Box 789 LaCanada, CA 91011 USA

DEALERS & DISTRIBUTORS WANTED

hunderchopper

Introducing ThunderChopper, the new standard of excellence in helicopter simulation! ThunderChopper combines SubLOGIC graphics technology with strategies and tactics by Colonel Jack Rosenow, USAF (Ret.). This simulator truly was a labor of love for the Colonel:

"I'm a chopper pilot with over 9,000 hours of flight time. Let me put you at the controls of an advanced Hughes 530MG Defender. No other helicopter simulator is as responsive to your control input, or as satisfying to fly. Start yourself out on the flight training grounds. My concise documentation will have you flying in minutes.


"Once you've attained a level of flying proficiency, you're ready to train for one of the most important duties a helicopter pilot can perform - the location and rescue of downed pilots.

"After you've mastered flight and rescue techniques you're ready for combat. Multiple scenarios let you test your skills under a variety of combat conditions. Escort ground troops through enemy territory. Or rescue the survivors of a major sea battle. You'll have to become adept at selecting and controlling your ordnance, and at using sophisticated electronic weapon/defense systems to locate, identify, and destroy enemy targets.

"ThunderChopper is the most realistic helicopter simulation you'll ever fly. Try ThunderChopper - the excellence comes through."

Colonel John B. Rosenow, USAF (Ret.) President, ActionSoft Corp.







Rescue Mission - scan for flares



Escort troops through enemy territory - search and destroy enemy targets



Colonel Jack provided the strategy and tactics for ThunderChopper

See Your Dealer...

Or write or call for more information. ThunderChopper is available on disk for the Commodore 64/128 and Apple II computers. For direct orders please indicate which computer version you want. Enclose \$29.95 plus \$2.00 for shipping (outside U.S. \$6.95) and specify UPS or first class mail delivery. Visa, MasterCard, American Express, and Diners Club charges accepted.

Apple is a registered trademark of Apple Computer, Inc.

-\$29.95-Better Engineering at a Better Price



GENERATIONS AHEAD IN STRATEGY ACTION SOFTWARE

201 WEST SPRINGFIELD AVENUE, SUITE 711 CHAMPAIGN, IL 61820 (217) 398-8388

^{□ 1987} ActionSoft Corporation

³D graphics and special effects courtesy SubLOGIC Corp. Commodore 64 and Commodore 128 are registered trademarks of Commodore Electronics Ltd.


Get Results

with proven software and books from Abacus.




Super Pascal—Get the fastest and complete Pascal for your computer. Super Pascal is a full implementation of standard Pascal. Extensive editor features search, replace, etc. Even add machine language routines with the built-in assembler. Fast graphics library. C-64 version has high-speed DOS for faster access. More than just a compiler—Super Pascal is a complete system that gives you programming results.

C-64 \$59.95 C-128 \$59.95



Cadpak—The professional design tool. Enter simple or intricate drawings with the keyboard, lightpen or 1531 mouse. With the flexible object editor you can create libraries of furniture, electronics, etc. as intricate as screen resolution permits. Zoom in to do detailed work. Produce exact scaled output to most printers in inches, feet, etc. Get design results fast with Cadpak and your Commodore® computer.

C-64 \$39.95 C-128 \$59.95



Super C—You can now develop software or just learn C on your computer. Easy-to-use and takes full advantage of this versatile language. Produces 6502 machine code and is many times faster than BASIC. Includes full-screen editor (search, replace and block operations), compiler, linker and handbook. Libraries for graphics and advanced math are included. Whether you want to learn C, or program in a serious C environment for your Commodore, Super C is the one to buy. C-64 \$59.95 C-128 \$59.95



BASIC Compiler— Now anyone can make their BASIC programs run faster! Easily converts your programs into fast machine language or speed code. Even speed up programs written in Simon's Basic, Video Basic etc. If your program walks or crawls, give it speed to RUN! C64 \$39.95 C128 \$59.95

GEOS
Tricks & Tips

GEOS™ Tricks & Tips— A new book with something for everyone. Contains over 50 tricks and tips that you can use everyday. Converts any word processor file into geoWrite format; edit existing GEOS fonts or create your own; Write in machine language or explore the internals of GEOS. \$16.95

Please note our new address and phone numbers



Dept. G1 • 5370 52nd Street SE • Grand Rapids, MI 49508 Phone 616/698-0330 • Telex 709-101 • Telefax 616/698-0325

Call or write today for your **free** catalog or the name of your nearest dealer. Or you can order direct using your Visa, American Express or MasterCard. Add \$4.00 per order for shipping and handling. Foreign orders add \$12.00 per item. 30-day money back guarantee on software. Dealer inquiries welcome—over 2400 dealers nationwide.



TextPro Amiga is a full-function word processing package. Easy-to-use, fast and powerful—with a suprising number of extras. \$79.95

BeckerText Amiga is the professional word processor. WYSIWYG formatting. Automatic creation of table of contents and index. Expandable spelling checker. Merge graphics into text. Much more. \$150.00

DataRetrieve Amiga is the powerful, and easy-to-use database.

Sets up in minutes. Password security. Large capacity. Performs
complex searches. Very flexible.

AssemPro Amiga unlocks the full power of the Amiga's 68000 processor. Integrated Editor, Debugger, Disassembler and Reassembler. Cross-reference list. Conditional assembly. \$99.95

Call (616) 698-0330 or write for your free Amiga software and book catalog. More software and books coming soon!

Commodore is a registered trademark of Commodore Electronics Ltd. Amiga is a registered trademark of Commodore-Amiga, Inc. GEOS is a trademark of Berkeley Softworks.