
# FONTPACK Plus<sup>TM</sup>

FIFTYTHREE FONTS FOR USE WITH GEOS™ AND GEOS 128™



FOR THE COMMODORE 64, 64c and 128 COMPUTERS





# FontPack Plus User's Manual

For use with GEOS on the Commodore 64 and 64c GEOS 128 on the Commodore 128

> Berkeley Softworks 2150 Shattuck Avenue Berkeley, California 94704

# **Important: Read This Notice Before Using This Software**

BY READING THIS NOTICE AND USING THE ENCLOSED SOFTWARE, YOU AGREE TO BE BOUND BY ALL THE TERMS AND CONDITIONS OF THIS LICENSE AGREEMENT. IF YOU DO NOT ACCEPT OR AGREE TO THESE TERMS, YOU MAY, WITHIN FIFTEEN (15) DAYS, RETURN THIS ENTIRE PACKAGE, TOGETHER WITH PROOF OF PURCHASE, TO THE PERSON FROM WHOM YOU ACQUIRED IT OR TO BERKELEY SOFTWORKS, INC. FOR A FULL REFUND.

## Software License Agreement

BERKELEY SOFTWORKS, INC. grants you a non-exclusive license to use this copy of the program and accompanying materials according to the following terms:

#### License

You may:

- a. use the program on only one computer at a time;
- make copies of the program in machine-readable form solely as necessary for your personal use, provided that you reproduce all proprietary notices on the copy; and
- c. transfer this license to another, together with all documentation and copies of the software, but only if: (i) the transferee agrees in writing to be bound by this software license agreement and (ii) you notify BERKELEY SOFTWORKS, INC. of the transfer, together with the transferee's name and address, and provide to BERKELEY SOFTWORKS, INC. the written and signed agreement of the transferee to be bound by this license which reads: "I have read the BERKELEY SOFTWORKS, INC. Software License Agreement and agree to be bound by the terms thereof."

#### You may not:

- a. use the program in a network or a multi-user system;
- b. modify, translate, reverse engineer, decompile, disassemble, create derivative works based on, make copies of the documentation, or copy

(except as necessary for your personal use) the program or the accompanying materials;

- c. rent, transfer or grant any rights in the program or accompanying materials in any form to any person, except as specifically permitted in this agreement, without the prior written consent of BERKELEY SOFTWORKS, INC., which, if given, is subject to transferee's consent to the terms and conditions of this license, or
- d. remove any proprietary notices, labels, or marks on the program and accompanying materials.

This license is not a sale. Title and copyrights to the program, accompanying materials and any copy made by you, remain with BERKELEY SOFTWORKS, INC.

#### **Termination**

Unauthorized copying of the program (alone or merged with other software) or the accompanying materials, or failure to comply with the above restrictions, will result in automatic termination of this license and will make available to BERKELEY SOFTWORKS, INC. other legal remedies. Upon termination, you will destroy or return to BERKELEY SOFTWORKS, INC. the program, accompanying materials, and any copies.

### Limited Warranty and Disclaimer

BERKELEY SOFTWORKS, INC. has no control over your use of the software, nor can BERKELEY SOFTWORKS, INC., anticipate every potential or possible use. Therefore, BERKELEY SOFTWORKS, INC. does not and cannot warrant the performance or result that may be obtained by its use, nor do we warrant that the operation of the program will be uninterrupted or error-free. Therefore, BERKELEY SOFTWORKS, INC. provides a limited warranty to you as follows:

BERKELEY SOFTWORKS, INC. warrants that the software will perform substantially in accordance with the specifications set forth in the documentation provided with the software and that the diskettes on which the program is furnished are free from defects in materials and workmanship under normal use for a period of ninety (90) days from the date of delivery to you, as evidenced by a copy of your receipt.

BERKELEY SOFTWORKS, INC.'s entire liability and your exclusive remedy as to software performance and the diskettes (which is subject to

your returning the diskettes to BERKELEY SOFTWORKS, INC. or an authorized dealer with a copy of your receipt) will be the replacement of the diskettes or, if BERKELEY SOFTWORKS, INC. or the dealer is unable to deliver a replacement diskette, the refund of the purchase price and termination of this agreement. THE DURATION OF ANY IMPLIED WARRANTIES ON THE DISKETTES, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, IS LIMITED TO THE SAME NINETY (90) DAY PERIOD AS THE FOREGOING EXPRESS WARRANTY.

THE PROGRAM AND ACCOMPANYING MATERIALS ARE PROVIDED WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, OR STATUTORY, INCLUDING (BUT NOT LIMITED TO) THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

SOME STATES DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES SO THE ABOVE EXCLUSIONS MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS. YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

### Limitation of Liability

IN NO EVENT WILL BERKELEY SOFTWORKS, INC. BE LIABLE FOR ANY DAMAGES, INCLUDING LOSS OF DATA, LOST PROFITS, COST OF COVER OR OTHER SPECIAL, INCIDENTAL, CONSEQUENTIAL OR INDIRECT DAMAGES ARISING FROM THE USE OF THE PROGRAM OR ACCOMPANYING MATERIALS, HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY. THIS LIMITATION WILL APPLY EVEN IF BERKELEY SOFTWORKS, INC. OR AN AUTHORIZED DEALER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. YOU ACKNOWLEDGE THAT THE LICENSE FEE REFLECTS THIS ALLOCATION OF RISK. SOME STATES DO NOT ALLOW THE LIMITATION OR EXCLUSION OF LIABILITY FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

#### General

This Agreement will be governed by the laws of the State of California.

This Agreement is the entire agreement between us and supersedes any other communications with respect to the program and accompanying materials.

If any provision of this Agreement is held unenforceable, the remainder of this Agreement shall continue in full force and effect.

If you have any questions, please contact us, in writing, at the following address:

BERKELEY SOFTWORKS, INC. Customer Service 2150 Shattuck Avenue Berkeley, CA 94704

If you wish to return defective disks for replacement under this warranty, send the defective disks and a copy of your purchase receipt to the address above.

# Sign and Mail the Registration Card Today

Return of the Registration Card is required to receive notices of new versions or enhancements.

**Copyright Information** 

FontPack Plus software design by Tony Requist geoFont is a licensed product from Arthur J. Dahm III. FontPack Plus User's Manual by Patricia Huey, © Copyright Berkeley Softworks, Inc. 1988

Printed 1/88

Commodore 64 ® is a registered trademark and Commodore 128 is a trademark of Commodore Electronics, Ltd.

FontPack *Plus*, FontPack 1, International FontPack, geoCalc, geoCalc 128, geoSpell, geoDex, geoMerge, geoWrite Workshop, geoWrite Workshop 128, geoLaser, Text Grabber, Text Grabber 128, geoFile, geoFile 128, Graphics Grabber, geoPaint, geoWrite, diskTurbo, GEOS, GEOS 128, deskTop, DeskPack *Plus*, DeskPack 1, Icon Editor, geoPublish, geoPubLaser, geoProgrammer are trademarks of Berkeley Softworks, Inc.

# How to Get Help

We hope that you will find FontPack *Plus* easy to learn and use, and that this manual provides you with most of the answers to the questions you may have about its operation. However, if you do run across a problem that is not answered by the manual, there are two ways to obtain additional help.

The first, fastest, and recommended way to obtain information about and help with FontPack *Plus* (and other GEOS products) is through the QuantumLink telecommunications network. QuantumLink, or Q-Link, is an online service network designed for Commodore users.

Berkeley Softworks provides Customer Service message boards, along with a Programming message board and other useful services, in the Commodore Software Showcase section of Q-Link. Through these message boards, you can receive the most timely help and information from Berkeley Softworks employees and thousands of GEOS users. In addition, you will have access to programs and products from Berkeley Softworks that are offered through Q-Link, many of them free of charge.

The second way to obtain help is to contact Customer Service at Berkeley Softworks, either by phone or letter. If the phone lines are busy, we recommend that users write to us detailing their problems. All correspondence is answered in order received. The Berkeley Softworks customer service telephone number and address are as follows:

Call:

Customer Service: (415) 644-0890, 9 a.m.-5 p.m. Pacific Time

Or write:


Berkeley Softworks Customer Service Division 2150 Shattuck Avenue Berkeley, CA 94704

# Welcome to FontPack Plus

FontPack Plus expands your use of GEOS by giving you a wider choice of fonts from which to select.

This manual is divided into three chapters:

- 1: **Before You Begin** guides you through the process of getting started: validating your disk, making a backup copy, and creating work disks.
- 2: FontPack *Plus* contains a variety of fonts for use with many GEOS applications. The fonts in FontPack *Plus* 53 in all range from a wide selection of alphabet styles to special characters, such as faces and astrological symbols.
- 3: **geoFont** describes an application which enables you to create your own fonts, and change existing fonts.



# **Table of Contents**

# Chapter 1 Before You Begin

- 1-2 Validate Your Disk
- Make a Backup Copy 1-2
- Now, Make a Work Copy 1-2

# Chapter 2 FontPack Plus

- 2-1 Overview
- Work Disks 2-1
- 2-3 America
- 2-3 Ashby
- 2-4 Bancroft
- 2-5 Barrington
- 2-6 Birge
- 2-6 Boalt
- 2-7 **Bowles**
- Braille 2-7
- 2-8 **Brennens** Callaghan 2-8
- 2-9 Cursive
- **2-10**<sub>5</sub> Dana
- 2-11 Derby
- Durant 2-11
- Dwight 2-12
- Ellsworth 2-12
- 2-13 **Eshlemen**
- 2-14 Etcheverry
- 2-14 Euclid
- 2-15 **Flints**
- 2-15 Fog
- 2-16 FontKnox
- Grizzly 2-16
- 2-17 Haste
- Hilgard 1 2-18
- Hilgard 2 2-18

# (Chapter 2, cont.)

2-19	Kensington
2-19	Kips
2-20	Latimer
2-20	Lawrence
2-20	LeConte
2-21	Lewis
2-22	McLaughli
2-23	Moffit
2-23	Mulford
2-24	Mykonos
2-24	North Gate
2-25	Ormond
2-25	Oxford
2-26	Sather
2-27	Solano
2-27	Spats
2-28	Spook
2-28	Sproul
2:-29	Spruce
2-29	Stadium
2-30	Stern
2-30	Superb
2-31	Telegraph
2-31	Venetian
2-32	Wheeler
2-34	Wurster
2-35	Zellerbach

# Chapter 3 geoFont

3-2	Before You Select a Font to Edit
3-2	Entering geoFont
3-3	The geoFont Screen
3-5	Once You Enter geoFont
3-10	Leaving geoFont

# Chapter 1: Before You Begin



Before you start to use FontPack *Plus*, follow the directions in this chapter. This chapter walks you through validating the FontPack *Plus* disk, making a backup of your disk, and making work disks.

You can use geoFont and the fonts in FontPack *Plus* on both 64 and 128 versions of the Commodore. (However, note that geoFont operates in 40-column mode only.)

With FontPack *Plus*, you need not use any special installation procedures for either the fonts or geoFont. However, you should make a backup copy and include it on your work disks, just as you would any GEOS product.

# Before You Begin...

Validate Your Disk Make a Backup Copy Make a Work Disk

Here's How...

#### Validate Your Disk

- 1: Make sure the disk is activated and open to the deskTop.
- 2: Select validate from the disk menu. GEOS will check the disk for damage, and list any errors it finds.

NOTE: If GEOS indicates that your FontPack Plus disk is damaged, first check to make sure it is correctly inserted in the disk drive. Check to see if the disk drive is damaged or misaligned: try validating the FontPack Plus disk on another disk drive or on one at your local dealer. If the disk is truly damaged, return it to Berkeley Softworks for a replacement. (Our address and phone number can be found in the section entitled "How to Get Help," at the front of this manual.)

# Make a Backup Copy

If your disk is not damaged, make a copy of it (refer to "Copying a Disk," page 3-9, of your GEOS User's Manual.)

# Now, Make a Work Copy


Work disks are fully described in Chapters 2 and 3 of your GEOS User's Manual. There are two ways to make work disks for using FontPack Plus:

- If you want to copy the entire disk, (again) refer to "Copying a Disk," page 3-9, of your GEOS User's Manual.
- If you want to copy only certain files of your FontPack Plus disk, refer
  to "Copying a File to Another Disk," page 3-4, of your GEOS User's
  Manual.


Before You Begin

Once you have validated the FontPack *Plus* disk and created backup and work copies, remove the FontPack *Plus* disk from the disk drive and place a write protect tab on it. As with all disks, store it in a safe place.

You are now ready to use FontPack Plus!



# Chapter 2: Using FontPack Plus



#### Overview

FontPack *Plus* provides you with 53 fonts for use in geoWrite, geoPaint, and geoPublish. These fonts will enable you to generate a fantastic array of high quality printed output.

Each font brings its own unique character and style to a document. Some of the fonts, such as Bancroft and Durant, are more traditional. Others, such as America and Telegraph, are more fun and unconventional. Furthermore, you can use the Ashby and Barrington fonts to create unusual characters, such as faces and dinosaurs.

Even the font names themselves have their own unique character and history. With few exceptions, the fonts are named for places and buildings around Berkeley, California. If you ever get a chance to visit Berkeley, you may recognize some of them.

NOTE: Not all fonts contain a full set of characters. Thin vertical lines indicate null or nonexistent characters in a particular font. They will, however, print out as thin lines. Check each font before using it to determine if it contains all the characters you need.

#### Work Disks

GEOS supports the use of up to eight fonts at one time on any application. Only seven of these, however, are user selectable. (If you are using GEOS 128, only six fonts are user selectable.) The System Font, BSW, is resident at all times. In GEOS 128, BSW and BSW128 are resident at all times.

You may have as many fonts as you wish on a work disk, but only the first seven fonts (or six for GEOS 128) on the disk will be displayed in the font menu. To gain access to additional fonts, you must either add fonts from another disk, or rearrange the existing fonts on the current disk.

If you wish to add new fonts, copy the desired fonts from the FontPack *Plus* disk. (See page 3-4 in the *GEOS User's Manual* for instructions on copying files from one disk to another.)

If you have more than seven fonts on your work disk, and wish to use another set of fonts, you must reorganize the font icons on the deskTop. Repositioning fonts on the deskTop is like rearranging any other file icons.

To reposition fonts on the deskTop:

- 1: Move both the desired font icon and the undesired font icon off the deskTop onto the border.
- 2: Move the desired font icon onto the deskTop, in the place of the undesired font icon. Make sure that the desired font icon appears ahead of the other font icons on the deskTop.
- 3: Move the undesired font icon back onto the deskTop. Make sure you move it so that it appears *after* the desired font icon, not before.
- 4: Repeat this process for each of the font icons you wish to have displayed in the font menu.

**NOTE:** If necessary, refer to pages 3-5 and 3-6 of the *GEOS User's Manual*.

It is not necessary for the desired fonts to be the first files on the disk. It is only necessary that they be the first fonts relative to other fonts on the disk.

ABCDEFGHI KLMNOPORS TUVWXYZ Obcdefghijk Imnoporstu VWXUZ 1234567890

# Ashby 23


Bancroft 18

ABCDEFGHI JKLMNOPQRST UVWXYZ abcdefghi jklmnopqrst uvwxyz 1234567890! |||||' |||-|\*|::../||| ?

Bancroft 24

ABCDEFGHI JKLM
NOPQRSTUVWXYZ
abcdefghi jklmn
opqrstuvwxyz
1 234567890! ||||||||-

# **Barrington 16**



# **Barrington 32**



ABCDEFGHIJKLMNOPQRSTUV WXYZ abcdefskijklmnopgrstuv WXYZ 1234567890!"#\$%&'()+-|\*^;;,/ U<>?

Boalt 12

ABCDEFGHIJKLMNOPQR STUYWXYZ abcdefghijklmnopqrs tuywxyz 1234567890!!!"\\*\:.../\!\?

**Boalt 24** 

ABCDEFGHIJ KLMNOPQRS TUYWXYZ abcdefghij klmnopqrs tuYWXYZ 1234567890: "-\*:../? ABCDEFGHIJKLM
NOPQRSTUVWXY
Z
ABCDEFGHIJKLM
NOPQRSTUVWXY
Z
1 234567890!"#\$
%+'()+-@\*^:;,./{]<>
?

# **Braille 12**

Braille 24

## **Brennens 18**

# Callaghan 12

ABCDEFGHIJKLMNOPQRSTU VWXYZ abcdefghijklmnopqrstuvw xyz 1234567890!"#\$%&'()+-@\*^:;../ ||<>?

# Callaghan 20

ABCDEFGHIJKLM NOPQRSTUVWXYZ abcdefghijklm n opqrstuvwxyz 1234567890!"#\$%& 'U+-@\*^:;../||<>? ABCDEFGHIJ KLMNOPQRST UVWXYZ abcdefghijkl mnopqrstuv wxyz 1234567890!"# \$%&'U+-@\*^:;.. /||<>?

# **Cursive 17**

ABCDEFGHIGKLTTTOPQRS
TUNUXYY
abcdefghijklmnoparstuvuxyz
1234567890!"#\$%&'()+-@\*^:;,,

28CDE7GH19 KLMNOPQR STUVUXYY abcdefghijklmn opgrituVWXYZ 1234567890!"# \$8&'()+-@\*^:;,/[] <>?

# Dana 13

ABCDEFGHIJKLMNOPQRSTUVWXYZ ABCDEFGHIJKLMNOPQRSTUVWXYZ 1234567890!"#\$%&'()+-@\*^:;../[]<>?

# Dana 24

ABCDEFGHIJKLMNOPQR STUVWXYZ ABCDEFGHIJKLMNOPQR STUVWXYZ 1234567890!"#\$%&'()+-@\*`:;../[]<>?

FontPack Plus

2-10

## Derby 9

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghi jklmnopqrstuvwxyz 1234567890 !"#\$%&'()+-@\*^:;=,,/LJ<>?

# Derby 18

ABCDEFGHIJKLMNOPQRSTUVWXYZ abodefghijklmnopqrstuvwxyz 1234567890 !"#\$%&'()+-@\*^:;=,./[]<>?

## **Durant 10**

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz 1234567890 |"#\$% &'()+-@\*^;;=,./[]<>?

#### **Durant 12**

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz 1234567890 |"#\$%&'()+-@\*^;;=,./[]<?

## Durant 18

ABCDEFGHIJKLMNOPQRS TUVWXYZ abcdefghijklmnopqrstuvw xyz 1234567890 !'#\$%&'()+-@\*^;;=,./[<>?

### **Durant 24**

ABCDEFGHIJKLMNO PQRSTUVWXYZ abcdefghijklmnopqr stuvwxyz 1234567890 | "#\$%&'()+-@\*^;;=,/[]>?

# Dwight 18

ABCDEFGHIJKLMNOPQRS TUVWXYZ abcdefghijklmnopqrstu vwxyz 1234567890 !"#\$%&'()+-@\*^;;=,./||<>?

# Ellsworth 12

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvWXYZ 1234567890 !||||||||--|\*|:::-./||||?

FontPack Plus


ABCDEFGHIJKLMNO
PQRSTUVWXYZ
abcdefghijklmn
opqrstuvwxyz
1234567890
!!!! ||-|\*|::::../||?

Eshlemen 28

ABCOEFGH
IJKLMNOP
QRSTUVWX
YZ
abcdefghijklmn
opqrstuvwxyz
1234567890
!"#\$%& ()+-+^:;
=,./[()?

ABCDEFGHJKL MNOPQRSTUVW XYZ abodefghijklmn opqrstuvwxyz 123-4567890 !"#\$%&'()+-@\*^;;= ,./[]<>?

**Euclid 36** 



#### Flints 12

ABCDEFGHUKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890
!"#\$%&'()+-@\*";;=;,/[]<>?

#### Flints 24

ABCDEFGHUKLMN
OPQRSTUVWXYZ
abcdefghijklmno
parstuvwxyz
1234567890
!"#\$%&'()+-@\*";;
=,./[J<>?

# **Fog 24**

ABCDEFGHIJKL
MNOPQRSTUV
WXYZ
abcdefghijklm
nopgrstuvwxyz
1234567890
!"#\$%&\()\*-@\*^:;
=,:/[]<>?

ABCOEFGHI
JKLANOPOR
STUVWXYZ
GDCCEGNIJ
KIMMODOMST
UVWXJZ
1234557890

Grizzly 18

DBCDEFGHIJKLMN
OPQRSTUVWXY
Z
ABCDEFCHIJKLMN
OPQRSTUVWXYZ
1234567890
!"#\$%&`[]+-@\*`;;-,./||<
>?

FontPack Plus

#### Haste 12


ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz 1234567890 !"#\$%&'[J+-@\*^:;=,./[]<>?

## Haste 18


ABCDEFGHIJKLMNOPQR STUVWXYZ abcdefghijklmnopqrstu VWXYZ 1 23 45 6 7 8 9 0 !"#\$% & 'U+-@\*^:;=,./[]<>?

## Haste 24

ABCDEFGHIJKLM
NOPQRSTUVWXY
Z
abcdefghijklmno
pqrstuvwxyz
1 234567890
!"#\$%&'U+-@\*^:;=,.
/[J<>?



Hilgard 2 28



##\$%&'()+-@\*|;:=,./[]<>

Kips 22

ABCDEFGHIJKLMN OPQRSTUVWXYZ abcdefghijklmno pqrstuvwxyz 1234567890 !"#\$%&"|+-@\*^;;=,,/||<>?

#### Latimer 18

## Lawrence 12

# LeConte 12

ABCDEFGHIJKLMNOPQRSTVVWXYZ abcdefghijklmnopqrstvvwxyz 1234567890 !"#\$%&"()+-@\*^;;=,,/[]<>?

FontPack Plus

2-20

#### LeConte 18

ABCDEFGHIJKLMNOPQRSTUUUJX YZ abcdefghijklmnopqrstuuujx yz 1234567890 !!!#\$%&!()+-@\*^;;=,,/[]<>?

#### Lewis 18

ABCDEFGHIJKLMINOPQRSTUVWXY Z abcdefghijklmnopqrstuvwxyz 1234567890 !"#\$%&'()+-@\*^:;=,./[]<>?

#### Lewis 26

ABCDEFGHIJKLMNOPQRSTU VWXYZ abcdefghijklmnopqrstuv WXYZ 1234567890 !"#\$%&'()+-@\*^:;=,./[]<>?

FontPack Plus

ABCDEFGHIJKLM
NOPGRSTUVWXY
Z
abcdefghijklm
nopgrstuvwxy
Z
1234567890
!"#\$%&'()+-@\*^:;=,./
[]<>?

#### McLaughlin 18

ABCDEFGHIJKLMNOPQRSTUV WXYZ abcdefghijklmnopqrstuv WXYZ 1234567890 !"#\$%6'()+-@\*":;=,./[]<>?

#### Moffit 24

ABCDEFGHIJKL
MNOPQRSTUV
WXYZ
abcdefghi jkl
mnopqrstuv
WXYZ
1234567890
!"#\$%&()+-@\*";;
=,./[]<>?

#### Mulford 12

АБЧДЕФГЭИЖКЛМНОПЦРСТУВЯ ХИЗ абчдефгэижклмнопцрстувяхйз 1234567890 !ъ#\$%&ь()+-@\*^Её="ыюш«»? GBCDEFGHIJKLMNOPQRSTUVWX YZ abcdefghijklmnopqrstuvwxy Z 1234567890 !!!!!'!!!-!\*!;;,,/!!!?

Mykonos 24

# GBCDEFGHUKLM NOPQRSTUVWXY Z abcdefghijklmn opqrstuvwxyz 1234567890

North Gate 18

ABCDEFGHIJKLMNOPQRS
TUVWXYZ
abcdefghijklmnopqrstuvw
xyz
1 234567890
!"#\$%6'()+-@\*^:;=,./[]<>

#### Ormond 12

ABCDEFGHIJKLMNOPQRSTU VVXYZ abcdefghijklmnopqrstuvwxyz 1234567890 !"#\$%&'()+-@\*^:;=,./[]\?

#### Ormond 24

ABCDEFGHUK
LIVINOPQRSTU
VVVXYZ
abcdefghijklmnop
qrstuvxxyz
1234567890
!"#\$%&'0+-@\*^;;=,.../[K)?

#### Oxford 14

中国CDEFGHIJHLMNOPORST UVのエヤス abcdefghijklmnopqrstuvの エッス 123456789Ø !"#\$%せ"()+-@\*^;;=,./()◇? 9BCDEFGHJH
LMNODORSTU
VWXYZ
abcdefghijklm
nopqrstuvwx
yz
123456789ø
!"#\$%&!(]+-@\*
^:;=,./(]<>?

Sather 20

ABCDEFGHIJKLMNOPQR STUVWXYZ abcdefghijklmnopqrs tuVWXYZ 1234567890 !"#\$%&'()+-@\*^:;=,./[]<> ABCDETGUIJK
LMNOPQPSTUV
WXYZ
ABCDEFGUIJKLMN
OPQRSTUVWXYZ
1234567890
!"#\$%&'()+-@\* ;;=,./||<>?

Spats 24

ABCDEFGHIJK LMNOPORSTU VWXYZ abcdefghijk! mnoporstuv WXYZ 1234557890 !||-|\*::|,./|? ABCDEFGHIJKEM NOPORSTUUWKYZ obcdefghijklmn opgrstuuwkyz 1234567890 !!!!~::,.................?

Sproul 24

ONWFK1IHCEEDCBY

SAXMANLSBOD

OUW JK JIPQ LEQCPO

SAXMAN facdb

SAXMAN facdb

088262435 I

1: \* & -+(), & 2 | 1/''


5</1//'

ABCDEFGHI JKLMINOPQRSTUVLVXYZ clbcclefghijklmnopcprstuvLvxyz 1234567890 !"#\$%&'()+-@\*^:;=,,/[]<>?

Spruce 24

ABCDEFGHIJKLMNO
PQRSTUVVVXYZ
clocclefghiJklmnop
cpstuvvxyz
1234567890
!"#\$%&'()+-@\*^:;=,.
/[<>?

Stadium 24



ABCDEF9HJJKLM
NOPQRSJUVWXYZ
abcdefghijklmnopgrst
www.yz
1234567890
!"#\$%&'()+-@\*^:;=
../[]<>?

Superb 24

ABCDEFGHUKLM NOPORSTUVWXY Z abcdefghijklmn opqrstuvwxyz 1234567890 !"#\$%&'()+-@\*^\*;=, •/[[k>? ABCDEFGHIJKLMNOPQRS
TUVWXYZ
abodefghijk|mnopqrstov
wxyz
12;4567890
!"#\$%&'()+-@\*|;=,/[|<>?

#### Venetian 24

ABCDEFGHIJKL
MNOPORSTUV
WXYZ
abcdefghijklm
nopqrstuvwxyZ
1234567890
!"#\$%&'()+-@\*^:;
=,./[]<>?

#### Wheeler 9

ABCDEFGHIJKLMNOPORSTUVWXYZ abcdefghijklmnopqrstuvwxyz 1 234567890 !"#\$%&'()+-@\*^;;=,./[]<>?

#### Wheeler 12

ABCDEFGHIJKLMNOPQRSTU VWXYZ abcdefghijklmnopqrstuvwxy z 1 234567890 !"#\$%&'()+-@\*^:;=,./[]<>?

#### Wheeler 14

ABCDEFGHIJKLMNOPQR STUVWXYZ abcdefghijklmnopqrstuvw xyz 1 234567890 !"#\$%&'()+-@\*^:;=,./[J<>?


#### Wheeler 18

ABCDEFGHIJKLMNO
PQRSTUVWXYZ
abcdefghijklmnop
qrstuvwxyz
1 234567890
!"#\$%&'()+-@\*^:;=,./[
]<>?

#### Wheeler 24

ABCDEFGHIJK LMNOPQRSTU VWXYZ abcdefghijklm nopqrstuvwx YZ 1 234567890 !"#\$%&'()+-@\*^:; =,./[]<>?

### Wurster 25




FontPack Plus


ABCDEFGHIJKLMNOPQRS TUVWXYZ abcdefghijklmnopqrstuv WXYZ 1234567890 !"#\$%&'()+-@\*^;;=,./()<>?

#### Zellerbach 18

ABCDEFGHIJKLM NOPQRSTUVWXYZ abcdefghijklmno pqrstuvwxyz 1234567890 !"#\$%&'()+-@\*^;;=,./[J <>?



## Chapter 3: geoFont



This chapter covers geoFont, which enables you to create new fonts or change the appearance of existing fonts. Using geoFont will enable you to accomplish the following:

- · Create new fonts.
- · Change existing fonts.
- Change the name of a font.

### Before You Select a Font to Edit

Before you decide to make changes to an existing font, *always* make a backup copy of that font's file, in case the changes you make do not turn out as expected.

## **Entering geoFont**

There are two ways to enter geoFont from the deskTop:

- Click once on the geoFont icon so that it is highlighed, then select open from the file menu.
- Double-click on the geoFont icon.

Once you enter geoFont, you will be presented with three options: Create a new font, Open an existing font, or Quit to deskTop. Select one.

#### Create a New Font

After you click on Create a new font, you will be asked to "Please enter a new font name." Type in a new name and press [RETURN].

Next, you will be asked to "Enter a new point size to create." Enter a new point size (between sizes 2 and 48) and press **RETURN**.

**NOTE:** Presumably, your next step will be to begin to create new characters. (See *To create a new point size:*, page 3-8.)

#### **Open an Existing Font**


After you click on Open an existing font, you will be presented with a dialog box displaying the first five fonts on that disk. Click on a font, then click Open.

NOTE: If needed, use the scrolling arrows to scroll through the list of displayed fonts. If the font you need is on a disk in a second disk drive, click on Drive.

#### Quit to deskTop

Select this option to return to the deskTop.

## The geoFont Screen



As shown above, the geoFont screen is divided into several sections:

The display screen displays each character in the current font in a box in the upper left corner. The borders of this box represent the amount of space in pixels allotted to each character (and the space following that character) in the font. Change the width by using the Width option box to the left.

As you move the pointer over the screen, the pointer will assume the shape of a small box. Click, and the box will change color (and function):

If the box is:

you can:

yellow

add pixels.

red

delete pixels.

blue

move the pointer around without affecting the design.

View the next or previous character by clicking on the + or - sign on either side of the **Undo** button. The **Undo** button reverses the most recent change you made.

Below the Undo button is a Code box, which displays which character you are editing, as well as that character's hexadecimal and decimal numbers.

As you are changing the shape of a character, you can shift the character left, right, up, or down by clicking on the scrolling arrows below the

Width option. Click on the  $\boldsymbol{X}$  in the middle to clear the character completely.

While you are making changes to the current character, the actual size box, to the right of the scrolling arrows, displays that character's real size.

The font's identification is displayed below the scrolling arrows and actual size box.


The command menu at the top of the screen enables you to perform a variety of tasks. In addition to saving and updating your work, and exiting geoFont, you can also use the file menu to change the edited font's I.D. number, or use the point size menu to work with another point size.

## Once You Enter geoFont

Once you enter geoFont, you can perform a variety of actions.

To add pixels to the currently displayed character:

1: Move the pointer over the display screen. It will assume the shape of a blue box.




- 2: Click once. The box will become yellow and filled in. You can begin drawing.
- 3: To disable, click again.

To remove pixels from the currently displayed character:

- 1: Move the pointer over the display screen. It will assume the shape of a blue box.
- 2: Click until the box becomes red. You now can erase any pixel that you move the red box over.
- 3: To disable, click again.

To change the baseline of the current font:

1: Go to the display screen and click on the blue arrow at the left. It will turn red and become attached to the pointer.



2: Click again to deposit the arrow.

To select another character:


There are three ways to select another character:


- Type the character on the keyboard. For lowercase letters, type the letter itself; for uppercase letters, press **SHIFT** and the letter.
- To display the next character, click on the + sign next to the Undo button.
- To display the previous character, click on the sign next to the Undo button.

To change the amount of space allotted a character: Again, there are three ways to do this:

- Click on Width and, when a dialog box prompts you, enter a new width (2–48). Press **RETURN**.
- To increase the width by one pixel, click the + sign by the Width option.
- To decrease the width by one pixel, click the sign by the Width option.

NOTE: The use of the term "width" here does not refer to the actual width of the character itself. It refers to the area that includes the character, and the space between it and the next character as well.





Here the width is set at 14.

And here the width is set at 17.

To shift the current character over one pixel:

Click on one of the scrolling arrows next to the actual size box, depending on the direction you wish the character to move. If the pixels move off the screen, they will be erased.

To delete the currently displayed character: Click on the X in the middle of the scrolling arrows.

To reverse the most recent change: Click Undo.

To change a font's I.D. number:

- 1: Select change ID from the file menu.
- 2: A dialog box will ask you to "Please enter a new font I.D." Enter a two-digit hexadecimal number (e.g., "22") and press RETURN.


NOTE: The I.D. tells the geoWrite application which font to use. Each font must have a different I.D. from all other fonts used in a given document.

To select another point size to edit:


- 1: Select get from the point size menu. A submenu will display the available point sizes.
- 2: Click on a point size.

To create a new point size:

- 1: Select create from the point size menu.
- 2: When a dialog box prompts you, enter a new point size (2–48). The display screen will appear blank: you will need to reenter all the characters of that font.




3: Use the Width option to alter the width to an appropriate size.



4: Move the pointer to the display screen, click until you are in drawing mode, then begin to draw.

**NOTE:** If desired, delete the line of pixels that first appears with this display screen.



- 5: When finished, click on the + sign (next to Undo) to move to the next character.
- 6: Repeat steps 3-5 for each new character.

To delete a point size:

- 1: Select delete from the point size menu. A submenu will display the available point sizes.
- 2: Click on the point size you wish to delete.

NOTE: You cannot delete the point size you are currently editing. To do so, you must move to another point size (select get from the **point size** menu), then delete the point size you wish to remove.

## Leaving geoFont

To create or open another font: Select close from the file menu.

To exit directly to the deskTop: Select quit from the file menu.

